



EXPLANATION




ISOPACHS OF COAL BED—Showing thickness in feet, isopach interval 2 feet, with an intermediate 5 foot contour. Dashed where coal is burned or eroded.

MINING RATIO CONTOUR—Number indicates cubic yards of overburden per ton of recoverable coal by surface mining methods. Contours shown only in area suitable for surface mining within the stripping limit.



TRACE OF COAL BED OUTCROP—Showing coal thickness in feet, measured at triangle. Asterisk indicates measured section was not honored due to localized attenuation. Arrow points toward the coal-bearing area. "V" sym of indicates baked rock with dotted line showing limit of burning. Coal bed dashed where inferred or projected.


To convert feet to meters, multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE CABIN CREEK NW QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING AND MONTANA

This report has not been edited for conformity with U. S. Geological Survey editorial standards or stratigraphic nomenclature.

Base from U.S. Geological Survey, 1971



COAL RESOURCE OCCURRENCE MAP OF THE CABIN CREEK NW QUADRANGLE,  
SHERIDAN COUNTY, WYOMING AND POWDER RIVER COUNTY, MONTANA

BY  
IntraSearch  
1980

PLATE 9  
ISOPACH AND MINING RATIO  
MAP OF  
ROLAND OF BAKER COAL BED