

EXPLANATION

676
19

DRILL HOLE—Showing thickness of overburden, in feet, from the surface to top of coal bed. Lower number indicates interburden thickness, in feet, between upper and lower splits of coal bed.


500

OVERBURDEN ISOPACH—Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 100 feet below the 500 foot isopach; 250 feet above the 500 foot isopach.

D

FAULT—D indicates downthrown side. Dashed where inferred.



To convert feet to meters, multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE CABIN CREEK NW QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING AND MONTANA

Base from U.S. Geological Survey, 1971

(GARDNER DRAW) 4773 IN NE



(CABIN CREEK SE) 4773 I NE

This report has not been edited for conformity with U. S. Geological Survey editorial standards or stratigraphic nomenclature.

COAL RESOURCE OCCURRENCE MAP OF THE CABIN CREEK NW QUADRANGLE,
SHERIDAN COUNTY, WYOMING AND POWDER RIVER COUNTY, MONTANA

BY
IntraSearch
1980

PLATE 36
ISOPACH MAP OF
OVERBURDEN OF
CANYON COAL ZONE