


EXPLANATION

● 773 ○ 128
DRILL HOLE—Showing thickness of overburden, in feet, from the surface to top of coal bed.

— 400 —
OVERBURDEN ISOPACH—Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 100 feet below the 500 foot isopach; 250 feet above the 500 foot isopach.


↑ Ar —
TRACE OF COAL BED OUTCROP—Arrow points toward the coal-bearing area. Coal bed dashed where inferred or projected. Coal bed dotted where covered.

To convert feet to meters, multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE ARVADA QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

Base from U.S. Geological Survey, 1971
JEWELL DRAW 78 W. R. 77 W. 4773 I SW 4773 II SW
Compiled in 1980



COAL RESOURCE OCCURRENCE MAP OF THE ARVADA QUADRANGLE, SHERIDAN COUNTY, WYOMING
BY
IntraSearch
1980

This report has not been edited for conformity with U. S. Geological Survey editorial standards or stratigraphic nomenclature.

PLATE 6
ISOPACH MAP OF OVERBURDEN OF ARVADA COAL BED