

EXPLANATION

● 1202
● 80
● 1491
● 253
● 1620
● 47
● 1243
● 73
● 104
● 188
● 1271
● 145
● 1095
● 5
● 990
● 47
● 1476
● 372

DRILL HOLE-Showing thickness of overburden, in feet, from the surface to top of coal bed. Lower number indicates interburden thickness, in feet, between upper and lower splits of coal bed.


————— 1000 —————

OVERBURDEN ISOPACH-Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 250 feet.

————— 50 —————

INTERBURDEN ISOPACH-Showing thickness of interburden, in feet, between the splits of the coal bed. Isopach interval 50 feet.

To convert feet to meters, multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE JUNIPER DRAW QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

This report has not been edited for conformity with U. S. Geological Survey editorial standards or stratigraphic nomenclature.

COAL RESOURCE OCCURRENCE MAP OF THE JUNIPER DRAW QUADRANGLE, JOHNSON COUNTY, WYOMING

BY
IntraSearch
1980

PLATE 16
ISOPACH MAP OF OVERBURDEN AND INTERBURDEN OF WYODAK COAL ZONE

Juniper Draw
Wyodak Overburden
Interburden
Mazy B.

Base from U.S. Geological Survey, 1972

SCALE 1:24,000

Compiled in 1980

