


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



WILBURTON QUADRANGLE
OKLAHOMA-LATIMER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

EXPLANATION
2
ISOPACHS—Showing thickness of coal, in feet, Dashed where inferred. Isopach interval 1 foot (0.305m).
● 2(est.)
OIL AND GAS TEST HOLE—Showing thickness of coal estimated from well logs, in feet.
NOTE: Thickness reported to tenths of feet only when resolution of data permitted.
To convert feet to meters, multiply feet by 0.3048.



Base from U.S. Geological Survey, 1971.
This map intended for land-use planning purposes only.

This report was prepared under contract to the U.S. Geological Survey, and has not been edited for conformity with Geological Survey editorial standards or stratigraphic nomenclature. Opinions expressed herein do not necessarily represent those of the Geological Survey.



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
AND BY THE OKLAHOMA GEOLOGICAL SURVEY, NORMAN, OKLAHOMA 73069
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



WILBURTON, OKLA.
N3452.5—W9515.7.5
1971

AMS 6953 IV NE, SERIES V883

FEDERAL COAL RESOURCE OCCURRENCE MAP OF WILBURTON 7.5 MINUTE QUADRANGLE, LATIMER COUNTY, OKLAHOMA

BY GEOLOGICAL SERVICES OF TULSA, INC., AND B. T. BRADY, USGS