




EXPLANATION

**200**  
OVERBURDEN ISOPACH- Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 100 feet below 500 foot isopach; 200 feet above the 500 foot isopach.


**553**  
DRILL HOLE- Showing thickness of overburden, in feet, from the surface to top of coal bed. Lower number indicates interburden thickness, in feet, between upper and lower splits of coal bed.

**50**  
INTERBURDEN ISOPACH-Showing thickness of interburden, in feet, between the splits of the coal bed. Isopach interval 25 feet.

To convert feet to meters multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE COAL BANK DRAW QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING



**COAL RESOURCE OCCURRENCE MAP OF THE COAL BANK DRAW QUADRANGLE, CAMPBELL AND CONVERSE COUNTIES, WYOMING**

BY  
**IntraSearch**  
1979

PLATE 16  
ISOPACH MAP OF OVERBURDEN AND INTERBURDEN OF LOCAL-LOWER WILDCAT COAL ZONE

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.