


This report is preliminary and has
not been edited or reviewed for
conformity with Geological Survey
standards or nomenclature.



NOTES

The Landsat MSS images used were processed by the Image Processing Facility, Branch of Astrogeologic Studies, Flagstaff, AZ, under the supervision of Pat Chavez, Jr. All frames are high-pass filtered B/W versions of band six. They were further enhanced by removing noise patterns, by applying a linear contrast stretch and by lessening the effects of atmospheric haze. The high pass filter and contrast stretch enhance high frequency tonal differences (those occurring within small areas) so that fine details of topographic relief are made more apparent. In addition, a correction was applied to make the sun angle more uniform across the area of the Appalachian basin and the frames were geometrically rectified for compatibility with standard 2-degree topographic sheets on the transverse Mercator projection. The working scale was 1:500,000. This map, an Albers equal area projection, is a rectified 0.5X reduction of the original compilation.

As drawn, the length of each line marking a lineament is a direct measure of the length of the feature by which the lineament is expressed. Most of the lineaments shown are recognized primarily by topographic expression, and most commonly as aligned straight segments of two or more streams or small rivers. Only in the Valley and Ridge and Blue Ridge provinces were lineaments expressed primarily by tonal differences recognized. However, even those for the most part probably are vegetation patterns along small valleys whose relief is not visible at the resolution of the images. Those lineaments of least certain structural significance are indicated by a question mark which is positioned along that part of the line where most uncertainty exists. Where located at the middle of the line, the entire linear feature is considered to be in the uncertain category.

I have tried to incorporate as little interpretation as possible. Only the longer and/or more prominent lineaments from among many thousands were selected for this map. By far the largest and most prominent linear features in the area of the map are those resulting primarily from folding and thrust faulting in the Valley and Ridge province. These are not shown. However, several mapped cross-cutting faults are shown (as they are visibly expressed on the images) and are identified by the letter symbols below. The Coburn fault is a gentle graben composed of many closely spaced normal faults of small displacement. The parallel but shorter line 6 miles to the west is a similar graben.

* B.B.C.F. = Bishop-Bradshaw Creek fault of Elder and others (1974). Also the Cambria fault of Johnston and others (1973).
R.F.F. = Russell Fork fault.
C.O.F. = Coburn fault of Johnston and others (1973).

LANDSAT LINEAMENTS IN PARTS OF WEST VIRGINIA, KENTUCKY, OHIO, AND VIRGINIA
BY
GEORGE W. COLTON
1978