


EXPLANATION

— 1000 —
OVERBURDEN ISOPACH—Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 100 feet below the 500 foot isopach; 250 feet above the 500 foot isopach.

— 250 —
INTERBURDEN ISOPACH—Showing thickness of interburden, in feet, between the splits of the coal bed. Isopach interval 50 feet.

● 1153
236
DRILL HOLE—Showing thickness of overburden, in feet, from the surface to top of coal bed. Lower number indicates interburden thickness, in feet, between upper and lower splits of coal bed.


To convert feet to meters multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE SW¼ BILL 15' QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

This report has not been edited for conformity with U. S. Geological Survey editorial standards or stratigraphic nomenclature.

43°00' 105°30' 27°30' R. 72 W. R. 71 W. 25' 105°22'30" 43°07'30"



COAL RESOURCE OCCURRENCE MAP OF THE SW¼ BILL 15' QUADRANGLE, CONVERSE COUNTY, WYOMING

BY
IntraSearch
1979

PLATE 6
ISOPACH MAP OF OVERBURDEN AND INTERBURDEN OF WILDCAT-MOYER COAL ZONE

Base from U.S. Geological Survey, 1959

Compiled in 1979