



ISOPACHS—Showing thickness of coal, in feet. Long dashed where inferred, short dashed where projected above land surface. Isopach interval 1 foot.

3.7

POINT OF MEASUREMENT—Showing thickness of coal, in feet.



TRACE OF COAL BED OUTCROP—Showing symbol of name of coal bed. Arrow points toward coal-bearing area. Dashed where inferred by present authors.




INSUFFICIENT DATA LINE—Coal resources were not calculated for areas beyond line shown because of insufficient data.



FAULT—Dashed where approximately located; bar and ball on downthrown side.



To convert feet to meters, multiply feet by 0.3048.



111°15' 12'30" R.6 E. R.7 E 10' 111°07'30" 39°30' T.15 S. 27'30" 27'30" T.16 S. 25' 25' T.16 S. 25' 111°15' 12'30" R.6 E. R.7 E 10' 111°07'30" 39°22'30" T.17 S. 39°22'30"

Base from U.S. Geological Survey, 1928

Compiled in 1977/1978



**COAL RESOURCE OCCURRENCE MAP OF THE NORTHWEST QUARTER OF THE  
HIAWATHA 15-MINUTE QUADRANGLE, EMERY AND SANPETE COUNTIES, UTAH  
BY  
AAA ENGINEERING AND DRAFTING, INC.  
1979**