



EXPLANATION

— 25 —
— 20 —

ISOPACHS - Showing thickness of coal, in feet. Isopach interval 5 feet (1.5 m).

○ 26.0

DRILL HOLE - Showing thickness of coal, in feet.

▲ 24.5

POINT OF MEASUREMENT - Showing thickness of coal, in feet. Includes all points of measurement other than drill holes.

E - Emerson

COAL BED SYMBOL AND NAME

—▲— E —

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Short dashed where projected by present authors.

To convert feet to meters, multiply feet by 0.3048.

Base from U.S. Geological Survey, 1969

UTM GRID AND 1969 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

SCALE 1:24,000

1 MILE

1 KILOMETER

Compiled in 1977/1978

QUADRANGLE LOCATION

UTM GRID AND 1969 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

1°54' 34 MILS

155° 258 MILS

**COAL RESOURCE OCCURRENCE MAP OF THE LAY QUADRANGLE,
MOFFAT COUNTY, COLORADO**

**BY
DAMES & MOORE
1979**