


- EXPLANATION**
- 10 ————
 - 11 ————
 -
 - ISOPACHS—Showing thickness of coal, in feet. Long dashed where inferred, short dashed where projected above land surface. Isopach interval 1 foot. Hachures indicate an area of local thinning of coal bed.
 - 13.4 ▲
 - POINT OF MEASUREMENT—Showing thickness of coal, in feet.
 -
 - TRACE OF COAL BED OUTCROP—Showing symbol of name of coal bed. Dashed where inferred by present authors. Arrow points toward coal-bearing area.
 -
 - INSUFFICIENT DATA LINE—Coal thickness cannot be determined beyond line shown because of insufficient data.
 -
 - BURNED AND CLINKERED COAL BED—Showing area of baked and fused rock (v symbol). Dotted line indicates the inferred limit of burning.
 -
 - FAULT—Dashed where approximately located; bar and ball on downthrown side where direction of movement is known.
- To convert feet to meters, multiply feet by 0.3048.



**COAL RESOURCE OCCURRENCE MAP OF THE SOUTHEAST QUARTER OF THE
HIAWATHA 15-MINUTE QUADRANGLE, EMERY COUNTY, UTAH**

BY
AAA ENGINEERING AND DRAFTING, INC.

1979

This report has not been edited for conformity with Geological Survey editorial standards or stratigraphic nomenclature.