

EXPLANATION

- 5 —  
— 6 —
- ISOPACHS—Showing thickness of coal, in feet. Long dashed where inferred, short dashed where projected above land surface. Isopach interval 1 foot.
- 4.0
- DRILL HOLE—Showing thickness of coal, in feet. Drill holes which do not intersect the coal or from which a coal thickness could not be determined are not shown.
- ▲ 4.7
- POINT OF MEASUREMENT—Showing thickness of coal, in feet. Includes all points of measurement other than drill holes.
- A —
- TRACE OF COAL BED OUTCROP—Showing symbol of name of coal bed. Arrow points toward coal-bearing area. Dashed where inferred by present authors.
- A —
- FAULT—Dashed where approximately located; bar and ball on downthrown side; dotted where concealed.



To convert feet to meters, multiply feet by 0.3048.

NOTE: Isopachs cannot be drawn beyond those shown because of insufficient data.

This report has not been edited for conformity with Geological Survey editorial standards or stratigraphic nomenclature.

Base from U.S. Geological Survey, 1968

Compiled in 1978



**COAL RESOURCE OCCURRENCE MAP OF THE EMERY WEST QUADRANGLE,  
SEVIER AND EMERY COUNTIES, UTAH  
BY  
AAA ENGINEERING AND DRAFTING, INC.  
1979**

PLATE 16  
ISOPACH MAP  
OF THE  
'A' COAL BED