

EXPLANATION

ISOPACHS - Showing thickness of coal, in feet. Long dashed where inferred. Isopach interval 5 feet for the Adaville No. 1B and 1 coal beds; 1 foot for the Spring Valley [1].

DRILL HOLE - Showing thickness of coal, in feet.

POINT OF MEASUREMENT - Showing thickness of coal, in feet. Includes all points of measurement other than drill holes.

Av-1B - Adaville No. 1B (upper split of Av-1)
Av-1 - Adaville No. 1
SV[1] - Spring Valley [1]


COAL BED SYMBOLS AND NAMES - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Dashed where inferred.

TRACE OF FAULT - Arrows and symbols designate direction of movement when known; bar and ball on down-thrown side. Dashed where inferred or approximately located.

TRACE OF AXIAL PLANE OF ASYMMETRIC SYNCLINE - Short arrow indicates steeper limb.

To convert feet to meters, multiply feet by 0.3048.



COAL RESOURCE OCCURRENCE MAP OF THE MEADOW DRAW
QUADRANGLE, UINTA COUNTY, WYOMING
BY
DAMES & MOORE
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.