


EXPLANATION




- 5 —
— 10 —
ISOPACHS - Showing thickness of coal, in feet. Isopach interval 5 feet.
- 7000 —
— 6800 —
STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet. Contour interval is 200 feet (61 m). Datum is mean sea level.
- 6567
7
DRILL HOLE - Showing altitude of top of coal bed, and thickness of coal, in feet.
- Av-5 - Adaville No. 5
COAL BED SYMBOL AND NAME
- Av-5A —
TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Short dashed where inferred by present authors.
- + —
TRACE OF AXIAL PLANE OF ASYMMETRIC SYNCLINE - Short arrow indicates steeper limb.
- To convert feet to meters, multiply feet by 0.3048.



NOTE: Dips in mapped area exceed 15°

NOTE: Structure contours are not drawn beyond those shown because of insufficient data.

Base from U.S. Geological Survey, 1965 Compiled in 1977/1978



**COAL RESOURCE OCCURRENCE MAP OF THE MEADOW DRAW
QUADRANGLE, UINTA COUNTY, WYOMING**
BY
DAMES & MOORE
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.