


EXPLANATION



STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet. Contour interval is 200 feet (61 m). Datum is mean sea level.

○ 7005

DRILL HOLE - Showing altitude of top of coal bed, in feet.

▲ 7000

POINT OF MEASUREMENT - Showing altitude of top of coal bed, in feet.

Av - Adaville, undifferentiated


SV - Spring Valley

COAL BED SYMBOLS AND NAMES - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.



— Av —

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Dashed where inferred; short dashed where inferred by present authors.

To convert feet to meters, multiply feet by 0.3048.



NOTE: Dips in mapped areas exceed 15°



**COAL RESOURCE OCCURRENCE MAP OF THE RAGAN  
QUADRANGLE, UINTA COUNTY, WYOMING**  
BY  
**DAMES & MOORE**  
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.