



EXPLANATION



ISOPACHS - Showing thickness of coal, in feet. Long dashed where vertical accuracy possibly not within 40 feet; short dashed where projected above ground surface. Contour interval is 200 feet (61 m). Datum is mean sea level.



STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet; short dashed where projected above ground surface. Contour interval is 200 feet (61 m). Datum is mean sea level.

DRILL HOLE - Showing altitude of top of coal bed, and thickness of coal, in feet.


INTERBEDDED COAL AND ROCK - Showing total coal thickness/total rock thickness.

A1-A - A bed of the Almond
RS-5U - Rock Springs Upper No. 5

COAL BED SYMBOLS AND NAMES




TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Short dashed where inferred by present authors.

To convert feet to meters, multiply feet by 0.3048.



NOTE: Isopachs and structure contours are not drawn beyond dotted line because of insufficient data.

Base from U.S. Geological Survey, 1968
Compiled in 1979



**COAL RESOURCE OCCURRENCE MAP OF THE RELIANCE
QUADRANGLE, SWEETWATER COUNTY, WYOMING**
BY
DAMES & MOORE
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.