







EXPLANATION

-  ISOPACHS - Showing thickness of coal, in feet. Long dashed where inferred. Isopach interval 2 feet for the Kemmerer [3] coal bed; 1 foot for the Spring Valley [1] coal bed.
  -  DRILL HOLE - Showing thickness of coal, in feet.
  -  POINT OF MEASUREMENT - Showing thickness of coal, in feet. Includes all points of measurement other than drill holes.
  - K - Kemmerer  
SV - Spring Valley
  - COAL BED SYMBOLS AND NAMES - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.
  -  TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Dashed where inferred; short dashed where inferred by present authors.
  -  TRACE OF AXIAL PLANE OF OVERTURNED SYNCLINE
- To convert feet to meters, multiply feet by 0.3048.



NOTE: Isopachs are not drawn beyond dotted lines because of insufficient data.



COAL RESOURCE OCCURRENCE MAP OF THE SULPHUR CREEK RESERVOIR  
QUADRANGLE, UINTA COUNTY, WYOMING

BY  
DAMES & MOORE  
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.