

EXPLANATION

— 7000 —
— 7200 —
STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet; short dashed where projected above ground surface. Contour interval 400 feet (122 m) for the Kemmerer [3] coal bed; 200 feet (61 m) for the Spring Valley [1] coal bed. Datum is mean sea level.

○ 7241

DRILL HOLE - Showing altitude of top of coal bed, in feet

▲ 7450

POINT OF MEASUREMENT - Showing altitude of top of coal bed, in feet.

K - Kemmerer
SV - Spring Valley

COAL BED SYMBOLS AND NAMES - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.



— K[3] —

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Dashed where inferred; short dashed where inferred by present authors.

— SV[1] —

TRACE OF AXIAL PLANE OF OVERTURNED SYNCLINE

To convert feet to meters, multiply feet by 0.3048.



COAL RESOURCE OCCURRENCE MAP OF THE SULPHUR CREEK RESERVOIR
QUADRANGLE, UINTA COUNTY, WYOMING

BY
DAMES & MOORE
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.