

EXPLANATION

- 5 —  
ISOPACHS - Showing thickness of coal, in feet. Isopach interval 1 foot.
- 5120 —  
STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet. Contour interval 40 feet (12 m). Datum is mean sea level.
- 1700 —  
OVERBURDEN ISOPACHS - Showing thickness of overburden, in feet, from surface to top of coal bed. Isopach interval 100 feet (31 m).
- COAL BED SYMBOL AND NAME - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.
- To convert feet to meters, multiply feet by 0.3048.

41°52'30" 109°15' R.105 W. R.104 W. 12°30" 10°00" 41°52'30" R.104 W. 109°07'30" 42°00"

Base from U.S. Geological Survey, 1958

SCALE 1:24,000

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET


1 0 1 KILOMETER

1 MILE

WYOMING

QUADRANGLE LOCATION

Compiled in 1979



COAL RESOURCE OCCURRENCE MAP OF THE NORTHWEST QUARTER OF THE BOARS  
TUSK 15-MINUTE QUADRANGLE, SWEETWATER COUNTY, WYOMING

BY  
DAMES & MOORE  
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

PLATE 7  
ISOPACH, STRUCTURE CONTOUR, AND  
OVERBURDEN ISOPACH MAP OF THE  
ROCK SPRINGS [23] COAL BED