


EXPLANATION



STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet. Short dashed where projected above ground surface. Contour interval 100 feet (31 m). Datum is mean sea level.



DRILL HOLE - Showing altitude of top of coal bed, thickness of coal, and thickness of overburden, in feet.



POINT OF MEASUREMENT - Showing altitude of top of coal bed, and thickness of coal, in feet.


R - Robertson bed of the Almond

COAL BED SYMBOL AND NAME

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Short dashed where inferred by present authors.

TRACE OF FAULT - Bar and ball on down-thrown side. Dashed where inferred or approximately located.


To convert feet to meters, multiply feet by 0.3048.



NOTE: In this area, overburden thickness is less than 20 feet, and mining ratio is less than 10.

NOTE: Structure contours are not drawn beyond those shown because of insufficient data.

Base from U.S. Geological Survey, 1961. Compiled in 1977/1978.



**COAL RESOURCE OCCURRENCE MAP OF THE KETCHUM BUTTES
QUADRANGLE, CARBON COUNTY, WYOMING**
BY
DAMES & MOORE
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.