

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

HYDROGEOLOGIC DATA FROM THE NORTHERN  
POWDER RIVER BASIN, SOUTHEASTERN MONTANA  
by Steven E. Slagle and James R. Stimson

---

U.S. GEOLOGICAL SURVEY

Water-Resources Investigations

Open-File Report 79-1332

Prepared in cooperation with the  
Montana Bureau of Mines and Geology and  
U.S. Bureau of Land Management

Helena, Montana  
December 1979

UNITED STATES DEPARTMENT OF THE INTERIOR

CECIL D. ANDRUS, Secretary

GEOLOGICAL SURVEY

H. William Menard, Director

---

For additional information write to:

U.S. Geological Survey  
428 Federal Building  
301 South Park  
Drawer 10076  
Helena, Montana 59601

## CONTENTS

	Page
Metric conversion table. . . . .	IV
Abstract . . . . .	1
Introduction . . . . .	1
Hydrogeologic data . . . . .	1
Well-numbering system. . . . .	3
Acknowledgments. . . . .	5
Selected references. . . . .	6
Data . . . . .	7

## ILLUSTRATIONS

Plate 1. Map showing locations of inventoried wells, northern Powder River Basin, southeastern Montana. . . . . (In pocket)	
Figure 1. Map showing location of study area . . . . .	2
2. Diagram illustrating well-numbering system . . . . .	3

## TABLES

Table 1. Generalized section of geologic units. . . . .	4
2. Records of wells . . . . .	7
3. Logs of wells and test holes . . . . .	78

## METRIC CONVERSION TABLE

The following factors can be used to convert inch-pound units in this report to the International System (SI) of metric units.

<u>Multiply inch-pound unit</u>	<u>By</u>	<u>To obtain SI unit</u>
inch (in.)	25.40	millimeter (mm)
foot (ft)	0.3048	meter (m)
gallon per minute (gal/min)	0.06309	liter per second (L/s)
temperature, degrees Celsius ( $^{\circ}\text{C}$ ) = $0.556$ ( $^{\circ}\text{F}-32$ )		

HYDROGEOLOGIC DATA FROM THE NORTHERN  
POWDER RIVER BASIN, SOUTHEASTERN MONTANA

By

Steven E. Slagle and James R. Stimson

ABSTRACT

Selected hydrologic and geologic data have been collected as part of energy-related projects conducted by the U.S. Geological Survey in the northern Powder River Basin of southeastern Montana. Records of 1924 stock, domestic, irrigation, public supply and test wells are tabulated in the report. The data include well location, depth of well, casing diameter, type of lift, type of power, use of water, principal aquifer, altitude of land surface, water level, discharge, field specific conductance, and water temperature. Locations of the inventoried wells are shown on a map at a scale of 1:500,000. Lithologic logs of 373 wells and test holes are also included. The geologic units considered range in age from Late Cretaceous to Holocene.

INTRODUCTION

The increase of coal development in the Northern Great Plains has created concern about its effects on the water resources. Consequently, the U.S. Geological Survey, in cooperation with the Montana Bureau of Mines and Geology and the U.S. Bureau of Land Management, initiated an investigation to determine the effects of strip mining and related developments on the hydrology of the northern Powder River Basin. Part of that investigation involved increased collection of information about wells. This report, which resulted from the data collection, is intended to serve two purposes: (1) to provide baseline ground-water data that will be useful in evaluating the effects of development on ground-water resources, and (2) to supplement an interpretive report describing the effects of development in the northern Powder River Basin.

The area of study for this report is bounded on the north by the Yellowstone River, on the east by the Powder and Little Powder Rivers, on the south by the Montana-Wyoming State line, and on the west by the Bighorn and Little Bighorn Rivers (fig. 1). These borders encompass the Montana part of the Powder River Basin.

HYDROGEOLOGIC DATA

This report includes records of 1,924 stock, domestic, irrigation, public supply, industrial, and test wells in parts of six counties. Lithologic logs of 373 wells and test holes are also included. The majority of the data were collected from 1973 to 1976; however, some data




Figure 1.--Location of study area.

were collected as early as 1936. Some of the earlier data were published in previous reports but are included herein to provide all data in a single report.

The geologic units considered in this report range in age from Late Cretaceous to Holocene (table 1). These geologic units contain the major strippable coal deposits and supply the majority of the ground water used for stock and domestic purposes.

Inventoried wells are listed in table 2, and their locations are shown on plate 1. Well yields were measured under operating conditions at the time of measurement, and do not necessarily indicate the maximum yield of the well. Discharge of a well can vary with changes in pump and well efficiency, pump speed, discharge pressure, and depth to water. Specific-conductance values listed in table 2 represent field determinations measured at the time of collection. Laboratory analyses of major ions, trace elements, and radiochemical constituents of water samples collected during this study are contained in a companion report (Lee, 1979).

Logs of wells and test holes described in table 3 were obtained from landowners, well contractors, and Federal, State, and county records. Lithologic descriptions are listed as reported, with minor rearrangement of wording for format consistency. Local rock terms have been retained.

## WELL-NUMBERING SYSTEM

In this report, locations are numbered according to geographic position within the rectangular grid system used by the U.S. Bureau of Land Management (fig. 2). The location consists of as many as 13 characters. The first three characters specify the township and its position north (N) or south (S) of the Montana Base Line. The next three characters specify the range and its position east (E) of the Montana Principal Meridian. The next two characters are the section number. The next one to four characters designate the quarter section (160-acre tract), quarter-quarter section (40-acre tract), quarter-quarter-quarter section (10-acre tract), and quarter-quarter-quarter-quarter section ( $2\frac{1}{2}$ -acre tract), respectively, in which the well is located. The subdivisions of the section are designated A, B, C, and D in a counter-clockwise direction, beginning in the northeast quadrant. When more than one well is described within a tract, consecutive digits are added to the well number. For example, as shown on figure 2, well 08S43E16CCDA is the first well inventoried in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$  sec. 16, T. 8 S., R. 43 E.




Figure 2.--Well-numbering system.

Table 1.--Generalized section of geologic units<sup>1</sup>

System	Series	Geologic unit	Thickness (ft)	General description	Water-yielding characteristics	
Tertiary	Eocene	Wasatch Formation	0-400	Brownish-gray to light-gray fine- to coarse-grained lenticular beds of sandstone and interbedded gray shale and coal. Contains a fossiliferous zone of clams and snails as much as 30 feet thick. Zones of clinker crop out along the coal horizons. Base of unit is mapped as the top of the thick and persistent Roland coal bed, as defined by Baker (1929). Conformable contact with underlying unit	Most wells are shallow and yield less than 20 gal/min. Where wells tap coarse-grained deposits or large saturated thicknesses of aquifer material, yields may be higher	
				Paleocene	Fort Union Formation	Tongue River Member
	Lebo Shale Member	0-600	Predominantly dark shale containing interbeds of light-gray and brown to black carbonaceous shale, siltstone, and locally thin coal beds. Shales contain altered and devitrified volcanic ash and brown ferruginous concretions. Base of unit is mapped as the change from predominantly shale to predominantly fine-grained sandstone and shale of underlying unit. Conformable contact with underlying unit; however, the Lebo exists locally as deposits in channels eroded deeply into the underlying Tullock Member			A limited source of water in the study area; in local areas where saturated medium-grained channel deposits are penetrated, well yields may be as much as 25 gal/min
	Tullock Member	0-800	Lower part of member is interbedded medium-gray to light-gray shale, fine-grained light-gray sandstone and siltstone, and thin but persistent coal beds; grades upward to light-gray carbonaceous shale. Locally at the top is a resistant sandstone that forms a well-developed rimrock. Base of unit is mapped as the change from fine-grained thin-bedded sandstone, siltstone, shale, and coal beds to predominantly massive channel sandstone and dark-gray shale of underlying unit (Brown, 1952; Dunlap 1958)	Fine-grained sandstones and coal beds supply small quantities of water for domestic use. Well yields may be as much as 40 gal/min, but generally average about 15 gal/min. Where aquifers are confined, flowing well yields generally are less than 10 gal/min		
Quaternary	Holocene and Pleistocene	Alluvium	0-100	Sand, silt, clay, and local lenses of gravel. Coarse well-rounded gravel interbedded with finer material is common along the Yellowstone River; beds are mostly reworked terrace deposits. Gravel consists predominantly of clinker fragments on many smaller streams. Deposits are as much as 75 feet thick along the Tongue River, 50 feet thick along the Yellowstone River, and 40 feet thick along smaller streams. Unit includes many low-lying terraces adjacent to streams	Alluvium composed of coarse gravels may yield several hundred gallons of water per minute to properly developed wells in local areas along larger perennial streams; along smaller streams with thinner saturated thicknesses, yields of 100 gal/min may be possible. Yields commonly are 30 gal/min or less to stock and domestic wells	



Table 1.--Generalized section of geologic units<sup>1</sup>--Continued

Cretaceous	Upper Cretaceous	Hell Creek Formation	0-850	Shale and siltstone, gray to yellowish-gray, silty, clayey, sandy, carbonaceous, and bentonitic; locally, a yellowish-gray to tan fine- to medium-grained silty sandstone containing thin coal beds predominates. Lower contact is gradational; mapped as the change from predominantly silty shale and siltstone to predominantly sandstone of underlying unit. Contact probably unconformable with underlying Fox Hills Sandstone or Bearpaw Shale	Upper part of Hell Creek-- limited as a water supply in study area; well yields are as much as 12 gal/min, but generally average about 5 gal/min
		Fox Hills Sandstone	0-280	Near-shore sand facies that is the uppermost marine deposit in the area. Two members are recognized: Colgate Member--Very light gray fine- to medium-grained massive sandstone Unnamed lower member--Gray to brownish-gray fine-grained thin-bedded sandstone; interbedded with gray sandy shale and siltstone. Lower contact is gradational; considered to be the base of transition zone between sandstone above and shale of underlying unit. Conformable contact with underlying unit	Lower part of Hell Creek and Fox Hills Sandstone--Considered to represent one aquifer (Fox Hills-lower Hell Creek aquifer) in the study area. Reliable source of water for artesian wells; yields as much as 20 gal/min to flowing wells along the Tongue and Powder River valleys. Yields as much as 70 gal/min to domestic and stock wells and 200 gal/min to industrial wells
		Bearpaw Shale	0-800	Gray to black marine shaly claystone and shale. Contains some thin-bedded siltstone and silty sandstone and locally thin beds of bentonite. Base of unit is mapped as the change from shale and siltstone to sandstone of underlying unit. Disconformable contact with underlying unit	A confining bed; generally does not yield water to wells in study area

<sup>1</sup>Modified from Lewis and Roberts (1978)

#### ACKNOWLEDGMENTS

Appreciation is expressed to the many landowners who permitted access to their property and provided information about their wells. Appreciation is also extended to State, county, and city officials who supplied data, and to well contractors who provided information and well logs.

## SELECTED REFERENCES

- Baker, A. A., 1929, The northward extension of the Sheridan coal field, Big Horn and Rosebud Counties, Montana: U.S. Geological Survey Bulletin 806-B, p. 15-67.
- Brown, R. W., 1952, Tertiary strata in eastern Montana and western North and South Dakota, in Billings Geological Society 3rd Annual Field Conference, Black Hills - Williston Basin, 1952: p. 89-92.
- Dunlap, C. M., 1958, The Lewis, Fox Hills and Lance formations of Upper Cretaceous age in the Powder River Basin, Wyoming, in Wyoming Geological Association Guidebook 13th Annual Field Conference, Powder River Basin, 1958: p. 109-110.
- Knapton, J. R., and McKinley, P. W., 1977, Water quality of selected streams in the coal area of southeastern Montana: U.S. Geological Survey Water-Resources Investigations 77-80, 145 p.
- Lee, R. W., 1979, Ground-water-quality data from the northern Powder River Basin, southeastern Montana: U.S. Geological Survey Open-File Report 79-1331, 55 p.
- Lewis, B. D., and Roberts, R. S., 1978, Geology and water-yielding characteristics of rocks of the northern Powder River Basin, southeastern Montana: U.S. Geological Survey Miscellaneous Investigations Map I-847-D.

DATA

Table 2.--Records of wells

Local number--well-numbering system described in text.

County--003, Big Horn County; 017, Custer County; 075, Powder River County; 079, Prairie County; 087, Rosebud County; 103, Treasure County.

Depth of well--in feet below land surface.

Type of lift--A, air; B, bucket; C, centrifugal; J, jet; P, piston; R, rotary pump; S, submersible; T, turbine; U, unknown; Z, other.

Type of power--E, electric; G, gasoline; H, hand; L, LP gas; N, natural gas; W, wind; Z, other.

Use of water--C, commercial; H, domestic; I, irrigation; N, industrial; P, public supply; S, stock; U, unused; Z, other.

Principal aquifer--110ALVM, alluvium; 111SPBK, spoil banks; 124WSTC, Wasatch Formation; 125TGRV, Tongue River Member of Fort Union Formation; 125LEBO, Lebo Shale Member of Fort Union Formation; 125TLCK, Tullock Member of Fort Union Formation; 211HLCK, Hell Creek Formation; 211FHHC, Fox Hills-lower Hell Creek aquifer; 211BRPW, Bearpaw Shale.

Altitude of land surface--in feet above National Geodetic Vertical Datum of 1929 (mean sea level).

Water level--in feet above (+) or below land surface datum. Method of water-level measurement: E, estimated; G, measured with pressure gage; R, reported; S, measured with steel tape; V, measured with electric tape. Site status at time of water-level measurement: F, flowing; P, pumping; R, recently pumped.

Discharge--Method of discharge measurement: E, estimated; R, reported; V, measured volumetrically; Z, other. Type of production: no letter, pumped; F, flowing.

Specific conductance--field determination.

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
11N50E08DD	079	371	--	--	--	H	211HLCK	2230
11N50E20DC	079	400	--	--	--	H	211FHHC	2254
11N50E32LD	079	800	4	S	E	H	211FHHC	2447
10N49E01BAC	017	326	--	--	--	S,H	211FHHC	2265
10N49E14DDDD	017	600	4	P	W	S	211FHHC	2389
10N49E33ADD	017	490	--	--	--	S	211FHHC	2378
10N49E35DADC	017	72	4	P	W	S	125TLCK	2390
09N49E05CBC	017	610	--	--	--	S	211FHHC	2355
09N49E07DDBC	017	120	4	P	W	S	125TLCK	2365
09N49E13BDAA	017	118	3	P	W	S	125TLCK	2470
08N47E32ACD	017	554	--	--	--	P	--	2355
08N48E02DCBA	017	71	3.7	P	W	S	125LEBD	2490
08N48E04CDDC	017	125	4	P	G	S	125TLCK	2420
08N49E05ACDA	017	405	3.7	--	--	J	211FHHC	2730
08N49E07DBDB	017	260	4	P	W	J	211FHHC	2659
08N50E02DCAC	017	33	--	P	W	H	125TGRV	2870
08N50E05BDAA	017	40	6	--	--	S	110ALVM	2626
08N50E07CD	017	645	3	I	--	H	211FHHC	2683
08N50E08C8BD	017	25	--	J	E	H,S	110ALVM	2750
08N50E18BDB	017	280	4	--	--	J	211HLCK	2703
08N51E09ACAC	017	600	6	P	W	--	211FHHC	2470
08N51E22DD	017	410	2	--	--	H	211FHHC	2407
08N51E26CC	017	485	--	--	--	S	211FHHC	2424
08N51E33CACB	017	700	4	P	E	S	211FHHC	2520
07N45E24CDDD	017	180	6	P	G	S	125TLCK	2545
07N46E12DB	017	600	--	--	--	S	211FHHC	2369
07N46E19DADA	017	558	--	J	E	S	211FHHC	2400
07N46E24ACBD	017	620	--	P	W	S	211FHHC	2400
07N47E04BABA	017	12	4	P	H	S	110ALVM	2365
07N47E08AAA	017	616	18	--	--	H	211FHHC	2372
07N47E09BAA	017	615	--	--	--	S	211FHHC	2375
07N47E09BBB	017	626	18	--	--	H	211FHHC	2375
07N47E13BBCC	017	210	4	P	W	S	211FHHC	2500
07N47E13DDBB	017	74	3	P	G	S	211HLCK	2430
07N47E31CCAA	017	285	--	--	--	S	211FHHC	2551
07N47E36ADDD	017	18	--	--	--	S	110ALVM	2410
07N48E28DBCD	017	132	4	P	G	S	125TLCK	2550
07N49E19ABC	017	687	--	--	--	S,H	211FHHC	2785
07N49E30CBAC	017	200	4	P	W	S	125TLCK	2740
07N50E02B8BB	017	38	24	P	W	S	125TGRV	2986
07N50E08BA	017	700	--	--	--	J	211FHHC	2944
07N50E17ACCD	017	18	36	P	E	H,S	110ALVM	2980
07N51E34AD	017	40	--	P	H	S	125TLCK	2518
06N41E08D	087	15	--	--	--	H	110ALVM	--
06N41E10C	087	243	--	--	--	H	211HLCK	--
06N41E16C	087	39	--	--	--	H	211HLCK	--
06N41E17C	087	40	--	--	--	H	211HLCK	--
06N41E35ADBC	087	200	4	P	W	S	211HLCK	2811
06N42E14C	087	30	--	--	--	H	110ALVM	--
06N42E16DA	087	130	--	--	--	H	211HLCK	--
06N42E20DDDD	087	152	4	P	E	S	211HLCK	2562
06N42E22ACBB	087	90	4	P	W	S	211HLCK	2650
06N42E32DCBD	087	28	--	--	--	S	211HLCK	2550
06N43E28CDBB	087	200	4	P	E	S	125TLCK	2680
06N44E19ADD	087	286	2	--	--	S	211FHHC	2440

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
47.00+	G	05/06/1966		--	--	11N50E08DD
	F	--		--	--	11N50E20DC
110.90	S	09/10/1965		--	--	11N50E32CD
--		--		--	--	10N49E018AC
20.00	RP	--	08/03/1976	1300	12.0	10N49E140DDJ
--		--		1550	11.0	
--		--		--	--	10N49E33ADD
19.70	SP	08/03/1976	08/03/1976	3680	11.5	10N49E35DACC
--		--		1250	12.0	09N49E05CBC
62.90	SP	08/06/1976	08/06/1976	4850	11.5	09N49E070J3C
27.30	S	08/03/1976	08/03/1976	3060	15.0	09N49E135DAA
16.00	R	05/03/1939		--	--	08N47E32ACD
41.30	SP	08/16/1976	08/16/1976	5700	12.5	08N48E020C3A
77.50	SR	08/18/1976	08/19/1976	6520	11.0	08N48E04CDDC
235.60	V	08/12/1976		--	--	08N49E05ACDA
241.40	S	08/12/1976		--	--	08N49E070B0B
27.30	VP	08/11/1976	08/11/1976	1060	9.5	08N50E02DCAC
30.00	RR	08/05/1976	08/05/1976	--	--	08N50E058DAM
280.00	S	08/ /1965		--	--	08N50E07CD
14.00	RP	08/05/1976	08/05/1976	2440	12.5	08N50E08C83D
36.80	S	08/05/1976		--	--	08N50E108D3C
61.70	SR	08/03/1976	08/03/1976	1120	14.5	08N51E09ACAC
--	F	--		20	--	08N51E22DD
--		--		1	--	08N51E26CC
93.10	SP	08/03/1976	08/03/1976	1080	13.0	08N51E33CACB
36.70	SR	08/12/1976	08/12/1976	5260	10.5	07N45E24CDDJ
5.00+		1975		--	--	
5.00	RP	--	08/12/1976	1600	12.0	07N46E12D3C
26.40	SR	08/11/1976	08/11/1976	1850	14.0	07N46E19DADA
10.40	R	11/05/1975	08/11/1976	1430	14.0	07N46E24AC3D
--		--	11/05/1975	--	--	07N47E048A3A
--		--		1600	12.0	07N47E08AAA
--		--		--	--	
22.00	R	09/30/1957		--	--	07N47E09BAA
96.40	SP	08/10/1976		--	--	07N47E09B3B
41.30	SR	08/10/1976		--	--	07N47E13B8CC
20.00	SR	08/11/1975	08/10/1976	5100	11.5	07N47E13DD8B
--		--		--	--	07N47E31CCAA
10.70		09/18/1975		--	--	
88.40	S	08/10/1976		--	--	07N47E36ADDJ
--		--		--	--	07N48E28D5CD
--		--		1100	--	07N49E19A3C
87.60	SP	08/11/1976	08/11/1976	1280	12.5	07N49E30C3AC
37.30	SP	08/03/1976	08/03/1976	955	10.0	07N50E028B3B
398.00	S	07/ /1965		--	--	
11.00	VR	08/04/1976	08/04/1976	1990	9.0	07N50E03BA
26.00	S	07/ /1965		--	--	07N50E17ACDD
10.00		--		--	--	07N51E34AD
	F	--		--	--	06N41E08D
		--		--	--	06N41E10C
36.00		--		--	--	
38.00		--		--	--	06N41E16C
103.20	SP	08/20/1976	08/20/1976	710	12.5	05N41E17C
26.00		--		--	--	06N41E35A03C
	F	--		--	--	06N42E14C
		--		--	--	06N42E16DA
67.80	SR	08/19/1976	08/19/1976	610	12.5	06N42E20DDDD
65.00	S	08/24/1976		--	--	06N42E22AC3B
24.50		--		--	--	06N42E32DC3D
75.90	SR	08/18/1976	08/18/1976	625	10.5	06N43E28CD3H
--		--		1900	11.0	06N44E19ADD

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
06N44E19DAA	087	659	--	--	--	S	211FHHC	2475
06N44E20DC3	087	590	--	--	--	S	211FHHC	2475
06N44E22BAC	087	470	--	--	--	S	211FHHC	2441
06N44E25DCBA	087	90	--	P	W	S	125TLCK	2540
06N45E26CACD	017	342	4	--	--	J	125TLCK	2789
06N45E04CDB	017	645	8	--	--	J	211FHHC	2798
06N46E04DFC	017	1100	8	--	--	J	211FHHC	2780
06N46E04DCA	017	620	4	--	--	J	211FHHC	2805
06N46E12A8DA	017	620	4	P	W	S	211FHHC	2600
06N46E22CDBA	017	82	6	P	W	S	125TLCK	2645
06N47E03ADDC	017	201	--	P	W	S	125TLCK	2500
06N47E23DABC	017	89	4	P	W	S	125TLCK	2540
06N48E09CCCA	017	51	4	S	E	--	110ALVM	2470
06N48E14A8BB	017	200	3.5	P	G	S	211HLCK	2530
06N48E17BABA	017	54	6	P	W	S	110ALVM	2470
06N50E05AAA	017	600	--	P	H	S	211HLCK	2980
06N50E11ADDA	017	228	4	P	W	S	125TLCK	2710
06N50E13A0DD	017	128	3.7	P	W	S	125TLCK	2713
06N51E088DA	017	240	--	--	--	J	211HLCK	2672
06N51E088ADA	017	180	6	P	W	S	125TLCK	2670
06N51E14DBCD	017	100	5	P	W	S	125TLCK	2530
06N51E17BACB	017	204	3.7	P	W	S	211HLCK	2630
06N52E30CD	017	169	--	P	H	J	211HLCK	2543
05N35E15AADA	103	217	6	S	E	S	211HLCK	3209
05N36E07ABDC	103	160	5	S	E	H,S	211HLCK	3010
05N36E10ACDA	103	280	5	S	E	--	211HLCK	3040
05N37E08DCDC	103	23	72	P	E	S	110ALVM	2790
05N37E13A0AD	103	97	6	P	W	S	211HLCK	2910
05N38E14B	087	42	--	--	--	S	211BRPW	--
05N38E26DDDD	087	36	--	--	--	S	110ALVM	2967
05N39E21CCDC	087	110	6	--	--	S	211HLCK	2880
05N39E26A	087	23	--	--	--	H	211HLCK	--
05N39E36DABD	087	120	4	P	E	S	211HLCK	2790
05N40E22BDAC	087	125	8	S	E	H	125TLCK	2890
05N40E28AADC	087	245	6	P	G	S	125TLCK	3000
05N41E12CABA	087	166	4	P	W	S	211HLCK	2790
05N41E16CCCD	087	66	6	P	E	S	125TLCK	2990
05N41E27CH9C	087	55	3.7	S	E	S	125TLCK	2890
05N41E28DA	087	32	--	--	--	H	125TLCK	--
05N42E08C	087	20	--	--	--	H	110ALVM	--
05N42E12B8BD	087	114	3.7	P	G	S	125TLCK	2830
05N42E19CABC	087	100	3.7	P	W	J	211HLCK	2690
05N43E04D0DH	087	71	4	--	--	S	125TLCK	2650
05N43E20D	087	26	--	--	--	H	125TGRV	--
05N43E23CDCC	087	200	4	P	W	S	211HLCK	2790
05N43E29JCDC	087	142	--	P	H	S	125TLCK	2840
05N44E22DB3C	087	94	4	P	--	S	125TGRV	3000
05N44E30CD	087	19	--	--	--	H	--	--
05N44E35DCAC	087	168	4	P	G	S	125TGRV	3040
05N45E13DDCB	017	670	--	--	--	S	211FHHC	2910
05N47E25BAA8	017	16	--	--	--	H	110ALVM	2490
05N48E02DBDA	017	190	--	S	E	S	211HLCK	2510
05N48E05BC8B	017	10	60	C	E	S	110ALVM	2455
05N48E18ACBC	017	30	36	S	E	H	110ALVM	2490
05N48E280DBA	017	220	--	S	E	S	211HLCK	2597

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHUS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
18.50+	G	12/09/1975	--	1900	14.5	06N44E19DAA
--	--	--	--	2000	13.0	06N44E20DC3
--	--	--	--	1800	14.0	06N44E22BAC
6.80	SR	08/19/1976	--	--	--	06N44E25DCBA
69.30	S	08/24/1976	--	--	--	06N45E26CACD
377.00	R	02/08/1957	--	--	--	06N46E04CD3
360.00	R	05/12/1958	--	--	--	06N46E04DHC
380.00	R	09/25/1953	--	--	--	06N46E04DCA
	R	--	0.5 V	08/11/1976	2320	06N46E12ABDA
43.40	SR	08/13/1976	0.5 V	08/13/1976	1980	06N46E22CD3A
76.50	SP	08/11/1976	0.5 V	08/11/1976	4860	06N47E03ADDC
58.60	SP	08/10/1976	1 V	08/10/1976	2240	06N47E23DABC
39.30	S	09/18/1975	--	--	--	06N48E08CCA
107.00	S	08/11/1976	--	--	--	06N48E14ABB3
35.70		09/18/1975	3 V	08/10/1975	2660	06N48E17BABA
471.00	S	07/ /1965	--	--	--	06N50E05AA
125.90	SP	08/17/1976	3 V	08/17/1976	1260	06N50E11ADDA
71.80	SP	08/17/1976	4 V	08/17/1976	4480	06N50E13ADDD
45.00	S	07/ /1965	--	--	--	06N51E08DA
84.50	SP	08/04/1976	3 V	08/04/1976	1520	06N51E08DADA
60.00	RP	08/04/1976	3 V	08/04/1976	1020	06N51E14D8CD
184.70	SP	08/17/1976	3 V	08/17/1976	2080	06N51E17BACB
47.00	S	07/ /1965	--	--	--	06N52E30CD
53.30	SR	10/13/1976	10	--	1880	05N35E15AADA
58.40	SR	10/13/1976	--	--	800	05N36E07A8DC
140.60	SR	10/13/1976	12 V	10/13/1976	680	05N36E10ACDA
17.20	SR	10/05/1976	15 V	10/05/1976	3460	05N37E08DCDC
70.30	SP	10/05/1976	3 V	10/05/1976	1230	05N37E31BAAD
40.00	--	--	--	--	--	05N38E14B
12.60	SR	10/07/1976	--	--	--	05N38E26DDDD
59.20	SR	08/25/1976	--	--	2460	05N39E21CCDC
20.00	--	--	--	--	--	05N39E26A
99.10	SP	08/25/1976	3 V	08/25/1976	1850	05N39E36DABD
103.30	SP	08/25/1976	12 R	08/25/1976	1380	05N40E22B0AC
60.00	RR	08/25/1976	3 V	08/25/1976	1540	05N40E28AADC
162.20	SP	08/20/1976	2 V	08/20/1976	1680	05N41E12CABA
40.90	SP	08/24/1976	2 V	08/24/1976	1220	05N41E16CCCD
37.70	SP	08/19/1976	12 V	08/19/1976	1840	05N41E27CBBC
--	--	--	--	--	--	05N41E28DA
16.00	--	--	--	--	--	05N42E08C
89.40	SR	08/26/1976	--	--	--	05N42E12B8BD
79.40	S	08/19/1976	--	--	--	05N42E19CABC
43.30	SR	08/18/1976	--	--	--	05N43E04DDB
22.00	--	--	--	--	--	05N43E20D
17.40	SR	08/18/1976	--	--	--	05N43E23CDCC
36.20	SR	08/18/1976	8 E	08/18/1976	600	05N43E29DCDC
41.80	SR	08/19/1976	--	--	--	05N44E22D8BC
15.00	--	--	--	--	--	05N44E30CD
102.20	SR	08/18/1976	5 V	08/18/1976	2650	05N44E35BCAC
390.00	SR	11/09/1976	--	--	--	05N45E13DDCB
10.30		10/16/1975	--	--	--	05N47E25B4AB
24.30	SR	08/05/1976	12 V	08/05/1976	1700	05N48E02D8DA
7.40	S	09/19/1975	5 R	--	--	05N48E056CB3
15.00		09/19/1975	--	--	--	05N48E18AC3C
192.10	SP	08/06/1976	0.2 V	08/06/1976	1450	05N48E28BDBA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
05N49E22CRBD	017	160	--	J	E	H	211HLCK	2560
05N50E12DB	017	850	4	P	H	H	211HLCK	3121
05N51E01CDBD	017	303	4	P	H	J	211FHHC	2550
05N51E12BC	017	700	--	C	--	H	211FHHC	2557
05N51E29DDDC	017	205	4	P	W	S	211HLCK	2750
05N52E17ABAC	017	169	3	P	W	S	211HLCK	2667
05N52E188BBB	017	188	4	P	E	S	125TLCK	2608
05N52E20BCCC	017	229	4	P	W	S	211HLCK	2690
05N52E22AD	017	556	4	P	H	S	211FHHC	2581
05N52E27DB	017	177	--	P	--	S	211HLCK	2666
05N52E30AD	017	450	3	--	--	H	211FHHC	2509
04N35E22DBCA	103	49	6	P	G	S	211HLCK	2949
04N35E25ABCC	103	96	6	P	W	S	211HLCK	3092
04N35E33A	103	93	--	--	--	S	211HLCK	--
04N36E09DBAA	103	38	6	P	W	S	125LEB0	3340
04N36E14ADAA	103	38	3	P	W	S	125TLCK	3088
04N36E15ADDC	103	19	6	P	W	S	125TLCK	3154
04N36E24DAAA	103	35	8	P	W	J	125TLCK	3160
04N37E22BAAD	103	140	8	P	E	S	211HLCK	3000
04N37E27CACA	103	138	5	P	E	S	211HLCK	2980
04N38E20BDCC	103	65	6	C	E	S,H	125TLCK	3150
04N38E26AADA	103	27	--	C	E	H	125LEB0	3410
04N38E26AB0C	103	131	--	--	--	U	125TLCK	3380
04N39E300CAD	087	112	4.5	P	E	H,S	125TGRV	3560
04N40E05A	087	102	--	--	--	H	211HLCK	--
04N40E09ADDC	087	125	4	P	G	S	211HLCK	2840
04N40E21C	087	129	--	--	--	H	211HLCK	--
04N40E310CAA	087	199	4	P	W	S	211HLCK	2900
04N42E12A	087	180	--	--	--	H	211HLCK	--
04N42E13D	087	128	--	--	--	H	211HLCK	--
04N43E03AABB	087	450	4	P	W	S	125TLCK	3022
04N43E07DDBB	087	112	6	P	G	S	125TLCK	2747
04N43E24BAAD	087	125	5.5	P	W	J	125TGRV	3092
04N43E30DBAC	087	300	3	J	E	H	211HLCK	2670
04N44E23ADCC	087	78	4	P	G	S	125TGRV	2982
04N44E24BADA	087	61	4	P	G	S	125TGRV	2960
04N44E24BBAB	087	175	4	S	E	H,S	125LEB0	2950
04N44E28ACDD	087	73	4	P	--	J	125TGRV	2995
04N44E29CCAC	087	107	4	P	W	S	125TGRV	3030
04N44E32DDDA	087	120	4	P	W	S	125TGRV	2990
04N44E35CCBD	087	160	4	P	W	S	125TGRV	3190
04N44E36AABA	087	103	4	P	W	S	125TGRV	3070
04N45E14ADCD	017	100	--	P	E	S	125TGRV	3055
04N45E26CCAC	017	60	--	S	E	H	125LEB0	2960
04N46E03DABC	017	970	--	--	--	H	211FHHC	3000
04N46E11ADCB	017	180	--	P	W	S	125TLCK	2760
04N46E27BDD	017	65	--	P	W	S	125TLCK	2722
04N47E23CCAB	017	226	--	S	E	S	125TLCK	2614
04N47E28CCDB	017	300	--	S	E	S	211HLCK	2600
04N47E29ABAD	017	820	--	--	--	S	211FHHC	2558
04N47E31DAAA	017	20	36	C	E	H	110ALVM	2590
04N48E20DB8C	017	75	--	--	--	S	125TLCK	2600
04N49E04ABCD	017	197	6	P	W	S	125TLCK	2740
04N49E240CDA	017	625	--	--	--	H	211FHHC	2778
04N49E28ABDD	017	62	--	P	W	S	125LEB0	2860



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (JHMDS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
11.60	SR	08/05/1976	6 V	08/05/1976	1700	11.0	05N49E22C88D
--	--	--	--	--	--	--	05N50E12DB
3.70	S	08/03/1976	3 V	08/04/1976	1070	12.5	05N51E01C88D
15.00	S	08/ /1965	--	--	--	--	05N51E12BC
141.80	SP	08/05/1976	2 V	08/05/1976	1330	11.5	05N51E29D8DC
137.90	SR	08/10/1976	3 V	08/10/1976	3750	13.5	05N52E17A8AC
52.10	S	08/04/1976	--	--	--	--	05N52E18B88B
95.10	SP	08/04/1976	1 V	08/04/1976	2580	12.5	05N52E20B8CC
13.00	S	10/ /1965	--	--	--	--	05N52E22AD
93.00	S	07/ /1965	--	--	--	--	05N52E27DB
	F	07/27/1966	4	--	--	--	05N52E30AD
27.80	SR	10/07/1976	--	--	--	--	04N35E22DBCA
80.90	SR	10/07/1976	--	--	--	--	04N35E25ABCC
20.00	R	--	--	--	--	--	04N35E33A
30.00	S	10/07/1976	--	--	--	--	04N36E09DBAA
23.40	S	10/07/1965	--	--	--	--	04N36E14ADAA
15.60	SP	10/07/1976	--	--	--	--	04N36E15A8DC
16.80	S	10/07/1976	--	--	--	--	04N36E24DAAA
102.00	SR	10/06/1976	5 V	10/06/1976	1270	10.5	04N37E22BAAD
59.00	SR	10/05/1976	4 V	10/05/1976	2780	10.0	04N37E27CACA
24.60	SR	10/06/1976	4 V	10/06/1976	600	12.0	04N38E20B8CC
17.30	SR	10/06/1976	4 V	10/06/1976	865	10.0	04N38E26AADA
21.10	SR	08/25/1976	--	--	--	--	04N38E26A8CC
69.00	SR	08/25/1976	2 V	08/25/1976	400	--	04N39E30DCAJ
17.00	--	--	--	--	--	--	04N40E05A
55.90	SR	08/25/1976	5 V	08/25/1976	1750	11.5	04N40E09ADDC
25.00	--	--	--	--	--	--	04N40E21C
50.50	SR	08/27/1976	2 R	08/27/1976	800	10.0	04N40E31DCAA
13.00	--	--	--	--	--	--	04N42E12A
17.00	--	--	--	--	--	--	04N42E13D
293.70	SP	08/23/1976	3 V	08/23/1976	2740	14.0	04N43E03A8B4
83.20	SR	08/18/1976	--	--	--	--	04N43E07DDB8
16.20	S	08/24/1976	--	--	--	--	04N43E24BAAJ
29.90	SP	08/26/1976	7 V	08/26/1976	2280	14.5	04N43E30DBAC
12.70	S	08/18/1975	2 R	12/27/1963	--	--	04N44E23ADCC
27.70	S	09/11/1975	25 R	12/25/1969	--	10.0	04N44E24BADA
--	--	--	3 R	10/10/1959	--	13.0	04N44E24B8AB
8.50	S	08/26/1975	--	--	--	--	04N44E28ACDD
68.40	SR	08/26/1975	20 R	11/01/1971	3600	11.0	04N44E29CCAC
64.10	SR	08/27/1975	10 R	10/31/1971	2300	--	04N44E32DDUA
--	--	--	2 R	12/27/1963	--	--	04N44E35CC8J
63.80	SR	08/18/1975	15 R	04/28/1960	1300	--	04N44E36AA3A
--	--	--	2 V	08/12/1976	1200	--	04N45E14ADCC
13.00	SR	08/11/1976	6 V	08/11/1976	1600	--	04N45E26CCAC
460.00	RR	11/09/1976	--	--	--	--	04N46E03UA3C
70.90	SR	10/06/1976	2 V	10/06/1976	4520	10.5	04N46E11ADCB
33.50	SP	08/11/1976	3 V	08/11/1976	2300	--	04N46E27B8DD
71.70	SR	08/10/1976	13 V	08/10/1976	1100	--	04N47E23CCAB
28.80	SR	08/17/1976	11 V	08/17/1976	1100	--	04N47E28CC8B
19.00+	G	11/10/1976	--	--	1510	16.0	04N47E29ABAD
16.80	S	10/16/1975	--	--	--	--	04N47E31DAAA
25.90	SR	08/06/1976	--	--	--	--	04N48E20DB8C
56.40	SP	08/05/1976	2 V	08/05/1976	2650	11.0	04N49E04A3CD
140.00	RR	12/09/1976	--	--	--	--	04N49E24DCCD
30.10	SR	08/06/1976	4 V	08/06/1976	1900	10.5	04N49E28A3DD

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
04N50E18DACA	017	22	--	S	E	S	110ALVM	2660
04N50E19DRCD	017	280	--	--	--	S	211HLCK	2695
04N50E30BADB	017	600	--	--	--	H	211FHHC	2666
04N50E30CC8B	017	305	--	--	--	S	211HLCK	2705
04N50E31CCAA	017	110	--	--	--	S	125TLCK	2720
04N51E15DCCC	017	106	4	P	W	S	125TLCK	2799
04N51E21CCCD	017	173	4	P	W	S	125TLCK	2810
04N52E010DBD	017	152	4	P	G	S	125TLCK	2680
04N52E16AADD	017	181	4	S	E	S	125TLCK	2770
04N52E30BDAC	017	151	4	P	W	S	125TLCK	2738
04N53E30ACBA	017	166	4	P	W	S	125TLCK	2750
03N35E018BAC	103	60	6	P	W	S	211HLCK	2996
03N35E11D	103	57	--	--	--	H	211HLCK	--
03N35E14ACCC	103	120	4	--	--	H	211HLCK	2900
03N36E118DAA	103	40	4	S	E	S	125LE80	3280
03N37E02DDAB	103	42	4	P	E	S	125TLCK	3050
03N37E03CB8D	103	120	4	S	E	S	211HLCK	3010
03N37E09A	103	66	--	--	--	H	211HLCK	--
03N37E10ACCB	103	140	4	S	E	S	125TLCK	3200
03N37E25CBDB	103	--	--	--	--	H	--	3175
03N37E26DADC	103	--	--	--	--	--	--	3175
03N37E26DD8B	103	--	--	--	--	S	--	3195
03N37E35CD8C	103	100	--	P	W	--	125LE80	3324
03N37E35CD8D	103	--	--	--	--	S	--	3339
03N38E10ABDB	103	22	--	--	--	J	125TGRV	3360
03N38E20AAAD	103	--	--	--	--	S	--	3280
03N38E20AABD	103	130	--	--	--	S	125LE80	3280
03N38E20ABAA	103	--	--	--	--	--	--	3275
03N38E20ABAD	103	290	--	--	--	H	125LE80	3290
03N38E20ABAD2	103	40	4	--	--	J	125LE80	3285
03N38E22AACCC	103	150	--	--	--	S	125TGRV	3375
03N38E32CBCC	103	180	--	--	--	J	125LE80	3380
03N39E08CBBB	087	--	--	S	E	H	--	3560
03N39E36BACD	087	235	--	P	W	--	125TLCK	3130
03N41E28CCDD	087	35	--	P	--	S	110ALVM	3040
03N41E34BCAB	087	515	6	S	E	H	125TLCK	3180
03N41E35CBAA	087	120	4	P	E	S	125TGRV	3170
03N42E01ADAB	087	272	5.5	P	G	S	125TLCK	2800
03N42E32C	087	16	--	--	--	H	125TGRV	--
03N42E34DB8C	087	330	--	P	W	--	125TLCK	3020
03N43E03ACCB	087	--	4	P	G	S	--	2775
03N43E098CDA	087	--	4	--	--	J	--	2780
03N43E09BDCB	087	--	4	S	E	S	--	2780
03N43E15BADD	087	--	4	P	G	S	--	2835
03N43E20	087	510	--	--	--	S	211HLCK	--
03N43E20A	087	520	--	--	--	H	211HLCK	--
03N43E218DDDD	087	142	4	P	--	S	125TLCK	2800
03N43E26DACC	087	151	4	P	H	J	125TLCK	2855
03N43E27ABDC	087	165	4	P	W	S	125TLCK	2863
03N43E34BC8B	087	141	--	P	E	--	125TLCK	2850
03N44E01CACA	087	254	4	P	W	S	125TGRV	3190
03N44E02DBAA	087	--	4	P	W	S	--	3255
03N44E068DCD	087	--	4	P	W	S	--	2897
03N44E17AABB	087	--	--	--	--	J	--	3030
03N44E18AA8A	087	159	--	P	W	S	125TGRV	3018

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
16.00	SR	08/05/1976	2 V	08/05/1976	5300	10.0	04N50E18DACA
49.70	S	12/09/1976	--	--	--	--	04N50E19D8C0
25.00	RR	12/09/1976	--	--	--	--	04N50E30B4D8
55.30	SR	12/10/1976	--	--	--	--	04N50E30CCB8
28.30	SR	08/05/1976	--	--	--	--	04N50E31CCAA
93.80	SP	08/12/1976	2 V	08/12/1976	5400	11.0	04N51E15DCCC
106.20	SR	08/12/1976	2 V	08/12/1976	6000	16.0	04N51E21CCCD
102.00	S	08/10/1976	--	--	--	--	04N52E01UD8D
150.50	SR	08/10/1976	3 V	08/10/1976	--	--	04N52E16AADD
79.50	SR	08/12/1976	--	--	--	--	04N52E30B3AC
111.80	SP	08/10/1976	2 V	08/10/1976	4400	12.0	04N53E30ACBA
37.00	SR	10/07/1976	--	--	--	--	03N35E01HBAC
8.00	R	--	--	--	--	--	03N35E11U
26.10	SR	10/05/1976	--	--	1650	--	03N35E14ACCC
10.20	SR	10/07/1976	2 V	10/05/1976	940	10.5	03N36E11BDAA
36.30	SR	10/06/1976	4 V	10/06/1976	1240	12.0	03N37E02DDA8
68.30	SR	10/06/1976	5 V	10/06/1976	2900	11.5	03N37E03C88D
15.00	R	--	--	--	--	--	03N37E09A
97.30	SR	10/06/1976	12 V	10/06/1976	2910	11.0	03N37E10ACCB
--	--	--	--	--	--	11.0	03N37E25C8DB
--	--	--	--	500	12.5	--	03N37E26DACC
--	--	--	--	--	8.5	--	03N37E26DD8B
80.00	R	06/25/1973	5 R	06/25/1973	--	12.0	03N37E35CDB8
80.00	S	06/26/1973	5 R	06/26/1973	--	10.0	03N37E35CDBD
14.10	S	10/06/1976	--	--	--	--	03N38E10A8DB
90.00	R	12/26/1973	10 R	12/26/1973	--	9.0	03N38E20AAAD
100.00	R	12/26/1973	10 R	12/26/1973	1100	11.0	03N38E20AABD
29.00	S	--	--	--	--	--	03N38E20ABAA
200.00	R	12/26/1973	12 R	12/26/1973	900	13.0	03N38E20ABAQ
26.30	S	10/07/1976	--	--	--	--	03N38E20ABAQ2
120.00	R	12/26/1973	10 R	12/26/1973	--	9.0	03N38E22AACC
98.00	R	03/26/1975	25 R	03/26/1975	--	--	03N38E32C8CC
178.90	SR	08/25/1976	10 V	08/25/1976	550	--	03N39E08C8HJ
72.00	R	07/26/1973	2 R	07/26/1973	1400	13.5	03N39E36B4CJ
4.70	V	08/06/1975	--	--	--	--	03N41E28CCDJ
342.00	R	10/06/1973	14 R	10/06/1973	--	--	03N41E34BCAH
60.00	RR	03/23/1976	2 V	03/23/1976	1520	--	03N41E35C8AA
89.10	S	08/26/1976	--	--	--	--	03N42E01ADAB
--	--	--	--	--	--	--	03N42E32C
36.00	S	10/03/1973	16 R	10/03/1973	--	--	03N42E34DB8C
--	--	--	--	--	--	--	03N43E03ACCB
73.30	S	08/28/1975	--	--	--	--	03N43E098CDA
61.30	S	08/28/1975	--	--	--	--	03N43E098DC3
--	--	--	--	--	--	--	03N43E158ADJ
--	--	--	--	--	--	--	03N43E20
7.00	--	--	--	--	--	--	03N43E20A
68.00	S	08/19/1975	--	--	--	--	03N43E218DDJ
94.20	S	08/20/1975	--	--	3690	--	03N43E26DACC
123.10	S	08/19/1975	4 R	08/10/1961	--	--	03N43E27A8CC
65.00	S	--	10 R	10/03/1973	2600	10.5	03N43E34BC8H
144.80	S	08/20/1975	--	--	--	--	03N44E01CACA
76.40	SR	08/20/1975	--	--	--	--	03N44E02DBAA
--	--	--	--	--	--	--	03N44E068C0C
--	--	--	--	--	--	--	03N44E17AAB3
58.70	SR	08/27/1975	15 R	08/02/1969	5100	--	03N44E18AABA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
03N44E21CBAB	087	150	4	P	W	S	125TGKV	3260
03N44E24ACAC	087	368	--	--	--	U	125TLCK	3005
03N44E24ACAC2	087	410	4	--	--	H	125TLCK	3005
03N44E24ACAC3	087	410	4	--	--	--	125TLCK	3005
03N44E248BAA	087	431	4	P	E	S	125TLCK	3030
03N44E25ACDC	087	53	4	--	--	S	125TGRV	2940
03N44E25ACDC2	087	39	4	--	--	U	125TGRV	2940
03N44E28DBDC	087	425	4	P	E	H,S	125TLCK	3175
03N44E31BAAA	087	40	6	P	W	S	125TGRV	2950
03N44E31CBDC	087	205	4	P	E	--	125TGRV	3012
03N44E31CBDC2	087	175	4	--	--	J	125TGRV	3010
03N44E328BDA	087	83	4	--	--	U	125TGRV	2980
03N44E328DBA	087	146	4	P	--	S	125TGRV	3005
03N45E13ABBC	017	120	--	P	W	S	125TLCK	2740
03N45E36CBBA	017	13	6	--	--	--	110ALVM	2680
03N45E36CBBB	017	108	--	S	E	H	125TLCK	2680
03N46E03ADBC	017	70	--	P	W	S	125TLCK	2660
03N46E12BADA	017	300	2	--	--	S	211HLCK	2600
03N46E128DBC	017	16	36	C	E	J	110ALVM	2600
03N47E05AACC	017	85	6	P	W	S	125TLCK	2640
03N47E06ABBC	017	17	4	P	E	S	110ALVM	2590
03N47E07BCAB	017	60	--	--	--	S	125TLCK	2640
03N48E18DB8B	017	783	--	--	--	S	125TLCK	3040
03N48E27CA8D	017	284	4	P	G	S	125TLCK	3038
03N51E01DAAA	017	270	4	P	W	S	211HLCK	2850
03N51E32CCCD	017	170	6	--	--	J	125TLCK	2870
03N51E36BCAD	017	80	4	P	W	S	125TLCK	2870
03N52E17DC8C	017	180	4	P	W	S	125TLCK	2899
03N52E32C88D	017	260	4	P	W	S	125TLCK	2990
03N53E14C8CB	017	231	4	P	W	S	125TLCK	2790
03N53E27AC8D	017	189	4	P	W	S	125TLCK	2836
02N35E24CB8A	003	100	4	S	E	H	125TLCK	3000
02N35E35DCAA	003	70	6	J	E	H	211HLCK	3050
02N36E11ADAA	003	--	--	P	W	S	--	3245
02N36E12ABDC	003	50	5	P	W	S	125LE8D	3180
02N36E268CDB	003	105	6	P	G	S	125TLCK	3380
02N36E28DDAC	003	--	6	P	G	S	--	3255
02N37E048DCD	003	--	--	P	W	S	--	3124
02N37E05C	103	43	--	--	--	H	125TLCK	--
02N37E08ADDC	103	130	--	J	E	H	125TLCK	3090
02N37E08BDAD	103	100	6	--	--	S	125TLCK	3115
02N37E09BCAD	103	80	4	--	--	S	125TLCK	3142
02N37E09DDDD	103	160	6	P	E	S	125TLCK	3165
02N37E10DC8C	103	--	--	--	--	S	--	3220
02N37E11DCCB	103	140	--	--	--	S	125LE8D	3241
02N37E12C0AD	103	--	--	--	--	S	--	3300
02N37E13CCBC	103	90	6	--	--	S	125LE8D	3280
02N37E14ABBB	103	75	--	--	--	--	125LE8D	3230
02N37E15DAAA	103	102	4	--	--	S	125TLCK	3201
02N37E16DCCD	103	110	6	P	E	S	125TLCK	3120
02N37E17ACCC	103	80	6	--	--	S	125TLCK	3135
02N37E18CCAD	103	--	--	--	--	S	--	3225
02N37E20ABDC	003	90	--	P	E	S	125TLCK	3170
02N37E21CAAC	003	30	--	--	--	H	125LE8D	3135
02N37E22DBAB	003	60	6	P	W	S	125LE8D	3188

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
93.40	R	08/21/1975	7 R	05/10/1964	1180	11.0	03N44E21CBAB
70.50	S	08/29/1975	--	--	--	--	03N44E24ACAC
--		--	--	--	--	--	03N44E24ACAC2
--		--	--	--	--	--	03N44E24ACAC3
360.00	R	08/29/1975	10 R	07/28/1961	--	--	03N44E2483AA
6.60	S	09/04/1975	--	--	--	--	03N44E25ACDC
6.60	S	09/04/1975	--	--	--	--	03N44E25ACDC2
103.90	S	09/04/1975	2 R	09/04/1975	--	--	03N44E28DBDC
14.40	S	08/19/1975	5 R	1953	--	--	03N44E31BAAA
80.00		10/03/1973	12 R	10/03/1973	1800	10.0	03N44E31CBDC
69.40	S	08/19/1975	--	--	--	--	03N44E31CBDC2
37.50	S	08/19/1975	--	--	--	--	03N44E32B8DA
24.70	S	08/21/1975	10 R	1961	--	--	03N44E32B8BA
19.40	SR	08/12/1976	--	--	--	--	03N45E13ABBC
7.50	S	10/17/1975	--	--	--	--	03N45E36C8BA
4.40	S	08/17/1976	--	--	--	--	03N45E36C8BB
54.10	SP	08/11/1976	2 V	08/11/1976	1300	--	03N46E03A0BC
	F	--	4 V F	08/12/1976	1100	10.5	03N46E12BADA
10.50	S	10/16/1975	--	--	--	--	03N46E12BDBC
63.20	SR	10/05/1976	--	--	--	--	03N47E05AACC
11.20		10/17/1975	--	--	--	--	03N47E06A88C
47.40	SR	08/12/1976	--	--	--	--	03N47E07BCA3
280.00	RR	11/11/1976	--	--	--	--	03N48E18DB33
186.00	RR	07/14/1976	2 V	07/14/1976	1650	--	03N48E27CABD
164.80	SR	08/11/1976	2 V	08/11/1976	2350	--	03N51F01DAAA
88.40	S	10/05/1976	--	--	--	--	03N51E32CC00
39.00	SP	08/11/1976	6 V	08/11/1976	1700	10.0	03N51E36BCAD
74.10	SP	08/13/1976	3 V	08/13/1976	5500	10.5	03N52E17DCBC
172.00	SP	08/11/1976	2 V	08/11/1976	4000	13.5	03N52E32C33J
106.70	SR	08/26/1976	--	--	--	--	03N53E14C3CB
119.50	SP	08/17/1976	--	--	--	--	03N53E27ACBD
36.70	SR	10/05/1976	--	--	1900	13.0	02N35E24C8BA
19.00	SP	10/05/1976	--	--	1800	14.0	02N35E35DCAA
	R	--	--	--	--	--	02N36E11ADAA
30.00	SR	07/21/1975	5 R	07/21/1975	--	--	02N36E12ABDC
50.40	SR	08/20/1975	--	--	--	--	02N36E26BCD3
--		--	1 E	08/20/1975	2240	14.5	02N36E28D0AC
32.00	S	06/ /1973	--	--	--	--	02N37E04BDCD
25.00	R	--	--	--	--	--	02N37E05C
15.00	R	--	30 R	06/25/1973	--	10.5	02N37E08AD0C
44.00	R	12/ /1964	40 R	12/26/1973	--	10.5	02N37E08BDA0
40.00	R	10/ /1968	20 R	--	--	10.5	02N37E09BCAD
100.00	R	--	20 R	12/26/1973	--	10.5	02N37E09D00D
--		--	--	--	--	8.5	02N37E10DCBC
80.00	SR	12/26/1973	3 R	12/26/1973	--	--	02N37E11DCC8
85.00	R	--	5	--	--	--	02N37E12CDA0
50.00	R	--	20 R	12/26/1973	--	10.0	02N37E13CCBC
8.90		07/06/1973	--	--	--	--	02N37E14A338
21.00	R	--	7 R	12/26/1973	--	9.5	02N37E15DAAA
30.00	S	10/10/1973	8 R	10/10/1973	--	--	02N37E16DCCD
30.00	SR	12/26/1973	15 R	12/26/1973	--	--	02N37E17ACCC
--		--	--	--	--	--	02N37E18CCAD
60.00	R	--	10 R	06/26/1973	--	11.0	02N37E20AD0C
15.00	R	--	--	--	--	12.5	02N37E21CAAC
22.00	S	10/10/1973	10 R	10/10/1973	--	--	02N37E22D8AB

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
02N37E24C8CC	003	100	4	--	--	S	125TGRV	3340
02N37E27DABC	003	440	--	--	--	J	125TLCK	3285
02N37E27DLCBA	003	100	4	P	E	S	125LEBO	3247
02N37E28ACCB	003	50	4	P	E	S	125LEBO	3140
02N37E28ACCB2	003	80	--	J	E	H	125LEBO	3160
02N37E29CADD	003	50	4	P	E	S	125LEBO	3180
02N37E31CHCD	003	30	--	P	E	S	125LEBO	3290
02N37E31CBDB	003	30	--	P	E	S	125LEBO	3276
02N37E31CCCB	003	60	--	J	E	H	125LEBO	3310
02N37E32B8BH	003	100	--	--	--	S	125LEBO	3220
02N37E33DCBB	003	--	--	P	E	S	--	3208
02N37E34BCDA	003	--	--	P	E	S	--	3165
02N37E34DABD	003	70	--	J	E	S	125LEBO	3218
02N37E34DACH	003	60	--	P	E	S	125LEBO	3210
02N37E34DCAB	003	--	--	P	E	H	--	3210
02N37E35DCCC	003	40	--	--	--	J	110ALVM	3222
02N37E36CCCC	003	--	--	P	E	S	--	3282
02N38E07DCCC	103	58	6	--	--	S	125LEBO	3297
02N38E08DCCA	103	110	6	--	--	S	125TGRV	3365
02N38E15A0DA	103	--	--	--	--	S	--	3540
02N38E17AAAA	103	38	--	--	--	J	125TGRV	3385
02N38E18A8BH	103	70	--	--	--	H	125LEBO	3310
02N38E18ACDB	103	70	--	--	--	S,Z	125LEBO	3336
02N38E18DACD	103	140	--	--	--	J	125TGRV	3365
02N38E20BDAC	103	160	6	--	--	S	125TGRV	3415
02N38E20D0CA	103	86	4	--	--	S	125TGRV	3450
02N38E22B8BH	103	--	--	--	--	S	--	3500
02N38E24B8BA	103	--	--	J	E	H	--	3520
02N38E25CDD	103	--	6	--	--	S	--	3620
02N38E26AAAA	103	225	6	--	--	S	125TGRV	3655
02N38E26AAA3A	103	266	6	S	E	S	125TGRV	3659
02N38E28A6DB	103	--	--	P	E	S	--	3490
02N38E28A8DB2	103	--	--	P	E	S	--	3490
02N38E29D0CH	103	325	--	--	--	J	125TGRV	3645
02N38E29D0CB2	103	218	--	--	--	J	125TGRV	3645
02N38E29D0CB5	103	150	--	--	--	J	125TGRV	3645
02N38E30B0DD	103	--	--	P	Z	J	--	3518
02N38E32A8DB	103	114	--	P	E	S	125TGRV	3524
02N38E32CAAD	103	140	--	--	--	J	125TGRV	3590
02N38E36CDBD	103	--	6	P	w	J	--	3766
02N39E01B8CA	087	130	4	P	G	S	125TGRV	3250
02N39E03CDBB	087	113	6	P	w	S	125TGRV	3190
02N39E05BCDD	087	57	4	S	E	S	125TGRV	3210
02N39E05D0DC	087	16	6	P	E	S	110ALVM	3170
02N39E06B	087	340	--	--	--	H	125TGRV	--
02N39E12C	087	220	--	--	--	H	125TGRV	--
02N39E12CCCC	087	555	4	S	E	H	125TGRV	3160
02N39E12CCCD	087	71	6	P	E	L	125TGRV	3150
02N39E12CCDB	087	20	6	P	E	S	110ALVM	3130
02N39E14DDBB	087	240	6	S	E	H	125TGRV	3180
02N39E16ACDD	087	100	--	P	w	H	125TGRV	3260
02N39E17DCAA	087	--	--	--	--	S	--	3318
02N39E19CACB	087	--	--	--	--	S	--	3468
02N39E20DBCB	087	--	--	S	E	S	--	3457
02N39E23CAAB	087	100	--	P	w	--	125TGRV	3360

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LUCAL NUMBER
40.00	--	4 R	08/08/1972	--	10.5	02N37E24CBCC
300.00	S 10/11/1972	2 R	10/11/1973	--	--	02N37E27DA3C
33.00	S 10/05/1973	12 R	10/05/1973	--	--	02N37E27DCBA
12.00	R 10/11/1973	6 R	10/11/1973	--	--	02N37E28ACCB
15.00	R --	7 R	10/11/1973	--	--	02N37E28ACCB2
6.00	R --	7 R	10/11/1973	--	--	02N37E29CADD
--	--	--	--	--	8.5	02N37E31CBCC
--	--	--	--	--	10.0	02N37E31CB33
--	--	--	--	--	11.0	02N37E31CCCB
--	--	--	--	--	9.0	02N37E32B3BB
10.00	E 10/10/1973	--	--	--	--	02N37E33DCBB
65.00	R 06/22/1973	4 R	06/22/1973	--	7.0	02N37E34BCDA
--	--	--	--	--	13.0	02N37E34DA3D
21.00	09/06/1973	--	--	--	10.0	02N37E34DAC3
--	--	--	--	--	9.0	02N37E34DCA3
15.00	R 03/21/1975	20	03/21/1975	1240	--	02N37E35CCDC
--	--	--	--	--	11.0	02N37E36CCCC
20.00	R --	10 R	12/27/1973	--	10.0	02N38E07DCCC
60.00	R 10/ /1973	30R	12/27/1973	--	8.5	02N38E08DCCA
--	--	--	--	--	11.0	02N38E15ADDA
--	--	--	--	--	--	02N38E17AAAA
40.00	R 06/ /1973	35 R	08/08/1972	--	9.0	02N38E18A333
40.00	R 01/02/1973	35 R	01/02/1973	--	--	02N38E18ACD3
68.00	R 03/24/1975	5 R	03/24/1975	--	--	02N38E18DACJ
60.00	R 07/ /1973	15	--	--	10.0	02N38E20BDAC
20.00	R --	35 R	12/27/1973	--	9.5	02N38E20DDCA
--	--	--	--	--	10.0	02N38E223BAB
--	--	--	--	--	11.5	02N38E24BCBA
--	--	5 R	12/27/1973	--	--	02N38E25CDDJ
200.00	R --	30 R	12/27/1973	--	--	02N38E26AAA3
166.00	S 10/10/1973	20 V	10/10/1973	--	12.0	02N38E26AABA
--	--	--	--	--	9.0	02N38E28A303
--	--	--	--	--	12.0	02N38E28A30B2
275.00	R 04/03/1975	--	--	--	--	02N38E29D0CB
173.50	R 04/11/1975	--	--	--	--	02N38E29D0CB2
147.50	R 04/11/1975	--	--	--	--	02N38E29D0CB3
--	--	--	--	--	--	02N38E30BDDJ
84.00	S 10/ /1973	0.6 V	10/05/1973	2390	13.0	02N38E32AB33
73.00	R 04/28/1975	--	--	--	--	02N38E32CAAD
17.00	V 07/29/1975	0.7 V	07/29/1975	7500	10.0	02N38E36C33D
75.00	R --	7 R	07/26/1973	--	--	02N39E018BCA
59.00	S 09/13/1973	12 R	09/13/1973	--	--	02N39E03C3BB
--	--	8 V	09/13/1973	2400	11.0	02N39E05BCB3
15.00	S 09/13/1973	0.1 V	09/13/1973	--	14.0	02N39E05D0DC
--	--	--	--	--	--	02N39E06B
85.00	--	--	--	--	--	02N39E12C
--	--	12 V	11/10/1972	1200	13.5	02N39E12CCCC
35.00	R --	35 R	07/27/1973	--	--	02N39E12CC3J
17.00	R --	35 R	07/27/1973	--	--	02N39E12CCD3
--	--	15 R	07/23/1975	3150	--	02N39E14B333
35.00	R 07/26/1973	18 R	07/26/1973	--	--	02N39E16ACD3
--	--	--	--	--	--	02N39E17DCAA
--	--	--	--	--	--	02N39E19CACB
--	--	12 V	08/08/1975	3920	13.5	02N39E20D3CB
98.00	S 07/26/1973	--	--	1450	--	02N39E23CAA3

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
02N39E24CDAB	087	140	6	P	W	S	125TGRV	3250
02N39E24CDDD	087	46	4	P	E	J	125TGRV	3240
02N39E25ACDC	087	136	--	S	E	--	125TGRV	3280
02N39E27CCCC	087	262	4	--	--	S	125TGRV	3430
02N39E29CCCC	087	--	--	--	--	S	--	3456
02N39E31ACDC	087	128	5	P	E	S	125TGRV	3555
02N39E31CDBA	087	220	6	--	--	J	125TGRV	3625
02N39E320DDD	087	--	--	P	W	S	--	3520
02N39E34ADB8	087	60	--	J	E	H	125TGRV	3435
02N39E34DA08	087	80	4	--	--	S	125TGRV	3470
02N40E01AAAA	087	117	4	--	--	J	125LEBD	3145
02N40E02DACB	087	69	4	--	--	J	125LEBD	3205
02N40E06AABB	087	--	4	S	E	H	--	3190
02N40E06AABB2	087	103	4	P	E	S	125TGRV	3190
02N40E06CBDB	087	104	4	P	W	S	125TGRV	3170
02N40E073DCB	087	128	4	P	W	S	125TGRV	3210
02N40E11AABA	087	122	6	P	W	S	125LEBD	3241
02N40E28AADD	087	146	6	P	W	S	125TGRV	3375
02N40E29CDDC	087	--	--	--	--	S	--	3400
02N40E308AAC	087	246	3	P	W	S	125TGRV	3270
02N40E31DCCD	087	165	4	S	E	S	125TGRV	3530
02N40E328BAB	087	--	--	J	E	H	--	3390
02N40E328BDA	087	67	4	--	--	--	125TGRV	3430
02N40E33DAAA	087	140	4	P	W	S	125TGRV	3370
02N40E35DDCD	087	250	4	P	G	S	125TGRV	3425
02N41E01DBBA	087	--	--	P	W	S	--	3150
02N41E020B9A	087	237	4	P	E	H,S	125LEBD	3170
02N41E08ACCD	087	--	--	P	E	S	--	3210
02N41E08CCD	087	--	4	P	E	S	--	3180
02N41E108CBC	087	150	4	P	W	S	125TGRV	3170
02N41E12CCAD	087	160	--	P	W	S	125TGRV	3178
02N41E17ADAA	087	110	--	S	E	H	125TGRV	3121
02N41E20JDDC	087	70	5	P	W	S	125TGRV	3224
02N41E21CADA	087	122	--	S	E	--	125TGRV	3185
02N41E21CDDD	087	120	4	P	G	S	125TGRV	3240
02N41E24CAAA	087	27	30	P	E	S	125TGRV	3450
02N41E24CAAB	087	18	--	J	E	H	125TGRV	3450
02N41E30DDAA	087	--	--	--	--	S	--	3360
02N41E33DAAA	087	1520	--	T	E	P	211FHHC	3270
02N41E33JAAA2	087	595	12	--	--	P	125TLCK	3265
02N41E33JAAA3	087	--	--	S	E	P	--	3265
02N41E348BCC	087	614	--	S	E	P	125TLCK	3260
02N41E343C0C	087	795	6	--	--	P	125TLCK	3245
02N41E35DA8D	087	46	4	--	--	--	125TGRV	3245
02N41E35DA8D2	087	24	4	--	--	J	125TGRV	3245
02N42E040ACA	087	102	4	P	W	S	125TGRV	3010
02N42E05CABB	087	--	--	P	W	S	--	3070
02N42E06CBCU	087	120	4	P	W	S	125TGRV	3140
02N42E20CDAU	087	115	--	P	W	S	125TGRV	3200
02N42E23CCCA	087	190	6	P	W	S	125TGRV	3023
02N42E25ACBA	087	105	4	P	W	S	125TGRV	2960
02N42E31CAAA	087	110	4	--	--	S	125TGRV	3220
02N42E36DDDB	087	240	6	P	W	S	125TGRV	3060
02N43E02ABBD	087	390	--	P	E	S	125TLCK	3010
02N43E04ACAD	087	81	4	P	E	S	125TLCK	2810



WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
50.00	R	--	--	--	--	--	02N39E24CDA8
17.00	S	07/26/1973	15 R	07/26/1973	--	--	02N39E24CDDD
58.00	R	07/12/1973	4 R	07/12/1973	--	--	02N39E25ACDC
126.00	S	07/06/1973	--	--	--	--	02N39E27CCCC
--	--	--	--	--	--	--	02N39E29BCCC
35.90	V	07/29/1975	--	--	--	--	02N39E31ACDC
73.10	V	07/29/1975	--	--	--	--	02N39E31CDBA
--	--	--	--	--	3500	12.5	02N39E320DDD
27.00	R	01/ /1972	5	--	--	--	02N39E34ADB8
26.00	S	07/10/1973	--	--	1900	16.0	02N39E340ADB
93.40	V	08/06/1975	--	--	--	--	02N40E01AAAA
29.30	V	08/06/1975	--	--	--	--	02N40E02DAB8
49.40	SR	07/23/1975	--	--	2400	14.0	02N40E06AAB8
71.10	VR	07/23/1975	--	--	2930	10.5	02N40E06AAB82
84.00	R	--	7 R	08/25/1973	3000	10.5	02N40E06CBDB
80.00	R	07/25/1973	30 R	07/25/1973	--	--	02N40E07BDC8
47.40	V	08/06/1975	0.9 V	08/06/1975	3200	14.0	02N40E11AABA
75.70	VR	07/24/1975	--	--	3510	12.0	02N40E28AADD
77.50+	G	07/24/1975	6 V F	07/24/1975	2820	16.0	02N40E29CDDC
72.00	R	1971	--	--	3500	14.0	02N40E30BAAC
113.00	S	11/09/1972	6 V	11/09/1972	1750	13.0	02N40E31DCCD
--	--	--	--	--	950	--	02N40E32BBA8
23.00	S	07/12/1973	--	--	--	--	02N40E32B8DA
14.90	V	07/24/1975	--	--	--	--	02N40E33DAAA
146.00	S	07/ /1973	10 R	10/31/1972	2800	11.5	02N40E35DDCC
62.00	S	08/30/1973	--	--	--	11.5	02N41E01DBBA
150.00	R	03/22/1956	30 R	03/22/1956	--	--	02N41E02DBBA
--	--	--	--	--	--	--	02N41E08ACCD
--	--	--	1 E	08/06/1975	--	--	02N41E08CCD
100.00	R	--	10 R	07/19/1973	1820	13.0	02N41E108CBC
40.00	RR	03/23/1976	1 V	03/23/1976	1520	9.5	02N41E12CCAD
--	--	--	7 V	10/03/1973	--	12.0	02N41E17ADAA
22.60	S	08/07/1975	--	--	--	--	02N41E20DDDC
35.00	S	11/09/1973	20 R	11/09/1972	--	10.0	02N41E21CAD8
40.30	V	08/07/1975	4 V	08/07/1975	3830	11.0	02N41E21CDDC
23.00	S	07/18/1973	2 R	07/18/1973	--	--	02N41E24CAAA
--	--	--	--	--	--	--	02N41E24CAAB
--	--	--	--	--	--	13.0	02N41E30DDAA
--	--	--	10 R	06/28/1974	--	--	02N41E33DAAA
203.00	R	09/ /1936	35 R	06/28/1974	--	--	02N41E33DAAA2
--	--	--	--	--	--	--	02N41E33DAAA3
--	--	--	--	--	--	--	02N41E34BBCC
326.00	R	08/ /1973	13 Z	06/28/1974	--	--	02N41E34BCDC
26.00	S	11/28/1973	0.5 R	11/28/1973	--	--	02N41E35DABD
20.00	S	11/28/1973	0.2 R	11/28/1973	--	--	02N41E35DABD2
60.00	R	--	6 R	08/30/1973	--	11.5	02N42E04DACA
56.00	S	08/30/1973	--	--	--	11.0	02N42E05CAB8
86.00	S	11/ /1972	4 R	11/01/1972	1850	12.0	02N42E06C8CD
--	--	--	--	--	--	--	02N42E20CDAJ
180.00	R	06/29/1956	19 R	06/29/1956	--	--	02N42E23CCCA
42.10	S	03/23/1976	--	--	--	--	02N42E25AC8A
80.00	R	10/ /1947	7 R	10/ /1947	--	--	02N42E31CAAA
146.00	SR	03/22/1976	--	--	--	--	02N42E36DDDB
240.00	S	--	5 E	--	2400	12.0	02N43E02AB8D
40.00	S	10/03/1973	10 R	10/03/1973	--	--	02N43E04ACAD

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
02N43E04CDAA	087	220	4	J	E	H	125TLCK	2790
02N43E04U	087	254	--	--	--	H	125TLCK	--
02N43E05AAAA	087	60	4	P	W	S	125LEB0	2780
02N43E06BABA	087	26	--	--	--	J	125LEB0	2850
02N43E10DDAA	087	200	--	P	--	S	125TLCK	2893
02N43E16AA	087	51	6	S	E	S	110ALVM	2825
02N43E160ABB	087	29	--	P	E	S	110ALVM	2850
02N43E17AACC	087	346	6	P	G	S	125TLCK	2840
02N43E18AAAC	087	66	--	P	W	S	125TGRV	2892
02N43E20CABB	087	49	--	P	W	S	125TGRV	2919
02N43E23CBAB	087	68	--	P	W	S	125LEB0	2890
02N43E23CBBA	087	100	4	P	W	S	125TGRV	2870
02N43E240DDD	087	--	--	P	W	S	--	2990
02N43E25BCAA	087	74	--	P	W	S	125TGRV	2968
02N43E27AADD	087	--	--	P	W	S	--	2938
02N43E27LCBC	087	--	--	S	E	S	--	2910
02N43E28ABBD	087	160	8	--	--	H	125TGRV	2830
02N43E28CAAC	087	75	6	P	W	S	125LEB0	2830
02N43E28CCBC	087	210	--	S	E	J	125TLCK	2830
02N43E30BDDA	087	--	--	P	W	S	--	2910
02N43E32CAAD	087	--	--	P	W	S	--	2876
02N43E36BAAAB	087	42	--	P	W	S	125TGRV	3004
02N44E01BAAA	087	335	4	P	W	S	125TLCK	2930
02N44E13ACB8	087	20	48	C	G	S	125TGRV	2820
02N44E17CABC	087	226	4	P	G	S	125TGRV	3070
02N44E21JDDC	087	150	--	P	W	S	125LEB0	2920
02N44E230CBA	087	137	7	--	--	S	125TLCK	2820
02N44E240DCC	087	--	4	P	W	S	--	2810
02N44E29AABA	087	46	--	P	W	--	125TGRV	3010
02N44E29CABB	087	800	--	P	G	S	211HLCK	3092
02N44E320AAC	087	75	--	P	W	S	125TGRV	2963
02N44E320ADB	087	67	--	P	W	S	125TGRV	2963
02N44E330DAC	087	168	--	P	W	S	125TGRV	2890
02N44E34CCD	087	23	--	P	W	S	125TGRV	2870
02N45E03B8BA	017	33	--	P	E	S	125LEB0	2760
02N45E20CDDC	017	13	36	--	--	J	110ALVM	2705
02N45E20CDDU	017	20	7	--	--	J	110ALVM	2707
02N45E32CB3B	017	210	--	S	E	S	125TLCK	2740
02N46E19CAAC	017	52	4	S	E	S	125TGRV	2960
02N46E21A0BB	017	123	4	S	E	S	125LEB0	2833
02N46E23ABBC	017	181	4	S	E	S	125LEBJ	3000
02N46F30ACDA	017	124	4	S	E	S	125LEB0	2985
02N46E34B0AB	017	117	4	P	W	S	125LEB0	2926
02N47E123ACA	017	250	--	P	W	--	125TLCK	2960
02N47E223DBD	017	230	4	P	W	S	125TLCK	2920
02N47E230ABC	017	330	--	S	E	S	125TLCK	2980
02N47E26ABAD	017	140	4	P	W	S	125LEB0	3030
02N47E323B8C	017	72	4	P	W	S	125LEB0	2890
02N48E02BABA	017	82	4	P	E	S	125LEB0	3025
02N48E15BCBL	017	272	4	P	E	S	125LEB0	3210
02N48E19BDDC	017	98	4	P	W	S	125TGRV	3010
02N48E300D3C	017	265	3	P	E	H	125LEB0	3060
02N48E313CBB	017	170	4	P	W	S	125LEB0	3070
02N48E323ADB	017	135	4	P	E	S	125TGRV	3130
02N49E04CADC	017	78	4	P	E	H,S	125TLCK	2870

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
--	--	10 R	09/27/1973	2300	12.5	02N43E04CDA
--	--	--	--	--	--	02N43E04D
12.00 S	09/27/1973	--	--	--	--	02N43E05AAAA
23.00 S	10/03/1973	--	--	--	--	02N43E06BABA
150.00 R	--	8 R	10/03/1973	5800	10.5	02N43E10DDAA
51.00 R	05/14/1956	50 R	05/14/1956	--	--	02N43E16AA
26.00 S	10/ /1973	3 V	--	2800	9.5	02N43E16DABB
276.00 R	07/10/1958	30 R	07/10/1958	--	--	02N43E17AACC
50.00 S	10/02/1973	--	--	--	--	02N43E18AAAC
42.00 S	10/02/1973	2 V	10/02/1973	2000	9.5	02N43E20CABH
22.00 S	09/ /1973	--	--	--	--	02N43E23CBAD
--	--	--	--	--	--	02N43E23CBBA
--	--	--	--	2900	10.0	02N43E24DDDD
50.00 S	09/28/1973	--	--	2500	11.0	02N43E25BCAA
18.00 S	09/27/1973	--	--	--	--	02N43E27AADD
73.00 S	10/19/1972	6 V	10/19/1972	1850	13.0	02N43E27CC3C
40.00 R	02/22/1965	50 R	02/22/1965	--	--	02N43E28ABBD
50.00 R	05/11/1961	7 R	05/11/1961	--	--	02N43E28CAAC
19.00 S	09/27/1973	--	--	--	15.0	02N43E28CC8C
--	--	--	--	--	--	02N43E30BDDA
12.00 S	10/04/1973	--	--	--	--	02N43E32CAAJ
27.00 S	09/28/1973	--	--	2600	11.0	02N43E36BAAH
229.00 S	09/10/1975	--	--	--	--	02N44E01BAAA
8.10 S	09/11/1975	--	--	--	--	02N44E13ACB3
64.90 S	09/03/1975	20 R	04/05/1962	--	--	02N44E17CABC
3.00 S	10/26/1972	--	--	2000	--	02N44E21DDDC
60.00 R	07/16/1959	10 R	07/16/1959	--	--	02N44E23DC3A
P	--	2 E	09/11/1975	--	--	02N44E24CJCC
10.00 R	09/28/1973	--	--	--	--	02N44E29AABA
316.00 S	09/ /1973	--	--	--	--	02N44E29CBB3
31.00 S	10/ /1972	--	--	4000	11.0	02N44E32DAAC
--	--	--	--	--	--	02N44E32DAD3
14.00 S	09/13/1973	--	--	5000	12.5	02N44E33DDAC
3.00 S	09/25/1973	--	--	--	--	02N44E34CCCD
21.40 SP	08/17/1976	2 V	08/17/1976	1350	10.5	02N45E03B83A
10.00 S	10/17/1975	--	--	--	--	02N45E20CDDC
10.90	10/17/1975	--	--	--	--	02N45E20CDJH
37.50 SP	08/19/1976	30 V	08/19/1976	1400	12.0	02N45E32CB9B
19.80 SR	07/27/1976	--	--	--	--	02N46E19CAAC
49.80 SR	07/22/1976	6 V	07/22/1976	1110	--	02N46E21AD3B
106.20 SK	07/27/1976	3 V	07/27/1976	2600	11.5	02N46E23A88C
60.20 SR	07/27/1976	5 E	07/27/1976	1190	11.5	02N46E30ACDA
43.00 SR	07/22/1976	0.5 V	07/22/1975	2500	12.0	02N46E34BDAB
158.20 SR	08/17/1976	--	--	--	--	02N47E12BACA
45.30 SP	07/14/1976	3 V	07/14/1976	2030	12.5	02N47E22BD3D
182.90 SP	07/14/1976	4 V	07/14/1976	2700	--	02N47E23DAB3C
112.00 SP	07/14/1976	5 V	07/02/1943	3200	--	02N47E26ABA3D
31.30 SP	07/13/1976	2 V	07/13/1976	4160	11.0	02N47E32B38C
25.10 SK	08/18/1976	3 V	08/18/1976	600	9.0	02N48E02BABA
205.10 SP	07/15/1976	4 V	07/15/1976	2340	--	02N48E158C8C
65.50 SP	07/15/1976	4 V	07/15/1976	1510	13.0	02N48E198DDC
90.00 RR	07/14/1976	3 V	07/14/1976	1830	--	02N48E30DD3C
72.00 S	07/15/1976	3 V	07/15/1976	3950	15.0	02N48E318CB3
87.00 RR	07/14/1976	4 V	07/14/1976	2690	12.0	02N48E32HAD3
68.10 SP	07/15/1976	2 E	07/15/1976	2940	--	02N49E04CADC

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
02N51E04CCCC	017	101	4	S	E	H	211HLCK	2810
02N51E11AACD	017	140	4	--	--	J	211HLCK	2870
02N51E11ADBB	017	164	3	--	--	H	125TLCK	3090
02N51E180DBA	017	100	4	P	--	J	125TLCK	2930
02N52E28BADC	017	225	4	P	W	S	125TLCK	3120
02N52E31AAAD	017	108	6.5	--	--	J	125TLCK	3070
02N53E01DACC	017	101	3	P	W	S	211HLCK	2790
02N53E36ADBD	017	158	4	P	W	S	211HLCK	2915
02N54E28CAAC	017	87	4	P	W	S	211HLCK	2760
01N35E240BCA	003	47	4	S	E	S	211HLCK	3100
01N36E01BACA	003	55	--	--	--	H	125TGRV	3360
01N36E14CCCA	003	--	4	P	E	S	--	3401
01N36E14CCDA	003	90	4	P	H	H	125TGRV	3450
01N36E22AADA	003	100	4	S	E	--	125LEB0	3395
01N36E23BADA	003	--	6	S	E	S	--	3423
01N36E25CCCC	003	--	--	P	G	S	--	3423
01N36E36CABA	003	--	--	--	--	S	--	4860
01N37E02BAAA	003	--	--	J	E	S	--	3249
01N37E03CDAB	003	90	4	J	E	S	125LEB0	3212
01N37E03CDAB2	003	87	4	P	E	S	125LEB0	3212
01N37E04ACBB	003	75	--	P	H	H	125LEB0	3250
01N37E06ACAD	003	50	--	--	--	S	125TGRV	3378
01N37E0700DB	003	98	6	P	E	S	125TGRV	3425
01N37E08CCAD	003	100	4	--	--	Z	125LEB0	3380
01N37E08CCCC	003	130	--	--	--	S	125TGRV	3410
01N37E10CDDH	003	147	--	--	--	H	125LEB0	3235
01N37E12ACAA	003	60	--	--	--	J	125TGRV	3280
01N37E12JAAA	003	--	4	P	H	--	--	3292
01N37E13ACAB	003	87	--	--	--	S	125TGRV	3355
01N37E13CAHB	003	72	4	--	--	J	125TGRV	3408
01N37E13CAHB2	003	125	4	--	--	J	125TGRV	3408
01N37E14ACCC	003	130	--	--	--	S	125TGRV	3395
01N37E15BAAD	003	140	--	--	--	S	125LEB0	3280
01N37E15BBBA	003	--	--	--	--	H	--	3287
01N37E15BBCA	003	140	--	--	--	H	125LEB0	3274
01N37E16ACCC	003	--	--	--	--	C	--	3325
01N37E1600DD	003	--	--	--	--	S	--	3272
01N37E18AAA3A	003	130	6	J	E	S	125TGRV	3435
01N37E18BAHC	003	130	4	P	G	S	125TGRV	3490
01N37E19DABH	003	--	--	--	--	S	--	3395
01N37E20AHC8	003	--	4	P	E	S	--	3480
01N37E20CC8C	003	--	4	P	G	S	--	3432
01N37E21ACDD	003	30	--	--	--	S	11VALVM	3290
01N37E22BHAD	003	160	--	--	--	S	125LEB0	3300
01N37E230BCD	003	80	--	--	--	S	125TGRV	3500
01N37E24CACA	003	15	--	--	--	S	125TGRV	3540
01N37E24CACC	003	8	--	--	--	J	125TGRV	3549
01N37E24CADB	003	11	--	Z	--	J	125TGRV	3550
01N37E26AB3C	003	123	--	--	--	J	125TGRV	3419
01N37E27BDCB	003	30	--	--	--	U	125LEB0	3345
01N37E29DABB	003	160	4	P	G	S	125TGRV	3463
01N37E32D0CC	003	50	--	P	G	S	125TGRV	3398
01N37E33AAAA8	003	130	--	--	--	S	125LEB0	3331
01N37E34DACH	003	80	--	--	--	J	125TGRV	3220
01N37E34DACH2	003	60	--	S	--	J	125TGRV	3210

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
12.00	SR	08/26/1976	10 V	08/26/1976	3200	10.5	02N51E04CCCC
94.30	S	10/05/1976	--	--	--	--	02N51E11AACD
40.00	RR	--	0.5 V	08/04/1976	3930	10.5	02N51E11A0B8
67.10	S	10/05/1976	--	--	--	--	02N51E18D0BA
186.00	SR	08/18/1976	2 V	08/18/1976	3400	--	02N52E28BA0C
90.60	S	10/07/1976	--	--	--	--	02N52E31AAAD
58.70	SP	08/17/1976	4 V	08/17/1976	775	10.5	02N53E01DACC
127.50	SR	08/18/1976	--	--	--	--	02N53E36A0B0
52.40	S	08/18/1976	--	--	--	--	02N54E28CAAC
20.70	SR	10/05/1976	--	--	1700	13.0	01N35E24DBCA
--	--	--	--	--	--	12.0	01N36E01BACA
12.30	S	09/05/1975	--	--	--	--	01N36E14CCCA
60.30	S	09/04/1975	2 E	09/04/1975	2130	13.0	01N36E14CCDA
20.00	P	12/28/1973	10 R	12/28/1973	--	--	01N36E22AADA
13.30	S	09/04/1975	--	--	--	--	01N36E23BABA
--	--	--	--	--	--	--	01N36E25CCCC
25.00	S	06/22/1973	--	--	--	--	01N36E36CAHA
--	--	--	--	--	--	11.0	01N37E02BAAA
12.00	S	08/14/1973	--	--	--	13.0	01N37E03CDA8
--	--	--	--	--	--	--	01N37E03CDA32
30.00	R	--	--	--	--	--	01N37E04AC93
46.70	S	08/18/1975	6 V	08/18/1975	1780	10.5	01N37E06ACA0
35.00	R	06/ /1972	12 R	12/28/1973	--	--	01N37E07D0D8
60.00	--	--	10 R	10/11/1973	--	--	01N37E08CCCA
126.00	R	--	30 R	07/28/1973	--	--	01N37E10CDD3
25.00	R	03/21/1975	20 R	03/21/1975	1180	--	01N37E12ACAA
16.00	R	--	--	--	--	--	01N37E12DAAA
36.00	S	07/23/1972	10 R	07/23/1972	910	12.0	01N37E13CAB8
23.00	S	11/27/1973	--	--	--	--	01N37E13CA38
86.00	S	11/27/1973	--	--	--	--	01N37E13CAB32
59.00	R	--	5 E	07/20/1972	2160	11.0	01N37E14ACCC
39.00	K	--	5 R	09/20/1972	3390	--	01N37E15BAA0
--	--	--	--	--	--	11.0	01N37E15B88A
16.00	R	--	20 R	07/20/1972	2290	--	01N37E15B8CA
--	--	--	--	--	--	12.0	01N37E16ACCC
60.00	R	10/11/1973	10 R	10/11/1973	--	--	01N37E16D0D0
65.00	R	07/ /1967	9 Z	10/11/1973	--	--	01N37E18AABA
--	--	--	--	--	--	--	01N37E18BABC
150.00	R	--	10 R	07/02/1973	--	11.0	01N37E19DA83
55.00	R	--	7 R	07/03/1973	--	--	01N37E20A3C8
9.00	RR	08/13/1972	27 R	08/13/1972	2170	3.0	01N37E20CC8C
20.00	--	--	--	--	--	--	01N37E21AC00
40.00	R	--	5 R	07/20/1972	1920	--	01N37E22B8AD
15.00	R	--	0.5 R	12/28/1973	--	--	01N37E23D8CD
5.00	R	07/24/1972	--	--	910	12.0	01N37E24CACA
7.00	S	10/11/1973	--	--	--	11.0	01N37E24CACC
40.00	R	--	5 E	07/13/1972	1510	--	01N37E24CAD3
9.00	R	--	5 R	08/13/1972	2630	11.0	01N37E26A88C
125.00	R	10/ /1966	15 R	07/02/1973	--	10.5	01N37E27BDC3
--	--	--	--	--	--	9.0	01N37E28A88C
35.00	E	--	--	--	--	9.0	01N37E32D0CC
28.00	S	09/06/1973	--	--	--	--	01N37E33AA48
19.00	S	09/06/1973	1	--	--	--	01N37E34DAC8
--	--	--	--	--	--	--	01N37E34DAC32

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01N37E35CBCB	003	30	--	--	--	S	110ALVM	3390
01N38E04DCCD	003	140	--	P	W	S	125TGRV	3517
01N38E05DA8C	003	120	--	--	--	J	125TGRV	3500
01N38E05DBAD	003	260	--	--	--	J	125TGRV	3480
01N38E08ADAC	003	146	--	P	G	S	125TGRV	3455
01N38E11B8CB	003	--	--	P	G	S	--	3760
01N38E17CBDA	003	190	--	P	E	S	125TGRV	3308
01N38E17DAAA	003	113	--	--	--	S	125TGRV	3396
01N38E19BCCC	003	160	--	--	--	S	125TGRV	3463
01N38E19CB8B	003	45	4	--	--	J	125TGRV	3450
01N38E19C88B2	003	125	4	--	--	J	125TGRV	3450
01N38E19C88B3	003	232	4	--	--	J	125TGRV	3450
01N38E19CDDB	003	115	4	--	--	J	125TGRV	3450
01N38E20BDAC	003	--	--	--	--	S	--	3475
01N38E22AADA	003	100	4	--	--	S	125TGRV	3395
01N38E22CCCC	003	30	--	--	--	J	125TGRV	3410
01N38E22CCCC2	003	--	6.6	--	--	H, S	--	3410
01N38E2388B0	003	120	--	S	E	S	125TGRV	3520
01N38E23CCDA	003	60	--	J	E	S	125TGRV	3465
01N38E25BCCA	003	80	--	P	E	S	125TGRV	3507
01N38E26DBAA	003	140	--	J	E	--	125TGRV	3475
01N38E28AAAA	003	200	--	S	E	H	125TGRV	3410
01N38E29ADCA	003	100	--	--	--	H	125TGRV	3482
01N38E29ADDA	003	20	--	--	--	--	125TGRV	3440
01N38E29CABD	003	45	--	--	--	--	125TGRV	3490
01N38E30AAAD	003	142	4	--	--	J	125TGRV	3565
01N38E30AAAD2	003	215	4	--	--	J	125TGRV	3565
01N38E30AAAD3	003	290	4	--	--	J	125TGRV	3565
01N38E30DDAD	003	--	--	--	--	J	--	3540
01N38E30DDBB	003	61	4	--	--	J	125TGRV	3548
01N38E30DD8B2	003	111	--	--	--	J	125TGRV	3550
01N38E30DD8B3	003	--	4	--	--	--	--	3550
01N38E30DD8D	003	50	--	--	--	J	125TGRV	3528
01N38E31CCCC	003	165	--	--	--	H	125TGRV	3534
01N38E31DD8A	003	63	4	--	--	J	125TGRV	3585
01N38E31DD8A2	003	135	4	--	--	J	125TGRV	3585
01N38E31DD8A3	003	267	4	--	--	J	125TGRV	3585
01N38E32ABBA	003	--	--	--	--	S	--	3500
01N38E32BAAB	003	15	--	--	--	S	125TGRV	3490
01N38E32BABC	003	--	--	--	--	--	--	3530
01N38E32BACB	003	225	--	--	--	S	125TGRV	3530
01N38E32CDCE	003	164	6	--	--	Z	125TGRV	3620
01N38E34DCCC	003	120	--	P	W	S	125TGRV	3590
01N38E35ACBD	003	--	--	P	E	S	--	3537
01N38E36ADDD	003	--	--	P	N	S	--	3555
01N38E368ACD	003	--	4	P	E	H	--	3536
01N38E368BCB	003	193	6	P	E	S	125TGRV	3540
01N38E36BDAD	003	110	4	--	--	J	125TGRV	3545
01N38E36BDAD2	003	196	4	--	--	J	125TGRV	3545
01N38E36BDAD3	003	288	4	--	--	J	125TGRV	3545
01N38E368DBB	003	--	--	P	E	S	--	3520
01N38E368DBD	003	--	--	--	--	S	--	3510
01N38E36CDBD	003	12	--	P	--	S	110ALVM	3519
01N38E36DCCD	003	--	--	--	--	S	--	3548
01N39E01BBBA	087	96	4	P	E	S	125TGRV	3470

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
--	--	--	--	1390	10.0	01N37E35C3C3
53.00	S 08/ /1973	--	--	--	11.5	01N38E04DCCD
99.50	R --	--	--	--	--	01N38E05DA8C
202.50	R 04/11/1975	--	--	--	--	01N38E05DBAD
103.00	S 08/27/1973	0.5	--	--	10.0	01N38E08ADAC
23.00	S 08/ /1973	--	--	--	9.0	01N38E11B8CB
78.00	S 08/29/1973	--	--	--	--	01N38E17C3DA
63.00	S 08/ /1973	--	--	--	11.0	01N38E17DAAA
24.00	--	4 R	08/11/1972	--	--	01N38E19BCCC
9.00	S 11/27/1973	--	--	--	--	01N38E19C8BB
50.00	S 11/27/1973	--	--	--	--	01N38E19C8B32
124.00	S 11/27/1973	15 R	11/27/1973	--	--	01N38E19C8B33
36.00	S 07/25/1972	5 R	07/25/1972	1440	11.0	01N38E19CDD3
40.00	R --	--	--	--	--	01N38E20B3AC
20.00	R 05/ /1971	10 R	05/ /1971	--	--	01N38E22AADA
5.00	S 07/18/1972	10 R	07/18/1972	2240	9.0	01N38E22CCCC
24.70	S 11/23/1976	--	--	--	--	01N38E22CCCC2
60.00	R 07/03/1973	--	--	--	12.0	01N38E23B8BD
24.00	07/03/1973	--	--	--	9.0	01N38E23CCJA
35.00	R 07/ /1973	--	--	--	9.0	01N38E25BCCA
80.00	R 07/07/1973	--	--	--	--	01N38E26D4AA
37.30	--	--	--	2560	12.0	01N38E28AAAA
30.00	R 07/21/1972	5 Z	07/21/1972	851	15.0	01N38E29AJCA
0.00	SR 07/28/1972	--	--	1780	8.0	01N38E29ADDA
--	--	5 R	07/ /1972	1180	8.0	01N38E29CABD
114.00	S 11/27/1973	--	--	--	--	01N38E30AAAD
161.00	S 11/11/1973	--	--	--	--	01N38E30AAAD2
182.00	S 11/27/1973	--	--	--	--	01N38E30AAAD3
--	--	5 R	07/25/1972	1820	7.5	01N38E30D3AD
32.00	S 11/27/1973	--	--	--	--	01N38E30DDBB
45.00	S 11/27/1973	--	--	--	--	01N38E30DD832
110.80	R --	--	--	--	--	01N38E30DD833
23.00	S 07/24/1972	--	--	921	9.0	01N38E30DD8D
70.00	S 08/13/1972	--	--	1560	12.0	01N38E31CCCC
29.00	S 11/27/1973	--	--	--	--	01N38E31DD8A
55.00	S 11/27/1973	--	--	--	--	01N38E31DD3A2
110.00	S 11/27/1973	--	--	--	--	01N38E31DD3A3
--	--	--	--	--	--	01N38E32A33A
6.00	R --	--	--	719	12.0	01N38E32B4A3
--	--	--	--	1030	12.5	01N38E32B43C
128.00	S 08/10/1972	8 F	08/10/1972	2440	13.5	01N38E32BACB
74.00	S 08/10/1972	--	--	--	12.0	01N38E32C0CB
80.00	S 07/04/1973	--	--	--	12.0	01N38E34C0CC
225.00	S 08/ /1957	5 R	07/26/1973	--	--	01N38E35ACBD
--	--	--	--	--	--	01N38E36ADDD
60.00	R 10/ /1954	10 R	07/26/1973	--	--	01N38E36BACD
--	--	--	--	--	--	01N38E36B8CB
46.00	S 11/27/1973	--	--	--	--	01N38E36BDAD
108.00	S 11/27/1973	--	--	--	--	01N38E36BDAD2
159.00	S 11/27/1973	--	--	--	--	01N38E36BDAD3
--	--	--	--	910	--	01N38E36BD8B
--	--	--	--	--	--	01N38E36BD8J
4.00	S 10/04/1973	--	--	--	--	01N38E36CD3D
--	--	--	--	--	--	01N38E36CD3J
39.00	S 07/12/1973	4 E	07/12/1973	--	--	01N39E01883A

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01N39E05CB8	087	300	--	P	E	S	125TGRV	3685
01N39E11ADAD	087	--	--	P	E	S	--	3860
01N39E12CCCC	087	40	6	P	E	S	125TGRV	3733
01N39E19CAAB	003	65	--	P	E	S	125TGRV	3795
01N39E23CAAA	087	188	--	P	W	S	125TGRV	3898
01N39E248BBC	087	122	--	P	W	S	125TGRV	3826
01N39E26ABBB	087	375	3	P	W	S	125TGRV	3978
01N39E30BCAC	003	--	--	J	E	H	--	3630
01N39E308CDB	003	--	--	J	E	S	--	3621
01N39E308DCB	003	136	--	J	E	H	125TGRV	3635
01N39E31AAAC	003	--	--	--	--	S	--	3684
01N40E01CCCD	087	--	--	P	W	S	--	3418
01N40E02BCAB	087	44	36	P	E	H	125TGRV	3510
01N40E02CDCC	087	100	--	P	E	S	125TGRV	3512
01N40E04DADA	087	--	--	P	W	S	--	3505
01N40E06B	087	48	--	--	--	H	125TGRV	--
01N40E078CBB	087	84	--	P	W	S	125TGRV	3723
01N40E10DADB	087	--	--	P	W	S	--	3470
01N40E11ABBB	087	--	--	P	W	S	--	3558
01N40E12CBAA	087	40	--	P	G	S	110ALVM	3398
01N40E12DCCD	087	--	--	P	W	S	--	3427
01N40E148BBB	087	--	--	S	E	H	--	3438
01N40E148BBB2	087	--	--	S	E	S	--	3438
01N40E16AADA	087	--	--	P	W	S	--	3480
01N40E168BAA	087	--	--	P	H	J	--	3520
01N40E18ABBB	087	--	--	--	--	H	--	3640
01N40E188ABA	087	--	--	S	E	S	--	3608
01N40E18DDCA	087	50	--	P	W	U	125TGRV	3654
01N40E21AAAD	087	120	--	J	--	U	125TGRV	3548
01N40E24CACB	087	46	--	P	W	S	125TGRV	3390
01N40E28ADDD	087	74	--	P	W	S	125TGRV	3410
01N40E29ABCC	087	232	--	P	W	S	125TGRV	3555
01N40E35DB8C	087	30	4	P	W	S	125TGRV	3298
01N40E368ACD	087	104	--	P	W	S	125TGRV	3448
01N41E01ACAB	087	38	4	--	--	J	111SPBK	3225
01N41E01ACAB2	087	59	4	--	--	J	125TGRV	3225
01N41E01DDAC	087	48	4	--	--	U	125TGRV	3295
01N41E01DDAC2	087	26	4	--	--	--	111SPBK	3295
01N41E03CDDD	087	86	--	P	E	S	125TGRV	3330
01N41E04DDBA	087	87	7	P	E	S	125TGRV	3330
01N41E06C	087	50	--	--	--	H	125TGRV	--
01N41E06DDDB	087	--	--	--	--	S	--	3362
01N41E07DBBA	087	125	--	P	W	S	125TGRV	3360
01N41E08CBAB	087	18	--	P	--	U	125TGRV	3345
01N41E08CBAB2	087	100	--	P	W	S	125TGRV	3355
01N41E12ADDG	087	50	4	--	--	U	111SPBK	3270
01N41E12ADDG2	087	22	4	--	--	U	111SPBK	3270
01N41E12CBDB	087	51	--	S	E	S	125TGRV	3440
01N41E12D	087	65	--	--	--	H	125TGRV	--
01N41E13CDCD	087	200	5	--	--	I	125TGRV	3290
01N41E178BBB	087	71	4	--	--	S	125TGRV	3382
01N41E22AACC	087	53	--	--	--	J	125TGRV	3290
01N41E22ABCC	087	156	--	--	--	J	125TGRV	3390
01N41E22ABDD	087	59	--	--	--	--	125TGRV	3310
01N41E22BAAB	087	97	4	--	--	U	125TGRV	3370



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
--	--	3 V	07/05/1973	--	12.0	01N39E05C3B
--	--	--	--	--	11.0	01N39E11A3AD
12.00	S 09/27/1973	6 V	09/27/1973	--	9.0	01N39E12CCCC
--	--	5 V	10/04/1974	--	9.0	01N39E19CAA8
121.00	S 09/27/1973	--	--	--	--	01N39E23CAAA
62.00	S 09/27/1973	--	--	--	11.5	01N39E24B3BC
--	--	--	--	--	--	01N39E26A3B8
--	--	--	--	--	13.0	01N39E30BCAC
--	--	--	--	--	--	01N39E30BCDB
99.00	S 10/04/1973	--	--	--	11.0	01N39E30BDCB
--	--	10 E	07/27/1973	--	--	01N39E31AAAC
--	--	--	--	--	--	01N40E01CCCC
34.00	S 07/19/1973	--	--	520	9.0	01N40E02BCAB
42.00	S 10/02/1973	--	--	--	11.0	01N40E02CDCC
--	--	--	--	--	--	01N40E04DADA
40.00	--	--	--	--	--	01N40E06B
40.00	S 10/ /1973	--	--	--	--	01N40E07BCB8
--	--	--	--	--	--	01N40E10DADB
--	--	--	--	--	--	01N40E11A388
9.00	S 10/ /1972	--	--	--	10.5	01N40E12C3AA
--	--	--	--	--	11.0	01N40E12DCCJ
--	--	--	--	--	9.0	01N40E14B3B8
--	--	--	--	--	--	01N40E14B3B82
40.00	S 09/24/1973	--	--	--	11.0	01N40E16AADA
--	--	--	--	--	--	01N40E16DBAA
--	--	--	--	--	13.0	01N40E18A3B8
--	--	5 V	09/27/1973	--	11.0	01N40E18BABA
23.00	S 09/24/1973	--	--	--	--	01N40E18D0CA
106.00	S 09/24/1973	--	--	--	--	01N40E21AAAD
34.00	S 09/13/1973	--	--	--	--	01N40E24CAB
34.00	S 09/13/1973	--	--	--	--	01N40E28A0DD
80.00	R 1960	--	--	--	11.0	01N40E29ABCC
23.10	SR 03/24/1976	3 V	03/24/1976	4220	9.0	01N40E35D3BC
83.00	09/13/1973	--	--	--	--	01N40E36BACD
--	--	--	--	--	--	01N41E01ACAB
35.00	S 11/28/1973	4 L	11/28/1973	--	--	01N41E01AC4B2
23.00	S 11/28/1973	5 R	11/28/1973	--	--	01N41E01D0AC
23.00	S 11/28/1973	--	--	--	--	01N41E01D0AC2
66.00	S 08/20/1973	3 V	08/20/1973	--	11.5	01N41E03C0DD
70.50	SR 03/25/1976	2 V	03/25/1976	1690	8.5	01N41E04DDBA
--	--	--	--	--	--	01N41E06C
--	--	--	--	--	--	01N41E06D0DB
100.00	R 1962	--	--	--	11.5	01N41E07D9BA
--	--	5 R	10/02/1973	--	--	01N41E08C3AB
--	--	15 R	10/02/1973	--	11.0	01N41E08C3A92
37.00	S 11/28/1973	2 R	11/28/1973	--	--	01N41E12A0DD
--	--	--	--	--	--	01N41E12A0DD2
--	--	2 V	08/02/1973	3000	15.5	01N41E12C3DB
54.00	--	--	--	--	--	01N41E12D
107.00	S 11/09/1972	8 R	11/09/1972	2150	16.0	01N41E13C0CD
8.00	S 03/23/1976	1 V	03/23/1976	205	6.5	01N41E1753B8
30.00	S 08/07/1973	--	--	--	--	01N41E22AACC
108.00	S 08/08/1973	--	--	--	--	01N41E22ABCC
34.60	S 08/07/1973	--	--	--	--	01N41E22ABDD
83.00	S 08/07/1973	--	--	--	--	01N41E22BAA8

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01N41E22CABD	087	52	4	--	--	J	125TGRV	3290
01N41E22CACC	087	54	--	--	--	U	125TGRV	3290
01N41E22DBAB	087	132	--	--	--	J	125TGRV	3370
01N41E23B8BD	087	49	4	--	--	U	125TGRV	3250
01N41E23BCAC	087	50	--	--	--	J	125TGRV	3230
01N41E23BCDB	087	50	--	--	--	--	125TGRV	3230
01N41E23BCDB2	087	60	4	--	--	V	125TGRV	3230
01N41E23BCDC	087	74	--	J	E	N	125TGRV	3230
01N41E23BCDD	087	59	--	--	--	U	125TGRV	3230
01N41E23CBAB	087	80	4	--	--	U	125TGRV	3220
01N41E23CBBA	075	297	6	T	E	S	125TGRV	3220
01N41E24DDBB	087	30	--	--	--	S	125TGRV	3150
01N41E25DDBB	087	60	--	P	E	S	125TGRV	3090
01N41E26BCAA	087	35	--	--	--	J	125TGRV	3210
01N41E26BCAB	087	195	4	P	Z	U	125TGRV	3190
01N41E26CBAB	087	27	--	--	--	J	125TGRV	3210
01N41E26CBAB2	087	102	--	--	--	U	125TGRV	3210
01N41E26CBAC	087	66	--	--	--	U	125TGRV	3210
01N41E26CBBA	087	37	--	--	--	J	125TGRV	3200
01N41E27AADD	087	40	4	--	--	U	125TGRV	3233
01N41E27AADD2	087	16	4	--	--	J	125TGRV	3233
01N41E27DAAC	087	51	4	--	--	U	125TGRV	3260
01N41E27DAAC2	087	34	4	--	--	J	111SPBK	3260
01N41E30B8CD	087	90	--	P	W	S	125TGRV	3330
01N41E31AADA	087	85	--	P	Z	S	125TGRV	3250
01N41E33BCCB	087	65	--	P	G	S	125TGRV	3190
01N42E07CBAB	087	33	4	--	--	J	125TGRV	3237
01N42E07CB8C	087	940	--	--	--	V	125TGRV	3270
01N42E10CCDC	087	43	6	P	W	S	125TGRV	3075
01N42E12ABBA	087	42	--	P	W	S	125TGRV	2956
01N42E13BCAC	087	--	--	--	--	J	--	3090
01N42E17BDDC	087	52	4	--	--	J	111SPBK	3270
01N42E17DBDA	087	28	4	--	--	J	125TGRV	3210
01N42E18AAAB	087	48	4	--	--	J	111SPBK	3160
01N42E18AAAB2	087	76	4	--	--	J	125TGRV	3160
01N42E19DBBA	087	47	4	--	--	S	125TGRV	3130
01N42E22CABD	087	55	--	P	W	S	125TGRV	3050
01N42E25B8CC	087	107	--	--	--	S	125TGRV	2950
01N42E25BCDD	087	94	--	J	E	H	125TGRV	2930
01N42E28BDDC	087	53	--	A	W	S	125TGRV	2990
01N42E31B8BC	087	--	--	P	E	S	--	3090
01N42E32DADD	087	--	--	--	--	S	--	2990
01N42E33ADB3C	087	42	6	S	E	S	125TGRV	2970
01N42E33BDCA	087	91	4	--	--	S	125TGRV	2990
01N42E34AABA	087	117	5	--	--	I	125TGRV	2945
01N42E34ACAB	087	275	4	S	E	I	125TGRV	2960
01N43E02CCDA	087	50	--	P	W	S	125TGRV	3010
01N43E04ADDD	087	60	--	P	W	S	125TGRV	2910
01N43E09DDDA	087	--	--	P	W	S	--	2965
01N43E15ACAA	087	27	--	P	W	H	125TGRV	2990
01N43E17AACA	087	--	4	P	E	--	--	2900
01N43E18DDBA	087	94	4	S	E	H, I	125TGRV	2880
01N43E20CCCD	087	42	--	P	E	--	125TGRV	2936
01N43E21CB3CA	087	67	--	P	W	S	125TGRV	2960
01N43E22B8AA	087	22	--	P	W	S	125TGRV	2981

WATER LEVEL (FEET)	DATE WATER MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
22.00	S	08/21/1973	--	--	--	01N41E22CABJ
18.00	S	08/21/1973	--	--	--	01N41E22CACCC
95.00	S	08/08/1973	--	--	--	01N41E22DBAB
--	--	--	--	--	--	01N41E23B8BD
44.00	S	08/03/1973	--	--	--	01N41E23BCAC
44.00	S	08/09/1973	--	--	--	01N41E23BCDB
44.00	R	--	08/07/1973	--	--	01N41E23BCDB2
45.00	S	08/09/1973	--	2800	19.0	01N41E23BCDC
40.00	S	08/09/1973	--	--	--	01N41E23BCDD
44.10	S	08/28/1975	5 R	1973	--	01N41E23CBAB
145.00	RP	--	35 R	--	--	01N41E23CBBA
12.00	S	08/10/1973	--	--	--	01N41E24DDBB
38.00	S	08/02/1973	--	--	--	01N41E25DDBB
23.00	S	08/07/1973	--	--	--	01N41E26BCAA
23.00	S	08/02/1973	8 R	08/20/1973	--	01N41E26BCAB
12.00	S	08/07/1973	--	--	--	01N41E26CBAB
23.00	S	08/07/1973	--	--	--	01N41E26CBAB2
25.00	S	08/07/1973	--	--	--	01N41E26CBAC
25.00	S	08/07/1973	--	--	--	01N41E26CBAB
25.00	S	10/28/1973	0.5 R	11/28/1973	--	01N41E27AADD
10.00	S	10/28/1973	--	--	--	01N41E27AADD2
46.00	S	11/28/1973	--	--	--	01N41E27DAAC
--	--	--	--	--	--	01N41E27DAAC2
30.00	R	--	8 R	09/07/1973	--	01N41E30B8CJ
38.00	S	09/ /1973	--	--	--	01N41E31AADA
22.00	S	09/05/1973	--	--	--	01N41E33BCCB
22.00	S	11/28/1973	2 R	11/28/1973	--	01N42E07CBAH
--	--	--	40 R	06/28/1974	--	01N42E07C3BC
18.80	S	10/18/1972	15 R	10/18/1972	3100	01N42E10CCDC
--	--	--	--	--	--	01N42E12AB3A
--	--	--	--	--	--	01N42E13BCAC
35.00	S	11/28/1973	5 R	--	--	01N42E17BDJC
20.00	S	11/28/1973	--	--	--	01N42E17DBDA
41.00	S	11/28/1973	--	--	--	01N42E18A4AB
45.00	S	11/28/1973	0.5 R	11/28/1973	--	01N42E18AAA2
21.00	S	08/02/1973	8 R	08/02/1973	1600	01N42E19DBBA
--	--	--	--	--	4500	01N42E22CA3D
--	--	30 R	09/06/1973	--	--	01N42E25B8CC
14.00	S	09/06/1973	--	--	4000	01N42E258CDD
18.00	S	08/28/1973	--	--	2020	01N42E28BDJC
--	--	--	--	--	--	01N42E31B8BC
32.00	S	08/28/1973	--	--	--	01N42E32DADD
21.00	S	09/28/1972	13 V	09/28/1972	3200	01N42E33AD3C
57.00	R	--	1 V	08/28/1973	--	01N42E33BDCA
9.10	S	06/23/1977	50 R	06/10/1977	2360	01N42E34A43A
8.00	S	02/ /1973	--	--	--	01N42E34ACAB
41.00	S	09/28/1973	--	--	1050	01N43E02CCDA
40.00	S	10/ /1973	--	--	--	01N43E04ADD
--	--	--	--	--	4900	01N43E09DDDA
9.00	S	09/29/1973	--	--	--	01N43E15ACAA
39.00	S	10/18/1972	4 V	10/18/1972	2000	01N43E17AACCA
61.00	R	--	7 R	1941	--	01N43E18DDBA
8.00	S	10/ /1973	--	--	--	01N43E20CCDD
30.00	S	09/29/1973	--	--	--	01N43E21C3CA
7.00	S	09/29/1973	--	--	5800	01N43E22B3AA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01N43E24DDAA	087	37	--	P	W	S	125TGRV	2997
01N43E25BDDC	087	107	1.25	--	--	S	125TGRV	3240
01N43E26BCAB	087	96	--	P	W	S	125TGRV	3045
01N43E27CDDD	087	172	--	--	--	J	125TGRV	3150
01N43E29BCDA	087	80	4	P	E	S	125TGRV	2980
01N43E30BDBB	087	150	4	J	E	H	125TGRV	2920
01N43E31ADBC	087	79	--	P	W	S	125TGRV	3144
01N43E31BADC	087	210	4	P	W	S	125TGRV	3075
01N43E32DDAA	087	56	--	P	E	S	125TGRV	3030
01N43E33BBBB	087	33	--	P	E	S	110ALVM	2990
01N43E36BDAC	087	63	4	P	G	S	125TGRV	3180
01N44E01ACBA	087	--	6	--	--	S	--	2730
01N44E01CBBD	087	426	2	--	--	S	125TLCK	2740
01N44E02BCBD	075	22	36	P	W	--	125LEBD	2790
01N44E04DABD	087	45	--	P	W	S	125TGRV	2890
01N44E06CADC	087	85	--	P	W	S	125TGRV	3020
01N44E07AADA	087	--	--	P	W	S	--	2955
01N44E08ACCB	087	84	--	P	W	S	125TGRV	2910
01N44E10ABAC	087	234	4	P	--	J	125LEBD	2841
01N44E12C	087	216	--	--	--	H	125LEBD	--
01N44E12CBCA	087	--	--	J	E	H	--	2750
01N44E12CBCD	087	51	6	J	E	S, I	110ALVM	2750
01N44E14BDDC	087	700	--	--	--	H	211HLCK	2730
01N44E14BDDC2	087	--	4	C	E	H	--	2755
01N44E16BDBB	087	--	--	--	--	U	--	2930
01N44E17AAAD	087	31	--	P	W	S	125TGRV	2875
01N44E18AACB	087	38	--	P	W	S	125TGRV	2950
01N44E19DCAA	087	59	--	P	W	S	125TGRV	2930
01N44E22AADA	087	500	2.5	--	--	H, S	125TLCK	2765
01N44E22C	087	365	--	--	--	H	125TLCK	--
01N44E27BDBC	087	41	4	P	E	S	110ALVM	2810
01N44E27CBAC	087	--	--	--	--	--	--	2800
01N44E29ACBD	087	24	--	P	W	S	125TGRV	2895
01N44E31AABA	087	70	--	P	W	S	125TGRV	3030
01N44E31CDCB	087	131	--	P	--	U	125TGRV	3000
01N45E18CABB	017	80	4	P	W	S	125TGRV	2860
01N45E32DDDC	017	135	4	P	W	S	125TGRV	3080
01N46E03DBDD	017	66	4	P	W	S	125TGRV	2980
01N46E06ACBC	017	93	4.5	P	W	S	125TGRV	2965
01N46E06BDAD	017	104	--	P	W	S	125TGRV	2965
01N46E09DBAA	017	66	4	P	W	S	125TGRV	3070
01N46E14DABD	017	89	4	--	--	S	125TGRV	3057
01N46E20DDAD	017	149	4	P	W	S	125TGRV	3394
01N46E26ABCB	017	750	4	P	W	S	125TLCK	3192
01N46E30BCCB	017	110	4	S	E	S	125TGRV	3090
01N46E31DAAC	017	61	4	P	W	S	125TGRV	3140
01N47E04CCAA	017	141	4	P	W	S	125TGRV	2970
01N47E12BAAC	017	152	4	P	W	U	125TGRV	3000
01N47E20AADC	017	112	4	P	W	S	125TGRV	3110
01N47E20ACDC	017	140	4	--	--	S	125TGRV	3140
01N47E23DBDD	017	120	4	P	W	S	125TGRV	3090
01N47E27CACD	017	120	6	S	E	S	125TGRV	3130
01N47E28DDAD	017	112	4	P	W	S	125TGRV	3130
01N47E32ACDC	017	89	4	P	W	S	125TGRV	3214
01N47E35ABCC	017	90	4	P	W	S	125TGRV	3250

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMUS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
6.00	09/29/1973	--	--	--	--	01N43E24DDAA
66.00 R	05/ /1959	30 R	05/ /1959	--	--	01N43E258BDC
16.00 S	09/30/1973	--	--	--	--	01N43E268CAB
135.00 S	09/30/1973	--	--	--	--	01N43E27CDDO
80.00 R	05/ /1946	14 R	05/ /1946	--	--	01N43E29BCDA
100.00 R	1944	10 R	1944	--	--	01N43E3083DB
56.00 S	10/ /1973	--	--	--	--	01N43E31ADBC
189.00 R	07/15/1960	4 R	07/15/1960	--	--	01N43E31BADC
9.00 S	10/ /1973	--	--	--	--	01N43E32DDAA
19.00 S	10/ /1973	--	--	--	10.5	01N43E338BBB
46.00 R	01/ /1961	50 R	01/ /1961	--	--	01N43E36HDAC
0.00 R	09/04/1975	0.5 RF	09/04/1975	--	--	01N44E01ACBA
F	09/03/1975	0.5 VF	09/03/1975	--	--	01N44E01C8BD
14.00 R	09/25/1973	--	--	--	--	01N44E02BCBD
22.00 S	09/ /1973	--	--	--	--	01N44E04DABO
81.00 S	09/28/1973	--	--	--	--	01N44E06CADC
46.00 S	10/19/1972	--	--	4000	11.0	01N44E07AADA
14.00 S	09/28/1973	--	--	--	--	01N44E08ACCB
93.00 S	09/10/1975	--	--	--	--	01N44E10ABAC
F	--	--	--	--	--	01N44E12C
--	--	--	--	2300	16.0	01N44E12C3CA
12.00 SR	09/12/1973	--	--	--	--	01N44E12C8CO
--	--	--	--	2400	14.5	01N44E148BDC
--	--	--	--	4300	12.0	01N44E148BDC2
--	--	--	--	--	--	01N44E16DBDB
2.00 S	09/12/1973	--	--	--	--	01N44E17AAAD
8.00	09/29/1973	--	--	--	--	01N44E18AAC3
11.00 S	09/13/1973	--	--	--	--	01N44E19DCAA
F	09/03/1975	2 R F	--	--	--	01N44E22AADA
F	--	--	--	--	--	01N44E22C
3.50	10/17/1975	--	--	--	--	01N44E27BD8C
--	--	--	--	2400	14.0	01N44E27CBAC
3.00 S	09/13/1973	--	--	2300	11.0	01N44E29ACBD
3.00 S	09/13/1973	--	--	1800	13.0	01N44E31AABA
75.00 S	09/13/1973	--	--	--	--	01N44E31CDB
37.70 SR	08/24/1976	0.5 V	08/24/1976	2400	12.0	01N45E18CAB3
77.50 SR	08/24/1976	1 V	08/24/1976	1500	12.0	01N45E32DDUC
33.00 SR	07/22/1975	1 V	07/21/1975	2910	11.0	01N46E03DBDD
86.30 SP	10/05/1976	2 V	10/05/1976	2120	10.5	01N46E06ACBC
21.10 SP	07/22/1976	3 V	07/22/1976	2620	12.0	01N46E06BDAD
14.50 SR	07/22/1976	1 V	07/22/1976	2950	11.5	01N46E09DBAA
25.40 SR	07/22/1976	3 V	07/21/1976	2850	10.0	01N46E14DABD
143.50 SR	07/21/1976	--	--	--	--	01N46E20DDAD
--	--	1 V	07/21/1976	1530	15.5	01N46E26A3CB
70.90 SR	07/21/1976	12 V	07/21/1976	3180	12.0	01N46E30BCC3
46.30 SR	07/21/1976	3 V	07/21/1976	1790	11.5	01N46E31DAAC
26.50 SP	07/13/1976	6 V	07/13/1976	1610	11.0	01N47E04CCAA
46.00 S	07/15/1976	2 V	07/15/1976	2110	11.0	01N47E12BAAC
30.50 SP	07/07/1976	3 V	07/07/1976	3730	13.0	01N47E20AADC
100.00 RP	03/01/1974	10	03/01/1974	--	--	01N47E20ACDC
20.00 RP	09/18/1966	5 R	07/08/1976	4200	10.5	01N47E23D8DD
60.00 R	02/27/1974	20 R	02/27/1974	2840	11.5	01N47E27CACD
90.00 R	1948	8 R	--	--	--	01N47E28DDAD
69.70 S	07/06/1976	--	--	--	--	01N47E32ACDC
40.00 RP	05/03/1955	4	07/06/1974	2090	12.0	01N47E35A3CC

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01N48E22ACBB	017	203	4	P	W	S	125LEBO	3070
01N48E28CDAD	017	74	4	P	W	S	125TGRV	3055
01N49E188DAA	017	114	4	S	E	H, S	125LEBO	2980
01N49E25AACB	017	35	4	P	W	S	125TGRV	3230
01N49E26CBBD	017	230	4	S	E	H	125TGRV	3395
01N49E30DBBC	017	58	4	P	W	S	125LEBO	3020
01N49E36ADAD	017	162	4	P	W	S	125TGRV	3305
01N50E21ACCB	017	150	6	--	--	J	125TGRV	3270
01N50E22DADb	017	111	4	P	W	S	125TGRV	3100
01N50E32BAAA	017	305	4	P	W	S	125LEBO	3318
01N50E32DDBD	017	80	--	S	E	H	125TGRV	3410
01N51E34ADDA	017	100	4	P	E	S	125TLCK	3030
01N52E14CCCB	017	440	--	--	--	H	125TLCK	3145
01N52E26CDA	017	86	4	P	W	S	125LEBO	3250
01N52E33BBBC	017	111	4	P	W	S	125LEBO	3170
01N53E01ADDA	017	190	4	P	W	S	125TLCK	2918
01N53E35DCBC	017	75	--	--	--	--	--	2846
01N54E09H8DA	017	168	6	--	--	S	211HLCK	2755
01N54E18DD3	075	400	--	--	--	J	211FHHC	2798
01S36E01BDCD	003	--	--	--	--	S	--	3334
01S36F02DDCD	003	--	--	--	--	S	--	3190
01S36E03ADBD	003	--	--	--	--	S	--	3323
01S36E10BDDA	003	--	--	--	--	S	--	3360
01S37E01BAAC	003	174	4	--	--	J	125TGRV	3494
01S37E01MAAD	003	300	4	S	E	H	125TGRV	3509
01S37E01BAAD2	003	160	4	P	E	S	125TGRV	3501
01S37E02CD8C	003	--	--	--	--	H	--	3408
01S37E03AABD	003	60	--	J	E	H	125LEBO	3362
01S37E03CCCC	003	--	--	--	--	--	--	3395
01S37E04ADDD	003	--	--	--	--	--	--	3365
01S37E04BDAH	003	--	--	--	--	S	--	3431
01S37E05DBCD	003	--	--	--	--	S	--	3530
01S37E06CL3B	003	--	--	P	G	S	--	3430
01S37E08CHDA	003	--	--	--	--	--	--	3469
01S37E13BCDB	003	50	4	P	G	S	125TGRV	3500
01S38E03CACC	003	180	--	--	--	S	125TGRV	3652
01S38E05DCAD	003	83	--	--	--	S	125TGRV	3466
01S38E05DD8	003	44	--	--	--	J	110ALVM	3480
01S38E09AC8B	003	120	--	--	--	--	125TGRV	3517
01S38E09BADD	003	80	--	--	--	H	125TGRV	3505
01S38E09BDJA	003	84	--	--	--	--	125TGRV	3508
01S38E09CAAA	003	98	--	--	--	--	125TGRV	3518
01S38E114CB	003	180	4	P	G	S	125TGRV	3600
01S38E128HDB	003	260	4	P	E	--	125TGRV	3651
01S38E12DD8D	003	210	4	P	E	S	125TGRV	3700
01S38E13CBDA	003	190	4	P	E	S	125TGRV	3822
01S38E14DAJB	003	325	4	--	--	J	125TGRV	3898
01S38E15CBAC	003	75	--	P	W	S	125TGRV	3570
01S38E23BBAD	003	300	4	P	G	S	125TGRV	3675
01S39E04BCAC	003	--	--	--	--	S	--	3591
01S39E07CA3A	003	--	--	--	--	S	--	3640
01S39E08BBDB	003	--	--	--	--	S	--	3598
01S39E183DAA	003	190	--	S	E	H	125TGRV	3665
01S39E188DAD	003	180	--	P	E	S	125TGRV	3630
01S40E05CDAD	087	--	--	P	W	S	--	3670

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LJCAL NUMBER	
45.50	SR	06/29/1976	1 V	06/29/1976	2950	--	01N48E22ACB3
6.70	SK	06/29/1976	1 V	06/29/1976	3520	10.5	01N48E28CDAD
40.00	RR	06/29/1976	20 E	07/22/1932	2440	11.0	01N49E18BDAA
14.60	SR	07/01/1976	3 V	07/01/1976	900	11.5	01N49E25AACB
150.00	RR	07/02/1976	--	--	1050	11.0	01N49E26CB3D
11.50	SR	06/30/1976	3 V	06/30/1976	1650	10.5	01N49E30DB3C
69.60	SR	07/01/1976	3 V	07/01/1976	2200	14.0	01N49E36ADAD
140.80	S	07/14/1975	--	--	--	--	01N50E21ACCB
19.00	SR	07/14/1976	--	--	--	--	01N50E22DADB
200.00	RR	09/22/1962	5 V	08/04/1976	2240	11.5	01N50E32BAAA
40.00	RR	--	15 R	07/07/1976	750	16.0	01N50E32DDBJ
21.30	SP	10/05/1976	5 V	10/05/1976	1080	--	01N51E34ADDA
330.30	SR	11/11/1976	--	--	--	--	01N52E14CCCB
42.10	SR	08/24/1976	3 V	08/24/1976	960	10.0	01N52E26CDAA
80.00	SP	08/24/1976	2 V	08/24/1976	2250	11.0	01N52E33BBBC
163.30	S	08/19/1976	--	--	--	--	01N53E01ADDA
--	--	--	--	--	--	--	01N53E35DCBC
3.50	S	08/19/1976	--	--	--	--	01N54E09BBDJ
44.56	S	11/14/1976	12 V	11/14/1977	--	--	01N54E18DDJ
--	--	--	--	--	--	--	01S36E01B3CD
--	--	--	--	--	--	--	01S36E02DDCD
--	--	--	--	--	--	--	01S36E03ADBD
--	--	--	--	--	--	--	01S36E10BDDA
55.00	S	09/12/1973	--	--	--	11.0	01S37E01BAAC
100.00	R	09/11/1973	--	--	--	12.0	01S37E01BAAD
--	--	--	--	--	--	11.0	01S37E01BAAD2
--	--	--	--	--	--	10.0	01S37E02CDBC
--	--	--	--	--	--	9.5	01S37E03AABJ
--	--	--	--	--	--	11.5	01S37E03CCCC
--	--	--	--	--	--	12.0	01S37E04ADDD
--	--	--	--	--	--	--	01S37E04BDAB
--	--	--	--	--	--	12.5	01S37E050BCJ
--	--	--	--	--	--	--	01S37E06CCB3
--	--	--	--	--	--	--	01S37E08C3DA
--	--	4 R	09/10/1973	--	--	11.0	01S37E13BC3B
80.00	S	08/10/1972	--	--	909	--	01S38E03CACC
56.00	S	07/ /1972	--	--	--	--	01S38E050CAD
13.00	S	07/26/1972	--	--	--	--	01S38E05DDJ
15.00	R	07/18/1972	3 E	07/18/1972	1280	--	01S38E09ACB3
--	--	20 R	07/18/1972	1510	--	--	01S38E09BADD
4.00	R	07/26/1972	--	--	2010	10.0	01S38E09BDDA
17.00	S	07/26/1972	--	--	1500	11.0	01S38E09CAAA
74.00	S	09/13/1973	5 E	09/13/1973	--	11.0	01S38E11BCBC
153.00	S	09/11/1973	--	--	--	11.0	01S38E128BDB
138.00	S	09/13/1973	8 E	09/13/1973	--	12.0	01S38E12DD3D
114.00	S	09/13/1973	--	--	--	11.0	01S38E13CBDA
252.00	S	09/13/1973	--	--	--	--	01S38E14DADB
12.00	S	09/13/1973	--	--	--	9.0	01S38E15CBAC
99.00	S	09/13/1973	--	--	--	--	01S38E23BBAD
--	--	5	--	--	--	--	01S39E04BCAC
--	--	--	--	--	--	12.0	01S39E07CABA
--	--	5 k	07/26/1973	--	--	19.5	01S39E08BBDJ
--	--	--	--	--	--	13.0	01S39E18BDAA
--	--	--	--	--	--	11.0	01S39E18DDAD
--	--	--	--	--	--	--	01S40E05CDAD

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01S40E06DAAD	087	150	--	P	W	S	125TGRV	3757
01S40E07JADA	087	--	--	P	W	S	--	3580
01S40E08AAAC	087	--	2	S	E	S	125TLCK	--
01S40E09DADB	087	44	--	P	W	S	125TGRV	3490
01S40E14UCBD	087	62	--	P	W	S	125TGRV	3327
01S40E16DABD	087	65	--	P	W	S	125TGRV	3410
01S40E25ABDB	087	--	4	P	--	S	--	3270
01S40E28CCDA	087	130	--	P	W	S	125TGRV	3431
01S41E01JBBA	087	54	4	P	W	S	125TGRV	3110
01S41E02AABB	087	81	4	P	G	S	125TGRV	3150
01S41E05CDA	087	80	6	P	W	S	125TGRV	3200
01S41E06AADB	087	42	6	P	G	S	125TGRV	3250
01S41E14CCCB	087	70	--	P	E	S	125TGRV	3050
01S41E14D	087	35	--	--	--	S	--	--
01S41E15DDCA	087	71	--	P	E	S	125TGRV	3091
01S41E17DAAA	087	45	4	P	W	S	125TGRV	3169
01S41E23BABC	087	60	--	P	E	S	125TGRV	3070
01S41E23BACB	087	248	10	J	E	H	125TGRV	3070
01S41E23BDB	087	248	--	--	--	H	125TGRV	3075
01S41E23CAAB	087	--	--	P	E	S	--	3120
01S41E31HABC	087	55	--	P	W	S	125TGRV	3225
01S41E32CABA	087	100	6	P	G	S	125TGRV	3160
01S41E33DBBC	087	120	6	--	--	S	125TGRV	3125
01S42E03BDD	087	210	4	--	--	S	125TGRV	2990
01S42E03CBAB	087	--	--	--	--	--	--	3010
01S42E03CBCA	087	--	--	--	--	I	--	3030
01S42E04DACB	087	--	--	--	--	S	--	2990
01S42E04DADC	087	--	--	P	E	S	--	3010
01S42E04DCAB	087	38	4	J	E	--	110ALVM	3010
01S42E04DCA2	087	40	6	J	E	--	110ALVM	3010
01S42E04DDBB	087	--	--	--	--	S	--	3010
01S42E05ADBB	087	135	4	S	E	S	125TGRV	3070
01S42E08ADCB	087	160	6	P	--	H	125TGRV	3010
01S42E08ADCD	087	39	4	--	--	--	110ALVM	3010
01S42E08ADCD2	087	160	6	P	--	--	125TGRV	3010
01S42E08C	087	170	--	--	--	H	125TGRV	--
01S42E08D	087	200	--	--	--	H	125TGRV	--
01S42E08DACA	087	100	4	P	E	S	125TGRV	3050
01S42E09ACDD	087	75	4	P	W	S	125TGRV	3050
01S42E12C	087	20	--	--	--	H	110ALVM	--
01S42E12CDBC	087	30	4	P	W	--	125TGRV	3052
01S42E16ACCA	087	100	4	P	W	S	125TGRV	3090
01S43E11BDDC	087	21	4	P	E	--	110ALVM	3090
01S43E11CACB	087	--	--	P	E	--	--	3105
01S43E15AADD	087	--	--	P	W	S	--	3130
01S43E16ABCC	087	116	--	P	W	S	125TGRV	3246
01S43E17BCAC	087	15	--	P	W	S	125TGRV	3160
01S43E23BABB	087	66	4	S	E	S	125TGRV	3170
01S43E27ADAD	087	52	4	P	W	S	125TGRV	3165
01S43E29ACCC	087	50	6	P	W	S	125TGRV	3310
01S43E30DACA	087	207	4	--	--	J	125TGRV	3355
01S43E35AADB	087	130	4	P	W	S	125TGRV	3120
01S44E04DBAA	087	66	--	P	W	J	125TGRV	2895
01S44E05ABCC	087	34	--	P	W	S	125TGRV	3010
01S44E06CAAB	087	99	--	P	W	S	125TGRV	3122



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
120.00	E	09/12/1973	--	--	--	01S40E06DAAD	
--	--	--	--	--	13.0	01S40E07DADA	
--	--	2 V F	09/ /1973	2400	12.5	01S40E08AAAC	
42.00	S	07/27/1973	--	--	--	01S40E09DAD3	
50.00	S	07/24/1973	--	--	--	01S40E14DC3D	
59.00	S	09/12/1973	--	--	--	01S40E16DABD	
35.00	S	07/27/1973	--	--	--	01S40E25ABD3	
39.00	R	--	--	--	--	01S40E28CCDA	
28.00	S	09/05/1973	--	--	--	01S41E01DBBA	
38.00	S	09/07/1973	--	--	--	01S41E02AABB	
42.40	S	03/24/1976	2 V	03/24/1976	3220	10.0	01S41E05CDAA
25.30	S	03/24/1976	--	--	--	01S41E06AAD3	
27.00	S	07/24/1973	--	--	--	01S41E14CCCB	
29.00	--	--	--	--	--	01S41E14D	
27.00	S	07/24/1973	--	--	--	01S41E15DDCA	
24.00	R	1949	18 R	10/27/1972	2450	10.5	01S41E17DAAA
--	--	--	--	--	--	01S41E23BABC	
21.00	S	07/24/1973	50 R	07/24/1973	--	--	01S41E23BABC
21.00	RR	--	--	--	1800	12.0	01S41E23BD3B
--	--	--	--	--	--	--	01S41E23CAAB
--	--	--	--	--	--	--	01S41E313A3C
60.00	S	10/27/1972	8 V	10/27/1972	3200	--	01S41E32CA3A
16.00	S	10/27/1972	--	--	--	--	01S41E33D3BC
13.00	S	08/02/1973	10 R	08/02/1973	--	--	01S42E038B3D
15.00	S	08/15/1973	--	--	--	--	01S42E03C3BB
--	--	--	--	--	--	--	01S42E03C3CA
--	--	--	--	--	--	--	01S42E04DAC3
22.00	S	08/ /1973	--	--	--	--	01S42E04DADC
27.00	S	08/01/1973	3 V	08/01/1973	5250	11.5	01S42E04DCA3
22.00	S	08/01/1973	--	--	4500	13.0	01S42E04DCA2
--	--	--	--	--	--	--	01S42E04DD3B
60.00	R	--	8	08/02/1973	--	--	01S42E05AD33
14.00	S	08/ /1973	50	--	--	--	01S42E08ADC3
15.00	S	08/10/1973	60 R	08/10/1973	--	--	01S42E08ADC3
14.00	S	08/23/1973	50 R	08/23/1973	--	--	01S42E08ADC3D2
14.00	--	--	--	--	--	--	01S42E08C
11.00	--	--	--	--	--	--	01S42E08D
60.00	R	--	10 R	08/10/1973	--	--	01S42E08DACA
44.00	S	08/02/1973	8 R	08/02/1973	--	--	01S42E09ACDD
--	--	--	--	--	--	--	01S42E12C
--	--	--	--	2400	9.5	--	01S42E12C3DC
86.50	SR	03/24/1976	--	--	--	--	01S42E16ACCA
1.10	S	10/01/1973	--	--	1700	10.5	01S43E11BD3C
24.00	S	09/28/1972	--	--	1750	9.5	01S43E11CACB
--	--	--	--	--	--	--	01S43E15AAD3
101.00	S	10/ /1973	--	--	--	--	01S43E16ABCC
8.00	S	10/01/1973	--	--	--	--	01S43E17BCAC
39.00	S	03/25/1976	6 V	03/25/1976	1210	10.0	01S43E23B3BB
44.90	S	03/24/1976	--	--	--	--	01S43E27AD4D
40.90	SR	03/23/1976	--	--	--	--	01S43E29ACCC
75.60	--	03/22/1976	--	--	--	--	01S43E30DACA
45.50	S	03/24/1976	--	--	--	--	01S43E35AADB
63.00	S	09/30/1973	--	--	--	--	01S44E04DBAA
28.00	S	09/30/1973	--	--	--	--	01S44E05A3CC
68.00	S	09/30/1973	--	--	--	--	01S44E06CAA3

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01S44E08UCAD	087	59	6	P	w	--	125TGRV	2915
01S44E10CDBC	087	--	--	--	--	--	--	2850
01S44E14B	087	14	--	--	--	H	125TGRV	--
01S45E01CA9B	075	202	--	P	w	--	125TGRV	3140
01S45E05DHDC	075	60	4	P	E	S	125TGRV	2880
01S45E11CB3A	075	52	4	S	E	S	125TGRV	2980
01S45E25DDCA	075	--	--	P	w	S	--	3205
01S45E36DA3C	075	--	--	P	w	S	--	3236
01S46E21DC9C	075	88	--	P	G	S	125TGRV	3158
01S46E27BCBC	075	100	4	P	w	S	125TGRV	3200
01S46E28ADDD	075	80	4	J	E	H	110ALVM	3183
01S46E28BAAB	075	150	4	P	E	H,S	125TGRV	3155
01S46E293BDA	075	65	4	P	E	S	125TGRV	3182
01S46E30ADCA	075	67	4	P	E	S,H	125TGRV	3160
01S46E30ADCA2	075	220	2	S	E	H	125TGRV	3160
01S46E30DBDC	075	230	--	P	w	S	125TGRV	3158
01S46E33JAD8	075	100	4	P	E	S	125TGRV	3274
01S46E34CBDA	075	130	--	P	E	S	125TGRV	3260
01S46E36CDDC	075	230	4	S	E	S	125TGRV	3450
01S47E11DDDD	075	160	4	P	w	S	125TGRV	3347
01S47E16CBCA	075	96	8	P	G	S	125TGRV	3550
01S47E18EBDD	075	315	4	S	E	S	125TGRV	3696
01S47E20ACDA	075	170	4	P	w	S	125TGRV	3667
01S47E22DBAB	075	95	4	P	w	S	125TGRV	3360
01S47E23DDAD	075	60	6	S	E	H	125TGRV	3300
01S47E26CB8B	075	580	4	S	E	H,S	125LEBU	3350
01S47E27DBBD	075	60	4	P	G	S	125TGRV	3380
01S47E28ACCD	075	240	2	P	G	S	125TGRV	3497
01S47E34AACD	075	100	4	P	G	S	125TGRV	3440
01S48E01ACCC	075	56	4	P	w	S	125TGRV	3090
01S48E13ACAB	075	83	4	P	G	S	125TGRV	3130
01S48E173B3C	075	800	2.5	P	E	H	211F4HC	3220
01S48E17DDDD	075	123	8	P	w	S	125TGRV	3185
01S48E20DCAC	075	113	4	P	w	S	125TGRV	3275
01S48E24CACD	075	260	4	S	F	H	125TGRV	3160
01S49E09CBAD	075	200	2.5	S	E	H	125TGRV	3110
01S49E14ADCD	075	400	--	P	w	H	125LEBU	3280
01S49E16DDBC	075	90	4	P	w	S	125TGRV	3195
01S49E18ADAC	075	270	3	S	E	H	125TGRV	3070
01S49E23CACD	075	126	4	P	w	S	125TGRV	3319
01S49E25DABC	075	124	4	P	w	S	125TGRV	3395
01S49E29DA0A	075	108	4	P	w	S	125TGRV	3190
01S49E30ARBA	075	40	4	P	E	S	110ALVM	3100
01S49E313DCC	075	50	4	P	E	S	110ALVM	3140
01S50E06AAAD	075	80	4	S	E	S	125TGRV	3380
01S50E14CACH	075	64	4	P	E	S	125TGRV	3170
01S50E19AAAA	075	45	24	P	G	S	125TGRV	3270
01S50E22BDDV	075	114	4	P	H	S	125TGRV	3170
01S50E30AC8B	075	110	4	P	G	S	125TGRV	3370
01S50E33DDCC	075	309	4	S	G	S	125LEBU	3325
01S50E3690CD	075	200	4	P	w	S	125LEBU	3194
01S51E278BCC	075	135	6	S	E	H,S	125TLCK	3020
01S51E34ABCC	075	150	6	S	E	H,S	125TLCK	3030
01S52E11CD3B	075	39	4	P	w	--	125TGRV	3253
01S52E32DDAA	075	92	4	P	w	S	125LEBU	3150

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
34.00	S	09/28/1972	--	--	2000	11.0	01S44E08DCAD
--		--	--	--	2100	12.5	01S44E10CD3C
12.00		--	--	--	--	--	01S44E14B
115.00		09/29/1972	2 V	09/29/1972	2550	13.0	01S45E01CA8B
17.40	SR	08/24/1976	--	--	--	--	01S45E05D8DC
11.00	SR	08/24/1976	--	--	--	--	01S45E11CB8A
60.50	S	10/31/1974	3 V	10/31/1975	2430	--	01S45E25DDCA
80.00	R	10/28/1974	1 V	10/29/1974	3500	11.5	01S45E36DA8C
24.80	S	10/31/1974	--	--	--	--	01S46E21DC8C
--		--	--	--	--	--	01S46E27BC8C
50.00	R	10/29/1974	12 V	10/29/1974	1650	11.0	01S46E28ADDD
--		--	--	--	--	14.0	01S46E28BAAB
56.00	S	10/31/1974	2 V	10/31/1974	1540	10.0	01S46E29B8DA
45.00	R	10/29/1974	5 V	10/29/1974	3420	10.5	01S46E30ADCA
185.00	R	10/29/1974	2 V	10/29/1974	1180	13.0	01S46E30ADCA2
--		--	--	--	--	--	01S46E30DBDC
80.00	R	10/29/1974	6 V	10/29/1974	2700	10.0	01S46E33DAD8
--		--	4 V	10/09/1974	2800	12.5	01S46E34CBDA
143.20	SR	06/22/1976	10 V	06/22/1976	2650	13.5	01S46E36CJCC
108.00	RR	07/01/1976	1 V	07/01/1976	2600	12.0	01S47E11UDDDD
49.60	SR	06/29/1976	6 V	06/29/1976	4510	11.0	01S47E16CB8CA
259.70	SP	06/24/1976	10 R	08/30/1971	--	--	01S47E1688DU
112.30	SR	06/24/1976	1 V	06/24/1976	4450	13.0	01S47E20ACDA
50.00	R	10/21/1940	12 R	10/21/1940	--	--	01S47E22D8AB
35.00	R	03/28/1936	15 R	03/28/1936	--	--	01S47E23DDAD
280.00	RR	06/18/1975	12 R	06/18/1975	990	14.5	01S47E26C388
24.70	SR	04/07/1976	2 V	04/07/1976	2100	10.0	01S47E27D88D
184.20	SR	06/29/1976	2 V	06/29/1976	4200	11.0	01S47E28ACCU
50.00	RR	02/27/1974	9 V	06/29/1976	1310	11.0	01S47E34AACD
44.30	SR	06/03/1975	3 V	06/30/1976	2500	10.5	01S48E01ACCC
67.90	SR	07/08/1976	4 V	07/08/1976	1300	11.0	01S48E13ACA3
190.00	RR	06/30/1974	4 R	06/30/1976	1380	15.5	01S48E17B88C
63.40	SP	06/30/1976	4 V	06/30/1976	5000	12.0	01S48E17DDDD
71.60	SP	07/01/1976	6 V	07/01/1976	3200	11.5	01S48E20DCAC
90.00	RR	07/07/1976	10 R	07/07/1976	1200	13.0	01S48E24CACD
80.00	RR	07/08/1976	6 V	07/08/1976	1450	13.0	01S49E09CBAD
200.60	SR	07/12/1976	2	07/12/1976	2830	13.5	01S49E14ADCC
73.60	SP	07/08/1976	1 V	07/08/1976	2300	12.5	01S49E16DD3C
180.00	R	12/30/1940	5 R	12/30/1940	1650	18.0	01S49E18ADAC
121.50	SP	07/08/1976	2 V	07/08/1976	2640	12.0	01S49E23CACD
114.90	SP	07/12/1976	4 V	07/12/1976	1540	11.0	01S49E25DABC
87.30	SP	07/07/1976	2 V	07/07/1976	4180	11.5	01S49E29DADA
26.90	SR	07/07/1976	5 V	07/07/1976	2570	10.5	01S49E30A83A
24.10	SR	07/07/1976	6 V	07/07/1976	3950	9.0	01S49E31BDCC
9.30	SR	07/13/1976	10 E	07/21/1976	1100	16.0	01S50E08AAAD
32.60	SR	07/13/1976	--	--	2140	16.0	01S50E14CAC3
2.70	SR	07/08/1976	--	--	--	--	01S50E19AAAA
89.10	SR	09/09/1976	4 E	07/07/1976	2520	--	01S50E228DDU
46.00	RR	09/13/1959	8 R	09/13/1959	--	--	01S50E30AC88
100.00	RR	--	7 R	07/07/1976	4800	--	01S50E33CDCC
70.30	SR	07/08/1976	0.5 V	07/08/1976	2080	14.0	01S50E36BDCU
20.30	SR	08/05/1976	0.5 V	--	3470	11.5	01S51E27B8CC
6.00	RR	--	10 V	08/03/1976	3090	11.5	01S51E34ABCC
19.30	SP	07/27/1976	2 V	07/27/1976	3300	10.5	01S52E11CDB8
79.30	SP	07/27/1976	3 V	07/27/1976	1530	--	01S52E32DDAA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
01S53E15ACDB	075	83	4	P	w	S	211HLCK	2905
01S53E21DDCB	075	188	4	P	w	S	211HLCK	2934
02S37E03AAAD	003	--	--	P	E	--	--	3420
02S39E17A0D	003	--	--	P	w	S	--	3625
02S39E23BCD	003	8	--	--	--	J	110ALVM	3451
02S40E06CDA	087	50	--	--	--	J	125TGRV	3480
02S40E06D	087	117	--	--	--	H	125TGRV	--
02S40E070DD	087	125	--	--	--	S	125TGRV	3500
02S40E08D	087	38	--	--	--	H	--	--
02S40E09CAD	087	112	--	P	w	S	125TGRV	3415
02S40E14DCA	003	--	--	P	G	S	--	3275
02S40E27BAD	003	210	6	P	H	S	125TGRV	3340
02S41E02DABC	087	200	4	P	w	S	125TGRV	3430
02S41E08CAD	087	84	--	--	--	--	125TGRV	3155
02S41E08CAD2	087	270	4	--	--	--	125TGRV	3155
02S41E09BCA	087	125	4	P	E	S	125TGRV	3200
02S41E12AHD	087	200	--	P	G	S	125TGRV	3416
02S41E17BAA	087	72	6	--	--	H	110ALVM	3185
02S41E17CCD	087	63	--	S	E	--	110ALVM	3185
02S41E17DDD	087	30	4	J	E	H	110ALVM	3215
02S41E19DAA	087	78	--	--	--	J	110ALVM	3186
02S41E19DAB	087	43	1	--	--	J	110ALVM	3175
02S41E20B8C	087	63	--	S	E	H	110ALVM	3170
02S41E20CB8	087	78	--	--	--	J	110ALVM	3202
02S41E28BAA	087	50	--	--	--	--	110ALVM	3275
02S41E31ACB	087	168	--	--	--	--	125TGRV	3310
02S41E33A	087	30	--	--	--	H	110ALVM	--
02S41E33DAA	087	--	6	--	--	--	--	3330
02S41E34B	087	66	--	--	--	H	125TGRV	--
02S42E01CACC	087	154	--	--	--	S	125TGRV	3415
02S42E02BDC	087	320	--	--	--	--	125TGRV	3490
02S42E18BCA	087	--	--	--	--	--	--	3578
02S42E27ABA	087	48	--	--	--	--	125TGRV	4220
02S42E30C8A	087	--	--	P	G	S	--	3660
02S42E30CCB	087	--	--	--	--	--	--	3600
02S44E03CADA	087	30	--	--	--	S	110ALVM	2855
02S44E04DDCB	087	24	48	L	E	S	110ALVM	2870
02S44E18CB8A	087	70	--	--	--	S	125TGRV	3080
02S44E27ADCC	087	412	2	--	--	--	125LE8D	2890
02S44E36CD8A	087	120	4	P	--	J	125TGRV	3000
02S45E17CH8D	075	230	--	--	--	S	125TGRV	3330
02S45E29BAA8	075	92	6	P	w	S	125TGRV	3295
02S45E32DAA3C	075	--	--	C	G	S	--	3265
02S45E05AACB	075	130	4	P	E	S	125TGRV	3362
02S45E153D3C	075	--	4	P	G	--	--	3588
02S46E27CC8B	075	101	24	S	E	J	125TGRV	3490
02S46E32DD8D	075	35	72	--	--	J	110ALVM	3332
02S46E33CCAB	075	--	--	--	--	--	--	3355
02S46E33D8AD	075	40	24	--	--	J	110ALVM	3385
02S46E34AAA8	075	--	--	S	E	--	--	3545
02S46E34BCAC	075	55	72	S	E	S	125TGRV	3425
02S46E34BCC8	075	120	4	S	E	H	125TGRV	3450
02S46E353DDD	075	65	--	P	E	S	125TGRV	3535
02S46E368CCC	075	200	4	--	--	J	125TGRV	3585
02S46E36CB8B	075	180	--	--	--	--	125TGRV	3590

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
42.00	SP 08/24/1974	4 V	08/24/1976	3500	10.0	01S53E15ACD3
37.70	SP 08/25/1976	3 V	08/25/1976	2300	10.0	01S53E21DDC3
--	--	--	--	--	8.0	02S37E03AAA0
8.00	S 07/12/1968	--	--	--	--	02S39E17ADD
--	--	--	--	--	--	02S39E23BCD
25.00	S 07/27/1967	--	--	--	--	02S40E06CDA
105.00	--	--	--	--	--	02S40E06D
--	--	--	--	--	--	02S40E07DDD
22.00	--	--	--	--	--	02S40E08D
49.00	S 06/18/1968	--	--	--	--	02S40E09CAD
--	--	--	--	--	--	02S40E14DCA
--	--	--	--	2100	12.0	02S40E27BAD
138.00	S 09/28/1972	--	--	4600	11.5	02S41E02DAB3
30.00	09/05/1967	10 R	09/05/1967	--	--	02S41E08CAD
1.00+	R 04/01/1968	--	--	--	12.0	02S41E08CAD2
80.00	R --	7 R	09/05/1967	1500	--	02S41E09BCA
--	--	6 R	08/24/1967	1100	11.0	02S41E12ABD
--	--	--	--	--	--	02S41E17BAA
17.00	R 09/24/1968	--	--	--	--	02S41E17CCD
10.00	R --	10 E	07/27/1967	--	--	02S41E17DDD
21.00	E 09/25/1968	--	--	--	--	02S41E19DAA
6.00	S 09/ /1968	--	--	--	--	02S41E19DAB
15.00	S 05/24/1968	--	--	--	--	02S41E20B3C
--	--	--	--	--	--	02S41E20C33
32.00	07/27/1967	--	--	--	13.5	02S41E28BAA
17.00	S 07/26/1967	3 E	07/26/1967	--	11.5	02S41E31AC3
22.00	--	--	--	--	--	02S41E33A
18.10	07/26/1967	--	--	--	--	02S41E33DAA
--	--	--	--	--	--	02S41E34B
144.00	S 09/05/1967	--	--	--	--	02S42E01CACC
300.00	--	8 R	09/05/1967	2900	--	02S42E02BDC
--	--	--	--	1100	12.0	02S42E18HCA
--	--	--	--	--	1.0	02S42E27ABA
--	--	--	--	--	--	02S42E30CBA
36.20	08/24/1967	--	--	--	--	02S42E30LCA
8.50	10/15/1975	--	--	--	--	02S44E03CADA
19.80	S 10/15/1975	--	--	--	--	02S44E04DDCB
22.30	S 07/20/1967	--	--	--	--	02S44E18C3BA
--	--	4 R F	09/21/1972	--	--	02S44E27ADCC
39.10	S 04/06/1976	--	--	--	--	02S44E36CDBA
--	--	--	--	1800	12.5	02S45E17C83D
74.30	S 04/05/1976	1 V	04/05/1976	1100	11.5	02S45E29BAA3
6.00	S 09/ /1967	--	--	--	--	02S45E32DAA3
64.60	S 10/24/1974	3 V	10/24/1974	2240	11.0	02S46E05AAC3
--	--	--	--	4000	12.0	02S46E153D3C
34.30	S 10/23/1974	2 R	1948	--	--	02S46E27CCD3
27.00	S 12/21/1973	--	--	--	--	02S46E32DDC3
--	--	--	--	--	--	02S46E33CCA3
30.00	S 12/27/1973	--	--	1500	9.0	02S46E33D3AD
75.00	S 12/21/1973	--	--	--	--	02S46E34AAA3
25.00	S 12/ /1973	--	--	500	7.0	02S46E34BCAC
80.00	R --	1	--	3450	8.0	02S46E34BCC3
--	--	--	--	1500	7.0	02S46E35BDD3
18.00	S 12/21/1973	--	--	1500	8.0	02S46E363CCC
60.00	1963	--	--	--	--	02S46E36C83B

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
02S47E04ADDB	075	105	4	P	W	S	125TGRV	3500
02S47E08ABBC	075	567	4	P	E	S	125TLCK	3800
02S47E10DADB	075	280	4	P	E	S	125TGRV	3610
02S48E18BCDB	075	130	4	P	W	S	125TGRV	3510
02S48E19BCCA	075	220	4	P	W	S	125TGRV	3555
02S48E22CAAD	075	191	4	P	G	S	125TGRV	3340
02S48E27BDCA	075	175	4	P	--	S	125TGRV	3340
02S49E18HABB	075	50	--	--	--	S	125TGRV	3220
02S49E19CADA	075	200	4	--	--	J	125TGRV	3440
02S49E22CBAA	075	18	--	--	--	U	125TGRV	3441
02S49E26AACA	075	200	--	P	E	H	125TGRV	3500
02S49E26AADA	075	60	--	--	--	S	125TGRV	3490
02S50E04DDBB	075	262	4	P	E	S	125TGRV	3400
02S50E06DDCA	075	95	4	P	W	S	125TGRV	3460
02S50E08AADA	075	165	4	S	E	H	125TGRV	3360
02S50E10CCCB	075	140	4	P	W	S	125TGRV	3320
02S50E17BADC	075	200	--	P	G	H	125TGRV	3450
02S50E17BCDC	075	80	4	P	G	S	125TGRV	3360
02S50E17BDBA	075	152	4	P	E	S	125TGRV	3400
02S50E17DDDD	075	40	--	--	--	J	125TGRV	3321
02S50E18CADC	075	92	4	P	W	S	125TGRV	3430
02S50E20DAAA	075	190	8	P	W	S	125TGRV	3380
02S50E26DBDB	075	100	4	S	E	S	125TGRV	3240
02S50E29DBBB	075	100	4	P	W	S	125TGRV	3400
02S50E30ADDC	075	70	4	P	W	S	125TGRV	3370
02S50E30DADC	075	84	4	J	E	H	125TGRV	3340
02S50E32CDAC	075	140	4	--	--	S	125TGRV	3383
02S50E34CCBD	075	110	4	S	E	H	125TGRV	3280
02S51E21ACBB	075	136	--	S	E	S	125LEBD	3080
02S52E06ABBA	075	132	4	P	W	S	125LEBD	3190
02S52E19BADC	075	42	4	P	W	S	125LEBD	3170
03S38E14DDAC	003	41	--	--	--	S	125TGRV	3553
03S38E35DAAC	003	54	6	P	H	H	125LEBD	3460
03S38E368DD	003	52	4	P	E	H	125TGRV	3440
03S39E03DBDD	003	--	--	P	W	S	--	3430
03S39E06ABDD	003	--	--	P	W	S	--	3610
03S39E07BACB	003	--	--	P	W	S	--	3540
03S39E28CAAC	003	60	4	P	G	S	125TGRV	3410
03S39E29DDCA	003	70	--	S	E	H	125TGRV	3385
03S39E33CCDC	003	71	6	P	G	S	125TGRV	3480
03S39E34CDCC	003	150	4	P	G	S	125TGRV	3560
03S40E04ACD	003	170	4	J	E	H	125TGRV	3265
03S40E04ACD2	003	36	4	J	E	S	125TGRV	3265
03S40E04ADB	003	--	--	P	G	S	--	3310
03S40E05CBC	003	236	6	Z	Z	H	125TGRV	3285
03S40E05CBC2	003	--	--	J	E	S	--	3285
03S40E05DBA	003	49	6	J	E	H	125TGRV	3285
03S40E07BDD	003	47	6	J	E	H	125TGRV	3295
03S40E07CAB	003	120	6	P	H	H	125TGRV	3220
03S40E07CCA	003	110	6	P	H	H	125TGRV	3320
03S40E07CCA2	003	56	6	J	E	H	125TGRV	3310
03S40E18DBA	003	--	6	P	W	U	--	3404
03S40E33DDC	003	51	6	J	E	H	125TGRV	3605
03S40E34CDA	003	51	4	J	E	H	125TGRV	3575
03S41E01BDAA	087	45	--	P	W	U	125TGRV	3576

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMMOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
53.60	S	04/08/1976	4 V	--	2200	11.0	02S47E04ADD3
480.00	R	04/07/1976	3 R	04/07/1976	--	--	02S47E08ABBC
220.90	S	04/08/1976	--	--	--	--	02S47E100AD3
69.10	S	04/07/1976	4 V	04/07/1976	2100	11.0	02S48E18BCD3
91.80	S	04/07/1976	--	--	--	--	02S48E19BCCA
104.30	S	06/23/1976	--	--	--	--	02S48E22CAA0
89.00	S	06/24/1976	--	--	--	--	02S48E27BDC4
18.70	SR	07/07/1976	--	--	--	--	02S49E18BA33
116.80	S	07/07/1976	--	--	--	--	02S49E19CADA
14.00	S	11/04/1976	--	--	--	--	02S49E22CBAA
150.00	RR	06/29/1976	10 V	06/29/1976	1740	10.0	02S49E26AACA
30.00	RR	06/29/1976	--	--	--	--	02S49E26AADA
88.50	SR	07/08/1976	7 R	07/08/1976	1280	14.0	02S50E040DB3
58.30	SP	07/07/1976	4 V	07/07/1976	1800	10.5	02S50E060DCA
105.00	RR	07/07/1976	5 R	07/07/1976	1780	12.5	02S50E08AADA
96.00	SR	07/08/1976	2 V	07/08/1976	2060	10.0	02S50E10CCCC
150.00	RR	06/24/1976	6 V	06/29/1976	1760	10.5	02S50E17BADC
19.90	SR	06/29/1976	6 V	06/29/1976	1330	8.0	02S50E17BCDC
90.60	SR	06/29/1976	6 V	06/29/1976	1410	11.0	02S50E17BDBA
19.60	V	06/30/1976	--	--	--	--	02S50E17DDDD
84.80	SR	06/29/1976	1 V	06/29/1976	796	10.0	02S50E18CADC
80.50	SR	06/30/1976	6 V	06/03/1976	1620	9.0	02S50E20DAAA
41.00	SP	07/08/1976	6 V	07/08/1976	1220	10.0	02S50E26D303
65.30	SR	06/30/1976	8 V	06/30/1976	1760	10.5	02S50E290333
37.80	S	06/30/1976	80 R	1946	--	--	02S50E30ADDC
4.50	SR	06/30/1976	30 R	1949	2250	15.5	02S50E30DADC
48.10	SR	07/01/1976	11 R	1948	--	--	02S50E32CDAC
37.20	SR	07/08/1976	12 V	07/08/1976	1280	10.5	02S50E34CC30
12.00	RR	08/04/1976	20 R	08/04/1976	3090	11.5	02S51E21AC33
54.00	SR	07/27/1976	2 V	07/27/1976	4010	11.0	02S52E06A33A
9.10	SP	07/27/1976	2 V	07/27/1976	900	9.5	02S52E19BADC
--	--	--	--	--	--	--	03S38E14DDAC
--	--	--	--	--	650	10.5	03S38E35DAAC
--	--	--	2 V	04/21/1976	525	15.5	03S38E36BDD
--	--	--	--	--	--	--	03S39E0303DD
--	--	--	--	--	--	--	03S39E0643DD
--	--	--	--	--	2800	11.0	03S39E075AC3
35.00		07/19/1968	7 R	07/19/1968	--	--	03S39E28CAAC
30.00		06/ /1967	--	--	--	--	03S39E29DDCA
63.00		--	8	09/07/1967	1000	13.5	03S39E33CCDC
83.00		07/19/1968	7 R	07/19/1968	--	--	03S39E34CCDC
150.00		--	25 R	10/06/1967	--	--	03S40E04ACD
26.00	R	--	25 R	10/06/1967	--	--	03S40E04ACD2
--		--	--	--	--	--	03S40E04AD3
--	F	--	15	10/26/1967	1540	--	03S40E05CB3C
--		--	--	--	1520	--	03S40E05CB3C2
21.30		10/05/1967	--	--	--	--	03S40E05DB3A
14.60		05/27/1968	--	--	--	--	03S40E07BD3
--		--	--	--	3400	10.0	03S40E07CA3
--		--	--	--	--	--	03S40E07CCA
--		--	--	--	--	--	03S40E07CCA2
49.00		07/11/1968	--	--	--	--	03S40E18D3A
20.00	R	--	--	--	--	--	03S40E33DDC
--		--	--	--	--	--	03S40E34CA
8.30		--	--	--	--	--	03S41E01BDAA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
03S41E02DAD	087	59	4	P	H	H	125TGRV	3470
03S41E10ABD	087	116	6	S	E	H	125TGRV	3420
03S41E16ADCC	087	152	4	S	E	S	125TGRV	3290
03S42E05AAA	087	--	--	--	--	J	--	3880
03S43E11AHAB	087	300	--	P	W	S	125TGRV	3325
03S43E36BDD8	087	--	--	--	--	--	--	3175
03S44E03A	087	178	--	--	--	H	125TGRV	--
03S44E03ACA	087	1120	--	Z	Z	P	211HLCK	2910
03S44E03ACB	087	64	--	T	E	P	110ALVM	2905
03S44E03CCC	087	55	6	S	E	H	110ALVM	2930
03S44E03DAB	087	52	6	S	E	H	110ALVM	2910
03S44E03DB8	087	230	--	C	E	H	125TGRV	2910
03S44E03DD8	087	19	--	P	--	P	110ALVM	2905
03S44E09ADA	087	88	6	S	E	H	125TGRV	2955
03S44E10ABD	087	250	4	--	--	H	125TGRV	2920
03S44E10ABD2	087	--	--	--	--	I	--	2920
03S44E10BCC	087	45	--	--	--	U	110ALVM	2925
03S44E10BCC2	087	87	--	--	--	J	110ALVM	2933
03S44E10BCD	087	37	--	--	--	J	110ALVM	2922
03S44E10BDBC	087	18	1.25	--	--	--	110ALVM	--
03S44E10BDC	087	23	--	--	--	U	110ALVM	2920
03S44E10CB8	087	38	6	--	--	--	110ALVM	2925
03S44E11BCAB	087	381	5	S	E	H	125TGRV	2960
03S44E11BCAB2	087	114	5	P	W	I	125TGRV	2960
03S44E11BCAD	087	213	4	--	--	H	125TGRV	3025
03S44E11BD	087	240	--	--	--	H	125TGRV	--
03S44E11DB88	087	245	--	--	--	U	125TGRV	2930
03S44E120CCB	087	--	--	--	--	--	--	2950
03S44E13AACCC	087	700	4	--	--	J	125TLCK	2980
03S44E13AACD	087	49	--	--	--	J	110ALVM	2940
03S44E13AADD	087	--	--	--	--	C	--	2980
03S44E13DB8A	087	930	--	--	--	S	125TLCK	2959
03S44E13DDDA	087	300	6	--	--	S	125TGRV	2956
03S44E17ABB	087	112	--	--	--	S	125TGRV	3072
03S44E33BDAA	087	300	4	--	--	S	125TGRV	2970
03S45E01CDCC	075	112	4	--	--	J	125TGKV	3230
03S45E03BADD	075	280	4	P	E	H	125TGRV	3300
03S45E05AACCD	075	4	4	--	--	J	110ALVM	3180
03S45E05DB8C	075	45	3	P	W	--	125TGRV	3182
03S45E068888	075	58	4	P	G	S	125TGRV	3045
03S45E09CCCB	075	280	4	--	--	S	125TGRV	3290
03S45E10BACD	075	193	4	S	E	S	125TGRV	3210
03S45E12BDCB	075	240	6	--	--	J	125TGRV	3180
03S45E12BDCB2	075	12	48	J	E	H, S	110ALVM	3280
03S45E12BDC	075	12	--	P	E	S	110ALVM	3280
03S45E128DD8	075	20	4	P	W	H	110ALVM	3170
03S45E13DCBC	075	172	4	P	W	S	125TGRV	3200
03S45E148CCB	075	86	--	S	E	S	125TGRV	3118
03S45E148CCC	075	130	--	--	--	--	125TGRV	3140
03S45E14CCAB	075	193	4	P	W	H	125TGRV	3203
03S45E15DB88	075	132	--	--	--	J	125TGRV	3094
03S45E15DDDA	075	280	--	S	E	S	125TGRV	3200
03S45E16DDDB	075	69	4	S	E	S	125TGRV	3080
03S45E17DDDB	075	103	--	--	--	--	125TGRV	3080
03S45E18888A	075	200	4	S	E	S	125TGRV	3015



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMMUS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
43.00	10/18/1967	--	--	1250	10.0	03S41E02BAD
18.00	08/29/1968	15 R	08/29/1968	--	--	03S41E10ABD
49.90	S 01/11/1974	5	--	--	--	03S41E16ADCC
20.10	08/25/1967	--	--	--	--	03S42E05AAA
220.00	04/24/1968	--	--	--	--	03S43E11ABAB
--	--	--	--	--	--	03S43E36BDD8
--	F --	--	--	--	--	03S44E03A
138.00+	R 1960	--	--	--	--	03S44E03ACA
12.00	R 1959	400 R	06/13/1968	--	--	03S44E03ACB
27.00	07/24/1968	20 R	07/24/1968	--	--	03S44E03CCC
9.30	07/24/1968	15 R	07/24/1968	--	--	03S44E03DAB
--	--	--	--	--	--	03S44E03D8B
7.30	07/24/1968	--	--	1160	11.0	03S44E03DDB
55.00	07/24/1968	12 R	07/24/1968	--	--	03S44E09ADA
8.00+	R 09/20/1967	--	--	--	--	03S44E10ABD
13.00	R 11/14/1957	--	--	--	--	03S44E10ABD2
--	--	--	--	--	--	03S44E10BCC
22.40	09/24/1968	--	--	--	--	03S44E10BCC2
10.00	09/24/1968	--	--	--	--	03S44E10BCD
6.90	09/23/1975	--	--	--	--	03S44E10BDB
--	--	--	--	--	--	03S44E10BDC
10.20	07/24/1968	15	--	--	--	03S44E10CB8
15.00	R --	40 R	01/11/1974	1550	12.0	03S44E11BCA8
51.00	S 05/20/1975	8 R	01/11/1974	2620	11.0	03S44E11BCA32
112.00	S 05/20/1975	15 R	01/11/1974	--	--	03S44E11BCAD
--	F --	--	--	--	--	03S44E11BD
8.50	S 07/25/1968	--	--	--	--	03S44E11DB83
--	--	--	--	--	--	03S44E12DCC3
3.00	12/17/1973	--	--	--	--	03S44E13AAC
16.00	S 12/13/1973	--	--	--	--	03S44E13AACD
--	--	--	--	--	--	03S44E13AAD
--	--	--	--	--	13.5	03S44E13DB8A
--	--	--	--	--	--	03S44E13DDBA
72.00	04/24/1968	--	--	--	--	03S44E17AB8
--	F 06/05/1975	12 V	F 06/05/1975	1250	12.5	03S44E33B0AA
55.70	S 08/07/1974	--	--	2800	12.0	03S45E01C0CC
120.00	R 1965	15 V	05/27/1975	4680	8.0	03S45E03HAD
2.20	S 05/28/1975	--	--	--	--	03S45E05ACCD
25.00	S 01/15/1974	--	--	--	--	03S45E05DB8C
53.00	S 04/06/1976	--	--	--	--	03S45E06888B
160.00	S 05/27/1975	--	--	--	--	03S45E09CCC8
124.80	S 10/08/1974	--	--	1500	13.5	03S45E1084CD
11.90	S 08/07/1974	--	--	1790	11.5	03S45E128DC8
--	--	--	--	1880	10.5	03S45E128DC32
--	--	--	--	--	--	03S45E128DCC
10.00	E 01/18/1974	3 V	07/14/1976	1800	8.5	03S45E128DDB
119.00	S 01/14/1974	0.7	--	4000	10.5	03S45E130C3C
41.00	S 12/17/1973	15	--	2450	12.0	03S45E148CC8
--	--	40	10/04/1968	2050	12.0	03S45E148CCC
143.00	R 01/14/1974	5	--	1300	15.0	03S45E14CCAB
27.00	S 12/17/1973	--	--	--	--	03S45E150888
132.00	S 12/17/1973	--	--	2400	10.0	03S45E150DDB
34.30	S 10/08/1974	--	--	2400	8.5	03S45E160DDB
--	--	--	--	--	--	03S45E170DDB
78.60	SR 08/13/1975	--	--	--	--	03S45E18888A

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
03S45E1888BD	075	900	--	J	E	S	125TLCK	3020
03S45E190CCD	075	1000	--	--	--	S	125TLCK	2988
03S45E190DBC	075	100	--	S	E	S	125TGRV	2963
03S45E190DBC2	075	280	--	--	--	H	125TGRV	2963
03S45E190DBD	075	100	--	S	E	S	125TGRV	2963
03S45E20CBAD	075	280	--	J	E	H	125TGRV	2080
03S45E21ABCD	075	280	4	P	W	H	125TGRV	3040
03S45E21ABDC	075	75	4	P	E	S	125TGRV	3050
03S45E21DDAC2	075	50	--	S	E	H	125TGRV	3010
03S45E22BAAB	075	250	4	P	H	H	125TGRV	3117
03S45E228ABD	075	280	4	S	E	H	125TGRV	3116
03S45E228BBA	075	80	4	S	E	H	125TGRV	3076
03S45E228BBC	075	77	4	U	--	U	125TGRV	3078
03S45E23DADA	075	150	4	P	W	S	125TGRV	3100
03S45E23DCBA	075	81	--	--	--	J	125TGRV	3104
03S45E24ACDA	075	140	4	P	E	S	125TGRV	3200
03S45E268ABD	075	200	4	J	E	S	125TGRV	3085
03S45E27AAAA	075	78	--	--	--	J	125TGRV	3080
03S45E27ACBB	075	60	4	--	--	U	125TGRV	3062
03S45E27ACBC	075	195	4	P	W	H	125TGRV	3061
03S45E27AC8C2	075	55	4	--	--	S	125TGRV	3058
03S45E27ACBD	075	65	4	S	E	S	125TGRV	3060
03S45E29C8BB	075	675	--	--	--	--	125TLCK	2985
03S45E29DAAC	075	900	--	--	--	--	125TLCK	3015
03S45E310CDA	075	168	4	P	W	S	125TGRV	3130
03S45E32DDAC	075	318	2	--	--	H	125TGRV	3010
03S45E32DD8D	075	60	4	P	G	S	125TGRV	3024
03S45E3388BB	075	30	--	S	E	P, I	110ALVM	3015
03S45E338C8B	075	900	--	--	--	--	125TLCK	3000
03S45E338CDA	075	900	--	--	--	S	125TLCK	3022
03S45E338BDA	075	435	2	--	--	--	125TGRV	3018
03S45E338DBC	075	379	4	--	--	H	125TGRV	3020
03S46E0488BB	075	55	4	P	E	S	125TGRV	3360
03S46E05AA8B	075	320	4	S	E	H	125TGRV	3350
03S46E05AA8B2	075	--	6	S	E	H	--	3350
03S46E0588CB	075	290	--	S	E	S	125TGRV	3283
03S46E06AADB	075	292	--	--	--	S	125TGRV	3280
03S46E06AA8D	075	37	4	--	--	U	125TGRV	3280
03S46E06CC8D	075	--	--	J	E	H, S	--	3220
03S46E07AD8B	075	133	4	P	W	S	125TGRV	3269
03S46E088DDC	075	--	--	--	--	--	--	3370
03S46E14CB8D	075	54	--	--	--	H	110ALVM	3308
03S46E14CB8D2	075	--	--	--	--	H, S	--	3308
03S46E15CAAA	075	130	4	P	W	S	125TGRV	3287
03S46E15DBCA	075	70	4	S	E	S	125TGRV	3284
03S46E17AD8C	075	150	4	--	--	J	125TGRV	3240
03S46E170B8C	075	85	--	P	E	H	125TGRV	3208
03S46E170CAA	075	140	--	--	--	--	125TGRV	3210
03S46E18CCCC	075	80	--	S	E	S	125TGRV	3260
03S46E18CCCC2	075	240	4	J	E	H	125TGRV	3260
03S46E19AC8A	075	205	4	P	W	S	125TGRV	3210
03S46E1988BB	075	80	--	S	N	S	125TGRV	3255
03S46E20DB8B	075	268	--	P	W	S	125TGRV	3305
03S46E21CDBA	075	240	4	--	--	S	125TGRV	3347
03S46E22AACB	075	--	--	P	W	S	--	3348

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMMOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
40.00	R	12/18/1973	--	--	--	--	03S45E18BBBB
2.00	S	12/18/1973	--	--	2800	14.0	03S45E19DCCD
9.00	S	12/18/1973	--	--	--	--	03S45E19DDBC
	F	--	--	--	1600	7.5	03S45E19DDBC2
9.00	E	12/18/1973	--	--	--	--	03S45E19DDBD
--	--	--	--	--	--	--	03S45E20CBAD
38.00	S	12/17/1973	2 V	07/13/1976	1600	8.5	03S45E21ABCD
40.00	R	12/ /1973	--	--	2150	9.0	03S45E21ABDC
15.00	S	12/21/1973	--	--	--	--	03S45E21DDAC2
91.00	R	01/12/1974	--	--	2400	14.0	03S45E22BAAB
90.00	R	01/14/1974	--	--	--	--	03S45E22BABB
50.00	R	12/20/1973	--	--	1700	8.5	03S45E22BBBB
48.00	S	12/ /1973	--	--	--	--	03S45E22BBBC
60.00	R	12/21/1973	3	--	1400	11.0	03S45E23DADA
54.00	S	12/21/1973	--	--	--	--	03S45E23DCBA
80.00		09/06/1967	--	--	3700	9.0	03S45E24ACDA
--	--	--	--	--	1300	11.5	03S45E26BABB
50.50	S	12/20/1973	--	--	--	--	03S45E27AAAA
41.00	S	12/20/1973	--	--	--	--	03S45E27ACBB
--	--	--	--	--	1300	10.0	03S45E27ACBC
39.10	R	12/20/1973	--	--	3800	10.0	03S45E27ACBC2
40.00	E	12/20/1973	5	--	--	--	03S45E27ACBD
--	--	--	--	--	--	--	03S45E29CBBB
11.20		05/28/1968	--	--	--	--	03S45E29DAAC
--	--	--	10 R	12/22/1944	--	--	03S45E31DCDA
--	--	--	--	--	--	--	03S45E32DDAC
30.00	E	12/21/1973	6	--	3000	10.0	03S45E32DDBD
10.10	S	10/08/1974	--	--	--	--	03S45E33BBBB
--	--	--	--	--	--	12.0	03S45E33BCBB
2.00+	S	12/18/1973	--	--	--	16.0	03S45E33BCDA
--	--	--	2 F	12/21/1973	1750	12.5	03S45E33CBDA
	F	--	0.1 F	09/06/1967	--	--	03S45E33CBBC
17.50	S	08/08/1974	--	--	--	--	03S46E04BBBB
198.00	R	10/23/1974	8 R	06/25/1974	1320	15.0	03S46E05AABB
177.50	S	08/08/1974	8 R	08/08/1974	1400	15.0	03S46E05AABB2
30.00	S	12/21/1973	--	--	--	--	03S46E053BCB
25.10	S	12/21/1973	15	--	1400	10.0	03S46E06AAAB
28.10	S	08/07/1974	--	--	--	--	03S46E06AADD
--	--	--	--	--	1210	9.5	03S46E06CC3D
44.90	S	01/18/1974	25	--	5200	8.0	03S46E07ADBB
--	--	--	--	--	--	--	03S46E08BDDC
17.00	S	01/17/1974	45	--	2300	8.0	03S46E14C3CD
18.20	S	08/29/1974	--	--	--	--	03S46E14C3CD2
110.00	E	01/17/1974	2 V	12/03/1975	2400	9.0	03S46E15CAAA
12.00	S	01/17/1974	--	--	--	--	03S46E15D3CA
51.00	S	01/17/1974	15	--	--	--	03S46E17ADBC
55.00	R	01/17/1974	--	--	3000	7.5	03S46E17D3DC
75.00		09/06/1967	--	--	--	--	03S46E17DCAA
26.00	S	01/14/1971	--	--	--	--	03S46E18CCCC
80.00	R	01/14/1974	--	--	--	--	03S46E18CCCC2
47.40	S	01/11/1974	5	--	--	--	03S46E19ACBA
27.70	S	01/14/1974	4	--	5000	8.5	03S46E19B3BB
97.00	S	01/17/1974	--	--	--	--	03S46E20D3AB
132.00	S	01/13/1974	25	--	3700	12.0	03S46E21C3BA
--	--	--	--	--	--	--	03S46E22AAC3

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
03S46E22CACA	075	167	--	P	W	S	125TGRV	3348
03S46E22CB8A	075	193	4	P	W	S	125TGRV	3350
03S46E23AABD	075	45	4	S	E	S	110ALVM	3344
03S46E30BCCC	075	170	4	P	W	S	125TGRV	3253
03S46E31CBCE	075	--	--	P	E	S	--	3240
03S46E32CDBD	075	280	4	P	--	S	125TGRV	3275
03S47E28ACDA	075	30	6	--	--	S	125TGRV	3615
03S48E03A0BA	075	124	4	P	G	S	125TGRV	3310
03S48E050DDA	075	125	4	P	W	S	125TGRV	3440
03S48E12ACDB	075	--	--	--	--	J	--	3328
03S48E158BCC	075	55	4	P	W	S	125TGRV	3384
03S48E17DDAD	075	60	4	P	W	S	125TGRV	3445
03S48E18CACCC	075	290	4	P	--	J	125TGRV	3570
03S48E23AABD	075	110	4	P	E	S	125TGRV	3345
03S48E28CAAA	075	88	4	P	--	J	125TGRV	3395
03S49E01AABB	075	370	3	P	H	S	125TGRV	3480
03S49E01ADDB	075	410	3	P	E	S	125TGRV	3420
03S49E02CABC	075	223	4	--	--	J	125TGRV	3460
03S49E02CACA	075	8	25	--	--	S	110ALVM	3480
03S49E03BADB	075	--	4	P	W	S	--	3570
03S49E06CADA	075	115	--	--	--	S	125TGRV	3382
03S49E08CCBD	075	180	6	--	--	S	125TGRV	3390
03S49E10D8BC	075	230	4	--	--	S	125TGRV	3555
03S49E11BADC	075	50	--	--	--	S	125TGRV	3465
03S49E12CAAA	075	100	--	--	--	S	125TGRV	3395
03S49E12DACB	075	100	3	P	W	S	125TGRV	3386
03S49E12D8DB	075	247	3	P	H	S	125TGRV	3390
03S49E13DADA	075	205	--	--	--	S	125TGRV	3433
03S49E13DADA	075	146	--	--	--	S	125TGRV	3433
03S49E14DDDA	075	82	--	--	--	S	110ALVM	3408
03S49E16AADD	075	15	48	--	--	S	110ALVM	3570
03S49E17CCDA	075	180	--	--	--	S	125TGRV	3420
03S49E19BADB	075	135	--	--	--	S	125TGRV	3395
03S49E23DADC	075	110	--	--	--	S	125TGRV	3386
03S49E248BBA	075	35	--	--	--	S	110ALVM	3405
03S49E26ADBD	075	115	--	--	--	S	125TGRV	3424
03S49E27DCDD	075	181	--	--	--	S	125TGRV	3421
03S49E30CCDC	075	165	--	--	--	S	125TGRV	3438
03S49E34ACCB	075	170	4	--	--	S	125TGRV	3397
03S49E35DCAD	075	120	--	--	--	S	125TGRV	3378
03S50E02CCBC	075	155	4	P	W	S	125TGRV	3300
03S50E03BADD	075	153	4	P	W	S	125TGRV	3270
03S50E04BBAC	075	140	4	P	E	S	125TGRV	3345
03S50E05DCCD	075	247	4	P	--	J	125TGRV	3379
03S50E06CBAC	075	29	4	S	E	S	125TGRV	3410
03S50E06CDAB	075	113	4	P	G	S	125TGRV	3360
03S50E06DDCC	075	55	--	J	E	--	125TGRV	3380
03S50E07DDAD	075	56	4	P	W	J	125TGRV	3354
03S50E08BBBA	075	100	4	P	E	S	125TGRV	3338
03S50E08BBBB	075	95	4	S	E	H	125TGRV	3340
03S50E08BBBB2	075	90	4	P	E	S	125TGRV	3340
03S50E09CDCA	075	100	4	P	W	S	125TGRV	3294
03S50E12AACB	075	120	4	S	E	S	125LEBD	3215
03S50E15BBAC	075	66	4	P	W	I	125TGRV	3272
03S50E15BBAD	075	264	3	--	--	H, S	125TGRV	3272

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMMOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
150.00	R	01/ /1974	--	--	--	03S46E22CACA
99.00	S	01/17/1974	--	--	--	03S46E22CBBA
20.00	--	--	--	--	--	03S46E23AABD
95.00	S	01/13/1974	--	--	--	03S46E30BCCC
--	--	--	--	--	--	03S46E31CBCH
--	--	15 R	01/01/1963	--	--	03S46E32CDBD
10.00	S	12/19/1973	65 R	12/19/1973	--	03S47E28ACDA
24.50	S	06/23/1976	3 V	06/23/1976	2120	03S48E03ADBA
23.00	SR	04/21/1976	2 V	04/21/1976	2450	03S48E05DDDA
16.80	S	11/05/1976	--	--	--	03S48E12ACDB
27.50	SR	07/22/1976	3 V	04/22/1976	2450	03S48E15B8CC
27.60	S	04/22/1976	--	--	--	03S48E17DDAD
220.00	S	04/22/1976	--	--	--	03S48E18CACC
24.60	SR	04/21/1976	4 V	04/21/1976	4000	03S48E23AABD
21.40	S	04/22/1976	--	--	--	03S48E28CAAA
154.20	SR	07/01/1976	5 R	11/15/1965	--	03S49E01AAB8
122.40	SR	07/01/1976	4 R	12/04/1965	--	03S49E01ADDB
136.10	S	07/01/1976	5 R	06/26/1973	--	03S49E02CABC
0.00	S	07/01/1976	--	--	--	03S49E02CACA
144.00	SR	07/01/1976	2 V	07/01/1976	5200	03S49E03BADD
16.20	SR	06/28/1976	--	--	--	03S49E06CADA
--	--	10	08/01/1973	--	--	03S49E08CC8D
--	--	4 V	04/08/1976	--	--	03S49E10DB3C
6.60	SR	12/03/1975	--	--	--	03S49E11BAJC
31.80	SP	07/14/1976	--	--	--	03S49E12CAAA
--	--	1 V	07/14/1976	2000	10.0	03S49E12DACH
10.60	S	12/03/1975	--	--	--	03S49E12DBDB
112.70	SR	12/03/1975	--	--	--	03S49E13DADA
113.10	SP	07/14/1976	--	--	--	03S49E13DADA
67.40	SR	03/23/1977	--	--	--	03S49E14DDDA
0.00	R	11/07/1975	--	--	--	03S49E16AADD
107.00	SR	11/06/1975	--	--	--	03S49E17CCDA
81.00	SR	11/06/1975	--	--	--	03S49E19BADD
37.90	SR	11/12/1975	--	--	--	03S49E23DADC
8.20	SR	06/30/1976	--	--	--	03S49E24B3BA
71.10	SR	06/30/1976	--	--	--	03S49E26ADD0
92.20	SR	11/12/1975	--	--	--	03S49E27DCDD
61.20	S	04/21/1976	--	--	--	03S49E30CCDC
81.20	S	11/12/1975	--	--	--	03S49E34ACCB
35.80	SR	11/12/1975	--	--	--	03S49E35DCAD
93.00	S	04/08/1976	0.5 V	04/08/1976	1300	03S50E02CCBC
48.60	SP	06/23/1976	5 V	06/23/1976	1710	03S50E03BADD
119.50	SR	06/23/1976	4 V	06/23/1976	2230	03S50E04BBAC
54.20	SR	06/24/1976	--	--	--	03S50E05DCCD
14.60	SR	07/01/1976	--	--	--	03S50E06CBAC
48.60	SR	06/30/1976	--	--	--	03S50E06CDA8
30.00	RP	06/30/1976	--	--	1750	03S50E06DDCC
18.70	S	12/03/1975	--	--	--	03S50E07DDAD
17.00	RR	--	2 V	12/04/1975	1180	03S50E08B3BA
19.00	SR	12/04/1975	12 V	12/04/1975	1200	03S50E08B888
16.00	SR	12/04/1975	3 V	11/04/1975	1300	03S50E08B982
51.10	SR	12/03/1975	3 V	06/23/1976	850	03S50E09CDCA
54.30	SR	06/23/1976	8 V	06/23/1976	1580	03S50E12AACS
--	--	--	--	--	--	03S50E15BBAC
--	--	--	--	--	--	03S50E15B8AD

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
03S50E153BBA	075	100	4	S	E	S	125TGRV	3270
03S50E153BBD	075	90	4	S	E	--	125TGRV	3272
03S50E153CBB	075	73	6	S	E	S, H	125TGRV	3278
03S50E153CBB	075	95	4	P	--	J	125TGRV	3278
03S50E17ARAB	075	30	6	P	W	S	125TGRV	3313
03S50E18AAA	075	206	4	P	W	S	125TGRV	3359
03S50E21ADDD	075	30	4	--	--	J	125TGRV	3375
03S50E21CDDBA	075	170	4	P	W	S	125TGRV	3388
03S50E22CB8B	075	30	4	P	E	S	125TGRV	3365
03S50E24DDAB	075	150	4	S	E	S	125LEBD	3260
03S50E268CBA	075	300	3	P	E	H	125TLCK	3223
03S50E26CDAA	075	54	4	P	E	S	125TGRV	3240
03S50E308BDD	075	99	4	P	W	S	125TGRV	3330
03S50E33CCAD	075	40	4	--	--	J	125TGRV	3275
03S50E34CBAC	075	60	4	P	W	S	125TGRV	3238
03S51E08DCAB	075	70	4	P	W	S	125TGRV	3170
03S51E14ABAB	075	51	4	P	W	S	125LEBD	3230
03S52E31CAAC	075	67	4	P	G	S	125TLCK	3040
04S39E09BADA	003	215	--	--	--	S	125TGRV	3630
04S39E09DDAA	003	260	6	S	E	S	125TGRV	3680
04S39E09DDBA	003	250	6	S	--	H	125TGRV	3675
04S39E163DHD	003	80	4	P	G	S	125TGRV	3660
04S40E17ABD	003	--	--	P	E	S	--	3820
04S41E06CAB	087	44	6	P	H	H	125TGRV	3615
04S41E06DDC	087	113	--	--	--	S	125TGRV	3635
04S42E268DA	087	--	--	P	W	S	--	3399
04S43E15ABA	087	102	--	P	W	S	125TGRV	3179
04S43E27DDD	087	80	6	--	--	J	125TGRV	3030
04S43E33CCD	087	--	--	--	--	--	--	3060
04S43E33CDD	087	53	4	P	H	H	125TGRV	3050
04S43E35CDD	087	744	4	P	E	S	125TGRV	3115
04S44E05AAAC	087	40	4	--	--	H	125TGRV	2970
04S44E05AAAC2	087	300	4	--	--	H	125TGRV	2970
04S44E05AAAC3	087	28	4	C	E	I	110ALVM	2970
04S44E05DBCD	087	375	5	--	--	H, S	125TGRV	2970
04S44E05DBCD2	087	28	4	--	--	--	110ALVM	2970
04S44E123BDA	087	350	4	P	W	S	125TGRV	3300
04S44E18	087	318	--	--	--	H	125TGRV	--
04S44E18ABDC	087	38	4	C	E	S	110ALVM	2980
04S44E22ABDA	087	356	--	--	--	--	125TGRV	3259
04S44E23DCAA	087	16	--	--	--	--	125TGRV	3345
04S44E28BADA	087	240	--	--	--	--	125TGRV	3236
04S44E31BCAB	087	127	6	P	G	S	125TGRV	3105
04S44E32DCDD	087	--	--	P	--	S	--	3240
04S45E01DDC	075	26	4	P	--	S	125TGRV	3115
04S45E02CDDB	075	80	4	P	G	S	125TGRV	3080
04S45E03CCC	075	343	4	--	--	S	125TGRV	3020
04S45E03DDDA	075	200	4	--	--	J	125TGRV	3060
04S45E04BDCC	075	435	4	P	G	H	125TGRV	3024
04S45E04DBCA	075	250	--	--	--	H	125TGRV	3015
04S45E04DBDH	075	50	--	S	E	S	110ALVM	3014
04S45E04DDAB	075	50	--	P	E	S	110ALVM	3024
04S45E09ADD	075	900	4	--	--	S	125TLCK	3035
04S45E09LAAD	075	800	--	Z	--	S	125TLCK	3045
04S45E09DABA	075	--	--	--	--	S	--	--

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
29.10	SR	12/02/1975	12 V	12/02/1975	2100	9.5	03S50E15BBBA
24.70	SR	12/02/1975	--	--	--	--	03S50E15BBBD
47.40	SR	12/02/1975	20 V	12/02/1975	1000	9.5	03S50E15BCBB
45.90	S	12/02/1975	--	--	--	--	03S50E15CBBB
3.50	SR	12/03/1975	4 V	12/03/1975	2400	9.5	03S50E17ABAB
46.00	SR	12/03/1975	1 V	12/03/1975	2200	10.0	03S50E18AAAB
12.40	S	12/03/1975	--	--	--	--	03S50E21ADDD
152.80	SR	12/03/1975	--	--	--	--	03S50E21CDBA
11.40	SR	12/03/1975	5 V	12/03/1975	4000	8.0	03S50E22CBBB
77.00	SR	06/24/1976	5 V	06/24/1976	1780	13.0	03S50E24DDAB
--	--	--	--	--	--	--	03S50E26BCBA
27.70	SR	06/23/1976	5 V	06/23/1976	2160	12.0	03S50E26CDAA
19.70	SR	06/23/1976	8 V	06/23/1976	2920	11.0	03S50E30BBDD
28.50	S	11/20/1975	--	--	--	--	03S50E33CCAD
11.00	SR	11/20/1975	--	--	--	--	03S50E34CBAC
9.20	SR	07/28/1976	2 V	07/28/1976	1130	10.5	03S51E08DCA3
15.50	SP	07/28/1976	3 V	07/28/1976	1210	10.0	03S51E14ABAB
27.30	S	07/29/1976	--	--	--	--	03S52E31CAAC
90.00	R	10/06/1967	--	--	2300	--	04S39E09BADA
200.00	R	--	--	--	--	--	04S39E09DDAA
200.00	R	--	--	--	--	--	04S39E09DDBA
60.00	R	--	8 R	10/06/1967	--	--	04S39E16BDDH
--	--	--	1 R	10/04/1967	870	9.5	04S40E17ABD
--	--	--	--	--	2100	--	04S41E06CAB
15.00		07/16/1968	--	--	--	--	04S41E06DDC
--	--	--	--	--	1300	10.5	04S42E26BDA
90.00		04/25/1968	--	--	--	--	04S43E15ABA
22.00		05/17/1968	--	--	--	--	04S43E27DDD
--	--	--	5	--	1200	15.5	04S43E33CCD
15.00		01/24/1962	12 R	01/24/1962	--	--	04S43E33CDD
21.20	S	06/12/1968	12 V	06/12/1968	--	--	04S43E35CDD
	F	06/05/1975	15 R F	06/05/1975	1800	10.5	04S44E05AAAC
4.00+	G	06/05/1942	12 V F	06/05/1975	--	11.0	04S44E05AAAC2
15.70		09/24/1975	--	--	--	--	04S44E05AAAC3
	F	1962	20 R F	1976	--	--	04S44E05BDCD
12.00	S	09/24/1975	--	--	--	--	04S44E05DBCD2
260.00	R	10/ /1959	6	--	--	--	04S44E12B3DA
--	--	--	--	--	--	--	04S44E18
7.30	S	09/24/1975	--	--	--	--	04S44E18ABDC
--	--	--	--	--	--	--	04S44E22ABDA
13.30		08/15/1967	--	--	--	--	04S44E23DCAA
207.40		06/12/1968	--	--	--	--	04S44E28BADA
57.10	S	04/25/1968	--	--	--	--	04S44E31BCAB
91.10	S	06/05/1975	--	--	5500	13.5	04S44E32DCDD
25.00		04/26/1968	8 R	09/06/1967	--	--	04S45E01DDC
56.00	S	12/21/1973	--	--	--	--	04S45E02CDD3
3.75+		05/28/1968	2 R F	09/06/1967	--	--	04S45E03CCC
42.40	S	08/13/1975	5 R	08/13/1975	--	--	04S45E03DDDA
--	--	--	4 V	11/12/1975	1700	12.5	04S45E04BDDC
--	--	--	--	--	--	13.0	04S45E04DBCA
10.90	S	01/12/1974	6	--	3000	10.0	04S45E04DBD3
41.00	S	01/16/1974	--	--	--	--	04S45E04DDAB
--	--	--	3	05/28/1968	--	15.0	04S45E09ADD
--	--	--	3	--	3000	15.5	04S45E09CAAD
--	--	--	--	--	--	--	04S45E09DABA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
04S45E09DDAC	075	600	--	--	--	S	125LEBU	3030
04S45E09DDRA	075	780	2	Z	--	S	125TLCK	3030
04S45E10BCCC	075	1000	--	--	--	S	125TLCK	3060
04S45E12AB8C	075	41	--	P	G	S	125TGRV	3117
04S45E15CCAA	075	700	--	Z	--	S	125LEBD	3041
04S45E15CCDD	075	640	2	Z	Z	H	125LEBJ	3048
04S45E15CDCC	075	48	4	S	E	J	125TGRV	3048
04S45E15D4BC	075	450	2	Z	Z	S	125TGRV	3070
04S45E19DADC	075	326	4	P	E	S	125TGRV	3290
04S45E20CCAD	075	180	4	S	E	H	125TGRV	3245
04S45E22ADCC	075	440	--	--	--	S	125TGRV	3058
04S45E22CBDC	075	700	--	Z	--	S	125TLCK	3080
04S45E22CDDD	075	--	4	--	--	S	--	3070
04S45E22DCDB	075	--	--	Z	--	J	--	3061
04S45E23CCCB	075	454	6	Z	--	S	125TGRV	3080
04S45E26AAAA	075	150	4	P	W	S	125TGRV	3160
04S45E27ACCD	075	354	2	Z	--	S	125TGRV	3078
04S45E27DBAB	075	59	4	J	E	J	110ALVM	3075
04S45E27DBBA	075	318	3	Z	--	S	125TGRV	3080
04S45E28ADDA	075	129	4	--	--	S	125TGRV	3160
04S46E01DDCA	075	80	4	P	W	S	125TGRV	3479
04S46E04DACA	075	70	4	P	W	S	125TGRV	3302
04S46E04DCDC	075	96	--	P	W	S	125TGRV	3274
04S46E05dCBC	075	196	3	P	G	S	125TGRV	3215
04S46E05CCAA	075	50	--	P	G	H	125TGRV	3200
04S46E08CRCC	075	110	4	P	W	S	125TGRV	3245
04S46E0938CA	075	310	4	P	W	S	125TGRV	3290
04S46E10HCBA	075	41	--	P	G	S	125TGRV	3282
04S46E10DA3C	075	65	4	P	W	--	125TGRV	3325
04S46E113BBA	075	85	4	P	G	S	125TGRV	3357
04S46E15CHDC	075	250	4	P	W	S	125TGRV	3616
04S46E31CCCC	075	240	4	J	E	S	125TGRV	3182
04S46E31DD3C	075	18	--	P	W	S	125TGRV	3212
04S46E32DCDC	075	65	4	P	G	S	125TGRV	3242
04S46E33CHAC	075	60	--	P	W	--	125TGRV	3300
04S47E12CABD	075	165	4	P	G	S	125TGRV	3618
04S48E05ADDA	075	360	4	P	W	S	125TGRV	3545
04S48E18BACD	075	57	6	--	--	S	125TGRV	3520
04S48E20CBDC	075	45	4	S	E	S	125TGRV	3570
04S48E24ABDB	075	175	4	P	W	S	125TGRV	3550
04S48E26ACAC	075	198	4	--	--	J	125TGRV	3685
04S48E34DDRB	075	150	4	P	G	S	125TGRV	3716
04S49E01UCDD	075	34	4R	--	--	J	110ALVM	3300
04S49E03ADAA	075	80	--	--	--	S	125TGRV	3375
04S49E04CBAB	075	135	--	--	--	S	125TGRV	3410
04S49E05BAAAB	075	250	4	--	--	S	125TGRV	3475
04S49E08ABDA	075	60	--	--	--	S	125TGRV	3460
04S49E08DCBD	075	250	4	P	H	--	125TGRV	3522
04S49E09DDDB	075	135	3	P	W	S	125TGRV	3429
04S49E10ACAD	075	198	8	--	--	J	125TGRV	3432
04S49E10ADBC	075	250	4	S	E	H, S	125TGRV	3433
04S49E13ABCC	075	150	4	S	E	H	125TGRV	3370
04S49E13CCCD	075	120	3	P	E	S	125TGRV	3415
04S49E13DBCA	075	398	2	--	--	J	125TGRV	3400
04S49E13DBCD	075	128	3	P	E	S	125TGRV	3442



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
12.50	S	12/20/1973	--	1500	12.0	04S45E09DDAC
17.20+		12/ /1973	--	2460	15.0	04S45E09DD3A
3.00+	E	12/20/1973	2 R F	2800	13.5	04S45E108CCC
25.00	S	01/ /1974	--	--	--	04S45E12A8BC
--		--	0.3	2500	11.0	04S45E15CCAA
	F	--	7	1660	14.5	04S45E15CCDD
43.00	R	--	20 V	4500	9.0	04S45E15CCDC
--		--	1	2330	11.5	04S45E15DBBC
260.00	R	04/20/1958	5 R	--	--	04S45E19DADC
130.00	R	--	5	--	--	04S45E20CCAJ
--		--	151	--	15.5	04S45E22ADCC
--		--	1	1060	13.0	04S45E22C8DC
	F	--	1 V F	1060	14.0	04S45E22CDDC
--		--	0.08	--	--	04S45E22DCDB
--		--	12	--	--	04S45E23CCCB
75.00	R	10/ /1973	--	--	--	04S45E26AAAA
--		--	3	950	11.0	04S45E27ACCD
22.00	S	12/17/1973	--	--	--	04S45E27DBAB
--		--	0.4	--	--	04S45E27DB3A
60.00	S	12/17/1973	--	--	--	04S45E28ADDA
40.00	S	01/16/1974	5 R	--	--	04S46E01DDCA
45.00	S	01/16/1974	--	--	10.0	04S46E04DACA
48.00	S	01/16/1974	--	--	--	04S46E04DCDC
84.00	S	12/12/1974	5 R	1780	11.0	04S46E05BCBC
30.00	R	08/22/1974	--	2500	9.0	04S46E05CCAA
60.00	R	06/12/1962	2 V	5150	11.0	04S46E08CBCC
189.00	R	01/12/1974	5 R	--	--	04S46E09B8CA
24.00	S	01/16/1974	--	--	--	04S46E10BCBA
44.00	R	01/12/1974	5 R	--	--	04S46E10DA3C
58.00	S	01/13/1974	5 R	2390	13.5	04S46E11B83A
102.00	S	01/12/1974	3 R	--	--	04S46E15CBCC
191.00	R	01/17/1974	6 Z	--	8.0	04S46E31CCCC
10.00	S	01/16/1974	--	--	9.0	04S46E31DBCC
35.00	S	01/16/1974	--	--	--	04S46E32DCDC
27.80	S	05/22/1975	5 R	--	--	04S46E33CBAC
32.50	SR	06/24/1976	6 V	2980	10.5	04S47E12CA3D
264.00	S	04/22/1976	--	--	--	04S48E05A0DA
10.90	SP	06/23/1976	3	2140	3.5	04S48E18BACD
9.10	SR	06/23/1976	--	--	--	04S48E20CBDC
17.30	SP	06/23/1976	0.7 V	4300	10.0	04S48E24A3DB
77.80	S	11/07/1975	--	--	--	04S48E26ACAC
10.70	SP	06/24/1976	6 V	1970	8.5	04S48E34DB3B
6.90	R	11/12/1975	--	--	--	04S49E01DCDD
44.00	SR	11/12/1975	--	--	--	04S49E03ADAA
58.90	SR	11/12/1975	--	--	--	04S49E04CBAB
145.00	S	11/12/1975	--	--	--	04S49E05BAAB
16.00	SR	11/05/1975	--	--	--	04S49E08ABDA
--		--	--	--	--	04S49E08DCBD
--		--	--	--	--	04S49E09DDDB
33.80	S	11/12/1975	--	--	--	04S49E10ACAD
50.00	RR	--	12 V	4000	12.0	04S49E10ADBCC
143.00	SR	11/05/1975	7 V	3500	11.5	04S49E13ABCC
74.20	SR	11/13/1975	3 V	3500	10.0	04S49E13CCCD
100.00	R	--	--	--	--	04S49E13DBCA
107.90	SR	11/13/1975	2 V	3000	11.0	04S49E13DBCC

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
04S49E13DBC02	075	280	3	--	--	H	125TGRV	3440
04S49E143AB8	075	185	4	P	E	H,S	125TGRV	3344
04S49E148CB0	075	122	4	P	E	H	125TGRV	3362
04S49E14C8CD	075	70	3	P	W	S	125TGRV	3365
04S49E140BBD	075	60	4	P	W	S	125TGRV	3350
04S49E15ADCC	075	80	4	P	W	S	125TGRV	3350
04S49E158DDC	075	90	4	S	E	I	125TGRV	3382
04S49E158DD0	075	150	3	P	E	H,S	125TGRV	3380
04S49E16CC8B	075	38	4	P	W	S	125TGRV	3425
04S49E17CDAA	075	98	4	P	G	S	125TGRV	3454
04S49E22AC8A	075	70	4	S	E	I	125TGRV	3380
04S49E22AC8B	075	285	3	P	E	H	125TGRV	3390
04S49E22AC8B2	075	70	4	P	E	S	125TGRV	3385
04S49E228ADD	075	70	3	P	E	H	125TGRV	3385
04S49E220CAB	075	40	36	P	W	S	110ALVM	3497
04S49E23ACAC	075	120	4	P	W	S	125TGRV	3380
04S49E23CADD	075	110	3	--	--	U	125TGRV	3475
04S49E25ADCC	075	125	4	P	W	S	125TGRV	3442
04S49E258BDD	075	145	4	P	E	S	125TGRV	3515
04S49E250AB8	075	391	3	S	E	H	125TGRV	3442
04S49E31CCCC	075	280	4	P	W	S	125TGRV	3715
04S49E310AAA	075	220	3	--	--	U	125TGRV	3554
04S49E338BDA	075	170	4	P	W	S	125TGRV	3515
04S49E34BACA	075	100	4	P	W	--	125TGRV	3543
04S50E03ACDB	075	150	4	P	G	S	125TGRV	3278
04S50E030DDC	075	160	4	P	E	S	125TGRV	3275
04S50E04AAA	075	140	4	P	E	S	125TGRV	3268
04S50E048CAC	075	150	4	P	W	S	125TGRV	3270
04S50E040CHA	075	155	4	P	E	H	125TGRV	3285
04S50E040CHB	075	200	3	--	--	H	125TGRV	3305
04S50E05ADAC	075	16	36	P	W	S	110ALVM	3273
04S50E05CAAC	075	170	4	P	W	S	125TGRV	3278
04S50E06CACC	075	--	4	--	--	S	--	3295
04S50E06DCCC	075	73	4	P	W	S	125TGRV	3290
04S50E07BADA	075	100	6	--	--	S	125TGRV	3297
04S50E078CCD	075	60	4	P	W	S	125TGRV	3320
04S50E098B88	075	20	36	P	W	S	110ALVM	3276
04S50E10ACCB	075	160	4	S	--	H	125TGRV	3202
04S50E10ACCC	075	160	4	P	W	H	125TGRV	3312
04S50E10HAD	075	60	--	P	E	S	125TGRV	3285
04S50E150A9B	075	224	4	P	W	S	125TGRV	3385
04S50E150A8C	075	160	4	--	--	J	125TGRV	3310
04S50E178DAC	075	144	4	P	W	S	125TGRV	3408
04S50E19AC00	075	81	4	P	W	S	125TGRV	3453
04S50E19CBAC	075	160	3	P	W	S	125TGRV	3467
04S50E208AAA	075	160	4	--	--	S	125TGRV	3380
04S50E22DBAA	075	520	--	--	--	H	125LE80	3560
04S50E230AAA	075	403	--	--	--	H	125LE80	3490
04S50E31CHCC	075	135	4	P	W	S	125TGRV	3493
04S51E133DB8	075	257	4	P	G	S	211MLCK	3140
04S51E308DDA	075	70	4	P	W	S	125LE80	3170
04S52E188CDC	075	1020	4	S	E	H	211FHHC	3020
05S39E07AC00	003	--	--	--	--	--	--	3755
05S41E138CDA	087	--	--	P	--	S	--	3441
05S41E13CADA	087	106	--	P	W	S	125TGRV	3430

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMUS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
100.00	R	--	--	--	--	04S49E13DBCD2	
30.30	SR	11/03/1975	3 V	11/03/1975	2200	10.0	04S49E14BABB
29.90	SR	11/04/1975	7 V	11/04/1975	2500	10.5	04S49E14BCBD
32.00	SR	11/07/1975	1 V	11/08/1975	3700	10.0	04S49E14CBCD
19.80	SR	11/04/1975	1 V	11/04/1975	3500	11.0	04S49E14DBBD
18.70	SR	11/04/1975	0.3 V	11/04/1975	2000	10.0	04S49E15ADCC
46.00	SR	11/04/1975	24 V	11/04/1975	3500	10.5	04S49E15BDCC
86.60	SR	11/04/1975	4 V	11/04/1975	2700	10.5	04S49E15BDD
17.50	SR	11/06/1975	2 V	11/06/1975	3500	9.0	04S49E16CCBB
44.50	SR	11/07/1975	--	--	--	04S49E17CDAA	
26.20	SR	11/06/1975	15 V	11/06/1975	2550	10.0	04S49E22ACBA
128.70	SR	11/07/1975	--	--	--	04S49E22ACBB	
21.30	SR	11/06/1975	2 E	11/06/1975	2750	10.0	04S49E22ACBB2
--	--	--	--	--	--	04S49E22BADD	
21.00	SR	11/08/1975	4 V	11/08/1975	3200	9.5	04S49E22OCAB
63.50	SP	11/04/1975	1 V	11/04/1975	3500	10.5	04S49E23ACAC
4.00	S	11/06/1975	--	--	--	04S49E23CADD	
55.40	S	11/13/1975	--	--	--	04S49E25ADCC	
89.40	SR	11/13/1975	2 V	11/13/1975	3100	11.0	04S49E25BBD
180.80	SR	11/13/1975	12 R	11/13/1975	2600	11.5	04S49E25OABB
252.30	SR	11/07/1975	2 V	11/07/1975	4600	12.0	04S49E31CCCC
71.20	S	11/06/1975	--	--	--	04S49E31DAAA	
104.60	SR	11/07/1975	--	--	--	04S49E33B8DA	
31.20	SR	11/07/1975	3 V	11/07/1975	3400	9.5	04S49E34BACA
135.00	SR	11/21/1975	4 V	11/21/1975	1120	10.5	04S50E03ACD3
127.30	SR	11/14/1975	2 V	11/14/1975	1380	11.5	04S50E03DDDC
29.50	SR	11/21/1975	8 V	11/21/1975	3200	10.5	04S50E04AAAA
15.60	SR	11/14/1975	--	--	--	04S50E04BCAC	
33.90	SR	11/21/1975	8 V	11/21/1975	2000	10.0	04S50E04DCBA
80.00	RR	--	--	--	--	04S50E04DCB3	
4.20	SR	11/20/1975	--	--	--	04S50E05ADAC	
100.00	RR	--	1 E	11/21/1975	1550	9.0	04S50E05CAAC
4.50	SR	12/04/1975	--	--	--	04S50E06CACC	
6.10	SR	12/04/1975	--	--	--	04S50E06DCCC	
6.80	S	12/04/1975	--	--	--	04S50E07BADA	
6.20	SR	11/05/1975	1 V	11/05/1975	3400	10.0	04S50E07BCCD
9.80	SR	11/20/1975	2 V	11/20/1975	3800	8.5	04S50E09B3BB
48.20	SR	11/14/1975	12 V	11/14/1975	975	11.5	04S50E10ACCB
100.00	RR	--	4 V	11/14/1975	1000	11.5	04S50E10ACCC
17.70	SR	11/14/1975	2 V	11/14/1975	700	9.0	04S50E10BDAD
32.40	SR	11/19/1975	2 V	11/19/1975	3000	11.0	04S50E15DABB
138.70	S	11/19/1975	--	--	--	04S50E15DA3C	
107.10	SR	11/13/1975	--	--	--	04S50E17BDAC	
72.10	SR	11/11/1975	3 V	11/11/1975	4200	11.0	04S50E19ACDD
95.20	S	11/13/1975	--	--	--	04S50E19C3AC	
62.10	S	11/13/1975	--	--	--	04S50E20BAAA	
240.00	RR	11/11/1976	--	--	1810	14.0	04S50E22DBAA
291.00	RR	11/11/1976	--	--	--	04S50E23DAAA	
23.30	S	11/13/1975	--	--	--	04S50E31CBCC	
155.30	S	07/29/1976	--	--	--	04S51E13BD83	
17.30	SP	07/29/1976	2 V	07/29/1976	2980	10.5	04S51E30BD0A
10.00	RP	12/16/1960	4 V	07/29/1976	780	15.0	04S52E18BCDC
--	--	--	--	--	--	05S39E07ACDD	
--	--	--	--	--	--	05S41E13BCDA	
27.00	S	02/28/1974	10	--	--	05S41E13CADA	

Table 2.--Records of wells--Continued

LUCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
05S41E20DDDB	087	14	--	P	H	J	125TGRV	3858
05S41E31CBAC	087	80	--	P	H	S	125TGRV	3630
05S42E02AAAD	087	--	4	P	W	S	--	3343
05S42E14ADDC	087	--	4	P	W	S	--	3218
05S42E16DDBD	087	80	4	S	E	S	125TGRV	3358
05S42E17CDCC	087	--	--	P	W	S	--	3325
05S42E18DCDB	087	80	--	P	G	S	125TGRV	3358
05S42E19BABD	087	100	4	P	W	S	125TGRV	3417
05S42E20ADAC	087	449	4	S	E	H	125TGRV	3295
05S42E20ADDB	087	110	4	S	E	S	125TGRV	3295
05S42E22BCBD	087	85	7	S	E	S	110ALVM	3238
05S42E22DB3C	087	530	4	--	--	S	125TGRV	3208
05S42E25CCAB	087	28	4	P	H	J	110ALVM	3101
05S42E28CBBD	087	365	4	--	--	S	125TGRV	3880
05S42E34ABBA	087	880	2.5	--	--	S	125TLCK	3200
05S43E04AAAA	087	12	24	S	E	S	110ALVM	3140
05S43E04CBC	087	80	4	--	--	--	110ALVM	3070
05S43E04CBDA	087	63	--	S	E	H	110ALVM	3070
05S43E07DBDA	087	80	6	J	E	H	125TGRV	3085
05S43E07DD	087	17	--	--	--	H	110ALVM	--
05S43E08CBCC	087	105	10	--	--	--	110ALVM	3070
05S43E08CBCC2	087	245	--	--	--	--	125TGRV	3070
05S43E16AAAD	087	--	--	--	--	--	--	3144
05S43E17CBCH	087	100	4	P	E	S	125TGRV	3070
05S43E18AHAD	087	36	6	S	E	--	110ALVM	3084
05S43E18ABCA	087	21	--	--	--	--	110ALVM	3085
05S43E18DBAA	087	29	4	--	--	--	110ALVM	3080
05S44E05CAAD	087	66	--	P	W	S	125TGRV	3190
05S44E05CA3D	087	--	--	--	--	S	125TGRV	3220
05S44E16AB3B	087	73	--	P	G	S	110ALVM	3295
05S44E27ADAB	087	480	--	--	--	--	125TGRV	3480
05S45E02ACCA	075	550	4	P	E	H	125TGRV	3122
05S45E02ACCA2	075	1250	2	J	E	S	125TLCK	3145
05S45E03ABCD	075	90	3.7	S	E	S	125TGRV	3110
05S45E03AC3B	075	700	--	P	E	S	125TLCK	3118
05S45E04DBDD	075	250	1.25	--	--	--	125TGRV	3239
05S45E05AAAA	075	270	--	--	--	--	125TGRV	3300
05S45E08BBCC	075	150	4	P	G	S	125TGRV	3550
05S45E09DDAD	075	970	--	--	--	--	125TLCK	3205
05S45E10DDCO	075	--	--	P	W	S	--	3170
05S45E11DBAC	075	1020	2	Z	--	S	125TLCK	3120
05S45E11DCDD	075	--	--	J	F	S	--	3130
05S45E14AAAD	075	1200	2	--	--	S	125TLCK	3155
05S45E14ACCD	075	--	--	--	--	J	--	3140
05S45E15ADDD	075	1243	--	Z	--	S	125TLCK	3145
05S45E16DCBB	075	192	4	P	G	S	125TGRV	3340
05S45E23CBAC	075	48	4	--	--	J	110ALVM	3181
05S45E263ABH	075	40	--	--	--	S	110ALVM	3150
05S45E263CAC	075	--	4	S	E	S	--	3190
05S45E26DBAC	075	13	36	--	--	J	110ALVM	3175
05S45E26DBAD	075	50	4	S	E	S	110ALVM	3175
05S45E26DBAD2	075	110	4	--	--	J	125TGRV	3175
05S45E27DBDH	075	252	4	--	--	S	125TGRV	3270
05S45E28BBBA	075	250	4	--	--	S	125TGRV	3325
05S45E323ABH	075	150	--	--	--	J	125TGRV	3483

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
4.00	S	03/04/1974	--	--	--	05S41E20DDDB	
14.00	S	03/03/1974	--	1230	6.5	05S41E31CBAC	
--	--	--	--	--	--	05S42E02AADJ	
--	--	--	--	--	10.0	05S42E14ADJC	
32.00		03/02/1974	2 R	03/02/1974	1350	10.0	05S42E16DDJU
--	--	--	--	--	--	05S42E17CJCC	
39.00	S	03/ /1974	12	--	1900	10.0	05S42E18DCDB
50.00	R	09/ /1951	3	--	--	--	05S42E19BABD
243.00	R	09/03/1959	12	--	--	--	05S42E20ADAC
32.00	S	03/02/1948	8	--	2700	7.0	05S42E20ADDB
28.00	S	03/ /1974	--	--	1350	3.0	05S42E22BCBD
26.00	G	03/ /1974	2	--	1200	16.0	05S42E22DHBC
7.10	S	09/24/1975	--	--	--	--	05S42E25CCAD
--		--	6 R	03/03/1974	--	--	05S42E28CBBD
	F	--	4 V F	11/11/1975	1020	15.5	05S42E34ABBA
9.10		09/23/1975	3 R	--	--	--	05S43E04AAAA
54.00		03/08/1962	10 R	03/08/1962	--	--	05S43E04CBCC
45.80	R	05/17/1968	--	--	--	--	05S43E04CDDA
34.70	R	05/17/1968	--	--	--	--	05S43E07DBDA
13.00	R	03/26/1968	--	--	--	--	05S43E07DD
16.00		01/17/1962	50 R	01/09/1962	1500	12.0	05S43E08CBCC
--	--	--	--	--	--	--	05S43E08CBCC2
--	--	--	--	--	--	--	05S43E16AAAD
5.60		09/24/1975	--	--	--	--	05S43E17CBCA
9.00		05/ /1967	--	--	--	--	05S43E18ABBD
8.70		08/29/1968	--	--	2600	10.0	05S43E18ABCA
11.50		03/08/1962	10 R	--	--	--	05S43E18DBAA
54.20	SR	06/05/1975	3 E	06/05/1975	--	12.5	05S44E05CAAD
--	--	--	1 V	06/05/1975	--	12.5	05S44E05CABD
54.50	R	05/14/1968	--	--	1300	11.0	05S44E16ABBB
300.00		05/15/1963	6 R	05/15/1963	--	--	05S44E27ADAB
8.00	R	12/18/1973	10 R	12/18/1973	--	8.0	05S45E02ACCA
--	--	--	--	--	--	8.5	05S45E02ACCA2
15.50	SR	11/24/1976	12 V	11/24/1976	1630	11.0	05S45E03ABCC
--	--	--	--	--	--	7.0	05S45E03ACBB
--	--	--	--	1060	13.0	05S45E04HBDD	
--	--	20 R	05/02/1962	--	--	05S45E05AAA5	
85.00	S	08/12/1975	--	--	--	05S45E08BBCC	
30.00		--	--	3480	11.5	05S45E09DDAJ	
--	--	--	--	--	--	05S45E10DDCJ	
--	--	8	--	--	16.5	05S45E11BBAC	
--	--	--	--	--	--	05S45E11CJCC	
17.00+	S	09/10/1975	--	--	--	05S45E14AAAQ	
--	--	--	--	--	--	05S45E14ACCC	
--	--	1 R F	12/18/1973	--	13.5	05S45E15ADJU	
150.00		12/20/1973	--	--	--	05S45E16DCBB	
37.70	S	05/22/1975	--	--	--	05S45E23CBAC	
--	--	--	--	--	10.5	05S45E26BABD	
--	--	15 V	05/22/1975	2080	10.0	05S45E26BCAC	
10.20	S	05/22/1975	--	--	--	05S45E26DBAC	
10.00	S	05/22/1975	10 E	05/22/1975	4350	10.0	05S45E26DBAD
9.60	S	05/22/1975	--	--	--	05S45E26DBAJ2	
125.00	R	09/ /1962	8 R	09/ /1962	1490	13.0	05S45E27BDDB
163.00		06/ /1962	10 R	06/18/1962	--	--	05S45E28B5BA
100.00	R	01/12/1974	8 Z	01/12/1974	--	--	05S45E32BAB5

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
05S45E34AACD	075	162	4	P	E	S	125TGRV	3220
05S45E358AAC	075	50	--	--	--	S	110ALVM	3180
05S45E358ABA	075	264	2.5	S	E	H	125TGRV	3186
05S45E358ABD	075	50	4	S	E	I	110ALVM	3180
05S45E358CDC	075	20	4	P	G	S	110ALVM	3193
05S46E03CADC	075	200	4	--	--	S	125TGRV	3325
05S46E04DACA	075	70	4	P	W	--	110ALVM	3302
05S46E04DDAB	075	80	4	P	E	S	125TGRV	3310
05S46E058DCB	075	70	4	P	W	S	125TGRV	3255
05S46E20CBCC	075	60	4	--	--	J	110ALVM	3255
05S46E20CDA8	075	18	30	P	E	S	110ALVM	3260
05S46E20CDA82	075	370	--	--	--	J	125TGRV	3260
05S46E20CDA83	075	40	--	P	E	H	110ALVM	3260
05S46E21DDAA	075	--	--	P	G	S	--	3340
05S46E23CACA	075	84	--	--	--	J	125TGRV	3405
05S46E23CBDD	075	61	4	P	H	U	110ALVM	3405
05S46E248CCB	075	30	--	P	E	H	110ALVM	3450
05S46E248CCB2	075	--	--	P	G	S	--	3450
05S46E288BAB	075	26	10	P	W	U	110ALVM	3282
05S48E04CADC	075	143	4	S	E	S	125TGRV	3720
05S48E16BDAB	075	112	4	P	W	S	125TGRV	3786
05S49E03A8DB	075	166	4	P	G	S	125TGRV	3630
05S49E19ADBA	075	220	4	P	W	S	125TGRV	3584
05S49E32ADCD	075	220	4	P	W	S	125TGRV	3490
05S50E13CCCA	075	160	4	P	W	S	125TLCK	3210
05S50E27A8DD	075	130	4	P	G	S	125LEB0	3200
05S51E03ABBA	075	498	2.5	S	E	C	211HLCK	3032
05S51E07CDAC	075	880	4	P	W	S	211FHMC	3120
06S38E24ADAC	003	--	--	P	G	--	--	4120
06S39E08DBBD	003	100	--	S	E	H	125TGRV	3874
06S39E15CCC	003	262	--	--	--	--	125TGRV	4070
06S39E15DDBC	003	90	5	S	E	H, S	125TGRV	4100
06S39E178DBC	003	60	6	P	E	S	125TGRV	3900
06S39E17CDAC	003	100	--	S	E	H	125TGRV	3895
06S39E20ABD	003	--	--	--	--	S	--	3930
06S39E25ACD	003	54	--	--	--	--	125TGRV	4375
06S39E26ABAA	003	130	4	--	--	J	125TGRV	4355
06S40E29ABBA	003	72	4.5	--	--	S	125TGRV	4230
06S40E30DDAA	003	111	--	J	E	H, S	125TGRV	4110
06S40E30DDAA2	003	93	4	S	E	S	125TGRV	4110
06S40E36ABBC	003	104	4	P	W	S	125TGRV	3640
06S41E038BDD	087	52	--	P	W	U	125TGRV	3535
06S41E08CCAC	087	130	4	--	--	U	125TGRV	3740
06S41E23CCCC	087	300	--	--	--	--	125TGRV	3420
06S41E30CCAD	087	140	--	P	E	J	125TGRV	3570
06S41E32CADA	087	160	4	S	E	H	125TGRV	3470
06S42E01DDCC	087	470	--	--	--	H	125TGRV	3120
06S42E01DDCC2	087	246	2.5	P	H	H	125TGRV	3140
06S42E02CABC	087	310	6	--	--	U	125TGRV	3312
06S42E138ABD	087	250	4	--	--	S	125TGRV	3140
06S42E13DAAA	087	12	--	--	--	H	110ALVM	3140
06S42E13DBCC	087	290	4	Z	--	S	125TGRV	3125
06S42E14DCAD	087	335	2	Z	--	S	125TGRV	3140
06S42E16ACDA	087	96	4	--	--	S	125TGRV	3305
06S42E21DDCA	087	161	3	--	--	S	125TGRV	3158

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHJS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
54.00	S	11/ /1968	5 E	11/ /1968	4100	10.5	05S45E34AACD
12.70	S	05/22/1975	--	--	--	--	05S45E35BAAC
30.00	R	05/22/1975	12 V	05/22/1975	930	11.5	05S45E35BABA
16.50	S	05/22/1975	8 V	05/22/1975	2960	10.0	05S45E35BARD
9.00	S	05/21/1975	--	--	--	--	05S45E35BCDC
100.00	R	12/14/1973	3 R	12/14/1973	--	--	05S46E03CADC
45.00	R	01/16/1974	--	--	2000	10.0	05S46E04DACA
41.00	S	01/16/1974	--	--	--	--	05S46E04DDAB
42.00	R	01/12/1974	5 R	01/12/1974	--	10.5	05S46E05BDCB
12.00	S	01/15/1974	8	--	--	--	05S46E20CBCC
1.00	R	01/15/1974	10	01/15/1974	--	8.0	05S46E20CDA3
67.00		01/15/1974	5 R	01/15/1974	--	--	05S46E20CDAB2
--		--	--	--	--	--	05S46E20CDA33
--		--	--	--	2300	8.5	05S46E21DDAA
29.00	S	01/18/1974	--	--	520	8.5	05S46E23CACA
30.00	S	01/18/1974	40 Z	01/18/1974	--	--	05S46E23CBDD
--		--	--	--	2500	8.5	05S46E24BCCB
30.00	S	01/18/1974	--	--	--	--	05S46E24BCCB2
3.00	S	01/15/1974	--	--	--	--	05S46E28B3AB
45.00	R	04/20/1976	3 R	04/20/1976	--	--	05S48E04CADC
78.90	S	04/20/1976	--	--	--	--	05S48E16BDA3
113.50	SR	07/27/1976	--	--	--	--	05S49E03A8DB
192.80	SP	07/27/1976	2 V	07/27/1976	5420	12.5	05S49E19ADBA
118.80	VP	07/27/1976	4 V	07/27/1976	3310	11.5	05S49E32ADCD
102.40	SP	07/28/1976	3 V	07/28/1976	2250	12.5	05S50E13CCCA
42.90	VP	07/28/1976	4 V	07/28/1976	2120	11.5	05S50E27ABDD
3.30	SR	01/26/1977	20	--	1140	12.0	05S51E03ABBA
64.40	SP	07/28/1976	2 V	07/08/1976	3460	12.0	05S51E07CDAC
140.00	S	10/06/1967	20 R	10/06/1967	--	--	06S38E24ADAC
27.00	R	06/17/1975	35 R	01/ /1973	1080	10.5	06S39E08DBBD
260.00		--	8 R	10/02/1968	--	--	06S39E15CCCC
39.00	RR	06/26/1975	15 k	06/25/1975	1930	11.5	06S39E15DD8C
--		--	3 V	06/17/1975	1040	10.5	06S39E17BD8C
90.00	HR	02/10/1969	16 R	02/10/1969	1010	13.5	06S39E17CDAC
--		--	--	--	--	--	06S39E20ABD
51.60		10/02/1968	10 R	10/07/1968	--	--	06S39E25ACD
68.31		07/15/1977	--	--	--	--	06S39E26ABAA
12.30	S	08/22/1974	8 R	06/ /1952	--	--	06S40E29ABBA
41.90	S	07/24/1974	--	--	1300	10.5	06S40E30DDAA
23.60	SP	07/24/1974	--	--	1450	10.0	06S40E30DDAA2
30.20	S	07/11/1975	--	--	--	--	06S40E36AB8C
15.40	S	10/05/1978	--	--	810	7.0	06S41E03B8DD
41.50	V	09/09/1976	6 V	10/19/1978	3100	11.0	06S41E08CCAC
--		--	--	--	--	--	06S41E23CCCC
13.20	S	07/09/1975	--	--	--	--	06S41E30CCAD
--		--	2 V	07/03/1975	1420	13.0	06S41E32CADA
98.00+	G	06/19/1975	17 R F	08/29/1967	2150	16.5	06S42E01DDCC
--		--	--	--	819	13.5	06S42E01DDCC2
113.00	S	03/05/1974	3	--	--	--	06S42E02CABC
0.00		--	0.7	--	--	10.0	06S42E13HABD
7.80		10/07/1975	--	--	--	--	06S42E13DAAA
12.00+	G	03/06/1974	4	--	--	10.5	06S42E13DBCC
14.60+	G	03/06/1974	0.4 F	03/06/1974	1790	9.5	06S42E14DCAJ
45.00		--	15	--	1700	10.5	06S42E16ACDA
--		--	2 R	--	--	--	06S42E21DDCA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	JSE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
06S42E238CAC	087	350	--	Z	--	--	125TGRV	3142
06S42E238DBA	087	160	2	Z	--	S	125TGRV	3140
06S42E23C	087	80	--	--	--	H	125TGRV	--
06S42E23CAB	087	570	2	Z	--	S	125TGRV	3160
06S42E23CABC	087	12	36	--	--	J	110ALVM	3160
06S42E27A88C	087	315	3	Z	--	S	125TGRV	3155
06S42E29CAAA	087	450	--	Z	--	S	125TGRV	3180
06S42E32ABA	087	700	--	Z	--	H	125TGRV	3200
06S42E328D8	087	200	--	Z	--	J	125TGRV	3180
06S42E32C8A	087	400	--	Z	--	S	125TGRV	3198
06S43E07DCCA	087	555	4	Z	--	P	125TGRV	3160
06S43E188ABC	087	480	6	Z	--	P	125TGRV	3150
06S43E20DDBB	087	720	2	S	E	H	125TGRV	3240
06S44E298CBD	087	67	--	P	E	S	125TGRV	3580
06S44E30	087	25	--	--	--	H	--	--
06S45E35CADD	075	--	--	P	--	S	--	3486
06S46E33DDB	075	--	--	--	--	S	--	3390
06S48E098BDA	075	120	4	P	W	S	125TGRV	4050
06S48E23ADAB	075	270	1.25	P	W	S	125TGRV	3665
06S49E02CABB	075	60	4	P	W	S	125TGRV	3430
06S49E308ACB	075	310	4	P	W	S	125TGRV	3540
06S50E16AAAC	075	130	4	P	E	S	125TGRV	3260
06S51E07CABC	075	801	--	--	--	H,S	211HLCK	3145
06S51E20CDDD	075	81	4	P	G	S	125TGRV	3300
06S51E30CCCC	075	576	2.5	S	E	H	125TLCK	3350
06S52E178DDC	075	400	4	P	W	S	125TLCK	3355
06S52E22ABDA	075	650	--	--	--	S	211FHHC	3140
07S38E240HD	003	60	6	S	E	H	125TGRV	4360
07S39E01DCA	003	175	4	--	--	S	125TGRV	4300
07S39E09CBA	003	100	5	--	--	H	125TGRV	4130
07S39E09CBD	003	120	5	P	E	S	125TGRV	4150
07S39E11AAC	003	55	4.5	P	--	H,S	125TGRV	4400
07S39E11DD8	003	384	2	--	--	J	125TGRV	4498
07S39E14AAD	003	120	5	P	E	S	125TGRV	4340
07S39E15DBA	003	200	6	--	--	U	125TGRV	4350
07S39E16ACD	003	23	6	P	E	S	110ALVM	4170
07S39E16ADAD	003	75	6	P	E	S	125TGRV	4190
07S39E16ADC	003	66	--	S	E	H	125TGRV	4170
07S39E19CAD	003	65	5	S	E	H	125TGRV	4345
07S39E19CBD	003	--	--	--	--	H	--	4365
07S39E20AAAC	003	160	4	S	E	H,I	125TGRV	4258
07S39E20DADA	003	160	--	P	E	S	125TGRV	4258
07S39E21ADA	003	105	4	--	--	J	125TGRV	4220
07S39E21ADA2	003	100	6	J	E	S	125TGRV	4220
07S39E21CDA	003	100	4	P	E	S	125TGRV	4245
07S39E21CDA2	003	100	6	S	E	H	125TGRV	4240
07S39E22BCD	003	42	6	P	E	S	125TGRV	4240
07S39E23ACD2	003	56	--	P	--	J	125TGRV	4220
07S39E23ACD3	003	160	4	S	E	H,S	125TGRV	4220
07S39E23ACD4	003	119	4	--	--	J	125TGRV	4220
07S39E23ACD5	003	140	4	S	E	H	125TGRV	4210
07S39E23ACD6	003	500	--	--	--	J	125TGRV	4220
07S39E23ACD7	003	255	4	P	E	H,S	125TGRV	4220
07S39E24BCD	003	275	4	P	W	S	125TGRV	4210
07S39E24DDD	003	141	4	--	--	J	125TGRV	4160



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMMOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
--	--	2	--	1810	10.5	06S42E23BCAC
12.00+ G	03/06/1974	--	--	1800	10.5	06S42E23BD8A
14.00	--	--	--	--	--	06S42E23C
68.00+ G	03/06/1974	20	--	1320	11.5	06S42E23CAB
6.80 S	09/24/1975	--	--	--	--	06S42E23CABC
--	--	6	--	2100	11.0	06S42E27AB3C
10.00 G	03/ /1974	4 V	03/01/1974	1710	10.0	06S42E29CAAA
--	--	10 R F	02/ /1974	--	14.0	06S42E32A8A
--	--	5	--	--	--	06S42E32d08
8.00+	03/ /1974	0.2	--	2100	7.5	06S42E32C9A
55.00+ G	02/02/1974	--	--	1420	12.0	06S43E07DCCA
63.00+ G	03/02/1974	40 R F	1945	1420	12.0	06S43E18BABC
65.00 RR	07/29/1976	20 R	07/29/1976	--	--	06S43E20DD33
36.00 RR	07/29/1976	4 V	07/29/1976	875	8.0	06S44E29BCB0
13.00	--	--	--	--	--	06S44E30
16.00 S	08/03/1976	--	--	--	--	06S45E35CADD
--	--	2 E	05/15/1969	2100	8.0	06S46E33D08
54.80 SR	07/19/1976	1 V	07/19/1976	1790	13.0	06S48E09B8DA
42.40 SP	07/20/1976	0.5 V	07/20/1976	4200	14.0	06S48E23ADA8
42.50 SR	08/03/1976	2 V	08/03/1976	2560	11.5	06S49E02CAB3
189.40 SP	07/20/1976	3 V	07/20/1976	2270	13.5	06S49E30BAC5
54.10 SR	08/03/1976	5 V	08/03/1976	746	11.5	06S50E16AAAC
F	--	--	--	908	14.0	06S51E07CAB0
52.00 SR	07/26/1976	--	--	--	--	06S51E20CDD0
150.00 RR	08/03/1976	20 R	08/03/1976	864	13.0	06S51E30CCCC
25.50 SR	08/03/1976	0.3 V	08/03/1976	985	12.5	06S52E178D0C
F	--	5 V F	07/29/1975	789	14.0	06S52E22ABDA
30.00 R	07/17/1974	--	--	--	10.5	07S38E24D8D
13.60 S	08/19/1974	5 R F	08/ /1961	--	--	07S39E01DCA
40.00 R	07/30/1974	--	--	1140	10.0	07S39E09CBA
40.00 R	07/30/1974	--	--	1100	8.0	07S39E09CB0
--	--	--	--	--	--	07S39E11AAC
288.30 V	07/15/1977	--	--	--	--	07S39E11D03
73.30 S	08/15/1974	--	--	--	--	07S39E14AAD
80.40 S	07/25/1974	--	--	--	--	07S39E15DBA
14.00 S	07/24/1974	3 E	07/24/1974	1120	8.0	07S39E16ACD
39.50 S	07/25/1974	3 E	07/25/1974	1740	9.0	07S39E16ADAD
16.70 S	07/24/1974	--	--	1080	8.0	07S39E16ADC
35.00 R	07/16/1975	--	--	--	--	07S39E19CAD
--	--	--	--	--	--	07S39E19CD0
9.00 R	10/06/1967	11 R	10/06/1967	1960	14.5	07S39E200AAC
9.00 R	10/06/1967	--	--	1120	9.0	07S39E200ADA
16.90 S	07/11/1974	8 R	05/19/1974	1210	10.5	07S39E21ADA
23.50 S	07/11/1974	18 R	10/07/1963	1200	11.5	07S39E21ADAA2
15.00 R	07/19/1974	10 E	07/19/1974	1390	8.0	07S39E21CDA
18.00 R	07/19/1974	20 R	1968	--	--	07S39E21CD42
35.20 S	07/11/1974	20 V	11/23/1961	--	11.0	07S39E22BC0J
--	--	6 R	07/17/1974	--	--	07S39E23AC02
--	--	25 R	1961	3100	12.5	07S39E23AC03
69.60 S	07/25/1974	--	--	2800	12.0	07S39E23AC04
--	--	--	--	4700	10.5	07S39E23AC05
165.60 S	07/25/1974	--	--	1720	13.5	07S39E23AC06
240.00 R	12/12/1963	3 R	07/25/1974	--	--	07S39E23AC07
12.60 S	07/25/1974	15 R	08/ /1955	2050	11.0	07S39E248C0J
115.70 S	07/25/1974	10 R	1937	1010	14.5	07S39E24D0J

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
07S39E27CDC	003	350	4	P	E	S	125TGRV	4090
07S39E27DCDD	003	350	--	P	E	S	125TGRV	4130
07S39E31ACA	003	39	6	S	E	S	125TGRV	4360
07S39E348CCB	003	200	4	S	E	S	125TGRV	4110
07S39E35ACC	003	--	8	--	--	J	--	3980
07S39E35DAB	003	92	6	S	E	S	125TGRV	3960
07S39E36CDD	003	75	4	S	E	--	125TGRV	3910
07S40E018DDDB	003	106	--	P	W	S	125TGRV	3602
07S40E01DCBB	003	142	--	--	--	S	125TGRV	3650
07S40E05DDDC	003	137	--	P	W	S	125TGRV	4110
07S40E08CCBD	003	26	--	J	E	H,S	125TGRV	4040
07S40E08CCDA	003	44	--	J	E	S	125TGRV	4045
07S40E15DCBD	003	29	4	C	E	H	125TGRV	3780
07S40E17AADC	003	36	--	J	E	H,S	125TGRV	3950
07S40E17BADA	003	--	--	--	--	J	--	3990
07S40E27CDAD	003	10	72	B	H	H,S	125TGRV	3740
07S40E30CCBD	003	72	--	--	--	S	125TGRV	3990
07S40E30DABB	003	125	4	--	--	J	125TGRV	4020
07S41E04DCDD	087	--	--	P	W	S	--	3346
07S41E11	087	--	--	--	--	H	--	--
07S41E19DCAA	087	--	--	P	G	S	--	3500
07S41E22ACDC	087	44	--	S	E	H	110ALVM	3260
07S41E22CDDC	087	30	--	--	--	S	110ALVM	3285
07S41E27DBBD	087	20	4	P	H	H	110ALVM	3280
07S41E27DRCB	087	20	4	S	E	S	110ALVM	3280
07S41E28DDAD	087	25	6	P	W	S	110ALVM	3285
07S41E33CAAB	087	--	6	S	E	S	--	3305
07S41E34BAAD	087	20	1.25	--	--	U	110ALVM	3285
07S42E06B	087	20	--	--	--	H	--	--
07S42E06BCAA	087	260	--	P	E	S	125TGRV	3220
07S42E06BCDB	087	20	--	--	--	H	110ALVM	3220
07S42E20CAAA	087	125	4	--	--	U	125TGRV	3520
07S43E05ABDB	087	874	--	--	--	H	125LEBD	3230
07S45E13DCCC	075	225	4	C	E	H	125TGRV	3400
07S45E27AADA	075	80	5	S	E	H	125TGRV	3480
07S45E31ABBB	075	42	--	--	--	S	125TGRV	4420
07S46E06CACD	075	120	4	S	E	S	125TGRV	3320
07S46E11CACA	075	25	--	P	E	H,S	110ALVM	3520
07S47E21BABC	075	110	--	S	E	H,S	125TGRV	3840
07S47E27DBBA	075	34	4	P	W	S	125TGRV	3950
07S48E15ACAB	075	40	4	--	--	S	125TGRV	3460
07S49E16CDDC	075	880	2	--	--	S	125TLCK	3230
07S49E35CCCB	075	800	--	P	E	H	125TLCK	3320
07S50E22BDAD	075	435	4	S	E	H,S	125LEBD	3440
07S50E26BCBC	075	35	6	P	W	S	110ALVM	3400
07S51E07ACDA	075	140	4	S	E	S	125TGRV	3480
07S51E34DBDB	075	830	4	S	E	S	125TLCK	3660
07S52E10DACC	075	800	--	--	--	S	211FHHC	3180
07S52E26BACB	075	600	--	--	--	H,S	211FHHC	3295
07.5S40E32ACD	003	120	4	--	--	J	125GRV	3780
08S38E11ADBD	003	42	4	--	--	S	124WSTC	4270
08S38E12DCDD	003	18	--	P	H	H	125TGRV	4090
08S39E01ABAA	003	55	4	S	E	H	125TGRV	3865
08S39E01BABB	003	80	--	S	E	S	125TGRV	3895
08S39E01DCCC	003	90	4	S	E	S	125TGRV	3810

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
125.00	SR	07/24/1974	2	07/24/1974	1490	12.0	07S39E27CDC
150.00	R	10/06/1967	15 R	10/06/1967	--	--	07S39E27DCDD
30.00	S	07/17/1974	10 E	07/17/1974	--	9.0	07S39E31ACA
150.00	R	--	8 R	1959	--	--	07S39E34BCCB
65.50	S	07/16/1974	--	--	--	--	07S39E35ACC
73.20	S	--	15 R	12/27/1963	--	10.0	07S39E35DAB
--	--	--	--	--	650	10.5	07S39E36CDD
27.50	S	07/08/1975	--	--	--	--	07S40E018DDB
90.00	R	09/07/1967	20 R	09/07/1967	--	--	07S40E01DCBB
90.00	SR	07/16/1974	--	--	1460	10.5	07S40E050DDC
12.50	SR	07/18/1974	--	--	1500	13.5	07S40E08CCBD
13.20	SR	07/18/1974	--	--	1400	9.5	07S40E08CCDA
9.30	SR	07/17/1975	2 V	07/17/1975	1550	10.5	07S40E15DCBD
24.40	S	07/16/1974	--	--	--	--	07S40E17AADC
16.70	S	07/19/1974	--	--	--	--	07S40E17BADA
8.00	S	07/09/1975	--	--	845	11.5	07S40E27CDAD
2.90	S	07/25/1974	--	--	335	12.0	07S40E30CCBB
109.70	S	07/24/1974	8 R	1936	650	14.5	07S40E30DA3B
--	--	--	2 V	07/03/1975	1240	11.0	07S41E04DCDD
--	--	--	--	--	--	--	07S41E11
7.50	S	07/17/1975	12 V	07/17/1975	1750	9.0	07S41E19DCAA
18.00	R	08/18/1967	40 R	04/24/1967	--	--	07S41E22ACDC
22.40		10/07/1975	--	--	--	--	07S41E22CDD
6.00	R	07/17/1975	12 R	07/17/1975	1830	9.5	07S41E27DBBD
12.00	R	07/17/1975	9 R	07/17/1975	4430	9.0	07S41E27DBCB
15.40	S	10/07/1975	--	--	--	--	07S41E28DDAD
9.90	S	10/07/1975	--	--	--	--	07S41E33CAAB
1.00		10/07/1975	--	--	--	--	07S41E34BAAD
--	--	--	--	--	--	--	07S42E06B
--	--	--	1 V	06/24/1975	905	9.0	07S42E06BCAA
12.10	S	06/24/1975	--	--	--	--	07S42E06BCDB
--	--	--	--	--	--	--	07S42E20CAAA
	F	--	4 R	07/29/1976	2440	16.0	07S43E05A8DB
57.70	SR	08/03/1976	6 V	08/03/1976	1300	11.0	07S45E130CCC
20.70	SP	08/04/1976	8 V	08/04/1976	2300	10.0	07S45E27AADA
30.00	R	09/07/1967	8 R	09/07/1967	--	--	07S45E31A8BB
30.10	SR	08/03/1976	4 V	08/03/1976	1370	11.0	07S46E06CACD
15.20	SR	07/29/1976	4 V	07/29/1976	2300	7.0	07S46E11CACB
50.30	SP	07/29/1976	6 V	07/29/1976	3100	10.0	07S47E21BA3C
13.40	SP	07/22/1976	2 V	07/22/1976	2930	8.0	07S47E27DBBA
28.50	SP	07/21/1976	4 V	07/20/1976	2170	12.5	07S48E15ACAB
	F	--	0.5 VF	07/20/1976	1100	13.0	07S49E16CDDC
129.00	SR	07/28/1976	3 V	07/28/1976	800	--	07S49E35CCCB
200.00	RR	07/21/1976	5 V	07/21/1976	2000	12.5	07S50E22HJAD
22.20	SP	07/21/1976	3 V	07/21/1976	1700	8.0	07S50E26BCBC
100.20	SR	07/22/1976	12 V	07/22/1976	2370	10.5	07S51E07ACDA
66.40	SP	07/22/1976	4 V	07/22/1976	930	9.5	07S51E34DDBD
	F	--	15 V	07/29/1976	676	11.5	07S52E10DACC
	F	--	12 V	07/29/1976	532	13.0	07S52E26BACB
71.20	V	09/13/1976	--	--	--	--	07.5S40E32ACD
8.00	S	07/10/1974	--	--	2150	12.0	08S38E11AD3D
--	--	--	--	--	1500	9.5	08S38E12DCDD
47.40	S	07/09/1974	20	07/11/1974	900	11.5	08S39E01A3AA
54.20	S	07/09/1974	4 R	07/09/1974	--	--	08S39E01BABB
78.40	S	07/09/1974	--	--	--	--	08S39E010CLC

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
08S39E02DAAD	003	106	4	S	E	S	125TGRV	3840
08S39E02DAAD2	003	130	--	P	E	H,S	125TGRV	3860
08S39E12ACBB	003	305	5	S	E	H,S	125TGRV	3860
08S39E12ACBB2	003	370	--	S	E	S	125TGRV	3850
08S39E13BBCC	003	348	--	P	G	S	125TGRV	4080
08S39E14CBBC	003	--	--	P	G	S	--	3810
08S39E21DCAB	003	39	6	P	G	S	124WSTC	3900
08S39E22DCCD	003	59	--	P	W	S	125TGRV	3832
08S39E23ABDA	003	38	--	--	--	J	125TGRV	3770
08S39E2468BB	003	100	--	P	N	S	125TGRV	3780
08S39E24BCDD	003	105	--	--	--	A	125TGRV	3760
08S39E25DBDD	003	39	4	C	G	S	125TGRV	3768
08S39E26BDBA	003	--	--	--	--	--	--	3768
08S39E27CDDC	003	54	--	R	W	S	125TGRV	4095
08S39E32DBCD	003	30	--	P	--	H	125TGRV	3900
08S40E01BBCC	003	298	2	--	--	J	125TGRV	3782
08S40E07BBCA	003	100	--	P	E	S	125TGRV	3780
08S40E11CAAC	003	14	--	J	G	S	110ALVM	3485
08S40E15DBAD	003	--	--	S	E	H	--	3520
08S40E17DACD	003	230	4	--	--	J	125TGRV	3586
08S40E17DDAA	003	200	--	P	--	S	125TGRV	3662
08S40E18BBAD	003	303	4	P	W	S	125TGRV	3845
08S40E22BBCC	003	275	--	--	--	J	125TGRV	3620
08S40E28ABDB	003	107	--	P	W	S	125TGRV	3543
08S40E31ABDA	003	145	--	P	G	--	125TGRV	3615
08S40E32DAAD	003	--	6	S	E	H	--	3540
08S40E33AACC	003	89	4	--	--	U	125TGRV	3493
08S40E33AACD	003	58	4	--	--	J	125TGRV	3491
08S40E33ACDB	003	--	--	S	E	S	--	3485
08S40E33BCDA	003	88	--	P	E	S	125TGRV	3515
08S40E33CABB	003	37	4	--	--	J	125TGRV	3492
08S40E33CADA	003	83	4	--	--	J	125TGRV	3475
08S40E33CADA2	003	45	4	--	--	J	125TGRV	3476
08S40E33CADB	003	47	4	--	--	J	125TGRV	3472
08S40E34BDAA	003	53	--	S	E	I	125TGRV	3460
08S40E34BDAD	003	40	--	--	--	J	125TGRV	3460
08S40E34BDBA	003	98	4	--	--	H	125TGRV	3454
08S40E34BDBB	003	185	4	--	--	J	125TGRV	3424
08S40E34BDBB2	003	49	4	--	--	U	125TGRV	3424
08S41E18CBBB	003	42	--	--	--	--	125TGRV	3370
08S41E21CABB	003	99	--	P	W	S	125TGRV	3651
08S41E23DBCA	003	334	4	--	--	U	125TGRV	3960
08S41E24DCBA	003	42	--	P	G	S	125TGRV	3980
08S41E25CCAB	003	420	--	P	E	J	125TGRV	4150
08S41E29BAAC	003	33	6	P	W	S	125TGRV	3580
08S41E32BBBA	003	196	--	P	W	S	125TGRV	3635
08S41E34BCCC	003	181	--	P	G	S	125TGRV	3660
08S42E02ADDD	003	168	4	--	--	J	125TGRV	3629
08S42E06ADBC	003	398	2	--	--	J	125TGRV	3725
08S42E09AACD	003	25	--	--	--	--	125TGRV	3780
08S42E14ADCB	003	32	--	P	G	--	125TGRV	3680
08S42E15CBBA	003	157	4	P	E	--	125TGRV	3830
08S42E21AAAB	003	410	--	P	E	--	125TGRV	3960
08S42E22CAAC	003	166	--	P	W	--	125TGRV	3988
08S42E22DBCA	003	--	--	P	E	--	--	3980

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHOS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LUCAL NUMBER
106.00	S	07/09/1974	--	--	--	--	08S39E02DAAD
114.00		07/09/1974	10 R	1955	875	13.0	08S39E02DAAD2
141.00	RP	08/21/1941	10 R	08/21/1941	1700	12.5	08S39E12ACB3
175.70	SR	07/18/1974	10 R	08/21/1971	2440	12.0	08S39E12ACB32
249.00	RP	07/18/1974	10 R	11/10/1972	3500	10.0	08S39E13B8CC
77.00	S	10/13/1973	--	--	1200	20.0	08S39E14C3BC
8.10	S	07/18/1975	--	--	1800	8.5	08S39E21DCAB
19.00	S	10/11/1973	--	--	1800	9.5	08S39E22DCCD
29.00	S	10/13/1973	--	--	500	9.5	08S39E23ABDA
--	--	--	--	--	--	--	08S39E24B8BB
85.00	S	10/13/1973	--	--	2000	12.0	08S39E24BCDD
4.90	S	07/14/1974	--	--	2400	--	08S39E25D8DD
16.00		10/11/1973	--	--	--	--	08S39E26BDBA
35.00	S	01/11/1973	--	--	850	9.5	08S39E27CDDC
19.00	S	10/16/1973	--	--	2300	10.0	08S39E32DBCD
--	--	--	--	--	--	--	08S40E01B8CD
2.30	S	07/17/1974	--	--	950	9.0	08S40E07B8CA
26.00	S	10/18/1973	--	--	905	13.5	08S40E11CAAC
140.00	S	09/ /1972	--	--	600	9.5	08S40E15DBAD
					--	--	08S40E17DACD
135.00	S	10/18/1973	--	--	--	--	08S40E17DDAA
180.00	S	--	4 Z	10/18/1973	--	--	08S40E18B3AD
118.00	S	10/18/1973	--	--	520	13.5	08S40E22B3CC
81.00	S	10/11/1973	--	--	800	12.0	08S40E28A3DB
96.00	S	10/11/1973	--	--	1500	--	08S40E31A3DA
47.20	S	07/18/1975	--	--	1440	--	08S40E32DAAD
54.50	S	07/18/1975	--	--	1480	10.0	08S40E33AACC
54.10	S	07/18/1975	--	--	2200	10.0	08S40E33AACD
55.00	S	10/11/1973	4 V	10/11/1973	1450	10.5	08S40E33ACD9
28.00	S	10/13/1973	--	--	1300	10.0	08S40E33BCDA
13.90	S	07/19/1975	--	--	1700	16.0	08S40E33CAB3
15.80	S	07/19/1975	--	--	1720	10.0	08S40E33CADA
10.40	S	07/19/1975	--	--	1680	9.5	08S40E33CADA2
10.30	S	07/19/1975	--	--	1680	10.0	08S40E33CAD3
33.00	S	10/11/1973	--	--	800	12.0	08S40E34BDAA
30.00	S	10/11/1973	--	--	850	12.0	08S40E34BDAD
13.00	S	10/12/1973	6 R	10/12/1973	780	11.0	08S40E34BD3A
5.00	S	07/18/1975	--	--	1650	11.5	08S40E34DBDB
5.50	S	07/18/1975	--	--	410	10.5	08S40E34DBDB2
11.00		--	--	--	--	--	08S41E18C3BB
82.00	S	10/17/1973	--	--	650	15.0	08S41E21CA3B
248.00		08/05/1975	--	--	--	--	08S41E23D3CA
16.00	S	10/14/1973	--	--	3800	14.0	08S41E24DC3A
388.00	S	10/14/1973	3 R	10/14/1973	4200	13.5	08S41E25CCA3
17.30	S	07/13/1974	--	--	2890	13.0	08S41E29BAAC
93.00	S	10/17/1973	--	--	5500	14.0	08S41E32B8BA
86.00	S	10/14/1973	--	--	2500	12.5	08S41E34B8CC
108.98		08/02/1977	--	--	--	--	08S42E02ADDD
39.50		10/27/1976	--	--	--	--	08S42E06AD3C
13.00	S	11/19/1973	--	--	--	--	08S42E09AACC
16.00	R	11/18/1973	38 R	10/18/1973	--	--	08S42E14ADCB
40.00		11/19/1973	5 R	11/19/1973	2720	9.5	08S42E15C3BA
220.00	S	11/19/1973	50 R	11/19/1973	5000	11.0	08S42E21AAA3
120.00	S	11/18/1973	4 R	11/18/1973	--	--	08S42E22CAAC
--	--	--	--	--	--	--	08S42E22D3CA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
08S42E23BDBC	003	136	--	P	E	--	125TGRV	3880
08S42E26CB8B	003	159	--	--	--	H	125TGRV	3810
08S42E28CAAA	003	133	--	P	--	--	125TGRV	3940
08S42E29BDAC	003	20	--	P	w	--	124WSTC	3992
08S42E35B86C	003	456	--	--	--	--	125TGRV	3965
08S43E05CBAC	003	44	--	P	Z	--	125TGRV	3375
08S43E09ADCC	003	199	4	--	--	S	125TGRV	3725
08S43E10BCAC	003	--	--	P	w	S	--	4105
08S43E11CD3D	003	325	4	P	G	S	125TGRV	3787
08S43E13ACCA	003	110	4	P	G	S	125TGRV	3865
08S43E16CCDA	003	100	--	S	E	H	125TGRV	3510
08S43E18ADCD	003	45	--	P	w	S	125TGRV	3375
08S43E23DBCC	003	58	4	--	--	J	125TGRV	3598
08S43E23DBDB	003	274	--	P	L	--	125TGRV	3607
08S43E28CACD	003	50	6	P	Z	S	125TGRV	3495
08S43E29DABC	003	68	4	P	w	S	125TGRV	3521
08S43E30B8CD	003	47	--	P	w	--	125TGRV	3620
08S43E32B8DA	003	--	2	--	--	J	--	3682
08S44E02AADC	003	13	--	--	--	J	110ALVM	3730
08S44E02ADAB	003	48	4	P	E	S	125TGRV	3742
08S44E05B8AB	003	147	4	P	E	S	125TGRV	3855
08S44E06CBAC	003	44	--	--	--	S	125TGRV	3720
08S44E07B8AB	003	32	24	--	--	S	125TGRV	3755
08S44E09DBDD	003	25	--	--	--	S	125TGRV	3839
08S44E13B8BB	003	226	--	--	--	S	125TGRV	3820
08S44E14AACC	003	--	4	P	w	S	--	3843
08S44E15BCCD	003	51	4	P	w	S	125TGRV	3905
08S44E18ABAC	003	38	--	J	E	S	125TGRV	3880
08S44E18ABDB	003	255	--	P	E	H	125TGRV	3900
08S44E18BDCC	003	336	4	P	w	--	125TGRV	3865
08S44E22JCDH	003	190	--	P	w	S	125TGRV	4109
08S44E24CBCA	003	--	--	--	--	J	--	3930
08S44E35AADC	003	28	--	P	G	S	125TGRV	4016
08S45E04ABAA	075	25	--	--	--	--	110ALVM	3555
08S45E10ABCB	075	30	--	--	--	S	125TGRV	3600
08S45E11ADDA	075	180	2	--	--	J	125TGRV	3880
08S45E14DDAC	075	10	--	--	--	S	125TGRV	3818
08S45E15CAAB	075	108	4	--	--	--	125TGRV	3663
08S45E16DDCB	075	42	--	P	E	S	125TGRV	3680
08S45E20AACD	075	35	--	--	--	S	125TGRV	3718
08S45E20B0AB	075	40	--	J	--	H	125TGRV	3780
08S45E22BAAA	075	19	36	--	--	S	110ALVM	3682
08S45E27B0BU	075	45	36	P	G	S	110ALVM	3718
08S45E27B0B02	075	64	4	--	--	J	125TGRV	3718
08S45E27B0B03	075	190	4	S	E	H	125TGRV	3718
08S45E27CCAA	075	40	--	P	G	--	110ALVM	3850
08S45E28AACC	075	262	6	--	--	J	125TGRV	3775
08S45E30A8AA	075	130	4	--	--	--	125TGRV	3827
08S45E31BCCB	075	361	--	--	--	--	125TGRV	3880
08S45E32BCAD	075	90	4	--	--	--	125TGRV	3843
08S45E33AADA	075	10	--	P	G	S	110ALVM	3750
08S45E33BAAAC	075	50	4	--	--	H	125TGRV	3770
08S45E33BADB	075	30	30	P	E	S	110ALVM	3770
08S45E33B8DD	075	30	--	J	E	S	110ALVM	3778
08S45E34BCBC	075	253	4	--	--	J	125TGRV	3787

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMHDS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
75.00	R	11/18/1973	4 R	11/18/1973	--	--	08S42E23BD8C
92.00		11/15/1973	--	--	4300	11.0	08S42E26C88B
80.00		11/14/1973	2 R	11/14/1973	--	--	08S42E28CAAA
10.00	R	11/19/1973	--	--	4100	11.0	08S42E29BDAC
--		--	--	--	--	--	08S42E35B8BC
15.00		10/31/1973	9 R	10/31/1973	3000	9.5	08S43E05CBAC
83.00	R	10/06/1967	4 Z	11/27/1965	--	--	08S43E09ADCC
--		--	--	--	--	--	08S43E10BCAC
143.00	S	11/13/1973	4 R	11/13/1973	--	--	08S43E11LD8D
78.00	S	11/13/1973	2 R	11/13/1973	--	10.0	08S43E13ACCA
--		--	--	--	--	--	08S43E16CCDA
20.00	S	--	10 R	10/ /1973	--	--	08S43E18ADCD
35.12	S	08/16/1977	--	--	--	--	08S43E23DBCC
--		--	25 R	--	--	9.0	08S43E23DB0B
17.00	S	10/26/1973	25 R	10/ /1973	--	--	08S43E28CADC
15.00	R	--	30 R	10/26/1973	--	9.0	08S43E29DABC
38.00	S	10/ /1973	2 R	11/15/1973	1850	9.5	08S43E30B8CD
104.50		08/01/1977	--	--	--	--	08S43E32B8DA
8.00	S	11/16/1973	--	--	--	--	08S44E02AADC
36.00	S	11/16/1973	--	--	--	9.0	08S44E02ADAB
54.00	S	11/16/1973	--	--	--	11.0	08S44E05B8BB
30.00	S	10/06/1967	6 R	10/06/1967	--	--	08S44E06CBAC
19.00	S	11/13/1973	3 R	11/13/1973	--	10.0	08S44E07B8BB
1.00	S	11/13/1973	--	--	--	9.0	08S44E09D9DD
145.00	S	10/06/1967	--	--	--	--	08S44E13B8BB
--		--	--	--	--	--	08S44E14AACC
12.00	S	11/16/1973	--	--	--	11.0	08S44E15BCCD
16.00	S	11/13/1973	--	--	--	9.0	08S44E18ABAC
205.00	R	11/12/1973	12 Z	11/12/1973	--	11.0	08S44E18B8DB
173.00	S	11/15/1973	6 R	11/15/1973	--	10.0	08S44E18BDCC
144.00	S	11/15/1973	10 Z	11/15/1973	--	--	08S44E22DCD3
10.00	S	11/14/1973	--	--	--	--	08S44E24CBCA
--		--	--	--	--	--	08S44E35ADDC
--		--	--	--	--	--	08S45E04A8AA
7.00	S	02/02/1974	--	--	2850	6.0	08S45E10A9CB
59.20	S	08/16/1977	--	--	--	--	08S45E11ADDA
--		--	--	--	--	--	08S45E14DDAC
--		--	--	--	--	--	08S45E15CAAB
--		--	--	--	5400	8.5	08S45E16DDCB
11.00	S	02/02/1974	--	--	--	--	08S45E20AACD
--		--	--	--	2400	8.5	08S45E20BDA3
8.00	S	01/31/1974	--	--	--	5.0	08S45E22BAAA
38.00	S	09/ /1967	1 R	01/31/1974	8000	8.5	08S45E27BDBD
23.00	S	01/31/1974	20	01/31/1974	--	--	08S45E27BDBD2
32.00	S	01/31/1974	7	01/31/1974	--	--	08S45E27BDBD3
7.00	S	01/30/1974	--	--	--	--	08S45E27CCAA
105.00	S	01/ /1974	15 R	01/31/1974	--	--	08S45E28AACCC
--		--	--	--	--	--	08S45E30ABAA
327.00		--	12 R	09/06/1967	--	--	08S45E31BCCB
--		--	--	--	--	--	08S45E32BCAD
--		--	--	--	--	--	08S45E33AADA
22.00	R	06/ /1967	20 Z	01/30/1974	6100	8.0	08S45E33BAAAC
--		--	--	--	1920	9.5	08S45E33BADD3
6.00	S	02/02/1974	--	--	3700	8.5	08S45E33B8DD
126.80	S	09/21/1976	3 V	02/03/1976	2180	12.5	08S45E34BCBC

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
08S45E34CAAB	075	130	6	J	E	S	125TGRV	3760
08S45E34CAAC	075	20	--	P	E	S	110ALVM	3760
08S45E36BCCC	075	250	4	P	G	S	125TGRV	3900
08S46E01BAAA	075	60	--	P	E	S	125TGRV	3641
08S46E01CDAC	075	220	--	P	W	S	125TGRV	3819
08S46E02DBCD	075	70	4	--	--	J	125TGRV	3888
08S46E04DACC	075	21	--	P	H	J	125TGRV	3709
08S46E05CBDC	075	55	--	P	E	S	125TGRV	3562
08S46E05DADD	075	16	--	P	E	H	110ALVM	3608
08S46E16DABA	075	14	32	P	--	J	110ALVM	3788
08S46E17CDBC	075	30	--	J	E	S	125TGRV	3652
08S46E20CCCA	075	33	4	P	G	S	110ALVM	3668
08S46E23ABAB	075	40	--	--	--	J	125TGRV	3896
08S46E24CCDB	075	160	4	P	E	S	125TGRV	3919
08S46E26ACCA	075	50	--	--	--	S	125TGRV	3865
08S46E26ACCD	075	18	--	--	--	J	125TGRV	3857
08S46E27BRAB	075	33	--	--	--	S	125TGRV	3870
08S46E28ACDB	075	75	4	P	--	S	125TGRV	3760
08S46E28ADD	075	75	--	--	--	S	125TGRV	3780
08S46E28DAAC	075	33	4	P	G	S	125TGRV	3773
08S46E32ABAB	075	20	--	P	G	S	110ALVM	3727
08S47E06BCA3	075	18	--	P	H	J	110ALVM	3708
08S47E07CCBD	075	80	--	--	--	J	125TGRV	3797
08S47E08DABC	075	--	4	S	E	H	--	3875
08S47E08DABC2	075	--	6	P	E	H	--	3875
08S47E16BCC	075	--	4	P	E	S	--	3850
08S48E12AACA	075	590	2	--	--	S	125LEB0	3270
08S48E13BDD	075	367	2	--	--	S	125TGRV	3300
08S48E16CCB8	075	172	4	--	--	S	125TGRV	3442
08S49E04CDBB	075	130	4	P	G	S	125TGRV	3435
08S49E25AADC	075	36	4.25	P	E	S	110ALVM	3480
08S50E24ABAA	075	--	--	S	E	H	--	3628
08S50E25CBDD	075	40	--	S	E	S	125TGRV	3740
08S51E01DCDB	075	270	4	--	--	S	125TLCK	3484
08S51E12CCB8	075	100	4	P	E	H, S	125LEB0	3580
08S52E15CCAD	075	300	2.5	--	--	S	125TLCK	3275
09S35E22UADA	003	175	4	--	--	J	125TGRV	3982
09S39E14AC3C	003	36	--	S	E	S	125TGRV	3660
09S39E14B1AD	003	300	--	S	E	H	125TGRV	3655
09S39E14CDB8	003	391	--	--	--	J	125TGRV	3647
09S39E22CC6C	003	615	4	S	G	S	125TGRV	4035
09S39E24CDB8	003	235	4	P	E	H	125TGRV	3600
09S39E24CCDC	003	244	3.5	P	E	H	125TGRV	3608
09S39E25D0AC	003	150	--	P	W	--	125TGRV	3590
09S39E29DAAC	003	60	--	--	--	--	125TGRV	3720
09S39E29DBDA	003	37	6	P	E	H, S	110ALVM	3725
09S39E32BAAA	003	--	4	P	E	J	--	3770
09S40E01CCAA	003	125	--	P	G	S	125TGRV	3445
09S40E01DCBA	003	72	4	--	--	J	110ALVM	3457
09S40E01DCBA2	003	72	4	--	--	J	110ALVM	3457
09S40E03ACAB	003	280	4	--	--	S	125TGRV	3423
09S40E03CCCD	003	99	4	P	G	S	125TGRV	3478
09S40E03CDDC	003	97	5	--	--	J	125TGRV	3460
09S40E03DARB	003	78	4	--	--	J	125TGRV	3433
09S40E03DA8R2	003	48	4	--	--	J	125TGRV	3437



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UMMUS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
119.00	R	09/ /1967	50 R	09/ /1967	--	08S45E34CAA8	
6.00	S	01/30/1974	--	--	4000	7.5	08S45E34CAAC
--	--	--	--	--	--	--	08S45E368CCC
37.00	S	02/06/1974	--	--	--	--	08S46E018AAA
137.00	S	02/06/1974	--	--	--	--	08S46E01CDAC
55.00	S	02/06/1974	--	--	--	--	08S46E02DBCD
8.00	S	02/07/1974	--	--	4500	6.0	08S46E04DACD
20.00	S	02/07/1974	--	--	--	--	08S46E05C3DC
10.00	S	02/07/1974	--	--	3500	4.0	08S46E05DADD
11.00	S	01/31/1974	--	--	--	--	08S46E16DABA
11.00	S	02/04/1974	--	--	5000	2.5	08S46E17CD8C
9.00	S	01/30/1974	--	--	6500	5.5	08S46E20CCCA
--	--	--	--	--	--	--	08S46E23ABAB
150.00	R	05/ /1969	4 R	05/ /1969	4700	8.5	08S46E24CCDB
11.00	S	02/04/1974	8 R	02/04/1974	2200	3.5	08S46E26ACCA
5.00	S	02/04/1974	--	--	--	--	08S46E26ACCD
30.00	S	09/06/1967	--	--	--	--	08S46E27B3AB
14.00	S	01/31/1974	--	--	--	--	08S46E28ACDB
50.00	S	09/06/1967	--	--	--	--	08S46E28ADD
13.00	S	01/31/1974	--	--	--	--	08S46E28DAAC
6.00	S	01/30/1974	--	--	--	--	08S46E32ABAB
12.00	S	02/06/1974	--	--	--	--	08S47E06BCAB
14.00	S	02/06/1974	--	--	--	--	08S47E07CC8D
--	--	--	--	--	--	--	08S47E08DABC
--	--	3 E	10/29/1975	--	--	--	08S47E08DABC2
--	--	--	--	--	--	--	08S47E168BCC
--	F	--	3 V F	07/22/1976	815	13.5	08S48E12AACA
--	F	--	1 V F	07/28/1976	1000	12.0	08S48E138D8D
50.40	SR	07/22/1976	3 V	07/22/1976	4100	12.0	08S48E16CC8B
80.40	SR	07/28/1976	6 V	07/28/1976	5000	10.0	08S49E04CD38
23.00	SR	07/29/1976	4 V	07/29/1976	5300	9.0	08S49E25AADC
158.00	SP	07/21/1976	6 V	07/21/1976	940	13.0	08S50E24ABAA
13.80	SP	07/20/1976	18 V	07/20/1976	2360	9.5	08S50E25C8D0
101.70	SR	07/22/1976	--	--	--	--	08S51E01DCD3
92.60	SP	07/22/1976	1 V	07/22/1976	930	12.0	08S51E12DC38
59.00	F	--	0.5 VF	07/28/1976	732	12.0	08S52E15CCAD
16.00	S	10/17/1973	--	--	1040	11.0	09S38E22DADA
--	--	--	--	--	1950	13.0	09S39E14AC8C
--	--	--	--	--	1500	14.0	09S39E14BDAD
160.00	S	10/16/1973	--	--	4000	12.5	09S39E14DC98
367.00		10/17/1974	--	--	2750	--	09S39E22CC8C
88.00	R	08/26/1975	--	--	2950	11.0	09S39E24ACDB
106.00	R	08/26/1975	--	--	2950	--	09S39E24DCDC
--	--	10 R	02/03/1976	--	--	--	09S39E25DDAC
10.00	S	09/07/1967	50 R	09/07/1967	--	--	09S39E29DAAC
18.90	S	07/18/1974	--	--	1700	11.5	09S39E29DBDA
63.40	S	07/18/1974	--	--	--	--	09S39E32BAAA
26.00	S	10/18/1973	--	--	1900	11.5	09S40E01CCAA
34.20	S	07/17/1975	--	--	3850	10.0	09S40E01DC8A
35.20	S	07/17/1975	--	--	3850	10.0	09S40E01DC8A2
50.90	F	09/26/1975	0.4 VF	09/26/1975	1320	12.0	09S40E03ACAB
50.90	S	07/20/1975	--	--	1680	9.5	09S40E03CCCD
39.50	S	07/20/1975	--	--	1620	11.0	09S40E03DCDD
10.20	S	07/19/1975	--	--	750	10.5	09S40E03DA38
15.80	S	07/19/1975	--	--	775	14.0	09S40E03DA832

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
09S40E030CAA	003	462	--	--	--	J	125TGRV	3440
09S40E048CCA	003	77	4	--	--	J	125TGRV	3525
09S40E048DCB	003	121	4	--	--	J	125TGRV	3514
09S40E048DCC	003	74	4	--	--	J	125TGRV	3514
09S40E048CAD	003	240	5	--	--	J	125TGRV	3542
09S40E048DAB	003	--	--	P	E	S	--	3542
09S40E05AC8B	003	173	4	--	--	J	125TGRV	3563
09S40E058ACC	003	238	4	P	G	S	125TGRV	3585
09S40E070CAB	003	274	--	--	--	--	125TGRV	3720
09S40E080CAA	003	215	1.25	--	--	--	125TGRV	3612
09S40E09AAD	003	129	4	--	--	J	125TGRV	3500
09S40E09AAD02	003	134	4	--	--	J	125TGRV	3500
09S40E09AAD03	003	85	4	--	--	J	125TGRV	3499
09S40E098DDA	003	192	4	--	--	J	125TGRV	3598
09S40E098DDA2	003	247	1.25	--	--	J	125TGRV	3592
09S40E098DDA3	003	192	2	--	--	J	125TGRV	3598
09S40E098DD8	003	247	4	--	--	J	125TGRV	3592
09S40E10CACC	003	980	6	--	--	I	125TGRV	3465
09S40E11ADAC	003	32	12	P	E	S	125TGRV	3430
09S40E11ADAC2	003	--	4	J	E	H	125TGRV	3440
09S40E11ADDD	003	100	--	--	--	--	125TGRV	3440
09S40E11C8CC	003	103	4	--	--	J	125TGRV	3424
09S40E11C8CC2	003	17	4	--	--	J	110ALVM	3425
09S40E11DCAD	003	151	4	--	--	J	125TGRV	3451
09S40E11DCAD2	003	67	4	--	--	J	125TGRV	3452
09S40E12ABAB	003	49	4	--	--	J	125TGRV	3478
09S40E12AB8A	003	131	4	--	--	--	125TGRV	3478
09S40E128CAA	003	45	4	--	--	J	125TGRV	3445
09S40E128CAA2	003	50	4	--	--	J	125TGRV	3445
09S40E128CAB	003	44	4	--	--	J	125TGRV	3445
09S40E13CAAA	003	108	--	P	G	S	125TGRV	3500
09S40E130CC3	003	228	4	--	--	J	125TGRV	3511
09S40E130CC32	003	176	4	--	--	J	125TGRV	3518
09S40E130CCD	003	75	--	P	G	S	125TGRV	3520
09S40E130CCD2	003	123	4	--	--	J	125TGRV	3509
09S40E150DB0	003	89	4	--	--	J	111SPBK	3458
09S40E150DBD2	003	98	4	--	--	J	111SPBK	3458
09S40E150D0C	003	17	24	P	E	S	110ALVM	3431
09S40E150D0D	003	34	6	J	E	H	110ALVM	3430
09S40E16ARCA	003	104	1.25	--	--	J	125TGRV	3498
09S40E16ABCD	003	207	4	--	--	J	125TGRV	3498
09S40E16D0DC	003	3485	--	--	--	--	211FHHC	3540
09S40E17ACAC	003	115	--	P	W	S	125TGRV	3545
09S40E17DACH	003	220	2	--	--	--	125TGRV	3584
09S40E17080A	003	199	1.25	--	--	J	125TGRV	3579
09S40E1708DB	003	231	4	--	--	J	125TGRV	3581
09S40E18AAB0	003	236	4	--	--	J	125TGRV	3640
09S40E193ACA	003	384	4	--	--	J	125TGRV	3693
09S40E21ACCA	003	255	4	--	--	J	125TGRV	3534
09S40E21ACCA2	003	165	4	--	--	J	125TGRV	3537
09S40E21BCAC	003	210	4	--	--	J	125TGRV	3575
09S40E213CAD	003	200	2	--	--	J	125TGRV	3574
09S40E21BCDA	003	182	1.25	--	--	J	125TGRV	3575
09S40E21CACD	003	110	--	--	--	H	125TGRV	3556
09S40E21CADA	003	196	4	--	--	J	125TGRV	3537

WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
4.10	10/21/1968	4 R	10/06/1967	--	--	09S40E03DCAA
73.60 V	07/19/1975	--	--	1720	10.5	09S40E04BCCA
67.90 S	07/19/1975	--	--	1850	11.0	09S40E04BDCCB
68.30 S	07/19/1975	--	--	1650	11.0	09S40E04BDCC
95.30 S	07/19/1975	--	--	2780	11.5	09S40E04CBAD
95.00 S	10/13/1973	--	--	3980	11.0	09S40E04CDAB
63.40 S	07/19/1975	--	--	1580	11.0	09S40E05AC3B
68.00 S	10/13/1973	--	--	2000	12.5	09S40E05BACC
138.00 S	10/11/1973	50 R	10/12/1973	--	--	09S40E07CCA8
15.00 S	11/28/1973	--	--	--	--	09S40E08DCAA
75.10 S	07/18/1975	--	--	1640	10.5	09S40E09AADD
74.20 V	07/15/1975	--	--	1580	11.0	09S40E09AADD2
78.90 S	07/18/1975	--	--	3550	10.0	09S40E09AADD3
158.00 S	09/ /1972	--	--	--	--	09S40E09BDDA
152.00 S	09/ /1972	--	--	--	--	09S40E09BDDA2
150.00 S	10/ /1970	--	--	--	--	09S40E09BDDA3
152.00 S	09/ /1972	--	--	--	--	09S40E09BDD8
45.80 S	09/27/1975	--	--	1500	11.0	09S40E10CACC
18.00 S	10/17/1973	--	--	1750	10.0	09S40E11ADAC
22.80 S	08/25/1975	--	--	2000	--	09S40E11ADAC2
50.00 R	10/06/1967	10 R	10/06/1967	--	--	09S40E11ADDD
3.20 S	07/20/1975	--	--	1640	10.0	09S40E11C3CC
5.10 S	07/20/1975	--	--	5000	9.0	09S40E11C3CC2
29.40 S	07/21/1975	--	--	2750	11.0	09S40E11DCA0
31.50 S	07/17/1975	--	--	2000	10.5	09S40E11DCA02
43.80 S	07/17/1975	--	--	--	9.0	09S40E12ABAB
55.00 S	07/17/1975	--	--	3700	8.5	09S40E12AB3A
25.40 S	07/17/1975	--	--	2220	11.0	09S40E12B3AA
25.40 S	07/17/1975	--	--	2600	11.0	09S40E12B3AA2
25.20 S	07/17/1975	--	--	1810	11.0	09S40E12B3AB
63.00 S	10/18/1973	--	--	2400	10.0	09S40E13CAAA
81.30 S	06/23/1975	--	--	2280	12.0	09S40E13DCCB
97.90 S	06/23/1975	--	--	2450	10.5	09S40E13DCCB2
31.00 S	10/17/1973	--	--	925	11.0	09S40E13DCC0
71.50 S	06/23/1975	--	--	2350	10.5	09S40E13DCC02
83.90 S	07/24/1975	--	--	4800	11.5	09S40E15CD80
82.40 S	07/24/1975	--	--	4600	13.0	09S40E15CD802
12.20 S	08/26/1975	--	--	2000	9.0	09S40E15DCC0
12.10 S	08/26/1975	--	--	1650	--	09S40E15DCC00
57.00 S	11/ /1970	--	--	--	--	09S40E16ABCA
39.00 S	06/ /1972	7 V	11/28/1973	--	--	09S40E16ABCD
--	--	--	--	--	--	09S40E16DD00
111.00 S	10/12/1973	--	--	1700	9.5	09S40E17ACAC
133.00 S	10/ /1970	--	--	--	--	09S40E17DACC8
157.90 S	07/15/1975	--	--	1520	11.0	09S40E17D8DA
160.10 V	--	--	--	1500	10.8	09S40E17D8DB
188.60 V	07/20/1975	--	--	1680	12.0	09S40E18AAB0
240.60 S	07/20/1975	--	--	1650	12.5	09S40E19BACA
68.00 S	09/ /1972	--	--	--	--	09S40E21ACCA
91.00 S	09/ /1972	--	--	--	--	09S40E21ACCA2
128.00 S	09/ /1972	--	--	--	--	09S40E21BCAC
105.00 S	10/ /1970	--	--	--	--	09S40E21BCAD
111.90 S	07/15/1975	--	--	4100	11.0	09S40E21BCDA
--	--	--	--	5010	15.0	09S40E21CAC0
92.00 S	09/ /1972	--	--	--	--	09S40E21CADA

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAMETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
09S40E21CCAC	003	199	4	--	--	J	125TGRV	3641
09S40E21CDAH	003	276	4	S	E	--	125TGRV	3555
09S40E21CDBA	003	--	3.5	S	E	H,S	--	3577
09S40E21CDBD	003	188	--	S	E	H	125TGRV	3561
09S40E21CDDO	003	227	--	--	--	H	125TGRV	3650
09S40E21DDBA	003	170	--	S	E	S	125TGRV	3505
09S40E22DAAO	003	169	--	J	E	S	125TGRV	3455
09S40E23CCCD	003	173	4	--	--	J	125TGRV	3462
09S40E23CCO2	003	203	4	--	--	J	125TGRV	3461
09S40E23CBBA	003	289	4	--	--	J	125TGRV	3463
09S40E24AACD	003	433	4	--	--	J	125TGRV	3551
09S40E24ABAB	003	75	4	P	W	S	111SPBK	3530
09S40E24ABAD	003	133	4	--	--	J	125TGRV	3520
09S40E24ABAD2	003	118	4	--	--	J	125TGRV	3519
09S40E24ABAD3	003	127	4	--	--	J	125TGRV	3529
09S40E24ABBB	003	140	4	P	G	S	125TGRV	3528
09S40E24ADBA	003	343	4	--	--	J	125TGRV	3557
09S40E24ADBA2	003	245	4	--	--	J	125TGRV	3562
09S40E24AD3D	003	423	4	--	--	J	125TGRV	3573
09S40E24CABC	003	190	--	--	--	H	125TGRV	3680
09S40E24CABC2	003	15	--	--	--	H	110ALVM	3882
09S40E263ADD	003	--	--	P	G	S	--	3490
09S40E27CCAC	003	260	--	--	--	H,S	125TGRV	3440
09S40E280AB3	003	600	--	--	--	--	125TGRV	3475
09S40E29ABDB	003	293	4	--	--	J	125TGRV	3578
09S40E29CCAD2	003	151	--	J	E	H	125TGRV	3520
09S40E29DBDB	003	--	--	P	E	P	--	3560
09S40E30BBAB	003	125	--	S	E	S	125TGRV	3562
09S40E30BBD	003	238	--	S	E	--	125TGRV	3560
09S40E36ADAB	003	290	--	P	W	S	125TGRV	3725
09S41E01CBAC	003	372	4	--	--	J	125TGRV	3965
09S41E01DADD	003	180	--	P	G	S	125TGRV	3800
09S41E050C3D	003	235	4	--	--	J	125TGRV	3557
09S41E050C3D2	003	146	4	--	--	J	125TGRV	3552
09S41E050C3D3	003	113	4	--	--	J	125TGRV	3549
09S41E060UCC	003	73	--	--	--	--	125TGRV	3498
09S41E06JDCU	003	33	6	P	W	H	125TGRV	3498
09S41E07ADCA	003	--	5	S	E	H,S	--	3520
09S41E07CCBU	003	103	--	--	--	J	125TGRV	3513
09S41E085BAA	003	37	4	--	--	J	125TGRV	3495
09S41E085BAD	003	34	--	--	--	J	110ALVM	3478
09S41E08CABC	003	74	4	--	--	J	125TGRV	3524
09S41E08CABC2	003	152	4	--	--	J	125TGRV	3525
09S41E08CACD	003	--	--	--	--	--	--	3530
09S41E08CBAU	003	215	4	--	--	J	125TGRV	3523
09S41E08CDHD	003	105	--	S	E	S	125TGRV	3550
09S41E09ACBC	003	29	--	S	E	S	110ALVM	3515
09S41E14ACCD	003	62	4	--	--	S	125TGRV	3622
09S41E15ABDB	003	26	--	P	W	S	110ALVM	3550
09S41E17CBCC	003	96	--	P	W	S	125TGRV	3570
09S41E185DAA	003	99	4	--	--	J	125TGRV	3524
09S41E20DDDD	003	230	2	--	--	J	125TGRV	3734
09S41E26AADA	003	40	--	P	W	S	125TGRV	3688
09S41E26ABBB	003	252	--	--	--	--	125TGRV	3760
09S41E265ABC	003	113	--	--	--	S	125TGRV	3746

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (JHMUS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
136.60	S	07/22/1975	--	--	2380	10.0	09S40E21CCAC
123.00	S	10/12/1973	--	--	2700	10.5	09S40E21CDA3
149.50	V	07/24/1975	--	--	2200	--	09S40E21CDBA
--	--	--	--	--	1450	14.0	09S40E21CDB0
117.00	R	09/07/1967	5	09/07/1967	--	--	09S40E21CDD0
30.00	S	10/15/1973	--	--	4500	10.0	09S40E21DD3A
41.00	S	10/18/1973	4	--	2500	10.0	09S40E22DAAD
44.80	S	07/20/1975	--	--	2400	11.0	09S40E23BCCJ
46.10	S	07/17/1975	--	--	2500	11.0	09S40E23BCCD2
12.90	S	07/16/1975	--	--	2500	11.0	09S40E23CB3A
56.90	S	06/24/1975	--	--	2800	10.5	09S40E24AACJ
31.70	S	08/23/1975	--	--	3500	10.0	09S40E24ABAB
83.80	S	06/24/1975	--	--	2620	10.5	09S40E24ABAU
82.60	S	06/23/1975	--	--	3000	10.5	09S40E24ABAD2
93.40	S	06/24/1975	--	--	1980	10.5	09S40E24ABAD3
45.10	S	07/15/1974	--	--	1200	10.5	09S40E24AB3B
60.70	S	06/23/1975	--	--	2800	10.5	09S40E24AD3A
62.10	S	06/23/1975	--	--	2750	10.5	09S40E24AD3A2
78.10	S	06/23/1975	--	--	3000	11.0	09S40E24AD3D
9.00	K	10/15/1972	33	--	--	--	09S40E24CA3C
10.00	R	10/15/1972	--	--	--	7.0	09S40E24CA3C2
--	--	--	4	--	2200	10.5	09S40E26BADD
--	F	--	5 R F	10/19/1973	2300	12.0	09S40E27CCAC
--	--	--	1 R F	10/22/1968	2130	12.0	09S40E28DABB
117.10	S	07/24/1975	--	--	1850	11.5	09S40E29B3DB
39.00	R	10/16/1973	--	--	1500	11.0	09S40E29CCAD2
--	--	--	--	--	1900	--	09S40E29DBDB
109.00	S	10/16/1973	--	--	5500	10.0	09S40E30B8AB
100.00	R	09/07/1967	18 R	09/07/1967	--	--	09S40E30B8D0
190.00	S	10/18/1973	--	--	2800	14.0	09S40E36ADAB
323.80	S	08/05/1975	--	--	--	--	09S41E01C3AC
107.00	S	10/14/1973	--	--	2300	11.0	09S41E01DADD
108.40	V	06/24/1975	--	--	3250	11.5	09S41E05DCB0
67.30	V	06/24/1975	--	--	3300	10.5	09S41E05DCB02
61.90	S	06/24/1975	--	--	3550	10.5	09S41E05DCB03
41.00		10/15/1973	--	--	4500	10.0	09S41E06D0CC
17.00	R	10/22/1968	32 Z	10/22/1968	3300	10.0	09S41E06D0CD
59.60	S	07/15/1974	--	--	3550	13.0	09S41E07ADCA
79.00	S	10/17/1973	--	--	1800	14.0	09S41E07CC3D
25.10	S	06/24/1975	--	--	4600	10.0	09S41E0835AA
11.20	S	06/24/1975	--	--	3000	9.0	09S41E0835AD
44.20	S	07/17/1975	--	--	2750	10.5	09S41E08CA3C
53.20	S	07/17/1975	--	--	3800	11.5	09S41E08CA3C2
--	--	--	--	--	3000	12.0	09S41E08CACD
76.60	S	07/17/1975	--	--	2800	11.0	09S41E08C3AD
43.00	S	10/15/1973	--	--	850	10.0	09S41E08C03D
5.00	S	10/14/1973	20 R	10/14/1973	2400	10.5	09S41E09AC3C
33.40	S	07/15/1974	--	--	4050	--	09S41E14ACC0
5.00	S	10/15/1973	--	--	1400	10.0	09S41E15AB04
27.00		10/15/1973	--	--	2800	10.0	09S41E17C3CC
59.50	S	07/20/1975	--	--	2000	10.5	09S41E188DAA
155.40	S	08/05/1975	--	--	--	--	09S41E20DD0J
9.00	S	10/15/1973	--	--	4000	--	09S41E26A0DA
--	--	--	9 R	10/06/1967	--	--	09S41E26A33B
49.50	S	07/23/1975	--	--	4900	10.5	09S41E26BABC

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
09S42E02ADBB	003	59	4	--	--	--	125TGRV	3680
09S42E03AADA	003	60	--	P	W	--	125TGRV	3720
09S42E05AAAD	003	120	--	P	W	S	125TGRV	3891
09S42E12BCAB	003	40	--	P	W	--	125TGRV	3655
09S42E25DCAU	003	59	--	P	W	--	125TGRV	3700
09S42E26CDCA	003	32	--	P	--	--	124WSTC	3764
09S42E27CDD	003	66	--	--	--	--	124WSTC	3820
09S42E31CHAC	003	28	--	P	W	S	124WSTC	3745
09S42E35DCCC	003	100	--	J	E	--	124WSTC	3790
09S42E36BCAB	003	36	--	P	E	--	110ALVM	3730
09S42E36BCBA	003	--	--	--	--	--	--	3725
09S43E04ABCC	003	35	6	P	--	J	110ALVM	3520
09S43E07BCAD	003	46	--	P	W	S	125TGRV	3627
09S43E07DACB	003	165	--	--	--	J	125TGRV	3720
09S43E10AABB	003	199	--	--	--	--	125TGRV	3520
09S43E10BBAD	003	75	6	--	--	S	125TGRV	3520
09S43E11ACBB	003	--	6	--	--	--	--	3554
09S43E15CDAB	003	--	--	P	W	S	--	3555
09S43E15DABC	003	--	--	P	W	S	--	3579
09S43E21AADA	003	55	6	P	N	S	125TGRV	3575
09S43E27AAAC	003	45	4	P	--	--	125TGRV	3590
09S43E27CDCA	003	240	4	P	W	S	125TGRV	3760
09S43E29DBAB	003	37	--	P	W	--	125TGRV	3627
09S43E35B8CD	003	215	3	P	N	S	125TGRV	3630
09S43E35CADC	003	235	3	P	N	S	125TGRV	3621
09S44E01ADAA	003	330	4	--	--	S	125TGRV	4000
09S44E07ADAA	003	70	--	P	W	S	125TGRV	3618
09S44E10CBAD	003	50	--	P	W	S	125TGRV	3721
09S44E11BDAA	003	180	4	--	--	J	125TGRV	3761
09S44E20DCAA	003	204	3	P	N	S	125TGRV	3670
09S44E27ABCB	003	54	6	P	W	V	125TGRV	3715
09S44E28CDD	003	227	4	S	E	H	125TGRV	3720
09S44E33BADB	003	272	4	P	N	S	125TGRV	3702
09S45E03AADD	075	40	--	--	--	S	125TGRV	3840
09S45E03ADCC	075	82	4	S	E	--	125TGRV	3822
09S45E03BAAA	075	--	--	P	E	S	--	3790
09S45E04DCAB	075	120	4	--	--	--	125TGRV	3845
09S45E05BBAA	075	28	4	P	E	S	125TGRV	3802
09S45E07CCAD	075	285	6	--	--	H	125TGRV	3900
09S45E09ABDA	075	--	--	P	G	S	--	3850
09S45E11BCDA	075	16	--	S	E	S	110ALVM	3844
09S45E11BCDA2	075	--	--	--	--	J	--	3844
09S45E12CBCC	075	--	--	P	E	S	--	3930
09S45E14BACB	075	--	4	P	--	S	--	3890
09S45E15CDAA	075	25	--	J	G	S	125TGRV	3948
09S45E16AAAD	075	30	--	S	G	--	125TGRV	3925
09S45E20ACCD	075	423	--	--	--	S	125TGRV	4090
09S45E23DDCC	075	--	--	--	--	--	--	4147
09S45E23DDCC2	075	189	--	--	--	--	125TGRV	4147
09S45E27BBBB	075	490	--	--	--	S	125TGRV	4170
09S45E36CAAA	075	260	--	--	--	S	125TGRV	4160
09S46E03AABB	075	50	4	--	--	H	125TGRV	3850
09S46E03BCCC	075	340	2	--	--	--	125TGRV	3955
09S46E03DDDD	075	--	--	--	--	S	--	3958
09S46E04ACBC	075	160	4	P	E	S	125TGRV	3822

WATER LEVEL (FEET)		DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMGS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER
29.00	S	10/30/1975	5 R	10/30/1975	--	--	09S42E02AD8B
34.00	S	11/14/1973	--	--	--	--	09S42E03AA9A
22.00	S	11/14/1973	--	--	3500	10.0	09S42E05AAAD
17.00	S	10/14/1973	--	--	--	--	09S42E128CA3
16.00	S	11/16/1973	16 R	11/16/1973	--	--	09S42E25DCAD
4.00	S	11/17/1973	15 R	11/17/1973	--	--	09S42E26DCDA
65.00	S	11/17/1973	--	--	--	--	09S42E27DCDD
6.00	S	10/ /1973	10 R	10/06/1967	4000	10.0	09S42E31CBAC
30.00	S	11/17/1973	3 R	11/17/1973	--	--	09S42E35DCCC
9.00	S	11/16/1973	--	--	--	--	09S42E368CAB
--	--	--	--	--	--	--	09S42E368CBA
11.00	S	10/30/1973	30 R	10/ /1973	--	--	09S43E04A3CC
15.00	S	11/14/1973	--	--	2360	9.0	09S43E07BCAD
61.30	S	08/05/1977	--	--	--	--	09S43E07DACB
--	--	--	2 R	--	--	--	09S43E10AA8B
12.00	S	03/20/1974	--	--	--	9.5	09S43E10B8AD
--	--	--	20	--	--	--	09S43E11ACB3
5.00	S	10/28/1973	--	--	--	--	09S43E15CDA8
--	--	--	--	--	--	10.0	09S43E15DABC
4.00	S	10/28/1973	25 R	10/ /1973	--	10.0	09S43E21AADA
32.00	R	--	12 R	--	--	--	09S43E27AAC
--	--	--	3 R	10/28/1973	1500	11.5	09S43E27C0CA
4.00	S	11/16/1973	--	--	--	--	09S43E29DBA3
2.00	R	--	10 V	06/10/1973	--	--	09S43E35B3CD
6.00	R	06/ /1975	10 V	06/ /1975	--	--	09S43E35CA0C
287.00	SR	11/14/1973	--	--	5000	10.0	09S44E01ADA4
--	--	--	--	--	5100	10.5	09S44E07ADAA
10.00	R	10/20/1973	20 R	10/ /1973	--	--	09S44E10CBAD
26.00	R	11/17/1973	--	--	1500	9.0	09S44E11BDAA
25.00	S	10/21/1973	10 R	10/27/1973	--	--	09S44E20DCAA
20.00	R	01/ /1957	11 R	/1957	--	9.0	09S44E27A8CB
23.00	R	09/ /1963	6 R	10/27/1973	--	11.0	09S44E28C0CD
15.00	R	/1966	6 R	10/27/1973	--	--	09S44E33BADB
39.00	S	02/ /1974	--	--	--	--	09S45E03AADD
18.00	S	01/29/1974	10 R	01/29/1974	--	--	09S45E03ADCC
10.00	S	01/30/1974	--	--	--	--	09S45E03BAAA
--	--	--	--	--	--	--	09S45E04DCA3
17.00	S	01/30/1974	24 L	01/30/1974	6500	7.0	09S45E05B3AA
--	--	--	6 R	11/19/1973	1500	11.0	09S45E07CCA0
--	--	--	--	--	--	--	09S45E09A8DA
--	--	--	15 E	01/29/1974	--	8.0	09S45E118CJA
6.00	S	01/29/1974	--	--	--	--	09S45E118CDA2
126.00	S	01/29/1974	--	--	--	--	09S45E12C8CC
49.00	S	01/29/1974	--	--	--	--	09S45E14BAC3
--	--	--	10 R	01/31/1974	--	--	09S45E15C0AA
6.00	S	01/31/1974	25 R	01/31/1974	--	8.0	09S45E16AAAD
395.00	R	09/06/1967	6 R	09/06/1967	--	--	09S45E20ACCU
--	--	--	--	--	--	--	09S45E23D0CC
--	--	--	--	--	--	--	09S45E23D0CC2
200.00	R	09/06/1967	4 R	09/06/1967	--	--	09S45E2738dB
100.00	R	09/06/1967	--	--	--	--	09S45E36CAAA
15.00	R	01/31/1974	--	--	5500	4.5	09S46E03AAB3
--	--	--	--	--	--	--	09S46E03BCCC
118.00	S	02/05/1974	--	--	--	--	09S46E03D0DD
--	--	--	--	--	2700	10.5	09S46E04AC8C

Table 2.--Records of wells--Continued

LOCAL NUMBER	COUNTY	DEPTH OF WELL (FEET)	CASING DIAM-ETER (INCHES)	TYPE OF LIFT	TYPE OF POWER	USE OF WATER	PRINCIPAL AQUIFER	ALTITUDE OF LAND SURFACE (FEET)
09S46E05ABAH	075	180	4	--	--	J	125TGRV	3827
09S46E05BCBC	075	330	4	S	E	H	125TGRV	3815
09S46E05BCBD	075	302	2.5	S	E	S,H	125TGRV	3810
09S46E05DABD	075	165	4	P	W	S	125TGRV	3790
09S46E05DDAA	075	38	36	P	W	S	110ALVM	3790
09S46E05DDAA2	075	--	--	--	--	H	--	3790
09S46E06ADAD	075	76	60	S	E	S	125TGRV	3818
09S46E06ADDA	075	300	4	S	E	H	125TGRV	3828
09S46E06BCBD	075	53	60	P	W	S	125TGRV	3818
09S46E07DCBB	075	430	4	--	--	--	125TGRV	4025
09S46E07DCBB2	075	293	4	--	--	--	125TGRV	4025
09S46E07DDCA	075	135	4	P	G	S	125TGRV	3922
09S46E08BACB	075	240	4	--	--	J	125TGRV	3967
09S46E09BAAD	075	120	4	--	--	J	125TGRV	3858
09S46E09DABB	075	110	4	--	--	J	125TGRV	3862
09S46E09DACC	075	40	--	P	E	S	125TGRV	3857
09S46E09DDAA	075	360	--	--	--	S	125TGRV	3910
09S46E11BDCC	075	160	4	S	E	S	125TGRV	3055
09S46E11CACA	075	175	4	P	E	S	125TGRV	3955
09S46E11CACD	075	250	4	--	--	J	125TGRV	3960
09S46E11CDDD	075	169	--	--	--	S	125TGRV	4050
09S46E12DAAA	075	160	--	--	--	S	125TGRV	4140
09S46E12DABA	075	18	--	S	E	S	125TGRV	4110
09S46E15CBDD	075	220	--	J	E	S	125TGRV	3920
09S46E15CCCA	075	360	--	--	--	S	125TGRV	3910
09S46E16BCCC	075	180	--	--	--	--	125TGRV	3890
09S46E17ADAD	075	112	--	P	W	S	125TGRV	3896
09S46E20BCAB	075	450	4	--	--	J	125TGRV	4154
09S46E28BAAD	075	435	--	--	--	J	125TGRV	4162
09S46E28BDCC	075	360	--	P	G	S	125TGRV	4157
09S46E29ABCD	075	56	42	--	--	J	124WSTC	4160
09S46E29CDAA	075	27	--	P	G	S	124WSTC	4159
09S46E29CDAA2	075	14	--	P	H	S	124WSTC	4165
09S46E35BCCC	075	130	--	--	--	S	125TGRV	3950
09S47E19BDCC	075	175	--	P	G	S	125TGRV	3904
09S47E30BDDD	075	255	4	--	--	J	125TGRV	3985
09S47E31CCCD	075	70	--	P	N	S	125TGRV	3786
09S48E01BBDB	075	100	--	P	W	S	125TGRV	3460
09S48E27DBCB	075	40	--	P	E	S	125TGRV	3556
09S49E24CCBC	075	147	4	S	E	H	125TGRV	3640
09S49E27DAAA	075	150	4	S	E	S	125TGRV	3708
09S50E19ADCA	075	400	--	S	E	H	125TGRV	3840
09S51E21DBBB	075	175	4	P	E	S	125TGRV	3560
09S51E30BDAA	075	121	4	P	W	S	125TGRV	3620
09S52E18DBDB	075	153	4	S	E	H,S	125TLCK	3440
10S42E01AADA	003	100	4	--	--	--	124WSTC	3920
10S42E06ABDD	003	182	--	--	--	--	124WSTC	3810
10S43E02AABA	003	302	3	P	E	--	125TGRV	3641
10S43E02AABD	003	36	--	--	--	--	125TGRV	3538
10S43E02AACB	003	109	4	S	E	--	125TGRV	3558
10S43E02ABDA	003	40	--	P	W	--	125TGRV	3630
10S43E02BAAA	003	305	--	P	G	--	125TGRV	3640
10S43E05BDBD	003	52	--	P	E	--	125TGRV	3720
10S43E06ABAC	003	161	--	P	W	--	125TGRV	3800



WATER LEVEL (FEET)	DATE WATER LEVEL MEASURED	DISCHARGE (GALLONS PER MINUTE)	DATE DISCHARGE MEASURED	SPECIFIC CONDUCTANCE (UHMS/CM AT 25 °C)	TEMPERATURE (DEGREES C)	LOCAL NUMBER	
81.20	S	06/17/1975	--	--	--	09S46E05A8A3	
150.00	S	--	--	2200	9.0	09S46E05B8C8C	
111.80	S	03/17/1976	7 R	05/16/1974	1830	12.0	09S46E05B8C8D
56.00	S	01/29/1974	--	--	4000	9.0	09S46E05D8A8D
7.00	S	01/29/1974	--	--	4700	6.5	09S46E05D8AA
--	--	--	--	--	--	09S46E05D8AA2	
24.00	S	01/30/1974	--	--	4500	6.0	09S46E06A8A8D
116.00	S	02/ /1974	--	--	2300	6.5	09S46E06A8DDA
26.00	S	01/30/1974	--	--	4200	6.0	09S46E06B8C8D
--	--	--	--	--	--	09S46E07D8C8B	
--	--	--	--	--	--	09S46E07D8C8B2	
62.00	S	02/ /1974	--	--	--	09S46E07D8C8B2	
149.30	S	09/19/1975	--	--	--	09S46E08B8A8B	
72.00	S	06/17/1975	--	--	--	09S46E09B8AAD	
93.80		06/17/1975	--	--	--	09S46E09D8A8B	
23.00	S	02/05/1974	--	--	--	09S46E09D8ACC	
260.00	R	09/06/1967	7 R	09/06/1967	--	09S46E09D8AAA	
67.00	S	02/03/1974	4 Z	02/03/1974	3000	10.0	09S46E11B8DCC
106.00	S	01/31/1974	--	--	--	09S46E11C8ACA	
123.00	S	01/31/1974	--	--	--	09S46E11C8ACD	
85.00	R	09/06/1967	--	--	--	09S46E11C8D8D	
156.00	S	09/06/1967	7 R	09/06/1967	--	09S46E12D8AAA	
8.00	S	02/02/1974	--	--	5500	4.5	09S46E12D8A8A
60.00	R	02/05/1974	--	--	4000	8.0	09S46E15C8B8D
260.00	R	09/06/1967	7 R	09/06/1967	--	09S46E15C8CCA	
90.00	R	09/06/1967	3 R	09/06/1967	--	09S46E16B8CCC	
75.00	S	02/05/1974	--	--	--	09S46E17A8A8D	
388.20	V	09/19/1975	--	--	--	09S46E20B8C8B	
290.40	V	--	--	--	--	09S46E28B8AAD	
247.00	S	02/05/1974	--	--	--	09S46E28B8DCC	
53.00	S	01/27/1974	--	--	4500	8.0	09S46E29A8BCD
16.00	S	02/05/1974	--	--	--	09S46E29C8DAA	
12.00	S	02/05/1974	--	--	2300	--	09S46E29C8DAA2
80.00	R	09/06/1967	3 R	09/06/1967	--	--	09S46E35H8CCC
108.00	S	02/02/1974	--	--	--	--	09S47E19B8DCU
129.00	S	02/03/1974	10 Z	02/03/1974	--	--	09S47E30B8DDD
34.00	S	--	8 R	02/03/1974	--	--	09S47E31C8CCU
38.60	SP	07/27/1976	7 V	07/27/1976	2200	11.0	09S48E01B8B8B
33.70	SR	07/27/1976	4 V	07/07/1976	3000	9.5	09S48E27D83CB
82.80	SR	07/27/1976	--	--	1200	13.0	09S49E24C8CBC
75.60	SR	07/27/1976	6 V	07/27/1976	3000	11.0	09S49E27D8AAA
236.00	SR	07/22/1976	8 V	07/21/1976	730	12.0	09S50E19A8DCA
66.40	SP	07/20/1976	3 V	07/20/1976	3600	10.5	09S51E21D8B8B
24.20	SR	07/20/1976	1 V	07/20/1976	2360	12.0	09S51E30B8DAA
85.00	SR	07/28/1976	6 V	07/28/1976	2700	13.5	09S52E18B8B8D
55.00	S	11/15/1973	3 R	11/15/1973	2300	10.0	10S42E01A8A8A
91.00	S	10/15/1973	--	--	1350	10.0	10S42E06A8B8D
--	--	--	16 R	10/29/1973	--	12.0	10S43E02A8A8A
8.00	S	10/29/1973	--	--	--	--	10S43E02A8A8D
18.00	S	10/29/1973	5 R	10/29/1973	--	12.0	10S43E02A8A8B
14.00	S	11/16/1973	--	--	--	--	10S43E02A8B8A
30.00	S	10/29/1975	10	10/29/1973	--	10.0	10S43E02B8AAA
33.00	S	11/16/1973	10 R	11/16/1973	--	--	10S43E05B8B8D
35.00	S	11/15/1973	4	11/15/1973	--	--	10S43E06A8B8C

Table 3.--Logs of wells and test holes

[Well numbering system described in text. Thickness is in feet.  
Depth is in feet below land surface]

<u>Thickness</u>		<u>Depth</u>	<u>Thickness</u>		<u>Depth</u>
08N50E05BDAA.--Drilled 7/61 by Higgins.			07N47E13BBCC.--Drilled 8/76. Driller unknown.		
Gumbo-----	20	20	Topsoil-----	1	1
Sand-----	5	25	Blue gumbo-----	179	180
Gravel-----	15	40	Hard sand rock-----	3	183
			Blue sand (water)-----	27	210
08N50E18BDBC.--Drilled 11/60 by Higgins.			07N47E31CCAA.--Drilled 8/76. Driller unknown.		
Topsoil and sand-----	15	15	Topsoil-----	2	2
Gravel-----	10	25	Yellow clay-----	43	45
Clay-----	15	40	Rock-----	2	47
Rock-----	3	43	Gray gumbo-----	8	55
Clay-----	19	62	Sand (little water)-----	5	60
Coal-----	13	75	Gray gumbo-----	10	70
Clay-----	10	85	Mixed coal and dark gumbo-----	62	132
Coal-----	3	88	Rock-----	3	135
Shale-----	7	95	Dark gumbo-----	12	147
Rock-----	5	100	Rock-----	2	149
Shale-----	58	158	Sand (little water)-----	9	158
Sand-----	17	175	Rock-----	2	160
Clay-----	75	250	Gray gumbo-----	75	235
Sand-----	30	280	Water sand-----	40	275
			Gumbo-----	10	285
07N46E24ACBD.--Drilled 8/76. Driller unknown.			06N46E04CDB.--Drilled 2/57 by R. Askin.		
Topsoil-----	33	33	Yellow clay-----	45	45
Gravel-----	13	46	Sand and gravel-----	5	50
Gumbo-----	17	63	Gray gumbo-----	500	550
Rock-----	3	66	Soft sand rock (water)-----	95	645
Gumbo-----	44	110			
Sand-----	30	140	06N46E04DCA.--Drilled 9/53 by R. Askin.		
Gumbo-----	30	170	Yellow clay-----	45	45
Sand-----	20	190	Sand and gravel-----	5	50
Gumbo-----	30	220	Gray gumbo-----	500	550
Rock-----	2	222	Soft sand rock (water)-----	70	620
Gumbo-----	30	252			
Rock-----	2	254	06N46E12ABDA.--Drilled 7/48. Driller unknown.		
Gumbo-----	2	256	Sand and gravel-----	25	25
Rock-----	2	258	Yellow clay-----	10	35
Gumbo-----	108	366	Rock-----	3	38
Rock-----	4	370	Blue gumbo-----	20	58
Sand-----	42	412	Rock-----	1	59
Gumbo-----	38	450	Blue gumbo-----	142	201
Sand-----	25	475	Small coal vein-----	1	202
Gumbo-----	51	526	Blue gumbo-----	135	337
Sand-----	16	542	Sand (1.5 gal/min)-----	20	357
Gumbo-----	23	565	Blue gumbo-----	43	400
Sand (water)-----	50	615	Sand with streak gumbo(water)-	220	620
Gumbo-----	5	620			
07N47E09BAA.--Drilled 1/47. Driller unknown.			05N35E15AADA.--Drilled 7/76 by Hadland.		
Topsoil-----	10	10	Clay and eroded sandstone-----	45	45
Gravel-----	12	22	Sandy shale-----	15	60
Gumbo-----	13	35	Hard shell, (water)-----	5	65
Sand-----	10	45	Shale-----	80	145
Gumbo-----	65	110	Gray sandstone-----	5	150
Sand-----	20	130	Shale-----	35	185
Gumbo-----	88	218	Gray sandstone-----	5	190
Rock-----	7	225	Very hard rock-----	2	192
Gumbo-----	120	345	Gray sandstone (water)-----	25	217
Sandy-----	20	365			
Gumbo-----	95	460	05N36E07ABDC.--Drilled 12/73 by Kelly Drilling.		
Sand-----	20	480	Clay-----	12	12
Gumbo-----	65	545	Shale-----	6	18
Rock-----	1	546			
Sand (water)-----	70	616			
Gumbo-----	10	626			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>05N36E07ABDC</u> .--Continued			<u>04N39E30DCAD</u> .--Continued		
Clay-----	8	26	Hard rock-----	3	90
Shale-----	24	50	Sand (water)-----	5	95
Sandstone-----	2	52	Sandy shale-----	17	112
Fine sand-----	6	58			
Sandstone-----	4	62			
Sand-----	4	66	<u>04N44E23ADCC</u> .--Drilled 4/56 by Groom.		
Shale-----	24	90	Sandstone-----	10	10
Sand (water)-----	12	102	Sand-----	7	17
Clay with shale rock-----	16	118	Gravel (4 gal/min)-----	6	23
Shale-----	14	132	Shale-----	21	44
Clay-----	14	146	Light sand-----	16	60
Sand (water)-----	2	148	Sand (60 gal/min)-----	4	64
Shale-----	12	160	Shale-----	3	67
			Rock-----	1.5	68.5
			Shale-----	9.5	78
<u>05N36E10ACDA</u> .--Drilled 12/73 by Kelly Drilling.			<u>04N44E24BADA</u> .--Drilled 12/69 by Groom.		
Sandy clay-----	22	22	Clay-----	6	6
Sandstone-----	2	24	Sandy-----	18	24
Clay-----	14	38	Soft sandy-----	4	28
Sandstone (little water)-----	2	40	Hard rock-----	2	30
Clay-----	10	50	Soft sandy-----	8	38
Sandstone, seepage-----	2	52	Quicksand-----	6	44
Clay-----	18	70	Gravel-----	2	46
Shale-----	6	76	Sand (25 gal/min)-----	10	56
Sand (water)-----	2	78	Shale-----	5	61
Shale-----	24	102			
Soft sandstone-----	24	126			
Fine sand-----	2	128			
Clay-----	36	164	<u>04N44E24BBAB</u> .--Drilled 10/59 by Groom.		
Sand, clay-----	22	186	Clay-----	10	10
Sand-----	32	218	Muck-----	20	30
Clay-----	4	222	Gravel-----	3	33
Shale-----	20	242	Quicksand-----	7	40
Sand (water)-----	26	268	Shale (water)-----	10	50
Shale-----	12	280	Shale-----	41	91
			Coal-----	2	93
			Shale-----	63	156
<u>05N45E13DDCB</u> .--Drilled 11/76 by Higgins.			Sand (3 gal/min)-----	19	175
Shale-----	22	22			
Coal-----	3	25	<u>04N44E29CCAC</u> .--Drilled 11/71 by R. Askin.		
Shale-----	111	136	Sand-----	25	25
Rock-----	2	138	Gumbo-----	55	80
Shale-----	197	335	Sand-----	25	105
Rock-----	3	338	Gumbo-----	2	107
Shale-----	127	465			
Rock-----	5	470	<u>04N44E32DDDA</u> .--Drilled 10/71 by R. Askin.		
Fine sand-----	30	500	Gumbo-----	90	90
Shale-----	20	520	Sand-----	30	120
Rock-----	4	524			
Shale-----	32	556	<u>04N44E36AABA</u> .--Drilled 4/66 by Groom.		
Rock-----	14	570	Sandy clay-----	23	23
White shale-----	45	615	Shale-----	13	36
Rock-----	2	617	Sandy clay-----	16	52
Claystone-----	13	630	Hard rock-----	2	54
Sand-----	30	660	Sandstone-----	31	85
Shale-----	10	670	Sand (water)-----	18	103
<u>04N39E30DCAD</u> .--Drilled 10/56 by Rosebud Drilling.			<u>04N48E20DBBC</u> .--Drilled 9/66 by Higgins.		
Gravel-----	12	12	Gumbo-----	10	10
Clay-----	3	15	Sand-----	8	18
Sand-----	5	20	Coal-----	1	19
Hard rock-----	15	35	Gravel-----	53	72
Sand (water)-----	9	44	Clay-----	3	75
Shale-----	29	73			
Hard rock-----	2	75			
Light shale-----	12	87			

Table 3.--Logs of wells and test holes--Continued

<u>Thickness</u> <u>Depth</u>		<u>Thickness</u> <u>Depth</u>	
<u>04N49E04ABCD.--Drilled 10/72 by Johnson.</u>		<u>03N38E32CBCC.--Drilled 3/75 by Amax Coal Co.</u>	
Topsoil and gravel-----	20 20	Brown sandy clay-----	17 17
Gumbo-----	15 35	Brown sand-----	11 28
Gray rock-----	5 40	Yellow sand-----	15 43
Gray sandstone-----	35 75	Brown sand-----	12 55
Black gumbo-----	10 85	Yellow sand-----	15 70
Coal-----	20 105	Brown clay-----	13 83
Gray clay-----	40 145	Green sandy clay-----	7 90
Gray sandstone-----	10 155	Gray sand-----	15 105
Black shale-----	20 175	Gray clay-----	10 115
Sandstone-----	10 185	Gray sand-----	60 175
Shale-----	12 197	Silt-----	5 180
 <u>04N49E24DCDA.--Drilled 10/73 by Higgins.</u>		 <u>03N39E36BACD.--Drilled 9/58 by Groom.</u>	
Sandrock-----	50 50	Soft sand and rock-----	12 12
Coal-----	2 52	Sticky shale-----	24 36
Clay-----	81 133	Black shale-----	18 54
Sand-----	12 145	Hard rock (water)-----	6 60
Clay-----	92 237	Black sticky shale-----	37 97
Sand-----	43 280	Black shale-----	8 105
Clay-----	160 440	Coal (water)-----	9 114
Sandrock-----	3 443	Shale, (1 gal/min)-----	25 139
Clay-----	67 510	Shale-----	13 152
Sandrock-----	4 514	Hard rock-----	2 154
Clay-----	43 557	Shale-----	9 163
Sand (water)-----	60 617	Dark shale-----	16 179
Clay-----	8 625	Light shale-----	17 186
 <u>04N50E19DBCD.--Drilled 8/76 by Higgins.</u>		 <u>03N41E34BCAB.--Drilled 10/73 by Wailick.</u>	
Gumbo-----	45 45	Sandy soil-----	20 20
Gray shale-----	30 75	Coal-----	8 28
Rock-----	2 77	Clay-----	112 140
Fine sand-----	13 90	Sand-----	22 162
Shale-----	102 192	Clay-----	149 311
Rock-----	3 195	Sand-----	34 345
Blue clay-----	30 225	Clay-----	2 347
Sand-----	55 280	Coal-----	21 368
 <u>04N50E30CCBB.--Drilled 8/76 by Higgins.</u>		 <u>03N42E34DBBC.--Drilled 10/60 by Bandy Drilling.</u>	
Sand, shale, gravel-----	52 52	Surface soil-----	17 17
Blue clay-----	7 59	Blue shale-----	139 156
Coal-----	6 65	Hard rock-----	3 159
Gray shale-----	30 95	Blue shale-----	103 262
Coal-----	3 98	Sand-----	6 268
Gray shale-----	27 125	Hard rock-----	2 270
Coal-----	3 128	Sand (water)-----	60 330
Clay-----	7 135	 <u>03N43E34BCBB.--Drilled 10/73. Driller unknown.</u>	
Rock-----	4 139	Topsoil-----	5 5
Clay-----	6 145	Sandy clay-----	25 30
Coal-----	2 147	Sandstone-----	18 48
Light clay-----	27 174	Sandy shale-----	19 67
Coal-----	3 177	Shale-----	7 74
Blue clay-----	73 250	 <u>04N50E31CCAA.--Drilled 4/62 by Higgins.</u>	
Sand (water)-----	50 300	Gumbo-----	10 10
Blue clay-----	5 305	Gravel-----	30 40
 <u>04N50E31CCAA.--Drilled 4/62 by Higgins.</u>		Coal-----	3 43
Gumbo-----	10 10	Clay-----	10 53
Gravel-----	30 40	Coal-----	9 62
Coal-----	3 43	Clay-----	6 68
Clay-----	10 53	Coal-----	2 70
Coal-----	9 62	Clay-----	20 90
Clay-----	6 68	Sand-----	20 110
Coal-----	2 70		
Clay-----	20 90		
Sand-----	20 110		

Table 3.--Logs of wells and test holes--Continued

	Thickness	Depth		Thickness	Depth
<u>03N43E34BCBB.--Continued</u>			<u>03N46E12BADA.--Continued</u>		
Coal-----	1	75	Coal-----	12	50
Gray shale-----	30	105	Gumbo-----	170	220
Light shale-----	10	115	Streaks of sand and gumbo-----	20	240
Brown sandstone-----	5	120	Sand-----	60	300
Coal (30 gal/min)-----	7	127	Gumbo-----	5	305
Shale-----	14	141			
<u>03N44E01CACA.--Drilled 12/60 by Groom.</u>			<u>03N48E27CABD.--Drilled 8/65 by Drane Drilling.</u>		
Topsoil-----	6	6	Sandy clay-----	3	3
Sandstone-----	22	28	Yellow clay and coal streaks--	9	12
Hard rock-----	3	31	Sticky gray shale-----	68	80
Shale-----	20	51	Rock-----	2	82
Coal-----	2	53	Sticky shale-----	23	105
Shale-----	22	75	Rock-----	1	106
Light shale-----	73	148	Shale-----	14	120
Coal-----	2	150	Rock-----	2	122
Shale-----	71	221	Shale-----	13	135
Sandstone-----	13	234	Sandy shale-----	10	145
Sand (water)-----	20	254	Rock-----	2	147
			Shale and coal streaks-----	33	180
			Rock-----	3	183
			Shale-----	37	220
			Rock-----	3	223
			Shale-----	14	237
			Rock-----	3	240
			Shale-----	20	260
			Sand-----	20	280
			Shale-----	4	284
<u>03N44E18AABA.--Drilled 8/69 by R. Askin.</u>			<u>03N51E01DAAA.--Drilled 8/59 by Bandy Drilling.</u>		
Brown sand-----	35	35	Surface soil-----	11	11
Scoria-----	3	38	Sandstone-----	41	52
Gumbo-----	92	130	Blue shale-----	13	65
Sand-----	20	150	Coal-----	5	70
Gumbo-----	9	159	Blue shale-----	45	115
			Hard rock-----	1	116
			Blue shale-----	74	190
			Hard rock-----	3	193
			Sand (water)-----	77	270
<u>03N44E24BBAA.--Drilled 7/61 by Bandy Drilling.</u>			<u>03N51E36BCAD.--Drilled 6/61 by Bandy Drilling.</u>		
Soil-----	8	8	Surface soil-----	35	35
Fine shale-----	62	70	Gravel-----	10	45
Sandy shale-----	25	95	Sand-----	25	70
Fine shale-----	105	200	Blue shale-----	10	80
Sandy shale-----	70	270			
Blue shale-----	50	320	<u>03N52E17DCBC.--Drilled 8/73 by R. Askin.</u>		
Sand-----	5	325	Gumbo-----	80	80
Gray shale-----	49	374	Coal-----	5	85
Hard rock-----	2	376	Gumbo-----	15	100
Sand (water)-----	55	431	Coal-----	5	105
			Gumbo and streaks of sand-----	45	150
			Sand-----	20	170
			Gumbo-----	10	180
<u>03N44E31CBDC.--Drilled 10/73. Driller unknown.</u>			<u>03N52E32CBBD.--Drilled 9/59 by Bandy Drilling.</u>		
Hardpan-----	4	4	Surface soil-----	35	35
Sand and clay-----	8	12	Blue shale-----	35	70
Sandstone-----	17	29	Sandstone (dry)-----	41	111
Coal-----	1	30	Blue shale-----	111	222
Green shale-----	30	60	Sand (water)-----	23	245
Sandstone-----	7	67	Blue shale-----	15	260
Hard sand-----	5	72			
Hard rock-----	4	76			
Hard sand-----	19	95			
Sandy (1.5 gal/min)-----	33	128			
Coal-----	2	130			
Hard rock-----	16	146			
Gray shale-----	14	160			
Hard rock-----	3	163			
Light hard shale-----	22	185			
Coal-----	4	189			
Light sandy shale (4 gal/min)-	6	195			
Dark shale-----	10	205			
<u>03N46E12BADA.--Drilled 12/74 by R. Askin.</u>					
Sand and gravel-----	15	15			
Gumbo-----	23	38			

Table 3.--Logs of wells and test holes--Continued

	Thickness	Depth		Thickness	Depth
<u>02N37E08BDAD</u> .--Drilled 9/64 by Folkerts.			<u>02N38E29DDCB2</u> .--Drilled 4/75 by Amax Coal Co.		
Topsoil-----	2	2	Brown sand-----	30	30
Sandy soil-----	19	21	Gray silt-----	20	50
Clay-----	15	36	Gray sandstone-----	4	54
Brown shale-----	5	41	Gray sand-----	81.5	135.5
Sand rock-----	12	53	Black coal-----	17	152.5
Gray shale-----	9	62	Gray silt-----	47.5	200
Sand rock-----	23	85	Black coal-----	18.0	218
Gray shale, coal-----	15	100			
<u>02N37E09BCAD</u> .--Drilled 1/68 by Jones.			<u>02N38E29DDCB3</u> .--Drilled 4/75 by Amax Coal Co.		
Soil-----	6	6	Brown sand-----	28	28
Sand-----	9	15	Green silt-----	20	48
Brown sandy shale-----	15	30	Green sandstone-----	5	53
Gray shale-----	20	50	Green sand-----	80.5	133.5
Not recorded-----	10	60	Coal-----	16.5	150
Gray sandy shale-----	5	65			
Sand (water)-----	13	78	<u>02N38E32CAAD</u> .--Drilled 4/75 by Amax Coal Co.		
Gray shale-----	2	80	Not recorded-----	8	8
			Yellow clay-----	5	13
<u>02N37E15DAAA</u> .--Drilled 9/69 by Folkerts.			Gray clay-----	2	15
Topsoil-----	3	3	Yellow clay-----	2	17
Sandy soil-----	29	32	Sand and coal-----	4	21
Quicksand-----	2	34	Gray sandstone-----	13	34
Clay-----	6	40	Gray clay-----	7	41
Brown shale, scoria, gravel			Gray sandstone-----	5	46
(water)-----	3	43	Gray clay-----	7	53
Gray shale-----	10	53	Brown sandstone-----	4	57
Gray shale, coal-----	7	60	Brown sand-----	11	68
Sand, gray shale-----	23	83	Gray clay-----	43	111
Gray shale filled with gravel-----	19	102	Coal-----	2	113
			Gray clay-----	10	123
			Coal-----	17	140
<u>02N38E07DCCC</u> .--Drilled 9/58 by Hadland.			<u>02N39E03CDEB</u> .--Drilled 9/56. Driller unknown.		
Eroded sandstone, clay,			Topsoil-----	4	4
and gravel-----	35	35	Sand-----	16	20
Very hard rock-----	5	40	Sandstone-----	71	91
Gravel mixed with clay-----	10	50	Sand (water)-----	7	98
Gray sandstone-----	8	58	Coal-----	4	102
			Shale-----	1	103
<u>02N38E18DACD</u> .--Drilled 3/75 by Amax Coal Co.			Coal-----	1	104
Yellow sand-----	20	20	Shale-----	9	113
Brown sand-----	5	25			
Yellow sand-----	15	40	<u>02N39E12CCCD</u> .--Drilled 9/28 by Burkeholder.		
Yellow sand and gravel-----	30	70	Topsoil-----	8	8
Brown siltstone-----	30	100	Sandrock-----	43	51
Gray siltstone-----	40	140	Sandy (20 gal/min)-----	20	71
<u>02N38E29DDCB</u> .--Drilled 4/75 by Amax Coal Co.			<u>02N39E12CCDE</u> .--Drilled 9/60. Driller unknown.		
Brown sand-----	30	30	Sandy dirt-----	10	10
Gray silt-----	20	50	Gravel and black muck-----	3	13
Gray sand-----	85.5	135.5	Blue sandrock-----	4	17
Black coal-----	16	151.5	Sand (35 gal/min)-----	3	20
Gray silt-----	47	198.5			
Black coal-----	13	211.5	<u>02N39E16ACDD</u> .--Drilled 9/47 by Buell-Edlund		
Black clay-----	1	212.5	Drilling.		
Black coal-----	4	216.5	Surface-----	9	9
Gray silt-----	13.5	230	Sand and gravel-----	22	31
Gray sand-----	30	260	Blue shale-----	8	39
Gray silt-----	47	307	Sandrock-----	4	43
Black coal-----	9	316	Sandy clay-----	38	81
Gray shale-----	9	325	Sandrock-----	9	90
			Blue sandy clay-----	10	100

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>02N39E24CDAB</u> .--Drilled 9/47 by Buell-Edlund			<u>02N42E04DACA</u> .--Continued		
Drilling.			Soapstone-----	24	62
Sandy clay and loose rock-----	54	54	Sand-----	18	80
Coal-----	10	64	Shale-----	5	85
Sandrock-----	74	138	Sand-----	10	95
Shale-----	2	140	Shale-----	7	102
<u>02N39E25ACDC</u> .--Drilled 9/64 by Groom.			<u>02N42E23CCCA</u> .--Drilled 6/56. Driller unknown.		
Sandy-----	16	16	Topsoil-----	3	3
Coal-----	9	25	Sandstone-----	17	20
Shale-----	19	44	Gravel-----	6	26
Hard rock-----	3	47	Water (1/2 gal/min)-----	7	33
Light shale (1 gal/min)-----	11	58	Shale-----	57	90
Shale-----	12	70	Sandstone-----	13	103
Coal-----	7	77	Shale-----	3	106
Hard shale-----	6	83	Coal-----	2	108
Sandy shale-----	29	112	Brown shale-----	19	127
Light shale-----	8	120	Water, 19 gal/min-----	57	184
Sandy (3.5 gal/min)-----	8	128	Sand (water)-----	6	190
Shale-----	8.5	136.5			
<u>02N40E06CBDE</u> .--Drilled 9/58 by Groom.			<u>02N43E02ABBD</u> .--Drilled 10/73. Driller unknown.		
Sandy-----	8	8	Surface soil-----	9	9
Sandrock-----	54	62	Blue shale-----	95	104
Sandy shale-----	22	84	Hard rock-----	2	106
Sand (7 gal/min)-----	7	91	Blue shale-----	204	310
Coal-----	4	95	Sand (water)-----	65	375
Shale-----	9	104	Blue shale-----	15	390
<u>02N40E07BDCE</u> .--Drilled 9/60 by Groom.			<u>02N43E04CDAA</u> .--Drilled 9/47. Driller unknown.		
Clay-----	10	10	Surface-----	15	15
Sandy clay-----	8	18	Sand and gravel-----	16	31
Brown sandrock-----	47	65	Blue shale-----	47	78
Blue shale-----	15	80	Sand rock-----	15	93
Sandrock (water)-----	15	95	Blue shale-----	9	102
Sandstone (water)-----	33	128	Coal-----	6	108
			Gray shale and lime stringers-----	28	136
<u>02N41E02DBBA</u> .--Drilled 3/56. Driller unknown.			Gray shale-----	28	164
Sand-----	54	54	Gray shale and limestone-----	12	176
Coal-----	3	57	Sandrock (soft water)-----	36	212
Shale-----	33	90	Gray shale-----	8	220
Rock-----	1	91			
Shale-----	5	96	<u>02N43E16AA</u> .--Drilled 5/56. Driller unknown.		
Rock-----	1	97	Topsoil-----	5	5
Sandy shale-----	62	159	Clay-----	27	32
Sandrock-----	48	207	Gravel-----	16	48
Sand (water)-----	19	226	Sand-----	3	51
Shale-----	11	237			
<u>02N41E10ECBC</u> .--Drilled 9/64. Driller unknown.			<u>02N43E17AACC</u> .--Drilled 7/58. Driller unknown.		
Topsoil-----	10	10	Topsoil-----	104	104
Sandy clay-----	3	13	Light shale and coal-----	50	154
Sandstone-----	37	50	Hard shale and coal-----	84	238
Sand and scoria-----	35	85	Hard rock-----	105	343
Black shale and scoria-----	15	100	Sandy (water)-----	3	346
Black shale and sand-----	10	110			
Black shale and scoria-----	12	122	<u>02N43E28ABBD</u> .--Drilled 2/65 by E. Folkerts.		
Sandstone-----	1	123	Topsoil-----	8	8
Sandy clay-----	18	141	Clay-----	35	43
Hard sandstone-----	1	142	Quicksand and gravel		
Black sand and sandstone-----	8	150	(hard water)-----	7	50
			Gray shale-----	37	87
<u>02N42E04DACA</u> .--Drilled 9/60. Driller unknown.			Coal and shale-----	9	96
Surface soil-----	15	15	Gray shale-----	31	127
Clay-----	23	38	Brown shale-----	18	145
			Sandrock-----	15	160

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>02N43E28CAAC</u> ---Drilled 5/61. Driller unknown.			<u>02N51E11ADBB</u> ---Continued		
Clay-----	10	10	Shale-----	64	102
Red clay and gravel-----	15	25	Coal-----	3	105
Green shale-----	25	50	Shale-----	13	118
Gray sand-----	15	65	Coal-----	2	120
Water-----	--	65	Shale-----	38	158
Blue shale-----	10	75	Coal-----	1	159
			Sand (water)-----	2	161
			Shale-----	3	164
<u>02N44E17CABC</u> ---Drilled 3/62. Driller unknown.			<u>01N36E22AADA</u> ---Drilled 9/72 by Westmoreland Coal Co.		
Sandy clay-----	24	24	Sandstone, dark-yellowish-gray, very fine to fine-grained, fri- able to weakly consolidated--	20	20
Coal-----	6	30	Sandstone, orange-yellow, fine- grained, moderately firm, some iron-stained concretions----	10	30
Sandstone-----	30	60	Sandstone, yellow-gray, fine- to medium-grained, friable, fairly clean (water zone)---	40	70
Shale-----	24	84	Sandstone, gray, fine- to medium-grained, moderately argillaceous (water zone)---	5	75
Coal-----	3	87	Shale, medium-gray, silty to sandy, weakly consolidated--	5	80
Shale-----	34	121	Shale, dark-greenish-gray to dark-gray, silty, moder- ately firm-----	10	90
Hard rock-----	3	124	Shale, dark-greenish-gray, firm, brittle-----	10	100
Shale-----	71	195			
Sandstone-----	12	207	<u>01N37E08CCAD</u> ---Drilled 9/72 by Westmoreland Coal Co.		
Sand (water)-----	9	216	Soil, dark-yellow, clay and silt mixture with clinker gravel of 1/2 to 1 inch, angular to subangular-----	10	10
Hard rock-----	2	218	Soil as above becoming dark- green to dark-yellow with less clinker fragments, plastic-----	10	20
Shale-----	10	228	Gravel, fine clinker, and coal fragments 1/10 to 1/8 inch; some 1/2 inch fragments shale, dark-gray, silty, moderately firm-----	10	30
			Gravel as above with clinker to 3/4 inch angular; matrix of clay and silt (water zone)--	10	40
<u>02N44E23DCBA</u> ---Drilled 7/59 by C. M. Turner.			Shale, dark- to medium-greenish- gray, moderately silty, firm (water zone)-----	10	50
Soil-----	10	10	Shale as above and dark-green to dark-brown firm shale----	10	60
Red sandy shale-----	30	40	Silt, light-brownish-gray, moderately argillaceous, firm-----	10	70
Red sandy clay-----	10	50	Silt, as above, with dark-brown carbonaceous firm shale and black glossy medium hard coal-----	10	80
Coal-----	10	60	Silt, dark- to light-brownish- gray, moderately argilla- ceous, firm-----	10	90
Sandy clay-----	10	70	Silt, as above-----	10	100
Green shale-----	12	82			
Sandstone, gray shale (water)-	11	93			
Hard rock-----	3	96			
Light-gray shale-----	17	113			
Dark-brown shale and coal----	8	121			
Sand (10 gal/min)-----	5	126			
Blue shale-----	11	137			
<u>02N47E12BACA</u> ---Drilled 10/63 by Bandy Drilling.					
Surface soil-----	3	3			
Dark shale-----	211	214			
Sand-----	25	239			
Blue shale-----	11	250			
<u>02N47E22BDBD</u> ---Drilled 5/58 by Bandy Drilling.					
Surface soil-----	7	7			
Blue shale-----	33	40			
Hard rock-----	6	46			
Blue shale-----	92	138			
Sandstone-----	22	160			
Blue shale-----	40	200			
Sand (water)-----	30	230			
<u>02N48E02BABA</u> ---Drilled 9/63 by Drane Drilling.					
Sandy mixed with red shale----	10	10			
Red shale and gravel, thin coal streaks-----	18	28			
Yellow sand, coal streaks----	32	60			
Blue sand (water)-----	12	72			
Blue shale-----	10	82			
<u>02N51E11ADBB</u> ---Drilled 8/76. Driller unknown.					
Topsoil-----	16	16			
Gravel and quicksand-----	22	38			



Table 3.--Logs of wells and test holes--Continued

<u>Thickness</u> <u>Depth</u>		<u>Thickness</u> <u>Depth</u>	
01N37E18BABC.--Drilled 9/67 by C. T. Reid.		01N38E36BBCE.--Drilled 9/71 by F. Cass.	
Sandy soil-----	29 29	Yellow clay-----	11 11
Clay-----	5 34	Coal-----	1 12
Coal-----	2 36	Yellow clay and sandstone-----	90 102
Gray shale-----	4 40	Coal-----	63 165
Sandstone-----	32 72	Coal and sandstone-----	15 180
Blue shale-----	3 75	Coal-----	13 193
Sandstone (water)-----	52 127		
Blue shale-----	3 130		
01N38E05DABC.--Drilled 4/75 by Amax Coal Co.		01N39E19CAAB.--Drilled 10/73 by F. Cass.	
Yellow sand-----	10 10	Soil-----	3 3
Gray clay-----	3 13	Yellow clay-----	16 19
Red clay-----	4 17	Coal-----	6 25
Red brown-----	32 49	White shale-----	33 58
Coal-----	5 54	Sand-----	10 68
Yellow sand-----	16 70		
Brown sand-----	8 78	01N39E26ABBB.--Drilled 9/62 by E. Groom.	
Gray sand-----	24 102	Not recorded-----	108 108
Coal (water)-----	11 113	Shale-----	5 113
Brown mudstone-----	1 114	Hard rock-----	2 115
Coal (water)-----	4 118	Shale-----	5 120
Gray sandy clay-----	2 120	Coal (3/4 gal/min)-----	2 122
		Shale-----	51 173
		Hard rock-----	4 177
		Dark shale-----	29 206
		Sandstone	
		(1.5 gal/min)-----	12 218
		Hard rock-----	2 220
		Black shale-----	18 238
		Coal-----	4 242
		Black shale-----	18 260
		Shale-----	55 315
		Coal (2 gal/min)-----	9 324
		Gray shale-----	5 329
		Light shale-----	26 355
		Gray shale-----	20 375
		01N41E22ABCC.--Drilled 8/73 by Peabody Coal Co.	
		Sandy shale-----	0.9 0.9
		Sand-----	22.8 23.7
		Sandstone-----	83.1 106.8
		Shale-----	1.4 108.2
		Coal-----	25.7 133.9
		Sandstone-----	2.8 136.7
		Sandy shale-----	6.8 143.5
		Sandstone-----	4.4 147.9
		Sandy shale-----	7.8 155.7
		Coal-----	7.3 163
		Shale-----	1.0 164
		01N41E22DBAB.--Drilled 8/73 by Peabody Coal Co.	
		Sand-----	48 48
		Sandstone-----	58 106
		Shale-----	1 107
		Coal-----	27.2 134.2
		Shale-----	0.8 135
		01N41E23BCDB2.--Drilled 9/73 by Peabody Coal Co.	
		Clay-----	5 5
		Sandy clay-----	1 6
01N38E05DBAD.--Drilled 4/75 by Amax Coal Co.			
Yellow sand (surface)-----	10 10		
Brown clay-----	7 17		
Gray sandstone-----	1 18		
Gray clay-----	4 22		
Black coal-----	2 24		
Gray coal-----	6 30		
Coal-----	18 48		
Gray clay-----	7 55		
Gray sandstone-----	27 82		
Coal-----	17 99		
Gray clay-----	4 103		
Gray sandstone-----	2 105		
Gray clay-----	6 111		
Gray sandstone-----	2 113		
Gray sand-----	27 140		
Gray clay-----	15 155		
Gray sandstone-----	2 157		
Gray clay-----	11 168		
Gray sandstone-----	9.5 177.5		
Coal-----	17.5 195		
Gray sand-----	63 258		
Gray clay-----	2 260		
01N38E19CDDC.--Drilled 9/62 by C. Jones.			
Brown sandy soil-----	25 25		
Coal-----	5 30		
Coal and shale (water)-----	10 40		
Brown shale-----	8 48		
Hard shell-----	2 50		
Light-gray shale-----	15 65		
Hard shell-----	5 70		
Light-gray shale-----	5 75		
Gray shale-----	10 85		
Coal (water)-----	15 100		
Gray shale-----	15 115		

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>01N41E23CBDB2--Continued</u>			<u>01N42E34AABA.--Drilled 6/77 by Barrus.</u>		
Sandstone-----	12	18	Topsoil and clay-----	12	12
Sandy shale to sandstone-----	6.4	24.4	Sand and gravel-----	44	56
Hard shale and sand-----	2.3	26.7	Gray siltstone-----	48	104
Sandy shale-----	3.3	30	Gray shale-----	4	108
Sand (damp)-----	25	55	Gray sandstone (water)-----	9	117
Sandy shale-----	5	60			
<u>01N41E23CBAB.--Drilled 9/73 by McCullough.</u>			<u>01N43E18DDBA.--Drilled 9/41. Driller unknown.</u>		
Sandy shale-----	2	2	Sand-----	20	20
Sand-----	3	5	Sand and gravel-----	40	60
Sandstone-----	40	45	Sandrock-----	1	61
Sandy shale with			Sand (water)-----	33	94
gray sandstone-----	15	60			
Sandstone (damp)-----	5	65	<u>01N43E25BBDC.--Drilled 9/59. Driller unknown.</u>		
Sandy shale-----	15	80	Topsoil-----	20	20
			Sandy clay-----	22	42
<u>01N41E23CBBA.--Drilled 12/73 by H &amp; H Drilling.</u>			Quicksand-----	11	53
Topsoil-----	7	7	Light shale-----	13	66
Brown sandstone-----	57.7	64.7	Sand (water)-----	14	80
Gray shale-----	36.3	101	Light shale-----	12	92
Dark shale-----	4	105	Sandy (water)-----	6	98
Gray shale-----	51.8	156.8	Shale-----	9	107
Coal-----	5	161.8			
Gray shale-----	19.7	181.5	<u>01N43E31BADC.--Drilled 7/60. Driller unknown.</u>		
Gray sandy shale-----	4.5	186	Topsoil-----	2	2
Gray shale-----	2	188	Hard rock-----	3	5
Gray sandy shale-----	48.5	236.5	Sandrock-----	38	43
Gray shale-----	7	243.5	Light shale-----	27	70
Coal-----	1.3	244.8	Black shale-----	14	84
Gray sand-----	52.2	297	Gray shale-----	30	114
			Sandstone-----	58	172
<u>01N41E26ECAB.--Drilled 9/48 by B. Colts.</u>			Light shale-----	33	205
Topsoil-----	19	19	Water-----	7	212
Gravel-----	9	28	Shale-----	8	220
Clay-----	9	37			
Coal-----	2	39	<u>01N44E01CBBD.--Drilled 2/56. Driller unknown.</u>		
Clay-----	107	146	Dir-----	10	10
Sand-----	49	195	Quicksand-----	14	24
			Scoria-----	22	46
<u>01N42E10CCDC.--Drilled 9/64 by E. Folkerts.</u>			Shale-----	34	80
Topsoil-----	10	10	Sand (water)-----	6	86
Scoria and clay-----	10	20	Shale-----	10	96
Scoria and gravel (water)-----	8	28	Sand (water)-----	20	116
Sandrock (water)-----	12	40	Hard rock-----	3.5	119.5
Gray shale-----	5	45	Sand (3/4 gal/min)-----	13.5	133
			Shale-----	60	193
<u>01N42E19DBBA.--Drilled 9/58. Driller unknown.</u>			Coal-----	2	195
Sandy surface-----	22	22	Shale-----	16	211
Gravel-----	8	30	Hard rock-----	35	246
Black shale-----	11	41	Shale-----	29	275
Coal-----	5	46	Coal-----	1.5	276.5
Gray shale-----	1	47	Shale-----	7.5	284
			Sandy (1/4 gal/min)-----	3	287
<u>01N42E25EBCC.--Drilled 9/59. Driller unknown.</u>			Shale-----	64	351
Topsoil-----	20	20	Coal-----	8	359
Sandy clay-----	22	42	Shale-----	4	363
Quicksand-----	11	53	Coal-----	3	366
Light shale-----	13	66	Shale-----	22	388
Sand (water)-----	14	80	Hard rock-----	4	392
Light shale-----	12	92	Brown sandy-----	14	406
Sandy (water)-----	6	98	Gray sand (2 gal/min)-----	21.5	427.5
Shale-----	9	107			
			<u>01N46E30BCCB.--Drilled 7/57 by I. C. Bond.</u>		
			Yellow clay-----	18	18
			Gravel-----	3	21

Table 3.--Logs of wells and test holes--Continued

	Thickness	Depth		Thickness	Depth
<u>01N46E30BCCB</u> ---Continued			<u>01N47E35ABCC</u> ---Continued		
Gumbo-----	9	30	Blue shale-----	10	40
Coal-----	18	48	Sand (water)-----	20	60
Sandy clay-----	4	52	Blue shale-----	30	90
Rock-----	3	55			
Sandrock-----	5	60			
Blue clay-----	12	72	<u>01N48E22ACBB</u> ---Drilled 5/68 by E. Drane.		
Gumbo-----	8	80	Topsoil-----	2	2
Coal (some water)-----	10	90	Yellow clay-----	18	20
Sand (more water)-----	7	97	Clay and sandrock-----	10	30
Gumbo-----	13	110	Blue shale-----	10	40
			Rock-----	1	41
			Blue shale-----	45	86
			Rock-----	2	88
			Blue shale and coal streaks---	41	129
			Blue sand-----	23	152
			Shale with coal-----	14	166
			Sand-----	31	197
			Shale-----	6	203
<u>01N47E20AADC</u> ---Drilled 10/52 by Bandy Drilling.			<u>01N49E18EDAA</u> ---Drilled 7/32 by Mackin.		
Surface soil-----	10	10	Yellow clay-----	38	38
Gravel-----	10	20	Scoria-----	4	42
Yellow clay-----	10	30	Yellow clay-----	4	46
Sandstone-----	20	50	Rock (1 gal/min)-----	6	52
Coal-----	10	60	Gray shale-----	8	60
Hard rock-----	10	70	Black shale-----	22	82
Sand-----	20	90	Coal-----	2	84
Blue shale-----	10	100	Gray shale-----	26	110
Not recorded-----	12	112	Sandrock (water)-----	4	114
<u>01N47E20ACDC</u> ---Drilled 3/74 by R. Askin.					
Gumbo-----	60	60			
Coal-----	10	70			
Gumbo-----	40	110			
Sand-----	25	135			
Gumbo-----	5	140			
<u>01N47E23DBDD</u> ---Drilled 9/66 by Briant Drilling.			<u>01N49E26CEBD</u> ---Drilled 10/57 by Bandy Drilling.		
Gray clay-----	8	8	Surface soil-----	12	12
Brown clay and trace of coal--	3	11	Yellow clay-----	28	40
Gray clay-----	15	26	Blue shale-----	2	42
Coal-----	8	34	Coal-----	37	79
Gray clay-----	22	56	Blue shale-----	15	94
Coal-----	1	57	Hard rock-----	2	96
Gray clay-----	41	98	Sandstone-----	64	160
Trace of coal (water)-----	1	99	Blue shale-----	11	171
Gray sand-----	18	117	Sand (water)-----	51	222
Trace of coal (water)-----	1	118	Coal and shale-----	8	230
Gray clay-----	2	120			
<u>01N47E27CADC</u> ---Drilled 2/74 by R. Askin.			<u>01N49E36ADAD</u> ---Drilled 10/66 by E. Drane.		
Gumbo-----	60	60	Sandy-----	25	25
Coal-----	15	75	Blue clay-----	20	45
Gumbo-----	15	90	Brown clay-----	11	56
Sand-----	10	100	Brown sand and clay-----	28	84
Coal-----	10	110	Coal-----	6	90
Gumbo-----	10	120	Yellow clay-----	6	96
			Gray sand and clay streaks---	24	120
			Sand (water)-----	40	160
			Clay and coal streaks-----	2	162
<u>01N47E28DDAD</u> ---Drilled 9/48 by Edlund.			<u>01N50E22DADB</u> ---Drilled 8/46. Driller unknown.		
Surface-----	27	27	Brown clay and sand-----	5	5
Yellow clay-----	6	33	Brown clay-----	20	25
Rock-----	4	37	Blue clay-----	15	40
Blue shale-----	34	71	Coal-----	2	42
Soft rock-----	3	74	Blue clay-----	53	95
Sand-----	23	97	Sand and rock-----	16	111
Coal-----	4	101			
Sand-----	5	106			
Coal-----	6	112			
<u>01N47E35ABCC</u> ---Drilled 5/55 by Bandy Drilling.			<u>01N50E32BAAA</u> ---Drilled 9/62 by Higgins.		
Surface soil-----	20	20	Not recorded-----	12	12
Coal-----	10	30	Gravel-----	31	43

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>01N50E32BAAA</u> ---Continued			<u>01S42E03BBDD</u> ---Drilled 9/46. Driller unknown.		
Clay-----	2	45	Surface soil-----	12	12
Rock-----	6	51	Sand and gravel-----	39	51
Clay-----	5	56	Sandrock-----	45	96
Coal-----	63	119	Gray shale-----	11	107
Clay-----	41	160	Rock-----	4	111
Sand (boiled dry)-----	30	190	Sandrock-----	94	205
Shale-----	20	210	Gray shale-----	5	210
Sand (boiled dry)-----	23	233			
Shale-----	5	238	<u>01S42E05ADBB</u> ---Drilled 9/48 by B. Colts.		
Coal-----	27	265	Sandy loam-----	30	30
Shale-----	5	270	Sand-----	25	55
Rock-----	30	300	Shale-----	65	120
Sand-----	5	305	Sand-----	15	135
Shale-----	0	305			
<u>01N52E14CCCB</u> ---Drilled 8/75 by Askin.			<u>01S42E09ACDD</u> ---Drilled 9/59. Driller unknown.		
Sand and gravel-----	22	22	Surface soil-----	28	28
Gumbo-----	118	140	Sandstone-----	39	67
Streaks of sand-----	40	180	Blue shale-----	6	73
Gumbo-----	150	330			
Sand-----	50	380	<u>01S45E01CABB</u> ---Drilled 9/70 by H. Jones.		
Gumbo-----	20	400	Soil-----	24	24
Sand-----	40	440	Silt-----	7	31
			Red shale-----	8	39
<u>01N52E26CDA</u> ---Drilled 8/76. Driller unknown.			Coal-----	8	47
Brown sand and gravel-----	15	15	Gray shale-----	36	83
Coal-----	5	20	Coal-----	13	96
Dry sand-----	20	40	Gray shale-----	13	109
Gumbo-----	20	60	Hard rock-----	2	111
Coal-----	5	65	Brown shale-----	27	138
Sand-----	20	85	Sandstone-----	54	192
Gumbo-----	5	90	Gray shale-----	10	202
<u>01S37E01BAAD2</u> ---Drilled 9/54. Driller unknown.			<u>01S45E11CEBA</u> ---Drilled 8/66 by Bandy Drilling.		
Brown sandy shale-----	48.5	48.5	Surface soil-----	28	28
Gray sandy shale-----	19.7	68.2	Gravel-----	24	52
Coal-----	2.5	70.7			
Gray shale-----	13.5	84.2	<u>01S46E36CDCD</u> ---Drilled 9/63 by Bandy Drilling.		
Dark shale with coal streaks--	2.2	86.4	Soil-----	25	25
Gray shale-----	9	95.4	Gray shale-----	64	89
Hard rock-----	2.4	97.8	Sandstone-----	141	230
Gray shale-----	7.5	105.3			
Coal-----	5.7	111	<u>01S47E11DDDD</u> ---Drilled 9/66 by Briant Drilling.		
Gray shale-----	5.5	115.5	Gray topsoil-----	10	10
Not recorded-----	44.5	160	Dark clay-----	16	26
			Trace of coal-----	1	27
<u>01S41E23BACB</u> ---Drilled 9/65 by Groom.			Gray shale-----	43	70
Sand and gravel-----	8	8	Dark shale-----	61	131
Sandy-----	22	30	Coal-----	11	142
Mucky-----	6	36	Blue shale-----	8	150
Gravel-----	13	49	Sand (water)-----	10	160
Shale-----	11	60			
Sandy-----	15	75	<u>01S47E18BBDD</u> ---Drilled 8/71 by Askin.		
Coal-----	9	84	Soil-----	20	20
Shale-----	10	94	Red shale-----	25	45
Sandy shale-----	16	110	Clinker-----	5	50
Dark shale-----	2	112	Not recorded-----	40	90
Coal-----	10	122	Gumbo-----	30	120
Hard shale-----	3	125	Coal-----	15	135
Sandy shale-----	36	161	Gumbo-----	120	255
Hard rock-----	4	165	Sand (10 gal/min at 300 ft)---	60	315
Shale, hard-----	61	226			
Sandy (50 gal/min)-----	22	248			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
01S47E22DBAB.--Drilled 10/40. Driller unknown.			01S49E18ADAC.--Continued		
Sandy loam-----	14	14	Soft yellow sandstone-----	49	78
Sandy yellow clay-----	4	18	Brown shale-----	2	80
Soft broken rock-----	2	20	Soft leval-----	1	81
Gray shale-----	40	60	Gray sandy shale-----	24	105
Sandstone-----	35	95	Sandstone (hard water)-----	22	127
			Hard gray rock-----	3	130
			Brown fine-grained sandstone--	3	133
01S47E23DDAD.--Drilled 3/36. Driller unknown.			Hard gray rock-----	3	136
Yellow sandy loam-----	35	35	Gray fine-grained sandstone--	9	145
Gravel, sand (water)-----	25	60	Rock-----	3	148
			Sandstone-----	6	154
			Hard rock-----	1	155
01S47E26CBBB.--Drilled 6/75 by Askin.			Hard gray sandstone-----	7	162
Gravel-----	60	60	Hard rock-----	1	163
Sand-----	50	110	Gray sandy shale-----	22	185
Coal-----	20	130	Brown sandy shale-----	5	190
Sand-----	50	180	Hard gray shale-----	26	216
Gumbo, streaks of coal-----	220	400	Brown and black shale-----	18	234
Gumbo-----	100	500	Hard rock-----	1	235
Sand-----	80	580	Gray and black shale-----	23	258
			Sandstone (soft water)-----	2	260
			Leval (soft water)-----	5	265
			Sandy gray shale-----	5	270
01S47E27DBBD.--Drilled 4/64 by Bandy Drilling.					
Soil-----	3	3	01S49E31BDCC.--Drilled 9/61 by Aye.		
Gravel-----	35	38	Clay-----	30	30
Blue shale-----	6	44	Gravel-----	20	50
Sandstone (water)-----	16	60			
01S47E28ACCD.--Drilled 2/74 by Askin.			01S50E8AAAD.--Drilled 7/76 by Drane Drilling.		
Sand and scoria-----	30	30	Yellow clay, gravel-----	10	10
Gumbo-----	30	60	Yellow clay-----	5	15
Sand-----	10	70	Coal-----	12	27
Coal-----	10	80	Blue shale-----	3	30
Gumbo-----	100	180	Yellow sand-----	10	40
Sand-----	60	240	Blue sand-----	27	67
			Blue shale-----	13	80
01S47E34AACD.--Drilled 2/74 by Askin.			01S50E30ACBB.--Drilled 9/59 by Janssen.		
Scoria-----	40	40	Surface-----	2	2
Gumbo-----	15	55	Yellow clay-----	16	18
Coal-----	25	80	Sand-----	8	26
Gumbo-----	5	85	Gravel-----	2	28
Coal-----	10	95	Gray clay-----	8	36
Gumbo-----	5	100	Coal-----	3	39
			Blue clay-----	19	58
			Sand-----	8	66
01S48E20DCAC.--Drilled 9/71 by Jones.			Gray clay-----	26	92
Surface soil-----	28	28	Sand-----	18	110
Soft sandstone-----	70	98			
Gray shale-----	15	113			
01S48E24ACAD.--Drilled 5/71 by Drane Drilling.			01S50E33CDCC.--Drilled 12/63 by Drane Drilling.		
Yellow sandy clay-----	30	30	Clay-----	10	10
Blue clay-----	15	45	Sandrock-----	15	25
Coal-----	3	48	Hard rock-----	3	28
Blue clay with coal streaks---	34	82	Sand, shale, and coal mixed---	84	112
Blue sand-----	13	105	Coal-----	4	116
Blue shale with coal streaks--	57	162	Shale-----	4	120
Blue sand-----	19	181	Sand-----	35	155
Blue shale-----	37	218	Shale, coal streaks-----	15	170
Blue sand-----	34	252	Sandrock (water)-----	130	300
Sandy shale-----	8	260	Shale-----	9	309
01S49E18ADAC.--Drilled 12/40 by Mackin.			01S51E27BBCC.--Drilled 10/65 by Drane Drilling.		
Yellow sandy loam-----	18	18	Topsoil-----	5	5
Sand and gravel (water)-----	11	29	Clay-----	5	10

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>01S51E27BECC</u> ---Continued			<u>02S42E01CACC</u> ---Drilled 9/67. Driller unknown.		
Gravel-----	7	17	Scoria-----	33	33
Shale-----	83	100	Clay-----	4	37
Sand (water)-----	35	135	Shale-----	28	65
			Hard shale-----	15	80
			Light shale-----	20	100
<u>01S51E34ABCC</u> ---Drilled 1/59 by Bandy Drilling.			Sandy shale-----	29	129
Surface soil-----	12	12	Shale-----	1	130
Gravel-----	16	28	Coal-----	24	154
Blue shale-----	93	121			
Sand (water)-----	21	142	<u>02S44E27ADCC</u> ---Drilled 9/53 by Drane Drilling.		
Blue shale-----	8	150	Sandy topsoil-----	10	10
			Gravel-----	60	70
<u>02S41E17EAA</u> ---Drilled 9/69 by Simpson Drilling.			Shale-----	8	78
Scoria-----	25	25	Rock-----	7	85
Scoria, coal, and sand-----	21	46	Shale-----	15	100
Gray sandy shale-----	4	50	Coal-----	3	103
Gray shaly sandstone-----	20	70	Rock-----	5	108
Gray sandstone-----	1.5	71.5	Shale-----	12	120
			Sandy shale-----	63	183
<u>02S41E17CCD</u> ---Drilled 9/67 by Bandy Drilling.			Shale-----	22	205
Surface soil-----	18	18	Coal-----	5	210
Gravel-----	45	63	Shale-----	15	225
			Sand-----	55	280
<u>02S41E19DAA</u> ---Drilled 9/68 by U.S. Geological Survey.			Shale and coal-----	60	340
Sand, dry, silty, and clayey to pebbly medium sand, damp-----	12	12	Shale-----	42	382
Sand, medium, pebbly, slightly clayey, damp-----	8	20	Sand (4 gal/min)-----	24	406
Clay, sandy, pebbly, wet-----	4	24	Shale-----	6	412
Clay, very sandy, pebbly, wet-----	6	30			
Sand, pebbly, dark-brown, very pebbly at 38, 44, and 53 ft, saturated-----	27	57	<u>02S45E17CBBD</u> ---Drilled 7/60 by Bandy Drilling.		
Sandstone, soft (slow drilling, no returns)-----	7	64	Clay-----	11	11
Shale-----	14	78	Shale-----	12	23
Sandstone, hard-----	--	78	Sand-----	37	60
			Hard rock-----	2	62
<u>02S41E20BEC</u> ---Drilled 9/67 by Bandy Drilling.			Sand (2.5 gal/min)-----	48	110
Surface soil-----	19	19	Shale-----	38	148
Sand and gravel-----	24	43	Hard rock-----	5	153
Gravel-----	20	63	Sandstone (25 gal/min)-----	63	216
			Coal-----	14	230
<u>02S41E20CBE</u> ---Drilled 9/68 by U.S. Geological Survey.					
Sand, very fine, clayey with pea-sized clinker fragments-----	8	8	<u>02S46E05AACB</u> ---Drilled 7/49. Driller unknown.		
Sand, fine, with minor amounts 1/4-inch pebbles of clinker, slightly clayey, dry-----	16	24	Surface-----	13	13
Sand-----	2	26	Clinker-----	33	46
Clay, gray-----	2	28	Coal-----	9	55
Clay, brown, moist-----	2	30	Gray sandy shale-----	13	68
Sand, fine to medium, clayey, brownish-gray-saturated; little clay below 46 ft; bluish-gray below 45 ft; small amount of gravel at 69 ft and below-----	48	78	Rock-----	5	73
Sandstone-----	--	78	Sand-----	57	130
			<u>02S46E36CBBE</u> ---Drilled 1/63 by Bandy Drilling.		
			Subsoil-----	12	12
			Gravel-----	16	28
			Sandy shale-----	37	65
			Hard rock-----	2	67
			Clay-----	37	104
			Sand-----	20	124
			Hard rock-----	2	126
			Sand-----	32	158
			Blue shale (water)-----	22	180
			<u>02S47E10DADB</u> ---Drilled 1/64 by Bandy Drilling.		
			Soil-----	6	6
			Blue shale-----	40	46

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>02S47E10DADB</u> .--Continued			<u>02S50E17BCDC</u> .--Drilled 5/56 by Bandy Drilling.		
Hard rock-----	1	47	Surface soil-----	18	18
Blue shale-----	21	68	Gravel-----	6	24
Sand-----	11	79	Blue shale-----	14	38
Blue shale-----	53	132	Sandy shale-----	7	45
Sand-----	8	140	Blue shale-----	10	55
Blue shale-----	76	216	Hard rock-----	8	63
Sand (water)-----	64	280	Sand (water)-----	17	80
<u>02S48E19BCCA</u> .--Drilled 4/76. Driller unknown.			<u>02S50E17BDBA</u> .--Drilled 11/42 by Bandy Drilling.		
Soil-----	16	16	Yellow sand-----	10	10
Gravel-----	16	32	Blue shale-----	50	60
Blue shale-----	61	93	Gray shale-----	10	70
Hard rock-----	1	94	Sand (water)-----	82	152
Blue shale-----	62	156	<u>02S50E32CDAC</u> .--Drilled 1/48 by Drane Drilling.		
Sandstone (water)-----	54	210	Sand-----	25	25
Gray shale-----	10	220	Sandrock-----	20	45
<u>02S49E26AACA</u> .--Drilled 1/56. Driller unknown.			Blue shale-----	40	85
Surface soil, yellow clay-----	18	18	Sand (water)-----	20	105
Gray shale-----	19	37	Blue shale-----	20	125
Coal-----	31	68	Sand (water)-----	15	140
Blue shale-----	16	84	<u>02S50E34CCBD</u> .--Drilled 4/63 by Bandy Drilling.		
Sandstone-----	7	91	Surface soil-----	16	16
Gray shale-----	4	95	Sandstone-----	84	100
Hard rock-----	1	96	Blue shale-----	8	108
Gray shale-----	69	165	Not recorded-----	2	110
Sand (water)-----	25	190	<u>02S51E21ACBB</u> .--Drilled 8/76. Driller unknown.		
Coal-----	6	196	Surface-----	16	16
Gray shale-----	4	200	Yellow clay-----	22	38
<u>02S50E04DDBB</u> .--Drilled 12/65 by Drane Drilling.			Blue shale-----	36	74
Sandy clay-----	4	4	Hard rock-----	3	77
Yellow sand, clay-----	46	50	Sand (water)-----	48	125
Sand, clay, coal-----	15	65	Blue shale-----	11	136
Blue clay, coal, sand-----	90	155	<u>03S39E29DDCA</u> .--Drilled 6/67 by Bandy Drilling.		
Sand, shale streaks-----	25	180	Surface soil-----	12	12
Shale, thin sand, coal streaks-----	50	230	Sandy silt-----	43	55
Coal-----	8	238	Gravel-----	15	70
Shale-----	4	242	<u>03S40E7CCA</u> .--Drilled 6/64 by Simpson Drilling.		
Rock-----	2	244	Brown sandy clay-----	35	35
Blue shale-----	18	262	Muddy gray sandy clay-----	9	44
<u>02S50E08AADA</u> .--Drilled 6/66 by Bryan.			Brown sand, clay-----	7	51
Surface soil-----	18	18	Hard shell-----	3	54
Blue shale-----	9	27	Gray shaly sandstone-----	20	74
Sandstone-----	14	41	Hard shell-----	10	84
Sandy shale-----	34	75	Sandstone, shaly, gray-----	3	87
Coal-----	5	80	Shale, gray-----	8	95
Blue shale-----	17	97	Hard shell-----	10	105
Hard rock-----	4	101	Gray sandy shale-----	5	110
Sandy shale-----	18	119	<u>03S40E07CCA2</u> .--Drilled 6/64 by Simpson Drilling.		
Sand (3 gal/min)-----	6	125	Brown sandy clay-----	24	24
Blue shale-----	23	148	Gray sand, clay-----	10	34
Sandstone-----	11	159	Gravel and gray shale-----	9	43
Gray shale-----	6	165	Gray shale-----	4	47
<u>02S50E17BADC</u> .--Drilled 6/52 by Bandy Drilling.			Gray shale, sand, coal-----	2	49
Yellow sand-----	10	10	Gray shale-----	7	56
Blue shale-----	50	60			
Gray shale-----	10	70			
Water sand-----	80	150			
Blue shale-----	50	200			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>03S44E03CCC</u> ---Drilled 2/68 by R. Wham.			<u>03S44E11BCAB2</u> ---Continued		
Surface-----	1	1	Shale-----	16	69
Rock and clay-----	9	10	Sandrock-----	23	92
Gray-----	15	25	Shale-----	9	101
Gravel (little water)-----	5	30	Sand-----	12.5	113.5
Muddy, sandy, dry-----	10	40			
Sand-----	10	50	<u>03S44E11BCAD</u> ---Drilled 9/47. Driller unknown.		
Sand (clear water)-----	5	55	Surface soil-----	5	5
			Gray clay-----	10	15
<u>03S44E09ADA</u> ---Drilled 2/68 by R. Wham.			Yellow clay, sandstone streak-----	7	22
Brown clay-----	10	10	Gray clay-----	8	30
Blue clay-----	30	40	Sandstone-----	5	35
Blue shale-----	41	81	Gray shale-----	12	47
Light blue sandy (water)-----	4	85	Coal-----	11	58
Shale-----	3	88	Gray shale-----	2	60
			Sandstone-----	20	80
			Yellow clay-----	4	84
<u>03S44E10BDBC</u> ---Drilled 9/68 by U.S. Geological Survey.			Coal-----	7	91
Sand, gravelly, dry, contains river gravel and clinker fragments-----	3	3	Gray shale-----	9	100
Clay, sandy, damp to moist-----	5	8	Yellow clay-----	9	109
Sand, clayey, gravelly, wet-----	7	15	Gray shale-----	3	112
Clay or shale-----	3	18	Sandstone (seeping 1.2 gal/min)-----	6	118
Sandstone-----	-	18	Coal-----	3	121
			Gray shale-----	9	130
			Gray sandstone-----	38	168
			Coarse sand (water)-----	14	182
			Gray sandstone-----	25	207
			Not recorded-----	6	213
<u>03S44E11BCAB</u> ---Drilled 9/35. Driller unknown.					
Yellow clay-----	4	4	<u>03S45E03BADD</u> ---Drilled 9/64 by Bandy Drilling.		
Broken limestone-----	11	15	Surface soil-----	16	16
Yellow clay-----	7	22	Sandstone and clay streaks-----	164	180
Black shale, some coal-----	8	30	Coal-----	65	245
Gray shale-----	8	38	Sand (water)-----	35	280
Yellow clay and trap rock (seep water)-----	10	48			
Gray shale-----	22	70	<u>03S45E12BDCB</u> ---Drilled 3/72 by Peabody Coal Co.		
Sandrock (8 gal/min)-----	30	100	Brown clay-----	14	14
Gray shale-----	10	110	Gravel (water)-----	5	19
Sandrock (water)-----	30	140	Brown shale and sandstone (water)-----	14	33
Gray shale-----	15	155	Hard gray shale-----	16	49
Soft coal-----	5	160	Brown sandstone (good water)-----	6	55
Green shale-----	10	170	Gray shale-----	4	59
Black shale-----	5	175	Hard rock-----	9	68
Gray shale-----	17	192	Gray shale-----	1	69
Rock-----	4	196	Coal-----	6	75
Gray shale-----	9	205	Gray shale-----	55	130
Coal-----	2	207	Sandstone (hard water)-----	10	140
Gray shale-----	10	217	Gray shale-----	24	164
Coal-----	3	220	Not recorded-----	76	240
Green shale, slate rock, gray shale-----	25	245			
Sandrock (water)-----	15	260	<u>03S45E13DCBC</u> ---Drilled 1/66 by Bandy Drilling.		
Gray shale-----	8	268	Surface soil-----	2	2
Sandstone (water)-----	19	287	Sandy shale-----	96	98
Sandstone-----	10	297	Sand (water)-----	17	115
Gray shale-----	8	305	Blue shale-----	6	121
Sandstone-----	2	307	Coal-----	51	172
Green and gray shale, coal-----	38	345			
Sandrock (water)-----	30	375	<u>03S45E14CCAB</u> ---Drilled 1/63 by H. Kray.		
Hard rock-----	2	377	Red shale-----	136	136
Soft sand-----	4	381	Sandy clay-----	4	140
			Sandrock-----	3	143
			Clay with rock-----	20	163
<u>03S44E11BCAB2</u> ---Drilled 9/54. Driller unknown.					
No returns-----	34	34			
Gray shale-----	9	43			
Sandrock-----	10	53			



Table 3.--Logs of wells and test holes--Continued

	Thickness	Depth		Thickness	Depth
03S45E14CCAB.--Continued			03S46E06AADB.--Drilled 1/64 by Briant Drilling.		
Sand (water)-----	15	178	Topsoil-----	2	2
Light clay with coal streaks--	15	193	Yellow sand-----	20	22
03S45E15DBBB.--Date and driller unknown.			Red shale-----	34	56
Clay-----	10	10	Gray shale-----	54	110
Red shale-----	54	64	Yellow shale-----	70	180
Gravel with blue shale-----	31	95	Dark shale-----	51	231
Gray sand rock-----	25	120	Hard coal-----	23	254
Blue shale with coal-----	12	132	Soft sandstone (water)-----	16	270
03S45E31DCDA.--Date unknown. Drilled by Mackin.			Sand-----	22	292
Loam-----	25	25	03S46E07ADBB.--Drilled 1/61. Driller unknown.		
Scoria, rock, and gravel-----	110	135	Surface soil-----	13	13
Quicksand-----	15	150	Hard rock-----	7	20
Sandstone (water)-----	15	165	Gray shale-----	32	52
Coal-----	1	166	Sand (water)-----	32	84
Gray shale-----	2	168	Rock-----	5	89
3S45E32DDAC.--Drilled 9/34. Driller unknown.			Sandstone-----	37	126
Loam-----	20	20	Gray shale-----	7	133
Gravel (water)-----	55	75	03S46E17ADBC.--Drilled 6/62 by Bandy Drilling.		
Stone (water)-----	3	78	Surface soil-----	15	15
Shale-----	12	90	Yellow sandstone-----	38	53
Coal-----	4	94	Hard rock-----	3	56
Shale-----	16	110	Sandstone-----	79	135
Coal-----	3	113	Gray shale-----	15	150
Shale-----	12	125	03S46E18CCCC2.--Drilled 6/50 by Drane Drilling.		
Coal-----	10	135	Sandy topsoil-----	25	25
Shale-----	4	139	Red shale and gravel-----	10	35
Hard rock-----	3	142	Red shale-----	15	50
Sandstone (water)-----	4	146	Blue shale-----	10	60
Coal-----	2	148	Hard coal-----	60	120
Shale-----	12	160	Blue shale-----	80	200
Coal-----	2	162	Sand (water)-----	30	230
Shale-----	12	174	Blue shale-----	15	245
Coal-----	2	176	03S46E19ACBA.--Drilled 6/52. Driller unknown.		
Shale-----	6	182	Clay and sand-----	23	23
Rock-----	1	183	Gravel and red shale-----	6	29
Shale-----	6	189	Clay and sand (loose, broken rocks)-----	35	64
Rock-----	1	190	Gray sandy shale-----	46	110
Shale-----	6	196	Coal and some shale-----	68	178
Sandstone (water)-----	39	235	Shale and rocks-----	17	195
Coal-----	7	242	Shale with sand-----	9	204
Shale-----	5	247	Rocks-----	1	205
Limestone-----	8	255	03S46E20DBAB.--Drilled 9/65 by Drane Drilling.		
Shale-----	7	262	Clay topsoil-----	3	3
Limestone-----	3	265	Yellow clay-----	27	30
Shale-----	4	269	Soft coal-----	15	45
Coal-----	8	277	Blue clay-----	79	124
Shale-----	41	318	Blue shale and shaley rock streaks-----	46	170
03S46E05AABB.--Drilled 6/74 by Jones.			Shale with sandstone streaks--	25	195
Soil-----	5	5	Rocks-----	1	196
Sandy clay-----	14	19	Coal (water)-----	71	267
Red shale-----	39	58	Blue shale-----	1	268
Gray sandy shale-----	30	88	03S46E21CDBA.--Drilled 6/62 by Bandy Drilling.		
Coal-----	5	93	Surface soil-----	2	2
Gray shale-----	24	117	Yellow clay-----	30	32
Sandstone-----	37	154	Blue shale-----	29	61
Gray shale-----	32	186			
Coal-----	65	251			
Hard rock-----	1	252			
Gray shale-----	8	260			
Sandstone-----	47	307			
Gray shale-----	13	320			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>03S46E21CDBA</u> ---Continued			<u>03S49E02CABC</u> ---Drilled 6/73 by Jones.		
Coal-----	9	70	Surface soil-----	17	17
Blue shale-----	35	105	Brown clay-----	7	24
Sandstone-----	124	229	Blue shale-----	3	27
Coal-----	11	240	Coal-----	2	29
			Blue shale-----	19	48
			Hard rock-----	2	50
<u>03S46E22CBBA</u> ---Drilled 7/60 by Bandy Drilling.			Blue shale-----	22	72
Surface soil-----	18	18	Coal-----	3	75
Sand-----	22	40	Blue shale-----	8	83
Blue shale-----	70	110	Coal-----	2	85
Sandstone-----	80	190	Blue shale-----	11	96
Not recorded-----	3	193	Coal-----	1	97
			Blue shale-----	47	144
			Coal (water)-----	38	182
			Gray shale-----	41	223
<u>03S46E23AABD</u> ---Drilled 6/54 by Drane Drilling.					
Clay-----	10	10	<u>03S49E08CCBD</u> ---Drilled 8/73 by Drane Drilling.		
Red shale-----	10	20	Brown clay-----	32	32
Gravel and sand-----	25	45	Yellow sand-----	48	80
			Blue sand-----	10	90
			Blue shale-----	15	105
			Blue sand-----	73	178
			Blue shale-----	2	180
<u>03S46E30BCCC</u> ---Drilled 6/62 by Bandy Drilling.					
Surface soil-----	14	14	<u>03S49E10DBBC</u> ---Drilled 8/73 by Drane Drilling.		
Blue shale-----	21	35	Clay with coal-----	55	55
Sandstone-----	122	157	Clay-----	15	70
Coal-----	13	170	Rock-----	4	74
			Coal with shale-----	41	115
			Coal-----	10	125
			Shale with coal streaks-----	35	160
			Blue shale-----	10	170
			Gray shale-----	20	190
			Sand (water)-----	30	220
			Shale-----	10	230
<u>03S46E32CDBD</u> ---Drilled 1/63 by Bandy Drilling.					
Subsoil-----	16	16	<u>03S49E11BADC</u> ---Drilled 10/57 by Bandy Drilling.		
Sandstone and clay-----	174	190	Surface soil-----	8	8
Coal-----	55	245	Red shale-----	8	16
Sandstone-----	35	280	Coal-----	15	31
			Blue shale-----	19	50
<u>03S49E01AABB</u> ---Drilled 11/64 by Briant Drilling.			<u>03S49E12CAAA</u> ---Drilled 9/58 by Bandy Drilling.		
Topsoil-----	2	2	Surface soil-----	12	12
Brown sand-----	28	30	Blue shale-----	58	70
Dark shale-----	30	60	Sand (water)-----	20	90
Hard rock-----	2	62	Coal-----	10	100
Gray shale-----	19	81			
Dark shale-----	9	90	<u>03S49E12DBDB</u> ---Drilled 6/39 by Drane Drilling.		
Coal-----	2	92	Sand-----	7	7
Gray shale-----	23	115	Red shale-----	7	14
Coal-----	20	135	Soapstone-----	15	29
Sand-----	5	140	Sand-----	15	44
Gray shale-----	70	210	Blue shale-----	6	50
Hard rock-----	3	213	Coal-----	4	54
Dark shale-----	22	235	Coal and shale-----	8	62
Gray shale-----	95	330	Blue clay-----	26	88
Sandy shale-----	10	340			
Sand (water)-----	30	370			
<u>03S49E01ADDB</u> ---Drilled 12/64 by Briant Drilling.			<u>03S49E12DACB</u> ---Drilled 9/58 by Bandy Drilling.		
Topsoil-----	3	3	Surface soil-----	12	12
Gray sand-----	27	30	Blue shale-----	58	70
Gray shale-----	50	80	Sand (water)-----	20	90
Dark shale-----	34	114	Coal-----	10	100
Gray shale-----	21	135			
Coal-----	20	155			
Brown shale-----	30	185			
Dark shale-----	30	215			
Rock-----	2	217			
Gray shale-----	28	245			
Dry sand-----	25	270			
Gray shale-----	40	310			
Dark shale-----	70	380			
Sandy shale-----	5	385			
Sand (water)-----	25	410			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>03S49E12DBDB</u> ---Continued			<u>03S50E15BBAD</u> ---Drilled 11/41 by Drane Drilling.		
Blue shale-----	21	109	Sandy topsoil-----	15	15
Sandrock-----	46	155	Hard sand (water)-----	5	20
Sand (water)-----	5	160	Soapstone-----	30	50
Coal-----	43	203	Rock-----	3	53
Coal and sand-----	6	209	Clay-----	5	58
Sandrock-----	3	212	Hard sand (water)-----	6	64
Sand (water)-----	31	243	Blue clay-----	30	94
Sandrock-----	4	247	Coal-----	2	96
			Blue clay-----	24	120
			Clay and coal-----	20	140
<u>03S49E17CCDA</u> ---Drilled 12/69 by Drane Drilling.			Sandrock-----	6	146
Yellow clay-----	17	17	Soft sand (water)-----	10	156
Yellow sand-----	15	32	Blue clay-----	24	180
Clay-----	9	41	Sand, rock (water)-----	65	245
Scoria and clay-----	13	54	Sandrock, blue clay-----	19	264
Coal-----	6	60			
Blue shale-----	61	121	<u>03S50E15BBA</u> ---Drilled 11/59 by Bandy Drilling.		
Rock-----	7	128	Surface soil-----	8	8
Blue shale-----	11	139	Hard rock-----	3	11
Blue sand-----	37	176	Blue shale-----	19	30
Blue shale-----	4	180	Sand (water)-----	55	85
			Blue shale-----	15	100
<u>03S49E23DADC</u> ---Drilled 3/60 by Bandy Drilling.			<u>03S50E15BBBD</u> ---Drilled 11/59 by Bandy Drilling.		
Surface soil-----	25	25	Surface soil-----	15	15
Yellow clay-----	13	38	Sandstone-----	35	50
Sand (water)-----	57	95	Hard rock-----	2	52
Blue shale-----	15	110	Sand (water)-----	38	90
<u>03S49E34ACCB</u> ---Drilled 6/61 by Bandy Drilling.			<u>03S50E15BCBB</u> ---Drilled 6/74 by Jones.		
Surface soil-----	30	30	Surface-----	6	6
Blue shale-----	32	62	Sandy clay-----	25	31
Hard rock-----	5	67	Yellow clay-----	8	39
Gray shale-----	68	135	Soft sandstone-----	33	72
Sand (water)-----	24	159	Blue shale-----	1	73
Blue shale-----	111	170			
			<u>03S50E15CBBB</u> ---Drilled 11/59 by Bandy Drilling.		
<u>03S50E03BADD</u> ---Drilled 8/54 by Bandy Drilling.			Surface soil-----	11	11
Surface soil-----	10	10	Sandstone-----	65	76
Gravel-----	10	20	Blue shale-----	16	92
Blue shale-----	30	50	Not recorded-----	3	95
Sand streaks-----	20	70			
Blue shale-----	50	120	<u>03S50E17ABAB</u> ---Drilled 11/61 by Bandy Drilling.		
Sand (water)-----	20	140	Surface soil-----	8	8
Blue shale-----	13	153	Gravel-----	8	16
			Coal-----	10	26
<u>03S50E12AACB</u> ---Drilled 5/68 by Jones.			Gray shale-----	4	30
Surface soil-----	5	5			
Black shale-----	19	24	<u>03S50E18AAB</u> ---Drilled 3/51. Driller unknown.		
Blue shale-----	7	31	Clay-----	15	15
Sandy shale-----	9	40	Red shale-----	5	20
Black shale-----	12	52	Yellow clay-----	55	75
Sandstone-----	15	67	Hard sandrock-----	11	86
Blue shale-----	9	76	Blue clay-----	4	90
Sandstone-----	36	112	Coal-----	25	115
Blue shale-----	8	120	Blue clay-----	45	160
			Coal clay-----	5	165
<u>03S50E15BBAC</u> ---Drilled 11/54 by Janssen.			Blue clay-----	3	168
Topsoil and sand-----	15	15	Sand (water)-----	36	204
Hard sand (water)-----	5	20	Blue clay-----	2	206
Soapstone-----	30	50			
Rock-----	3	53			
Clay-----	5	58			
Hard sand (water)-----	8	66			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
03S50E21ADDD.--Drilled 11/57 by Bandy Drilling.			04S43E35CDCD.--Continued		
Surface soil-----	7	7	Gray shale-----	20	645
Red shale-----	13	20	Hard sandstone (water)-----	99	744
Blue shale-----	10	30			
03S50E21CDBA.--Drilled 11/66 by H. L. Jones.			04S44E05DBCD.--Drilled 1/46 by Drane Drilling.		
Surface soil-----	13	13	Sandy topsoil-----	10	10
Gray shale-----	5	18	Gravel and sand-----	20	30
Sand and shale streaks-----	31	49	Sandstone-----	14	44
Sandstone-----	13	62	Blue shale-----	2	46
Blue shale-----	5	67	Blue limestone rock-----	4	50
Hard sandstone-----	4	71	Blue shale with coal streaks--	20	70
Blue shale-----	31	102	Blue shale-----	70	140
Sandstone-----	10	112	Rock-----	4	144
Coal-----	3	115	Blue shale-----	21	165
Sandstone-----	55	170	Sand (water)-----	28	193
			Rock-----	4	197
			Shale-----	73	270
			Shale, sand-----	15	285
			Rock-----	2	287
			Shale, sand-----	13	300
			Sand (flow 20 gal/min)-----	65	365
			Blue shale-----	10	375
03S50E22CBBB.--Drilled 11/57 by Bandy Drilling.			04S44E12BBDA.--Drilled 1/59. Driller unknown.		
Surface soil-----	7	7	Topsoil-----	1	1
Red shale-----	13	20	Yellow clay-----	27	28
Blue shale-----	10	30	Clay and gravel-----	4	32
			Gumbo-----	4	36
			Rock-----	1	37
			Gumbo-----	9	46
			Rock-----	1	47
			Gumbo-----	38	85
			Rock-----	2	87
			Gumbo-----	5	92
			Rock-----	1	93
			Gumbo-----	9	102
			Rock-----	1	103
			Gumbo-----	13	116
			Coal-----	6	122
			Gumbo-----	13	135
			Coal-----	5	140
			Gumbo-----	7	147
			Rock-----	1	148
			Gumbo-----	37	185
			Rock-----	1	186
			Shale-----	34	220
			Sandy clay-----	12	232
			Shale-----	5	237
			Rock-----	1	238
			Sandy clay-----	5	243
			Shale-----	5	248
			Rock-----	1	249
			Sandy clay-----	17	266
			Shale-----	14	280
			Coal-----	60	340
			Shale-----	10	350
04S43E27DDD.--Drilled 5/67 by Bandy Drilling.			04S44E22ABDA.--Drilled 7/49 by Buell-Edlund Drilling.		
Surface soil-----	32	32	Surface-----	20	20
Sandstone-----	48	80	Bluish-gray shale-----	15	35
			Rock-----	2	37
			Bluish-gray shale-----	12	49
			Sand-----	3	52
			Bluish-gray shale-----	36	88
			Coal-----	9	97
			Gray shale-----	16	113
04S43E33CDD.--Drilled 1/62 by Billmayer and Sons.					
Brown clay-----	20	20			
Gravel-----	6	26			
Boulders-----	1	27			
Gravel and coal (water, oily)-	8	35			
Black and gray sand-----	18	53			
04S43E35CDCD.--Drilled 1/55. Driller unknown.					
Sand, soil-----	10	10			
Sand, gravel-----	20	30			
Sandstone-----	43	73			
Sand-----	100	173			
Sandstone (water)-----	17	190			
Sandy shale-----	13	203			
Sandstone (water)-----	117	320			
Coal-----	23	343			
Sandstone-----	25	368			
Sandy shale-----	52	420			
Gray shale-----	25	445			
Coal-----	8	453			
Sandstone-----	9	462			
Sandstone (water)-----	63	525			
Hard rock-----	5	530			
Sandstone (water)-----	95	625			



Table 3.--Logs of wells and test holes--Continued

	Thickness	Depth		Thickness	Depth
04S46E05BCBC.--Continued			04S46E33CBAC.--Drilled 7/46 by Drane Drilling.		
Sand and shale-----	41	146	Sandy topsoil-----	5	5
Hard sandstone-----	6	152	Gravel and sand-----	15	20
Shale-----	8	160	Red shale-----	10	30
Shale, coal-----	2	162	Sandstone (water)-----	30	60
Coal-----	34	196			
04S46E09BBCA.--Drilled 9/61. Driller unknown.			04S47E12CABD.--Drilled 5/63 by Bandy Drilling.		
Surface soil-----	9	9	Surface soil-----	17	17
Sand-----	16	25	Gravel-----	7	24
Clay and coal-----	10	35	Gray shale-----	84	108
Sandstone-----	2	37	Sandy shale-----	31	139
Gray shale-----	143	180	Hard rock-----	11	150
Sandy shale-----	42	222	Sand (water)-----	15	165
Coal-----	63	285			
Sand (water)-----	25	310	04S49E01DCDD.--Drilled 8/61 by Doeden.		
			Surface soil-----	24	24
04S46E10DABC.--Drilled 6/61 by Bandy Drilling.			Pea gravel-----	10	34
Soil-----	45	45			
Gravel-----	7	52	04S49E05BAAB.--Drilled 7/61 by Bandy Drilling.		
Sand (water)-----	9	61	Surface soil-----	22	22
Coal-----	4	65	Blue shale-----	21	43
			Coal-----	22	65
04S46E11BBBA.--Drilled 9/54 by Drane Drilling.			Blue shale-----	33	98
Clay-----	30	30	Sand and coal-----	14	112
Gravel and sand-----	34	64	Gray shale-----	103	215
Shale-----	11	75	Sand (water)-----	28	243
Sand-----	10	85	Blue shale-----	7	250
04S46E15CBDC.--Drilled 4/59. Driller unknown.			04S49E10ADBC.--Drilled 1/50 by Bandy Drilling.		
Soil-----	11	11	Surface soil-----	6	6
Gray shale-----	6	17	Sandstone-----	19	25
Hard rock-----	4	21	Coal-----	13	38
Gray shale-----	37	58	Blue shale-----	24	62
Coal-----	16	74	Sand-----	18	80
Sandstone (1/2 gal/min)-----	51	125	Blue shale and sand-----	17	97
Gray shale-----	15	140	Coal-----	8	105
Hard rock-----	4	144	Blue shale-----	23	128
Gray shale-----	27	171	Sand (water)-----	32	160
Sandstone (3 gal/min)-----	54	225	Blue shale rock-----	35	195
Gray shale-----	25	250	Hard rock-----	1	196
			Gray shale-----	17	213
04S46E31CCCC.--Drilled 9/48 by Buell-Edlund Drilling.			Sandrock-----	10	223
Surface soil-----	13	13	Coal-----	17	240
Sand and gravel-----	24	37	Blue shale-----	10	250
Gray shale-----	16	53			
Coal-----	8	61	04S49E13DBCD.--Drilled 8/55 by Drane Drilling.		
Sandy shale-----	77	138	Clay-----	65	65
Sand (hard water)-----	19	157	Sandrock-----	37	102
Limestone-----	4	161	Rock-----	3	105
Gray shale-----	12	173	Blue shale-----	3	108
Coal-----	12	185	Sand with shale-----	16	124
Sandy shale-----	6	191	Shale-----	4	128
Sand (soft water)-----	47	238			
White shale-----	2	240	04S49E14BCBD.--Drilled 3/72 by Drane Drilling.		
			Topsoil-----	2	2
04S46E32DCDC.--Drilled 9/53 by Drane Drilling.			Yellow sandrock-----	4	6
Clay-----	45	45	Blue clay-----	29	35
Sand and gravel-----	20	65	Brown sand-----	29	64
			Blue clay-----	2	66
			Blue sand-----	10	76

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>04S49E14BCBD</u> ---Continued			<u>04S50E17BDAC</u> ---Continued		
Blue shale-----	15	91	Shale-----	4	80
Blue sand-----	5	96	Sandy shale-----	5	85
Blue shale-----	12	108	Coal-----	5	90
Coal-----	9	117	Shale-----	3	93
Blue shale-----	5	122	Rock-----	2	95
			Shale-----	20	115
			Sandstone-----	29	144
<u>04S49E22ACBB2</u> ---Drilled 8/48 by Gali.			<u>04S52E18BCDC</u> ---Drilled 12/60 by Bandy Drilling.		
Sandy clay and topsoil-----	25	25	Sandy surface soil-----	50	50
Blue shale-----	20	45	Blue shale-----	50	100
Sandstone-----	20	65	Sand (water)-----	42	142
Blue shale-----	5	70	Blue shale-----	93	235
			Sand (water)-----	16	251
<u>04S49E25BBDD</u> ---Drilled 8/72 by Drane Drilling.			Sand shale-----	284	535
Yellow clay-----	2	2	Sand (water)-----	93	628
Gray sand-----	12	14	Blue shale-----	52	680
Yellow clay-----	18	32	Sand-----	50	730
Coal-----	4	36	Blue shale-----	169	899
Blue clay-----	26	62	Sand (water)-----	56	955
Coal-----	2	64	Blue shale-----	65	1020
Blue clay-----	39	103			
Blue sand-----	31	134	<u>05S42E18DCDB</u> ---Drilled 6/64 by Folkerts.		
Blue clay and sand-----	4	138	Soil-----	10	10
Blue sand-----	3	141	Clinker-----	45	55
Blue shale-----	4	145	Clinker, sand-----	20	75
			Fine sand-----	5	80
<u>04S50E04AAAA</u> ---Drilled 10/61. Driller unknown.			Gray shale-----	1	81
Surface soil-----	11	11			
Yellow sand-----	5	16	<u>05S42E19BABB</u> ---Drilled 9/51 by Strohr.		
Gravel and yellow sand-----	60	76	Topsoil-----	10	10
Blue shale-----	25	101	Shale-----	9	19
Sand (water)-----	34	135	Gravel-----	4	23
Blue shale-----	5	140	Sandstone-----	8	31
			Gravel-----	10	41
<u>04S50E06DCCC</u> ---Drilled 6/68 by Jones.			Fine gravel-----	12	53
Surface soil-----	3	3	Coal-----	29	82
Clay-----	25	28	Blue shale-----	4	86
Gravel, sand-----	21	49	Sandstone-----	14	100
Gray shale-----	9	58			
Sandstone-----	6	64	<u>05S42E20ADAC</u> ---Drilled 9/59 by Drane Drilling.		
Gray shale-----	11	75	Clay-----	18	18
			Red shale-----	24	42
<u>04S50E15DABB</u> ---Drilled 4/66 by Drane Drilling.			Coal-----	5	47
Sandy-----	18	18	Gravel, sand-----	10	57
Gravel-----	2	20	Blue clay-----	3	60
Yellow sand-----	88	108	Rock-----	3	63
Rock-----	1	109	Shale-----	24	87
Yellow sand with coal-----	21	130	Coal-----	3	90
Brown and yellow sand, some			Shale with coal streaks-----	44	134
clay streaks-----	40	170	Rock-----	1	135
Blue clay-----	14	184	Shale-----	1	136
Blue clay, sand and coal			Rock-----	2	138
streaks-----	40	224	Shale-----	37	175
			Coal-----	15	190
<u>04S50E17BDAC</u> ---Drilled 7/60. Driller unknown.			Shale-----	22	212
Sandy clay-----	10	10	Coal with shale, mixed-----	23	235
Sandrock-----	20	30	Shale-----	2	237
Blue clay-----	20	50	Rock-----	2	239
Sandrock-----	22	72	Shale-----	3	242
Hard rock-----	3	75	Rock-----	1	243
Coal-----	1	76	Shale with sand streaks-----	37	280

Table 3.--Logs of wells and test holes--Continued

<u>Thickness</u>		<u>Depth</u>	<u>Thickness</u>		<u>Depth</u>
05S42E20ADAC.--Continued			05S43E04CBDA.--Continued		
Shale-----	5	285	Clay-----	10	35
Shale with sand streaks-----	35	320	Sand and gravel-----	28	63
Rock-----	2	322			
Shale with sand streaks-----	106	428			
Sand-----	12	440	05S43E07DBDA.--Drilled 5/67 by Bandy Drilling.		
Shale-----	9	449	Topsoil-----	31	31
			Sand and gravel-----	19	50
			Coal-----	11	61
			Sandstone-----	19	80
05S42E20ADDE.--Drilled 5/48. Driller unknown.					
Topsoil-----	15	15	05S45E16DCBB.--Drilled 9/66 by Bandy Drilling.		
Gravel-----	28	43	Surface soil-----	9	9
Coal-----	5	48	Blue shale-----	141	150
Gray shale-----	4	52	Coal-----	21	171
Limestone-----	3	55	Shale-----	21	192
Gray shale-----	31	86			
Coal-----	4	90	05S45E27BDDDB.--Drilled 9/62 by Bandy Drilling.		
Sandy shale-----	14	104	Surface soil-----	6	6
Coal-----	4	108	Blue shale-----	39	45
Gray shale-----	2	110	Hard rock-----	2	47
			Blue shale-----	51	98
05S42E34ABBA.--Drilled 9/75 by Drane Drilling.			Hard rock-----	4	102
Yellow clay-----	9	9	Blue shale-----	17	119
Gravel-----	25	34	Coal-----	24	143
Yellow sand and gravel-----	6	40	Gray shale-----	68	211
Blue clay-----	10	50	Sandstone (8 gal/min)-----	39	250
Coal-----	6	56	Gray shale-----	2	252
Gray shale-----	41	97			
Rock-----	3	100	05S45E28BBEA.--Drilled 6/62 by Bandy Drilling.		
Gray shale-----	16	116	Surface soil-----	28	28
Coal-----	14	130	Blue shale-----	37	65
Gray shale-----	7	137	Sandstone-----	30	95
Rock-----	1	138	Gray shale-----	11	106
Gray shale-----	72	210	Sandstone (2 gal/min)-----	68	174
Sandy gray shale-----	26	236	Coal-----	16	190
Gray sand-----	22	258	Gray shale-----	21	211
Coal-----	15	273	Sandstone (8 gal/min)-----	30	241
Blue shale-----	95	368	Coal (8 gal/min)-----	9	250
Coal-----	26	394			
Blue shale-----	146	540	05S45E35BABA.--Drilled 9/71 by Drane Drilling.		
Blue sand-----	33	573	Clay-----	8	8
Blue sandy shale-----	20	593	Gravel-----	20	28
Blue shale-----	43	636	Blue clay-----	9	37
Coal-----	3	639	Gravel-----	19	56
Blue shale-----	93	732	Coal-----	3	59
Blue shale and sand streaks---	73	805	Blue sandy clay-----	46	105
Blue sand-----	69	874	Blue sand-----	25	130
Blue sandy shale-----	6	880	Blue shale-----	9	139
			Rock-----	2	141
			Blue shale with coal-----	42	183
05S43E04AAAA.--Drilled 10/74 by Nance.			Coal-----	5	188
Sand and small rocks-----	10	10	Blue shale-----	24	212
Gravel-----	2	12	Rock-----	1	213
			Blue shale-----	22	235
			Blue sand-----	30	265
			Blue shale-----	5	270
05S43E04CBC.--Drilled 1/62 by Billmayer and Sons.					
Brown clay-----	27	27	05S45E35BCDC.--Drilled 9/75 by Drane Drilling.		
Clay and gravel-----	36	63	Clay-----	8	8
Gravel with coal-----	14	77	Sand and gravel-----	9	17
Grayish-black rock-----	3	80	Clay-----	3	20
05S43E04CBDA.--Drilled 5/67 by Jones.					
Topsoil-----	16	16			
Sand and shale-----	9	25			



Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>05S46E04DACA</u> .--Drilled 9/60 by Hiager.			<u>05S49E32ADCD</u> .--Drilled 4/52 by Bandy Drilling.		
Topsoil-----	8	8	Surface soil-----	10	10
Gravel-----	10	18	Gravel-----	10	20
Gumbo-----	32	50	Blue shale-----	10	30
Not recorded-----	20	70	Coal-----	10	40
			Blue shale-----	30	70
			Coal-----	10	80
<u>05S46E20CBCC</u> .--Drilled 9/48 by Buell- Edlund Drilling.			Gray shale-----	50	130
Surface-----	45	45	Hard rock-----	30	160
Sand, gravel-----	13	58	Sandstone-----	30	190
Gray shale-----	2	60	Coal-----	20	210
			Blue shale-----	10	220
<u>05S46E20CDAB2</u> .--Drilled 1/74 by Buell- Edlund Drilling.			<u>05S50E13CCCA</u> .--Drilled 8/56 by Bandy Drilling.		
Surface-----	21	21	Surface soil-----	5	5
Sand and gravel-----	46	67	Yellow clay-----	17	22
Gray shale-----	44	111	Sandstone-----	56	78
Coal-----	27	138	Blue shale-----	22	100
Gray sandy shale-----	42	180	Sand (water)-----	60	160
Limestone-----	2	182			
Gray shale-----	12	194	<u>05S50E27ABDD</u> .--Drilled 9/70 by Bandy Drilling.		
Coal-----	3	197	Surface soil-----	10	10
Gray shale-----	95	292	Gravel-----	18	28
Sandrock-----	24	316	Dark shale-----	9	37
Limestone-----	5	321	Yellow sand-----	27	64
Sand-----	43	364	Light-blue shale-----	20	84
Coal-----	6	370	Sandstone-----	42	126
			Gray shale-----	4	130
<u>05S46E23CBDD</u> .--Drilled 1/36. Driller unknown.			<u>05S51E03ABBA</u> .--Drilled 9/76 by Drane Drilling.		
Loam-----	16	16	Not recorded-----	175	175
Gravel-----	4	20	Blue shale and coal slake-----	152	327
Yellow clay-----	12	32	Blue sand-----	15	342
Gravel (2 gal/min)-----	6	38	Blue shale-----	31	373
Yellow clay-----	4	42	Blue sand-----	19	392
Gravel-----	19	61	Blue shale and sand streaks---	16	408
			Rock-----	2	410
			Blue sand-----	4	414
			Rock-----	3	417
<u>05S48E04CADC</u> .--Drilled 1/76 by Jones.			Blue sand-----	16	433
Soil-----	3	3	Blue shale-----	19	452
Blue shale-----	81	84	Blue sand-----	36	488
Coal-----	13	97	Blue shale-----	10	498
Gray shale-----	12	109			
Coal-----	17	126	<u>05S51E07CDAC</u> .--Drilled 1/57 by Bandy Drilling.		
Gray shale-----	17	143	Sandstone-----	75	75
			Blue shale-----	116	191
			Hard rock-----	2	193
<u>05S49E19ADBA</u> .--Drilled 5/57 by Bandy Drilling.			Sand (water)-----	18	211
Surface soil-----	35	35	Blue shale-----	59	270
Yellow clay-----	6	41	Sand (water)-----	25	295
Blue shale-----	4	45	Blue shale-----	126	421
Coal-----	6	51	Sand (water)-----	44	465
Clay and sand-----	3	54	Gray shale-----	73	538
Blue shale-----	6	60	Sand (water)-----	82	620
Hard rock-----	2	62	Gray shale-----	73	693
Gray shale-----	79	141	Sand (water)-----	27	720
Coal-----	4	145	Gray shale-----	102	822
Gray shale-----	5	150	Sand (water)-----	49	871
Hard rock-----	2	152	Gray shale-----	9	880
Gray shale-----	13	165			
Sand-----	6	171	<u>06S39E15DDBC</u> .--Drilled 8/61. Driller unknown.		
Coal and sand-----	4	175	Soil-----	4	4
Gray shale-----	11	186	Hard shell-----	2	6
Coal-----	8	194			
Gray shale-----	7	201			
Sand-----	3	204			
Gray shale-----	16	220			

Table 3.--Logs of wells and test holes--Continued

	Thickness	Depth		Thickness	Depth
<u>06S39E15DDBC</u> ---Continued			<u>06S42E21DDCA</u> ---Drilled 9/46 by Parka.		
Brown sandstone-----	14	20	Topsoil and shale-----	11	11
Gray shale-----	4	24	Gravel-----	24	35
Coal (water)-----	34	58	Shale-----	40	75
Hard shell-----	3	61	Soft brown shale-----	3	78
Gray shale-----	14	75	Shale-----	5	83
Hard shell (water)-----	2	77	Sandrock-----	5	88
Light-gray shale-----	13	90	Sandy shale-----	20	108
			Sandrock-----	10	118
			Sandy shale-----	7	125
<u>06S40E29ABBA</u> ---Drilled 6/52. Driller unknown.			Sandrock-----	3	128
Clay-----	28	28	Sandy shale-----	20	148
Coal (water)-----	28	56	Gravel-----	10	158
Sandy shale-----	10	66	Coarse gravel, sand-----	3	161
Shell-----	1	67			
Light shale-----	5	72			
			<u>06S42E27ABBC</u> ---Drilled 9/46 by Parka.		
<u>06S40E30DDAA</u> ---Drilled 6/52. Driller unknown.			Topsoil, sand, and gravel-----	56	56
Soil-----	22	22	Hard shaley sand-----	2	58
Quicksand (water)-----	5	27	Gravel and sand-----	16	74
Shale-----	31	58	Shale-----	6	80
Sandstone (water)-----	53	111	Gravel-----	4	84
			Sandy shale-----	59	143
			Sand-----	4	147
<u>06S40E30DDAA2</u> ---Drilled 6/52. Driller unknown.			Hard sandy shale and gravel---	70	217
Red shale-----	18	18	Sandy shale-----	25	242
Gravel (water)-----	4	22	Sandrock-----	2	244
Sandy shale-----	18	40	Sand-----	16	260
Sandstone-----	53	93	Shale-----	24	284
			Sand (water)-----	28	312
			Shale-----	3	315
<u>06S41E27AAAA</u> ---Drilled 6/55. Driller unknown.			<u>06S43E20DDEE</u> ---Drilled 9/63 by Reid.		
Sand and boulders-----	9	9	Topsoil-----	7	7
Scoria and gravel-----	19	28	Yellow clay-----	43	50
Sandy shale-----	18	46	Sand and gravel (water)-----	19	69
Sandrock-----	89	135	Gray shale-----	11	80
Sandrock with coal stringers--	25	160	Coal-----	16	96
Sandrock (water)-----	140	300	Blue shale-----	49	145
			Hard rock-----	7	152
			Blue shale-----	93	245
<u>06S42E01DDCC</u> ---Drilled 1/47. Driller unknown.			Coal-----	12	257
Not recorded-----	102	102	Blue shale-----	108	365
Limestone-----	2	104	Rock-----	4	369
Shale-----	90	194	Blue shale-----	286	655
Coal-----	3	197	Rock-----	4	659
Shale-----	104	301	Blue shale-----	13	672
Coal-----	11	312	Sand (water)-----	46	718
Shale-----	7	319	Blue shale-----	2	720
Sandstone-----	75	394			
Shale-----	4	398			
Sandstone-----	50	448	<u>06S48E09PEDA</u> ---Drilled 10/73 by Hensley.		
Limestone-----	3	451	Brown shale-----	28	28
Sandstone-----	14	465	Brown sandstone-----	10	38
Coal-----	5	470	Brown shale-----	6	44
			Hard sandstone-----	1	45
<u>06S42E14DCAD</u> ---Drilled 9/46 by Parka.			Gray shale-----	36	81
Sandy soil-----	12	12	Dark-gray shale with coal----	3	84
Gravel-----	60	72	Gray shale-----	13	97
Hard sandrock-----	2	74	Coal-----	8	105
Shale and sand-----	30	104	Gray sandstone-----	10	115
Shale and hard sandrock-----	5	109	Gray shale-----	5	120
Shale and sand-----	125	234			
Sandy shale-----	88	322	<u>06S48E23ADAB</u> ---Drilled 7/61 by Bandy Drilling.		
Hard shale-----	3	325	Surface-----	24	24
Sand-----	10	335	Blue shale-----	66	90

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>06S48E23ADAB</u> ---Continued			<u>07S39E01DCA</u> ---Drilled 8/61. Driller unknown.		
Sand-----	34	124	Loam-----	10	10
Blue shale-----	9	133	Sandstone-----	65	75
Coal-----	25	158	Coal-----	10	85
Blue shale-----	72	230	Blue shale-----	55	140
Sand (water)-----	22	252	Coal-----	35	175
Blue shale-----	18	270			
<u>06S49E30ACB</u> ---Drilled 7/61 by Bandy Drilling.			<u>07S39E11AAC</u> ---Drilled 1/50. Driller unknown.		
Surface soil-----	25	25	Yellow clay-----	14	14
Blue shale-----	33	58	Rock-----	4	18
Coal-----	9	67	Sandstone-----	8	26
Blue shale-----	21	88	Sandstone (water)-----	10	36
Hard rock-----	7	95	Blue shale-----	19	55
Blue shale-----	75	170			
Sand-----	5	175	<u>07S39E21ADA</u> ---Drilled 5/74 by Kekich.		
Blue shale-----	55	230	Alluvium-----	15	15
Sand (water)-----	80	310	Hard shale-----	5	20
			Scoria-----	8	28
<u>06S50E16AAC</u> ---Drilled 5/72 by H. Jones.			Gray clay-----	6	34
Surface soil-----	9	9	Sandstone-----	3	37
Clay and shale-----	31	40	Gray shale-----	8	45
Yellow clay-----	16	56	Brown shale-----	10	55
Blue shale-----	11	67	Coal-----	20	75
Coal-----	12	79	Gray shale-----	3	78
Sandstone-----	51	130	Coal-----	17	95
			Gray shale-----	10	105
<u>06S51E07CABC</u> ---Drilled 7/76. Driller unknown.			<u>07S39E21ADA2</u> ---Drilled 1/40. Driller unknown.		
Yellow clay-----	28	28	Soil-----	22	22
Sand and gravel-----	14	42	Quicksand (water)-----	3	25
Blue shale-----	28	70	Shale-----	12	37
Rock-----	2	72	Coal (water)-----	9	46
Blue shale-----	46	118	Not recorded-----	54	100
Blue sand and coal-----	7	125			
Blue sand-----	95	220	<u>07S39E22BCD</u> ---Drilled 11/61 by Jones.		
Blue shale with coal-----	59	279	Soil-----	10	10
Rock-----	3	282	Gravel (water)-----	5	15
Sand-----	41	323	Brown shale-----	10	25
Blue shale-----	63	386	Hard shell (water)-----	1	26
Sand-----	10	396	Gray shale-----	16	42
Blue shale-----	61	457			
Rock-----	2	459	<u>07S39E23ACD2</u> ---Drilled 1/38. Driller unknown.		
Blue shale-----	181	640	Blue shale and sandstone-----	26	26
Sand-----	15	655	Coal-----	30	56
Blue shale-----	40	695			
Sandstone-----	9	704	<u>07S39E23ACD3</u> ---Drilled 1/61. Driller unknown.		
Sandstone with shale-----	34	738	Scoria-----	40	40
Rock-----	2	740	Hard rock-----	5	45
Sand-----	5	745	Coal-----	5	50
Blue shale-----	56	801	Sandstone-----	30	80
			Blue shale-----	20	100
<u>06S51E30CCCC</u> ---Drilled 11/72 by Drane Drilling.			Coal (water)-----	60	160
Sand and clay-----	18	18			
Gravel-----	64	82	<u>07S39E23ACD5</u> ---Drilled 7/75. Driller unknown.		
Blue clay-----	5	87	Red sandy shale-----	20	20
Blue sand-----	11	98	Blue sandy shale-----	30	50
Blue clay-----	4	102	Rock-----	1	51
Coal-----	3	105	Blue shale-----	9	60
Blue clay-----	19	124	Rock-----	2	62
Soft rock-----	3	127	Blue shale-----	33	95
Blue sand-----	31	158	Coal-----	25	120
Blue clay-----	304	462			
Blue shale with sand-----	28	490			
Blue sand-----	17	507			
Blue shale with sand-----	73	580			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>07S39E23ACD5</u> ---Continued			<u>07S40E01DCBE</u> ---Drilled 7/58 by Reid.		
Rock-----	1	121	Topsoil-----	5	5
Coal-----	12	133	Cinder-----	23	28
Shale-----	7	140	Blue shale-----	8	36
			Rock-----	4	40
			Blue shale-----	24	64
<u>07S39E23ACD7</u> ---Drilled 1/42. Driller unknown.			Coal-----	63	127
Soil-----	10	10	Rock-----	6	133
Sandstone-----	55	65	Sand-----	9	142
Coal-----	45	110			
Blue shale-----	80	190	<u>07S40E30CCED</u> ---Drilled 7/74. Driller unknown.		
Hard rock-----	5	195	Red scoria-----	70	70
Coal (water)-----	60	255	Burn and cinder-----	10	80
<u>07S39E24ECD</u> ---Drilled 8/55. Driller unknown.			<u>07S40E30DABE</u> ---Drilled 1/36. Driller unknown.		
Blue shale-----	100	100	Sandstone-----	30	30
Coal (trace water)-----	60	160	Blue shale-----	45	75
Sandstone-----	50	210	Hard rock-----	6	81
Coal-----	65	275	Coal-----	50	131
<u>07S39E27CDC</u> ---Drilled 12/59 by Reid.			<u>07S41E22ACDC</u> ---Drilled 5/67. Driller unknown.		
Soil-----	5	5	Not recorded-----	21	21
Red cinders-----	81	86	Gravel-----	20	41
Blue shale, hard rock-----	130	216	Blue shale-----	3	44
Sandstone-----	24	240			
Blue shale-----	14	254	<u>07S43E05ABDE</u> ---Drilled 1/50 by Bandy Drilling.		
Sandstone (water)-----	16	270	Not recorded-----	305	305
Blue shale-----	20	290	Gray shale-----	13	318
Sandstone (water)-----	44	334	Hard rock-----	2	320
Blue shale-----	11	345	Blue shale-----	7	327
Coal-----	5	350	Hard rock-----	2	329
			Gray shale-----	25	354
<u>07S39E27DCDD</u> ---Drilled 12/59. Driller unknown.			Coal-----	12	366
Topsoil-----	5	5	Gray shale-----	24	390
Red cinders-----	81	86	Coal-----	8	398
Blue shale-----	18	104	Gray shale-----	13	411
Rock-----	6	110	Hard rock-----	2	413
Blue shale-----	10	120	Gray shale-----	93	506
Rock-----	5	125	Coal-----	4	510
Blue shale-----	22	147	Sand (water)-----	60	570
Rock-----	6	153	Gray shale-----	72	642
Blue shale-----	28	181	Coal-----	12	654
Hard rock-----	6	187	Gray shale-----	24	678
Blue shale-----	35	212	Hard rock-----	1	679
Rock-----	4	216	Coal and shale streaks-----	82	761
Sandstone-----	24	240	Hard rocks-----	2	763
Blue shale-----	14	254	Gray shale-----	10	773
Sandstone (water)-----	23	277	Hard rock-----	2	775
Blue shale-----	13	290	Gray shale-----	7	782
Sand (water)-----	44	334	Sandstone-----	4	786
Blue shale-----	11	345	Blue shale-----	14	800
Coal-----	5	350	Hard rock-----	3	803
			Sand (water)-----	49	852
<u>07S39E35DAB</u> ---Drilled 6/48. Driller unknown.			Coal and gray shale-----	22	874
Blue shale-----	82	82			
Gravel and sand (water)-----	10	92	<u>07S45E13DCCC</u> ---Drilled 8/49 by Drane Drilling.		
			Sandy topsoil-----	20	20
<u>07S39E36CDD</u> ---Drilled 1/36. Driller unknown.			Red shale and gravel-----	8	28
Loam-----	10	10	Sand-----	3	31
Scoria-----	10	20	Rock-----	3	34
Blue shale-----	25	45	Blue shale-----	36	70
Coal-----	30	75	Sandrock-----	20	90
			Coal-----	10	100

Table 3.--Logs of wells and test holes--Continued

	Thickness	Depth		Thickness	Depth
<u>07S45E13DCCC</u> ---Continued			<u>08S39E12ACBE</u> ---Continued		
Blue shale-----	20	120	Gray shale-----	12	158
Coal-----	2	122	Sandstone-----	8	166
Blue shale-----	20	142	Shale-----	49	215
Rock-----	4	146	Hard sandstone-----	6	221
Blue shale-----	32	178	Gray shale-----	9	230
Rock-----	1	179	Coal-----	10	240
Sand (water)-----	41	220	Gray shale-----	8	248
Blue shale-----	5	225	Coal (water)-----	20	268
			Gray shale-----	5	273
			Not recorded-----	32	305
<u>07S46E06CAD</u> ---Drilled 11/70 by Drane Drilling.			<u>08S39E12ACBB2</u> ---Drilled 8/71 by Pierce.		
Yellow clay-----	25	25	Topsoil-----	10	10
Blue shale-----	35	60	Shale-----	90	100
Blue shale, coal streak-----	32	92	Shell rock-----	4	104
Blue sand-----	28	120	Ashes, clinker-----	12	116
			Shell rock-----	2	118
<u>07S49E16CDDC</u> ---Drilled 9/60 by Bandy Drilling.			Black sandstone-----	2	120
Surface-----	9	9	Dark shale-----	15	135
Gravel-----	10	19	Coal-----	3	138
Blue shale-----	324	343	Sandstone-----	2	140
Sand (water)-----	22	365	Clay-----	45	185
Gray shale-----	115	480	Shale-----	5	190
Sand (water)-----	50	530	Sandstone-----	33	223
Gray shale-----	278	808	Coal-----	7	230
Sand (water)-----	62	870	Shale-----	10	240
Gray shale-----	10	880	Coal-----	20	260
			Sandstone-----	33	293
<u>07S51E07ACDA</u> ---Drilled 10/64 by Bandy Drilling.			Coal-----	17	310
Surface soil-----	18	18	Sandstone-----	60	370
Gravel-----	42	60			
Sandstone-----	64	124	<u>08S39E13BBCC</u> ---Drilled 11/72 by Pierce.		
Blue shale-----	16	140	Yellow clay-----	35	35
			Dark clay-----	4	39
<u>08S39E01ABAA</u> ---Drilled 1/74 by Young.			Sandstone-----	2	41
Subsoil-----	50	50	Gray shale-----	14	55
Lava rock-----	2	52	Clay-----	1	56
Shale (water)-----	3	55	Sandstone-----	11	67
			Gray shale-----	7	74
<u>08S39E01BABB</u> ---Drilled 1/74 by Kekich.			Clay-----	26	100
Alluvium, silty soil-----	5	5	Shale-----	24	124
Scoria-----	50	55	Sandstone-----	41	165
Shale (water)-----	17	72	Shale-----	69	234
Hard sandstone-----	3	75	Sandy clay-----	26	260
Shale and sandstone-----	3	78	Sandstone-----	10	270
Hard sandstone-----	2	80	Clay-----	24	294
			Coal (water)-----	54	348
<u>08S39E02DAAD1</u> ---Drilled 1/32 by Weltner.			<u>08S42E09AACC</u> ---Drilled 11/73. Driller unknown.		
Red shale-----	106	106	Topsoil-----	8	8
			Hard sand-----	17	25
<u>08S39E02DAAD2</u> ---Drilled 1/55 by Ritola Drilling.			<u>08S42E15CBBA</u> ---Drilled 9/46 by Parker.		
Red shale-----	130	130	Soil-----	10	10
			Shale-----	21	31
<u>08S39E12ACBE</u> ---Drilled 8/41 by Pierce.			Rock-----	4	35
Red shale-----	30	30	Sand and shale-----	16	51
Hard rock-----	3	33	Rock-----	2	53
Red shale-----	12	45	Sand-----	12	65
Red shale and clinker-----	30	75	Sand and shale-----	49	114
Gray shell rock-----	20	95	Coal-----	6	120
Ashes-----	48	143	Shale-----	2	122
Hard sandstone-----	3	146			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>08S42E15CBBA</u> ---Continued			<u>08S43E09ADCC</u> ---Drilled 11/65 by Ritola Drilling.		
Coal-----	6	128	Yellow clay-----	52	52
Sand, shale, and rock-----	22	150	Blue shale-----	10	62
Sand and shale-----	7	157	Coal-----	35	97
			Blue shale-----	7	104
			Sand (water)-----	4	108
<u>08S42E28CAAA</u> ---Drilled 11/73 by Ritola Drilling.			Blue shale-----	19	127
Yellow clay-----	13	13	Coal-----	10	137
Ledge rock-----	2	15	Blue shale-----	14	151
Sandrock-----	7	22	Rock-----	4	155
Blue and dark shale-----	36	58	Blue shale-----	36	191
Hard rock (water seep)-----	2	60	Sandrock (water)-----	8	199
Blue shale-----	29	89			
Sandrock (water)-----	9	98	<u>08S43E23DBDB</u> ---Drilled 1/73. Driller unknown.		
Blue shale-----	4	102	Yellow sandy clay-----	36	36
Sandrock-----	9	111	Gravel (water)-----	8	44
Coal-----	19	130	Blue shale-----	15	59
Blue shale-----	3	133	Sandrock (water)-----	45	104
			Blue shale-----	24	128
<u>08S42E29BDAC</u> ---Drilled 11/73. Driller unknown.			Sandrock (water seep)-----	12	140
Clay-----	17	17	Rock-----	3	143
Hard clay, sand and rocks-----	4	21	Blue shale-----	22	165
			Coal (water seep)-----	7	172
			Light sandrock (water)-----	22	194
<u>08S42E35BBBC</u> ---Drilled 10/73. Driller unknown.			Blue shale-----	32	226
Clay-----	2	2	Sandrock-----	8	234
Rock-----	3	5	Blue shale-----	29	263
Yellow clay-----	16	21	Rock (water)-----	11	274
Blue shale-----	22	43			
Black shale-----	11	54	<u>08S43E28CACD</u> ---Drilled 1/49 by Ritola Drilling.		
Blue shale-----	17	71	Yellow sandy clay-----	22	22
Sand-----	7	78	Red shale (water)-----	14	36
Black shale-----	16	94	Black shale-----	12	48
Sand-----	18	112	Rock-----	2	50
Blue shale-----	32	144			
Black shale-----	12	156	<u>08S43E29DABC</u> ---Drilled 10/73 by Ritola Drilling.		
Sand-----	31	187	Yellow sandy clay-----	15	15
Rock-----	2	189	Red shale (water)-----	9	24
Blue shale-----	7	196	Dark shale-----	12	36
Rock-----	8	204	Coal (water)-----	12	48
Sand-----	15	219	Blue shale-----	8	56
Dark shale-----	9	228	Dark shale-----	12	68
Blue shale-----	17	245			
Rock-----	1	246	<u>08S44E06CBAC</u> ---Drilled 12/65. Driller unknown.		
Blue shale-----	12	258	Yellow clay-----	4	4
Rock-----	1	259	Sandy clay-----	24	28
Blue shale-----	1	260	Red shale-----	9	37
Rock-----	5	265	Blue shale-----	7	44
Sand-----	16	281			
Blue shale-----	14	295	<u>08S44E13BBBB</u> ---Drilled 8/66. Driller unknown.		
Coal-----	27	322	Yellow clay-----	31	31
Blue shale-----	6	328	Blue shale-----	49	80
Rock-----	6	334	Coal (water)-----	42	112
Blue shale-----	84	418	Blue shale-----	62	174
Dark shale-----	16	434	Coal-----	22	196
Blue shale-----	14	448	Blue shale-----	14	210
Sand-----	6	454	Sandstone (water)-----	16	226
Blue shale-----	2	456			
			<u>08S43E05CBAC</u> ---Drilled 10/73. Driller unknown.		
Yellow sandy clay-----	6	6	Yellow sandy clay-----	6	6
Red shale-----	16	22	Red shale-----	16	22
Red shale, gravel (water)-----	10	32	Coal-----	7	39
Coal-----	7	39	Sand (water)-----	5	44
Sand (water)-----	5	44			
			<u>08S44E18BDCC</u> ---Drilled 9/59. Driller unknown.		
			Topsoil-----	5	5
			Yellow clay-----	37	42
			Gray shale-----	13	55
			Sandstone-----	5	60

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>08S44E18BDCC</u> ---Continued			<u>08S45E31BCCB</u> ---Continued		
Blue shale-----	168	228	Hard rock-----	4	119
Rock-----	5	233	Brown shale-----	49	168
Blue shale-----	64	297	Coal-----	17	185
Coal-----	36	333	Brown shale-----	14	199
Blue shale-----	3	336	Hard rock-----	1	200
			Gray shale-----	70	270
			Gray sand-----	5	275
<u>08S44E22DCDB</u> ---Drilled 9/67 by Ritola Drilling.			Brown shale-----	12	287
Topsoil-----	5	5	Coal-----	4	291
Sandy soil-----	21	26	Brown shale-----	21	321
Clay-----	8	34	Hard rock-----	1	313
Sandstone-----	25	59	Brown shale-----	12	325
Blue shale-----	3	62	Coal (lost circulation at 332)	34	359
Coal-----	5	67	Brown shale-----	2	361
Blue shale-----	111	178			
Sand-----	11	189	<u>08S45E33BAAC</u> ---Drilled 9/67 by Reid.		
Blue shale-----	1	190	Topsoil-----	8	8
			Sandy soil-----	16	24
<u>08S45E27BDBD2</u> ---Drilled 9/66 by Reid.			Sand and gravel (water)-----	23	47
Topsoil-----	9	9	Blue shale-----	3	50
Clay-----	30	39			
Sand and gravel-----	24	63	<u>08S45E36BCCC</u> ---Drilled 9/49. Driller unknown.		
Shale-----	1	64	Topsoil-----	20	20
			Soft sandrock-----	5	25
<u>08S45E27BDBD3</u> ---Drilled 9/66 by Reid.			Shale-----	3	28
Topsoil-----	8	8	Rock-----	4	32
Yellow clay-----	27	35	Blue shale-----	48	80
Gravel and sand (water)-----	20	55	Sand-----	4	84
Blue shale-----	39	94	Blue shale-----	6	90
Coal-----	22	116	Sand-----	4	94
Sandstone-----	19	135	Blue shale-----	124	218
Blue shale-----	27	162	Coal-----	12	230
Hard rock-----	4	166	Blue shale-----	3	233
Blue shale-----	4	170	Sand (water)-----	17	250
Rock-----	3	173			
Blue shale-----	8	181	<u>08S46E05CBDC</u> ---Drilled 2/74. Driller unknown.		
Sand (water)-----	7	188	Topsoil-----	7	7
Blue shale-----	2	190	Yellow clay-----	20	27
			Red cinder-----	17	44
<u>08S45E28AACC</u> ---Drilled 9/73 by Reid.			Sand (water)-----	10	54
Topsoil-----	6	6	Blue shale-----	1	55
Red cinders-----	17	23			
Gray shale-----	47	70	<u>08S46E16DABA</u> ---Drilled 9/49 by Golden.		
Sandstone-----	27	97	Topsoil-----	8	8
Blue shale-----	33	130	Sand and gravel-----	6	14
Coal-----	25	155			
Blue shale-----	7	162	<u>08S46E24CCDB</u> ---Drilled 9/54 by Wyoming Drilling.		
Rock-----	4	166	Soil-----	11	11
Blue shale-----	44	210	Shale-----	7	18
Rock-----	3	213	Rock-----	2	20
Coal-----	26	239	Shale-----	9	29
Blue shale-----	11	250	Rock-----	1	30
Sand (water)-----	11	261	Shale-----	3	33
Rock-----	1	262	Hard rock-----	25	58
			Soft rock-----	4	62
<u>08S45E31BCCB</u> ---Drilled 9/47. Driller unknown.			Sand-----	8	70
Sandy shale-----	30	30	Soft rock-----	40	110
Brown gummy shale-----	30	60	Sand (water)-----	5	115
Brown sand-----	20	80	Shale-----	2	117
Brown shale-----	5	85	Coal (4 gal/min)-----	35	152
Sandy shale-----	20	105	Shale-----	8	160
Brown shale-----	5	110			
Coal-----	5	115			





Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>09S42E02ADBB</u> ---Drilled 9/69. Driller unknown.			<u>09S46E05ECBD</u> ---Continued		
Surface-----	8	8	Coal-----	6	24
Yellow sandy clay-----	12	20	Yellow clay-----	22	46
Gravel, red shale, and clay (5 gal/min)-----	22	42	Blue clay-----	37	83
Rock-----	1	43	Rock-----	3	86
Blue clay-----	2	45	Blue sand-----	16	102
Sand-----	14	59	Blue shale-----	28	130
Rock-----	--	59	Coal-----	30	160
			Blue shale-----	40	200
			Gray sand-----	60	260
			Blue shale-----	4	264
<u>09S43E35BCD</u> ---Drilled 1/55 by Ritola Drilling.			Blue sand-----	4	268
Yellow clay-----	33	33	Blue shale-----	5	273
Quicksand and gravel-----	14	47	Blue sand-----	4	277
Blue and dark shale-----	63	110	Blue shale-----	4	281
Hard rock-----	7	117	Sandstone-----	18	299
Coal (water)-----	94	211	Blue shale-----	11	310
Blue shale-----	4	215			
			<u>09S46E08BACB</u> ---Drilled 12/74 by Teton Drilling.		
<u>09S43E35CADC</u> ---Drilled 9/66 by Ritola Drilling.			Brown sand-----	30	30
Old well-----	73	73	Gray sandy shale-----	30	60
Black shale-----	11	84	Coal-----	14	74
Coal (water)-----	12	96	Gray sandy shale-----	12	86
Blue shale-----	5	101	Coal-----	2	88
Rock-----	2	103	Gray sandy shale-----	39	127
Blue shale-----	29	132	Coal-----	13	140
Rock-----	4	136	Wet sand-----	10	150
Blue shale-----	6	142	Gray sandy shale-----	25	175
Rock-----	1	143	Wet sand-----	36	211
Blue shale-----	42	185	Coal-----	10	221
Dark shale-----	19	204	Gray sandy shale-----	19	240
Rock-----	3	207			
Dark shale-----	13	220	<u>09S46E09BAAD</u> ---Drilled 12/71 by Teton Drilling.		
Coal (water)-----	15	235	Yellow sand-----	20	20
			Brown sand-----	17	37
<u>09S44E10CBAD</u> ---Drilled 10/73 by Ritola Drilling.			Soft coal-----	9	46
Yellow clay-----	29	29	Sandy shale-----	4	50
Gravel (water)-----	11	40	Wet sand-----	15	65
Dark shale-----	10	50	Gray sandy shale-----	23	88
			Coal-----	2	90
<u>09S45E03ADCC</u> ---Drilled 9/69 by Beaswell.			Gray sandy shale-----	4	94
Topsoil-----	5	5	Coal-----	11	105
Brown sandy clay-----	15	20	Gray sandy shale-----	15	120
Coal-----	15	35			
Blue shale-----	25	60	<u>09S46E09DABB</u> ---Drilled 12/74 by Teton Drilling.		
Coal-----	22	82	Yellow clay-----	20	20
			Scoria (burn)-----	8	28
<u>09S46E05ABAB</u> ---Drilled 12/74 by Teton Drilling.			Soft coal-----	14	42
Brown clay-----	20	20	Hard coal-----	3	45
Gray clay-----	8	28	Gray wet sand-----	21	66
Coal-----	1	29	Gray sandy shale-----	20	86
Dark carbonaceous shale-----	5	34	Coal-----	2	88
Coal-----	10	44	Gray sandy shale-----	4	92
Gray sand-----	41	85	Coal-----	10	102
Wet sand-----	15	100	Gray sandy shale-----	8	110
Gray sandy shale-----	36	136			
Coal-----	6	142	<u>09S46E20BCAB</u> ---Drilled 12/74 by Teton Drilling.		
Gray shale-----	6	148	Yellow sand-----	20	20
Coal-----	19	167	Gray sandy shale-----	10	30
Gray sandy shale-----	13	180	Gray sand-----	26	56
			Coal-----	2	58
<u>09S46E05BCBD</u> ---Drilled 5/74 by Drane Drilling.			Gray sand-----	23	81
Brown clay-----	13	13	Coal-----	2	83
Sand and gravel-----	5	18	Gray sandy shale-----	21	104
			Coal-----	3	107
			Gray sandy shale-----	61	168

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>		<u>Thickness</u>	<u>Depth</u>
<u>09S46E20BCAB</u> ---Continued			<u>09S51E30BDAA</u> ---Drilled 5/51 by Bandy Drilling.		
Coal-----	2	170	Surface soil-----	8	8
Gray sandy shale-----	3	173	Sand and gravel-----	18	26
Coal-----	1	174	Yellow sandrock-----	19	45
Gray sandy shale-----	86	260	Sandy shale-----	45	90
Coal-----	13	273	Sand (water)-----	30	120
Gray sandy shale-----	22	295	Shale-----	1	121
Hard sandstone-----	12	307			
Gray sandy shale-----	60	367	<u>09S52E18BDBD</u> ---Drilled 7/65 by Bandy Drilling.		
Coal-----	11	378	Surface soil-----	3	3
Gray shale-----	2	380	Sand-----	55	58
Wet sand-----	15	395	Blue shale-----	67	125
Gray sandy shale-----	33	428	Sandstone-----	28	153
Coal-----	9	437			
Gray sandy shale-----	13	450	<u>10S43E02AABA</u> ---Drilled 1956 by Ritola Drilling. Deepened 1970 by Ley.		
<u>09S46E28BAAD</u> ---Drilled 12/74 by Teton Drilling.			Yellow sandy clay-----	17	17
Yellow sand-----	20	20	Brown clay-----	18	35
Gray sand and shale-----	52	72	Hard sand (water)-----	9	44
Coal-----	2	74	Dark shale-----	10	54
Gray sand and shale-----	41	115	Hard sand (water)-----	11	65
Coal-----	4	119	Blue shale-----	15	80
Gray sand and shale-----	68	187	Coal-----	4	84
Coal-----	3	190	Blue shale-----	25	109
Gray sandy shale-----	3	193	Soft sand (water)-----	4	113
Coal-----	2	195	Dark shale-----	7	120
Gray sand and shale-----	85	280	Coal (water)-----	7	127
Coal-----	13	293	Blue shale-----	13	140
Gray sand-----	66	359	Rock-----	2	142
Coal-----	13	372	Blue shale-----	28	170
Gray sand and shale-----	50	422	Rock-----	5	175
Coal-----	10	432	Blue clay-----	11	186
Gray sandy shale-----	3	435	Dark-blue clay-----	3	189
			Light-blue clay-----	3	192
<u>09S49E24CCEC</u> ---Drilled 8/71 by Ley.			Rock-----	2	194
Sandy clay and quicksand-----	58	58	Hard blue clay-----	30	224
Blue clay-----	9	67	Rock-----	1	225
Dark clay-----	8	75	Light-blue clay-----	9	234
Blue clay-----	2	77	Dark and light shale-----	34	268
Dark clay and coal-----	7	84	Coal (water)-----	31	299
Blue clay-----	20	104	Blue clay-----	3	302
Rock-----	1	105			
Clay-----	1	106	<u>10S43E02AACB</u> ---Date and driller unknown.		
Rock-----	1	107	Yellow clay-----	28	28
Blue clay-----	25	132	Quicksand-----	16	44
Dark clay-----	3	135	Blue shale-----	42	86
Blue clay-----	3	138	Rock-----	3	89
Blue sand-----	6	144	Blue shale-----	3	92
Blue clay-----	3	147	Sand (water)-----	11	103
			Dark shale-----	6	109
<u>09S51E21DBBB</u> ---Drilled 1/18 by Drane Drilling.					
Clay-----	20	20	<u>10S43E02BAAA</u> ---Date and driller unknown.		
Red shale-----	5	25	Yellow clay-----	8	8
Blue shale-----	30	55	Sandrock-----	12	20
Rock-----	2	57	Yellow clay-----	11	31
Coal-----	13	70	Blue and dark shale-----	24	55
Blue shale-----	10	80	Sand (water)-----	13	68
Rock-----	5	85	Blue and dark shale-----	60	128
Blue shale-----	35	120	Coal(2.5 gal/min)-----	12	140
Rock-----	4	124	Blue and dark shale-----	59	199
Blue shale-----	3	127	Rock-----	3	202
Rock-----	2	129	Blue shale-----	4	206
Shale with sand streaks-----	35	164	Blue and dark shale-----	77	285
Sand-----	9	173	Coal (water)-----	20	305
Blue shale-----	2	175			

Table 3.--Logs of wells and test holes--Continued

	<u>Thickness</u>	<u>Depth</u>
10S43E06ABAC---Drilled 9/58. Driller unknown.		
Yellow clay-----	26	26
Blue shale-----	10	36
Sandrock (water seep)-----	5	41
Hard rock-----	3	44
Blue shale-----	18	62
Sandrock (water seep)-----	14	76
Blue shale-----	12	88
Coal-----	14	102
Blue shale-----	48	150
Sandrock (water seep)-----	10	160
Blue shale-----	1	161