

EXPLANATION

— 10 —
— 9 —

ISOPACHS - Showing thickness of coal, in feet. Isopach interval 1 foot.

— 5000 —
— 4500 —

STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 250 feet; short dashed where projected above ground surface. Contour interval 500 feet (152 m). Datum is mean sea level.

▲ 6160
5.8

POINT OF MEASUREMENT - Showing altitude of top of coal bed, and thickness of coal, in feet.

Gr - Grinsted

COAL BED SYMBOL AND NAME

— Gr —

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Short dashed where projected by present authors. Dotted where concealed.

TRACE OF FAULT - Bar and ball on downthrown side. Dashed where inferred or approximately located.


To convert feet to meters, multiply feet by 0.3048.

NOTE: Isopachs and structure contours are not drawn beyond dotted lines because of insufficient data.

Base from U.S. Geological Survey, 1966

Compiled in 1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.



COAL RESOURCE OCCURRENCE MAP OF THE MEEKER QUADRANGLE, RIO BLANCO COUNTY, COLORADO
BY
DAMES & MOORE
1979