


ISOPACHS—Showing thickness of coal, in feet. Long dashed where inferred, short dashed where projected above land surface. Isopach interval 10 feet. Hachures indicate an area of local thinning of coal bed.

○ 5.6


DRILL HOLE—Showing thickness of coal, in feet. Drill holes which do not intersect the coal or from which a coal thickness could not be determined are not shown.



TRACE OF COAL BED OUTCROP—Showing symbol of name of coal bed. Arrow points toward coal-bearing area. Dashed where inferred by present authors; dotted where concealed.



INSUFFICIENT DATA LINE—Coal thickness cannot be determined beyond line shown because of insufficient data.



FAULT—Dashed where approximately located; bar and half on downthrown side where direction of movement is known; dotted where concealed.



ANTICLINE—Showing axial trace; dashed where inferred.




SYNCLINE—Showing axial trace; dashed where inferred.




SURFACE COAL MINE—Hachures point to mined-out area. Dashed where approximately located.

To convert feet to meters, multiply feet by 0.3048.



Base from U.S. Geological Survey, 1955

Compiled in 1979



**COAL RESOURCE OCCURRENCE MAP OF THE COALMONT QUADRANGLE,  
JACKSON COUNTY, COLORADO**

BY  
**AAA ENGINEERING AND DRAFTING, INC.**  
1980