

— 7200 —
STRUCTURE CONTOURS - Drawn on the top of the Bald Knoll Coal Zone, dashed where inferred. Symbol of coal bed or zone as indicated below. Contour interval 80 feet. Datum is mean sea level.

○ 6436
DRILL HOLE - Showing the altitude of the top of the Bald Knoll Coal Zone, in feet.

▼ 7160 BK ↑


TRACE OF COAL ZONE OUTCROP - Showing the altitude of the top of the Bald Knoll Coal Zone, in feet, estimated at the triangle. Symbol is that for the coal bed or zone as listed below. Arrow points toward the coal-bearing area. Long-dashed line indicates inferred outcrop; short-dashed line indicates author-inferred outcrop. Trace of coal zone contact dotted where concealed by alluvium.

BK - BALD KNOLL
COAL ZONE SYMBOL AND NAME - Symbol appears as an identifier with the map symbols indicated above.

TRACE OF FAULT - Symbols designate direction of movement when known. Bar and Ball on downthrown side; dashed where inferred, dotted where concealed.

To convert feet to meters, multiply feet by 0.3048.

Note: Structure contours are not drawn beyond those shown due to insufficient data.



Compiled in 1978/1979

This report was prepared under contract to the U.S. Geological Survey and has not been edited for conformity with Geological Survey standards and nomenclature. Opinions, and conclusions expressed herein do not necessarily represent those of the Geological Survey.

**COAL RESOURCE OCCURRENCE MAP OF THE
RAINBOW POINT QUADRANGLE,
KANE COUNTY, UTAH BY MEIJI RESOURCE CONSULTANTS
1979**

