

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

TRACE-ELEMENT DATA FOR STREAM-SEDIMENT SAMPLES FROM THE BRADFIELD CANAL  
QUADRANGLE, SOUTHEASTERN ALASKA

By

R. D. Koch and R. L. Elliott  
345 Middlefield Road  
Menlo Park, California 94025

and

R. M. O'Leary, and D. A. Risoli  
5946 McIntyre Street  
Golden, Colorado 80401

Open-File Report 80-910B

This report is preliminary and  
has not been reviewed for conformity  
with U.S. Geological Survey editorial  
standards and stratigraphic nomenclature

Menlo Park, California

1980

## CONTENTS

---

	Page
Introduction-----	1
Other sources of data-----	1
Geologic setting and studies in the Bradfield Canal area-----	2
Sampling-----	3
Sample preparation and analytical procedures-----	4
Geochemical data-----	5
Analytical values-----	5
Precision-----	9
Statistical summary-----	11
Bias and variability affecting interpretation-----	13
Acknowledgments-----	14
References-----	15

---

## ILLUSTRATION

---

- Plate 1. Locations of stream-sediment sample sites in the  
Bradfield Canal quadrangle

---

## TABLES

---

Table 1. Determination limits and units for analyses performed 1968 through 1979-----	6
2. Qualification codes-----	7
3. Class intervals of the six-step scale-----	9
4. Statistical summary for stream-sediment samples-----	19
5. Analytical data for stream-sediment samples-----	57

TRACE ELEMENT DATA FOR STREAM SEDIMENT SAMPLES FROM THE  
BRADFIELD CANAL QUADRANGLE, SOUTHEASTERN ALASKA

by

R. D. Koch, R. L. Elliott, R. M. O'Leary, and D. A. Risoli

INTRODUCTION

A reconnaissance geochemical sampling program was conducted during 1978 and 1979 in the Bradfield Canal 1:250,000-scale quadrangle, southeastern Alaska. The sampling was done to assist with evaluation of mineral resources in the area as part of the Alaska Mineral Resource Assessment Program (AMRAP). This report contains the analytical data for 1295 stream-sediment samples collected in the Bradfield Canal quadrangle between 1968 and 1979 during this and previous U.S. Geological Survey mapping projects. These samples comprise all of the stream-sediment geochemical samples known to have been collected by the U.S. Geological Survey during geological mapping investigations within the Bradfield Canal quadrangle between 1968 and 1979. A brief statistical summary of these analytical data is included in this report.

OTHER SOURCES OF DATA

Analytical data from rock and stream-sediment heavy-mineral concentrate geochemical samples collected within the Bradfield Canal quadrangle are contained in two companion reports (Koch and others, 1980a, b). Geochemical data from rock samples collected by U.S. Bureau of Mines engineers at selected prospects in the Bradfield Canal quadrangle are reported in Koch and others (1976). Analytical data from rock and stream-sediment samples collected in the Ketchikan and Prince Rupert quadrangles, south of the Bradfield Canal quadrangle, are contained in several earlier reports (Koch and Elliott 1978a,

b, c). Data from U.S. Geological Survey rock and stream-sediment geochemical samples collected in the Ketchikan and Prince Rupert quadrangles and from rock, stream-sediment, and heavy-mineral concentrate samples from Bradfield Canal quadrangle are available on magnetic computer tapes (Koch, Van Trump, and McDana1, 1978; Koch, O'Leary, and Risoli, 1980).

#### GEOLOGIC SETTING AND STUDIES IN THE BRADFIELD CANAL AREA

The United States portion of the Bradfield Canal quadrangle area is underlain predominantly by amphibolite-facies schists and gneisses and Cretaceous and Eocene granitic plutons of the Coast Range batholithic complex. A Triassic or older body of granodiorite lies at the extreme eastern end of the quadrangle and an alkali-granite stock of probable Miocene age is exposed at Cone Mountain in the northwest. A segment of the Coast Range megalineament (Brew and Ford, 1978), a major structural and topographic feature more than 500 km long, runs diagonally across the southwestern portion of the map area from Nelson Glacier through the areas near Eagle Bay and Eagle Lake. East of this zone, isolated roof pendants of paragneiss and schist lie amid nearly continuous orthogneisses, spectacular migmatites, and granitic plutons with compositions ranging from diorite and quartz diorite to quartz monzonite (adamellite). Farther east, along the Canadian boundary, are roof pendants of lower grade metasedimentary, metavolcanic, and carbonate rocks. West of the megalineament, granitic rocks occur as discontinuous bodies within schist and paragneiss.

The earliest comprehensive discussions of the geology of the Bradfield Canal area are contained in reports by Wright and Wright (1908) and Buddington and Chapin (1929). Buddington (1929) also described the Hyder mining district located near the Canadian border 120 km northeast of the town of Ketchikan.

Recent geologic investigations by the U.S. Geological Survey in the Bradfield Canal quadrangle began in 1968 with mapping in the Hyder area (Smith, 1977). A mineral resource evaluation of the Granite Fiords Wilderness Study area, which included a large portion of the eastern part of the Bradfield Canal quadrangle, was conducted in 1972 and 1973 (Berg and others, 1977). Field studies continued as part of the AMRAP program in 1978 and 1979. Other discussions of Coast Range geology include reports by Hutchison (1970), Roddick and Hutchison (1974), Brew and others (1976), and Brew and others (1977).

### SAMPLING

Most of this recently glaciated study area is steep and rugged with elevations ranging from sea level to 2300 meters. Rain- and snowfall are heavy, and precipitation continues year-round. Sediment in the swift streams is essentially all detrital material resulting from mechanical erosion of bedrock and to a lesser extent, reworking of locally derived glacial deposits. The bulk of most sediment collected ranges in size from very fine sand to pebbles. Samples from near the toe of a glacier may consist entirely of very fine sand and rock flour. Otherwise, samples with a large percentage of silt- and clay-sized material are rare, and are generally from the few areas of low elevation and gentle gradient.

Standard procedures were followed during collection of the stream-sediment samples. Those collected from shoreline sites were obtained above highest high tide level whenever possible, to eliminate contamination by sediment introduced by salt-water currents. Samples were collected of the finest, most organic-free detritus in the active stream channel. In rare instances where this was not possible, samples were collected from bank or

terrace deposits adjacent to the channel. At sites below the tree line, it was not always possible to collect a sample completely free of organic material, and a small number of samples have low to occasionally high organic content.

#### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Samples were prepared and analyzed by members of the Branch of Exploration Research (BOER) of the U.S. Geological Survey. The sediment was air-dried or oven dried at low temperatures and sieved. The -80 mesh (-0.2 mm) fraction was ground to -150 mesh in a grinder with ceramic plates, and a split of this material analyzed for up to 31 elements by a rapid six-step semiquantitative emission spectrographic method (Myers and others, 1961; Grimes and Marranzino, 1968), and for gold, copper, lead, and zinc by atomic absorption spectrophotometry (Ward and others, 1969). Samples collected in 1972 and 1973 were analyzed for mercury by a flameless atomic absorption mercury-vapor detection technique (Vaughn and McCarthy, 1964). Some analyses were not performed on all samples. The semiquantitative spectrographic analyses of samples collected before 1978 were performed by J. E. Abrams, K. J. Curry, J. M. Motooka, J. Reynolds and D. F. Siems. The atomic absorption analyses for these samples were done by R. B. Carten, J. G. Frisken, R. W. Leinz, A. L. Meier, R. L. Miller, D. G. Murrey, M. S. Rickard, A. J. Toevs, R. Vaughn, and W. W. Vaughn. For samples collected in 1978 and 1979, the spectrographic analyses were performed by D. A. Risoli and the atomic-absorption analyses by R. M. O'Leary. Sample preparators for 1978 and 1979 were D. W. Galland, A. L. Gruzensky, J. O. Hampton, J. T. Hurrell, D. L. Huston, R. M. O'Leary, D. A. Risoli, D. L. Spiesman, Jr., and H. W. Wong.

## GEOCHEMICAL DATA

Locations of stream-sediment sample sites are identified by 6 or 7 character station numbers on plate 1. The analytical data for the samples are given in table 5 and are identified by a sample number which consists of the station number, with a letter appended to the station number to distinguish different samples from the same station. The numbering of samples collected in 1968, varied somewhat from standard practice. Analyses are also identified in table 5 by a 6 or 7 character laboratory number; often called the "Tag Number". Locations are indicated in table 5 by latitude and longitude coordinates as degrees, minutes, and seconds. A small number of samples were re-analyzed as part of a test of analytical variance. These sample numbers appear twice in table 5 along with data for both analyses.

### Analytical Values

Analytical results are reported as percent of the sample (for spectrographic analyses of Fe, Mg, Ca, and Ti) and as parts per million (ppm) for all other analyses. The distribution of values for some of the determinations is truncated at one or both ends by the limits of determinability for that analytical procedure. The limits of determination and the units used for each analysis are listed in table 1.

A single-letter symbol is used to indicate that no analysis was performed for an element or that the analytical result is outside the limits of determinability. These symbols (commonly called "qualification codes") are used in the statistical summary but some are represented differently in table 5. An explanation of both forms is listed in table 2. The qualifier "T" does not appear in the data contained in this report.

Table 1.--Determination limits and units for analyses performed from 1968 through 1979

[S, indicates spectrographic analysis, AA, indicates atomic absorption analysis, and INST, indicates flameless atomic absorptin mercury-vapor analysis. The units used to report values for each analytical procedure are listed after the upper determination limit.]

Analysis	Limits		Analysis	Limits		Analysis	Limits	
	Lower	Upper		Lower	Upper		Lower	Upper
S-Fe	0.05	20 per-cent	S-Cd	20	500 ppm	S-Sr	100	5,000 ppm
S-Mg	.02	10 per-cent	S-Co	5	2,000 ppm	S-Th <sup>4</sup>	100	2,000 ppm
S-Ca	.05	20 per-cent	S-Cr <sup>1</sup>	10	5,000 ppm	S-V	10	10,000 ppm
S-Ti	.002	1 per-cent	S-Cu	5	20,000 ppm	S-W	50	10,000 ppm
S-Mn	10	5,000 ppm	S-La	20	1,000 ppm	S-Y	10	2,000 ppm
S-Ag	.5	5,000 ppm	S-Mo	5	2,000 ppm	S-Zn	200	10,000 ppm
S-As	200	10,000 ppm	S-Nb <sup>2</sup>	20	2,000 ppm	S-Zr	10	1,000 ppm
S-Au	10	500 ppm	S-Ni	5	5,000 ppm	AA-Au <sup>5</sup>	.05	-- ppm
S-B	10	2,000 ppm	S-Pb	10	20,000 ppm	AA-Cu <sup>6</sup>	5	-- ppm
S-Ba	20	5,000 ppm	S-Sb	100	10,000 ppm	AA-Pb <sup>6</sup>	5	-- ppm
S-Be	1	1,000 ppm	S-Sc <sup>3</sup>	5	100 ppm	AA-Zn <sup>6</sup>	5	-- ppm
S-Bi	10	1,000 ppm	S-Sn	10	1,000 ppm	INST-Hg <sup>7</sup>	.02	-- ppm

<sup>1</sup>Limits 5-5000 ppm prior to 1970.

<sup>2</sup>Limits 10-2000 ppm prior to 1975.

<sup>3</sup>Limits 5-1000 ppm for samples analyzed in BOER's Anchorage lab instead of in the Denver lab.

<sup>4</sup>No S-Th determinations before 1978.

<sup>5</sup>Lower limit 0.02 ppm prior to 1970.

<sup>6</sup>No determinations before 1972.

<sup>7</sup>Determined only in 1972 and 1973.



Table 2.--Qualification codes

Qualification code	Form in table 5	Explanation
B	--	Blank, no data.
N	N	Nothing detected by analysis.
L	<	Element detected but below listed value (lower limit of determinability).
G	>	Element detected in amount greater than listed value (upper limit of determinability).
H	(value = 0).	Interference - no valid data.
T		Trace (Not used for any of the analytical data included in this report.)

Because the original computer printout is used in tables 4 and 5, element symbols are in capital letters; for example, the symbol for iron, Fe, is shown as FE, magnesium, Mg, is shown as MG, and so on. In the tables, the prefix S stands for spectrographic analysis, AA for atomic absorption and INST for flameless atomic absorption mercury-vapor analysis.

Results from semiquantitative emission spectrographic analyses (also referred to as six-step spectrographic analyses) are reported as the approximate midpoints of class intervals with 6 intervals per order of magnitude. These class intervals are not evenly spaced when plotted on an arithmetic scale. The values of interval boundaries and the widths (sizes) of successive class intervals increase geometrically, with each succeeding interval boundary and interval width being greater than the last by a factor of the 6th root of 10 (about 1.4678). These class intervals have a constant width when the data and the interval boundary values are transformed to logarithms (Miesch, 1967, p. B3-B4).

Use of geometrically-scaled class intervals is appropriate because of characteristics of both the analytical techniques and of the common distribution of elements in geologic materials. Analytical variance tends to be proportional to the amount of a constituent present, and tends to be constant for the logarithms of the analytical data (Miesch, 1976, p. 58). Variability at sample localities also follows this pattern, with the amount of variance at a locality often being proportional to the mean of raw sample values for that site and variance tending to be constant when the logarithms of the values are used (Miesch, 1976, p. 58).

The spectrographic reporting values and the associated class interval limits and widths are listed in table 3. The values used to report element concentrations are integral powers of 10 times one of the listed six-step reporting values.

Table 3.--Class intervals of the six-step scale

Six-step reporting value (approximate C. I. midpoint)	Approximate class interval limits		Approximate class interval width
1.0	0.825	1.21	0.385
1.5	1.21	1.78	.57
2.0	1.78	2.61	.83
3.0	2.61	3.83	1.22
5.0	3.83	5.62	1.79
7.0	5.62	8.25	2.63
10.0	8.25	12.1	3.85

#### Precision

Tests have been performed to determine the analytical precision of the six-step semiquantitative spectrographic technique used by the Branch of Exploration Research (Motooka and Grimes, 1976). These tests indicate that, on the average, the frequency with which values from repeated analyses of the same sample will fall within the class interval containing the "true" value (as measured by the mean of a series of analytical runs), plus or minus one and two consecutive reporting intervals is approximately 83 percent and 96 percent, respectively. For example, if a value is reported as 3.0, the probability is 0.83 that a second analysis of that sample would be reported as 2.0, 3.0, or 5.0. The Motooka and Grimes study found analytical variance (reported as a number of steps of the six-step scale), to be consistent for a

variety of geologic materials and to show no appreciable difference among most elements or concentration ranges; except near the limits of determinability where "precision of the analysis is greatly diminished" (Motooka and Grimes, 1976, p. 2).

A stream-sediment sampling experiment was conducted by Johnson and others (1980) within the Coast Range 180 km north of Bradfield Canal; in similar terrane to that of our study area. They determined the amount of variability attributable to analytical procedures and to variation in sample spacing. For spectrographic data from that area, which does not contain detected mineral enrichment, analytical variance ranged from 22 percent (Ni) to 88 percent (Ti, Mn, V) of the total variance. At the 95 percent confidence level, only four spectrographically determined elements had analytical variance greater than the two step average variation determined by Motooka and Grimes; Ti (3 steps), Cu (3 steps), La (3.5 steps), and Zr (2.5 steps). This study suggests that for data with a narrow range of values (approaching the level of analytical variance for that element), the analytical component of total variance will be responsible for a significant portion of the observed fluctuations but that for data with a relatively broad range of values, analytical variability should have only minor effect.

Data from analyses by the atomic absorption methods are not reported on the six-step scale. They are more sensitive and considered more precise than spectrographic analyses. Johnson and others determined analytical variance for atomic absorption analyses of Cu, Pb, and Zn to be equivalent to approximately 1.0, 1.5, and 0.5 steps of the six-step scale respectively, at the 95 percent confidence level (Johnson and others, 1980, table 3, last column).

## STATISTICAL SUMMARY

The analytical data were processed using a computer to produce the statistical summary presented in table 4. All distributions are treated in terms of the six-step class intervals described above and thus the atomic absorption data are regrouped into these intervals for the summary. The program output consists of: a frequency distribution table, histogram, summary of qualified values, range of values, arithmetic and geometric means and deviations for each element. Table 4 entries are identified in an explanation at the beginning of that table.

All data values, including those for 255 replicate samples, were used to compute the statistics in table 4. Comparison of this table with statistics and histograms derived from 1) the data less replicates, 2) the replicates alone, and 3) the data with replicates averaged in, shows only minor shifts in values of the mode, arithmetic mean, and geometric mean and insignificant changes in the shape of the distribution.

The histograms in table 4 have a quasi-logarithmic analytical value scale because they use the class intervals of the six-step semiquantitative scale. Between 1968 and 1975, the lower limits of determinability were raised for atomic absorption analysis of Au and for spectrographic analysis of Cr and Nb (see table 1). Unqualified values less than the current determinability limits are included in the frequency tables and histograms. All values qualified with N, L, G, or H were omitted from the histograms. The resulting statistics are biased and the histograms incomplete.

The summary at the end of table 4 presents estimates geometric means and geometric deviations recomputed using a method devised by A. J. Cohen for treating singly censored distributions (Cohen, 1959, 1961; Miesch, 1967). If an element has no qualified data values, the geometric mean and geometric

deviation will be the same in both this summary and on the page within the table for the particular element. Cohen's method is applicable to distributions truncated on either the high or low end but, because low end truncations (left-censored distributions) are much more common in geochemical problems, the computer program used here was designed only to handle them. If some values are coded "G", the estimates by Cohen's method were not made for that element. The estimates of geometric mean and geometric deviation are unbiased in a strict sense only where the values used to compute them are derived from a normally-distributed parent population; but it has been shown that the method gives satisfactory results whenever the data are symmetrical about a single mode (Miesch, 1967, p. 85).

The geometric mean of N values is the Nth root of their product and can be computed as the antilogarithm of the arithmetic mean of the logarithms of the analyses. It is not an estimate of geochemical abundance but of "central tendency" (or characteristic value) for a frequency distribution which follows the exponential or "natural growth" law and is thus symmetrical on a logarithmic scale. The geometric mean is a more stable value than the arithmetic mean because it is not influenced as strongly by data at the extremes of the distribution. The geometric deviation can be computed as the antilogarithm of the standard deviation of the logarithms of the data values. The geometric mean and geometric deviation are useful for characterizing many geochemical distributions which are often more nearly log-normal than normally distributed. Histograms of the data contained in this report are more nearly symmetrical on a logarithmic scale than when plotted with a linear scale. Cumulative frequency plots of the data values and of their logarithms also demonstrate that these data are distributed in an approximately exponential fashion. While the geometric mean is the best

estimate or predictor of values for individuals within a log-normal population, it is not an estimate of geochemical abundance. It can not be used to predict the amounts of elements present as the arithmetic mean can (Miesch, 1963, 1967). For further discussion of geometric mean and geometric deviation see Kenny, (1952) and Miesch (1963, 1967, 1976).

#### BIAS AND VARIABILITY AFFECTING INTERPRETATION

In reviewing the data in table 5 and the statistical summary in table 4, several sources of bias and variability in the data must be considered. Factors including time limitations, weather, snow and vegetative cover, type and amount of sediment accessible, and availability of helicopter landing sites prevented uniform sampling in all areas. Uneven sample density also resulted from more concentrated sampling of some areas near evidence of mineralization such as iron-staining or visible metallic minerals. This practice has biased the data slightly in favor of samples containing values above background levels. The requirement of truly random sampling--that all potential samples have an equal likelihood of being selected--is not strictly met. In addition, the stream-sediment samples were collected from a large area, where lithologic units of various origins and rock types may comprise several dissimilar geochemical populations. The samples are not grouped on the basis of geological or geochemical affinity. The summary of values thus provides only a general indication of the trends that may be present.

Variability of results may be influenced by many factors, including the difficulty of obtaining representative samples of inhomogeneous media, variation in sample preparation, and variability inherent in the analytical techniques. It is likely with any large data-set that errors have occurred in

recording, key-punching, and editing the data and that some have remained undetected. Because of these factors, high values for a single element or a single site should be considered questionable indicators of bedrock mineralization.

#### ACKNOWLEDGMENTS

We wish to thank several U.S. Geological Survey colleagues for their considerable cooperation and assistance. George Van Trump, Jr., provided valuable aid by resolving computer-programming problems. Steven K. McDana1 and Christine M. McDougal managed entry of the data into computer data-files. Samples were collected by a number of geologists including H. C. Berg, A. L. Clark, J. E. Decker, M. F. Diggles, George Dunne, R. L. Elliott, J. D. Gallinatti, Mel Herdrick, S. M. Karl, R. D. Koch, M. L. Miller-Hoare, R. P. Morrell, J. G. Smith, and R. A. Sonnevil. We also wish to thank Kenneth Eicher of TEMSCO Helicopters, Ketchikan, who was most generous with his time and advice; and volunteered logistical assistance which greatly aided our field efforts. The skillful flying of helicopter pilots Barry Roberts, Richard Rossiter, and Ed Svec allowed us to sample this particularly rugged and inaccessible terrain and helped maintain some of our peace of mind.



## REFERENCES

- Berg, H. C., Elliott, R. L., Smith, J. G., Pitman, T. L., and Kimball, A. L., 1977, Mineral resources of the Granite Fiords Wilderness Study Area, Alaska: U.S. Geological Survey Bulletin 1403, 151 p.
- Brew, D. A., and Ford, A. B., 1978, Megalineament in southeastern Alaska marks southwest edge of Coast Range batholithic complex: Canadian Journal of Earth Sciences, v. 15, no. 11, p. 1763-1772.
- Brew, H. C., Ford, A. B., Grybeck, Donald, Johnson, B. R., and Nutt, C. J., 1976, Key foliated quartz diorite sill along southwest side of Coast Range complex, northern southeastern Alaska, in Cobb, E. H., ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 60.
- Brew, D. A., Grybeck, Donald, Johnson, B. R., Jachens, R. C., Nutt, C. J., Barnes, D. F., Kimball, A. L., Still, J. C., and Rataj, J. L., 1977, Mineral resources of the Tracy Arm-Fiords Terror Wilderness study area and vicinity, Alaska: U.S. Geological Survey Open-File Report 77-649, 282 p.
- Buddington, A. F., 1929, Geology of Hyder and vicinity, southeastern Alaska: U.S. Geological Survey Bulletin 807, 124 p.
- Buddington, A. F., and Chapin, T., 1929, Geology and mineral deposits of southeastern Alaska: U.S. Geological Survey Bulletin 800, 398 p.
- Cohen, A. C., 1959, Simplified estimators for the normal distribution when samples are singly censored or truncated: Technometrics, v. 1, no. 3, p. 217-237.
- , 1961, Tables for maximum likelihood estimates; singly truncated and singly censored samples: Technometrics, v. 3, no. 4, p. 535-541.

- Grimes, D. J., and Marranzino, A. P., 1968, Direct-current arc and alternating-current spark emission spectrographic field methods for the semiquantitative analysis of geologic materials: U.S. Geological Survey Circular 591, 6 p.
- Hutchison, W. W., 1970, Metamorphic framework and plutonic styles in the Prince Rupert region of the Central Coast Mountains, British Columbia: Canadian Journal of Earth Science, v. 7, p. 376-405.
- Johnson, B. R., Forn, C. L., Hoffman, J. D., Brew, D. A., and Nutt, C. J., 1980, Efficient stream-sediment sampling design: An experiment at Tracy Arm, Alaska: U.S. Geological Survey Professional Paper 1129, p. E1-E9.
- Kenny, J. F., 1952, Mathematics of Statistics Part I (2nd ed.): New York, D. Van Nostrand Company, p. 52-55.
- Koch, R. D., and Elliott, R. L., 1978a, Analyses of rock samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 78-156A, 163 p.
- , 1978b, Analyses of rock and stream sediment samples from the Prince Rupert quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 78-156B, 98 p.
- , 1978c, Analyses of stream-sediment samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 78-156C, 214 p.
- Koch, R. D., Elliott, R. L., Berg, H. C., and Smith, J. G., 1976, Analyses of rock and stream-sediment samples from the Bradfield Canal quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 76-486, 136 p.

- Koch, R. D., Elliott, R. L., O'Leary, R. M., and Risoli, D. A., 1980a, Trace element data for rock samples from the Bradfield Canal quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 80-910A, 256 p.
- , 1980b, Trace element data for stream-sediment heavy mineral concentrate samples from the Bradfield Canal quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 80-910C, 68 p.
- Koch, R. D., O'Leary, R. M., and Risoli, D. A., 1980, Magnetic tape containing trace element data for rock, stream-sediment, and heavy-mineral concentrate samples from the Bradfield Canal quadrangle, southeastern Alaska: Menlo Park, Calif., U.S. Geological Survey Report, 23 p., computer tape Available from the U.S. Department of Commerce, National Technical Information Service, Springfield, VA. 22151, as report USGS-GD-80-004.
- Koch, R. D., Van Trump, George, Jr., and McDanal, S. K., 1978, Magnetic tape containing analytical data for rock and stream-sediment samples from Ketchikan and Prince Rupert quadrangles, southeastern Alaska: Menlo Park, Calif., U.S. Geological Survey Report, 8 p., computer tape Available from the U.S. Department of Commerce, National Technical Information Service, Springfield, VA 22151, as report NTIS PB-276-777.
- Motooka, J. M., and Grimes, D. J., 1976, Analytical precision of one-sixth order semiquantitative spectrographic analysis: U.S. Geological Survey Circular 738, 25 p.
- Miesch, A. T., 1963, Distribution of elements in Colorado Plateau uranium deposits--a preliminary report: U.S. Geological Survey Bulletin 1147-E, 57 p.
- , 1967, Methods of computation for estimating geochemical abundance: U.S. Geological Survey Professional Paper 574-B, 15 p.

- Miesch, A. T., 1976, Sampling designs for geochemical sampling--syllabus for a short course: U.S. Geological Survey Open-File Report 76-772, 140 p.
- Myers, A. T., Havens, R. G., and Dunton, P. J., 1961, A spectrochemical method for the semiquantitative analysis of rocks, minerals, and ores: U.S. Geological Survey Bulletin 1084-I, p. 207-229.
- Roddick, J. A., and Hutchinson, W. W., 1974, Setting of the Coast Plutonic Complex, British Columbia: Pacific Geology, v. 8, p. 91-108.
- Smith, J. G., 1977, Geology of the Ketchikan D-1 and Bradfield Canal A-1 quadrangles, Alaska: U.S. Geological Survey Bulletin 1425, 49 p.
- Vaughn, W. W., and McCarthy, J. H., 1964, An instrumental technique for the determination of submicrogram concentrations of mercury in soil, rock and gas: U.S. Geological Survey Professional Paper; 501-D, p. D123-D127.
- Ward, F. N., Nakagawa, H. M., Harms, T. F., and Van Sickle, G. H., 1969, Atomic-absorption methods of analysis useful in geochemical exploration: U.S. Geological Survey Bulletin 1289, 45 p.
- Wright, F. E., and Wright, C. W., 1908, The Ketchikan and Wrangell mining districts, Alaska: U.S. Geological Survey Bulletin 347, 210 p.

Table 4.--Statistical summary of data from stream-sediment samples

#### EXPLANATION OF TABLE HEADINGS AND ABBREVIATIONS

VALUE = the data value  
 NO. = number of occurrences of this value  
 % = NO. as percent of total number of data values (ANAL)  
 CUM = number unqualified records at & below this value  
 CUM % -  
   (col 1)= unqual values at or below this value, as % of ANAL  
   (col 2)= unqual values above this value, as % of ANAL  
 TOT CUM = number of values (N,L,T + unqual) at or below this value  
 TOT CUM % -  
   (col 1)= values not B,H,OTHER at or below this value, as % of ANAL  
   (col 2)= values not B,H,OTHER above this value, as % of ANAL  
 -----  
 B - value = no. values qualified with 'B' (= no data)  
   - percent = % of all records read (READ)  
 T - value = no. values qualified with 'T' (= trace)  
   - percent = % of all values not B,H, or OTHER (ANAL)  
 H - value = no. values qualified with 'H' (= interference)  
   - percent = % of all values not B,H, or OTHER (ANAL)  
 N - value = no. values qualified with 'N' (= not detected)  
   - percent = % of all values not B,H, or OTHER (ANAL)  
 L - value = no. values qualified with 'L' (= less than)  
   - percent = % of all values not B,H, or OTHER (ANAL)  
 G - value = no. values qualified with 'G' (= greater than)  
   - percent = % of all values not B,H, or OTHER (ANAL)  
 OTHER = no. qualified values not equal B,T,H,N,L,G  
   - percent = % of all records read (READ)  
 UNQUAL = no. unqualified data values  
 ANAL = total no. valid data values (= unqualified + N,L,T,G)  
 READ = no. input records read  
 -----  
 MIN = minimum unqualified value  
 MAX = maximum unqualified value  
 AMEAN = arithmetic mean of unqualified values  
 SD = standard deviation of unqualified values  
 GMEAN = geometric mean of unqualified values  
 GD = geometric deviation of unqualified values  
 VALUES = no. of data values used to compute the above statistics.  
   Note: geometric mean & deviation cannot be computed  
   for a variable if one or more values are zero.

#### RECOMPUTATION OF STATISTICS FOR QUALIFIED DATA

If any data values are qualified with codes N, L, T, or G, then MIN, MAX, AMEAN, SD, GMEAN, and GD are recomputed after setting all values with N, L, or T codes equal to 1/2 the lowest qualified value and setting values with the code G equal to twice the highest qualified value. These estimates are usually good when the % of qualified values is small; becoming increasingly poor as that percentage increases.

Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-FEX

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.700	1	0.08	1	0.1	99.9	1 0.1 99.9
2	1.000	2	0.16	3	0.2	99.8	3 0.2 99.8
3	1.500	15	1.16	18	1.4	98.6	18 1.4 98.6
4	2.000	30	2.33	48	3.7	96.3	48 3.7 96.3
5	3.000	152	11.79	200	15.5	84.5	200 15.5 84.5
6	5.000	372	28.86	572	44.4	55.6	572 44.4 55.6
7	7.000	291	22.58	863	67.0	33.0	863 67.0 33.0
8	10.000	251	19.47	1114	86.4	13.6	1114 86.4 13.6
9	15.000	146	11.33	1260	97.8	2.2	1260 97.8 2.2
10	20.000	20	1.55	1280	99.3	0.7	1280 99.3 0.7

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
6	0	0	0	0	9	0	1280	1289	1295	PERCENT
0.5	0.0	0.0	0.0	0.0	0.7	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.700	20.00	7.452	3.95	6.479	1.72	1280
0.700	40.00	7.679	4.78	6.562	1.76	1289




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-MG%

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.150	2	0.16	2	0.2	99.8	2 0.2 99.8
2	0.200	1	0.08	3	0.2	99.8	3 0.2 99.8
3	0.300	7	0.54	10	0.8	99.2	10 0.8 99.2
4	0.500	23	1.78	33	2.6	97.4	33 2.6 97.4
5	0.700	55	4.27	88	6.8	93.2	88 6.8 93.2
6	1.000	122	9.46	210	16.3	83.7	210 16.3 83.7
7	1.500	210	16.29	420	32.6	67.4	420 32.6 67.4
8	2.000	339	26.30	759	58.9	41.1	759 58.9 41.1
9	3.000	428	33.20	1187	92.1	7.9	1187 92.1 7.9
10	5.000	97	7.53	1284	99.6	0.4	1284 99.6 0.4
11	7.000	5	0.39	1289	100.0	0.0	1289 100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
6	0	0	0	0	0	0	1289	1289	1295	1289
0.5	0.0	0.0	0.0	0.0	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.150	7.00	2.305	1.13	2.021	1.73	1289




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-CAZ

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.300	3	0.23	3	0.2 99.8	3	0.2 99.8
2	0.500	4	0.31	7	0.5 99.5	7	0.5 99.5
3	0.700	13	1.01	20	1.6 98.4	20	1.6 98.4
4	1.000	42	3.26	62	4.8 95.2	62	4.8 95.2
5	1.500	181	14.04	243	18.9 81.1	243	18.9 81.1
6	2.000	461	35.76	704	54.6 45.4	704	54.6 45.4
7	3.000	452	35.07	1156	89.7 10.3	1156	89.7 10.3
8	5.000	119	9.23	1275	98.9 1.1	1275	98.9 1.1
9	7.000	13	1.01	1288	99.9 0.1	1288	99.9 0.1
10	20.000	1	0.08	1289	100.0 0.0	1289	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
6	0	0	0	0	0	0	1289	1289	1295	1289
0.5	0.0	0.0	0.0	0.0	0.0	0.0				PERCENT
MIN		MAX		AMEAN	SD		GMEAN	GD		VALUES
0.300		20.00		2.567	1.21		2.344	1.53		1289






Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-TIX

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.070	1	0.08	1	0.1	99.9	1 0.1 99.9
2	0.100	6	0.47	7	0.5	99.5	7 0.5 99.5
3	0.150	14	1.09	21	1.6	98.4	21 1.6 98.4
4	0.200	62	4.81	83	6.4	93.6	83 6.4 93.6
5	0.300	260	20.17	343	26.6	73.4	343 26.6 73.4
6	0.500	473	36.70	816	63.3	36.7	816 63.3 36.7
7	0.700	296	22.96	1112	86.3	13.7	1112 86.3 13.7
8	1.000	115	9.00	1228	95.3	4.7	1228 95.3 4.7

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
6	0	0	0	0	61	0	1228	1289	1295	PERCENT
0.5	0.0	0.0	0.0	0.0	4.7	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.070	1.00	0.532	0.22	0.485	1.57	1228
0.070	2.00	0.601	0.38	0.518	1.70	1289




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-MN

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	300.000	10	0.78	10	0.8	10	0.8
2	500.000	49	3.80	59	4.6	59	4.6
3	700.000	240	18.62	299	23.2	299	23.2
4	1000.000	526	40.81	825	64.0	825	64.0
5	1500.000	340	26.38	1165	90.4	1165	90.4
6	2000.000	90	6.98	1255	97.4	1255	97.4
7	3000.000	17	1.32	1272	98.7	1272	98.7
8	5000.000	11	0.85	1283	99.5	1283	99.5

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
6	0	0	0	0	6	0	1283	1289	1295	VALUES
0.5	0.0	0.0	0.0	0.0	0.5	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
300.000	5000.00	1182.775	568.88	1085.295	1.50	1283
300.000	10000.00	1223.817	826.19	1096.572	1.54	1289




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-AG

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	0.500	25	1.93	25	1.9	98.1	1264	97.7 2.3
2	0.700	5	0.39	30	2.3	97.7	1269	98.1 1.9
3	1.000	11	0.85	41	3.2	96.8	1280	98.9 1.1
4	1.500	8	0.62	49	3.8	96.2	1288	99.5 0.5
5	2.000	3	0.23	52	4.0	96.0	1291	99.8 0.2
6	3.000	2	0.15	54	4.2	95.8	1293	99.9 0.1
7	5.000	1	0.08	55	4.3	95.7	1294	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	1173	66	0	0	55	1294	1295	VALUES
0.1	0.0	0.0	90.6	5.1	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.500	5.00	1.018	0.81	0.834	1.80	55
0.250	5.00	0.283	0.23	0.263	1.31	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-AS

NO UNQUALIFIED VALUES FOUND

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	1281	13	0	0	0	1294	1295	VALUES
0.1	0.0	0.0	99.0	1.0	0.0	0.0				PERCENT

Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-AU

NO UNQUALIFIED VALUES FOUND

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	1289	5	0	0	0	1294	1295	PERCENT
0.1	0.0	0.0	99.6	0.4	0.0	0.0				

Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-B

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	10.000	159	12.29	159	12.3	87.7	1183	91.4
2	15.000	37	2.86	196	15.1	84.9	1220	94.3
3	20.000	34	2.63	230	17.8	82.2	1254	96.9
4	30.000	24	1.85	254	19.6	80.4	1278	98.8
5	50.000	10	0.77	264	20.4	79.6	1288	99.5
6	70.000	3	0.23	267	20.6	79.4	1291	99.8
7	100.000	1	0.08	268	20.7	79.3	1292	99.8
8	150.000	1	0.08	269	20.8	79.2	1293	99.9
9	200.000	1	0.08	270	20.9	79.1	1294	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	239	815	0	0	270	1294	1295	VALUES
0.1	0.0	0.0	16.2	63.0	0.0	0.0				PERCENT
MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES				
10.000	200.00	17.426	18.25	14.210	1.71	270				
5.000	200.00	7.593	9.74	6.218	1.63	1294				




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-BA

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	200.000	1	0.08	1	0.1	99.9	0.1 99.9
2	300.000	38	2.94	39	3.0	97.0	3.0 97.0
3	500.000	85	6.57	124	9.6	90.4	124 9.6 90.4
4	700.000	179	13.83	303	23.4	76.6	303 23.4 76.6
5	1000.000	278	21.48	581	44.9	55.1	581 44.9 55.1
6	1500.000	412	31.84	993	76.7	23.3	993 76.7 23.3
7	2000.000	232	17.93	1225	94.7	5.3	1225 94.7 5.3
8	3000.000	53	4.10	1278	98.8	1.2	1278 98.8 1.2
9	5000.000	14	1.08	1292	99.8	0.2	1292 99.8 0.2

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	0	0	2	0	1292	1294	1295	VALUES
0.1	0.0	0.0	0.0	0.0	0.2	0.0				PERCENT
MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES				
200.000	5000.00	1368.731	710.63	1202.732	1.69	1292				
200.000	10000.00	1382.071	786.94	1206.676	1.70	1294				




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-BE

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	1.000	609	47.06	609	47.1	835	64.5
2	1.500	274	21.17	883	68.2	1109	85.7
3	2.000	130	10.05	1013	78.3	1239	95.7
4	3.000	18	1.39	1031	79.7	1257	97.1
5	5.000	10	0.77	1041	80.4	1267	97.9
6	7.000	7	0.54	1048	81.0	1274	98.5
7	10.000	10	0.77	1058	81.8	1284	99.2
8	15.000	3	0.23	1061	82.0	1287	99.5
9	20.000	2	0.15	1063	82.1	1289	99.6
10	30.000	1	0.08	1064	82.2	1290	99.7
11	50.000	3	0.23	1067	82.5	1293	99.9
12	70.000	1	0.08	1068	82.5	1294	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	2	224	0	0	1068	1294	1295	VALUES
0.1	0.0	0.0	0.2	17.3	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
1.000	70.00	1.749	3.75	1.333	1.64	1068
0.500	70.00	1.531	3.44	1.123	1.79	1294






Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-91

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	15.000	1	0.08	1	0.1	99.9	1294	100.0 0.0

R	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	1291	2	0	0	1	1294	1295	VALUES
0.1	0.0	0.0	99.8	0.2	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
15.000	15.00	15.000	0.00	15.000	*****	1
5.000	15.00	5.008	0.28	5.004	1.03	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued  
 COLUMN ID.: S-CD

NO UNQUALIFIED VALUES FOUND

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	1294	0	0	0	0	1294	1295	PERCENT
0.1	0.0	0.0	100.0	0.0	0.0	0.0				

COLUMN ID.: S-CO

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	5.000	54	4.95	64	4.9	81	6.3
2	7.000	107	8.27	171	13.2	188	14.5
3	10.000	255	19.71	426	32.9	443	34.2
4	15.000	292	22.57	718	55.5	735	56.8
5	20.000	340	26.28	1058	81.8	1075	83.1
6	30.000	154	12.67	1222	94.4	1239	95.7
7	50.000	50	3.86	1272	98.3	1289	99.6
8	70.000	4	0.31	1276	98.6	1293	99.9
9	100.000	1	0.08	1277	98.7	1294	100.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	2	15	0	0	1277	1294	1295	VALUES
0.1	0.0	0.0	0.2	1.2	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	100.00	17.697	10.34	15.290	1.72	1277
2.500	100.00	17.497	10.41	14.931	1.78	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-CR

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	7.000	1	0.08	1	0.1	99.9	26
2	10.000	50	3.86	51	3.9	96.1	76
3	15.000	47	3.63	98	7.6	92.4	123
4	20.000	123	9.51	221	17.1	82.9	246
5	30.000	146	11.28	367	28.4	71.6	392
6	50.000	188	14.53	555	42.9	57.1	580
7	70.000	208	16.07	763	59.0	41.0	788
8	100.000	194	14.99	957	74.0	26.0	982
9	150.000	172	13.29	1129	87.2	12.8	1154
10	200.000	93	7.19	1222	94.4	5.6	1247
11	300.000	30	2.32	1252	96.8	3.2	1277
12	500.000	11	0.85	1263	97.6	2.4	1288
13	700.000	6	0.46	1269	98.1	1.9	1294

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	2	23	0	0	1269	1294	1295	PERCENT
0.1	0.0	0.0	0.2	1.8	0.0	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
7.000	700.00	90.238	85.51	62.884	2.40	1269
5.000	700.00	88.591	85.49	59.882	2.55	1294





Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-CU

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	5.000	142	10.97	142	11.0	89.0	213	16.5 83.5
2	7.000	147	11.36	289	22.3	77.7	360	27.8 72.2
3	10.000	142	10.97	431	33.3	66.7	502	38.8 61.2
4	15.000	121	9.35	552	42.7	57.3	623	48.1 51.9
5	20.000	162	12.52	714	55.2	44.8	785	60.7 39.3
6	30.000	150	12.36	874	67.5	32.5	945	73.0 27.0
7	50.000	132	10.20	1006	77.7	22.3	1077	83.2 16.8
8	70.000	105	8.11	1111	85.9	14.1	1182	91.3 8.7
9	100.000	61	4.71	1172	90.6	9.4	1243	96.1 3.9
10	150.000	32	2.47	1204	93.0	7.0	1275	98.5 1.5
11	200.000	14	1.08	1218	94.1	5.9	1289	99.6 0.4
12	300.000	3	0.23	1221	94.4	5.6	1292	99.8 0.2
13	500.000	1	0.08	1222	94.4	5.6	1293	99.9 0.1
14	700.000	1	0.08	1223	94.5	5.5	1294	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	11	60	0	0	1223	1294	1295	
0.1	0.0	0.0	0.9	4.6	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	700.00	34.966	45.32	20.711	2.72	1223
2.500	700.00	33.185	44.68	18.443	2.96	1294



COLUMN ID.: S-LA

COLUMN ID.: S-40

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	5.000	48	3.71	48	3.7	96.3	1223	94.5	5.5
2	7.000	19	1.47	67	5.2	94.8	1242	96.0	4.0
3	10.000	18	1.39	85	6.6	93.4	1260	97.4	2.6
4	15.000	19	1.47	104	8.0	92.0	1279	98.8	1.2
5	20.000	5	0.39	109	8.4	91.6	1284	99.2	0.8
6	30.000	4	0.31	113	8.7	91.3	1288	99.5	0.5
7	50.000	2	0.15	115	8.9	91.1	1290	99.7	0.3
8	70.000	2	0.15	117	9.0	91.0	1292	99.8	0.2
9	100.000	2	0.15	119	9.2	90.8	1294	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	1059	116	0	0	119	1294	1295	VALUES
0.1	0.0	0.0	81.3	9.3	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	100.00	12.588	15.88	8.983	2.01	119
2.500	100.00	3.428	5.61	2.812	1.53	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-NB

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	10.000	116	8.96	116	9.0	1117	86.3
2	15.000	13	1.00	129	10.0	1130	87.3
3	20.000	123	9.51	252	19.5	1253	96.8
4	30.000	20	1.55	272	21.0	1273	98.4
5	50.000	12	0.93	284	21.9	1285	99.3
6	70.000	7	0.54	291	22.5	1292	99.8
7	100.000	2	0.15	293	22.6	1294	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	460	541	0	0	293	1294	1295	VALUES
0.1	0.0	0.0	35.5	41.8	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	100.00	19.471	13.72	16.688	1.67	293
5.000	100.00	8.277	8.90	6.569	1.75	1294






Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-NI

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	5.000	124	9.58	124	9.6	237	18.3
2	7.000	65	5.02	189	14.6	302	23.3
3	10.000	120	9.27	309	23.9	422	32.6
4	15.000	169	13.06	478	36.9	591	45.7
5	20.000	232	15.61	680	52.6	793	61.3
6	30.000	189	14.61	869	67.2	982	75.9
7	50.000	148	11.44	1017	78.6	1130	87.3
8	70.000	98	7.57	1115	86.2	1228	94.9
9	100.000	53	4.10	1168	90.3	1281	99.0
10	150.000	10	0.77	1178	91.0	1291	99.8
11	200.000	1	0.08	1179	91.1	1292	99.8
12	300.000	1	0.08	1180	91.2	1293	99.9
13	500.000	1	0.08	1181	91.3	1294	100.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	12	101	0	0	1181	1294	1295	VALUES
0.1	0.0	0.0	0.9	7.8	0.0	0.0				PERCENT
MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES				
5.000	500.00	30.974	31.35	21.343	2.38	1181				
2.500	500.00	28.487	31.01	17.698	2.79	1294				




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-PB

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	10.000	133	10.28	133	10.3	89.7	144
2	15.000	252	19.47	385	29.8	70.2	396
3	20.000	431	33.31	816	63.1	36.9	827
4	30.000	257	19.86	1073	82.9	17.1	1034
5	50.000	115	8.89	1188	91.8	8.2	1199
6	70.000	37	2.86	1225	94.7	5.3	1236
7	100.000	37	2.86	1262	97.5	2.5	1273
8	150.000	13	1.00	1275	98.5	1.5	1286
9	200.000	3	0.23	1278	98.8	1.2	1289
10	300.000	3	0.23	1281	99.0	1.0	1292
11	1000.000	1	0.08	1282	99.1	0.9	1293
12	1500.000	1	0.08	1283	99.1	0.9	1294

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	0	11	0	0	1293	1294	1295	PERCENT
0.1	0.0	0.0	0.0	0.9	0.0	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	1500.00	30.733	56.09	23.378	1.83	1283
5.000	1500.00	30.514	55.90	23.074	1.86	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-SB

NO UNQUALIFIED VALUES FOUND

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	1291	3	0	0	0	1294	1295	VALUES
0.1	0.0	0.0	99.8	0.2	0.0	0.0				PERCENT

COLUMN ID.: S-SC

MIN	MAX	MEAN	SD	GMEAN	GD	VALUES
5.000	70.00	19.702	10.27	17.573	1.61	1282
2.500	70.00	19.543	10.36	17.258	1.67	1294



Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-SN

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	10.000	12	0.93	12	0.9	99.1	1273	98.4 1.6
2	15.000	3	0.23	15	1.2	98.8	1276	98.6 1.4
3	20.000	10	0.77	25	1.9	98.1	1286	99.4 0.6
4	30.000	5	0.39	30	2.3	97.7	1291	99.8 0.2
5	50.000	3	0.23	33	2.6	97.4	1294	100.0 0.0

S	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	1251	10	0	0	33	1294	1295	VALUES
0.1	0.0	0.0	96.7	0.8	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	50.00	20.152	11.82	17.501	1.69	33
5.000	50.00	5.386	3.03	5.162	1.24	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-SR

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	100.000	2	0.15	2	0.2	99.8	5	0.4 99.6
2	150.000	5	0.39	7	0.5	99.5	10	0.8 99.2
3	200.000	25	1.93	32	2.5	97.5	35	2.7 97.3
4	300.000	110	8.50	142	11.0	89.0	145	11.2 88.8
5	500.000	292	21.79	424	32.8	67.2	427	33.0 67.0
6	700.000	403	31.14	827	63.9	36.1	830	64.1 35.9
7	1000.000	346	26.74	1173	90.6	9.4	1176	90.9 9.1
8	1500.000	102	7.88	1275	98.5	1.5	1278	98.8 1.2
9	2000.000	16	1.24	1291	99.8	0.2	1294	100.0 0.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	0	3	0	0	1291	1294	1295	VALUES
0.1	0.0	0.0	0.0	0.2	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
100.000	2000.00	769.210	346.23	692.956	1.61	1291
50.000	2000.00	767.543	347.55	688.746	1.63	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-TH

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	100.000	1	0.09	1	0.1	99.9	1092	100.0 0.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
203	0	0	1088	3	0	0	1	1092	1295	
15.7	0.0	0.0	99.6	0.3	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
100.000	100.00	100.000	0.00	100.000	*****	1
50.000	100.00	50.046	1.51	50.032	1.02	1092




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-V

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	30.000	2	0.15	2	0.2	99.8	2 0.2 99.8
2	50.000	12	0.93	14	1.1	98.9	14 1.1 98.9
3	70.000	22	1.70	36	2.8	97.2	36 2.8 97.2
4	100.000	105	8.11	141	10.9	89.1	141 10.9 89.1
5	150.000	254	19.63	395	30.5	69.5	395 30.5 69.5
6	200.000	443	34.23	838	64.8	35.2	838 64.8 35.2
7	300.000	338	23.80	1146	88.6	11.4	1146 88.6 11.4
8	500.000	82	6.34	1228	94.9	5.1	1228 94.9 5.1
9	700.000	40	3.09	1268	98.0	2.0	1268 98.0 2.0
10	1000.000	17	1.31	1285	99.3	0.7	1285 99.3 0.7
11	2000.000	6	0.46	1291	99.8	0.2	1291 99.8 0.2
12	3000.000	3	0.23	1294	100.0	0.0	1294 100.0 0.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	0	0	0	0	1294	1294	1295	VALUES
0.1	0.0	0.0	0.0	0.0	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
30.000	3000.00	261.824	235.55	217.754	1.74	1294






Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-W


	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	50.000	6	0.46	6	0.5	99.5	1292	99.8
2	70.000	1	0.08	7	0.5	99.5	1293	99.9
3	300.000	1	0.08	8	0.6	99.4	1294	100.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	1270	16	0	0	8	1294	1295	VALUES
0.1	0.0	0.0	98.1	1.2	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
50.000	300.00	83.750	87.66	65.239	1.87	8
25.000	300.00	25.363	7.93	25.149	1.09	1294



COLUMN ID.: S-Y

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	300.00	34.617	22.97	30.057	1.66	1293
5.000	300.00	34.594	22.98	30.015	1.67	1294



Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-ZN

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	200.000	13	1.00	13	1.0	99.0	1276	98.6
2	300.000	10	0.77	23	1.8	98.2	1286	99.4
3	500.000	4	0.31	27	2.1	97.9	1290	99.7
4	700.000	3	0.23	30	2.3	97.7	1293	99.9
5	1500.000	1	0.08	31	2.4	97.6	1294	100.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	
1	0	0	751	512	0	0	31	1294	1295	VALUES
0.1	0.0	0.0	58.0	39.6	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
200.000	1500.00	361.290	264.17	309.072	1.67	31
100.000	1500.00	106.260	56.72	102.740	1.21	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: S-ZR

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	20.000	5	0.39	5	0.4	99.6	5	0.4	99.6
2	30.000	17	1.31	22	1.7	98.3	22	1.7	98.3
3	50.000	42	3.25	64	4.9	95.1	64	4.9	95.1
4	70.000	140	10.82	204	15.8	84.2	204	15.8	84.2
5	100.000	251	19.40	455	35.2	64.8	455	35.2	64.8
6	150.000	263	20.32	718	55.5	44.5	718	55.5	44.5
7	200.000	247	19.09	965	74.6	25.4	965	74.6	25.4
8	300.000	158	12.21	1123	86.8	13.2	1123	86.8	13.2
9	500.000	92	6.34	1205	93.1	6.9	1205	93.1	6.9
10	700.000	37	2.86	1242	96.0	4.0	1242	96.0	4.0
11	1000.000	34	2.63	1276	98.6	1.4	1276	98.6	1.4

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES	
1	0	0	0	0	18	0	1276	1294	1295	VALUES	
0.1	0.0	0.0	0.0	0.0	1.4	0.0				PERCENT	
MIN		MAX		AMEAN		SD		GMEAN		GD	VALUES
20.000		1000.00		215.329		191.59		163.345		2.05	1276
20.000		2000.00		240.155		282.70		169.137		2.16	1294




Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: AA-AU-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	0.020	4	0.31	4	0.3	99.7	1268	98.4 1.6
2	0.050	4	0.31	8	0.6	99.4	1272	98.8 1.2
3	0.070	2	0.16	10	0.8	99.2	1274	98.9 1.1
4	0.100	7	0.54	17	1.3	98.7	1281	99.5 0.5
5	0.150	2	0.16	19	1.5	98.5	1283	99.6 0.4
6	0.200	2	0.16	21	1.6	98.4	1285	99.8 0.2
7	0.300	1	0.08	22	1.7	98.3	1286	99.8 0.2
8	0.500	1	0.08	23	1.8	98.2	1287	99.9 0.1
9	2.000	1	0.08	24	1.9	98.1	1288	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
7	0	0	1169	95	0	0	24	1288	1295	PERCENT
0.5	0.0	0.0	90.8	7.4	0.0	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.020	2.00	0.193	0.40	0.092	2.92	24
0.010	2.00	0.013	0.06	0.010	1.39	1288





Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: AA-CU-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	5.000	157	12.80	157	12.8	230	18.7
2	10.000	225	18.34	382	31.1	455	37.1
3	15.000	181	14.75	563	45.9	636	51.8
4	20.000	258	21.03	821	66.9	894	72.9
5	30.000	140	11.41	961	78.3	1034	84.3
6	50.000	127	10.35	1088	88.7	1161	94.6
7	70.000	42	3.42	1130	92.1	1203	98.0
8	100.000	21	1.71	1151	93.8	1224	99.8
9	150.000	1	0.08	1152	93.9	1225	99.8
10	200.000	2	0.16	1154	94.1	1227	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
68	0	0	0	73	0	0	1154	1227	1295	1154
5.3	0.0	0.0	0.0	5.9	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	200.00	23.440	20.78	17.418	2.14	1154
2.500	200.00	22.194	20.76	15.518	2.38	1227



COLUMN ID.: AA-PB-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	5.000	223	18.19	223	18.2	81.8	302	24.6	75.4
2	10.000	473	38.58	696	56.8	43.2	775	63.2	36.8
3	15.000	255	20.80	951	77.6	22.4	1030	84.0	16.0
4	20.000	131	10.69	1082	88.3	11.7	1161	94.7	5.3
5	30.000	27	2.20	1109	90.5	9.5	1188	96.9	3.1
6	50.000	19	1.55	1128	92.0	8.0	1207	98.5	1.5
7	70.000	5	0.41	1133	92.4	7.6	1212	98.9	1.1
8	100.000	9	0.73	1142	93.1	6.9	1221	99.6	0.4
9	150.000	3	0.24	1145	93.4	6.6	1224	99.8	0.2
10	700.000	2	0.16	1147	93.6	6.4	1226	100.0	0.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
68	0	1	1	78	0	0	1147	1226	1295	VALUES
5.3	0.0	0.1	0.1	6.4	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	700.00	14.952	31.54	11.367	1.81	1147
2.500	700.00	14.150	30.66	10.310	1.98	1226





Table 4.--Statistical summary of data from stream-sediment samples--Continued

COLUMN ID.: AA-ZN-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	5.000	1	0.08	1	0.1	99.9	5 0.4 99.6
2	10.000	2	0.16	3	0.2	99.8	7 0.6 99.4
3	15.000	36	2.93	39	3.2	96.8	43 3.5 96.5
4	20.000	144	11.74	183	14.9	85.1	187 15.2 84.8
5	30.000	226	18.42	409	33.3	66.7	413 33.7 66.3
6	50.000	361	29.42	770	62.8	37.2	774 63.1 36.9
7	70.000	277	22.58	1047	85.3	14.7	1051 85.7 14.3
8	100.000	135	11.00	1182	96.3	3.7	1186 96.7 3.3
9	150.000	27	2.20	1209	98.5	1.5	1213 98.9 1.1
10	200.000	6	0.49	1215	99.0	1.0	1219 99.3 0.7
11	300.000	6	0.49	1221	99.5	0.5	1225 99.8 0.2
12	500.000	2	0.16	1223	99.7	0.3	1227 100.0 0.0

B	T	H	V	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
68	0	0	0	4	0	0	1223	1227	1295	PERCENT
5.3	0.0	0.0	0.0	0.3	0.0	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	500.00	56.594	38.90	47.757	1.78	1223
2.500	500.00	56.418	38.96	47.300	1.33	1227





COLUMN ID.: INST-HG

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	0.020	27	20.15	27	20.1	79.9	59	44.0	56.0
2	0.050	12	8.96	39	29.1	70.9	71	53.0	47.0
3	0.370	39	29.10	78	58.2	41.8	110	82.1	17.9
4	0.100	10	7.46	88	65.7	34.3	120	89.6	10.4
5	0.150	6	4.48	94	70.1	29.9	126	94.0	6.0
6	0.200	5	3.73	99	73.9	26.1	131	97.8	2.2
7	0.300	2	1.49	101	75.4	24.6	133	99.3	0.7
8	0.500	1	0.75	102	76.1	23.9	134	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	
1161	0	0	17	15	0	0	102	134	1295	VALUES
99.7	0.0	3.0	12.7	11.2	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.020	0.50	0.077	0.07	0.058	2.14	102
0.010	0.50	0.061	0.07	0.038	2.72	134




Table 5.--Statistical summary of data from stream-sediment samples--Continued

[Estimates recomputed by the method of Cohen]

ELEMENT	GEOMETRIC MEAN	GEOMETRIC DEVIATION	REMARKS
S-FEZ	*****	*****	9 GREATER THAN VALUES. NO COMPUTATIONS.
S-MGX	2.02	1.73	1295 SAMPLES AND 1289 ANALYTICAL VALUES.
S-CAZ	2.34	1.53	1295 SAMPLES AND 1289 ANALYTICAL VALUES.
S-TIX	*****	*****	61 GREATER THAN VALUES. NO COMPUTATIONS.
S-MN	*****	*****	6 GREATER THAN VALUES. NO COMPUTATIONS.
S-AG	0.0159	6.36	1239 NOT DETECTED, LESS THAN, OR TRACE VALUES. 55 REPORTED VALUES.
S-B	3.57	2.77	1024 NOT DETECTED, LESS THAN, OR TRACE VALUES. 270 REPORTED VALUES.
S-BA	*****	*****	2 GREATER THAN VALUES. NO COMPUTATIONS.
S-BE	1.15	1.75	226 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1068 REPORTED VALUES.
S-CO	15.0	1.76	17 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1277 REPORTED VALUES.
S-CR	*****	*****	1 VALUE LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
S-CU	18.4	2.99	71 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1223 REPORTED VALUES.
S-LA	43.4	2.14	161 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1133 REPORTED VALUES.
S-MO	0.349	6.08	1175 NOT DETECTED, LESS THAN, OR TRACE VALUES. 119 REPORTED VALUES.
S-NB	*****	*****	129 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
S-NI	17.6	2.82	113 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1181 REPORTED VALUES.
S-PB	23.1	1.85	11 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1283 REPORTED VALUES.
S-SC	17.3	1.65	12 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1282 REPORTED VALUES.
S-SN	0.202	6.72	1261 NOT DETECTED, LESS THAN, OR TRACE VALUES. 33 REPORTED VALUES.
S-SR	689.	1.63	3 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1291 REPORTED VALUES.
S-V	218.	1.74	1295 SAMPLES AND 1294 ANALYTICAL VALUES.
S-W	65.4	1.87	1286 NOT DETECTED, LESS THAN, OR TRACE VALUES. 8 REPORTED VALUES.
S-Y	30.0	1.66	1 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1293 REPORTED VALUES.
S-ZN	9.54	4.39	1263 NOT DETECTED, LESS THAN, OR TRACE VALUES. 31 REPORTED VALUES.
S-ZR	*****	*****	18 GREATER THAN VALUES. NO COMPUTATIONS.
AA-AU-P	*****	*****	7 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
AA-CU-P	15.8	2.37	73 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1154 REPORTED VALUES.
AA-PB-P	10.5	1.96	79 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1147 REPORTED VALUES.
AA-ZN-P	47.1	1.76	4 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1223 REPORTED VALUES.
INST-MG	0.0370	2.85	32 NOT DETECTED, LESS THAN, OR TRACE VALUES. 102 REPORTED VALUES.

Table 5.--Analytical data for stream-sediment samples

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGZ	S-CAX	S-TIX	S-MN	S-AG	S-AS
688A101	AC1858	56 3 8	130 15 10	15.0	3.00	5.0	.70	1,500	1.5	M
688A102	AC1859	56 0 39	130 5 18	7.0	1.50	1.5	.30	1,000	<.5	M
688A104	AC1861	56 2 8	130 5 1	2.00	2.00	7.0	.30	700	N	M
688A105	AC1862	56 2 48	130 5 12	3.0	.70	1.5	.15	1,500	.5	M
688A106	AC1863	56 5 3	130 6 7	5.0	1.50	1.5	.50	700	<.5	M
688A107	AC1864	56 5 17	130 3 50	7.0	1.50	1.5	.30	700	<.5	M
688A108	AC1865	56 2 20	130 3 30	5.0	.70	.7	.30	>5,000	1.0	M
688A109	AC1866	56 2 17	130 3 48	7.0	2.00	.3	.50	3,000	5.0	M
688A110	AC1867	56 3 26	130 10 24	3.0	1.50	2.0	.30	700	N	M
688A111	AC1868	56 2 52	130 14 5	3.0	1.50	3.0	.30	700	<.5	M
688A112	AC1869	56 4 24	130 10 6	7.0	2.00	1.5	.50	700	.7	M
688A113	AC1870	56 4 18	130 10 6	5.0	1.50	1.5	.30	700	<.5	M
688A114	AC1871	56 4 3	130 10 35	7.0	2.00	1.5	.50	700	<.5	M
688A114H	AC1872	56 2 52	130 14 55	7.0	3.00	3.0	.50	1,000	<.5	M
688A115H	AC1873	56 2 56	130 15 14	5.0	2.00	3.0	.50	1,000	<.5	M
688A116H	AC1874	56 3 21	130 15 29	10.0	3.00	2.0	.50	3,000	<.5	M
688A118H	AC1876	56 2 0	130 18 20	7.0	3.00	3.0	.30	1,000	<.5	M
688A125H	AC1883	56 3 26	130 19 10	7.0	2.00	3.0	.30	700	N	M
688A126H	AC1884	56 3 22	130 15 9	7.0	2.00	2.0	.15	1,000	.7	M
688A127H	AC1885	56 4 5	130 16 48	5.0	1.50	2.0	.15	700	<.5	<200
688A129H	AC1886	56 2 19	130 17 36	7.0	3.00	3.0	.30	1,000	<.5	M
688A130H	AC1887	56 3 22	130 13 15	3.0	1.50	1.5	.20	1,000	<.5	<200
688A131H	AC1888	56 3 35	130 13 15	5.0	2.00	1.5	.30	1,000	<.5	M
688A201	AC1844	56 12 57	130 27 48	20.0	3.00	7.0	1.00	1,000	<.5	M
688A202	AC1845	56 12 31	130 27 1	15.0	3.00	5.0	.70	1,000	N	M
688A203	AC1846	56 11 18	130 29 43	20.0	3.00	7.0	>1.00	1,500	N	M
688A204	AC1847	56 12 16	130 31 4	20.0	5.00	7.0	>1.00	2,000	<.5	M
688A205	AC1848	56 10 28	130 31 27	7.0	2.00	3.0	.70	700	N	M
688A206	AC1849	56 9 45	130 32 6	10.0	2.00	7.0	1.00	1,000	N	M
688A207	AC1850	56 9 22	130 32 58	7.0	3.00	3.0	.70	700	N	M
688A209	AC1852	56 2 9	130 33 9	15.0	2.00	5.0	.70	1,000	N	<200
688A210	AC1853	56 2 6	130 31 1	10.0	1.50	3.0	.70	700	N	<200
688A211	AC1854	56 2 2	130 26 52	15.0	.50	3.0	.70	300	N	<200
688A212	AC1855	56 2 17	130 25 7	15.0	3.00	5.0	.70	1,000	N	<200
688A213	AC1856	56 2 47	130 23 50	10.0	3.00	7.0	.50	1,500	N	<200
688A214	AC1857	56 4 2	130 23 51	7.0	3.00	5.0	.50	2,000	N	<200
688A219H	AC1877	56 1 30	130 20 20	5.0	2.00	2.0	.30	700	<.5	M
688A220H	AC1878	56 0 29	130 21 41	7.0	3.00	3.0	.30	1,500	<.5	M
688A222H	AC1880	56 2 34	130 20 9	20.0	3.00	5.0	.50	2,000	<.5	M
688A223H	AC1881	56 3 13	130 21 41	15.0	3.00	3.0	.50	1,500	<.5	M
688A224H	AC1882	56 3 59	130 20 59	7.0	3.00	3.0	.30	1,000	N	M
688A225H	AC1889	56 4 20	130 22 13	3.0	1.50	3.0	.30	1,000	<.5	M
688N001S	AC1815	56 2 22	130 4 7	15.0	3.00	1.5	1.00	1,500	.5	M
688N002S	AC1816	56 2 20	130 2 34	20.0	5.00	1.0	1.00	2,000	1.5	M
688N003S	AC1817	56 1 55	130 2 37	10.0	1.50	1.5	.70	2,000	<.5	M

Table 5.---Analytical data for stream-sediment samples

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CD	S-CR	S-CU	S-LA	S-MO
68BA101	M	15	1,500	<1.0	M	M	20	70	200	30	M
68BA102	M	30	1,500	1.0	M	M	10	30	20	20	M
68BA104	M	30	1,500	<1.0	M	M	15	70	70	20	M
68BA105	M	30	1,500	1.5	M	M	10	7	150	20	<5
68BA106	M	10	1,500	1.0	M	M	10	20	50	150	<5
68BA107	M	10	1,500	<1.0	M	M	15	30	50	<20	<5
68BA108	M	30	700	1.0	M	M	50	15	30	30	<5
68BA109	M	30	3,000	<1.0	M	M	15	100	500	20	15
68BA110	M	10	1,500	1.0	M	M	10	30	30	50	M
68BA111	M	<10	1,500	1.0	M	M	15	70	30	30	M
68BA112	M	10	3,000	1.0	M	M	15	50	30	30	<5
68BA113	M	10	1,500	1.0	M	M	10	50	15	20	<5
68BA114	M	10	1,500	1.0	M	M	15	30	70	30	M
68BA114H	M	<10	1,500	<1.0	M	M	20	70	150	<20	M
68BA115H	M	M	1,500	<1.0	M	M	15	30	100	30	M
68BA116H	M	10	3,000	<1.0	M	M	20	150	150	<20	7
68BA118H	M	15	2,000	1.0	M	M	15	70	150	20	<5
68BA125H	M	<10	1,500	1.0	M	M	15	70	70	20	<5
68BA126H	M	<10	3,000	2.0	M	M	30	70	150	20	<5
68BA127H	M	<10	1,500	1.0	M	M	15	70	70	<20	<5
68BA129H	M	10	1,500	<1.0	M	M	20	100	100	20	<5
68BA130H	M	<10	1,500	1.0	M	M	15	70	70	20	<5
68BA131H	M	<10	1,500	1.0	M	M	10	70	100	20	<5
68BA201	M	30	3,000	<1.0	M	M	10	150	30	30	M
68BA202	M	<10	3,000	<1.0	M	M	10	70	50	30	M
68BA203	M	15	3,000	1.5	M	M	15	150	20	20	M
68BA204	M	30	3,000	1.0	M	M	20	100	150	70	5
68BA205	M	<10	2,000	1.5	M	M	20	30	100	50	M
68BA206	M	10	1,500	2.0	M	M	15	70	30	70	M
68BA207	M	10	1,500	2.0	M	M	15	70	50	30	M
68BA209	M	15	2,000	1.5	M	M	15	70	10	100	M
68BA210	M	10	2,000	1.5	M	M	15	70	20	20	M
68BA211	M	15	2,000	1.5	M	M	<5	15	20	100	M
68BA212	M	15	700	1.0	<10	M	20	30	150	20	M
68BA213	M	30	2,000	1.0	M	M	20	100	200	20	M
68BA214	M	20	2,000	1.5	M	M	20	150	150	150	M
68BA219H	M	M	700	M	M	M	15	100	50	M	7
68BA220H	M	<10	1,000	1.0	M	M	15	150	150	<20	<5
68BA222H	M	15	2,000	<1.0	M	M	50	150	200	<20	<5
68BA223H	M	10	1,500	<1.0	M	M	20	70	200	<20	<5
68BA224H	M	10	2,000	1.0	M	M	15	100	150	20	<5
68BA243H	M	<10	1,500	1.0	M	M	15	50	70	20	<5
68BA001S	<10	50	2,000	<1.0	M	M	30	70	70	<20	M
68BA002S	<10	70	1,500	<1.0	M	M	150	150	200	<20	M
68BA003S	M	30	1,500	<1.0	M	M	15	70	100	20	15

Table 5.--Analytical data for stream-sediment samples

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
688A101	10	30	70	N	30	N	1,000	--	300	N	30
688A102	10	20	70	N	15	N	500	--	150	N	15
688A104	<10	20	20	N	15	N	700	--	150	N	10
688A105	10	5	100	<100	10	N	200	--	150	N	15
688A106	<10	10	50	N	10	N	500	--	150	N	10
688A107	10	30	50	N	15	N	300	--	150	N	15
688A108	<10	30	100	N	15	N	<100	--	150	N	10
688A109	<10	150	150	N	15	N	<100	--	300	N	30
688A110	<10	70	20	N	15	N	500	--	100	N	20
688A111	10	20	30	N	15	N	500	--	100	N	20
688A112	10	20	150	N	15	N	700	--	100	N	20
688A113	<10	15	150	N	15	N	500	--	100	N	15
688A114	<10	20	70	N	15	N	500	--	150	N	15
688A114H	<10	30	30	N	20	N	700	--	150	N	15
688A115H	10	30	30	N	20	N	700	--	150	N	15
688A116H	<10	70	150	N	15	N	700	--	300	N	20
688A118H	10	50	30	N	20	N	700	--	150	N	20
688A125H	<10	30	15	N	15	N	1,000	--	200	N	20
688A126H	10	30	70	N	15	N	700	--	200	N	20
688A127H	10	30	30	N	15	N	700	--	150	N	20
688A129H	10	70	30	N	30	N	700	--	200	N	30
688A130H	<10	30	50	N	15	N	500	--	150	N	15
688A131H	10	50	50	N	20	N	700	--	150	N	20
688A201	15	30	30	N	20	N	1,500	--	500	N	50
688A232	15	<5	30	N	15	N	1,500	--	200	N	30
688A203	20	70	30	N	30	N	1,500	--	300	N	70
688A204	20	70	70	N	15	N	1,500	--	300	N	50
688A205	15	30	100	N	15	N	1,000	--	150	N	15
688A206	20	30	20	N	30	N	1,500	--	200	<50	30
688A207	15	50	70	N	15	N	700	--	150	N	20
688A209	15	30	30	N	15	N	1,500	--	200	<50	30
688A210	20	30	100	N	15	N	1,000	--	200	<50	30
688A211	20	<5	20	N	7	N	700	--	200	<50	20
688A212	10	100	15	<100	30	N	500	--	200	<50	20
688A213	10	50	30	N	50	N	1,500	--	300	<50	30
688A214	30	70	70	N	30	N	1,000	--	300	N	70
688A219H	<10	30	150	N	15	N	500	--	150	N	10
688A220H	10	70	30	N	15	N	700	--	150	N	10
688A222H	<10	50	30	N	50	N	1,000	--	200	N	30
688A223H	10	30	15	N	30	N	700	--	300	N	10
688A224H	<10	30	15	N	30	N	1,000	--	200	N	20
688A243H	<10	30	30	N	15	N	700	--	200	N	15
688H001S	10	30	20	N	30	N	300	--	300	N	20
688H002S	10	70	150	N	30	N	100	--	200	N	30
688H003S	10	70	50	N	20	N	300	--	500	N	30

Table 5.---Analytical data for stream-sediment samples

SAMPLE	S-2M	S-2R	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-H6
68B101	<200	70	.04	--	--	--	--
68B102	M	70	.04	--	--	--	--
68B104	<200	150	<.02	--	--	--	--
68B105	<200	30	<.02	--	--	--	--
68B106	<200	70	<.20	--	--	--	--
68B107	<200	150	<.10	--	--	--	--
68B108	700	50	<.02	--	--	--	--
68B109	1,500	70	.40	--	--	--	--
68B110	<200	150	<.02	--	--	--	--
68B111	<200	70	<.02	--	--	--	--
68B112	<200	70	<.02	--	--	--	--
68B113	<200	70	<.02	--	--	--	--
68B114	200	100	<.02	--	--	--	--
68B114M	M	50	.06	--	--	--	--
68B115M	<200	70	<.02	--	--	--	--
68B116M	300	150	<.02	--	--	--	--
68B118M	<200	300	<.02	--	--	--	--
68B125M	M	70	<.02	--	--	--	--
68B126M	300	70	<.02	--	--	--	--
68B127M	<200	70	<.02	--	--	--	--
68B129M	<200	70	<.02	--	--	--	--
68B130M	200	70	.02	--	--	--	--
68B131M	300	70	<.02	--	--	--	--
68B201	<200	>1,000	<.02	--	--	--	--
68B202	M	>1,000	<.02	--	--	--	--
68B203	<200	>1,000	.10	--	--	--	--
68B204	<200	500	<.02	--	--	--	--
68B205	<200	500	<.02	--	--	--	--
68B206	<200	700	<.02	--	--	--	--
68B207	<200	150	<.02	--	--	--	--
68B209	<200	100	<.04	--	--	--	--
68B210	<200	300	<.02	--	--	--	--
68B211	<200	300	<.02	--	--	--	--
68B212	<200	70	.10	--	--	--	--
68B213	<200	70	<.02	--	--	--	--
68B214	<200	70	<.02	--	--	--	--
68B219M	M	30	<.02	--	--	--	--
68B220M	<200	70	<.02	--	--	--	--
68B222M	<200	70	<.02	--	--	--	--
68B223M	<200	50	<.02	--	--	--	--
68B224M	M	70	<.02	--	--	--	--
68B243M	<200	70	<.02	--	--	--	--
68B0001S	<200	150	.20	--	--	--	--
68B0002S	500	70	.04	--	--	--	--
68B0003S	300	150	.02	--	--	--	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
680004S	AC1818	56 1 29	130 3 41	15.0	3.00	3.0	1.00	1,500	<.5	M
680005S	AC1819	56 0 27	130 4 17	15.0	3.00	3.0	1.00	2,000	<.5	N
680006S	AC1820	56 0 25	130 2 28	5.0	1.50	.7	.15	700	1.5	M
680007S	AC1821	56 1 38	130 3 35	5.0	1.00	2.0	.30	1,500	3.0	<200
680008S	AC1822	56 2 8	130 2 15	10.0	1.50	1.5	.50	1,500	1.5	M
680009S	AC1823	56 2 11	130 2 11	7.0	1.50	1.5	.30	1,500	.7	<200
680010S	AC1824	56 3 52	130 4 0	1.5	1.20	.3	.10	1,500	M	<200
680011S	AC1825	56 3 40	130 4 57	5.0	1.50	1.5	.30	500	M	<200
680012S	AC1826	56 2 56	130 4 43	10.0	2.00	3.0	.70	1,500	.5	M
680013S	AC1827	56 3 41	130 3 29	10.0	3.00	5.0	.30	1,500	.5	M
680014S	AC1828	56 0 7	130 2 40	10.0	1.50	2.0	.50	3,000	1.5	M
680015S	AC1829	56 3 29	130 5 51	7.0	1.50	2.0	.50	1,500	.5	M
680016S	AC1830	56 3 27	130 6 7	3.0	1.00	1.0	.15	1,500	<.5	M
680017S	AC1831	56 3 33	130 7 35	5.0	1.50	1.5	.30	2,000	<.5	<200
680018S	AC1832	56 3 40	130 10 32	3.0	1.50	2.0	.20	700	<.5	<200
680019S	AC1833	56 3 50	130 10 50	10.0	3.00	3.0	.70	1,500	<.5	M
680020S	AC1834	56 4 30	130 20 5	7.0	3.00	5.0	.30	700	<.5	M
680021S	AC1835	56 4 31	130 19 37	3.0	3.00	3.0	.30	1,000	<.5	M
680022S	AC1836	56 0 3	130 47 38	5.0	2.00	5.0	.30	1,500	M	M
680023S	AC1837	56 0 1	130 34 9	7.0	1.50	2.0	.70	1,000	N	M
680024S	AC1838	56 5 54	130 37 10	15.0	3.00	5.0	.70	1,500	M	M
680025S	AC1839	56 5 54	130 36 59	7.0	1.50	3.0	.50	1,500	M	M
680026S	AC1840	56 6 45	130 39 0	7.0	1.50	3.0	.70	1,000	M	M
680027S	AC1841	56 6 45	130 38 55	7.0	1.50	2.0	.70	1,000	M	M
680028S	AC1842	56 6 45	130 38 55	10.0	3.00	3.0	.70	1,500	M	M
680029S	AC1843	56 6 22	130 38 46	10.0	3.00	5.0	.70	1,500	M	M
680030S	AC1844	56 4 6	130 41 31	15.0	5.00	7.0	1.00	1,500	M	M
680031S	AC1845	56 3 17	130 44 21	15.0	5.00	7.0	.70	1,500	M	M
680032S	AC1846	56 1 35	130 42 51	15.0	3.00	5.0	.70	1,500	M	M
680033S	AC1847	56 1 39	130 42 50	5.0	2.00	5.0	.50	1,000	M	M
680034S	AC1848	56 4 5	130 23 51	7.0	2.00	3.0	.50	1,500	M	M
680035S	AC1849	56 2 59	130 23 41	7.0	3.00	5.0	.30	1,500	M	M
680036S	AC1850	56 3 2	130 23 36	5.0	1.50	5.0	.70	1,500	M	M
680037S	AC1851	56 3 11	130 23 21	3.0	2.00	5.0	.70	1,000	M	M
680038S	AC1852	56 3 17	130 23 11	3.0	1.50	5.0	.30	1,000	M	M
680039S	AC1853	56 2 50	130 30 2	3.0	1.00	2.0	.50	700	M	M
680040S	AC1854	56 2 50	130 30 2	3.0	1.00	3.0	.50	700	M	M
680041S	AC1855	56 2 24	130 31 30	3.0	1.00	3.0	.50	1,000	M	M
680042S	AC1856	56 2 17	130 33 26	7.0	1.50	3.0	1.00	1,000	M	M
680043S	AC1857	56 2 14	130 33 17	5.0	1.50	3.0	.50	700	M	M
680044S	AC1858	56 0 58	130 36 26	5.0	2.00	5.0	.70	1,000	M	M
680045S	AC1859	56 0 16	130 36 41	5.0	2.00	2.0	.50	700	M	M
680046S	AC1860	56 7 23	130 40 5	7.0	1.00	3.0	.30	700	M	M
680047S	AC1861	56 4 15	130 38 25	3.0	1.00	1.5	.30	700	M	M
680048S	AC1862	56 4 30	130 42 10	3.0	.70	1.5	.20	300	M	M

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
680M045	M	30	1,500	<1.0	M	M	15	150	100	<20	M
680M055	M	20	1,500	1.0	M	M	20	20	70	20	7
680M0435	M	15	1,000	1.5	M	M	15	30	150	30	M
68SJ0495	M	20	1,500	1.5	M	M	20	70	150	20	7
68SJ3505	<10	50	1,500	1.0	M	M	30	30	50	20	M
68SJ3515	M	10	1,500	<1.0	M	M	30	20	70	20	10
68SJ0555	M	M	300	<1.0	M	M	15	10	7	20	10
68SJ3575	M	<10	1,500	<1.0	M	M	10	50	30	20	20
68SJ0585	<10	20	1,500	<1.0	M	M	30	150	70	<20	M
68SJ3645	<10	20	1,500	1.0	M	M	70	150	150	<20	M
68SJ3925	M	30	2,000	1.5	M	M	50	50	100	20	15
68SJ1075	M	15	1,500	2.0	M	M	15	20	100	30	7
68SJ1085	M	<10	1,500	1.5	M	M	15	20	20	30	7
68SJ1095	M	15	2,000	1.0	M	M	15	30	30	30	M
68SJ1115	M	10	2,000	1.5	M	M	10	30	15	20	M
68SJ1125	M	15	3,000	1.5	M	M	15	70	70	50	M
68SJ1815	M	10	2,000	1.0	M	M	15	150	150	30	<5
68SJ1835	M	15	2,000	1.5	M	M	15	150	7	20	M
72B0565	M	<10	700	1.0	M	M	7	150	50	<20	M
72B0575	M	M	1,500	1.0	M	M	7	20	30	<20	<5
72B0585	M	15	1,500	1.0	M	M	30	150	150	30	<5
72B0595	M	M	1,500	1.5	M	M	7	50	50	20	M
72B0605	M	M	1,500	1.0	M	M	10	70	70	150	M
72B061R	M	<10	1,000	<1.0	M	M	10	30	30	20	M
72B061S	M	M	1,500	1.0	M	M	10	70	70	300	M
72B0625	M	M	1,500	1.0	M	M	15	50	70	70	M
72B0635	M	M	1,500	1.0	M	M	20	150	100	300	<5
72B0645	M	M	1,500	1.0	M	M	20	150	70	150	<5
72B0655	M	10	1,500	1.0	M	M	20	150	150	20	<5
72B0665	M	<10	1,500	1.0	M	M	10	70	50	150	<5
72B0695	M	<10	1,500	1.0	M	M	10	70	100	M	<5
72B0905	M	<10	2,000	1.5	M	M	15	70	150	M	<5
72B0915	M	<10	1,500	1.0	M	M	7	20	100	20	M
72B0925	M	<10	1,500	1.0	M	M	15	70	50	30	M
72B0935	M	<10	1,500	1.0	M	M	7	20	50	20	M
72B094R	M	<10	1,500	1.0	M	M	10	50	30	70	M
72B094S	M	<10	1,500	1.0	M	M	5	30	30	150	M
72B0955	M	<10	1,500	1.0	M	M	5	30	30	150	M
72B0965	M	<10	1,500	1.0	M	M	7	70	30	150	<5
72B0975	M	<10	1,500	1.0	M	M	7	50	50	30	M
72B0995	M	<10	1,500	1.0	M	M	10	150	50	150	<5
72B1005	M	<10	1,500	1.0	M	M	15	150	70	<20	<5
72B4485	M	<10	1,500	<1.0	M	M	20	70	10	<20	M
72B4495	M	<10	1,500	<1.0	M	M	15	70	30	20	M
72B4505	M	<10	2,000	<1.0	M	M	5	30	5	<20	M



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TM	S-V	S-W	S-Y
680N045	<10	50	30	N	30	N	500	--	500	N	30
680N055	10	20	300	N	20	N	500	--	300	N	30
680N065	10	30	70	N	15	N	300	--	150	N	20
685J0495	<10	70	300	<100	15	N	300	--	300	N	30
685J0505	10	20	150	N	20	N	300	--	200	N	30
685J0515	10	20	150	N	15	N	200	--	200	N	30
685J0555	<10	<5	100	N	7	N	<100	--	100	N	<10
685J0575	10	10	70	N	15	N	500	--	150	N	15
685J0585	15	70	100	N	20	N	700	--	300	N	30
685J0645	<10	70	100	N	50	N	700	--	300	N	30
685J0925	10	70	300	N	15	N	300	--	200	N	30
685J1075	15	5	150	N	15	N	500	--	150	<50	30
685J1085	10	5	150	N	10	N	300	--	100	<50	15
685J1095	10	5	100	N	15	N	300	--	150	<50	30
685J1115	15	10	70	N	15	N	500	--	150	<50	20
685J1125	15	30	30	N	15	N	700	--	150	<50	20
685J1815	10	30	30	N	20	N	700	--	150	N	20
685J1835	<10	150	15	N	30	N	700	--	100	N	50
7280565	<10	150	15	N	30	N	500	--	100	N	50
7280575	10	5	30	N	15	N	700	--	200	N	20
7280585	10	70	30	N	30	N	700	--	300	N	30
7280595	10	<5	30	N	15	N	700	--	300	N	20
7280605	10	15	20	N	15	N	700	--	150	N	20
7280615	10	15	15	N	15	N	300	--	150	N	20
7280615	10	15	20	N	20	N	500	--	200	N	20
7280625	10	20	30	N	15	N	700	--	300	N	20
7280635	10	30	30	N	30	N	1,000	--	300	N	50
7280645	10	30	30	N	30	N	1,000	--	300	N	50
7280655	10	50	30	N	30	N	700	--	300	N	30
7280665	10	20	20	N	20	N	700	--	150	N	20
7280895	10	20	20	N	20	N	500	--	200	N	20
7280905	10	15	30	N	30	N	1,000	--	300	N	20
7280915	10	7	15	N	20	N	1,000	--	200	N	20
7280925	<10	15	20	N	20	N	700	--	200	N	20
7280935	10	7	20	N	20	N	1,000	--	200	N	20
7280945	10	10	30	N	15	N	1,000	--	150	N	30
7280945	10	7	20	N	7	N	1,000	--	150	N	20
7280955	10	7	15	N	10	N	700	--	150	N	20
7280965	15	15	30	N	15	N	700	--	300	N	30
7280975	10	15	30	N	10	N	1,000	--	200	N	15
7280995	10	100	30	N	15	N	700	--	200	N	30
7281005	<10	50	20	N	20	N	300	--	200	N	30
7284485	10	15	20	N	15	N	700	--	200	N	20
7284495	10	20	20	N	15	N	500	--	200	N	20
7284505	<10	15	50	N	7	N	1,500	--	100	N	10

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-M6
6800045	<200	300	.10	--	--	--	--
6800035	<200	100	.30	--	--	--	--
6800438	300	70	<.02	--	--	--	--
6850498	200	70	.10	--	--	--	--
6850508	<200	150	<.02	--	--	--	--
6850518	<200	70	.02	--	--	--	--
6850538	M	70	.02	--	--	--	--
6850578	M	100	<.02	--	--	--	--
6850588	<200	150	<.02	--	--	--	--
6850648	<200	70	.10	--	--	--	--
6850928	700	150	.10	--	--	--	--
6851078	<200	100	<.02	--	--	--	--
6851088	<200	70	<.04	--	--	--	--
6851098	<200	70	.06	--	--	--	--
6851118	<200	200	<.02	--	--	--	--
6851128	<200	200	<.02	--	--	--	--
6851818	<200	70	<.02	--	--	--	--
6851838	<200	70	<.02	--	--	--	--
7280568	M	1,000	M	20	10	25	.04
7280578	M	300	M	10	10	55	.06
7280588	M	300	M	85	10	30	.14
7280598	M	700	M	5	5	40	.18
7280608	M	700	M	15	5	30	.04
7280618	M	150	M	20	5	25	.08
7280618	M	300	M	15	5	30	.02
7280628	M	300	M	25	10	45	.06
7280638	M	300	M	20	10	60	.16
7280648	M	200	M	15	10	50	.14
7280658	M	500	M	50	10	35	.08
7280668	M	70	M	55	10	45	.08
7280898	M	200	M	35	10	40	.04
7280908	M	200	M	85	10	50	.06
7280918	M	150	M	50	5	40	.02
7280928	M	100	M	45	5	30	.04
7280938	M	100	M	35	5	20	.08
7280948	M	500	M	10	10	40	.02
7280948	M	300	M	10	<5	30	.04
7280958	M	100	M	20	<5	30	.02
7280968	M	300	M	15	5	40	.08
7280978	M	300	M	20	5	35	.04
7280998	M	1,000	M	20	5	60	.06
7281008	M	150	M	25	10	100	.35
7284488	M	300	M	20	10	40	M
7284498	M	70	M	40	10	60	.02
7284508	M	150	M	5	5	25	M

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGX	S-CAZ	S-TIZ	S-MN	S-AG	S-AS
72B451S	86A166	56 4 32	130 45 12	3.0	1.00	2.0	.30	1,500	N	N
72B452S	86A167	56 4 49	130 39 20	5.0	1.50	3.0	.50	1,000	N	N
72B453S	86A168	56 2 6	130 47 13	10.0	2.00	3.0	.70	1,500	N	N
72B454R	86A716	56 0 3	130 47 38	5.0	1.50	5.0	.50	1,500	N	N
72B454S	86A169	56 0 3	130 47 38	5.0	1.50	3.0	.30	1,000	N	N
72C049S	86A170	56 12 8	130 30 36	5.0	1.50	2.0	.30	700	N	N
72C059S	86A171	56 11 18	130 29 43	5.0	1.50	3.0	.50	1,500	N	N
72C067S	86A172	56 10 36	130 32 7	5.0	1.50	2.0	.50	700	N	N
72C058S	86A173	56 8 18	130 33 35	5.0	2.00	3.0	.30	700	N	N
72C069S	86A174	56 7 34	130 33 59	7.0	1.50	3.0	.50	700	N	N
72C171S	86A175	56 8 20	130 38 1	3.0	.70	1.5	.30	700	N	N
72C172S	86A176	56 10 4	130 36 59	5.0	1.50	3.0	.50	700	N	N
72C173S	86A177	56 10 35	130 36 24	7.0	1.50	3.0	.70	1,000	N	N
72C174S	86A178	56 8 38	130 42 54	10.0	1.50	3.0	.70	1,000	N	N
72C175S	86A179	56 8 13	130 41 13	5.0	1.50	2.0	.50	1,000	N	N
72E056S	80T178	56 6 8	130 35 28	5.0	1.00	1.5	.50	700	N	N
72E057S	80T179	56 5 26	130 37 43	5.0	1.00	2.0	.70	1,000	N	N
72E058S	80T180	56 5 35	130 39 18	5.0	3.00	3.0	.50	1,500	N	N
72E059S	80T181	56 5 33	130 39 8	3.0	1.50	3.0	.50	1,000	N	N
72E060S	80T182	56 5 10	130 39 33	10.0	5.00	5.0	.70	2,000	N	N
72E061S	80T183	56 3 29	130 41 27	5.0	5.00	5.0	.70	1,500	N	N
72E062S	80T184	56 0 56	130 43 58	10.0	7.00	7.0	1.00	2,000	N	N
72E063S	80T185	56 0 18	130 43 1	7.0	3.00	3.0	.70	1,500	N	N
72E063S	80T185A	56 0 18	130 43 1	--	--	--	--	--	N	N
72E070S	80T274	56 4 2	130 20 54	5.0	2.00	5.0	.30	1,500	N	N
72E091S	80T275	56 3 23	130 24 52	3.0	.15	.5	.30	1,000	N	N
72E091S	80T275A	56 3 23	130 24 52	--	--	--	--	--	N	N
72E092S	80T276	56 2 13	130 25 7	7.0	7.00	5.0	.70	1,500	N	N
72E093R	80T310	56 2 10	130 26 51	10.0	.70	2.0	.70	300	N	N
72E093S	80T277	56 2 10	130 26 51	10.0	1.00	3.0	1.00	700	N	N
72E094S	80T278	56 2 58	130 28 3	7.0	5.00	7.0	.70	3,000	N	N
72E095S	80T279	56 1 59	130 29 55	5.0	3.00	3.0	.50	1,500	N	N
72E096S	80T280	56 1 51	130 30 34	7.0	3.00	2.0	.70	1,000	N	N
72E097S	80T281	56 2 29	130 33 46	3.0	1.50	2.0	.30	1,000	N	N
72E098S	80T282	56 2 12	130 34 56	7.0	3.00	3.0	.50	1,000	N	N
72E099S	80T283	56 1 42	130 36 3	7.0	5.00	5.0	.70	1,500	N	N
72E256S	86A172	56 11 43	130 27 25	5.0	1.00	2.0	.70	700	N	N
72E257S	86A113	56 11 46	130 29 51	5.0	1.50	1.5	.30	700	N	N
72E258S	86A114	56 11 17	130 31 21	5.0	1.00	1.5	.50	1,000	N	N
72E259S	86A115	56 10 24	130 31 21	3.0	1.50	1.5	.50	700	N	N
72E260S	86A116	56 9 47	130 32 12	3.0	1.50	2.0	.70	700	N	N
72E261S	86A117	56 8 52	130 33 2	3.0	1.00	2.0	.50	1,000	N	N
72E262S	86A118	56 8 36	130 33 29	3.0	1.50	2.0	.50	1,000	N	N
72E263S	86A119	56 7 8	130 34 32	3.0	1.50	1.5	.30	1,000	N	N
72E264S	86A120	56 5 55	130 33 11	5.0	1.50	2.0	.30	700	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
72B451S	N	<10	2,000	<1.0	N	M	10	70	10	70	N
72B452S	N	<10	1,500	1.0	N	N	15	70	10	30	<5
72B453S	N	<10	1,500	1.0	M	N	15	150	15	30	<5
72B454R	N	<10	1,000	1.0	M	M	10	150	30	120	<5
72B454S	N	<10	1,000	1.0	N	M	15	150	7	150	<5
72C049S	N	<10	1,500	<1.0	M	N	15	30	20	<20	<5
72C059S	M	<10	1,000	1.0	M	M	15	30	30	<20	M
72C067S	N	<10	1,500	<1.0	N	M	15	30	30	20	<5
72C068S	N	<10	700	<1.0	N	M	15	70	15	<20	M
72C069S	N	<10	1,500	1.0	M	N	10	100	7	30	<5
72C171S	N	<10	1,500	1.0	N	M	10	15	30	70	M
72C172S	N	<10	1,500	1.0	N	M	15	50	20	20	M
72C173S	N	<10	1,500	1.0	N	M	15	50	20	70	M
72C174S	M	<10	2,000	<1.0	N	M	15	100	10	<20	<5
72C175S	N	<10	1,500	<1.0	M	M	15	50	7	30	<5
72E056S	N	<10	1,500	1.0	N	M	10	50	30	150	<5
72E057S	N	<10	2,000	1.5	M	M	5	30	30	150	M
72E058S	N	<10	2,000	1.0	N	N	10	70	70	<20	M
72E059S	N	<10	1,500	1.0	N	N	7	50	50	30	M
72E060S	N	<10	3,000	1.0	M	M	15	70	70	30	M
72E061S	N	<10	1,500	1.0	N	M	15	150	30	200	<5
72E062S	N	<10	2,000	1.0	N	N	30	150	30	250	<5
72E063S	N	<10	1,500	1.0	M	M	15	150	70	200	<5
72E063S	M	10	1,500	1.0	N	M	15	30	15	50	M
72E090S	M	15	1,500	1.5	M	M	15	70	70	20	M
72E091S	M	<10	700	1.5	N	M	N	M	30	70	M
72E091S	N	<10	700	2.0	M	M	<5	<10	<5	50	M
72E092S	N	<10	1,000	1.0	N	M	15	200	150	<20	<5
72E093R	M	<10	1,500	1.0	N	M	5	30	30	150	<5
72E093S	N	<10	2,000	1.0	N	N	5	30	30	150	<5
72E094S	N	<10	1,500	1.0	N	N	30	150	70	150	<5
72E095S	N	<10	1,500	<1.0	M	M	15	200	70	M	<5
72E096S	N	<10	1,500	1.0	N	M	10	70	70	30	<5
72E097S	N	<10	1,500	<1.0	N	N	7	70	30	20	M
72E098S	N	<10	1,500	<1.0	N	N	15	100	70	M	<5
72E099S	N	<10	1,500	1.0	N	N	15	150	70	100	<5
72E256S	N	<10	1,500	1.0	N	N	7	70	7	30	M
72E257S	N	<10	1,500	<1.0	N	N	10	30	30	20	5
72E258S	N	<10	1,500	1.0	N	N	7	15	30	<20	<5
72E259S	M	<10	1,500	1.0	M	N	<5	30	20	20	M
72E260S	N	<10	1,500	1.0	N	N	10	50	7	20	M
72E261S	N	<10	1,500	1.0	N	M	7	30	5	20	M
72E262S	M	<10	1,000	1.0	N	N	10	30	30	<20	<5
72E263S	M	<10	1,500	1.5	M	M	7	30	30	<20	<5
72E264S	N	50	1,000	1.0	N	M	7	30	30	20	M

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TM	S-V	S-W	S-Y
7284515	10	15	30	M	15	M	1,000	--	150	M	30
7284525	10	15	30	M	20	M	700	--	200	M	30
7284535	10	20	20	M	30	M	700	--	300	M	50
728454R	10	70	15	M	20	M	300	--	150	M	50
728454S	<10	30	20	M	20	M	300	--	150	M	70
72C0495	10	15	20	M	15	M	300	--	200	M	20
72C0595	<10	15	30	M	15	M	300	--	200	M	15
72C0675	10	15	20	M	20	M	300	--	200	M	30
72C0685	<10	15	15	M	20	M	300	--	200	M	15
72C0695	10	15	20	M	20	M	700	--	200	M	30
72C1715	10	15	50	M	20	M	500	--	150	M	20
72C1725	10	15	20	M	20	M	500	--	150	M	30
72C1735	10	15	20	M	15	M	500	--	300	M	30
72C1745	10	15	50	M	15	M	700	--	300	M	30
72C1755	10	15	30	M	15	M	700	--	200	M	30
72E0545	10	15	30	M	10	M	500	--	200	M	15
72E0575	10	5	30	M	10	M	1,500	--	200	M	15
72E0585	10	15	50	M	15	M	1,500	--	200	M	15
72E0595	<10	15	30	M	7	M	700	--	150	M	10
72E0605	10	7	50	M	30	M	2,000	--	300	M	30
72E0615	10	50	20	M	20	M	700	--	200	M	50
72E0625	15	30	30	M	30	M	1,500	--	300	M	50
72E0635	10	20	150	M	20	M	1,000	--	300	M	30
72E0635	<20	20	10	M	15	M	700	--	200	M	30
72E0905	<10	15	30	M	30	M	1,000	--	300	M	20
72E0915	30	<5	30	M	M	M	200	--	50	M	20
72E0915	<20	<5	20	M	<5	M	200	--	30	M	20
72E0925	<10	70	15	M	30	M	300	--	300	M	20
72E093R	10	7	15	M	7	M	700	--	200	M	15
72E0935	15	5	30	M	15	M	1,000	--	200	M	50
72E0945	<10	20	70	M	20	M	700	--	300	M	15
72E0955	<10	70	30	M	20	M	300	--	200	M	15
72E0965	10	15	30	M	15	M	700	--	200	M	20
72E0975	<10	15	30	M	10	M	1,000	--	150	M	10
72E0985	10	20	20	M	20	M	500	--	300	M	20
72E0995	10	30	20	M	30	M	700	--	300	M	50
72E2565	10	15	30	M	15	M	700	--	150	M	20
72E2575	10	15	20	M	15	M	500	--	200	M	15
72E2585	10	15	30	M	15	M	300	--	200	M	15
72E2595	10	15	30	M	15	M	700	--	150	M	15
72E2605	10	15	20	M	15	M	700	--	150	M	15
72E2615	10	15	15	M	15	M	700	--	150	M	15
72E2625	10	15	15	M	15	M	500	--	150	M	20
72E2635	10	15	30	M	15	M	300	--	150	M	20
72E2645	10	15	30	M	15	M	300	--	200	M	15

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72B451S	M	150	M	15	15	45	.06
72B452S	M	200	M	35	20	60	.02
72B453S	M	1,000	M	20	10	45	.08
72B454R	M	300	M	20	5	40	.08
72B454S	M	700	M	20	10	40	<.02
72C049S	M	150	M	35	10	30	.02
72C059S	M	200	M	60	20	65	.12
72C067S	M	200	M	60	15	80	.04
72C068S	M	150	M	30	10	45	.06
72C069S	M	300	M	15	10	45	M
72C171S	M	300	M	30	20	75	M
72C172S	M	200	M	25	10	35	M
72C173S	M	200	M	20	10	20	.06
72C174S	M	300	M	10	5	25	.04
72C175S	M	300	M	20	5	40	.08
72E054S	M	100	M	10	15	30	.10
72E057S	M	150	M	10	10	40	.08
72E058S	M	70	M	10	10	20	M
72E059S	M	70	M	15	10	30	.12
72E060S	M	200	M	10	10	40	.10
72E061S	M	300	M	25	5	30	.06
72E062S	M	300	M	5	<5	20	.04
72E063S	M	500	M	15	5	30	.08
72E063S	M	150	M	--	--	--	--
72E063S	M	100	M	65	20	50	.04
72E090S	M	300	M	<5	10	30	.10
72E091S	M	150	M	--	--	--	--
72E092S	M	70	M	80	15	70	.08
72E093R	M	>1,000	M	10	<5	35	.04
72E093S	M	700	M	10	10	45	.02
72E094S	M	150	M	30	20	30	.06
72E095S	M	70	M	45	15	70	.14
72E096S	M	150	M	20	10	60	.04
72E097S	M	100	M	20	10	40	.08
72E097S	M	150	M	35	10	50	.22
72E098S	M	300	M	20	5	60	.08
72E099S	M	700	M	10	10	40	.02
72E254S	M	300	M	40	5	50	<.02
72E257S	M	300	M	40	15	65	<.02
72E258S	M	70	M	10	10	65	<.02
72E259S	M	200	M	10	10	55	<.02
72E260S	M	300	M	15	5	35	<.02
72E261S	M	300	M	15	5	40	<.02
72E262S	M	100	M	45	10	70	.06
72E263S	M	200	M	30	15	85	.04
72E264S	M	200	M	45	15	65	.02

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGX	S-CAZ	S-TIZ	S-MN	S-AG	S-AS
72E265S	86A121	56 5 14	130 31 5	3.0	.70	1.5	.30	700	N	N
72E266S	86A122	56 5 37	130 32 7	1.5	.70	1.5	.20	1,000	N	N
72E267S	86A123	56 4 35	130 35 45	5.0	1.00	2.0	.30	1,000	N	N
72E268S	86A124	56 4 32	130 35 50	3.0	2.00	3.0	.50	1,500	N	N
72E269S	86A125	56 5 16	130 38 22	5.0	3.00	3.0	.50	1,500	N	N
72E270S	86A126	56 8 46	130 37 54	3.0	1.00	1.5	.50	1,000	N	N
72E271R	86A127	56 8 46	130 37 46	7.0	1.50	3.0	.70	1,000	N	N
72E272S	86A128	56 9 31	130 36 55	10.0	1.50	3.0	.70	1,000	N	N
72E273S	86A129	56 8 3	130 37 50	5.0	1.00	2.0	.50	700	N	N
72E274S	86A130	56 8 6	130 37 55	7.0	1.00	2.0	.70	1,000	N	N
72E275S	86A131	56 7 49	130 37 54	7.0	1.00	2.0	.50	700	N	N
72E276S	86A132	56 7 20	130 38 37	3.0	1.00	2.0	.50	700	N	N
72E277S	86A133	56 8 30	130 43 7	2.0	1.00	2.0	.50	700	N	N
72E278S	86A134	56 8 28	130 42 0	3.0	1.00	2.0	.70	1,000	N	N
72E279S	86A135	56 7 28	130 40 8	3.0	1.00	1.5	.50	700	N	N
72E280S	86A136	56 7 1	130 39 19	3.0	1.00	2.0	.20	700	N	N
72E281S	86A137	56 3 28	130 37 56	3.0	1.50	2.0	.50	700	N	N
72E282S	86A138	56 3 38	130 45 4	3.0	1.50	3.0	.30	1,000	N	N
72E283S	86A139	56 3 6	130 41 52	5.0	1.50	3.0	.30	1,000	N	N
72E284S	86A140	56 1 21	130 47 29	7.0	2.00	3.0	.70	1,500	N	N
72E285S	86A141	56 0 35	130 47 16	5.0	2.00	3.0	.30	1,500	N	N
72E287S	86A143	56 0 6	130 47 29	7.0	2.00	3.0	.30	1,500	N	N
72E289S	86A145	56 1 30	130 38 47	15.0	3.00	5.0	.70	1,500	N	N
72E290S	86A146	56 0 39	130 39 24	10.0	2.00	3.0	.70	1,500	N	N
72E301S	86A157	56 6 29	130 34 57	5.0	1.00	1.5	.50	700	N	N
72E302S	86A158	56 5 41	130 33 19	3.0	.70	2.0	.30	500	N	N
72E303S	86A159	56 6 0	130 29 49	3.0	1.00	3.0	.50	500	N	N
72E304S	86A160	56 3 3	130 36 10	7.0	1.50	2.0	.30	1,500	N	N
72E305S	86A161	56 5 0	130 36 2	5.0	1.00	2.0	.50	700	N	N
72E306S	86A162	56 8 22	130 37 52	2.0	1.00	2.0	.20	500	N	N
72S049S	80T199	56 5 41	130 35 56	5.0	2.00	5.0	.50	1,500	N	N
72S050S	80T200	56 4 51	130 40 28	5.0	2.00	5.0	.50	1,000	N	N
72S051S	80T201	56 4 21	130 40 17	15.0	1.00	3.0	.70	1,500	N	N
72S052S	80T202	56 3 53	130 40 52	7.0	3.00	5.0	.70	1,500	N	N
72S053S	80T203	56 2 54	130 43 18	15.0	5.00	7.0	1.00	2,000	N	N
72S055S	80T204	56 1 20	130 43 21	7.0	1.50	3.0	.30	700	N	N
72S055S	80T204A	56 1 20	130 43 21	---	---	---	---	---	N	N
72S074S	80T265	56 4 16	130 21 44	10.0	5.00	5.0	.50	1,500	N	N
72S076S	80T266	56 2 57	130 27 11	7.0	.15	5.0	.50	1,500	N	N
72S077S	80T267	56 2 1	130 30 56	3.0	.70	2.0	.30	500	N	N
72S078S	80T268	56 1 44	130 35 15	10.0	5.00	5.0	.70	1,500	N	N
72S079S	80T269	56 1 20	130 36 18	10.0	3.00	5.0	.70	1,500	N	N
72S080S	80T270	56 0 1	130 35 50	7.0	2.00	3.0	1.00	1,500	N	N
73B045S	LAG152	56 11 58	130 29 25	3.0	1.00	1.0	.30	1,000	.5	

Table 5.---Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
72E265S	N	<10	2,000	1.0	N	N	5	15	15	30	N
72E266S	N	<10	1,500	1.5	N	N	<5	15	7	<20	N
72E267S	N	<10	2,000	1.0	N	N	5	20	<5	300	N
72E268S	N	<10	2,000	1.0	N	N	10	70	7	30	N
72E269S	N	<10	1,500	1.0	N	N	23	70	30	330	<5
72E270S	N	<10	1,500	1.5	N	N	10	30	30	30	<5
72E271R	N	<10	1,000	1.0	N	N	7	70	30	50	N
72E271S	N	<10	1,500	1.0	N	N	15	100	20	30	5
72E272S	N	<10	1,500	1.0	N	N	10	70	15	<20	<5
72E273S	N	<10	1,500	1.5	N	N	10	50	15	30	<5
72E274S	N	<10	1,000	1.0	N	N	7	70	30	70	<5
72E275S	N	<10	1,500	1.5	N	N	10	50	20	20	<5
72E276S	N	<10	1,500	1.0	N	N	5	30	15	30	N
72E277S	N	<10	2,000	1.0	N	N	7	70	15	20	N
72E278S	N	<10	1,500	<1.0	N	N	7	70	30	<20	N
72E279S	N	<10	1,500	<1.0	N	N	5	50	7	20	N
72E280S	N	<10	2,000	1.0	N	N	5	30	30	<20	N
72E281S	N	<10	2,000	1.0	N	N	7	30	7	20	N
72E282S	N	<10	1,500	1.0	N	N	10	70	10	<20	N
72E283S	N	<10	1,500	1.0	N	N	15	100	70	20	N
72E284S	N	10	1,500	1.0	N	N	15	150	10	<20	N
72E285S	N	<10	1,500	1.0	N	N	10	70	15	130	N
72E287S	N	<10	1,000	1.0	N	N	10	70	10	20	N
72E289S	N	<10	1,500	<1.0	N	N	20	150	20	150	<5
72E290S	N	<10	1,500	1.0	N	N	23	150	30	530	<5
72E301S	N	<10	1,500	1.0	N	N	15	70	50	30	<5
72E302S	N	<10	1,500	<1.0	N	N	5	10	<5	<20	N
72E303S	N	<10	1,500	1.0	N	N	10	70	<5	70	N
72E304S	N	<10	3,000	1.0	N	N	15	20	10	30	N
72E305S	N	<10	2,000	<1.0	N	N	10	50	5	150	N
72E306S	N	<10	1,500	1.0	N	N	5	30	7	<20	N
72S049S	N	<10	3,000	1.0	N	N	5	50	30	20	N
72S050S	N	N	1,500	1.0	N	N	10	70	100	150	<5
72S051S	N	N	2,000	1.0	N	N	7	50	50	70	<5
72S052S	N	N	1,000	1.0	N	N	10	70	50	50	<5
72S053S	N	N	1,500	<1.0	N	N	20	200	150	150	<5
72S055S	N	N	1,500	1.0	N	N	15	100	70	50	N
72S055S	N	10	1,500	1.0	N	N	10	30	20	50	N
72S074S	N	<10	2,000	2.0	N	N	20	150	150	<20	<5
72S076S	N	<10	1,500	1.5	N	N	10	70	100	150	<5
72S077S	N	<10	1,500	1.5	N	N	<5	20	20	30	N
72S078S	N	<10	1,500	1.0	N	N	33	150	50	150	<5
72S079S	N	<10	2,000	1.5	N	N	20	150	70	150	<5
72S080S	N	<10	1,500	1.0	N	N	7	70	20	200	<5
73B045S	N	N	2,000	1.0	N	N	10	10	50	50	N



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TM	S-V	S-W	S-Y
72E265S	10	7	30	N	7	N	700	--	150	N	15
72E266S	10	7	20	N	7	N	500	--	70	N	10
72E267S	10	5	30	N	10	N	1,500	--	200	N	20
72E268S	10	15	30	N	15	N	1,500	--	300	N	30
72E269S	10	15	30	N	30	N	700	--	300	N	30
72E270S	10	15	20	N	15	N	300	--	150	N	30
72E271R	10	15	20	N	20	N	300	--	200	N	30
72E271S	10	15	20	N	30	N	500	--	300	N	30
72E272S	10	15	30	N	15	N	500	--	150	N	20
72E273S	10	15	20	N	15	N	500	--	150	N	15
72E274S	10	15	20	N	15	N	300	--	300	N	20
72E275S	10	15	20	N	15	N	700	--	200	N	20
72E276S	<10	15	15	N	10	N	500	--	150	N	10
72E277S	<10	15	30	N	15	N	1,000	--	150	N	10
72E278S	10	15	20	N	15	N	700	--	150	N	15
72E279S	10	15	20	N	15	N	700	--	150	N	15
72E280S	<10	10	20	N	7	N	700	--	150	N	10
72E281S	<10	10	20	N	15	N	1,000	--	150	N	15
72E282S	<10	15	20	N	20	N	1,000	--	150	N	15
72E283S	<10	20	30	N	15	N	500	--	200	N	20
72E284S	10	20	15	N	30	N	500	--	300	N	20
72E285S	10	15	20	N	20	N	500	--	200	N	50
72E287S	10	15	15	N	20	N	300	--	300	N	30
72E289S	10	20	20	N	30	N	700	--	500	N	70
72E290S	10	20	20	N	30	N	500	--	300	N	30
72E301S	10	20	20	N	15	N	300	--	150	N	15
72E302S	<10	<5	15	N	10	N	700	--	150	N	15
72E303S	10	5	20	N	15	N	700	--	200	N	30
72E304S	10	10	70	N	15	N	1,500	--	300	N	20
72E305S	10	10	30	N	10	N	1,500	--	200	N	30
72E306S	<10	7	20	N	10	N	700	--	100	N	10
72S049S	10	<5	30	N	10	N	1,500	--	200	N	30
72S050S	10	15	20	N	15	N	700	--	200	N	30
72S051S	10	<5	50	N	15	N	1,500	--	300	N	30
72S052S	10	15	20	N	20	N	1,000	--	150	N	30
72S053S	10	20	10	N	30	N	700	--	500	N	50
72S055S	10	20	100	N	15	N	700	--	200	N	20
72S055S	<20	20	10	N	10	N	500	--	150	N	20
72S074S	10	20	50	N	30	N	1,000	--	300	N	20
72S076S	10	20	50	N	20	N	1,000	--	300	N	50
72S077S	10	7	30	N	7	N	700	--	100	N	20
72S078S	10	70	30	N	30	N	700	--	300	N	30
72S079S	10	50	30	N	30	N	1,000	--	200	N	50
72S080S	15	15	20	N	20	N	700	--	200	N	50
73B045S	N	70	50	N	10	N	1,000	--	100	N	15

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZM	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZM-P	INST-H6
72E265S	M	300	M	20	5	45	.02
72E266S	M	70	M	5	5	55	<.02
72E267S	M	500	M	5	10	35	<.02
72E268S	M	300	M	15	5	25	.02
72E269S	M	100	M	45	10	80	<.02
72E270S	M	500	M	40	10	60	.02
72E271M	M	700	M	25	5	30	.02
72E271S	M	700	M	15	20	25	<.02
72E272S	M	300	M	20	10	35	M
72E273S	M	200	M	30	10	50	M
72E274S	M	500	M	10	5	25	.02
72E275S	M	100	M	15	5	25	.04
72E276S	M	150	M	5	5	35	M
72E277S	M	200	M	10	<5	25	.02
72E278S	M	100	M	15	5	30	M
72E279S	M	200	M	15	5	25	M
72E280S	M	50	M	15	<5	50	M
72E281S	M	70	M	10	5	30	M
72E282S	M	500	M	80	15	60	M
72E283S	M	200	M	20	5	40	.06
72E284S	M	300	M	25	<5	35	<.02
72E285S	M	300	M	20	5	30	.06
72E287S	M	300	M	35	5	40	<.02
72E289S	M	200	M	25	5	45	<.02
72E290S	M	200	M	50	10	70	.18
72E301S	M	300	M	5	10	60	.06
72E302S	M	500	M	5	10	30	<.02
72E303S	M	100	M	15	20	50	.02
72E304S	M	200	M	10	10	30	M
72E305S	M	50	M	25	5	30	M
72E306S	M	300	M	15	5	20	.08
72E309S	M	200	M	20	5	50	.12
72E3050S	M	1,000	M	5	5	20	.16
72E3051S	M	300	M	15	10	45	.12
72E3052S	M	700	M	20	5	40	.12
72E3053S	M	100	M	40	5	30	.02
72E3058	M	70	M	55	--	55	.10
72E3055S	M	500	M	30	20	45	.09
72E3074S	M	150	M	10	5	30	.16
72E3076S	M	70	M	10	5	30	.10
72E3077S	M	300	M	30	10	70	.22
72E3078S	M	500	M	35	10	95	.08
72E3079S	M	500	M	15	10	55	.08
72E3090S.	M	200	M	45	35	75	.02
73E045S	M						

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
73E045S	LA6133	56 5 52	130 40 27	3.0	1.50	2.0	.30	1,000	N	N
73E047S	LA6134	56 3 14	130 44 44	5.0	2.00	2.0	.50	1,500	N	N
73E032S	LA6049	56 0 15	131 14 20	5.0	2.00	2.0	.50	1,000	N	N
73E034S	LA6050A	56 0 50	131 12 41	--	--	--	--	--	N	N
73E034S	LA6050	56 0 50	131 12 41	5.0	3.00	2.0	.30	1,500	<.5	N
73E008S	LA6051	56 1 55	131 10 40	3.0	1.50	1.5	.50	3,000	N	N
73E009S	LA6052	56 2 2	131 10 17	3.0	2.00	1.5	.30	1,000	N	N
73E011S	LA6053	56 2 36	131 8 48	5.0	1.50	1.5	.30	1,500	N	N
73E012S	LA6054	56 0 10	131 15 14	5.0	2.00	2.0	.50	700	N	N
73E013S	LA6055	56 0 8	131 15 27	3.0	1.50	1.5	.20	700	N	N
73E058S	LA6133	56 0 41	130 26 25	3.0	.70	1.5	.50	500	N	N
73E059S	LA6134	56 0 40	130 26 34	7.0	.70	1.5	.50	700	N	N
73E060S	LA6135	56 1 25	130 27 16	3.0	1.50	2.0	.50	1,000	N	N
73E061S	LA6136	56 1 22	130 27 11	5.0	1.00	1.5	.50	500	N	N
73E062S	LA6137	56 1 3	130 31 6	5.0	1.00	1.5	.30	500	N	N
73E063S	LA6138	56 1 3	130 31 11	3.0	1.00	1.5	.20	700	N	N
73E064S	LA6139	56 1 56	130 35 55	3.0	1.50	2.0	.50	1,000	N	N
73E128S	LA6275	56 2 47	130 23 50	3.0	2.00	2.0	.30	1,000	<.5	N
73E129S	LA6276A	56 4 20	130 22 13	--	--	--	--	--	N	N
73E129S	LA6276	56 4 20	130 22 13	3.0	3.00	3.0	.30	1,500	.5	N
73E130S	LA6277	56 3 26	130 19 10	3.0	2.00	2.0	.30	1,000	.5	N
73E131S	LA6278	56 2 37	130 17 12	3.0	2.00	2.0	.30	1,000	N	N
78E501S	C66487	56 18 40	131 4 15	1.5	.50	1.0	.15	300	N	N
78E501T	C66618	56 18 40	131 4 15	2.0	1.00	1.0	.30	500	N	N
78E502S	C66609	56 18 39	131 4 9	5.0	1.00	2.0	.50	500	N	N
78E502T	C66641	56 18 39	131 4 9	5.0	1.50	1.5	.30	700	N	N
78E503S	C66491	56 18 27	131 4 24	3.0	1.00	2.0	.30	700	N	N
78E503T	C66322	56 18 27	131 4 24	5.0	1.50	2.0	.50	700	N	N
78E504S	C66333	56 18 25	131 4 43	5.0	1.00	2.0	.30	500	N	N
78E504T	C66635	56 18 25	131 4 43	3.0	1.00	1.5	.50	500	N	N
78E505S	C66529	56 18 20	131 4 46	5.0	1.50	3.0	.50	1,000	N	N
78E505T	C66413	56 18 20	131 4 46	5.0	1.50	2.0	.50	1,000	N	N
78E506S	C66616	56 18 12	131 7 4	5.0	2.00	2.0	.50	1,000	N	N
78E506T	C66517	56 18 12	131 7 4	5.0	1.00	3.0	.50	700	N	N
78E507S	C66528	56 18 0	131 6 5	5.0	1.00	2.0	.30	700	N	N
78E507T	C66608	56 18 0	131 6 5	5.0	1.00	1.5	.30	700	N	N
78E508S	C66379	56 17 10	131 6 0	5.0	2.00	3.0	.50	1,000	N	N
78E508T	C66681	56 17 10	131 6 0	7.0	1.50	2.0	.50	1,000	N	N
78E509S	C66384	56 17 12	131 6 15	5.0	2.00	3.0	.50	1,000	N	N
78E509T	C66483	56 17 12	131 6 15	3.0	1.50	1.5	.50	700	N	N
78E510S	C66427	56 16 24	131 6 22	3.0	1.00	1.5	.30	700	N	N
78E510T	C66359	56 16 24	131 6 22	3.0	1.50	2.0	.20	700	N	N
78E511S	C66664	56 15 55	131 5 35	3.0	1.50	2.0	.30	1,000	N	N
78E511T	C66486	56 15 55	131 5 35	3.0	1.50	2.0	.30	700	N	N
78E512S	C66384	56 15 55	131 6 5	5.0	1.50	2.0	.30	1,000	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CO	S-CR	S-CU	S-LA	S-MO
73E0463	M	M	2,000	1.0	M	M	10	20	15	30	M
73E0475	M	M	1,500	1.0	M	M	15	100	30	30	M
73E0025	M	M	500	1.0	M	M	20	50	10	50	M
73E0043	M	10	700	1.5	M	M	50	500	150	50	50
73E0045	M	M	500	1.0	M	M	20	700	50	20	20
73E0085	M	<10	1,000	1.0	M	M	20	70	30	30	5
73E0095	M	M	700	1.0	M	M	15	100	20	20	<5
73E0115	M	M	700	1.0	M	M	15	70	7	30	M
73E0125	M	M	700	1.0	M	M	20	150	15	70	M
73E0135	M	M	700	1.0	M	M	10	100	10	50	M
73E0585	M	M	2,000	1.0	M	M	7	20	20	130	M
73E0595	M	M	1,500	1.0	M	M	7	30	15	200	M
73E0605	M	M	1,500	1.0	M	M	10	100	30	100	M
73E0615	M	M	2,000	1.0	M	M	7	20	30	230	M
73E0625	M	M	2,000	1.0	M	M	7	15	20	70	M
73E0635	M	M	1,500	1.0	M	M	7	30	20	100	M
73E0645	M	M	1,500	1.5	M	M	15	70	30	200	5
73E1285	M	<10	1,500	2.0	M	M	20	20	70	20	M
73E1295	M	10	1,500	2.0	M	M	20	50	50	50	M
73E1295	M	M	3,000	1.5	M	M	20	100	70	20	M
73E1305	M	M	3,000	1.0	M	M	15	20	20	30	M
73E1315	M	M	1,000	1.0	M	M	15	50	30	20	M
78E5015	M	M	2,000	1.0	M	M	<5	10	5	50	M
78E5017	M	M	3,000	1.5	M	M	<5	10	7	70	M
78E5025	M	<10	3,000	1.0	M	M	7	20	5	100	M
78E5027	M	M	2,000	1.0	M	M	7	20	5	30	M
78E5035	M	<10	2,000	1.5	M	M	7	15	5	70	M
78E5037	M	<10	1,500	1.0	M	M	7	20	7	20	M
78E5045	M	<10	2,000	1.0	M	M	7	20	5	130	M
78E5047	M	M	2,000	1.0	M	M	5	20	5	130	M
78E5055	M	<10	3,000	1.0	M	M	10	30	5	70	M
78E5057	M	<10	1,500	1.0	M	M	10	15	5	20	M
78E5065	M	<10	1,500	1.0	M	M	10	30	10	70	M
78E5067	M	<10	2,000	1.0	M	M	10	100	70	70	M
78E5075	M	<10	5,000	1.5	M	M	10	20	5	70	M
78E5077	M	<10	2,000	2.0	M	M	7	20	5	50	M
78E5085	M	<10	1,500	1.5	M	M	15	20	7	30	M
78E5087	M	<10	1,500	1.0	M	M	10	30	7	70	M
78E5095	M	<10	1,500	1.0	M	M	10	20	7	70	M
78E5097	M	<10	1,000	1.5	M	M	7	10	5	20	M
78E5105	M	M	2,000	1.0	M	M	5	10	5	50	M
78E5107	M	M	1,500	1.0	M	M	7	15	5	50	M
78E5115	M	<10	1,000	<1.0	M	M	10	50	7	20	M
78E5117	M	<10	1,000	1.5	M	M	10	20	5	20	M
78E5125	M	<10	1,500	1.5	M	M	10	20	7	50	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-HB	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TN	S-V	S-W	S-Y
73E046S	<20	5	20	N	15	N	1,030	--	150	N	20
73E047S	<20	20	10	N	20	N	700	--	300	N	20
73E002S	<20	15	<10	N	20	N	300	--	150	N	20
73E004S	<20	100	10	N	30	N	500	--	200	N	20
73E004S	N	50	10	N	20	N	300	--	150	50	20
73E008S	<20	20	10	N	15	N	300	--	100	N	20
73E009S	N	20	10	N	15	N	500	--	150	N	20
73E011S	N	15	<10	N	15	N	500	--	200	N	15
73E012S	<20	30	10	N	20	N	500	--	200	N	30
73E013S	N	20	10	N	15	N	500	--	100	N	20
73E056S	<20	5	20	N	10	N	700	--	100	N	20
73E059S	20	5	15	N	10	N	700	--	200	N	30
73E060S	<20	20	15	N	15	N	500	--	200	N	20
73E061S	<20	5	15	N	10	N	700	--	150	N	20
73E062S	<20	<5	20	N	7	N	700	--	100	N	15
73E063S	<20	10	15	N	10	N	500	--	100	N	20
73E064S	<20	20	15	N	20	N	700	--	150	N	15
73E128S	N	30	10	N	30	<10	700	--	200	N	20
73E129S	<20	30	20	N	20	N	1,500	--	200	N	20
73E129S	<20	30	20	N	20	10	1,000	--	200	N	20
73E130S	<20	15	20	N	20	<10	1,000	--	150	N	20
73E131S	N	15	10	N	20	N	700	--	150	N	20
78E501S	N	<5	50	N	<5	N	500	N	50	N	10
78E501T	<20	<5	50	N	5	N	700	N	70	N	10
78E502S	20	<5	20	N	10	N	1,030	N	200	N	30
78E502T	<20	<5	15	N	7	N	700	N	100	N	20
78E503S	N	M	20	N	10	N	1,000	N	100	N	15
78E503T	<20	<5	30	N	10	N	1,030	N	150	N	20
78E504S	<20	<5	20	N	10	N	1,030	N	200	N	20
78E504T	N	N	20	N	10	N	700	N	150	N	20
78E505S	<20	<5	20	N	15	N	1,000	N	200	N	20
78E505T	<20	15	20	N	15	N	1,030	N	100	N	20
78E506S	<20	<5	20	N	15	N	1,000	N	150	N	20
78E506T	<20	10	20	N	20	N	1,000	N	200	N	50
78E507S	<20	<5	50	N	10	N	1,000	N	150	N	20
78E507T	N	<5	20	N	10	N	1,000	N	100	N	20
78E508S	N	<5	20	N	15	N	1,000	N	150	N	20
78E508T	<20	<5	15	N	15	N	1,000	N	150	N	30
78E509S	N	<5	20	N	15	N	1,000	N	200	N	20
78E509T	N	N	10	N	10	N	700	N	100	N	20
78E510S	N	5	30	N	10	N	1,000	N	100	N	15
78E510T	N	<5	30	N	10	N	1,030	N	100	N	20
78E511S	N	5	20	N	15	N	1,000	N	150	N	20
78E511T	N	5	10	N	10	N	700	N	100	N	15
78E512S	<20	5	20	N	15	N	1,000	N	100	N	20

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZM	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZM-P	INST-H6
73E046S	M	500	N	15	5	20	.02
73E047S	M	700	.15	45	10	55	.02
73E002S	M	150	N	20	15	75	.40
73E004S	<200	50	--	--	--	--	--
73E004S	200	50	M	90	10	75	.08
73E008S	<200	100	M	25	10	110	.20
73E009S	M	100	M	20	10	55	.28
73E011S	M	70	M	15	10	55	.08
73E012S	M	70	M	25	10	60	.08
73E013S	M	100	M	25	10	65	.08
73E058S	M	1,000	M	15	5	45	.02
73E059S	M	1,000	M	10	5	30	.04
73E060S	M	1,000	M	20	10	45	.02
73E061S	M	300	M	10	5	35	.02
73E062S	M	500	M	10	5	35	.02
73E063S	M	200	M	15	5	30	.02
73E064S	M	200	M	35	120	50	.02
73E128S	M	70	M	90	--	70	.04
73E129S	M	70	--	--	--	--	--
73E129S	M	150	M	80	45	60	.06
73E130S	M	150	M	45	20	35	.02
73E131S	M	70	M	50	15	45	.04
78E501S	M	100	M	<5	10	30	--
78E501T	M	150	M	5	5	50	--
78E501T	M	500	<.05	5	<5	30	--
78E502S	M	200	M	10	5	40	--
78E502T	M	200	M	10	5	40	--
78E503S	M	150	M	10	<5	40	--
78E503T	M	500	M	10	5	35	--
78E504S	M	300	M	10	<5	30	--
78E504T	M	200	M	10	<5	30	--
78E505S	M	300	M	5	5	50	--
78E505T	M	300	M	5	5	35	--
78E506S	<200	300	M	10	<5	30	--
78E506T	<200	700	M	15	10	40	--
78E507S	M	200	M	5	<5	30	--
78E507T	M	200	M	5	<5	30	--
78E508S	<200	300	M	5	<5	50	--
78E508T	M	1,000	M	10	5	50	--
78E509S	M	200	M	15	5	30	--
78E509T	M	500	M	15	5	20	--
78E510S	M	150	M	5	<5	30	--
78E510T	M	200	M	10	<5	35	--
78E511S	M	100	M	5	<5	40	--
78E511T	M	70	M	5	<5	30	--
78E512S	M	200	M	10	<5	40	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGX	S-CAZ	S-TIZ	S-MN	S-AG	S-AS
78ERS12T	C06327	56 15 55	131 4 5	5.0	2.00	2.0	-30	1,000	N	N
78ERS13S	C06678	56 15 35	131 2 38	3.0	1.00	2.0	-30	700	N	N
78ERS13T	C06545	56 15 35	131 2 38	5.0	1.00	2.0	-50	700	N	N
78ERS14S	C06450	56 15 30	131 2 29	5.0	1.00	2.0	-30	1,000	N	N
78ERS14T	C06352	56 15 30	131 2 29	3.0	1.50	2.0	-30	700	N	N
78ERS15S	C06511	56 15 9	131 4 56	5.0	1.00	2.0	-50	700	N	N
78ERS15T	C06624	56 15 9	131 4 56	7.0	1.50	2.0	-50	1,000	N	N
78ERS16S	C06590	56 13 0	131 7 40	15.0	3.00	3.0	-50	1,500	N	N
78ERS16T	C06436	56 13 0	131 7 40	15.0	3.00	3.0	-70	1,500	N	N
78ERS17S	C06669	56 13 13	131 7 24	10.0	2.00	2.0	-30	1,000	N	N
78ERS17T	C06447	56 13 13	131 7 24	7.0	2.00	2.0	-50	1,000	N	N
78ERS18S	C06591	56 12 45	131 8 45	10.0	3.00	3.0	-70	1,500	N	N
78ERS18T	C06482	56 12 45	131 8 45	7.0	2.00	2.0	-70	1,000	N	N
78ERS19S	C06553	56 13 47	131 11 10	5.0	1.50	2.0	-50	1,000	N	N
78ERS19T	C06525	56 13 47	131 11 10	7.0	1.50	2.0	-50	1,000	N	N
78ERS20S	C06674	56 11 43	131 36 26	5.0	1.00	1.5	-30	3,000	N	N
78ERS20T	C06557	56 11 43	131 36 26	5.0	1.50	2.0	-50	2,000	N	N
78ERS21S	C06497	56 11 2	131 34 14	10.0	2.00	2.0	-50	1,500	N	N
78ERS21T	C06580	56 11 2	131 34 14	10.0	3.00	2.0	-50	1,500	N	N
78ERS22S	C06548	56 11 15	131 33 33	10.0	2.00	2.0	-50	1,000	N	N
78ERS22T	C06490	56 11 15	131 33 33	10.0	2.00	2.0	-30	1,000	N	N
78ERS23S	C06544	56 11 18	131 33 25	7.0	2.00	2.0	-50	1,500	N	N
78ERS23T	C06524	56 11 18	131 33 25	7.0	2.00	2.0	-50	1,000	N	N
78ERS24S	C06338	56 11 51	131 32 44	10.0	2.00	2.0	-50	1,500	N	N
78ERS24T	C06655	56 11 51	131 32 44	7.0	2.00	2.0	-50	1,500	N	N
78ERS25S	C06460	56 11 55	131 32 36	7.0	2.00	2.0	-50	1,500	N	N
78ERS25T	C06378	56 11 55	131 32 36	7.0	3.00	2.0	-50	1,500	N	N
78ERS26S	C06437	56 12 1	131 32 30	10.0	3.00	2.0	-50	1,500	N	N
78ERS26T	C06531	56 12 1	131 32 30	5.0	1.50	1.5	-30	1,000	N	N
78ERS27S	C06640	56 14 0	131 32 24	10.0	3.00	2.0	-50	1,500	N	N
78ERS27T	C06560	56 14 0	131 32 24	10.0	3.00	3.0	-70	1,500	N	N
78ERS28S	C06431	56 13 52	131 32 30	5.0	1.50	1.0	-20	1,000	N	N
78ERS28T	C06577	56 13 52	131 32 30	10.0	3.00	5.0	-70	1,500	N	N
78ERS29S	C06420	56 13 13	131 33 38	7.0	2.00	2.0	-50	1,500	N	N
78ERS29T	C06691	56 13 13	131 33 38	5.0	1.50	1.5	-30	1,000	N	N
78ERS30S	C06369	56 12 42	131 33 43	10.0	3.00	2.0	-70	1,500	N	N
78ERS30T	C06371	56 12 42	131 33 43	7.0	2.00	2.0	-50	1,500	N	N
78ERS31S	C06521	56 12 29	131 33 53	7.0	1.50	1.5	-30	5,000	N	N
78ERS31T	C06404	56 12 29	131 33 53	7.0	2.00	1.5	-50	5,000	N	N
78ERS32S	C06400	56 12 17	131 35 15	10.0	2.00	3.0	-70	2,000	N	N
78ERS32T	C06622	56 12 17	131 35 15	7.0	3.00	3.0	-50	2,000	N	N
78ERS33S	C06453	56 12 30	131 36 10	5.0	1.00	2.0	-50	1,000	N	N
78ERS33T	C06367	56 12 30	131 36 10	5.0	2.00	2.0	-30	1,000	N	N
78ERS34S	C06599	56 22 59	131 59 33	5.0	3.00	5.0	-30	1,000	1.0	N
78ERS34T	C06500	56 22 59	131 59 33	5.0	2.00	3.0	-50	1,000	1.5	N

Table 5.---Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CC	S-CR	S-CU	S-LA	S-MO
78ERS127	M	<10	1,500	1.0	M	M	10	30	7	50	M
78ERS135	M	M	1,500	1.0	M	M	5	<10	5	30	M
78ERS137	M	M	2,000	1.0	M	M	10	20	<5	120	M
78ERS145	M	<10	2,000	1.5	M	M	10	20	7	70	M
78ERS147	M	<10	1,500	1.0	M	M	10	20	10	50	M
78ERS155	M	<10	3,000	1.0	M	M	10	20	5	50	M
78ERS157	M	<10	1,500	1.0	M	M	10	20	5	30	M
78ERS165	M	<10	1,500	1.0	M	M	30	100	50	50	M
78ERS167	M	<10	1,500	<1.0	M	M	20	100	20	50	M
78ERS175	M	<10	1,000	<1.0	M	M	20	70	20	50	M
78ERS177	M	10	1,500	<1.0	M	M	15	50	7	70	M
78ERS185	M	<10	2,000	1.0	M	M	20	100	5	120	M
78ERS187	M	<10	1,500	1.0	M	M	20	70	5	30	M
78ERS195	M	<10	2,000	1.0	M	M	10	20	<5	50	M
78ERS197	M	<10	2,000	1.0	M	M	15	30	5	150	M
78ERS205	M	<10	1,000	1.0	M	M	20	20	5	<20	M
78ERS207	M	<10	1,500	1.0	M	M	30	50	5	20	M
78ERS215	M	<10	1,500	1.0	M	M	30	150	20	50	M
78ERS217	M	<10	1,000	1.5	M	M	30	100	70	20	M
78ERS225	M	<10	1,500	1.0	M	M	20	100	100	30	M
78ERS227	M	<10	1,000	1.0	M	M	20	200	30	70	M
78ERS235	M	<10	1,000	1.0	M	M	20	100	10	30	<5
78ERS237	M	<10	500	2.0	M	M	20	70	5	M	M
78ERS245	M	<10	1,000	1.5	M	M	20	100	20	50	M
78ERS247	M	<10	700	1.0	M	M	30	150	20	50	<5
78ERS255	M	<10	1,000	1.0	M	M	20	30	7	150	M
78ERS257	M	<10	1,000	1.5	M	M	20	50	10	50	M
78ERS265	M	<10	700	1.0	M	M	25	50	15	<20	M
78ERS267	M	<10	1,000	1.0	M	M	20	50	20	50	M
78ERS275	M	<10	700	1.0	M	M	30	100	70	100	<5
78ERS277	M	<10	1,000	1.0	M	M	30	100	20	120	<5
78ERS285	M	<10	500	<1.0	M	M	10	50	5	120	M
78ERS287	M	<10	1,000	1.0	M	M	30	150	20	20	M
78ERS295	M	<10	1,000	1.0	M	M	30	100	30	50	M
78ERS297	M	M	300	1.0	M	M	10	50	20	50	M
78ERS305	M	<10	700	1.5	M	M	50	150	70	50	<5
78ERS307	M	<10	700	1.5	M	M	20	70	15	120	M
78ERS315	M	<10	700	2.0	M	M	70	70	10	<20	M
78ERS317	M	M	700	1.0	M	M	100	150	20	50	M
78ERS325	M	<10	700	1.0	M	M	50	70	50	50	5
78ERS327	M	<10	700	1.0	M	M	50	100	20	20	<5
78ERS335	M	<10	1,500	1.0	M	M	10	50	<5	70	M
78ERS337	M	<10	1,500	1.5	M	M	10	50	7	30	M
78ERS345	M	10	2,000	1.5	M	M	20	200	70	70	5
78ERS347	M	<10	5,000	2.0	M	M	20	200	70	70	5



Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TM	S-V	S-W	S-Y
78ER5127	<20	5	20	N	15	N	1,000	N	150	N	30
78ER5135	N	N	20	N	10	N	1,500	N	150	N	20
78ER5137	<20	<5	30	N	10	N	1,000	N	200	N	20
78ER5145	N	50	20	N	10	N	1,500	N	150	N	20
78ER5147	N	5	20	N	10	N	1,000	N	150	N	20
78ER5155	<20	<5	30	N	10	N	1,000	N	200	N	20
78ER5157	<20	<5	30	N	15	N	1,000	N	200	N	20
78ER5165	<20	20	15	N	20	N	700	N	500	N	50
78ER5167	<20	50	20	N	20	N	700	N	300	N	30
78ER5175	<20	10	15	N	15	N	1,000	N	300	N	20
78ER5177	N	20	20	N	15	N	1,000	N	200	N	20
78ER5185	20	20	15	N	20	N	1,000	N	300	N	50
78ER5187	<20	20	20	N	20	N	1,000	N	200	N	30
78ER5195	<20	<5	30	N	10	N	1,000	N	150	N	20
78ER5197	<20	<5	50	N	15	N	1,500	N	200	N	50
78ER5205	N	5	15	N	10	N	500	N	100	N	15
78ER5207	<20	10	50	N	10	N	700	N	200	N	20
78ER5215	<20	20	20	N	20	N	500	N	300	N	50
78ER5217	N	30	20	N	20	N	500	N	200	N	30
78ER5225	<20	20	20	N	15	N	700	N	300	N	30
78ER5227	<20	20	50	N	15	N	500	N	300	N	30
78ER5235	<20	20	15	N	20	N	500	N	200	N	50
78ER5237	N	20	10	N	15	N	500	N	150	N	30
78ER5245	20	30	15	N	20	N	700	N	300	N	50
78ER5247	N	50	15	N	20	N	500	N	200	N	30
78ER5255	N	10	10	N	20	N	700	N	200	N	20
78ER5257	N	15	15	N	20	N	700	N	200	N	50
78ER5265	N	10	15	N	20	N	500	N	200	N	30
78ER5267	N	10	15	N	15	N	500	N	150	N	30
78ER5275	N	20	10	N	20	N	700	N	200	N	30
78ER5277	N	20	20	N	20	N	700	N	300	N	50
78ER5285	N	50	<10	N	15	N	300	N	100	N	20
78ER5287	N	30	10	N	30	N	500	N	200	N	50
78ER5295	<20	5	15	N	20	N	500	N	150	N	30
78ER5297	N	10	<10	N	10	N	300	N	100	N	20
78ER5305	<20	70	30	N	15	N	500	N	300	N	50
78ER5307	<20	20	10	N	15	N	500	N	150	N	50
78ER5315	N	30	10	N	10	N	300	N	100	N	20
78ER5317	N	<5	20	N	15	N	300	N	150	N	20
78ER5325	N	20	10	N	15	N	500	N	200	N	20
78ER5327	N	30	10	N	20	N	500	N	200	N	30
78ER5335	N	30	20	N	10	N	700	N	150	N	20
78ER5337	N	10	20	N	15	N	1,000	N	150	N	30
78ER5345	N	70	50	N	20	N	500	N	300	N	50
78ER5347	N	70	50	N	20	N	500	N	200	N	50

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78ER512T	N	150	N	10	<5	35	--
78ER513S	N	300	N	5	<5	30	--
78ER513T	N	200	N	<5	<5	20	--
78ER514S	N	50	N	10	5	20	--
78ER514T	N	200	N	10	5	30	--
78ER515S	N	150	N	5	10	25	--
78ER515T	N	200	N	5	<5	15	--
78ER516S	N	300	N	35	5	40	--
78ER516T	N	300	N	25	5	35	--
78ER517S	N	500	N	10	5	30	--
78ER517T	N	300	N	10	5	35	--
78ER518S	<200	150	N	10	5	40	--
78ER518T	<200	150	N	15	10	40	--
78ER519S	N	300	N	5	<5	25	--
78ER519T	<200	300	N	10	<5	20	--
78ER520S	N	500	N	5	10	40	--
78ER520T	<200	100	N	5	10	35	--
78ER521S	<200	300	N	15	15	65	--
78ER521T	<200	300	N	20	10	75	--
78ER522S	<200	150	N	15	5	30	--
78ER522T	N	100	N	15	5	25	--
78ER523S	<200	150	N	15	10	45	--
78ER523T	<200	200	N	15	10	45	--
78ER524S	<200	200	N	20	10	40	--
78ER524T	<200	100	N	25	10	75	--
78ER525S	N	500	<.05	15	5	35	--
78ER525T	<200	150	N	15	<5	45	--
78ER526S	N	500	N	20	10	60	--
78ER526T	N	500	N	15	10	60	--
78ER527S	<200	150	N	40	10	75	--
78ER527T	<200	500	N	25	15	70	--
78ER528S	N	70	N	25	10	55	--
78ER528T	N	700	N	25	10	60	--
78ER529S	<200	100	N	35	10	80	--
78ER529T	N	200	N	30	10	90	--
78ER530S	<200	100	1-.80	20	15	95	--
78ER530T	N	150	N	20	10	65	--
78ER531S	N	300	N	20	15	130	--
78ER531T	200	100	N	35	15	140	--
78ER532S	<200	150	N	15	10	80	--
78ER532T	<200	100	N	15	10	85	--
78ER533S	N	200	N	<5	<5	15	--
78ER533T	N	200	N	5	5	25	--
78ER534S	<200	100	<.05	45	25	100	--
78ER534T	<200	150	<.05	40	20	85	--



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CC	S-CR	S-CU	S-LA	S-MO
78ER3355	M	<10	1,500	2.0	N	N	20	150	20	<20	M
78ER3357	M	<10	1,500	2.0	M	M	20	150	20	50	M
78ER3365	M	<10	1,500	1.0	M	M	20	100	15	100	M
78ER3367	M	<10	1,000	5.0	M	M	20	100	30	100	7
78ER3375	M	10	1,000	2.0	M	M	20	150	70	50	M
78ER3377	M	15	1,000	1.0	M	M	20	150	50	50	M
78ER3385	M	<10	1,000	1.5	M	M	20	150	50	20	<5
78ER3387	M	10	1,000	2.0	M	M	20	150	70	30	M
78ER3395	M	<10	2,000	1.0	M	M	30	300	150	30	M
78ER3397	M	<10	2,000	1.0	M	M	30	300	200	70	M
78ER3405	M	<10	2,000	1.0	M	M	50	200	100	30	5
78ER3407	M	<10	1,000	1.0	M	M	20	150	50	50	M
78ER3415	M	<10	700	1.0	M	M	20	100	50	70	M
78ER3417	M	<10	1,000	1.5	M	M	20	150	50	20	M
78ER3425	M	<10	1,000	<1.0	M	M	30	200	100	20	5
78ER3427	M	<10	1,500	1.0	M	M	50	300	100	50	<5
78ER3438	M	<10	1,000	1.5	M	M	30	100	30	20	M
78ER3437	M	<10	1,000	1.0	M	M	50	150	50	20	M
78ER3445	M	<10	700	<1.0	M	M	30	300	100	30	<5
78ER3447	M	<10	700	<1.0	M	M	50	300	150	<20	M
78ER3458	M	<10	1,500	<1.0	M	M	30	300	70	50	5
78ER3457	M	<10	1,000	1.0	M	M	30	200	70	50	5
78ER3465	M	<10	700	1.0	M	M	30	150	50	20	M
78ER3467	M	<10	1,000	1.0	M	M	30	300	100	20	<5
78ER3475	M	<10	700	1.0	M	M	20	150	50	70	<5
78ER3477	M	<10	1,000	<1.0	M	M	30	200	70	50	M
78ER3485	M	<10	1,000	1.0	M	M	20	100	70	50	M
78ER3487	M	<10	1,500	1.0	M	M	30	150	100	50	10
78ER3495	M	<10	1,000	<1.0	M	M	30	100	50	20	M
78ER3497	M	<10	1,000	1.0	M	M	20	150	100	30	M
78ER3505	M	30	1,000	1.0	M	M	30	150	70	20	10
78ER3507	M	<10	1,000	1.0	M	M	30	150	100	<20	M
78ER3515	M	<10	1,000	<1.0	M	M	50	200	100	<20	M
78ER3517	M	<10	1,000	<1.0	M	M	20	150	100	30	15
78ER3525	M	<10	1,000	2.0	M	M	20	150	50	70	M
78ER3527	M	10	1,500	2.0	M	M	50	200	100	50	M
78ER3535	M	<10	1,000	1.0	M	M	20	150	70	70	5
78ER3537	M	<10	2,000	1.0	M	M	30	200	100	130	10
78ER3545	M	<10	700	2.0	M	M	30	150	70	50	<5
78ER3547	M	<10	1,500	2.0	M	M	30	200	70	20	5
78ER3555	M	15	1,500	1.0	M	M	30	150	70	50	M
78ER3557	M	<10	1,500	1.0	M	M	20	200	50	M	5
78ER3565	M	<10	1,000	<1.0	M	M	20	200	100	50	M
78ER3567	M	<10	700	<1.0	M	M	30	150	100	50	M
78ER3575	M	<10	1,000	<1.0	M	M	30	150	200	M	20

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-SH	S-SV	S-SW	S-SY
78ER5355	M	20	30	M	20	M	500	M	200	M	20
78ER5357	M	30	20	M	20	M	500	M	200	M	20
78ER5365	M	20	30	M	20	M	700	M	200	M	30
78ER5367	M	20	20	M	20	M	500	M	200	M	30
78ER5375	M	50	20	M	20	M	300	M	200	M	30
78ER5377	M	50	15	M	20	M	300	M	200	M	30
78ER5385	M	50	20	M	30	M	300	M	200	M	50
78ER5387	M	30	20	M	30	M	300	M	300	M	50
78ER5395	<20	100	15	M	20	M	500	M	300	M	50
78ER5397	M	100	15	M	30	M	300	M	300	M	50
78ER5405	M	50	20	M	30	M	500	M	300	M	50
78ER5407	M	30	20	M	20	M	500	M	200	M	30
78ER5415	M	50	10	M	30	M	500	M	300	M	70
78ER5417	M	20	20	M	20	M	500	M	200	M	50
78ER5425	M	50	10	M	30	M	300	M	500	M	50
78ER5427	<20	50	15	M	50	M	500	M	500	M	50
78ER5435	M	20	10	M	20	M	500	M	300	M	50
78ER5437	M	50	20	M	30	M	500	M	500	M	50
78ER5445	M	70	15	M	20	M	300	M	200	M	50
78ER5447	M	100	15	M	20	M	300	M	500	M	30
78ER5455	<20	30	15	M	30	M	500	M	500	M	50
78ER5457	M	50	15	M	30	M	500	M	500	M	50
78ER5465	M	50	15	M	20	M	500	M	200	M	30
78ER5467	M	100	20	M	20	M	500	M	500	M	50
78ER5475	M	20	15	M	20	M	500	M	200	M	30
78ER5477	<20	50	15	M	30	M	500	M	300	M	70
78ER5485	M	50	100	M	20	M	500	M	200	M	50
78ER5487	M	70	150	M	30	50	500	M	300	M	100
78ER5495	M	30	100	M	20	10	500	M	200	M	50
78ER5497	M	50	200	M	20	20	500	M	200	M	50
78ER5505	M	50	15	M	20	M	500	M	200	M	50
78ER5507	M	70	15	M	20	M	500	M	200	M	30
78ER5515	M	70	70	M	30	M	300	M	500	M	50
78ER5517	M	50	50	M	30	M	300	M	300	M	50
78ER5525	<20	20	50	M	30	M	500	M	300	M	50
78ER5527	<20	30	50	M	20	M	500	M	500	M	50
78ER5535	M	30	10	M	20	M	300	M	300	M	50
78ER5537	M	100	30	M	20	M	300	M	300	M	50
78ER5545	M	50	15	M	20	M	500	M	200	M	30
78ER5547	<20	50	15	M	20	M	500	M	300	M	50
78ER5555	M	15	10	M	20	M	300	M	200	M	30
78ER5557	M	70	15	M	20	M	300	M	200	M	20
78ER5565	M	50	20	M	30	M	500	M	300	M	100
78ER5567	M	50	10	M	20	M	300	M	200	M	30
78ER5575	M	50	10	M	20	M	300	M	300	M	50

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78E5335	N	100	N	25	15	60	--
78E5337	N	100	N	20	10	55	--
78E5365	N	70	N	25	10	60	--
78E5367	<200	50	N	35	10	70	--
78E5375	N	100	N	55	15	90	--
78E5377	<200	100	N	45	10	65	--
78E5385	<200	100	N	45	10	75	--
78E5387	<200	100	N	55	10	75	--
78E5395	<200	150	N	80	10	100	--
78E5397	<200	100	N	70	10	95	--
78E5405	<200	200	N	40	15	80	--
78E5407	<200	150	N	40	10	80	--
78E5415	<200	150	N	25	5	50	--
78E5417	<200	70	N	35	10	75	--
78E5425	<200	100	N	50	10	95	--
78E5427	<200	150	N	50	15	110	--
78E5435	<200	500	N	30	10	55	--
78E5437	<200	100	N	40	10	65	--
78E5445	<200	70	N	65	10	95	--
78E5447	<200	100	N	95	10	90	--
78E5455	<200	700	N	35	10	70	--
78E5457	<200	100	N	40	10	85	--
78E5465	<200	100	N	40	10	95	--
78E5467	<200	100	<.05	40	10	100	--
78E5475	<200	70	N	35	5	75	--
78E5477	<200	70	N	35	10	75	--
78E5485	300	200	N	55	100	320	--
78E5487	500	200	N	50	100	290	--
78E5495	300	200	N	55	110	300	--
78E5497	300	300	N	60	150	280	--
78E5505	N	200	N	50	10	90	--
78E5507	<200	100	N	70	15	140	--
78E5515	<200	100	N	60	35	110	--
78E5517	N	200	<.05	55	25	100	--
78E5525	N	1,000	N	40	15	75	--
78E5527	<200	100	N	35	15	65	--
78E5535	<200	100	N	65	10	110	--
78E5537	200	100	N	60	10	120	--
78E5545	<200	100	N	50	15	110	--
78E5547	<200	100	<.10	35	15	90	--
78E5555	<200	100	N	40	10	140	--
78E5557	200	100	N	55	10	150	--
78E5565	<200	700	N	55	10	85	--
78E5567	<200	70	N	55	10	100	--
78E5575	<200	200	N	60	5	85	--

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-M6X	S-CAX	S-TIX	S-MN	S-A6	S-AS
78ER557T	C6646	56 20 1	131 49 6	7.0	3.00	2.0	-50	1,000	N	N
78ER558S	C6657	56 19 47	131 51 20	7.0	3.00	2.0	-50	1,500	N	N
78ER558T	C6655	56 19 47	131 51 20	10.0	3.00	3.0	-50	1,500	N	N
78ER559S	C6675	56 19 46	131 51 30	3.0	1.50	1.5	-20	1,000	N	N
78ER559T	C6659	56 19 46	131 51 30	3.0	1.50	2.0	-30	1,000	N	N
78ER560S	C6636	56 20 56	131 52 25	7.0	2.00	3.0	-50	1,500	N	N
78ER560T	C6683	56 20 56	131 52 25	7.0	3.00	3.0	-50	1,500	N	N
78RK103S	C6610	56 33 2	131 39 23	5.0	.70	1.0	-30	1,000	N	N
78RK103T	C6658	56 33 2	131 39 23	5.0	.70	1.0	-30	1,000	N	N
78RK501S	C6651	56 26 42	131 31 35	10.0	2.00	3.0	-50	1,000	N	N
78RK501T	C6652	56 26 42	131 31 35	5.0	2.00	3.0	-50	1,500	N	N
78RK502S	C6648	56 26 14	131 30 24	7.0	1.50	2.0	-50	1,000	N	N
78RK502T	C6642	56 26 14	131 30 24	7.0	2.00	3.0	-50	1,000	N	N
78RK503S	C6645	56 25 57	131 29 32	3.0	1.00	1.5	-30	700	N	N
78RK503T	C6652	56 25 57	131 29 32	2.0	1.00	1.5	-20	700	N	N
78RK504S	C6640	56 25 45	131 28 31	3.0	1.50	1.0	-30	700	N	N
78RK504T	C6635	56 25 45	131 28 31	3.0	1.00	1.5	-20	700	N	N
78RK505S	C6616	56 25 45	131 28 24	7.0	1.50	2.0	-30	1,000	N	N
78RK505T	C6654	56 25 45	131 28 24	5.0	1.00	1.5	-20	700	N	N
78RK506S	C6659S	56 25 40	131 22 4	2.0	1.50	2.0	-30	1,500	N	N
78RK506T	C6679	56 25 40	131 22 4	2.0	1.00	1.5	-15	1,000	N	N
78RK507S	C6634	56 26 22	131 24 24	7.0	3.00	2.0	-50	1,500	N	N
78RK507T	C6650S	56 26 22	131 24 24	10.0	3.00	3.0	-50	1,000	N	N
78RK508S	C6642	56 24 41	131 24 59	5.0	2.00	2.0	-30	1,000	N	N
78RK508T	C6659	56 24 41	131 24 59	5.0	2.00	1.5	-50	1,000	N	N
78RK509S	C6654	56 23 54	131 23 9	7.0	3.00	3.0	-50	1,000	N	N
78RK509T	C6658	56 23 54	131 23 9	5.0	3.00	3.0	-50	1,000	N	N
78RK510S	C6637	56 23 49	131 23 0	3.0	1.00	1.5	-30	1,000	N	N
78RK510T	C6601	56 23 49	131 23 0	3.0	1.50	2.0	-50	1,000	N	N
78RK511S	C6650	56 24 10	131 30 30	10.0	2.00	2.0	-50	1,000	N	N
78RK511T	C6672	56 24 10	131 30 30	5.0	2.00	2.0	-50	1,000	N	N
78RK512S	C66316	56 23 50	131 29 0	15.0	2.00	3.0	-70	1,500	N	N
78RK512T	C66593	56 23 50	131 29 0	7.0	2.00	2.0	-50	1,500	N	N
78RK513S	C66594	56 23 52	131 28 56	10.0	3.00	3.0	-70	2,000	N	N
78RK513T	C66551	56 23 52	131 28 56	10.0	2.00	2.0	-70	1,000	N	N
78RK514S	C66566	56 23 6	131 30 1	7.0	2.00	1.5	-50	2,000	N	N
78RK514T	C66459	56 23 6	131 30 1	7.0	2.00	2.0	-30	1,000	N	N
78RK515S	C66596	56 22 8	131 33 25	7.0	2.00	2.0	-50	1,500	N	N
78RK515T	C6642	56 22 8	131 33 25	5.0	2.00	2.0	-50	1,500	N	N
78RK516S	C66342	56 21 26	131 32 49	5.0	2.00	3.0	-30	1,000	N	N
78RK516T	C6646	56 21 26	131 32 49	10.0	3.00	3.0	-50	1,500	N	N
78RK517S	C66494	56 21 23	131 32 49	10.0	2.00	2.0	-50	1,000	N	N
78RK517T	C66564	56 21 23	131 32 49	10.0	2.00	3.0	-70	1,000	N	N
78RK518S	C66368	56 12 10	131 38 5	7.0	2.00	2.0	-30	2,000	N	N
78RK518T	C66411	56 12 10	131 38 5	5.0	1.50	1.5	-30	2,000	N	N

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
78E9527	M	<10	1,000	<1.0	N	M	30	150	70	M	M
78E9538	M	<10	1,000	2.0	N	M	20	200	70	70	M
78E9587	M	<10	1,000	2.0	N	M	30	200	70	70	M
78E9595	M	<10	1,000	2.0	N	M	10	50	5	30	M
78E9597	M	<10	1,000	1.0	N	M	5	50	5	50	M
78E9560S	M	<10	700	1.0	M	M	20	100	20	70	M
78E9560T	M	<10	1,000	1.0	M	M	20	150	30	50	M
78K103S	M	M	1,500	7.0	M	M	7	20	10	50	M
78K103T	M	<10	700	7.0	M	M	5	15	10	50	S
78K501S	M	<10	2,000	1.0	M	M	20	30	<5	50	M
78K501T	M	<10	1,500	1.0	M	M	15	20	5	50	M
78K502S	M	<10	1,500	<1.0	M	M	15	10	5	50	M
78K502T	M	<10	1,500	1.0	M	M	10	10	5	50	M
78K503S	M	<10	2,000	<1.0	M	M	7	15	10	20	M
78K503T	M	M	2,000	1.0	M	M	5	10	5	M	M
78K504S	M	<10	2,000	1.0	M	M	10	100	7	30	M
78K504T	M	M	2,000	1.0	M	M	7	100	5	20	M
78K505S	M	<10	5,000	1.5	M	M	20	70	20	50	M
78K505T	M	M	3,000	1.0	M	M	10	50	10	50	M
78K506S	M	M	5,000	1.0	M	M	5	<10	<5	<20	M
78K506T	M	M	3,000	1.0	M	M	5	10	5	M	M
78K507S	M	<10	1,000	<1.0	M	M	30	100	70	<20	M
78K507T	M	<10	1,000	<1.0	M	M	30	150	100	<20	M
78K508S	M	<10	2,000	1.0	M	M	10	50	5	70	M
78K508T	M	<10	2,000	1.0	M	M	15	70	7	20	M
78K509S	M	<10	700	<1.0	M	M	30	150	100	20	M
78K509T	M	<10	500	<1.0	M	M	20	150	70	20	M
78K510S	M	<10	2,000	1.0	M	M	5	30	5	50	M
78K510T	M	M	5,000	1.0	M	M	10	50	7	30	M
78K511S	M	<10	2,000	<1.0	M	M	15	70	10	50	M
78K511T	M	<10	1,500	<1.0	M	M	20	100	100	50	M
78K512S	M	<10	1,500	1.0	M	M	30	100	10	20	M
78K512T	M	<10	1,500	1.0	M	M	20	100	20	70	M
78K513S	M	<10	2,000	1.0	M	M	20	100	30	100	M
78K513T	M	<10	2,000	1.0	M	M	30	100	15	30	M
78K514S	M	<10	1,500	1.0	M	M	20	150	30	120	M
78K514T	M	10	2,000	1.0	M	M	15	50	7	50	M
78K515S	M	<10	1,500	1.0	M	M	20	30	7	120	M
78K515T	M	<10	1,500	1.0	M	M	15	20	7	M	M
78K516S	M	<10	1,500	1.5	M	M	15	20	5	50	M
78K516T	M	M	1,500	1.0	M	M	20	50	5	<20	M
78K517S	M	<10	2,000	1.0	M	M	30	50	15	70	M
78K517T	M	<10	1,500	1.0	M	M	20	50	7	70	M
78K518S	M	<10	1,500	1.0	M	M	30	100	15	50	M
78K518T	M	<10	1,000	1.0	M	M	20	70	15	70	M



Table S.---Analytical data for stream-sediment samples---continued

SAMPLE	S-MB	S-NI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TH	S-V	S-W	S-Y
78RS577	M	50	15	M	20	M	300	M	300	M	30
78RS585	<20	30	50	M	20	M	500	M	200	M	50
78RS587	<20	30	50	M	20	M	500	M	300	M	50
78RS595	<20	10	20	M	7	M	500	M	70	M	15
78RS597	<20	10	15	M	10	M	700	M	100	M	20
78RS605	M	30	10	M	20	M	500	M	300	M	50
78RS607	M	30	10	M	30	M	300	M	300	M	50
78RS1035	50	5	50	M	5	M	300	M	100	M	70
78RS1037	50	<5	70	M	5	M	200	M	100	M	70
78RS015	M	5	15	M	20	M	1,500	M	200	M	20
78RS5017	20	5	15	M	20	M	1,030	M	200	M	30
78RS5025	<20	50	15	M	15	M	1,530	M	200	M	30
78RS5027	M	<5	15	M	15	M	1,000	M	200	M	20
78RS5035	M	50	20	M	5	M	1,000	M	150	M	10
78RS5037	M	<5	20	M	5	M	1,530	M	100	M	10
78RS5045	<20	15	20	M	10	M	1,000	M	150	M	20
78RS5047	M	15	20	M	5	M	1,500	M	100	M	15
78RS5055	20	20	30	M	10	M	1,000	M	300	M	20
78RS5057	M	10	30	M	7	M	1,000	M	150	M	15
78RS5065	M	M	30	M	5	M	2,000	M	100	M	15
78RS5067	M	<5	20	M	5	M	1,530	M	100	M	10
78RS5075	M	20	10	M	20	M	500	M	300	M	30
78RS5077	M	30	10	M	30	M	500	M	20	M	20
78RS5085	M	10	20	M	15	M	1,000	M	150	M	20
78RS5087	<20	20	20	M	10	M	1,030	M	200	M	20
78RS5095	M	50	15	M	20	M	500	M	300	M	50
78RS5097	M	50	10	M	20	M	530	M	300	M	30
78RS5105	M	5	15	M	7	M	1,500	M	100	M	20
78RS5107	M	10	20	M	10	M	1,500	M	150	M	20
78RS5115	M	10	15	M	15	M	1,500	<100	200	M	30
78RS5117	M	15	20	M	15	M	1,000	M	300	M	30
78RS5125	20	20	20	M	20	M	1,000	M	500	M	30
78RS5127	<20	15	15	M	15	M	1,000	M	300	M	30
78RS5135	<20	20	20	M	20	M	1,500	M	500	M	50
78RS5137	<20	20	20	M	15	M	1,030	M	300	M	30
78RS5145	M	30	20	M	20	M	500	M	200	M	30
78RS5147	M	5	15	M	10	M	1,000	M	200	M	20
78RS5155	M	5	15	M	20	M	1,000	M	200	M	30
78RS5157	M	M	15	M	15	M	1,030	M	150	M	30
78RS5165	M	5	15	M	15	M	1,000	M	200	M	20
78RS5167	<20	M	20	M	20	M	1,030	M	200	M	30
78RS5175	<20	15	20	M	20	M	1,000	M	300	M	30
78RS5177	<20	10	20	M	20	M	1,030	M	300	M	30
78RS5185	M	15	20	M	15	M	730	M	200	M	20
78RS5187	M	20	15	M	15	M	700	M	200	M	15

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZM	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-N6
78ER557T	<200	70	M	70	10	100	--
78ER558S	<200	200	M	40	10	75	--
78ER558T	<200	100	M	40	10	85	--
78ER559S	M	150	M	10	10	100	--
78ER559T	M	100	M	10	10	100	--
78ER560S	<200	70	M	40	5	60	--
78ER560T	<200	150	M	30	5	60	--
78ER103S	<200	500	M	10	30	85	--
78ER103T	M	700	M	10	25	80	--
78ER501S	<200	200	M	5	10	30	--
78ER501T	<200	100	M	5	<5	20	--
78ER502S	M	300	M	10	5	25	--
78ER502T	M	150	M	5	5	35	--
78ER503S	M	300	<.05	10	5	30	--
78ER503T	M	300	M	10	<5	30	--
78ER504S	M	150	M	5	<5	25	--
78ER504T	M	150	M	10	<5	20	--
78ER505S	<200	300	M	20	15	35	--
78ER505T	M	150	M	20	10	45	--
78ER506S	M	100	M	5	10	65	--
78ER506T	M	150	M	<5	5	55	--
78ER507S	<200	100	M	55	5	40	--
78ER507T	<200	100	M	55	10	40	--
78ER508S	<200	150	M	5	<5	50	--
78ER508T	M	150	M	5	5	55	--
78ER509S	M	100	M	95	15	100	--
78ER509T	<200	100	M	85	15	90	--
78ER510S	<200	100	<.05	15	<5	20	--
78ER510T	M	150	M	10	<5	30	--
78ER511S	M	200	M	20	5	30	--
78ER511T	M	300	M	20	<5	25	--
78ER512S	M	200	<.05	20	5	30	--
78ER512T	M	500	M	15	5	35	--
78ER513S	M	700	M	20	<5	25	--
78ER513T	<200	500	M	10	5	5	--
78ER514S	M	150	M	20	10	70	--
78ER514T	M	300	M	10	5	30	--
78ER515S	M	700	M	10	<5	25	--
78ER515T	M	300	M	5	5	25	--
78ER516S	<200	150	M	15	5	30	--
78ER516T	M	300	M	5	5	30	--
78ER517S	<200	100	M	10	10	60	--
78ER517T	<200	150	M	15	10	60	--
78ER518S	M	300	M	25	5	45	--
78ER518T	M	100	M	15	5	30	--

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAX	S-TIX	S-MM	S-AG	S-AS
78RK519S	C06680	56 11 31	131 13 2	5.0	2.00	3.0	.30	1,000	M	M
78RK519T	C06328	56 11 31	131 13 2	5.0	2.00	3.0	.20	1,000	M	M
78RK520S	C06612	56 11 56	131 11 49	10.0	3.00	3.0	.50	1,500	M	M
78RK520T	C06676	56 11 56	131 11 49	5.0	2.00	2.0	.30	1,000	M	M
78RK521S	C06498	56 12 47	131 12 41	5.0	2.00	5.0	.50	1,000	N	M
78RK521T	C06536	56 12 47	131 12 41	7.0	3.00	5.0	.50	1,500	M	M
78RK522S	C06643	56 14 30	131 9 54	5.0	2.00	2.0	.20	700	M	M
78RK522T	C06593	56 14 30	131 9 54	5.0	2.00	2.0	.50	1,000	M	M
78RK523S	C06552	56 12 8	131 10 24	15.0	2.00	2.0	.70	1,500	M	M
78RK523T	C06374	56 12 8	131 10 24	15.0	3.00	2.0	.70	1,500	M	M
78RK524S	C06508	56 16 8	131 10 52	7.0	1.50	3.0	.70	1,000	M	M
78RK524T	C06502	56 16 8	131 10 52	10.0	1.50	2.0	.70	1,000	M	M
78RK525S	C06583	56 16 11	131 10 55	7.0	2.00	3.0	.50	1,000	M	M
78RK525T	C06375	56 16 11	131 10 55	7.0	1.50	2.0	.50	1,000	M	M
78RK526S	C06458	56 15 36	131 11 54	5.0	1.00	2.0	.50	1,000	M	M
78RK526T	C06443	56 15 36	131 11 54	7.0	1.50	2.0	.50	1,000	M	M
78RK527S	C06331	56 18 13	131 15 48	3.0	2.00	2.0	.30	1,000	M	M
78RK527T	C06390	56 18 13	131 15 48	3.0	1.50	2.0	.30	700	M	M
78RK528S	C06587	56 18 22	131 14 19	20.0	3.00	5.0	.70	1,500	M	M
78RK528T	C06649	56 18 22	131 14 19	7.0	2.00	2.0	.20	1,000	M	M
78RK529S	C06356	56 18 14	131 11 47	7.0	1.50	3.0	.50	1,500	M	M
78RK529T	C06685	56 18 14	131 11 47	3.0	1.50	2.0	.30	1,000	M	M
78RK530S	C06573	56 18 8	131 11 44	7.0	2.00	2.0	.70	1,000	M	M
78RK530T	C06452	56 18 8	131 11 44	7.0	1.50	3.0	.50	1,500	M	M
78RK531S	C06630	56 17 50	131 14 35	10.0	2.00	2.0	.50	1,000	M	M
78RK531T	C06428	56 17 50	131 14 35	5.0	2.00	2.0	.50	1,000	M	M
78RK532S	C06488	56 17 47	131 14 31	5.0	1.50	2.0	.30	700	M	M
78RK532T	C06417	56 17 47	131 14 31	>20.0	1.50	1.5	.70	1,500	M	M
78RK533S	C06340	56 17 26	131 15 20	5.0	1.50	2.0	.50	1,000	M	M
78RK533T	C06372	56 17 26	131 15 20	7.0	2.00	2.0	.50	1,000	M	M
78RK534S	C06337	56 17 39	131 15 7	5.0	1.50	2.0	.30	1,000	M	M
78RK534T	C06339	56 17 39	131 15 7	3.0	1.50	2.0	.20	700	M	M
78RK535S	C06628	56 17 2	131 15 25	7.0	1.50	2.0	.30	1,000	M	M
78RK535T	C06567	56 17 2	131 15 25	7.0	2.00	3.0	.30	1,000	M	M
78RK536S	C06555	56 16 14	131 15 55	7.0	3.00	3.0	.50	1,500	M	M
78RK536T	C06434	56 16 14	131 15 55	10.0	3.00	2.0	.50	1,500	M	M
78RK537S	C06454	56 15 59	131 15 54	15.0	5.00	3.0	1.00	1,500	M	M
78RK537T	C06416	56 15 59	131 15 54	10.0	5.00	3.0	.70	1,500	M	M
78RK538S	C06521	56 16 0	131 15 38	7.0	1.50	3.0	.30	700	M	M
78RK538T	C06569	56 16 0	131 15 38	10.0	2.00	3.0	.50	1,000	M	M
78RK539S	C06426	56 16 6	131 17 20	7.0	5.00	3.0	.70	1,000	M	M
78RK539T	C06349	56 16 6	131 17 20	10.0	5.00	5.0	1.00	1,500	M	M
78RK540S	C06613	56 14 18	131 13 48	10.0	2.00	3.0	.70	1,000	M	M
78RK540T	C06489	56 14 18	131 13 48	10.0	2.00	2.0	.50	1,000	M	M
78RK541S	C06605	56 13 47	131 16 16	5.0	2.00	2.0	.50	1,000	M	M

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CO	S-CR	S-CU	S-LA	S-MO
78RK5195	M	<10	1,000	1.0	M	M	10	100	7	M	M
78RK5197	M	<10	1,000	1.5	M	M	15	100	7	M	M
78RK5205	M	<10	1,500	<1.0	M	M	20	100	15	20	M
78RK5207	M	<10	1,500	1.0	M	M	15	100	10	20	M
78RK5215	M	<10	2,000	1.0	M	M	20	200	30	20	<5
78RK5217	M	<10	2,000	1.0	M	M	20	300	70	50	5
78RK5225	M	<10	1,500	1.0	M	M	10	20	5	M	M
78RK5227	M	<10	2,000	1.0	M	M	10	20	7	30	M
78RK5235	M	<10	1,000	1.0	M	M	20	70	20	20	M
78RK5237	M	<10	1,500	<1.0	M	M	20	150	20	50	<5
78RK5245	M	<10	5,000	1.5	M	M	15	50	5	100	M
78RK5247	M	<10	2,000	1.0	M	M	15	50	20	100	M
78RK5255	M	<10	2,000	1.0	M	M	10	30	5	70	M
78RK5257	M	<10	1,500	1.0	M	M	10	20	5	120	M
78RK5265	M	<10	1,500	1.0	M	M	10	20	10	50	M
78RK5267	M	<10	1,500	1.0	M	M	10	20	5	<20	M
78RK5275	M	M	1,500	1.0	M	M	10	50	M	70	M
78RK5277	M	M	1,500	1.0	M	M	5	50	5	M	M
78RK5285	M	<10	1,500	<1.0	M	M	30	150	150	50	M
78RK5287	M	<10	1,000	1.0	M	M	15	70	15	20	M
78RK5295	M	<10	1,500	1.0	M	M	10	30	5	70	M
78RK5297	M	<10	1,500	1.0	M	M	7	20	5	70	M
78RK5305	M	<10	2,000	1.0	M	M	10	30	5	20	M
78RK5307	M	<10	1,500	1.0	M	M	10	70	5	100	M
78RK5315	M	<10	1,000	1.0	M	M	20	20	7	100	M
78RK5317	M	<10	1,000	10.0	M	M	20	50	70	100	<5
78RK5325	M	M	1,000	<1.0	M	M	7	50	5	70	M
78RK5327	M	<10	700	1.0	M	M	20	70	50	70	M
78RK5335	M	<10	2,000	1.0	M	M	10	50	7	50	M
78RK5337	M	<10	2,000	1.0	M	M	15	50	7	70	M
78RK5345	M	<10	1,500	1.5	M	M	10	30	50	20	M
78RK5347	M	<10	1,500	1.0	M	M	10	50	20	30	M
78RK5355	M	<10	1,500	1.0	M	M	10	70	5	150	M
78RK5357	M	<10	2,000	1.0	M	M	10	70	7	<20	M
78RK5365	M	<10	2,000	1.0	M	M	15	100	10	50	M
78RK5367	M	<10	1,000	1.0	M	M	20	100	30	20	M
78RK5375	M	<10	700	1.0	M	M	50	200	20	50	M
78RK5377	M	<10	700	1.0	M	M	50	200	10	20	M
78RK5385	M	<10	2,000	1.0	M	M	15	50	10	150	M
78RK5387	M	<10	2,000	1.0	M	M	10	30	10	70	M
78RK5395	M	<10	1,000	10.0	M	M	50	150	10	150	20
78RK5397	M	<10	700	<1.0	M	M	50	200	70	20	M
78RK5405	M	<10	2,000	<1.0	M	M	15	30	15	70	M
78RK5407	M	<10	1,500	<1.0	M	M	15	50	50	70	M
78RK5415	M	<10	1,000	1.0	M	M	15	50	20	20	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SH	S-SR	S-TH	S-V	S-W	S-Y
78RK519S	M	20	10	M	15	M	1,000	M	150	M	20
78RK519T	M	30	10	M	15	M	1,000	M	150	M	10
78RK520S	M	50	10	M	20	M	1,000	M	300	M	30
78RK520T	M	20	15	M	15	M	1,000	M	200	M	20
78RK521S	M	30	15	M	20	M	1,000	M	300	M	20
78RK521T	<20	50	20	M	20	M	1,000	M	300	M	30
78RK522S	M	<5	20	M	10	M	1,000	M	100	M	10
78RK522T	M	5	50	M	10	M	1,500	M	200	M	20
78RK523S	<20	20	15	M	15	M	500	M	500	M	20
78RK523T	<20	30	20	M	20	M	1,000	M	500	M	50
78RK524S	<20	5	30	M	20	M	1,500	M	200	M	30
78RK524T	20	5	30	M	15	M	1,000	M	200	M	50
78RK525S	<20	5	20	M	20	M	1,000	M	200	M	30
78RK525T	M	<5	20	M	15	M	1,000	M	200	M	30
78RK526S	M	30	20	M	15	M	1,000	M	100	M	20
78RK526T	<20	30	30	M	15	M	1,000	M	150	M	30
78RK527S	M	15	15	M	10	M	1,000	M	150	M	30
78RK527T	M	30	30	M	20	M	1,500	M	1,500	M	20
78RK528S	20	15	15	M	15	M	700	M	200	M	20
78RK528T	M	5	20	M	15	M	1,000	M	200	M	20
78RK529S	<20	5	20	M	15	M	1,000	M	200	M	20
78RK529T	M	5	20	M	10	M	1,000	M	200	M	50
78RK530S	<20	<5	20	M	15	M	1,000	M	200	M	50
78RK530T	<20	7	20	M	15	M	1,000	M	200	M	20
78RK531S	20	20	15	M	15	M	700	M	300	M	50
78RK531T	M	10	15	M	20	M	700	M	150	M	30
78RK532S	M	5	15	M	10	M	700	M	150	M	20
78RK532T	20	5	15	M	15	M	500	M	500	M	50
78RK533S	<20	10	30	M	10	M	1,500	M	150	M	30
78RK533T	20	15	50	M	15	M	1,500	M	200	M	30
78RK534S	<20	15	15	M	10	M	1,000	M	150	M	20
78RK534T	M	15	20	M	10	M	1,000	M	150	M	20
78RK535S	<20	15	20	M	10	M	1,000	M	200	M	30
78RK535T	M	20	30	M	15	M	1,000	M	200	M	20
78RK536S	M	20	20	M	20	M	700	M	300	M	30
78RK536T	M	10	15	M	20	M	700	M	200	M	30
78RK537S	M	20	10	M	50	M	700	M	500	M	30
78RK537T	M	15	10	M	30	M	700	M	300	M	30
78RK538S	<20	5	20	M	15	M	1,000	M	300	M	50
78RK538T	<20	5	30	M	15	M	1,500	M	300	M	50
78RK539S	M	<5	10	M	30	M	700	M	300	M	20
78RK539T	M	15	10	M	30	M	700	M	700	M	30
78RK540S	<20	<5	30	M	20	M	1,000	M	300	M	50
78RK540T	20	<5	30	M	15	M	700	M	300	M	50
78RK541S	M	20	<10	M	15	M	500	M	150	M	20

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-H6
78RK5198	M	70	M	25	5	25	--
78RK5197	M	50	<.05	25	<5	15	--
78RK5208	<200	100	<.05	15	5	45	--
78RK5207	M	100	M	15	10	60	--
78RK5218	M	200	<.05	25	10	25	--
78RK5217	<200	200	M	25	<5	25	--
78RK5228	M	100	M	10	5	40	--
78RK5227	M	100	M	10	<5	35	--
78RK5236	<200	200	M	25	5	40	--
78RK5237	<200	200	M	25	5	50	--
78RK5248	<200	300	M	10	10	35	--
78RK5247	<200	1,000	<.05	15	10	35	--
78RK5258	M	500	M	10	5	30	--
78RK5257	M	150	M	5	<5	35	--
78RK5268	M	300	M	5	5	25	--
78RK5267	M	300	M	5	5	25	--
78RK5278	M	70	<.05	10	M	15	--
78RK5277	M	70	M	10	<5	15	--
78RK5288	M	100	M	20	<5	15	--
78RK5287	M	150	M	25	<5	30	--
78RK5298	M	500	M	10	5	25	--
78RK5297	M	100	M	10	15	30	--
78RK5308	M	1,000	M	10	5	40	--
78RK5307	M	200	M	5	5	30	--
78RK5318	M	70	M	15	<5	20	--
78RK5317	M	100	M	20	<5	15	--
78RK5328	M	70	M	10	<5	30	--
78RK5327	M	700	M	20	5	15	--
78RK5338	<200	150	M	15	10	45	--
78RK5337	M	300	M	10	5	40	--
78RK5348	M	100	M	15	5	20	--
78RK5347	M	70	M	10	<5	15	--
78RK5358	M	100	M	5	5	30	--
78RK5357	<200	150	M	10	10	35	--
78RK5368	<200	150	M	25	5	20	--
78RK5367	M	100	M	20	5	15	--
78RK5378	<200	100	M	25	<5	15	--
78RK5377	<200	70	M	20	<5	20	--
78RK5388	M	1,000	M	10	10	20	--
78RK5387	M	1,000	<.05	5	5	15	--
78RK5398	<200	70	M	20	5	25	--
78RK5397	<200	150	M	25	<5	20	--
78RK5408	M	700	M	10	5	50	--
78RK5407-	M	>1,000	<.05	10	10	25	--
78RK5418	<200	100	<.05	25	10	40	--

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS
78RK541T	C06323	56 13 47	131 16 16	7.0	2.00	3.0	.50	1,000	M	M
78RK542S	C06501	56 13 24	131 17 40	10.0	2.00	2.0	.70	1,500	M	M
78RK542T	C06422	56 13 24	131 17 40	15.0	3.00	2.0	.70	1,500	M	M
78RK543S	C06319	56 9 58	131 36 10	10.0	3.00	3.0	.50	2,000	M	M
78RK543T	C06365	56 9 58	131 36 10	10.0	3.00	3.0	.50	1,500	M	M
78RK544S	C06607	56 11 5	131 38 45	5.0	2.00	2.0	.50	1,000	M	M
78RK544T	C06507	56 11 5	131 38 45	10.0	2.00	1.5	.50	2,000	M	M
78RK545S	C06677	56 11 3	131 39 5	7.0	3.00	3.0	.50	1,500	M	M
78RK545T	C06687	56 11 3	131 39 5	7.0	2.00	2.0	.30	2,000	M	M
78RK546S	C06558	56 11 29	131 40 46	10.0	3.00	2.0	.50	1,500	M	M
78RK546T	C06410	56 11 29	131 40 46	5.0	2.00	1.5	.50	2,000	M	M
78RK547S	C06632	56 11 13	131 42 20	7.0	2.00	1.5	.30	2,000	M	M
78RK547T	C06408	56 11 13	131 42 20	5.0	1.50	1.5	.30	1,500	M	M
78RK548S	C06461	56 11 28	131 43 9	5.0	1.00	1.5	.50	2,000	M	M
78RK548T	C06467	56 11 28	131 43 9	5.0	2.00	1.5	.50	3,000	M	M
78RK549S	C06556	56 11 43	131 43 44	7.0	5.00	2.0	.50	2,000	M	M
78RK549T	C06330	56 11 43	131 43 44	7.0	5.00	1.5	.50	2,000	M	M
78RK550S	C06466	56 12 0	131 45 20	7.0	.70	1.0	.30	>5,000	M	M
78RK550T	C06686	56 12 0	131 45 20	7.0	1.00	1.5	.20	>5,000	M	M
78RK551S	C06412	56 12 12	131 46 20	10.0	.70	1.0	.30	5,000	M	M
78RK551T	C06638	56 12 12	131 46 20	10.0	1.00	1.5	.20	3,000	M	M
78RK552S	C06476	56 11 54	131 47 2	2.0	.50	.3	.07	5,000	M	M
78RK552T	C06437	56 11 54	131 47 2	10.0	1.00	.7	.30	>5,000	M	M
78RK553S	C06314	56 11 28	131 49 0	5.0	2.00	2.0	.50	2,000	M	M
78RK553T	C06620	56 11 28	131 49 0	5.0	2.00	2.0	.30	1,500	M	M
78RK554S	C06539	56 11 32	131 48 57	3.0	1.50	1.5	.50	1,500	M	M
78RK554T	C06370	56 11 32	131 48 57	5.0	1.50	1.5	.30	2,000	M	M
78RK555S	C06401	56 11 23	131 49 14	5.0	2.00	3.0	.50	2,000	M	M
78RK555T	C06549	56 11 23	131 49 14	7.0	2.00	2.0	.50	1,500	M	M
78RK556S	C06689	56 11 22	131 49 23	5.0	3.00	2.0	.50	2,000	M	M
78RK556T	C06432	56 11 22	131 49 23	5.0	2.00	1.5	.20	1,500	M	M
78RK557S	C06541	56 12 23	131 39 40	7.0	2.00	2.0	.70	1,500	M	M
78RK557T	C06570	56 12 23	131 39 40	10.0	3.00	1.5	.50	1,500	M	M
78RK558S	C06414	56 13 1	131 41 53	5.0	2.00	1.5	.30	1,500	M	M
78RK558T	C06341	56 13 1	131 41 53	7.0	1.50	2.0	.50	2,000	M	M
78RK559S	C06387	56 13 5	131 42 59	7.0	2.00	3.0	.50	1,000	M	M
78RK559T	C06464	56 13 5	131 42 59	5.0	1.50	2.0	.30	1,500	M	M
78RK560S	C06389	56 13 12	131 43 30	5.0	3.00	3.0	.30	1,500	M	M
78RK560T	C06326	56 13 12	131 43 30	5.0	2.00	2.0	.30	1,500	M	M
78RK561S	C06588	56 13 32	131 46 5	7.0	3.00	3.0	.50	1,500	M	M
78RK561T	C06357	56 13 32	131 46 5	10.0	3.00	3.0	.50	1,000	M	M
78RK562S	C06535	56 13 29	131 46 35	7.0	3.00	2.0	.50	1,500	M	M
78RK562T	C06455	56 13 29	131 46 35	5.0	2.00	2.0	.50	1,500	M	M
78RK563S	C06409	56 13 7	131 48 50	7.0	3.00	2.0	.50	1,500	M	M
78RK563T	C06627	56 13 7	131 48 50	7.0	3.00	2.0	.50	1,500	M	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
78RK541T	M	<10	1,000	1.5	M	M	20	70	15	20	M
78RK542S	M	<10	2,000	1.0	M	M	20	100	30	70	M
78RK542T	M	M	1,000	<1.0	M	M	20	70	5	30	M
78RK543S	M	<10	700	2.0	M	M	30	200	15	50	M
78RK543T	M	<10	700	1.0	M	M	50	300	30	<20	M
78RK544S	M	<10	3,000	1.0	M	M	20	50	7	30	M
78RK544T	M	<10	2,000	1.0	M	M	50	300	70	50	S
78RK545S	M	10	1,500	<1.0	M	M	30	200	100	M	M
78RK545T	M	<10	1,000	1.0	M	M	33	150	70	<20	M
78RK546S	M	<10	1,000	1.0	M	M	50	150	50	20	S
78RK546T	M	<10	700	1.0	M	M	30	100	30	100	M
78RK547S	M	20	700	1.0	M	M	15	100	15	50	M
78RK547T	M	<10	500	1.0	M	M	15	70	15	<20	M
78RK548S	M	<10	500	1.0	M	M	15	100	20	<20	M
78RK548T	M	M	500	1.0	M	M	20	100	15	20	M
78RK549S	M	<10	500	1.0	M	M	50	500	20	<20	M
78RK549T	M	<10	500	<1.0	M	M	50	700	10	<20	M
78RK550S	M	<10	700	2.0	M	M	20	50	15	70	M
78RK550T	M	<10	700	1.0	M	M	20	50	15	50	M
78RK551S	M	<10	700	<1.0	M	M	20	50	50	<20	M
78RK551T	M	<10	700	1.0	M	M	10	50	10	50	M
78RK552S	M	10	500	1.0	M	M	20	50	10	20	M
78RK552T	M	<10	1,000	1.0	M	M	30	100	20	20	M
78RK553S	M	<10	700	1.5	M	M	15	100	10	<20	<S
78RK553T	M	<10	700	1.0	M	M	10	100	50	M	M
78RK554S	M	<10	1,500	1.0	M	M	10	100	10	<20	M
78RK554T	M	15	1,000	1.0	M	M	10	70	5	50	M
78RK555S	M	50	700	1.5	M	M	15	100	20	50	M
78RK555T	M	<10	1,000	1.0	M	M	15	150	50	<20	M
78RK556S	M	30	700	1.0	M	M	15	100	20	70	M
78RK556T	M	<10	700	2.0	M	M	10	100	15	50	M
78RK557S	M	<10	2,000	1.0	M	M	20	100	70	150	M
78RK557T	M	<10	1,500	<1.0	M	M	30	200	20	50	M
78RK558S	M	30	1,000	1.0	M	M	20	70	7	M	<S
78RK558T	M	<10	1,500	1.5	M	M	30	70	15	70	M
78RK559S	M	<10	1,500	1.0	M	M	15	100	7	50	M
78RK559T	M	<10	1,000	1.0	M	M	15	50	5	120	M
78RK560S	M	<10	1,000	1.0	M	M	7	100	20	30	M
78RK560T	M	<10	700	1.0	M	M	20	100	30	20	M
78RK561S	M	<10	700	1.0	M	M	30	200	70	50	M
78RK561T	M	<10	500	1.0	M	M	70	200	100	<20	M
78RK562S	M	<10	1,000	2.0	M	M	30	300	70	100	M
78RK562T	M	<10	700	2.0	M	M	33	150	70	70	M
78RK563S	M	<10	1,500	1.0	M	M	30	100	50	<20	M
78RK563T	M	<10	1,000	2.0	M	M	20	100	50	70	M



Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
78RK541T	<20	20	10	N	20	N	1,000	N	200	N	50
78RK542S	20	20	20	N	20	N	700	N	300	N	70
78RK542T	<20	<5	15	N	20	N	500	N	300	N	50
78RK543S	N	50	10	N	30	N	500	N	200	N	50
78RK543T	N	50	15	N	20	N	500	N	300	N	30
78RK544S	N	20	20	N	10	N	1,500	N	200	N	20
78RK544T	N	100	20	N	20	N	500	N	500	N	50
78RK545S	N	70	15	N	20	N	300	N	300	N	30
78RK545T	N	70	10	N	20	N	200	N	200	N	30
78RK546S	N	30	20	N	20	N	500	N	300	N	30
78RK546T	N	<5	20	N	20	N	500	N	200	N	20
78RK547S	N	20	10	N	20	N	500	N	200	N	50
78RK547T	N	10	10	N	15	N	500	N	150	N	50
78RK548S	N	20	10	N	20	N	300	N	150	N	30
78RK548T	N	15	10	N	15	N	300	N	200	N	20
78RK549S	N	100	10	N	20	N	200	N	200	N	20
78RK549T	N	150	15	N	30	N	200	N	200	N	30
78RK550S	N	30	10	N	10	N	200	N	100	N	20
78RK550T	N	50	<10	N	10	N	300	N	100	N	30
78RK551S	N	20	10	N	10	N	300	N	150	N	30
78RK551T	N	5	<10	N	10	N	300	N	100	N	20
78RK552S	N	20	<10	N	7	N	150	N	70	N	10
78RK552T	N	10	15	N	10	N	200	N	150	N	20
78RK553S	N	20	10	N	20	N	500	N	150	N	30
78RK553T	N	20	15	N	15	N	500	N	150	N	20
78RK554S	<20	15	20	N	10	N	500	N	200	N	20
78RK554T	N	15	10	N	15	N	700	N	200	N	50
78RK555S	<20	20	15	N	20	N	500	N	200	N	50
78RK555T	N	20	20	N	15	N	500	N	200	N	20
78RK556S	N	20	10	N	15	N	500	N	200	N	50
78RK556T	N	30	10	N	10	N	300	N	150	N	20
78RK557S	<20	15	15	N	15	N	700	N	300	N	50
78RK557T	N	30	15	N	20	N	700	N	300	N	20
78RK558S	N	30	15	N	15	N	700	N	150	N	20
78RK558T	N	20	20	N	15	N	700	N	200	N	50
78RK559S	N	15	15	N	15	N	700	N	200	N	50
78RK559T	N	<5	10	N	15	N	700	N	150	N	20
78RK560S	N	30	10	N	20	N	500	N	200	N	50
78RK560T	N	30	10	N	20	N	500	N	200	N	50
78RK561S	N	50	10	N	30	N	300	N	300	N	50
78RK561T	N	70	15	N	30	N	300	N	500	N	50
78RK562S	<20	50	20	N	30	N	300	N	300	N	50
78RK562T	N	30	15	N	20	N	200	N	150	N	20
78RK563S	N	20	30	N	20	N	500	N	200	N	50
78RK563T	<20	20	20	N	20	N	500	N	200	N	50

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZM	S-2R	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZM-P	INST-H6
78R541T	<200	50	N	20	5	35	--
78R542S	<200	300	N	20	10	50	--
78R542T	<200	300	N	15	5	35	--
78R543S	<200	100	N	30	10	75	--
78R543T	<200	150	N	30	10	70	--
78R544S	N	100	N	10	<5	35	--
78R544T	<200	150	N	35	20	100	--
78R545S	<200	100	N	50	15	120	--
78R545T	<200	70	N	55	10	120	--
78R546S	<200	100	N	25	10	110	--
78R546T	<200	100	N	25	10	90	--
78R547S	<200	100	N	30	5	90	--
78R547T	N	150	<.05	20	10	90	--
78R548S	N	300	N	10	10	35	--
78R548T	N	150	N	15	10	40	--
78R549S	<200	50	N	15	10	60	--
78R549T	N	50	N	20	5	50	--
78R550S	N	50	N	15	15	150	--
78R550T	<200	100	N	15	10	120	--
78R551S	<200	70	N	20	10	230	--
78R551T	N	70	N	15	10	140	--
78R552S	<200	70	N	35	10	170	--
78R552T	<200	200	N	20	10	120	--
78R553S	<200	100	<.05	35	10	80	--
78R553T	<200	150	<.05	20	10	85	--
78R554S	N	100	N	15	5	45	--
78R554T	N	150	N	10	5	40	--
78R555S	<200	100	N	15	10	80	--
78R555T	N	200	N	20	10	<5	--
78R556S	200	200	N	20	10	150	--
78R556T	<200	70	N	20	10	140	--
78R557S	<200	500	N	10	5	35	--
78R557T	<200	100	N	20	10	65	--
78R558S	N	200	N	25	5	55	--
78R558T	<200	300	<.05	15	5	65	--
78R559S	N	300	N	15	<5	35	--
78R559T	N	200	N	5	<5	25	--
78R560S	N	200	N	15	5	45	--
78R560T	<200	100	N	45	5	70	--
78R561S	<200	100	N	40	10	65	--
78R561T	N	100	N	45	10	65	--
78R562S	<200	150	N	70	10	85	--
78R562T	N	70	N	45	15	75	--
78R563S	N	100	N	40	10	70	--
78R563T	N	100	N	35	15	60	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-TEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS
78RK5645	C06344	56 14 9	131 55 32	5.0	2.00	2.0	.30	1,500	M	M
78RK5647	C06398	56 14 9	131 55 32	7.0	3.00	3.0	.50	1,500	M	M
78RK5648	C06471	56 15 43	131 56 43	3.0	1.00	2.0	.50	1,000	M	M
78RK5648	C06647	56 16 9	131 57 1	5.0	1.50	2.0	.30	1,500	M	M
78RK5667	C06682	56 16 9	131 57 1	5.0	1.00	1.5	.20	2,000	M	M
78RK5675	C06610	56 15 1	131 56 18	10.0	2.00	2.0	.50	1,500	M	M
78RK5671	C06345	56 15 1	131 56 18	5.0	1.50	2.0	.30	2,000	M	M
78RK5683	C06506	56 17 45	131 58 11	7.0	2.00	2.0	.50	1,500	M	M
78RK5687	C06645	56 17 45	131 58 11	5.0	2.00	1.5	.30	1,000	M	M
78RK5695	C06503	56 18 17	131 59 59	7.0	2.00	2.0	.50	1,500	M	M
78RK5697	C06582	56 18 17	131 59 59	7.0	2.00	2.0	.50	2,000	M	M
78RK5708	C06457	56 17 6	131 59 7	5.0	1.50	2.0	.50	2,000	M	M
78RK5707	C06347	56 17 6	131 59 7	5.0	1.50	2.0	.50	2,000	M	M
78RK5715	C06617	56 16 22	131 58 39	7.0	3.00	3.0	.50	1,500	M	M
78RK5717	C06360	56 16 22	131 58 39	7.0	2.00	3.0	.30	1,500	M	M
78RK5728	C06468	56 16 5	131 58 21	7.0	2.00	3.0	.30	1,000	M	M
78RK5727	C06462	56 16 5	131 58 21	7.0	2.00	3.0	.50	1,500	M	M
78RK5738	C06354	56 14 40	131 57 27	5.0	2.00	2.0	.30	1,500	M	M
78RK5737	C06364	56 14 40	131 57 27	7.0	2.00	2.0	.30	1,500	M	M
78RK5748	C06433	56 30 27	131 38 42	10.0	1.00	2.0	.50	1,000	M	M
78RK5747	C06665	56 30 27	131 38 42	5.0	1.00	1.5	.30	700	M	M
78RK5758	C06661	56 30 34	131 38 57	5.0	1.50	1.5	.30	1,000	M	M
78RK5757	C06625	56 30 34	131 38 57	5.0	1.50	1.5	.30	1,000	M	M
78RK5768	C06406	56 30 17	131 39 9	7.0	1.50	1.5	.50	1,000	M	M
78RK5767	C06662	56 30 17	131 39 9	5.0	1.50	2.0	.30	1,000	M	M
78RK5778	C06600	56 30 30	131 39 44	5.0	2.00	1.5	.50	1,000	M	M
78RK5777	C06578	56 30 30	131 39 44	5.0	1.50	1.5	.50	1,000	M	M
78RK5788	C06456	56 30 16	131 39 38	7.0	1.50	3.0	.30	1,000	M	M
78RK5787	C06440	56 30 16	131 39 38	7.0	2.00	2.0	.50	1,500	M	M
78RK5798	C06581	56 30 18	131 40 51	7.0	2.00	2.0	.50	1,000	.5	M
78RK5797	C06477	56 30 18	131 40 51	5.0	2.00	2.0	.50	1,000	M	M
78RK5805	C06666	56 30 20	131 40 48	5.0	1.00	1.5	.30	700	M	M
78RK5807	C06629	56 30 20	131 40 48	10.0	1.00	2.0	.50	1,000	M	M
78RK5815	C06435	56 29 59	131 41 56	7.0	2.00	2.0	.50	1,000	2.0	M
78RK5817	C06399	56 29 59	131 41 56	7.0	2.00	2.0	.50	1,000	M	M
78RK5825	C06415	56 29 59	131 45 20	5.0	1.00	1.5	.50	1,000	M	M
78RK5827	C06523	56 29 59	131 45 20	7.0	1.00	2.0	.30	1,000	M	M
78RK5838	C06430	56 30 33	131 45 49	7.0	3.00	2.0	.50	1,500	M	M
78RK5837	C06668	56 30 33	131 45 49	7.0	3.00	3.0	.50	1,500	M	M
78RK5848	C06509	56 31 1	131 45 4	7.0	1.00	1.5	.30	1,000	M	M
78RK5847	C06658	56 31 1	131 45 4	5.0	1.00	1.0	.30	700	M	M
78RK5855	C06484	56 32 33	131 45 44	5.0	1.00	1.5	.30	1,000	M	M
78RK5857	C06451	56 32 33	131 45 44	7.0	1.50	1.5	.50	1,000	M	M
78RK5868	C06446	56 33 34	131 45 50	7.0	1.50	1.5	.30	1,000	M	M
78RK5867	C06374	56 33 34	131 45 50	5.0	1.50	1.5	.30	1,000	1.0	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CO	S-CR	S-CU	S-LA	S-MO
78RK5645	N	<10	700	1.5	N	N	20	100	100	<20	N
78RK5647	N	<10	1,000	1.0	N	N	20	100	5	70	N
78RK5653	N	<10	700	1.0	N	N	<5	30	15	<20	N
78RK5645	N	<10	1,000	1.0	N	N	10	30	N	<20	N
78RK5667	N	<10	700	1.0	N	N	5	20	N	70	N
78RK5675	N	<10	1,500	1.0	N	N	20	70	15	70	N
78RK5677	N	<10	700	2.0	N	N	15	100	10	<20	N
78RK5685	N	<10	1,500	2.0	N	N	20	100	10	30	N
78RK5687	N	<10	1,000	1.5	N	N	15	50	10	N	N
78RK5695	N	10	1,000	1.0	N	N	20	150	15	20	<5
78RK5697	N	10	1,000	1.0	N	N	20	150	10	20	<5
78RK5705	N	<10	700	1.0	N	N	10	100	5	70	N
78RK5707	N	<10	700	1.5	N	N	10	100	10	30	N
78RK5715	N	10	1,000	1.0	N	N	15	70	5	30	N
78RK5717	N	<10	1,000	1.0	N	N	15	50	5	50	N
78RK5725	N	10	1,000	1.0	N	N	10	200	10	20	N
78RK5727	N	<10	1,000	<1.0	N	N	15	70	<5	N	N
78RK5735	N	<10	1,000	1.0	N	N	5	70	5	20	N
78RK5737	N	<10	1,000	1.0	N	N	15	100	7	20	N
78RK5745	N	<10	1,500	1.0	N	N	10	20	<5	<20	N
78RK5747	N	<10	1,500	1.0	N	N	10	20	5	120	N
78RK5755	N	<10	1,500	1.5	N	N	10	15	5	N	N
78RK5757	N	<10	1,500	1.5	N	N	10	20	7	50	N
78RK5765	N	<10	1,500	1.0	N	N	10	20	7	50	<5
78RK5767	N	<10	2,000	1.0	N	N	10	10	5	50	N
78RK5775	N	10	2,000	3.0	N	N	10	15	7	50	N
78RK5777	N	<10	1,500	1.5	N	N	10	20	5	70	N
78RK5785	N	<10	1,500	1.5	N	N	20	30	15	50	N
78RK5787	N	N	1,500	<1.0	N	N	15	20	10	30	N
78RK5795	N	<10	1,500	2.0	N	N	20	30	30	20	N
78RK5797	N	<10	1,500	1.0	N	N	15	30	15	30	N
78RK5805	N	<10	1,500	1.0	N	N	5	15	<5	100	N
78RK5807	N	<10	1,500	1.0	N	N	10	20	7	120	N
78RK5815	N	<10	2,000	1.0	N	N	15	100	7	20	N
78RK5817	N	<10	2,000	1.0	N	N	10	20	10	50	N
78RK5825	N	10	2,000	1.5	N	N	15	100	10	20	N
78RK5827	N	<10	3,000	1.0	N	N	20	50	20	50	N
78RK5835	N	<10	2,000	1.0	N	N	30	150	50	120	N
78RK5837	N	<10	1,500	1.0	N	N	20	150	50	<20	N
78RK5845	N	<10	2,000	50.0	N	N	10	50	10	200	10
78RK5847	N	<10	1,000	10.0	N	N	10	20	10	150	5
78RK5855	N	<10	1,500	5.0	N	N	15	30	20	100	5
78RK5857	N	<10	1,000	1.0	N	N	15	50	50	50	5
78RK5865	N	<10	1,500	1.0	N	N	10	70	15	120	N
78RK5867	N	<10	1,500	10.0	N	N	10	70	20	120	5

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
78RKS64S	M	70	10	M	15	M	700	M	150	M	20
78RKS64T	<20	50	10	M	20	M	700	M	150	M	30
78RKS65S	<20	50	15	M	10	M	500	M	100	M	20
78RKS66S	<20	7	15	M	15	M	700	M	100	M	30
78RKS66T	M	<5	10	M	10	M	500	M	70	M	20
78RKS67S	<20	20	20	M	20	M	700	M	300	M	30
78RKS67T	<20	20	10	M	15	M	700	M	100	M	20
78RKS68S	<20	20	20	M	20	M	700	M	200	M	20
78RKS68T	<20	10	15	M	15	M	700	M	150	M	20
78RKS69S	M	15	20	M	30	M	700	M	200	M	50
78RKS69T	M	20	20	M	20	M	700	M	300	M	30
78RKS70S	<20	15	<10	M	20	M	500	M	150	M	30
78RKS70T	<20	15	15	M	20	M	500	M	150	M	50
78RKS71S	<20	5	10	M	30	M	500	M	200	M	50
78RKS71T	M	5	20	M	20	M	700	M	200	M	50
78RKS72S	M	10	20	M	20	M	700	M	200	M	30
78RKS72T	M	30	20	M	30	M	500	M	200	M	50
78RKS73S	M	15	15	M	20	M	500	M	200	M	30
78RKS73T	M	15	20	M	20	M	700	M	200	M	30
78RKS74S	<20	5	30	M	10	M	1,000	M	200	M	30
78RKS74T	<20	M	20	M	10	M	1,000	M	200	M	20
78RKS75S	M	<5	70	M	10	M	700	M	150	M	20
78RKS75T	<20	5	100	M	10	M	700	M	200	M	30
78RKS76S	M	100	30	M	10	M	700	M	100	M	30
78RKS76T	<20	<5	20	M	10	M	700	M	150	M	20
78RKS77S	20	5	100	M	10	<10	700	M	200	M	50
78RKS77T	30	5	100	M	10	<10	700	M	200	M	50
78RKS78S	M	50	20	M	10	M	500	M	200	M	20
78RKS78T	<20	20	30	M	10	M	700	M	150	M	20
78RKS79S	<20	10	50	M	15	M	700	M	200	M	20
78RKS79T	<20	5	50	M	10	M	700	M	200	M	20
78RKS80S	<20	M	10	M	10	M	1,000	M	200	M	20
78RKS80T	20	<5	20	M	10	M	1,000	M	300	M	50
78RKS81S	M	<5	50	M	15	M	1,000	M	200	M	20
78RKS81T	<20	5	30	M	10	M	1,000	M	200	M	20
78RKS82S	<20	70	100	M	10	M	1,000	M	150	M	20
78RKS82T	<20	15	100	M	10	M	1,000	M	200	M	20
78RKS83S	M	7	50	M	20	M	700	M	200	M	20
78RKS83T	<20	30	50	M	20	M	1,000	M	200	M	30
78RKS84S	100	10	70	M	10	20	500	100	100	M	300
78RKS84T	70	5	50	M	10	20	500	M	100	M	150
78RKS85S	30	10	70	M	10	20	500	M	150	M	100
78RKS85T	50	30	50	M	10	<10	500	M	100	M	100
78RKS86S	30	30	50	M	10	20	500	M	150	M	100
78RKS86T	70	15	70	M	10	30	500	M	150	M	100

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RK5648	<200	150	N	15	10	65	--
78RK5649	<200	150	N	10	10	70	--
78RK5650	N	150	N	<5	<5	20	--
78RK5651	N	100	N	<5	10	75	--
78RK5652	N	150	N	<5	10	55	--
78RK5675	N	200	N	40	10	55	--
78RK5676	N	150	N	10	10	55	--
78RK5685	<200	150	<.05	20	15	90	--
78RK5686	N	100	N	15	25	60	--
78RK5695	<200	100	N	15	15	55	--
78RK5696	<200	100	<.25	10	10	65	--
78RK5705	N	500	N	5	5	25	--
78RK5706	<200	500	N	10	5	25	--
78RK5715	<200	200	N	5	5	<5	--
78RK5716	<200	500	N	5	10	45	--
78RK5725	N	300	N	30	10	55	--
78RK5726	N	500	N	5	10	30	--
78RK5735	N	300	N	10	10	50	--
78RK5736	N	100	N	10	30	50	--
78RK5745	N	500	N	5	5	25	--
78RK5746	N	500	N	5	10	35	--
78RK5755	<200	200	N	5	25	100	--
78RK5756	<200	150	N	5	130	110	--
78RK5765	N	200	N	5	10	50	--
78RK5766	N	150	N	5	10	60	--
78RK5775	<200	200	N	5	30	100	--
78RK5776	N	500	N	5	25	90	--
78RK5785	N	150	N	10	15	60	--
78RK5786	N	150	<.05	10	15	70	--
78RK5795	<200	200	N	5	10	25	--
78RK5796	N	150	N	5	10	40	--
78RK5805	N	200	N	5	5	40	--
78RK5806	N	200	N	5	5	30	--
78RK5815	N	100	N	5	10	<5	--
78RK5816	N	200	N	10	10	70	--
78RK5825	<200	200	N	10	55	130	--
78RK5826	<200	200	N	10	55	140	--
78RK5835	N	200	N	30	20	50	--
78RK5836	<200	100	N	40	25	65	--
78RK5845	<200	1,000	N	15	35	100	--
78RK5846	N	1,000	N	15	30	100	--
78RK5855	<200	300	N	20	35	100	--
78RK5856	N	300	N	15	30	90	--
78RK5865	<200	300	<.05	10	20	70	--
78RK5866	N	700	N	15	25	90	--

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGZ	S-CAZ	S-TLZ	S-MM	S-AG	S-AS
78R5335	C06785	56 22 44	130 58 53	15.0	3.00	3.0	.70	700	<.5	N
78R7015	C06350	56 26 5	131 16 48	2.0	1.00	2.0	.20	700	N	N
78R7317	C06520	56 26 5	131 16 48	3.0	1.00	2.0	.30	700	N	N
78R7025	C06381	56 26 6	131 16 30	3.0	1.50	1.5	.20	1,000	N	N
78R7027	C06683	56 26 6	131 16 30	5.0	.70	1.0	.20	1,000	N	N
78R7035	C06615	56 26 8	131 16 17	5.0	.70	1.5	.30	1,000	N	N
78R7037	C06391	56 26 8	131 16 17	7.0	.70	1.5	.30	1,000	N	N
78R7045	C06561	56 24 7	131 14 12	3.0	.70	2.0	.30	1,000	N	N
78R7047	C06395	56 24 7	131 14 12	5.0	.70	1.5	.30	1,000	N	N
78R7055	C06465	56 24 5	131 14 17	2.0	.50	1.5	.20	700	N	N
78R7057	C06626	56 24 5	131 14 17	2.0	.70	2.0	.20	700	N	N
78R7065	C06572	56 24 35	131 17 14	5.0	1.00	2.0	.50	1,000	N	N
78R7067	C06368	56 24 35	131 17 14	3.0	1.00	2.0	.20	1,000	N	N
78R7075	C06684	56 22 37	131 22 22	7.0	5.00	3.0	.50	1,500	N	N
78R7077	C06320	56 22 37	131 22 22	10.0	3.00	2.0	.70	1,000	N	N
78R7085	C06313	56 21 16	131 29 36	10.0	3.00	3.0	.70	1,000	N	N
78R7087	C06644	56 21 16	131 29 36	10.0	3.00	2.0	.50	1,000	N	N
78R7095	C06671	56 22 9	131 24 51	7.0	2.00	3.0	.50	1,000	N	N
78R7097	C06488	56 22 9	131 24 51	5.0	2.00	2.0	.50	1,500	N	N
78R7105	C06538	56 20 57	131 21 47	7.0	3.00	2.0	.50	1,000	N	N
78R7107	C06459	56 20 57	131 21 47	10.0	3.00	3.0	.50	1,500	N	N
78R7115	C06334	56 19 48	131 23 2	7.0	3.00	3.0	.50	1,000	N	N
78R7117	C06407	56 19 48	131 23 2	5.0	3.00	2.0	.50	1,500	N	N
78R7125	C06504	56 18 3	131 22 0	10.0	2.00	3.0	.70	1,000	N	N
78R7127	C06670	56 18 3	131 22 0	7.0	3.00	3.0	.70	1,500	N	N
78R7135	C06522	56 17 35	131 23 1	7.0	2.00	2.0	.50	1,000	N	N
78R7137	C06603	56 17 35	131 23 1	7.0	3.00	5.0	.70	1,500	N	N
78R7145	C06343	56 15 6	131 24 44	10.0	3.00	3.0	.70	1,000	N	N
78R7147	C06542	56 15 6	131 24 44	7.0	2.00	3.0	.70	1,500	N	N
78R56015	C06592	56 22 56	131 7 42	7.0	3.00	5.0	.30	1,500	N	N
78R56017	C06634	56 22 56	131 7 42	7.0	3.00	3.0	.20	1,500	N	N
78R56025	C06336	56 23 5	131 7 44	5.0	2.00	3.0	.30	1,000	N	N
78R56027	C06470	56 23 5	131 7 44	10.0	2.00	3.0	.70	1,500	N	N
78R56035	C06397	56 23 0	131 7 59	3.0	.70	1.5	.30	700	N	N
78R56037	C06563	56 23 0	131 7 59	5.0	1.00	2.0	.20	1,000	N	N
78R56045	C06444	56 22 7	131 8 42	5.0	1.00	1.5	.50	1,000	N	N
78R56047	C06492	56 22 7	131 8 42	5.0	3.00	2.0	.70	1,500	N	N
78R56055	C06633	56 20 39	131 11 49	10.0	3.00	3.0	.50	1,500	N	N
78R56057	C06532	56 20 39	131 11 49	3.0	2.00	2.0	.30	700	N	N
78R56065	C06518	56 21 7	131 14 54	10.0	3.00	3.0	.70	1,500	N	N
78R56067	C06441	56 21 7	131 14 54	20.0	3.00	3.0	.70	1,500	N	N
78R56075	C06614	56 21 9	131 14 45	5.0	2.00	2.0	.50	1,000	N	N
78R56077	C06463	56 21 9	131 14 45	5.0	2.00	3.0	.30	1,000	N	N
78R56085	C06478	56 21 10	131 14 20	5.0	3.00	3.0	.30	1,500	N	N
78R56087	C06543	56 21 10	131 14 20	7.0	3.00	3.0	.50	1,000	N	N

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CO	S-CR	S-CU	S-LA	S-MO
78RM7035	M	M	700	<1.0	M	M	20	150	100	20	M
78RM7015	M	M	2,000	1.0	M	M	5	30	5	M	M
78RM7011	M	M	5,000	1.0	M	M	10	100	5	50	M
78RM7025	M	M	2,000	1.0	M	M	10	200	700	M	M
78RM7021	M	<10	2,000	1.0	M	M	<5	20	200	M	M
78RM7035	M	M	5,000	1.0	M	M	5	20	<5	100	M
78RM7031	M	<10	3,000	1.0	M	M	30	50	<5	100	M
78RM7045	M	M	2,000	1.0	M	M	5	<10	<5	70	M
78RM7041	M	<10	2,000	1.0	M	M	<5	10	M	100	M
78RM7055	M	<10	1,500	1.0	M	M	<5	M	M	50	S
78RM7051	M	M	2,000	1.0	M	M	<5	10	<5	30	M
78RM7065	M	<10	3,000	1.0	M	M	5	20	<5	50	M
78RM7061	M	M	2,000	1.0	M	M	5	10	M	30	M
78RM7075	M	<10	700	<1.0	M	M	30	200	100	M	M
78RM7071	M	<10	700	<1.0	M	M	30	300	100	<20	S
78RM7085	M	<10	1,500	1.0	M	M	20	100	7	70	M
78RM7081	M	<10	1,500	1.0	M	M	20	70	10	70	M
78RM7095	M	<10	2,000	1.0	M	M	15	100	20	20	M
78RM7091	M	<10	1,500	1.0	M	M	20	100	20	30	M
78RM7105	M	<10	1,500	1.0	M	M	20	150	100	20	M
78RM7101	M	M	1,000	1.0	M	M	20	150	100	70	M
78RM7115	M	<10	1,500	1.0	M	M	20	200	20	50	M
78RM7111	M	<10	1,500	1.5	M	M	20	150	30	20	M
78RM7125	M	<10	2,000	1.0	M	M	30	200	100	50	M
78RM7121	M	<10	1,500	<1.0	M	M	30	200	50	70	M
78RM7135	M	<10	2,000	1.0	M	M	20	150	30	50	M
78RM7131	M	<10	2,000	1.0	M	M	30	150	15	100	M
78RM7145	M	<10	1,000	<1.0	M	M	30	150	15	150	M
78RM7141	M	<10	1,500	1.0	M	M	20	100	7	50	M
78RS5015	M	10	1,000	<1.0	M	M	20	150	100	M	M
78RS6011	M	<10	700	1.0	M	M	30	150	100	M	M
78RS6025	M	15	700	1.0	M	M	20	50	150	70	M
78RS6021	M	<10	500	1.0	M	M	20	30	200	100	M
78RS6035	M	M	2,000	1.0	M	M	M	20	M	20	M
78RS6031	M	M	5,000	1.0	M	M	5	50	<5	50	M
78RS6045	M	20	1,500	1.0	M	M	10	30	5	M	M
78RS6041	M	<10	1,000	2.0	M	M	15	100	70	150	M
78RS6055	M	<10	1,000	<1.0	M	M	20	150	50	70	M
78RS6051	M	<10	2,000	1.0	M	M	20	150	10	<20	M
78RS6065	M	<10	1,500	1.0	M	M	30	200	70	50	M
78RS6061	M	<10	1,000	1.0	M	M	30	100	70	20	M
78RS6075	M	<10	1,000	<1.0	M	M	20	50	70	M	M
78RS6071	M	<10	1,000	<1.0	M	M	20	70	70	150	M
78RS6085	M	<10	1,000	1.0	M	M	20	150	100	30	M
78RS6081	M	<10	1,500	1.0	M	M	20	200	100	50	<5



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
78R833S	<20	50	30	M	20	M	1,000	M	500	M	20
78R8701S	N	10	20	M	5	N	1,500	N	70	N	10
78R8701T	<20	10	20	M	5	N	2,000	N	150	M	20
78R8702S	N	100	50	N	5	M	1,500	M	100	M	15
78R8702T	N	5	20	N	<5	N	1,500	N	150	M	10
78R8703S	N	<5	30	N	<5	M	2,000	M	150	M	20
78R8703T	<20	<5	20	M	<5	N	1,500	M	150	M	20
78R8704S	<20	M	50	M	5	N	2,000	M	100	M	20
78R8704T	<20	<5	20	M	5	N	2,000	M	150	N	20
78R8705S	N	50	15	N	<5	N	1,000	M	50	N	10
78R8705T	N	M	20	M	5	M	2,000	M	100	M	15
78R8706S	<20	<5	30	N	7	N	2,000	M	150	M	30
78R8706T	N	M	50	N	5	N	2,000	M	100	M	20
78R8707S	N	100	10	M	20	M	500	M	300	M	20
78R8707T	<20	100	10	M	20	M	500	M	300	M	20
78R8708S	<20	20	15	N	20	M	1,000	M	300	M	50
78R8708T	<20	15	10	N	20	M	1,000	M	200	M	30
78R8709S	N	20	15	M	15	N	1,000	M	200	M	30
78R8709T	<20	20	15	M	15	M	700	M	200	M	20
78R8710S	N	50	20	N	20	N	500	M	300	M	30
78R8710T	N	<5	20	N	20	M	500	M	200	M	20
78R8711S	<20	30	15	M	20	M	700	M	300	M	50
78R8711T	<20	20	10	M	20	N	500	M	200	M	50
78R8712S	<20	70	15	M	20	N	1,000	M	300	M	30
78R8712T	N	50	15	N	20	M	1,000	M	300	M	30
78R8713S	<20	20	15	M	20	M	700	M	300	M	50
78R8713T	N	50	15	N	20	N	1,000	M	300	M	50
78R8714S	N	30	15	N	20	N	700	M	500	M	30
78R8714T	<20	20	10	M	20	N	1,000	M	500	M	50
78R8601S	N	70	10	N	20	M	700	M	300	M	20
78R8601T	N	50	10	M	20	M	700	M	200	M	20
78R8602S	N	15	10	M	20	M	500	M	200	M	20
78R8602T	N	5	10	M	20	M	500	M	200	M	30
78R8603S	<20	<5	30	M	<5	M	2,000	M	100	M	20
78R8603T	N	5	70	N	5	N	2,000	M	150	M	15
78R8604S	<20	15	15	M	10	M	700	M	100	M	30
78R8604T	30	10	15	N	10	M	500	M	200	N	50
78R8605S	20	30	15	N	20	N	500	M	200	M	50
78R8605T	N	50	20	M	15	M	700	M	150	M	20
78R8606S	<20	50	15	N	20	M	700	M	500	M	30
78R8606T	20	15	10	M	20	M	700	M	300	M	50
78R8607S	N	20	10	M	20	M	700	M	200	M	30
78R8607T	N	7	15	M	20	N	700	M	200	M	20
78R8608S	N	70	10	M	20	N	700	M	200	M	20
78R8608T	N	100	15	M	20	M	1,000	M	500	M	30

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-2M	S-2R	AA-AU-P	AA-CU-P	AA-PB-P	AA-2M-P	INST-H6
78R6335	<200	30	M	60	10	70	--
78R67015	M	100	M	10	<5	30	--
78R67017	M	200	<.05	5	15	30	--
78R67025	M	500	M	35	5	55	--
78R67027	<200	200	M	230	5	<5	--
78R67035	M	150	<.05	<5	<5	25	--
78R67037	M	500	M	5	5	30	--
78R67045	M	150	M	<5	<5	15	--
78R67047	M	150	M	<5	<5	15	--
78R67055	M	70	M	<5	<5	15	--
78R67057	M	100	M	<5	10	15	--
78R67065	M	100	M	5	<5	15	--
78R67067	M	200	M	<5	<5	15	--
78R67075	M	100	M	120	5	80	--
78R67077	M	70	M	95	5	55	--
78R67085	<200	150	M	15	5	30	--
78R67087	M	150	M	15	5	30	--
78R67095	M	150	M	25	5	35	--
78R67097	M	100	M	20	10	30	--
78R67105	<200	100	M	55	10	65	--
78R67107	<200	70	M	45	10	30	--
78R67115	<200	200	M	20	<5	30	--
78R67117	M	200	M	25	10	45	--
78R67125	<200	150	M	40	10	55	--
78R67127	<200	100	M	35	5	40	--
78R67135	<200	200	M	25	10	30	--
78R67137	<200	200	M	20	5	30	--
78R67145	M	70	M	20	5	40	--
78R67147	<200	100	M	20	5	45	--
78R66015	M	70	M	75	5	35	--
78R66017	<200	70	M	90	10	30	--
78R66025	M	70	M	85	5	20	--
78R66027	M	100	M	120	5	20	--
78R66035	M	150	M	5	<5	30	--
78R66037	M	150	M	<5	<5	30	--
78R66045	M	300	M	10	5	15	--
78R66047	M	100	M	15	5	15	--
78R66055	M	100	M	40	<5	20	--
78R66057	M	50	M	20	<5	20	--
78R66065	<200	150	M	35	10	30	--
78R66067	M	300	M	30	5	30	--
78R66075	M	300	<.05	60	5	30	--
78R66077	M	100	<.05	65	5	25	--
78R66085	<200	100	M	70	5	40	--
78R66087	<200	70	M	70	5	50	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
78R56095	C06335	56 21 37	131 18 0	7.0	2.00	3.0	.50	1,500	N	N
78R56097	C06404	56 21 37	131 18 0	10.0	3.00	3.0	.70	1,500	N	N
78R56105	C06421	56 21 37	131 17 30	5.0	1.50	2.0	.30	700	N	N
78R56107	C06373	56 21 37	131 17 30	3.0	1.50	2.0	.30	1,000	N	N
78R56115	C06408	56 21 39	131 19 15	10.0	3.00	3.0	.70	1,500	N	N
78R56117	C06530	56 21 39	131 19 15	10.0	3.00	3.0	1.00	1,500	N	N
78R56125	C06346	56 20 41	131 31 11	7.0	2.00	3.0	.30	1,500	N	N
78R56127	C06554	56 20 41	131 31 11	7.0	3.00	3.0	.50	1,500	N	N
78R56135	C06623	56 21 13	131 31 40	5.0	2.00	2.0	.50	1,000	N	N
78R56137	C06656	56 21 13	131 31 40	7.0	3.00	2.0	.50	1,000	N	N
78R56145	C06515	56 21 17	131 31 34	10.0	2.00	2.0	.70	1,000	N	N
78R56147	C06579	56 21 17	131 31 34	5.0	2.00	2.0	.50	1,000	N	N
78R56155	C06546	56 10 41	131 52 26	5.0	1.50	2.0	.50	1,000	N	N
78R56157	C06551	56 10 41	131 52 26	5.0	2.00	3.0	.50	1,500	N	N
78R56165	C06651	56 13 57	131 52 53	5.0	1.50	1.5	.30	1,500	N	N
78R56167	C06386	56 13 57	131 52 53	5.0	1.50	2.0	.30	1,000	N	N
78R56175	C06481	56 33 34	131 36 57	5.0	2.00	1.5	.50	1,500	N	N
78R56177	C06382	56 33 34	131 36 57	7.0	2.00	2.0	.30	1,500	N	N
78R56185	C06657	56 33 27	131 36 52	5.0	2.00	1.5	.50	1,000	N	N
78R56187	C06623	56 33 27	131 36 52	7.0	2.00	2.0	.70	1,500	N	N
78R56195	C06402	56 33 26	131 36 46	5.0	1.50	2.0	.50	1,000	N	N
78R56197	C06597	56 33 26	131 36 46	7.0	2.00	3.0	.50	1,000	N	N
78R56205	C06699	56 33 30	131 36 41	7.0	2.00	2.0	.70	1,500	2.0	N
78R56207	C06485	56 33 30	131 36 41	5.0	2.00	2.0	.70	1,500	1.5	N
78R56215	C06495	56 32 58	131 40 34	3.0	.30	.5	.20	700	.5	N
78R56217	C06449	56 32 58	131 40 34	5.0	.50	.5	.30	1,000	N	N
78R56225	C06385	56 32 55	131 40 3	5.0	.70	1.0	.30	1,000	2.0	N
78R56227	C06806	56 32 55	131 40 3	5.0	1.00	1.0	.50	1,000	3.0	N
78R56235	C06512	56 33 47	131 40 1	10.0	2.00	1.5	.70	1,500	<.5	N
78R56237	C06621	56 33 47	131 40 1	7.0	3.00	2.0	1.00	1,000	N	N
78R56245	C06619	56 33 43	131 40 4	3.0	.70	.7	.30	700	N	N
78R56247	C06642	56 33 43	131 40 4	3.0	.70	1.0	.20	700	N	N
78R56255	C06576	56 33 59	131 40 21	15.0	3.00	2.0	>1.00	1,500	N	N
78R56257	C06398	56 33 59	131 40 21	10.0	3.00	2.0	1.00	1,500	N	N
78R56265	C06429	56 8 7	131 35 16	10.0	3.00	1.5	.50	2,000	.5	N
78R56267	C06355	56 8 7	131 35 16	7.0	3.00	1.5	.50	1,500	N	N
78R56275	C06575	56 8 56	131 36 55	10.0	3.00	2.0	.50	1,500	N	N
78R56277	C06419	56 8 56	131 36 55	10.0	3.00	2.0	.50	2,000	N	N
78R56285	C06533	56 8 51	131 34 44	5.0	3.00	1.5	.50	1,500	N	N
78R56287	C06474	56 8 51	131 34 44	5.0	3.00	1.5	.50	1,500	N	N
78R56295	C06600	56 8 13	131 33 29	7.0	3.00	2.0	.50	1,500	N	N
78R56297	C06425	56 8 13	131 33 29	5.0	2.00	1.5	.50	1,000	N	N
790H0095	C0M274	56 4 13	131 6 40	15.0	5.00	5.0	>1.00	2,000	N	N
790H0305	C0M769	56 1 32	131 17 17	15.0	2.00	.7	1.00	1,500	<.5	N
790H0585	C0M853	56 4 18	130 52 10	10.0	3.00	2.0	1.00	1,500	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CC	S-CR	S-CU	S-LA	S-MO
78RS609S	M	<10	700	1.0	M	M	20	50	70	30	M
78RS609T	M	<10	1,000	1.0	M	M	30	70	100	70	M
78RS610S	M	<10	2,000	1.0	M	M	10	50	50	50	M
78RS610T	M	M	2,000	1.0	M	M	10	50	7	20	M
78RS611S	M	<10	1,000	1.0	M	M	30	150	150	200	M
78RS611T	M	<10	2,000	1.0	M	M	30	300	70	50	<5
78RS612S	M	<10	1,000	1.0	M	M	20	50	7	100	M
78RS612T	M	<10	2,000	1.0	M	M	20	50	7	30	M
78RS613S	M	<10	1,500	1.0	M	M	10	50	10	50	M
78RS613T	M	<10	1,500	<1.0	M	M	15	50	7	50	M
78RS614S	M	<10	3,000	1.0	M	M	20	70	7	100	M
78RS614T	M	<10	2,000	1.0	M	M	20	50	7	100	M
78RS615S	M	<10	1,000	1.0	M	M	10	70	5	130	M
78RS615T	M	<10	1,000	2.0	M	M	15	500	7	230	M
78RS616S	M	<10	1,000	1.5	M	M	10	100	7	30	M
78RS616T	M	<10	1,000	1.5	M	M	10	50	10	M	M
78RS617S	M	<10	500	10.0	M	M	23	150	50	70	<5
78RS617T	M	<10	500	10.0	M	M	15	70	50	50	M
78RS618S	M	<10	700	3.0	M	M	15	100	30	20	M
78RS618T	M	<10	1,000	3.0	M	M	20	150	70	70	M
78RS619S	M	<10	1,500	2.0	M	M	10	20	5	120	M
78RS619T	M	<10	2,000	3.0	M	M	15	30	7	130	<5
78RS620S	M	<10	1,000	30.0	<10	M	30	100	100	120	5
78RS620T	M	<10	700	50.0	M	M	20	100	70	70	10
78RS621S	M	<10	700	10.0	M	M	5	15	700	70	15
78RS621T	M	<10	500	2.0	M	M	5	<10	20	50	M
78RS622S	M	<10	500	10.0	M	M	5	20	200	150	70
78RS622T	M	<10	700	10.0	M	M	10	20	100	100	100
78RS623S	M	<10	1,000	3.0	M	M	33	200	100	100	M
78RS623T	M	<10	1,000	5.0	M	M	30	200	100	120	M
78RS624S	M	M	700	5.0	M	M	5	20	20	50	<5
78RS624T	M	M	700	3.0	M	M	5	20	10	50	M
78RS625S	M	<10	500	3.0	M	M	50	70	10	70	5
78RS625T	M	<10	300	7.0	M	M	30	70	20	70	30
78RS626S	M	<10	700	1.0	M	M	50	500	50	50	M
78RS626T	M	<10	700	1.0	M	M	30	300	70	20	<5
78RS627S	M	<10	700	1.0	M	M	30	300	70	50	5
78RS627T	M	<10	700	1.0	M	M	33	200	30	30	M
78RS628S	M	<10	1,500	1.0	M	M	20	500	20	120	M
78RS628T	M	<10	1,000	1.0	M	M	20	200	20	50	<5
78RS629S	M	<10	700	<1.0	M	M	30	200	70	M	M
78RS629T	M	<10	700	1.0	M	M	30	100	50	120	M
79MD009S	M	<10	700	1.0	M	M	50	200	50	50	M
79MD030S	M	M	300	1.5	M	M	10	300	50	50	M
79MD058S	M	<10	500	1.0	M	M	15	70	10	20	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
78RS609S	N	20	10	N	20	N	700	N	300	N	30
78RS609T	N	20	15	N	30	N	1,000	N	500	N	30
78RS610S	N	7	20	N	10	N	1,500	N	150	N	20
78RS610T	N	15	20	N	7	N	1,500	N	150	N	10
78RS611S	<20	20	10	N	20	N	700	N	200	N	30
78RS611T	20	70	10	N	20	N	700	N	300	N	50
78RS612S	N	10	15	N	30	N	700	N	300	N	30
78RS612T	<20	10	15	N	20	N	700	N	300	N	50
78RS613S	N	10	20	N	15	N	1,000	N	200	N	20
78RS613T	N	5	20	N	20	N	1,000	N	200	N	30
78RS614S	<20	10	15	N	15	N	1,000	N	200	N	20
78RS614T	N	10	20	N	15	N	1,000	N	200	N	20
78RS615S	N	20	20	N	15	N	700	N	150	N	30
78RS615T	N	15	20	N	20	N	700	N	150	N	50
78RS616S	N	50	15	N	10	N	500	N	100	N	20
78RS616T	N	20	15	N	10	N	700	N	100	N	20
78RS617S	20	50	70	N	15	N	200	N	200	N	70
78RS617T	20	20	70	N	20	N	300	N	200	N	50
78RS618S	30	20	15	N	15	15	300	N	150	N	50
78RS618T	30	50	50	N	20	<10	500	N	200	N	70
78RS619S	<20	<5	50	N	10	<10	700	N	200	N	50
78RS619T	20	<5	100	N	15	10	1,000	N	200	N	70
78RS620S	30	30	1,500	N	20	50	500	N	200	N	100
78RS620T	50	30	1,000	N	15	20	300	N	200	N	100
78RS621S	50	<5	100	N	<5	20	200	N	50	N	100
78RS621T	20	50	100	N	5	20	200	N	70	N	150
78RS622S	70	5	200	N	5	30	200	N	100	N	200
78RS622T	100	5	200	N	5	50	200	N	150	N	200
78RS623S	30	70	100	N	20	10	500	N	300	N	70
78RS623T	50	100	50	N	20	10	500	N	200	N	100
78RS624S	50	5	70	N	7	<10	300	N	100	N	70
78RS624T	30	<5	20	N	5	10	200	N	70	N	70
78RS625S	30	20	50	N	20	10	300	N	500	N	100
78RS625T	30	20	50	N	15	10	200	N	300	N	100
78RS626S	20	<5	10	N	20	N	300	N	200	N	50
78RS626T	N	100	15	N	20	N	300	N	300	N	30
78RS627S	N	70	15	N	20	N	500	N	200	N	30
78RS627T	N	<5	15	N	20	N	500	N	200	N	50
78RS628S	N	70	15	N	20	N	500	N	200	N	50
78RS628T	<20	70	15	N	20	N	500	N	200	N	30
78RS629S	N	50	10	N	20	N	500	N	200	N	20
78RS629T	N	7	10	N	20	N	300	N	150	N	30
79DM009S	N	100	20	N	30	N	500	N	300	N	30
79DM030S	N	150	70	N	10	N	500	N	200	N	20
79DM058S	N	30	10	N	20	N	700	N	200	N	30

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-Zn	S-Zr	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-ME
78RS609S	<200	70	M	60	10	40	--
78RS609T	M	100	<.05	60	5	45	--
78RS610S	M	150	M	10	<5	25	--
78RS610T	M	70	M	10	<5	25	--
78RS611S	<200	100	M	40	5	35	--
78RS611T	<200	150	M	30	<5	30	--
78RS612S	M	150	M	15	<5	20	--
78RS612T	<200	150	M	10	5	40	--
78RS613S	M	100	M	10	5	40	--
78RS613T	M	100	M	5	<5	40	--
78RS614S	<200	500	M	10	15	55	--
78RS614T	M	100	M	15	10	65	--
78RS615S	<200	150	M	10	10	55	--
78RS615T	<200	100	M	10	10	45	--
78RS616S	M	150	M	20	10	85	--
78RS616T	M	150	M	20	5	75	--
78RS617S	<200	150	M	45	45	180	--
78RS617T	M	300	M	55	45	150	--
78RS618S	M	200	M	30	25	90	--
78RS618T	M	500	M	30	20	85	--
78RS619S	M	300	M	5	15	60	--
78RS619T	M	500	M	5	15	55	--
78RS620S	700	200	M	60	700	530	--
78RS620T	300	300	M	60	600	400	--
78RS621S	500	700	M	15	40	100	--
78RS621T	<200	200	M	15	55	110	--
78RS622S	200	1,000	M	65	120	250	--
78RS622T	300	>1,000	<.05	70	140	270	--
78RS623S	<200	300	<.05	50	45	120	--
78RS623T	M	500	<.25	45	40	120	--
78RS624S	M	500	M	10	25	85	--
78RS624T	M	300	M	10	25	85	--
78RS625S	<200	500	M	15	30	150	--
78RS625T	<200	500	M	15	30	160	--
78RS626S	<200	100	M	35	15	110	--
78RS626T	<200	100	M	10	25	70	--
78RS627S	<200	100	M	45	10	100	--
78RS627T	<200	100	M	30	10	75	--
78RS628S	<200	200	M	20	5	45	--
78RS628T	<200	150	M	25	10	55	--
78RS629S	<200	70	M	55	10	100	--
78RS629T	<200	100	<.05	45	10	95	--
79DM009S	<200	100	M	35	25	110	--
79DM030S	M	150	M	40	40	70	--
79DM058S	<200	30	M	30	15	75	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MM	S-AG	S-AS
79DM066S	COM838	56 2 44	130 45 54	15.0	3.00	2.0	1.00	700	N	N
79DM011S	COM219	56 6 13	130 57 13	15.0	3.00	5.0	1.00	1,500	N	N
79DM501T	COM265	56 6 13	130 57 13	15.0	3.00	5.0	1.00	1,500	N	N
79DM502S	COM241	56 5 46	130 53 27	15.0	5.00	3.0	>1.00	2,000	N	N
79DM503S	COM220	56 5 49	130 53 21	15.0	2.00	5.0	1.00	700	N	N
79DM504S	COM266	56 6 40	130 53 49	15.0	3.00	3.0	>1.00	1,000	N	N
79DM506S	COM242	56 12 2	131 0 3	>20.0	2.00	2.0	>1.00	700	N	N
79DM507S	COM198	56 12 28	131 1 33	7.0	2.00	2.0	.70	1,000	N	N
79DM508S	COM221	56 12 27	131 1 43	15.0	3.00	5.0	>1.00	1,500	N	N
79DM509S	COM267	56 11 29	131 1 5	15.0	3.00	3.0	1.00	1,500	N	N
79DM510S	COM243	56 11 31	130 58 53	>20.0	2.00	2.0	>1.00	700	N	N
79DM510T	COM222	56 11 31	130 58 53	>20.0	2.00	2.0	>1.00	1,500	N	N
79DM511S	COM268	56 10 55	130 57 20	20.0	2.00	2.0	1.00	1,000	N	N
79DM512S	COM244	56 9 39	130 57 40	3.0	1.50	1.0	.70	300	N	N
79DM513S	COM199	56 11 46	131 4 1	15.0	5.00	3.0	.70	2,000	N	N
79DM514S	COM223	56 8 52	131 3 22	15.0	3.00	3.0	>1.00	1,500	N	N
79DM515S	COM200	56 21 50	130 56 47	7.0	2.00	2.0	.70	2,000	N	N
79DM516S	COM246	56 22 32	130 56 53	15.0	5.00	5.0	>1.00	2,000	N	N
79DM517S	COM201	56 22 34	130 58 8	15.0	3.00	3.0	1.00	2,000	N	N
79DM518S	COM224	56 21 38	130 57 10	5.0	2.00	2.0	.70	700	N	N
79DM519S	COM247	56 20 59	130 56 0	10.0	3.00	3.0	>1.00	1,000	N	N
79DM520T	COM269	56 20 53	130 55 48	7.0	2.00	1.5	1.00	1,000	N	N
79DM520T	COM225	56 20 53	130 55 48	7.0	2.00	2.0	>1.00	1,000	N	N
79DM523S	COM270	56 19 54	130 53 52	15.0	2.00	2.0	1.00	1,000	N	N
79DM525S	COM730	56 5 29	130 49 52	7.0	2.00	1.5	.50	700	N	N
79DM526S	COM752	56 5 24	130 49 56	15.0	3.00	2.0	1.00	1,000	N	N
79DM527S	COM775	56 5 38	130 47 16	7.0	2.00	2.0	.70	700	N	N
79DM528S	COM797	56 6 2	130 47 4	10.0	1.00	2.0	.30	700	N	N
79DM529S	COM731	56 4 22	130 48 39	15.0	2.00	2.0	1.00	700	N	N
79DM530S	COM753	56 4 25	130 48 48	15.0	5.00	2.0	1.00	1,500	N	N
79DM530T	COM726	56 4 25	130 48 48	15.0	3.00	3.0	.70	1,000	N	N
79DM531S	COM798	56 20 43	130 48 34	15.0	.50	1.5	.50	700	N	N
79DM532S	COM806	56 20 38	130 47 22	15.0	.70	1.0	.50	1,000	N	N
79DM533S	COM754	56 20 36	130 47 26	3.0	1.00	3.0	.50	500	N	N
79DM534S	COM777	56 19 50	130 47 50	15.0	3.00	3.0	>1.00	1,000	N	N
79DM535S	COM799	56 20 18	130 45 12	10.0	.50	1.0	.50	700	N	N
79DM536S	COM732	56 18 59	130 43 35	15.0	3.00	3.0	.70	700	<.5	N
79DM537S	COM808	56 7 39	131 24 22	20.0	5.00	3.0	>1.00	1,000	<.5	N
79DM538S	COM824	56 7 34	131 24 20	10.0	3.00	7.0	.50	700	N	N
79DM539S	COM839	56 5 39	131 21 59	7.0	2.00	5.0	1.00	700	N	N
79DM540S	COM854	56 6 41	131 21 11	10.0	3.00	3.0	.50	1,000	N	N
79DM540T	COM809	56 6 41	131 21 11	15.0	3.00	5.0	.50	700	N	N
79DM541S	COM825	56 6 37	131 21 10	15.0	3.00	3.0	1.00	1,000	N	N
79DM542S	COM840	56 6 27	131 20 12	7.0	2.00	2.0	.70	700	N	N
79DM543S	COM855	56 6 30	131 20 15	5.0	2.00	3.0	.50	700	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
790M0605	M	M	700	1.0	M	M	M	15	20	15	70	M
790M5015	M	<10	1,000	1.0	M	M	M	15	100	15	20	M
790M5017	M	<10	1,000	1.0	M	M	M	15	150	20	50	M
790M5025	M	<10	700	1.0	M	M	M	15	150	20	30	M
790M5035	M	<10	1,500	<1.0	M	M	M	15	70	15	30	M
790M5045	M	<10	1,000	1.0	M	M	M	20	70	15	70	<5
790M5065	M	<10	700	<1.0	M	M	M	10	70	7	120	M
790M5075	M	10	2,000	1.0	M	M	M	70	30	7	70	M
790M5085	M	<10	1,500	1.0	M	M	M	15	100	20	70	M
790M5095	M	<10	1,000	<1.0	M	M	M	10	30	7	150	M
790M5105	M	<10	700	<1.0	M	M	M	15	100	10	150	M
790M5107	M	<10	700	<1.0	M	M	M	30	150	100	150	M
790M5115	M	<10	1,500	1.0	M	M	M	10	50	10	120	M
790M5125	M	M	700	<1.0	M	M	M	7	50	7	20	M
790M5135	M	<10	1,500	<1.0	M	M	M	15	150	20	50	M
790M5145	M	<10	1,000	<1.0	M	M	M	15	200	30	20	M
790M5155	M	<10	1,000	1.5	M	M	M	10	50	15	30	M
790M5165	M	<10	700	1.0	M	M	M	20	300	50	<20	M
790M5175	M	<10	1,000	<1.0	M	M	M	20	100	150	50	M
790M5185	M	<10	1,500	1.0	M	M	M	7	70	15	150	M
790M5195	M	<10	1,000	1.0	M	M	M	10	100	70	70	<5
790M5205	M	<10	700	1.5	M	M	M	7	30	5	20	5
790M5207	M	<10	1,000	1.0	M	M	M	7	50	50	<20	M
790M5235	M	<10	1,500	1.0	M	M	M	7	20	7	150	M
790M5255	M	M	1,500	1.0	M	M	M	20	100	10	30	M
790M5265	M	M	700	<1.0	M	M	M	15	70	15	20	7
790M5275	M	M	1,500	<1.0	M	M	M	7	50	10	50	M
790M5285	M	M	1,000	<1.0	M	M	M	5	30	<5	50	M
790M5295	M	M	1,000	<1.0	M	M	M	10	70	5	50	M
790M5305	M	M	700	<1.0	M	M	M	20	100	70	50	M
790M5307	M	M	500	1.0	M	M	M	15	100	20	20	5
790M5315	M	M	500	1.0	M	M	M	5	20	5	200	M
790M5325	M	M	500	1.0	M	M	M	5	20	<5	30	M
790M5335	M	M	500	<1.0	M	M	M	5	50	5	<20	M
790M5345	M	M	500	1.0	M	M	M	30	100	100	M	7
790M5355	M	M	500	1.5	M	M	M	5	15	<5	30	M
790M5365	M	<10	1,500	<1.0	M	M	M	20	30	15	120	M
790M5375	M	<10	500	<1.0	M	M	M	50	150	100	50	M
790M5385	M	M	300	<1.0	M	M	M	10	50	7	30	M
790M5395	M	M	300	<1.0	M	M	M	10	50	10	30	M
790M5405	M	M	300	<1.0	M	M	M	15	50	15	20	M
790M5407	M	M	300	1.0	M	M	M	20	50	7	70	M
790M5415	M	M	500	<1.0	M	M	M	15	150	15	50	M
790M5425	M	<10	300	1.0	M	M	M	15	100	20	70	M
790M5435	M	M	300	1.0	M	M	M	7	20	5	M	M



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TN	S-V	S-W	S-Y
790M066S	<20	15	30	N	15	N	1,500	N	300	N	50
790M501S	<20	50	20	N	30	N	700	N	700	N	50
790M521T	<20	50	20	N	50	N	1,000	N	700	N	70
790M502S	<20	100	20	N	50	N	700	N	500	N	50
790M503S	<20	20	30	N	30	N	1,500	N	700	N	50
790M504S	<20	30	20	N	50	N	1,500	N	500	N	70
790M506S	<20	15	20	N	20	N	700	N	3,000	N	30
790M507S	N	15	30	N	20	N	2,000	N	300	N	30
790M508S	<20	30	30	N	30	N	1,000	N	700	N	50
790M509S	<20	15	20	N	50	N	1,000	N	500	N	50
790M510S	<20	20	20	N	30	N	700	N	2,000	N	70
790M510T	<20	15	15	N	30	N	500	N	3,000	N	70
790M511S	<20	15	30	N	30	N	1,000	N	700	N	50
790M512S	N	20	20	N	15	N	500	N	300	N	15
790M513S	N	50	30	N	50	N	1,500	N	500	N	50
790M514S	N	100	30	N	30	N	1,000	N	1,000	N	50
790M515S	N	30	15	N	20	N	700	N	200	N	30
790M516S	<20	150	10	N	50	N	700	N	700	N	50
790M517S	N	50	20	N	30	N	700	N	700	N	50
790M518S	N	50	20	N	20	N	1,500	N	300	N	30
790M519S	N	70	20	N	20	N	1,000	N	200	N	30
790M520S	N	30	10	N	20	N	700	N	150	N	20
790M520T	N	20	15	N	15	N	1,000	N	200	N	20
790M523S	<20	5	30	N	20	N	1,500	N	500	N	50
790M525S	N	30	50	N	10	N	1,500	N	300	N	20
790M526S	<20	30	20	N	15	N	1,000	N	500	N	30
790M527S	<20	20	70	N	15	N	1,500	N	300	N	50
790M528S	N	5	20	N	5	N	1,500	N	300	N	20
790M529S	N	30	20	N	15	N	1,000	N	300	N	20
790M530S	N	50	20	N	20	N	1,000	N	500	N	50
790M530T	N	30	15	N	20	N	1,000	N	500	N	30
790M531S	<20	10	30	N	<5	N	700	<100	300	N	50
790M532S	<20	10	50	N	5	N	500	N	200	N	20
790M533S	N	10	50	N	<5	N	700	N	150	N	20
790M534S	N	70	15	N	20	N	500	N	700	N	20
790M535S	<20	10	30	N	<5	N	500	N	200	N	15
790M536S	<20	15	50	N	15	N	1,500	N	500	N	30
790M537S	<20	70	20	N	50	N	500	N	700	N	50
790M538S	N	15	20	N	20	N	1,000	N	300	N	30
790M539S	N	20	15	N	15	N	700	N	200	N	20
790M540S	N	20	30	N	20	N	1,000	N	300	N	20
790M540T	N	20	20	N	30	N	1,500	N	300	N	50
790M541S	N	100	20	N	15	N	700	N	500	N	30
790M542S	N	70	15	N	15	N	300	N	150	N	20
790M543S	N	10	15	N	15	N	1,000	N	150	N	15

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
790M066S	<200	150	N	20	20	75	--
790M501S	<200	100	N	20	10	30	--
790M501T	<200	100	N	20	10	45	--
790M502S	<200	100	N	35	15	55	--
790M503S	<200	300	N	15	10	40	--
790M504S	<200	100	N	15	10	40	--
790M506S	<200	300	N	15	10	20	--
790M507S	<200	100	N	10	15	25	--
790M508S	N	150	N	15	10	40	--
790M509S	<200	100	N	10	10	30	--
790M510S	<200	1,000	N	15	10	25	--
790M510T	<200	>1,000	N	25	15	25	--
790M511S	<200	200	N	15	10	30	--
790M512S	N	70	N	15	20	60	--
790M513S	<200	100	N	20	15	30	--
790M514S	<200	200	N	20	15	80	--
790M515S	N	150	N	20	15	50	--
790M516S	<200	100	N	50	15	40	--
790M517S	<200	150	N	75	15	30	--
790M518S	<200	70	N	20	15	65	--
790M519S	<200	150	N	15	20	80	--
790M520S	N	100	N	30	20	70	--
790M520T	N	70	N	35	20	75	--
790M523S	<200	300	N	10	10	30	--
790M525S	N	100	N	15	15	40	--
790M526S	N	70	N	20	15	55	--
790M527S	N	150	N	20	10	35	--
790M528S	<200	50	N	5	5	20	--
790M529S	<200	100	N	10	10	50	--
790M530S	<200	70	N	35	15	60	--
790M530T	<200	70	N	35	10	50	--
790M531S	N	300	N	5	5	40	--
790M532S	N	100	N	5	10	35	--
790M533S	N	50	N	<5	10	55	--
790M534S	<200	100	N	70	20	80	--
790M535S	N	70	N	<5	10	50	--
790M536S	<200	150	N	10	15	45	--
790M537S	<200	200	N	35	10	55	--
790M538S	N	100	N	15	5	20	--
790M539S	N	150	N	20	10	45	--
790M540S	N	150	N	15	<5	20	--
790M540T	<200	100	N	15	<5	20	--
790M541S	N	50	N	30	10	70	--
790M542S	N	70	N	45	15	80	--
790M543S	N	100	N	10	5	20	--

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGZ	S-CAZ	S-TLZ	S-MN	S-AG	S-AS
79DM5445	COM810	56 6 29	131 18 23	10.0	3.00	3.0	.30	700	N	N
79DM5455	COM826	56 8 39	131 21 6	10.0	3.00	3.0	.50	1,000	N	N
79DM5465	COM841	56 9 32	131 19 30	10.0	2.00	3.0	1.00	1,500	N	N
79DM5475	COM856	56 9 19	131 18 28	15.0	3.00	3.0	>1.00	1,500	N	N
79DM5485	COM811	56 10 52	131 16 59	15.0	3.00	2.0	1.00	700	N	N
79DM5495	COM827	56 11 23	131 16 24	15.0	3.00	3.0	.70	1,000	N	N
79DM5505	COM842	56 9 24	131 16 51	10.0	3.00	3.0	.70	1,000	N	N
79DM5515	COM857	56 9 24	131 16 51	10.0	3.00	3.0	1.00	1,500	N	N
79DM5525	COM812	56 9 4	131 16 35	20.0	5.00	3.0	>1.00	2,000	N	N
79DM5535	COM828	56 8 42	131 14 48	15.0	5.00	5.0	.50	1,500	N	N
79DM5545	COM843	56 8 39	131 14 46	10.0	2.00	2.0	.70	1,000	N	N
79DM5555	COM858	56 8 13	131 18 5	10.0	3.00	3.0	.70	1,500	N	N
79DM5565	COM813	56 8 28	131 16 33	15.0	3.00	2.0	>1.00	1,000	N	N
79DM5575	COM829	56 8 17	131 16 59	15.0	5.00	5.0	.70	2,000	N	N
79DM5585	COM844	56 7 52	131 16 32	7.0	2.00	2.0	1.00	1,000	N	N
79DM5595	COM859	56 7 2	131 16 26	10.0	3.00	2.0	.70	1,000	N	N
79DM5605	COM188	56 11 27	131 47 1	3.0	.70	.7	.30	1,000	N	N
79DM5615	COM211	56 11 26	131 47 9	7.0	1.50	2.0	.50	2,000	N	N
79DM5625	COM194	56 11 26	131 47 9	5.0	1.50	1.5	.30	1,000	N	N
79DM5635	COM145	56 10 40	131 46 37	7.0	1.00	1.0	.30	3,000	N	N
79DM5645	COM166	56 9 47	131 45 51	7.0	1.50	1.5	.70	3,000	N	N
79DM5655	COM189	56 9 25	131 47 11	10.0	2.00	2.0	.50	1,500	N	N
79DM5665	COM212	56 10 6	131 52 29	5.0	.70	2.0	.30	1,000	N	N
79DM5675	COM144	56 10 4	131 52 24	10.0	2.00	3.0	.70	2,000	N	N
79DM5685	COM167	56 9 5	131 49 25	10.0	2.00	3.0	.70	1,500	N	N
79DM5695	COM190	56 9 0	131 49 29	5.0	.70	2.0	.30	1,500	N	N
79DM5705	COM213	56 7 26	131 47 47	7.0	1.00	2.0	.50	3,000	N	N
79DM5715	COM145	56 7 25	131 47 56	5.0	1.50	2.0	.30	1,500	N	N
79DM5725	COM168	56 7 37	131 48 21	10.0	1.50	5.0	.70	2,000	N	N
79DM5735	COM217	56 7 37	131 48 21	10.0	1.50	5.0	.70	2,000	N	N
79DM5745	COM191	56 7 21	131 46 56	5.0	.70	1.5	.30	1,000	N	N
79DM5755	COM214	56 6 46	131 45 40	10.0	1.50	3.0	.50	1,500	N	N
79DM5765	COM146	56 6 52	131 45 39	5.0	1.50	3.0	.50	1,000	N	N
79DM5775	COM169	56 5 57	131 44 16	10.0	1.50	3.0	.50	1,500	N	N
79DM5785	COM192	56 5 31	131 46 41	5.0	.70	1.5	.30	1,000	N	N
79DM5795	COM215	56 5 19	131 48 45	10.0	1.50	5.0	.70	1,000	N	N
79DM5805	COM147	56 5 30	131 49 36	3.0	.70	1.5	.30	700	N	N
79DM5815	COM170	56 6 7	131 54 0	10.0	2.00	3.0	.50	2,000	N	N
79DM5825	COM193	56 4 33	131 52 27	3.0	.70	1.5	.20	700	N	N
79DM5835	COM216	56 4 15	131 54 22	10.0	2.00	3.0	.30	1,000	N	N
79DM5845	COM149	56 4 15	131 54 22	5.0	1.50	3.0	.50	1,500	N	N
79DM5855	COM168	56 4 17	131 54 20	7.0	1.50	3.0	.50	1,500	N	N
79DM5865	COM171	56 3 37	131 52 34	10.0	1.50	3.0	.70	2,000	N	N
79DM5875	COM202	56 10 32	131 57 6	5.0	1.50	1.5	.30	2,000	N	N
79DM5885	COM225	56 9 30	131 57 43	10.0	1.50	2.0	.50	3,000	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CC	S-CN	S-CU	S-LA	S-MO
790M544S	M	M	500	<1.0	M	M	10	50	10	<20	M
790M545S	M	M	500	<1.0	M	M	15	100	20	<20	M
790M546S	M	<10	700	1.0	M	M	70	70	15	50	M
790M547S	M	<10	500	1.0	M	M	10	70	15	50	M
790M548S	M	M	700	1.0	M	M	20	70	15	50	M
790M549S	M	M	500	<1.0	M	M	20	100	15	20	M
790M550S	M	M	700	<1.0	M	M	15	70	10	<20	M
790M550T	M	<10	500	<1.0	M	M	15	70	30	30	M
790M551S	M	<10	700	1.0	M	M	30	200	100	50	M
790M552S	M	M	700	<1.0	M	M	20	200	50	<20	M
790M553S	M	<10	500	<1.0	M	M	15	30	15	20	M
790M554S	M	<10	300	<1.0	M	M	10	70	10	20	M
790M555S	M	M	700	<1.0	M	M	20	50	30	50	M
790M556S	M	M	500	<1.0	M	M	15	100	30	30	M
790M557S	M	<10	700	1.0	M	M	10	20	20	<20	M
790M558S	M	<10	300	1.0	M	M	20	100	20	50	M
790M559S	M	20	500	1.0	M	M	15	50	15	M	M
790M560S	M	10	500	1.0	M	M	20	30	30	20	S
790M560T	M	20	300	1.0	M	M	20	70	20	50	M
790M561S	M	20	1,500	1.5	M	M	30	100	70	20	M
790M562S	M	20	1,000	1.5	M	M	20	100	30	20	M
790M563S	M	10	500	1.0	M	M	10	50	20	70	M
790M564S	M	<10	700	1.5	M	M	20	15	7	130	M
790M565S	M	10	1,500	1.0	M	M	20	70	5	100	M
790M566S	M	10	1,500	1.5	M	M	20	20	7	130	M
790M567S	M	20	500	1.0	M	M	15	10	5	30	M
790M568S	M	<10	700	1.5	M	M	50	15	5	<20	M
790M569S	M	20	1,500	1.5	M	M	15	20	5	70	S
790M570S	M	15	700	1.5	M	M	20	50	<5	70	M
790M570T	M	<10	500	1.0	M	M	15	20	<5	70	M
790M571S	M	<10	500	1.0	M	M	15	15	5	50	M
790M572S	M	10	700	1.0	M	M	20	70	5	70	M
790M573S	M	15	1,000	1.5	M	M	20	50	5	50	M
790M574S	M	20	1,000	1.5	M	M	20	50	7	70	M
790M575S	M	<10	300	1.5	M	M	15	10	<5	M	M
790M576S	M	10	700	1.0	M	M	20	20	<5	30	M
790M577S	M	<10	700	2.0	M	M	10	10	5	20	M
790M578S	M	10	1,000	1.5	M	M	20	70	7	100	M
790M579S	M	<10	300	1.0	M	M	10	10	<5	M	M
790M580S	M	<10	500	1.5	M	M	20	20	<5	70	M
790M580T	M	10	700	1.5	M	M	15	30	5	50	M
790M581S	M	<10	1,000	1.5	M	M	20	30	5	70	M
790M582S	M	10	1,000	1.0	M	M	20	50	5	50	M
790M583S	M	<10	500	1.0	M	M	20	30	5	20	7
790M584S	M	10	1,000	1.5	M	M	30	50	20	M	10

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-MB	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
79DM544S	N	20	20	N	15	N	1,030	N	200	N	30
79DM545S	N	50	30	N	15	N	730	N	500	N	30
79DM546S	N	50	20	N	20	N	700	N	500	N	30
79DM547S	<20	30	10	N	20	N	700	N	300	N	50
79DM548S	<20	50	20	N	20	N	700	N	700	N	50
79DM549S	N	30	20	N	20	N	730	N	300	N	20
79DM550S	N	50	15	N	20	N	1,000	N	300	N	30
79DM550T	N	50	15	N	20	N	530	N	700	N	70
79DM551S	<20	50	20	N	30	N	1,000	N	700	N	30
79DM552S	N	100	15	N	15	N	700	N	300	N	30
79DM553S	N	20	15	N	15	N	500	N	300	N	30
79DM554S	N	30	10	N	15	N	730	N	1,000	N	50
79DM555S	<20	30	10	N	15	N	500	N	200	N	30
79DM556S	<20	30	20	N	20	N	500	N	300	N	20
79DM557S	<20	20	15	N	15	N	300	N	100	N	20
79DM558S	N	30	15	N	20	N	300	N	200	N	30
79DM559S	N	20	10	N	15	N	300	N	300	N	30
79DM560S	<20	30	10	N	30	N	300	N	200	N	20
79DM560T	N	20	10	N	30	N	500	N	200	N	30
79DM561S	N	70	15	N	30	N	500	N	200	N	30
79DM562S	<20	30	20	N	30	N	500	N	200	N	30
79DM563S	<20	20	20	N	30	N	500	N	300	N	30
79DM564S	N	10	15	N	20	N	500	N	200	N	50
79DM565S	N	30	20	N	50	N	700	N	300	N	30
79DM566S	<20	15	20	N	30	N	700	N	150	N	20
79DM567S	N	7	15	N	20	N	700	N	200	N	20
79DM568S	<20	10	10	N	20	N	700	N	150	N	20
79DM569S	N	15	15	N	20	N	1,000	N	300	N	50
79DM570S	20	7	10	N	50	N	1,030	N	300	N	50
79DM570T	20	7	15	N	50	N	700	N	300	N	20
79DM571S	N	10	10	N	20	N	300	N	150	N	20
79DM572S	<20	20	15	N	30	N	700	N	300	N	20
79DM573S	20	15	15	N	30	N	1,030	N	300	N	30
79DM574S	<20	15	15	N	30	N	700	N	200	N	10
79DM575S	N	5	10	N	15	N	500	N	100	N	10
79DM576S	20	10	20	N	30	N	1,000	N	300	N	20
79DM577S	N	10	10	N	20	N	730	N	150	N	20
79DM578S	<20	30	15	N	20	N	700	N	200	N	30
79DM579S	N	45	10	N	15	N	700	N	100	N	15
79DM580S	20	7	15	N	50	N	700	N	300	N	30
79DM580T	20	7	10	N	30	N	730	N	200	N	30
79DM581S	<20	10	15	N	50	N	700	N	300	N	30
79DM582S	<20	20	15	N	30	N	1,000	N	300	N	30
79DM583S	<20	10	15	N	30	N	500	N	200	N	20
79DM584S	<20	20	100	N	30	N	730	N	200	N	20

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-MG
790M3468	M	200	M	15	<5	25	--
790M3458	M	20	M	45	5	25	--
790M3468	M	100	M	30	5	35	--
790M3478	<200	300	M	30	5	25	--
790M3488	<200	300	M	15	10	55	--
790M3498	M	200	M	20	10	45	--
790M3508	M	50	M	35	5	30	--
790M3507	M	100	M	30	5	30	--
790M3518	<200	300	M	40	10	65	--
790M3528	<200	50	M	30	10	55	--
790M3538	M	300	M	30	10	60	--
790M3548	M	20	M	35	5	35	--
790M3558	<200	100	M	30	10	60	--
790M3568	<200	300	M	35	5	35	--
790M3578	M	300	M	40	10	70	--
790M3588	M	200	M	35	10	60	--
790M3598	M	150	M	20	15	75	--
790M3608	<200	200	M	20	20	95	--
790M3607	<200	100	M	20	20	110	--
790M3618	<200	300	M	30	15	150	--
790M3628	M	150	M	20	15	70	--
790M3638	<200	100	M	10	20	85	--
790M3648	M	200	M	5	15	30	--
790M3658	<200	150	M	5	10	60	--
790M3668	<200	150	M	5	10	75	--
790M3678	<200	150	M	5	15	55	--
790M3688	<200	300	M	5	25	70	--
790M3698	<200	200	M	<5	10	50	--
790M3708	<200	200	M	<5	10	30	--
790M3707	<200	1,000	M	<5	15	25	--
790M3718	<200	100	M	5	15	80	--
790M3728	<200	300	M	5	20	55	--
790M3738	<200	300	M	<5	10	60	--
790M3748	<200	200	M	5	15	70	--
790M3758	M	300	M	<5	15	55	--
790M3768	<200	200	M	<5	20	50	--
790M3778	M	100	M	<5	10	40	--
790M3788	<200	500	M	5	15	70	--
790M3798	M	200	M	<5	15	55	--
790M3808	<200	300	M	<5	15	40	--
790M3807	<200	300	M	<5	10	45	--
790M3818	<200	200	M	<5	10	45	--
790M3828	<200	200	M	<5	15	45	--
790M3838	<200	100	M	10	85	90	--
790M3848	<200	200	M	20	90	95	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAX	S-TLX	S-MM	S-AG	S-AS
79DM5855	CM182	56 8 20	131 58 7	10.0	2.00	2.0	.70	2,000	M	M
79DM5865	CM205	56 6 25	131 58 12	3.0	1.00	2.0	.30	1,000	M	M
79DM5875	CE808	56 2 48	131 58 22	7.0	1.00	2.0	.50	5,000	M	M
79DM5885	CE831	56 1 40	131 57 56	5.0	.70	1.5	.30	2,000	M	M
79DM5895	CE854	56 0 17	131 57 23	7.0	1.00	2.0	.50	5,000	M	M
79DM5905	CE876	56 0 15	131 59 44	3.0	2.00	1.5	.50	700	M	M
79DM5907	CE809	56 0 15	131 59 44	3.0	2.00	1.5	.20	700	M	M
79DM5925	CE832	56 2 58	131 58 23	5.0	1.00	2.0	.20	2,000	M	M
79DM5935	CE810	56 15 43	131 56 43	5.0	1.50	3.0	.30	1,000	M	M
79DM5945	CE833	56 14 9	131 55 32	5.0	3.00	2.0	.50	1,000	M	M
79DM5955	CE876	56 22 3	131 35 59	5.0	2.00	3.0	.30	1,000	M	M
79DM5965	CE819	56 22 1	131 38 12	5.0	2.00	3.0	.50	700	M	M
79DM5975	CE842	56 22 37	131 38 10	3.0	2.00	2.0	.30	700	M	M
79DM5985	CE865	56 22 23	131 39 25	5.0	2.00	2.0	.30	700	M	M
79DM5995	CE877	56 22 2	131 39 46	7.0	3.00	2.0	.50	1,000	M	M
79DM6005	CE820	56 21 31	131 40 56	5.0	3.00	3.0	.50	700	M	M
79DM6007	CE843	56 21 31	131 40 56	3.0	2.00	2.0	.50	700	M	M
79DM6015	CE866	56 20 46	131 41 48	7.0	3.00	3.0	.50	1,000	M	M
79DM6025	CE878	56 22 7	131 45 15	5.0	2.00	3.0	.30	1,000	M	M
79DM6035	CE821	56 21 9	131 44 9	10.0	3.00	5.0	1.00	2,000	M	M
79DM6045	CE864	56 20 59	131 44 10	5.0	3.00	2.0	.20	1,000	M	M
79DM6055	CE867	56 20 28	131 42 53	5.0	2.00	3.0	.50	1,000	M	M
79DM6065	CE879	56 21 18	131 47 25	7.0	3.00	2.0	.30	1,500	M	M
79DM6075	CE822	56 19 20	131 44 11	7.0	3.00	3.0	.50	1,500	M	M
79DM6085	CE845	56 18 38	131 43 14	5.0	3.00	2.0	.50	1,000	M	M
79DM6095	CE868	56 18 44	131 43 18	5.0	1.50	2.0	.20	700	M	M
79DM6105	CE800	56 18 2	131 42 30	5.0	3.00	2.0	.50	1,500	M	M
79DM6107	CE823	56 18 2	131 42 30	5.0	3.00	3.0	.50	1,000	M	M
79DM6115	CE846	56 17 22	131 42 5	3.0	1.50	2.0	.30	700	M	M
79DM6125	CE869	56 17 21	131 42 16	7.0	3.00	3.0	.50	1,000	M	M
79DM6135	CE801	56 16 41	131 41 54	5.0	3.00	2.0	.50	1,500	M	M
79DM6145	CE873	56 46 2	131 59 11	5.0	1.00	2.0	.30	700	M	M
79DM6155	CE805	56 45 25	131 57 1	5.0	2.00	2.0	.30	1,000	M	M
79DM6165	CE828	56 45 26	131 56 56	5.0	3.00	3.0	.70	1,000	M	M
79DM6175	CE851	56 44 29	131 57 2	3.0	.70	3.0	.30	1,000	M	M
79DM6185	CE874	56 44 26	131 56 28	5.0	1.50	2.0	.50	1,000	M	M
79DM6195	CE806	56 44 23	131 56 38	7.0	3.00	2.0	.70	1,000	M	M
79DM6205	CE829	56 43 37	131 58 19	3.0	1.50	2.0	.50	700	M	M
79DM6207	CE852	56 43 37	131 58 19	5.0	1.50	3.0	.50	1,000	M	M
79DM6215	CE875	56 42 47	131 59 3	5.0	2.00	3.0	.50	1,000	M	M
79ER3345	CM725	56 9 58	130 53 54	10.0	2.00	2.0	.70	1,000	M	M
79ER1545	CEA202	56 32 50	131 39 16	2.0	.50	.7	.50	500	M	M
79ER1575	CEA225	56 33 58	131 36 47	5.0	2.00	2.0	.50	1,000	M	M
79ER1785	CEA156	56 20 59	131 14 55	3.0	2.00	2.0	.30	1,000	M	M
79GJ1015	CM172	56 4 8	131 29 6	10.0	2.00	3.0	.50	2,000	M	M

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CO	S-CR	S-CU	S-LA	S-MO
79DM5855	M	10	1,500	1.0	M	M	30	70	5	100	M
79DM5865	M	<10	300	1.0	M	M	15	15	<5	M	M
79DM5875	M	10	1,000	1.5	M	M	20	50	5	50	15
79DM5885	M	10	700	2.0	M	M	20	50	7	50	5
79DM5895	M	15	700	2.0	M	M	20	70	50	70	15
79DM5905	M	10	700	1.5	M	M	10	200	7	30	M
79DM5907	M	30	1,000	1.5	M	M	10	200	7	30	M
79DM5925	M	10	700	1.5	M	M	20	50	7	50	10
79DM5935	M	<10	1,000	2.0	M	M	10	30	10	150	M
79DM5945	M	10	700	2.0	M	M	20	100	7	70	M
79DM5955	M	<10	1,500	1.5	M	M	15	30	10	30	M
79DM5965	M	<10	1,500	1.5	M	M	15	200	30	120	M
79DM5975	M	<10	1,000	1.5	M	M	15	100	20	120	M
79DM5985	M	<10	1,000	<1.0	M	M	15	100	20	70	M
79DM5995	M	<10	1,000	1.5	M	M	20	200	70	50	M
79DM6005	M	<10	1,500	2.0	M	M	20	150	30	120	M
79DM6007	M	<10	1,000	1.5	M	M	20	150	20	70	M
79DM6015	M	<10	1,000	1.5	M	M	20	200	30	70	M
79DM6025	M	<10	1,500	1.5	M	M	15	50	10	30	M
79DM6035	M	10	1,500	1.0	M	M	20	70	20	150	M
79DM6045	M	<10	700	1.0	M	M	30	300	20	20	M
79DM6055	M	<10	1,000	2.0	M	M	15	70	20	50	M
79DM6065	M	<10	1,000	1.5	M	M	20	70	50	70	M
79DM6075	M	<10	1,500	1.5	M	M	20	100	50	50	M
79DM6085	M	<10	700	1.5	M	M	30	100	50	50	M
79DM6095	M	<10	1,000	1.5	M	M	15	70	30	30	M
79DM6105	M	<10	1,500	1.5	M	M	20	100	30	70	M
79DM6107	M	10	2,000	1.5	M	M	20	100	30	30	M
79DM6115	M	<10	1,500	1.5	M	M	15	100	30	30	M
79DM6125	M	<10	1,500	2.0	M	M	20	200	20	50	M
79DM6135	M	<10	1,500	1.5	M	M	20	100	30	50	M
79DM6145	M	<10	1,500	3.0	M	M	10	20	50	50	M
79DM6155	M	<10	2,000	2.0	M	M	15	30	20	30	7
79DM6165	M	30	5,000	3.0	M	M	15	50	20	70	M
79DM6175	M	<10	2,000	1.5	M	M	10	30	10	70	M
79DM6185	M	30	1,500	1.5	M	M	15	50	30	30	M
79DM6195	M	50	1,500	1.5	M	M	15	150	20	30	M
79DM6205	M	<10	3,000	2.0	M	M	15	50	10	50	M
79DM6207	M	10	1,500	1.0	M	M	15	50	20	50	M
79DM6215	M	<10	2,000	1.5	M	M	15	30	15	50	M
79ERJ345	M	M	1,000	<1.0	M	M	10	50	10	20	M
79ER1545	M	<10	700	15.0	M	M	7	10	7	50	5
79ER1575	M	<10	1,500	5.0	M	M	10	30	30	70	M
79ER1785	M	<10	2,000	1.5	M	M	15	70	20	30	M
796J1015	M	10	1,500	1.5	M	M	20	70	5	<20	M



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TM	S-V	S-W	S-Y
7905855	<20	10	15	M	70	M	700	M	300	M	50
7905865	<20	5	10	M	30	M	500	M	200	M	30
7905875	<20	15	30	M	15	M	730	M	200	M	30
7905885	<20	10	100	M	15	M	500	M	100	M	30
7905895	<20	15	20	M	20	M	700	M	200	M	30
7905905	<20	70	20	M	15	M	520	M	150	M	30
790590T	<20	70	20	M	15	M	530	M	150	M	20
7905925	<20	10	100	M	15	M	700	M	100	M	30
7905935	<20	5	20	M	15	M	1,000	M	150	M	30
7905945	<20	50	20	M	15	M	700	M	100	M	30
7905955	<20	10	20	M	15	M	1,000	M	200	M	30
7905965	<20	30	20	M	20	M	1,000	M	200	M	30
7905975	<20	30	15	M	20	M	700	M	200	M	30
7905985	<20	30	20	M	15	M	500	M	150	M	30
7905995	<20	100	15	M	20	M	200	M	200	M	30
7906005	<20	70	20	M	20	M	500	M	200	M	30
790600T	<20	50	20	M	15	M	500	M	200	M	30
7906015	<20	50	15	M	20	M	500	M	200	M	50
7906025	<20	10	20	M	15	M	700	M	150	M	20
7906035	<20	15	20	M	30	M	700	M	300	M	50
7906045	<20	70	20	M	15	M	500	M	200	M	15
7906055	<20	15	20	M	20	M	700	M	150	M	30
7906065	<20	15	20	M	20	M	500	M	200	M	30
7906075	<20	30	20	M	30	M	700	M	300	M	50
7906085	<20	50	15	M	15	M	500	M	200	M	20
7906095	<20	20	15	M	20	M	500	M	150	M	20
7906105	<20	20	15	M	20	M	700	M	200	M	50
790610T	<20	30	20	M	20	M	700	M	200	M	30
7906115	<20	20	20	M	15	M	700	M	200	M	20
7906125	<20	50	15	M	20	M	500	M	200	M	30
7906135	<20	30	20	M	20	M	500	M	200	M	50
7906145	<20	10	30	M	10	M	700	M	150	M	30
7906155	<20	10	30	M	10	M	700	M	100	M	30
7906165	<20	50	50	M	15	M	1,000	M	200	M	30
7906175	<20	10	20	M	15	M	1,000	M	150	M	30
7906185	<20	15	15	M	15	M	700	M	200	M	30
7906195	<20	70	10	M	15	M	300	M	150	M	20
7906205	<20	30	50	M	10	M	700	M	100	M	20
790620T	<20	15	15	M	20	M	700	M	200	M	50
7906215	<20	10	20	M	15	M	1,000	M	150	M	30
7906225	<20	20	20	M	15	M	700	M	300	M	15
7906235	<20	5	70	M	5	M	200	M	150	M	70
7906245	<20	7	100	M	15	M	700	M	150	M	70
7906255	<20	30	20	M	15	M	1,000	M	150	M	15
7906265	<20	10	10	M	50	M	700	M	300	M	30

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-H6
7905855	<200	300	M	5	15	70	--
7905868	<200	70	M	5	35	55	--
7905873	M	200	M	10	35	45	--
7905885	M	100	M	100	30	70	--
7905895	<200	200	M	20	15	80	--
7905908	M	200	M	5	10	40	--
7905901	M	500	M	10	15	45	--
7905925	M	150	M	35	70	60	--
7905935	M	200	M	<5	15	55	--
7905945	M	100	M	10	15	70	--
7905955	M	100	M	5	10	40	--
7905968	M	200	M	15	10	25	--
7905975	M	50	M	15	<5	10	--
7905985	M	300	M	25	10	45	--
7905995	M	100	M	50	20	60	--
7906005	M	200	M	30	20	85	--
7906001	M	150	M	20	10	75	--
7906015	M	100	M	25	10	55	--
7906025	M	70	M	5	10	30	--
7906035	M	500	M	5	10	20	--
7906045	M	30	M	70	15	55	--
7906055	M	200	M	15	5	40	--
7906065	<200	200	M	25	10	60	--
7906075	M	100	M	25	10	50	--
7906085	<200	150	M	30	15	100	--
7906095	M	150	M	35	10	55	--
7906105	<200	150	M	20	15	50	--
7906101	M	50	M	25	15	55	--
7906115	M	50	M	30	10	60	--
7906125	M	100	M	15	10	60	--
7906135	M	150	M	15	10	40	--
7906145	M	150	M	10	10	20	--
7906155	M	150	M	5	15	40	--
7906165	M	200	M	5	10	15	--
7906175	M	100	M	20	5	20	--
7906185	M	100	M	20	5	15	--
7906195	M	150	M	60	15	55	--
7906205	M	150	M	10	10	15	--
7906201	M	200	M	15	5	20	--
7906215	M	100	M	10	5	15	--
7906345	<200	70	M	15	10	55	--
79061545	M	500	M	10	35	85	--
79061575	M	200	M	20	25	60	--
79061785	M	100	<.05	20	10	20	--
79611015	<200	1,000	M	5	10	45	--

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
796J1035	COM195	56 3 28	131 28 27	5.0	1.50	1.5	30	1,000	M	M
796J1045	COM218	56 2 19	131 27 28	10.0	2.00	3.0	50	1,500	M	M
796J1085	COM150	56 3 33	131 28 0	10.0	2.00	3.0	70	2,000	M	M
796J1235	CEC785	56 21 11	131 58 50	3.0	.70	2.0	50	500	M	M
796J5015	COM186	56 10 43	130 46 39	10.0	2.00	2.0	70	1,000	M	M
796J501T	COM208	56 10 43	130 46 39	10.0	2.00	3.0	1.00	700	M	M
796J5025	COM257	56 10 47	130 46 41	15.0	3.00	2.0	1.00	700	M	M
796J5035	COM232	56 10 19	130 46 35	10.0	3.00	3.0	>1.00	2,000	M	M
796J5045	COM188	56 10 3	130 47 11	15.0	3.00	5.0	70	1,000	M	M
796J5055	COM212	56 9 35	130 50 20	10.0	2.00	3.0	1.00	700	M	M
796J5065	COM258	56 9 39	130 50 10	5.0	2.00	2.0	70	700	M	M
796J5075	COM203	56 19 11	130 48 39	7.0	.70	1.0	70	5,000	M	M
796J5085	COM226	56 19 10	130 50 37	15.0	3.00	3.0	>1.00	2,000	M	M
796J5095	COM248	56 23 3	130 52 38	15.0	2.00	7.0	1.00	>5,000	M	M
796J5105	COM211	56 22 29	130 53 4	10.0	2.00	1.5	1.00	700	M	M
796J510T	COM204	56 22 29	130 53 4	10.0	2.00	1.0	1.00	1,000	M	M
796J5115	COM227	56 22 17	130 52 35	2.0	.30	1.5	50	300	M	M
796J5125	COM259	56 22 18	130 52 39	2.0	.70	1.0	50	300	M	M
796J5135	COM272	56 21 39	130 52 2	10.0	1.00	1.5	70	1,000	M	M
796J5145	COM205	56 21 15	130 52 11	20.0	1.00	1.0	1.00	1,500	M	M
796J5155	COM228	56 21 1	130 54 40	15.0	3.00	2.0	1.00	1,500	M	M
796J5165	COM743	56 9 7	130 53 52	15.0	2.00	2.0	70	700	M	M
796J5175	COM721	56 18 27	130 53 21	10.0	2.00	2.0	70	500	M	M
796J5185	COM766	56 12 45	130 50 49	5.0	1.50	1.5	30	500	M	M
796J5195	COM789	56 12 22	130 52 18	15.0	2.00	2.0	70	1,000	<.5	M
796J5205	COM722	56 5 12	131 1 42	15.0	3.00	2.0	1.00	700	M	M
796J520T	COM744	56 5 12	131 1 42	15.0	3.00	2.0	70	1,000	M	M
796J5215	COM792	56 1 35	131 1 37	10.0	3.00	3.0	70	1,000	M	M
796J5225	COM770	56 1 36	131 1 46	15.0	3.00	2.0	1.00	1,000	<.5	M
796J5235	COM726	56 2 32	130 59 14	15.0	5.00	5.0	>1.00	1,500	M	M
796J5245	COM748	56 2 33	130 57 3	15.0	2.00	2.0	1.00	700	M	M
796J5255	COM793	56 1 24	130 56 31	15.0	5.00	5.0	70	1,000	M	M
796J5265	COM771	56 1 24	130 56 18	15.0	3.00	3.0	>1.00	1,500	M	M
796J5275	COM727	56 1 16	130 53 49	5.0	3.00	3.0	30	1,000	M	M
796J5285	COM749	56 1 16	130 53 38	15.0	5.00	3.0	1.00	1,500	M	M
796J5295	COM794	56 1 20	130 53 33	15.0	3.00	3.0	1.00	1,000	M	M
796J5305	COM772	56 2 19	130 55 34	10.0	3.00	3.0	70	1,000	M	M
796J530T	COM750	56 2 19	130 55 34	10.0	3.00	3.0	70	1,000	M	M
796J5315	COM728	56 2 17	130 55 48	15.0	3.00	2.0	1.00	1,000	M	M
796J5325	COM795	56 3 9	130 54 29	15.0	5.00	5.0	1.00	700	M	M
796J5335	COM773	56 2 20	130 50 0	15.0	5.00	5.0	>1.00	1,500	M	M
796J5345	COM729	56 2 24	130 49 51	15.0	5.00	3.0	1.00	2,000	M	M
796J5355	COM751	56 2 59	130 51 26	>20.0	3.00	3.0	>1.00	1,500	M	M
796J5375	COM796	56 3 43	130 52 4	10.0	3.00	5.0	70	1,000	M	M
796J5385	COM736	56 13 59	130 56 31	15.0	2.00	2.0	70	1,000	M	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CD	S-CR	S-CU	S-LA	S-MO
796J103S	N	10	500	1.0	N	N	15	50	5	N	N
796J104S	N	15	1,000	1.0	N	N	20	50	7	50	N
796J108S	N	<10	1,000	1.0	N	N	30	100	50	150	N
796J123S	N	<10	2,000	2.0	N	N	5	20	<5	50	N
796J501S	N	<10	1,500	1.0	N	N	7	50	15	70	N
796J501T	N	<10	2,000	1.0	N	N	7	50	7	70	N
796J502S	N	<10	2,000	1.0	N	N	10	100	20	30	N
796J503S	N	<10	1,500	1.0	N	N	10	30	7	20	5
796J504S	N	<10	2,000	1.0	N	N	10	100	15	70	N
796J505S	N	<10	1,500	<1.0	N	N	10	100	10	30	N
796J506S	N	N	1,500	1.0	N	N	5	20	7	50	N
796J507S	N	<10	500	2.0	N	N	50	50	5	<20	30
796J508S	N	<10	1,000	1.0	N	N	20	70	70	N	10
796J509S	N	<10	500	5.0	N	N	50	70	10	<20	N
796J510S	N	<10	1,000	1.0	N	N	10	50	10	70	N
796J510T	N	<10	1,500	1.0	N	N	10	70	10	100	N
796J511S	N	<10	1,500	1.0	N	N	<5	<10	<5	20	N
796J512S	N	<10	1,000	1.0	N	N	10	70	5	70	N
796J513S	N	<10	1,000	1.0	N	N	7	20	7	100	N
796J514S	N	<10	1,000	1.0	N	N	7	50	10	300	N
796J515S	N	15	700	1.0	N	N	20	70	300	N	7
796J516S	N	<10	700	1.0	N	N	7	30	5	150	N
796J517S	N	N	1,000	1.0	N	N	7	15	7	30	<5
796J518S	N	N	1,500	<1.0	N	N	7	50	7	<20	N
796J519S	N	N	1,500	1.0	N	N	10	50	15	100	N
796J520S	N	N	700	<1.0	N	N	15	70	15	20	<5
796J520T	N	N	500	<1.0	N	N	15	70	20	N	<5
796J521S	N	N	500	1.0	N	N	10	70	30	20	N
796J522S	N	N	500	1.0	N	N	20	300	200	20	15
796J523S	N	<10	700	1.0	N	N	15	50	15	20	N
796J524S	N	N	700	<1.0	N	N	10	70	7	30	N
796J525S	N	N	500	<1.0	N	N	15	100	50	30	N
796J526S	N	N	700	<1.0	N	N	15	50	150	30	10
796J527S	N	N	700	<1.0	N	N	10	100	20	N	N
796J528S	N	N	500	<1.0	N	N	50	700	20	50	N
796J529S	N	N	700	1.0	N	N	10	100	50	50	N
796J530S	N	N	500	<1.0	N	N	20	150	30	N	N
796J530T	N	N	500	<1.0	N	N	15	150	15	30	N
796J531S	N	<10	700	1.0	N	N	20	70	30	50	N
796J532S	N	N	500	<1.0	N	N	20	100	7	30	N
796J533S	N	N	500	<1.0	N	N	20	100	50	50	N
796J534S	N	N	500	1.0	N	N	10	50	20	50	N
796J535S	N	N	700	<1.0	N	N	30	100	50	100	N
796J537S	N	N	500	1.0	N	N	10	70	20	20	N
796J538S	N	N	1,000	<1.0	N	N	10	50	10	<20	N

Table 5.---Analytical data for stream-sediment samples--continued

SAMPLE	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
796J103S	M	10	M	30	M	500	M	200	M	20
796J104S	7	10	M	30	M	700	M	300	M	30
796J108S	10	10	M	50	M	500	M	500	M	70
796J123S	30	15	M	50	M	1,000	M	100	M	20
796J301S	5	50	M	10	M	1,000	M	200	M	30
796J501S	15	30	M	20	M	1,000	M	500	M	30
796J502S	20	30	M	20	M	1,000	M	300	M	30
796J503S	30	50	M	20	M	1,000	M	300	M	20
796J504S	10	20	M	30	M	1,000	M	300	M	30
796J505S	15	50	M	50	M	1,000	M	500	M	30
796J506S	50	30	M	30	M	1,000	M	500	M	30
796J507S	15	30	M	20	M	1,000	M	200	M	20
796J508S	30	10	M	15	M	500	M	100	M	20
796J509S	70	20	M	20	M	700	M	700	M	30
796J510S	100	<10	M	15	10	2,000	M	150	M	30
796J510T	30	30	M	20	M	700	M	200	M	30
796J511S	50	50	M	20	M	1,000	M	200	M	50
796J512S	5	10	M	5	M	1,000	M	150	M	30
796J513S	5	20	M	5	M	1,000	M	100	M	30
796J514S	10	20	M	15	M	700	M	200	M	70
796J515S	20	30	M	20	M	700	M	500	M	70
796J515S	50	20	M	30	M	500	M	700	M	30
796J516S	7	20	M	10	M	1,000	M	300	M	20
796J517S	10	50	M	15	M	1,000	M	200	M	20
796J518S	15	50	M	7	M	1,000	M	100	M	15
796J519S	15	30	M	15	M	1,500	M	500	M	30
796J520S	30	15	M	15	M	500	M	300	M	20
796J520T	30	15	M	15	M	700	M	300	M	20
796J521S	20	20	M	20	M	1,000	M	300	M	50
796J522S	100	30	M	15	M	1,000	M	700	M	30
796J523S	15	20	M	30	M	1,000	M	500	M	30
796J524S	M	15	M	15	M	1,000	M	300	M	20
796J525S	M	20	M	20	M	1,000	M	300	M	30
796J526S	M	20	M	15	M	700	M	500	M	30
796J527S	M	30	M	15	M	1,000	M	300	M	30
796J528S	M	15	M	15	M	500	M	300	M	30
796J529S	M	15	M	15	M	1,000	M	300	M	20
796J530S	50	20	M	15	M	1,000	M	300	M	30
796J530T	70	20	M	20	M	700	M	500	M	50
796J531S	50	20	M	15	M	700	M	300	M	30
796J531S	30	20	M	30	M	700	M	500	M	70
796J532S	30	20	M	20	M	1,000	M	700	M	30
796J533S	50	20	M	30	10	500	M	700	M	70
796J534S	20	20	M	15	M	500	M	300	M	30
796J535S	30	20	M	20	M	500	M	2,000	M	30
796J537S	30	20	M	15	M	700	M	300	M	30
796J538S	20	30	M	15	M	1,500	M	500	M	20

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
796J103S	<200	300	M	5	20	70	--
796J104S	<200	700	M	5	20	80	--
796J108S	<200	1,000	M	25	10	65	--
796J123S	M	150	M	<5	10	30	--
796J501S	M	300	M	5	10	20	--
796J501T	M	200	M	15	10	30	--
796J502S	<200	100	M	25	20	60	--
796J503S	M	300	M	10	15	35	--
796J504S	<200	200	M	10	15	40	--
796J505S	<200	100	M	15	10	40	--
796J506S	M	70	M	10	10	20	--
796J507S	<200	100	M	15	20	120	--
796J508S	M	150	M	30	20	80	--
796J509S	<200	70	M	15	30	210	--
796J510S	<200	150	M	10	20	80	--
796J510T	<200	150	M	10	15	80	--
796J511S	M	100	M	5	5	35	--
796J512S	M	150	M	5	10	50	--
796J513S	<200	200	M	10	10	80	--
796J514S	<200	200	M	15	10	55	--
796J515S	<200	70	M	150	25	120	--
796J516S	M	300	M	5	10	35	--
796J517S	M	70	M	10	10	65	--
796J518S	M	70	M	15	15	55	--
796J519S	<200	30	M	15	10	50	--
796J520S	<200	50	M	30	15	80	--
796J520T	M	50	M	25	15	75	--
796J521S	<200	100	M	20	5	40	--
796J522S	M	100	M	65	10	65	--
796J523S	<200	150	M	20	15	60	--
796J524S	M	70	M	<5	10	25	--
796J525S	<200	200	M	30	10	60	--
796J526S	<200	300	M	85	100	65	--
796J527S	M	70	M	10	10	30	--
796J528S	M	500	M	30	15	75	--
796J529S	<200	50	M	30	5	45	--
796J530S	<200	100	M	35	10	55	--
796J530T	M	50	M	35	15	55	--
796J531S	<200	500	M	45	10	60	--
796J532S	<200	500	M	10	10	50	--
796J533S	<200	150	M	40	10	45	--
796J534S	<200	70	M	50	10	40	--
796J535S	M	1,000	M	20	15	40	--
796J537S	<200	200	M	25	10	50	--
796J538S	<200	50	M	20	10	30	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS
796J539S	CM805	56 13 47	130 56 30	15.0	5.00	5.0	1.00	1,000	N	N
796J540S	CM8760	56 14 21	130 48 19	7.0	2.00	1.5	.70	1,000	N	N
796J540T	CM8781	56 14 21	130 48 19	10.0	2.00	2.0	.50	700	<.5	N
796J541S	CM807	56 14 9	130 48 50	10.0	2.00	1.5	.70	700	N	N
796J542S	CM803	56 10 37	130 49 41	15.0	3.00	2.0	.70	1,000	N	N
796J543S	CM8737	56 7 47	130 46 41	10.0	2.00	2.0	.50	700	N	N
796J544S	CM8759	56 7 50	130 46 48	15.0	3.00	2.0	.70	500	N	N
796J545S	CM8783	56 7 38	130 48 1	15.0	3.00	3.0	1.00	700	1.5	N
796J546S	CM8758	56 8 3	130 48 59	15.0	2.00	2.0	.70	700	N	N
796J547S	CM804	56 7 59	130 49 10	10.0	1.50	1.5	.50	500	N	N
796J549S	CM8782	56 0 48	131 5 5	10.0	5.00	3.0	.70	1,000	N	N
796J550S	CM802	56 4 43	131 8 30	15.0	3.00	3.0	1.00	700	N	N
796J550T	CM8735	56 4 43	131 8 30	15.0	3.00	3.0	1.00	1,000	N	N
796J551S	CM174	56 14 57	131 29 26	15.0	3.00	2.0	.70	2,000	N	N
796J552S	CM197	56 15 51	131 31 52	5.0	1.00	1.0	.30	700	<.5	N
796J553S	CM220	56 15 59	131 32 9	10.0	3.00	3.0	.50	1,500	N	N
796J554S	CM152	56 16 48	131 33 20	10.0	3.00	3.0	.70	2,000	N	N
796J555S	CM176	56 17 17	131 34 9	15.0	3.00	3.0	.50	1,500	N	N
796J556S	CM199	56 17 43	131 35 13	3.0	1.50	1.5	.20	700	N	N
796J557S	CM222	56 18 2	131 35 17	10.0	2.00	2.0	.50	1,000	N	N
796J558S	CM154	56 17 56	131 35 26	3.0	2.00	2.0	.20	1,000	.5	N
796J559S	CM178	56 18 5	131 36 51	7.0	3.00	2.0	.70	2,000	N	N
796J560S	CM201	56 18 17	131 36 56	2.0	1.50	1.0	.20	700	N	N
796J560T	CM224	56 18 17	131 36 56	3.0	2.00	3.0	.30	700	N	N
796J561S	CM155	56 18 51	131 34 51	7.0	2.00	1.5	.50	1,500	N	N
796J562S	CM179	56 19 19	131 34 13	15.0	3.00	3.0	.50	1,000	N	N
796J563S	CA306	56 7 51	131 53 33	5.0	2.00	3.0	.70	1,500	N	N
796J564S	CA329	56 6 32	131 52 30	5.0	1.50	2.0	.50	1,500	N	N
796J565S	CA261	56 6 4	131 50 35	5.0	1.00	5.0	.20	1,000	N	N
796J566S	CA284	56 3 27	131 57 29	7.0	3.00	3.0	.70	1,500	N	N
796J567S	CA307	56 4 4	131 54 40	5.0	3.00	3.0	.70	1,000	N	N
796J568S	CA330	56 4 0	131 54 50	7.0	2.00	3.0	.70	1,500	N	N
796J569S	CA262	56 3 38	131 48 0	7.0	3.00	3.0	.50	1,000	N	N
796J570S	CA285	56 4 28	131 44 50	2.0	.70	3.0	.50	--	--	--
796J570T	CA308	56 4 28	131 44 50	--	--	--	--	--	--	--
796J571S	CA331	56 2 29	131 45 41	5.0	1.50	3.0	.30	1,000	N	N
796J572S	CA263	56 2 38	131 46 5	5.0	1.50	3.0	.50	700	N	N
796J573S	CA286	56 0 15	131 46 59	5.0	3.00	3.0	.50	1,500	N	N
796J574S	CA309	56 0 17	131 46 51	3.0	2.00	3.0	.30	1,000	N	N
796J575S	CA332	56 0 49	131 49 15	7.0	2.00	3.0	>1.00	1,000	N	N
796J576S	CA264	56 0 37	131 48 56	7.0	2.00	3.0	.70	1,000	N	N
796J577S	CA287	56 0 51	131 50 2	2.0	.50	1.0	.30	700	N	N
796J578S	CA310	56 0 42	131 53 14	10.0	3.00	2.0	1.00	3,000	N	N
796J579S	CA333	56 0 28	131 54 58	15.0	1.50	2.0	.50	5,000	N	N
796J580S	CA265	56 2 44	131 52 50	5.0	2.00	3.0	.70	1,000	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CC	S-CR	S-CU	S-LA	S-MO
796J539S	N	M	700	<1.0	M	M	15	100	30	50	M
796J540S	N	M	1,500	<1.0	M	M	10	70	20	30	M
796J540T	M	M	1,500	<1.0	M	M	10	70	20	20	M
796J541S	M	M	1,000	1.0	M	M	7	50	15	20	M
796J542S	M	M	700	1.0	M	M	10	70	30	30	S
796J543S	M	M	1,500	<1.0	M	M	15	200	5	50	M
796J544S	M	M	700	<1.0	M	M	10	150	5	M	M
796J545S	M	M	700	<1.0	M	M	20	100	10	30	M
796J546S	M	M	1,000	<1.0	M	M	15	100	7	30	M
796J547S	M	M	700	<1.0	M	M	7	20	5	30	M
796J549S	M	M	500	<1.0	M	M	20	100	50	<20	M
796J550S	M	M	500	<1.0	M	M	10	100	15	20	10
796J550T	M	M	700	1.0	M	M	15	150	20	70	M
796J551S	M	<10	1,500	1.5	M	M	50	100	15	150	15
796J552S	M	<10	300	1.0	M	M	20	20	10	50	M
796J553S	M	<10	1,000	1.0	M	M	30	100	20	120	M
796J554S	M	<10	1,500	1.0	M	M	30	300	20	150	M
796J555S	M	<10	2,000	1.5	M	M	30	70	30	150	M
796J556S	M	<10	300	1.0	M	M	15	20	15	30	M
796J557S	M	<10	1,000	1.5	M	M	20	70	30	120	M
796J558S	M	<10	1,500	1.5	M	M	20	200	30	70	M
796J559S	M	<10	2,000	1.0	M	M	30	50	20	70	M
796J560S	M	M	700	1.0	M	M	20	70	30	20	M
796J560T	M	<10	2,000	1.5	M	M	20	150	50	70	M
796J561S	M	<10	2,000	2.0	M	M	20	70	15	150	M
796J562S	M	<10	2,000	1.0	M	M	30	50	20	120	M
796J563S	M	10	1,000	2.0	M	M	15	50	10	50	M
796J564S	M	20	1,000	1.5	M	M	15	50	7	50	M
796J565S	M	10	1,500	1.5	M	M	10	20	5	50	M
796J566S	M	150	700	1.5	M	M	15	50	50	150	M
796J567S	M	10	1,000	2.0	M	M	15	30	20	30	M
796J568S	M	10	1,000	1.5	M	M	15	50	<5	30	M
796J569S	M	<10	1,000	2.0	M	M	15	70	7	50	M
796J570S	M	<10	1,000	1.5	M	M	7	15	<5	70	M
796J570T	-	--	--	--	--	--	--	--	--	--	--
796J571S	M	10	1,000	2.0	M	M	10	20	10	50	M
796J572S	M	<10	1,000	2.0	M	M	10	15	M	50	M
796J573S	M	10	700	1.5	M	M	15	30	10	50	M
796J574S	M	<10	1,500	2.0	M	M	7	30	<5	50	M
796J575S	M	<10	1,000	1.5	M	M	20	30	15	50	M
796J576S	M	10	1,000	2.0	M	M	15	70	15	50	M
796J577S	M	50	1,500	3.0	M	M	7	<10	20	70	M
796J578S	M	<10	1,500	1.5	M	M	30	100	20	30	M
796J579S	M	70	1,000	2.0	M	M	20	50	5	30	20
796J580S	M	200	1,000	2.0	M	M	20	70	30	50	M



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-NI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TN	S-V	S-W	S-Y
796J339S	<20	30	30	N	20	N	1,000	N	300	N	30
796J340S	N	30	30	N	10	N	1,500	N	200	N	20
796J340T	N	30	50	N	10	N	1,500	N	200	N	20
796J341S	<20	20	30	N	10	N	1,500	N	150	N	20
796J342S	N	30	50	N	15	N	1,000	N	300	N	30
796J343S	N	150	50	N	15	N	1,500	N	300	N	10
796J344S	N	30	20	N	15	N	1,000	N	500	N	20
796J345S	N	50	30	N	15	N	700	N	500	N	30
796J346S	N	50	20	N	15	N	1,000	N	300	N	30
796J347S	N	7	30	N	10	N	700	N	200	N	10
796J349S	N	50	20	N	15	N	1,000	N	300	N	30
796J350S	N	30	30	N	20	N	700	N	500	N	30
796J350T	<20	70	20	N	50	N	700	N	700	N	50
796J351S	20	30	15	N	50	N	500	N	300	N	50
796J352S	N	20	10	N	20	N	500	N	150	N	20
796J353S	<20	50	15	N	50	N	700	N	300	N	50
796J354S	<20	100	15	N	50	N	500	N	300	N	50
796J355S	<20	30	15	N	50	N	1,000	N	300	N	50
796J356S	N	20	10	N	20	N	500	N	150	N	20
796J357S	20	30	15	N	30	N	500	N	300	N	30
796J358S	N	100	10	N	30	N	500	N	150	N	20
796J359S	<20	30	15	N	50	N	700	N	300	N	50
796J360S	N	100	10	N	15	N	300	N	150	N	20
796J360T	<20	100	15	N	20	N	500	N	200	N	30
796J361S	20	30	15	N	20	N	700	N	200	N	30
796J362S	N	20	20	N	50	N	1,000	N	500	N	30
796J363S	<20	7	20	N	20	N	700	N	200	N	20
796J364S	<20	5	30	N	15	N	700	N	150	N	30
796J365S	N	10	30	N	10	N	1,000	N	150	N	15
796J366S	<20	15	15	N	20	N	700	N	200	N	50
796J367S	N	10	20	N	15	N	1,000	N	150	N	20
796J368S	<20	7	20	N	20	N	700	N	200	N	30
796J369S	<20	15	20	N	15	N	1,000	N	150	N	30
796J370S	20	<5	30	N	10	N	700	N	150	N	30
796J370T	--	--	--	--	--	--	--	--	--	--	--
796J371S	<20	5	20	N	15	N	1,000	N	150	N	20
796J372S	<20	<5	30	N	15	N	1,000	N	150	N	20
796J373S	N	5	20	N	15	N	1,000	N	200	N	20
796J374S	<20	5	30	N	15	N	1,000	N	150	N	30
796J375S	<20	10	15	N	15	N	700	N	200	N	50
796J376S	<20	15	20	N	20	N	1,000	N	300	N	50
796J377S	20	<5	50	N	7	N	200	N	30	N	30
796J378S	<20	50	20	N	20	N	700	N	200	N	30
796J379S	<20	5	30	N	15	N	700	N	150	N	30
796J380S	N	20	20	N	15	N	700	N	150	N	20

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-H6
796J339S	<200	150	M	15	10	35	--
796J340S	M	200	M	20	15	35	--
796J340T	<200	70	M	20	20	35	--
796J341S	<200	50	M	20	15	55	--
796J342S	<200	500	M	20	15	65	--
796J343S	M	20	M	10	10	25	--
796J344S	M	150	M	10	10	25	--
796J345S	<200	300	M	10	5	25	--
796J346S	M	70	M	10	10	35	--
796J347S	M	70	M	5	10	45	--
796J349S	<200	50	M	40	10	45	--
796J350S	<200	50	M	15	15	50	--
796J350T	<200	300	M	25	15	70	--
796J351S	M	700	M	10	15	45	--
796J352S	<200	200	M	15	15	50	--
796J353S	<200	300	M	20	15	35	--
796J354S	<200	>1,000	M	25	5	25	--
796J355S	<200	200	M	20	20	65	--
796J356S	M	200	M	25	20	55	--
796J357S	M	1,000	M	15	20	40	--
796J358S	<200	500	M	25	10	25	--
796J359S	<200	150	M	50	15	55	--
796J360S	M	150	M	30	15	35	--
796J360T	<200	200	M	30	20	35	--
796J361S	<200	700	M	15	10	40	--
796J362S	M	500	M	20	15	40	--
796J363S	M	150	M	30	10	75	--
796J364S	M	200	M	5	15	75	--
796J365S	M	150	M	10	10	45	--
796J366S	<200	150	M	25	15	50	--
796J367S	M	150	M	10	10	70	--
796J368S	M	150	M	5	10	65	--
796J369S	M	150	M	5	10	50	--
796J370S	M	100	M	5	10	25	--
796J370T	--	--	M	<5	10	35	--
796J371S	M	150	M	25	15	55	--
796J372S	M	200	M	<5	5	20	--
796J373S	<200	100	M	10	15	75	--
796J374S	M	100	M	<5	5	35	--
796J375S	<200	100	M	10	15	60	--
796J376S	<200	100	M	20	10	50	--
796J377S	M	700	M	5	25	70	--
796J378S	M	200	M	15	15	80	--
796J379S	<200	150	M	5	20	70	--
796J380S	M	150	M	10	15	55	--

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGZ	S-CAZ	S-TIX	S-MM	S-AG	S-AS
79GJ581S	CEA288	56 2 44	131 39 48	7.0	3.00	3.0	.70	1,000	N	N
79GJ581T	CEA311	56 2 44	131 39 48	5.0	2.00	3.0	.70	1,000	N	N
79GJ582S	CEA334	56 2 18	131 41 31	10.0	2.00	5.0	.70	1,500	N	N
79GJ583S	CEA266	56 2 21	131 41 31	7.0	2.00	3.0	.30	1,000	N	N
79GJ584S	CEA289	56 2 7	131 43 3	5.0	2.00	3.0	.50	1,000	N	N
79GJ585S	CEA312	56 1 35	131 43 55	5.0	2.00	3.0	.70	1,000	N	N
79GJ586S	CEA335	56 3 40	131 41 51	5.0	1.00	3.0	.30	1,000	N	N
79GJ587S	CEA267	56 3 41	131 41 59	5.0	1.50	5.0	.50	700	N	N
79GJ588S	CEA290	56 4 38	131 41 25	7.0	5.00	5.0	.70	1,000	N	N
79GJ589S	CEA313	56 4 35	131 41 28	7.0	3.00	3.0	.70	1,500	N	N
79GJ590S	CEA336	56 4 38	131 42 21	7.0	2.00	5.0	.70	1,000	N	N
79GJ590T	CEA153	56 4 38	131 42 21	3.0	1.00	2.0	.30	500	N	N
79GJ591S	CEA176	56 4 41	131 42 19	10.0	1.50	3.0	.70	1,000	N	N
79GJ592S	CEA199	56 11 14	131 41 51	10.0	3.00	2.0	.30	2,000	N	N
79GJ593S	CEA222	56 10 50	131 41 5	10.0	5.00	2.0	1.00	1,500	N	N
79GJ594S	CEA154	56 9 39	131 38 58	5.0	2.00	2.0	.50	1,000	N	N
79GJ595S	CEA177	56 9 42	131 38 50	10.0	3.00	1.5	.30	1,500	N	N
79GJ596S	CEA200	56 8 0	131 29 11	5.0	2.00	3.0	.30	1,000	N	N
79GJ597S	CEA223	56 7 32	131 32 15	5.0	3.00	7.0	.50	1,000	N	N
79GJ598S	CEA155	56 7 44	131 34 10	5.0	3.00	2.0	.20	3,000	N	N
79GJ599S	CEA178	56 9 58	131 36 10	10.0	5.00	3.0	.70	1,500	N	N
79J0820S	COM184	56 0 50	131 12 41	15.0	5.00	5.0	>1.00	2,000	N	N
79J0801S	CEA206	56 2 2	131 10 17	10.0	5.00	2.0	.70	2,000	N	N
79J0830S	CEA245	56 2 9	131 5 51	15.0	3.00	3.0	1.00	1,500	N	N
79J0899S	CEA822	56 7 29	130 51 37	15.0	2.00	2.0	.70	500	N	N
79J0900S	CEA867	56 7 18	130 51 45	3.0	2.00	3.0	.70	700	N	N
79J0902S	CEA852	56 4 0	130 56 18	15.0	5.00	3.0	1.00	1,500	N	N
79J0903S	CEA837	56 4 4	130 57 40	15.0	3.00	2.0	1.00	1,500	N	N
79J0904S	CEA823	56 5 0	130 58 44	15.0	3.00	3.0	>1.00	1,000	N	N
79MH008S	CEA195	56 0 23	131 9 59	10.0	3.00	1.5	1.00	1,500	N	N
79MH140S	CEA292	56 35 38	131 45 0	5.0	3.00	2.0	.70	1,000	N	N
79MH501S	CEA229	56 9 53	131 11 21	5.0	5.00	7.0	.70	1,500	N	N
79MH501T	CEA251	56 9 53	131 11 21	15.0	5.00	5.0	1.00	2,000	N	N
79MH502S	CEA207	56 9 58	131 11 24	15.0	5.00	5.0	>1.00	1,000	N	N
79MH503S	CEA230	56 9 11	131 11 30	20.0	5.00	5.0	>1.00	2,000	N	N
79MH504S	CEA252	56 8 33	131 11 19	10.0	3.00	3.0	>1.00	1,500	N	N
79MH505S	CEA185	56 8 38	131 11 15	15.0	3.00	5.0	>1.00	2,000	N	N
79MH506S	CEA231	56 7 24	131 12 0	15.0	5.00	5.0	>1.00	1,500	N	N
79MH507S	CEA253	56 8 21	131 11 1	15.0	5.00	5.0	>1.00	1,000	N	N
79MH508S	CEA209	56 8 18	131 11 13	15.0	3.00	3.0	>1.00	1,500	N	N
79MH509S	CEA254	56 8 11	131 9 53	15.0	5.00	3.0	>1.00	1,000	N	N
79MH510S	CEA187	56 7 53	131 8 30	15.0	3.00	3.0	>1.00	2,000	N	N
79MH510T	CEA210	56 7 53	131 8 30	15.0	3.00	5.0	1.00	1,500	N	N
79MH511S	CEA255	56 7 38	131 7 20	20.0	5.00	5.0	>1.00	2,000	N	N
79MH512S	CEA211	56 7 18	131 7 13	15.0	3.00	3.0	>1.00	700	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CC	S-CD	S-CR	S-CU	S-LA	S-MO
796J5815	M	<10	700	1.5	M	M	10	30	30	5	120	M
796J581T	M	<10	1,000	2.0	M	M	13	30	30	7	70	M
796J5825	M	20	1,000	2.0	M	M	15	70	70	7	70	M
796J5835	M	20	1,500	2.0	M	M	15	50	50	7	50	M
796J5845	M	20	1,000	1.5	M	M	7	70	70	5	50	M
796J5855	M	10	1,500	1.5	M	M	10	30	30	<5	120	M
796J5865	M	10	1,500	2.0	M	M	7	30	30	5	100	M
796J5875	M	15	1,000	2.0	M	M	10	20	30	50	30	M
796J5885	M	30	1,000	1.5	M	M	15	150	150	20	30	M
796J5895	M	10	1,500	2.0	M	M	13	30	30	7	70	M
796J5905	M	30	1,000	1.5	M	M	10	30	30	30	50	M
796J590T	M	15	1,500	1.5	M	M	10	10	10	<5	M	30
796J5915	M	10	700	1.5	M	M	15	70	70	5	150	M
796J5925	M	10	1,000	1.5	M	M	30	200	200	50	50	M
796J5935	M	10	1,000	1.0	M	M	30	300	300	70	30	M
796J5945	M	10	1,000	1.5	M	M	15	150	150	20	M	15
796J5955	M	10	1,000	2.0	M	M	50	200	200	50	70	M
796J5965	M	<10	1,000	1.5	M	M	20	50	50	10	120	10
796J5975	M	<10	1,000	1.5	M	M	15	70	70	15	70	M
796J5985	M	<10	500	1.0	M	M	15	150	150	10	<20	M
796J5995	M	<10	500	1.0	M	M	30	300	300	20	50	M
796J6005	M	<10	700	1.5	M	M	30	700	700	200	M	100
79J60015	M	<10	1,000	<1.0	M	M	15	200	200	30	M	M
79J60305	M	<10	700	<1.0	M	M	7	150	150	15	20	M
79J60905	M	M	1,000	<1.0	M	M	70	30	30	7	M	M
79J60905	M	M	1,000	1.0	M	M	7	10	10	<5	30	M
79J69025	M	<10	700	<1.0	M	M	20	100	100	50	30	M
79J69035	M	M	500	<1.0	M	M	30	150	150	30	50	M
79J69045	M	M	500	<1.0	M	M	50	150	150	50	30	M
79MH0085	M	30	1,500	1.0	M	M	15	100	100	20	<20	M
79MH1405	M	10	2,000	5.0	M	M	20	150	150	20	100	M
79MH5015	M	<10	700	<1.0	M	M	7	200	200	15	M	M
79MH501T	M	<10	700	<1.0	M	M	20	500	500	20	30	M
79MH5025	M	<10	700	<1.0	M	M	20	500	500	15	50	M
79MH5035	M	<10	1,500	1.0	M	M	30	200	200	150	70	M
79MH5045	M	<10	1,000	<1.0	M	M	10	100	100	30	50	M
79MH5055	M	<10	1,000	1.0	M	M	20	300	300	20	120	M
79MH5065	M	<10	1,000	1.0	M	M	25	150	150	100	30	M
79MH5075	M	<10	1,000	1.0	M	M	20	300	300	30	70	M
79MH5085	M	<10	1,000	1.0	M	M	10	100	100	30	50	M
79MH5095	M	<10	1,000	1.0	M	M	20	200	200	50	20	M
79MH5105	M	<10	1,500	1.0	M	M	15	150	150	20	70	M
79MH510T	M	<10	1,500	<1.0	M	M	10	150	150	15	50	M
79MH5115	M	<10	700	<1.0	M	M	20	200	200	30	220	M
79MH5125	M	<10	700	1.0	M	M	20	200	200	15	50	M

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TM	S-V	S-W	S-Y
79GJS815	20	5	30	N	20	N	700	N	200	N	30
79GJS817	<20	5	30	N	20	N	1,000	N	200	N	50
79GJS825	20	10	30	N	30	N	1,000	N	300	N	70
79GJS835	N	7	30	N	15	N	1,000	N	200	N	20
79GJS845	N	5	30	N	10	N	1,000	N	150	N	15
79GJS855	20	5	30	N	20	N	700	N	200	N	50
79GJS865	<20	7	50	N	15	N	700	N	150	N	30
79GJS875	N	7	30	N	10	N	1,000	N	150	N	15
79GJS885	<20	50	20	N	15	N	700	N	200	N	30
79GJS895	<20	7	50	N	15	N	1,000	N	200	N	30
79GJS905	N	10	30	N	15	N	1,000	N	200	N	30
79GJS907	N	15	15	N	7	N	1,000	N	100	50	10
79GJS915	20	10	20	N	20	N	700	N	200	N	70
79GJS925	<20	30	20	N	30	N	500	N	200	N	50
79GJS935	20	30	15	N	30	N	500	N	500	N	50
79GJS945	N	50	15	N	20	N	700	N	200	50	30
79GJS955	<20	50	20	N	15	N	300	N	200	N	30
79GJS965	<20	15	20	N	20	N	700	N	200	50	50
79GJS975	<20	20	30	N	20	N	700	N	200	N	50
79GJS985	N	30	10	N	30	N	300	N	200	N	50
79GJS995	<20	50	15	N	30	N	500	N	300	N	50
79J08005	N	200	20	N	50	N	500	N	500	N	20
79J08015	N	150	100	N	30	N	1,000	N	300	N	30
79J08305	N	20	15	N	20	N	700	N	700	N	30
79J08995	N	5	30	N	5	N	1,000	N	500	N	10
79J09005	N	5	20	N	10	N	1,500	N	150	N	15
79J09025	<20	70	15	N	30	N	1,000	N	500	N	50
79J09035	<20	100	20	N	30	N	700	N	700	N	50
79J09045	<20	70	20	N	20	N	500	N	700	N	50
79MH0085	<20	100	30	N	20	N	500	N	300	N	20
79MH1405	20	50	30	N	15	N	1,000	N	200	N	50
79MH5015	N	30	10	N	20	N	700	N	200	N	20
79MH5017	N	70	15	N	50	N	700	N	700	N	50
79MH5025	N	100	15	N	70	N	500	N	200	N	50
79MH5035	<20	100	20	N	70	N	700	N	1,000	N	70
79MH5045	N	20	20	N	30	N	700	N	300	N	50
79MH5055	<20	50	20	N	70	N	700	N	700	N	70
79MH5065	<20	100	20	N	50	N	500	N	1,000	N	30
79MH5075	<20	100	30	N	50	N	1,000	N	1,000	N	70
79MH5085	<20	100	10	N	50	N	500	N	1,000	N	50
79MH5095	<20	100	30	N	50	N	700	N	700	N	50
79MH5105	<20	70	20	N	50	N	1,000	N	500	N	50
79MH5107	N	50	10	N	20	N	1,000	N	700	N	50
79MH5115	20	50	20	N	50	N	700	N	1,000	N	100
79MH5125	<20	30	20	N	50	N	500	N	700	N	70

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
796J5813	M	200	N	5	20	65	--
796J5817	M	200	N	20	10	60	--
796J5825	<200	100	N	5	10	40	--
796J5835	<200	200	N	10	10	75	--
796J5845	M	150	N	10	15	60	--
796J5855	M	150	N	10	10	35	--
796J5865	M	200	N	5	20	65	--
796J5875	M	200	--	30	15	60	--
796J5885	M	100	N	15	20	100	--
796J5895	<200	200	N	10	20	85	--
796J5905	M	150	N	20	15	55	--
796J5907	M	100	<.05	<5	10	60	--
796J5915	M	1,000	N	5	10	40	--
796J5925	M	100	N	25	15	65	--
796J5935	<200	200	N	25	10	70	--
796J5945	M	100	N	30	10	65	--
796J5955	M	100	N	40	15	85	--
796J5965	M	200	N	15	15	35	--
796J5975	M	200	N	15	<5	35	--
796J5985	M	70	<.05	10	10	45	--
796J5995	M	200	N	25	10	45	--
79J08005	<200	50	N	110	20	90	--
79J08015	<200	70	N	30	65	70	--
79J08305	<200	100	N	20	10	30	--
79J08995	M	70	N	10	10	45	--
79J09005	M	50	N	5	<5	20	--
79J09025	<200	70	N	30	10	50	--
79J09035	<200	30	N	30	10	50	--
79J09045	<200	150	N	25	10	65	--
79MH0085	M	100	N	20	25	65	--
79MH1405	M	150	N	15	20	55	--
79MH5015	200	50	N	25	15	50	--
79MH5017	<200	150	N	20	20	40	--
79MH5025	<200	150	N	25	10	40	--
79MH5035	<200	500	N	40	15	55	--
79MH5045	<200	300	N	25	15	55	--
79MH5055	<200	500	N	15	10	35	--
79MH5065	<200	100	N	55	20	70	--
79MH5075	<200	200	N	25	15	50	--
79MH5085	<200	200	N	35	15	50	--
79MH5095	<200	300	N	40	15	45	--
79MH5105	<200	70	N	20	10	55	--
79MH5107	<200	150	N	30	10	55	--
79MH5115	<200	700	N	25	10	40	--
79MH5125	M	>1,000	N	30	15	65	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-PEX	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS
79MH5135	CDM234	56 7 11	131 7 50	10.0	3.00	2.0	1.00	1,000	N	N
79MH5145	CDM256	56 6 47	131 7 39	15.0	3.00	3.0	>1.00	1,500	N	N
79MH5155	CDM189	56 6 38	131 7 17	15.0	3.00	3.0	>1.00	1,500	N	N
79MH5165	CDM767	56 10 0	130 53 41	15.0	3.00	2.0	-50	700	N	N
79MH5175	CDM790	56 13 37	130 53 44	10.0	2.00	2.0	-50	700	N	N
79MH5185	CDM723	56 14 52	130 52 34	10.0	2.00	2.0	-70	1,000	N	N
79MH5195	CDM745	56 18 43	130 52 19	10.0	2.00	2.0	1.00	500	N	N
79MH5205	CDM768	56 16 42	130 55 19	10.0	2.00	3.0	-50	1,000	N	N
79MH520T	CDM791	56 16 42	130 55 19	15.0	3.00	3.0	1.00	700	N	N
79MH5215	CDM724	56 17 11	130 54 8	15.0	2.00	1.5	-70	700	N	N
79MH5225	CDM746	56 17 10	130 54 15	15.0	1.50	1.0	-70	700	N	N
79MH5245	CDM755	56 17 36	130 45 38	15.0	2.00	1.5	-70	500	N	N
79MH5255	CDM778	56 16 1	130 45 52	10.0	2.00	3.0	-50	700	N	N
79MH5265	CDM800	56 16 2	130 43 58	15.0	1.50	2.0	-50	700	N	N
79MH5275	CDM733	56 14 0	130 45 9	10.0	3.00	2.0	-50	500	N	N
79MH5285	CDM756	56 13 58	130 45 14	2.0	1.00	1.5	-50	500	N	N
79MH5295	CDM779	56 15 3	130 45 40	15.0	2.00	1.5	1.00	700	N	N
79MH5305	CDM801	56 15 4	130 45 37	10.0	1.50	1.5	-50	500	N	N
79MH530T	CDM734	56 15 4	130 45 37	10.0	2.00	1.5	-20	500	N	N
79MH5315	CDM757	56 15 40	130 46 48	10.0	2.00	1.5	-50	500	N	N
79MH5325	CDM780	56 5 20	131 5 42	15.0	3.00	3.0	>1.00	1,000	N	N
79MH5335	CDM173	56 18 38	131 30 11	10.0	2.00	3.0	-50	1,500	<.5	N
79MH5345	CDM196	56 18 38	131 30 5	5.0	1.00	1.0	-50	1,000	N	N
79MH5355	CDM219	56 18 0	131 29 55	10.0	1.50	2.0	-50	1,000	N	N
79MH5365	CDM151	56 18 1	131 30 1	5.0	2.00	1.5	-50	1,000	N	N
79MH5375	CDM175	56 18 8	131 30 31	10.0	3.00	3.0	-50	1,500	N	N
79MH5385	CDM198	56 16 54	131 30 5	5.0	1.00	1.0	-30	700	N	N
79MH5395	CDM221	56 16 17	131 29 28	15.0	3.00	2.0	-70	1,500	N	N
79MH5405	CDM153	56 16 42	131 27 30	5.0	2.00	1.5	-50	1,500	.5	N
79MH540T	CDM177	56 16 42	131 27 30	10.0	2.00	1.5	-50	1,500	N	N
79MH5415	CDM200	56 16 46	131 27 39	7.0	2.00	1.5	-50	1,000	N	N
79MH5425	CDM223	56 17 24	131 27 38	10.0	2.00	2.0	-50	1,000	N	N
79MH5435	CDM228	56 7 9	131 58 3	7.0	1.50	2.0	-30	2,000	N	N
79MH5445	CDM160	56 5 10	131 58 34	7.0	1.50	2.0	-50	1,500	.5	N
79MH5455	CDM183	56 17 46	131 48 19	10.0	3.00	1.0	-50	3,000	1.0	N
79MH5465	CDM204	56 17 49	131 48 25	3.0	1.50	1.0	-30	700	N	N
79MH5475	CDM229	56 17 31	131 48 48	10.0	3.00	1.5	-70	1,000	N	N
79MH5485	CDM161	56 17 39	131 49 17	10.0	2.00	1.0	-50	1,500	1.0	N
79MH5495	CDM184	56 17 43	131 50 2	3.0	-70	1.0	-30	1,000	N	N
79MH5505	CDM207	56 18 3	131 52 34	2.0	-30	-7	-20	500	N	N
79MH5510T	CDM230	56 18 3	131 52 34	3.0	-70	1.5	-30	700	N	N
79MH5515	CDM162	56 17 12	131 52 53	5.0	1.50	1.5	-50	2,000	<.5	N
79MH5525	CDM185	56 17 35	131 51 59	3.0	-70	1.5	-50	1,500	N	N
79MH5535	CDM208	56 17 0	131 50 52	3.0	1.00	1.0	-30	1,500	N	N
79MH5545	CDM231	56 17 0	131 50 55	5.0	1.50	1.5	-50	1,000	N	N

Table 3.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
79MH513S	N	<10	1,000	1.0	N	N	15	150	15	70	N
79MH514S	N	<10	1,000	<1.0	N	N	10	100	10	130	N
79MH515S	N	<10	1,500	1.0	N	N	15	150	30	100	<5
79MH516S	N	N	700	<1.0	N	N	10	50	10	M	N
79MH517S	N	N	500	1.0	N	N	5	50	7	20	N
79MH518S	N	N	700	1.0	N	N	10	20	10	<20	<5
79MH519S	N	N	700	1.0	N	N	10	70	10	30	N
79MH520S	N	N	1,500	1.0	N	N	10	10	5	20	N
79MH520T	N	N	1,000	1.0	N	N	10	30	5	50	N
79MH521S	N	<10	700	<1.0	N	N	10	20	5	20	N
79MH522S	N	N	1,000	<1.0	N	N	7	20	<5	<20	<5
79MH524S	N	N	700	<1.0	N	N	10	30	20	20	N
79MH525S	N	N	1,000	<1.0	N	N	10	100	7	20	N
79MH526S	N	N	700	<1.0	N	N	10	30	5	<20	N
79MH527S	N	N	1,000	<1.0	N	N	10	20	7	<20	N
79MH528S	N	N	1,500	<1.0	N	N	5	20	5	M	N
79MH529S	N	N	1,500	<1.0	N	N	10	30	10	<20	N
79MH530S	N	N	1,000	1.0	N	N	7	20	10	50	N
79MH530T	N	N	1,500	<1.0	N	N	7	50	10	20	N
79MH531S	N	N	1,000	<1.0	N	N	7	50	10	<20	N
79MH532S	N	N	700	<1.0	N	N	20	150	20	100	N
79MH533S	N	<10	1,500	1.5	N	N	30	50	10	70	N
79MH534S	N	<10	500	1.0	N	N	15	20	5	120	N
79MH535S	N	<10	1,500	1.0	N	N	20	20	7	50	N
79MH536S	N	<10	2,000	1.0	N	N	20	20	7	70	N
79MH537S	N	<10	2,000	1.0	N	N	30	30	10	70	N
79MH538S	N	<10	700	1.0	N	N	15	15	5	70	N
79MH539S	N	<10	1,000	1.0	N	N	50	100	30	70	N
79MH540S	N	<10	1,000	1.5	N	N	30	70	50	70	N
79MH540T	N	<10	1,500	1.5	N	N	30	70	30	70	<5
79MH541S	N	<10	700	1.0	N	N	30	50	10	180	N
79MH542S	N	<10	2,000	1.5	N	N	30	30	15	120	N
79MH543S	N	10	700	1.5	N	N	20	20	7	70	N
79MH544S	N	20	1,000	1.0	N	N	20	50	5	70	N
79MH545S	N	20	3,000	1.5	N	N	50	200	100	M	15
79MH546S	N	15	500	1.5	N	N	20	70	20	50	N
79MH547S	N	<10	1,500	1.0	N	N	50	100	70	50	N
79MH548S	N	<10	2,000	1.5	N	N	30	100	70	120	7
79MH549S	N	N	3,000	1.0	N	N	10	10	5	<20	N
79MH550S	N	N	300	1.0	N	N	5	<10	<5	M	N
79MH550T	N	N	1,000	2.0	N	N	10	15	5	50	N
79MH551S	N	<10	1,500	2.0	N	N	15	50	5	70	N
79MH552S	N	N	1,500	2.0	N	N	10	15	7	30	N
79MH553S	N	<10	500	1.5	N	N	20	50	20	50	N
79MH554S	N	10	1,500	2.0	N	N	20	50	10	70	N



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TM	S-V	S-U	S-Y
79MH5135	<20	50	20	N	50	N	500	N	300	N	50
79MH5145	<20	20	30	N	50	N	1,000	N	700	N	70
79MH5155	<20	50	50	N	50	N	1,000	N	500	N	70
79MH5165	N	20	20	N	15	N	1,000	N	300	N	15
79MH5175	N	10	15	N	10	N	1,000	N	300	N	15
79MH5185	N	7	15	N	15	N	700	N	200	N	15
79MH5195	N	50	30	N	10	N	500	N	200	N	15
79MH5205	N	10	50	N	15	N	1,500	N	300	N	30
79MH520T	<20	10	50	N	15	N	1,500	N	500	N	30
79MH5215	<20	15	20	N	15	N	700	N	300	N	30
79MH5225	<20	5	50	N	15	N	1,000	N	300	N	30
79MH5245	N	20	30	N	10	N	700	N	300	N	15
79MH5255	N	30	50	N	15	10	1,000	N	300	N	30
79MH5265	N	10	20	N	10	N	1,000	N	500	N	20
79MH5275	N	10	30	N	15	N	1,500	N	300	N	20
79MH5285	N	15	50	N	5	N	1,500	N	150	N	15
79MH5295	N	15	50	N	10	N	1,500	N	500	N	30
79MH5305	<20	20	50	N	10	N	1,500	N	200	N	10
79MH530T	N	15	70	N	10	N	1,500	N	300	N	10
79MH5315	N	15	50	N	5	N	1,500	N	300	N	10
79MH5325	N	100	20	N	20	N	500	N	300	N	50
79MH5335	20	10	10	N	50	N	700	N	300	N	50
79MH5345	<20	7	10	N	20	N	300	N	300	N	30
79MH5355	<20	10	15	N	20	N	700	N	300	N	30
79MH5365	20	15	15	N	30	N	700	N	300	N	30
79MH5375	<20	10	15	N	50	N	1,000	N	300	N	50
79MH5385	<20	5	10	N	20	N	500	N	200	N	20
79MH5395	20	50	10	N	50	N	500	N	300	N	50
79MH5405	<20	30	10	N	30	N	500	N	200	N	30
79MH540T	20	50	10	N	30	N	500	N	200	N	50
79MH5415	<20	15	15	N	30	N	300	N	300	N	30
79MH5425	20	20	20	N	30	N	700	N	300	N	30
79MH5435	N	7	15	N	50	N	700	N	200	N	20
79MH5445	<20	10	15	N	30	N	700	N	300	N	30
79MH5455	N	100	20	N	30	N	300	N	500	N	50
79MH5465	<20	30	10	N	20	N	300	N	200	N	20
79MH5475	20	50	20	N	50	N	500	N	300	N	50
79MH5485	30	70	20	N	30	N	300	N	300	N	50
79MH5495	N	10	15	N	15	N	700	N	70	N	20
79MH5505	<20	5	<10	N	10	N	300	N	50	N	10
79MH550T	20	10	15	N	15	N	500	N	100	N	20
79MH5515	30	15	15	N	30	N	700	N	150	N	30
79MH5525	20	10	15	N	15	N	700	N	100	N	20
79MH5535	<20	20	10	N	20	N	300	N	150	N	20
79MH5545	20	20	15	N	20	N	500	N	200	N	30

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZM	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZM-P	INST-H6
79MH5135	<200	150	M	15	15	60	--
79MH5145	<200	>1,000	M	10	10	45	--
79MH5158	<200	500	M	25	15	55	--
79MH5165	<200	100	M	20	10	60	--
79MH5178	<200	30	M	15	5	25	--
79MH5185	<200	100	M	25	20	100	--
79MH5198	<200	150	M	20	25	150	--
79MH5208	<200	200	M	5	10	45	--
79MH5207	<200	500	M	5	10	35	--
79MH5218	<200	30	M	10	15	60	--
79MH5228	M	70	M	5	15	55	--
79MH5245	M	150	M	25	20	75	--
79MH5258	M	70	M	10	10	35	--
79MH5265	M	100	M	5	10	40	--
79MH5278	<200	30	M	10	10	30	--
79MH5288	M	70	M	10	15	25	--
79MH5298	M	100	M	15	10	25	--
79MH5308	M	100	M	10	10	35	--
79MH5307	M	70	M	10	10	35	--
79MH5318	M	30	M	10	10	30	--
79MH5325	<200	200	M	30	15	80	--
79MH5335	<200	1,000	M	10	10	30	--
79MH5348	<200	300	M	10	10	25	--
79MH5358	<200	200	M	5	15	20	--
79MH5368	M	300	M	5	10	30	--
79MH5378	<200	1,000	M	5	15	35	--
79MH5385	<200	150	M	5	10	25	--
79MH5395	<200	300	M	20	15	40	--
79MH5405	<200	200	M	35	15	65	--
79MH5407	<200	150	M	30	15	55	--
79MH5418	<200	500	M	15	15	45	--
79MH5428	<200	150	M	10	15	40	--
79MH5438	<200	100	M	5	20	60	--
79MH5445	<200	300	M	5	15	35	--
79MH5458	200	150	M	65	20	170	--
79MH5465	<200	300	M	35	25	130	--
79MH5478	<200	150	M	40	25	85	--
79MH5488	<200	300	M	35	20	90	--
79MH5495	<200	300	M	<5	20	140	--
79MH5508	M	70	M	<5	20	95	--
79MH5507	<200	200	M	<5	20	90	--
79MH5518	<200	300	M	<5	10	55	--
79MH5528	<200	200	M	5	15	65	--
79MH5535	M	100	M	20	20	85	--
79MH5545	<200	200	M	10	20	60	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
79MHS555	COM163	56 16 22	131 53 19	5.0	1.50	2.0	.30	2,000	M	M
79MHS556	COM166	56 15 58	131 48 9	10.0	3.00	3.0	.50	2,000	M	M
79MHS557	COM209	56 16 19	131 48 3	5.0	2.00	2.0	.50	1,000	M	M
79MHS558	COM232	56 15 3	131 48 56	15.0	3.00	3.0	.50	1,500	M	M
79MHS559	COM164	56 16 3	131 50 43	10.0	3.00	3.0	.50	3,000	M	M
79MHS605	COM187	56 16 33	131 51 18	5.0	1.00	2.0	.50	1,500	M	M
79MHS607	COM210	56 16 33	131 51 18	3.0	.50	.7	.30	1,000	M	M
79MHS615	COM233	56 20 7	131 57 1	5.0	1.00	1.5	.50	1,500	M	M
79MHS625	CEC830	56 19 18	131 53 49	5.0	2.00	2.0	.70	700	M	M
79MHS635	CEC853	56 18 53	131 54 39	3.0	.70	1.0	.20	700	M	M
79MHS645	CEC855	56 16 9	131 57 1	5.0	1.00	2.0	.50	1,000	M	M
79MHS655	CEC787	56 15 1	131 56 18	5.0	3.00	2.0	.50	1,500	M	M
79MHS665	CEC856	56 25 7	131 33 4	5.0	2.00	2.0	.30	700	M	M
79MHS675	CEC788	56 25 13	131 33 10	3.0	1.00	1.5	.50	700	M	M
79MHS685	CEC811	56 25 13	131 33 20	5.0	3.00	3.0	.50	1,000	M	M
79MHS695	CEC834	56 25 5	131 33 34	3.0	.70	1.5	.30	500	M	M
79MHS705	CEC857	56 25 4	131 33 24	5.0	2.00	3.0	.50	1,000	M	M
79MHS707	CEC789	56 25 4	131 33 24	3.0	2.00	2.0	.50	700	M	M
79MHS715	CEC812	56 24 32	131 34 0	7.0	2.00	3.0	.50	700	M	M
79MHS725	CEC835	56 24 28	131 34 22	1.5	.50	1.5	.10	300	M	M
79MHS735	CEC858	56 24 27	131 34 18	5.0	2.00	3.0	.50	700	M	M
79MHS745	CEC790	56 23 44	131 35 48	7.0	3.00	3.0	1.00	1,000	M	M
79MHS755	CEC813	56 23 32	131 36 34	7.0	3.00	3.0	.70	1,000	M	M
79MHS765	CEC836	56 23 34	131 36 29	5.0	1.50	2.0	.50	700	M	M
79MHS775	CEC859	56 22 51	131 36 59	5.0	2.00	1.5	.50	700	M	M
79MHS785	CEC791	56 22 52	131 37 52	7.0	3.00	2.0	.70	700	M	M
79MHS795	CEC814	56 24 42	131 37 56	7.0	3.00	3.0	.20	1,000	M	M
79MHS805	CEC837	56 24 44	131 37 55	5.0	2.00	2.0	.30	700	M	M
79MHS807	CEC860	56 24 44	131 37 55	2.0	1.50	1.0	.20	500	M	M
79MHS815	CEC792	56 24 5	131 42 26	5.0	3.00	3.0	.50	700	M	M
79MHS825	CEC815	56 24 8	131 42 29	5.0	3.00	3.0	.50	1,000	M	M
79MHS835	CEC838	56 23 47	131 43 16	5.0	3.00	2.0	.50	1,000	M	M
79MHS845	CEC861	56 23 35	131 43 17	5.0	3.00	3.0	.30	1,000	M	M
79MHS855	CEC793	56 22 58	131 43 11	7.0	3.00	3.0	.70	1,000	M	M
79MHS865	CEC816	56 22 39	131 43 1	5.0	3.00	3.0	.20	700	M	M
79MHS875	CEC839	56 21 55	131 43 7	5.0	2.00	2.0	.30	700	M	M
79MHS885	CEC862	56 20 44	131 42 20	5.0	2.00	3.0	.30	700	M	M
79MHS895	CEC794	56 22 8	131 49 40	7.0	3.00	2.0	.50	1,000	M	M
79MHS905	CEC817	56 22 50	131 47 37	5.0	2.00	3.0	.20	1,000	M	M
79MHS907	CEC840	56 22 50	131 47 37	5.0	2.00	2.0	.50	1,000	M	M
79MHS915	CEC863	56 22 52	131 47 42	3.0	1.50	3.0	.15	1,000	M	M
79MHS925	CEC795	56 21 48	131 48 13	5.0	3.00	3.0	.50	1,000	M	M
79MHS935	CEC818	56 21 43	131 48 17	5.0	3.00	3.0	.30	1,000	M	M
79MHS945	CEC841	56 21 25	131 47 44	5.0	2.00	2.0	.20	700	M	M
79MHS955	CEC864	56 21 21	131 47 42	10.0	3.00	3.0	.50	1,000	M	M

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CD	S-CR	S-CU	S-LA	S-MO
79MH5535	M	<10	2,000	1.5	M	M	10	20	<5	50	10
79MH5565	M	10	1,500	1.5	M	N	50	200	70	<20	<5
79MH5575	M	<10	1,000	1.5	M	M	30	100	30	70	5
79MH5585	M	<10	1,500	1.5	M	M	30	200	50	70	15
79MH5595	M	<10	1,000	1.5	M	M	50	200	20	50	M
79MH5605	M	15	1,500	2.0	M	M	15	20	<5	20	M
79MH5607	M	<10	500	1.0	M	M	5	10	M	50	M
79MH5615	M	10	700	2.0	M	M	13	30	5	50	M
79MH5625	M	10	700	2.0	M	M	20	150	20	50	M
79MH5635	M	<10	500	1.5	M	M	7	30	5	50	M
79MH5645	M	10	700	3.0	M	M	10	30	<5	70	M
79MH5655	M	10	1,000	2.0	M	M	15	150	7	70	M
79MH5665	M	<10	1,500	1.5	M	M	15	70	10	50	M
79MH5675	M	<10	2,000	1.5	M	M	10	30	7	30	M
79MH5685	M	<10	1,500	1.5	M	M	15	50	20	50	M
79MH5695	M	<10	3,000	2.0	M	M	10	30	7	30	M
79MH5705	M	<10	700	1.5	M	M	15	30	10	50	M
79MH5707	M	<10	1,500	1.5	M	M	15	50	15	30	M
79MH5715	M	<10	3,000	1.0	M	M	15	50	20	70	M
79MH5725	M	<10	3,000	1.5	M	M	5	15	<5	30	M
79MH5735	M	<10	1,000	1.5	M	M	15	50	50	70	M
79MH5745	M	10	2,000	1.5	M	M	20	70	30	120	M
79MH5755	M	<10	2,000	<1.0	M	M	15	70	20	120	M
79MH5765	M	<10	2,000	1.5	M	M	15	50	10	70	M
79MH5775	M	<10	500	<1.0	M	M	20	30	10	70	M
79MH5785	M	<10	1,500	1.5	M	M	20	100	30	50	M
79MH5795	M	<10	1,500	1.0	M	M	20	50	15	120	M
79MH5805	M	<10	1,500	1.0	M	M	15	30	30	70	M
79MH5807	M	M	500	M	M	M	12	30	5	50	M
79MH5815	M	<10	2,000	1.5	M	M	20	150	30	70	M
79MH5825	M	<10	2,000	1.5	M	M	15	100	50	50	M
79MH5835	M	<10	1,000	1.5	M	M	20	150	50	70	M
79MH5845	M	10	700	2.0	M	M	15	70	30	70	M
79MH5855	M	10	1,000	1.5	M	M	20	200	30	150	M
79MH5865	M	<10	2,000	1.5	M	M	15	100	30	70	M
79MH5875	M	<10	1,500	1.5	M	M	15	100	20	120	M
79MH5885	M	<10	1,000	2.0	M	M	15	70	30	70	M
79MH5895	M	<10	1,500	1.0	M	M	20	150	50	30	M
79MH5905	M	<10	1,500	1.5	M	M	20	30	15	30	M
79MH5907	M	<10	1,000	1.5	M	M	15	50	20	70	M
79MH5915	M	<10	700	2.0	M	M	10	15	15	50	M
79MH5925	M	<10	1,000	1.0	M	M	20	100	20	150	M
79MH5935	M	<10	1,500	1.0	M	M	30	10	70	30	M
79MH5945	M	<10	1,500	1.5	M	M	15	100	70	120	M
79MH5955	M	<10	1,000	<1.0	M	M	30	200	70	50	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TH	S-V	S-W	S-Y
79HH5555	<20	7	15	N	20	N	700	N	100	N	30
79HH5565	<20	70	15	N	50	N	300	N	300	N	50
79HH5575	30	30	15	N	30	N	500	N	200	N	30
79HH5585	N	70	30	N	50	N	500	N	300	N	50
79HH5595	<20	50	10	N	70	N	500	N	500	N	50
79HH5605	20	5	15	N	20	N	700	N	100	N	30
79HH560T	<20	<5	10	N	15	N	700	N	100	N	15
79HH5615	20	20	15	N	20	N	700	N	150	N	20
79HH5625	<20	50	20	N	20	N	300	N	150	N	20
79HH5635	<20	15	15	N	15	N	700	N	100	N	20
79HH5645	20	5	30	N	15	N	700	N	150	N	30
79HH5655	20	20	20	N	20	N	700	N	150	N	30
79HH5665	<20	20	20	N	15	N	1,000	N	200	N	20
79HH5675	<20	7	20	N	10	N	1,000	N	150	N	20
79HH5685	20	15	20	N	20	N	1,000	N	200	N	20
79HH5695	N	10	30	N	10	N	1,000	N	70	N	20
79HH5705	<20	20	15	N	20	N	1,000	N	200	N	30
79HH570T	<20	15	10	N	15	N	700	N	150	N	20
79HH5715	20	15	20	N	15	N	1,500	N	200	N	30
79HH5725	N	5	30	N	5	N	1,000	N	50	N	15
79HH5735	<20	20	20	N	20	N	1,000	N	200	N	20
79HH5745	<20	20	20	N	15	N	1,000	N	200	N	30
79HH5755	20	10	20	N	30	N	1,000	N	300	N	50
79HH5765	<20	15	20	N	15	N	1,000	N	150	N	30
79HH5775	<20	15	15	N	20	N	700	N	200	N	20
79HH5785	<20	30	20	N	15	N	700	N	200	N	30
79HH5795	N	7	20	N	30	N	1,000	N	200	N	30
79HH5805	N	10	20	N	15	N	1,000	N	150	N	30
79HH580T	N	7	20	N	15	N	700	N	200	N	15
79HH5815	<20	70	20	N	15	N	500	N	200	N	30
79HH5825	<20	50	20	N	15	N	700	N	200	N	30
79HH5835	<20	70	20	N	20	N	500	N	150	N	30
79HH5845	<20	70	30	N	20	N	500	N	150	N	30
79HH5855	<20	70	20	N	20	N	200	N	200	N	50
79HH5865	<20	50	20	N	15	N	500	N	150	N	20
79HH5875	<20	70	20	N	15	N	500	N	100	N	30
79HH5885	<20	50	20	N	15	N	500	N	150	N	50
79HH5895	<20	30	20	N	15	N	700	N	200	N	20
79HH5905	<20	10	30	N	20	N	1,000	N	150	N	30
79HH590T	<20	15	20	N	20	N	700	N	200	N	30
79HH5915	N	<5	30	N	15	N	700	N	100	N	20
79HH5925	<20	30	15	N	20	N	700	N	200	N	30
79HH5935	<20	50	20	N	20	N	500	N	300	N	30
79HH5945	N	30	20	N	20	N	700	N	200	N	30
79HH5955	<20	70	20	N	30	N	500	N	300	N	70

Table 5.---Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH5558	<200	200	N	<5	15	75	--
79MH5568	<200	150	N	40	20	80	--
79MH5578	N	100	N	40	20	65	--
79MH5588	<200	200	N	35	35	75	--
79MH5598	<200	150	N	25	10	40	--
79MH5608	<200	200	N	<5	15	60	--
79MH560T	N	100	N	<5	15	45	--
79MH5618	<200	200	N	5	20	130	--
79MH5628	N	70	N	25	15	50	--
79MH5638	N	150	N	<5	10	85	--
79MH5648	N	200	N	<5	10	45	--
79MH5658	<200	150	N	<5	15	70	--
79MH5668	N	150	N	15	10	60	--
79MH5678	N	150	N	<5	10	30	--
79MH5688	N	200	N	15	10	40	--
79MH5698	N	100	N	5	10	45	--
79MH5708	N	70	N	10	5	30	--
79MH570T	N	150	N	15	10	30	--
79MH5718	N	300	N	15	10	35	--
79MH5728	N	100	N	<5	<5	20	--
79MH5738	N	150	N	10	5	30	--
79MH5748	<200	100	N	20	15	50	--
79MH5758	N	200	N	5	10	35	--
79MH5768	N	70	N	15	5	20	--
79MH5778	N	200	N	20	5	20	--
79MH5788	N	150	N	20	15	60	--
79MH5798	N	100	N	10	15	45	--
79MH5808	N	100	N	5	5	35	--
79MH580T	N	100	N	5	5	30	--
79MH5818	N	200	N	30	15	55	--
79MH5828	N	100	N	30	15	55	--
79MH5838	N	100	N	30	10	45	--
79MH5848	N	300	N	25	10	60	--
79MH5858	N	70	N	25	15	60	--
79MH5868	N	70	N	20	15	50	--
79MH5878	N	150	N	25	10	45	--
79MH5888	N	150	N	20	10	45	--
79MH5898	N	100	N	25	15	50	--
79MH5908	N	500	N	15	10	30	--
79MH590T	N	100	N	25	15	70	--
79MH5918	N	200	N	10	5	30	--
79MH5928	N	150	N	15	10	25	--
79MH5938	N	200	N	45	15	110	--
79MH5948	N	100	N	20	15	50	--
79MH5958	<200	100	N	50	15	120	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-TEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
79HH596S	CEC802	56 49 19	131 59 7	1.5	.30	2.0	.30	500	N	N
79HH597S	CEC824	56 48 47	131 58 18	5.0	2.00	5.0	.30	700	N	N
79HH598S	CEC867	56 48 22	131 57 49	2.0	.50	2.0	.10	700	<.5	N
79HH599S	CEC870	56 47 4	131 57 8	5.0	.70	2.0	.50	700	N	N
79HH600S	CEC803	56 48 52	131 55 8	3.0	1.00	2.0	.30	700	N	N
79HH600T	CEC827	56 48 52	131 55 8	1.5	1.00	2.0	.30	700	N	N
79HH601S	CEC825	56 48 7	131 54 2	5.0	5.00	5.0	.50	1,000	N	N
79HH602S	CEC848	56 47 19	131 52 50	1.5	.50	1.5	.10	700	N	N
79HH603S	CEC871	56 46 43	131 54 53	3.0	1.00	2.0	.50	700	N	N
79HH604S	CEC826	56 46 55	131 55 0	.7	.30	2.0	.10	500	N	N
79HH605S	CEC849	56 47 48	131 58 9	5.0	1.00	2.0	.30	500	N	N
79HH606S	CEC872	56 47 52	131 58 11	3.0	.50	2.0	.30	500	N	N
79HH607S	CEC804	56 47 17	131 59 27	2.0	1.00	3.0	.50	700	N	N
79HH608S	CEC850	56 47 18	131 59 29	2.0	.50	2.0	.30	700	N	N
79HH609S	CEA293	56 13 19	131 19 2	7.0	3.00	3.0	1.00	1,500	N	N
79HH610S	CEA316	56 12 44	131 21 35	5.0	3.00	3.0	.70	1,500	N	N
79HH610T	CEA248	56 12 44	131 21 35	5.0	3.00	3.0	1.00	1,500	N	N
79HH611S	CEA271	56 10 23	131 21 51	7.0	3.00	3.0	1.00	1,500	N	N
79HH612S	CEA294	56 10 24	131 21 45	5.0	2.00	2.0	.30	1,000	N	N
79HH613S	CEA317	56 11 46	131 25 9	7.0	3.00	3.0	1.00	1,000	N	N
79HH614S	CEA249	56 11 49	131 23 2	5.0	3.00	3.0	.70	1,500	N	N
79HH615S	CEA272	56 12 49	131 22 32	5.0	3.00	3.0	.70	1,500	N	N
79HH616S	CEA295	56 13 11	131 24 8	5.0	3.00	3.0	.50	1,000	N	N
79HH617S	CEA318	56 13 27	131 24 5	5.0	3.00	3.0	.70	1,000	N	N
79HH618S	CEA250	56 13 57	131 25 19	5.0	3.00	3.0	.70	1,000	N	N
79HH619S	CEA273	56 13 30	131 26 2	10.0	3.00	3.0	1.00	1,000	N	N
79HH620S	CEA296	56 13 12	131 28 22	7.0	5.00	3.0	.70	1,000	N	N
79HH620T	CEA319	56 13 12	131 28 22	10.0	5.00	5.0	1.00	1,000	N	N
79HH621S	CEA251	56 12 49	131 31 11	7.0	3.00	3.0	.70	1,000	N	N
79HH622S	CEA274	56 9 25	131 25 39	10.0	3.00	5.0	1.00	1,500	N	N
79HH623S	CEA297	56 9 29	131 25 31	7.0	3.00	3.0	1.00	1,500	N	N
79HH623S	CEA320	56 10 31	131 27 24	10.0	3.00	3.0	>1.00	1,500	N	N
79HH625S	CEA252	56 11 25	131 28 8	7.0	3.00	3.0	.70	1,500	N	N
79HH626S	CEA275	56 10 29	131 28 0	10.0	3.00	5.0	.70	1,500	N	N
79HH627S	CEA298	56 19 5	131 41 27	5.0	3.00	3.0	.50	1,000	N	N
79HH628S	CEA321	56 18 30	131 41 1	5.0	3.00	3.0	.50	1,000	N	N
79HH629S	CEA253	56 16 34	131 39 32	7.0	3.00	3.0	.70	1,000	N	N
79HH630S	CEA276	56 14 55	131 38 40	5.0	3.00	3.0	.70	1,500	N	N
79HH630T	CEA299	56 14 55	131 38 40	5.0	3.00	3.0	.70	1,000	N	N
79HH631S	CEA322	56 18 40	131 45 46	10.0	5.00	3.0	.70	1,000	N	N
79HH632S	CEA254	56 17 51	131 45 56	7.0	3.00	3.0	.70	2,000	N	N
79HH633S	CEA277	56 16 57	131 44 38	7.0	3.00	2.0	.30	1,500	N	N
79HH634S	CEA300	56 17 23	131 45 32	5.0	3.00	2.0	.50	1,000	N	N
79HH635S	CEA323	56 17 26	131 45 31	10.0	5.00	3.0	.70	1,500	N	N
79HH636S	CEA255	56 16 30	131 44 36	7.0	3.00	2.0	.70	1,500	N	N

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CC	S-CR	S-CU	S-LA	S-MO
79HH5945	M	M	2,000	1.5	N	M	5	<10	5	120	M
79HH5975	M	<10	1,500	1.5	M	M	15	70	15	70	M
79HH5985	M	<10	1,500	1.5	M	M	7	50	15	70	M
79HH5995	M	<10	1,500	1.5	N	N	10	30	10	50	M
79HH6005	M	15	2,000	2.0	N	M	10	70	10	50	M
79HH6007	M	15	3,000	2.0	M	M	7	10	5	50	M
79HH6015	M	10	2,000	1.5	M	N	20	150	50	70	M
79HH6025	M	10	1,500	1.5	M	M	5	10	<5	70	M
79HH6035	M	<10	1,500	1.5	M	M	7	10	7	70	M
79HH6045	M	10	3,000	1.5	M	N	<5	<10	5	50	M
79HH6055	M	10	2,000	1.5	M	M	10	100	15	50	M
79HH6065	M	<10	2,000	2.0	M	M	5	10	5	70	M
79HH6075	M	<10	3,000	1.5	M	M	7	<10	<5	150	M
79HH6085	M	<10	3,000	1.5	M	M	5	<10	<5	70	M
79HH6095	M	<10	1,500	1.5	M	M	20	70	30	100	M
79HH6105	M	<10	1,500	1.5	M	M	20	70	30	150	M
79HH6107	M	<10	1,500	2.0	M	M	20	100	30	120	M
79HH6115	M	<10	2,000	1.5	M	M	20	100	50	120	M
79HH6125	M	10	1,500	3.0	M	M	15	50	50	50	M
79HH6135	M	<10	2,000	1.5	M	M	20	100	20	120	M
79HH6145	M	<10	2,000	2.0	M	M	20	100	15	100	M
79HH6155	M	<10	2,000	1.0	M	M	20	150	30	70	M
79HH6165	M	<10	2,000	2.0	M	M	20	70	15	120	M
79HH6175	M	<10	2,000	1.5	M	M	20	70	20	30	M
79HH6185	M	<10	1,500	1.5	M	M	20	70	20	120	M
79HH6195	M	<10	2,000	1.0	M	M	20	70	50	50	M
79HH6205	M	<10	1,500	1.0	M	M	30	150	30	30	M
79HH6207	M	<10	2,000	<1.0	M	M	30	200	30	50	M
79HH6215	M	<10	2,000	1.5	M	M	30	70	15	50	M
79HH6225	M	<10	1,000	1.0	M	M	20	700	50	200	N
79HH6235	M	<10	1,500	1.5	M	M	20	70	30	150	M
79HH6245	M	<10	1,500	1.0	M	M	20	150	50	120	M
79HH6255	M	10	2,000	2.0	M	M	20	100	50	120	M
79HH6265	M	<10	1,500	1.0	M	M	20	150	70	120	M
79HH6275	M	10	2,000	2.0	M	M	20	150	50	30	M
79HH6285	M	<10	2,000	1.0	M	M	15	200	30	50	M
79HH6295	M	10	1,500	2.0	M	M	20	150	50	70	M
79HH6305	M	<10	1,500	1.0	M	M	20	70	30	30	M
79HH6307	M	10	1,500	1.5	M	M	20	70	30	50	M
79HH6315	M	<10	1,500	<1.0	M	M	20	200	50	50	M
79HH6325	M	<10	1,500	1.5	M	M	20	150	50	30	M
79HH6335	M	<10	500	<1.0	M	M	20	100	30	120	M
79HH6345	M	10	1,500	2.0	M	M	30	200	30	50	M
79HH6355	M	10	1,500	1.0	M	M	30	100	50	50	M
79HH6365	M	20	1,500	1.5	M	M	30	200	50	30	M



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TN	S-V	S-W	S-Y
79HH5965	20	<5	50	N	7	N	1,000	N	50	N	30
79HH5975	<20	20	20	N	15	N	1,000	N	150	N	30
79HH5985	<20	15	50	N	10	N	700	N	700	N	15
79HH5995	20	5	50	N	10	N	700	N	150	N	30
79HH6005	20	20	50	N	10	N	700	N	100	N	20
79HH6017	20	<5	50	N	10	N	1,000	N	100	N	20
79HH6018	20	70	20	N	20	N	500	N	200	N	30
79HH6025	<20	5	70	N	7	N	700	N	70	N	15
79HH6035	<20	<5	30	N	15	N	700	N	100	N	30
79HH6045	<20	<5	50	N	7	N	1,000	N	50	N	15
79HH6055	<20	30	50	N	15	N	1,000	N	200	N	15
79HH6065	20	<5	70	N	7	N	700	N	70	N	30
79HH6075	20	<5	50	N	10	N	1,000	N	70	N	30
79HH6085	<20	<5	50	N	10	N	1,000	N	100	N	20
79HH6095	20	20	20	N	20	N	700	N	300	N	50
79HH6105	20	30	20	N	20	N	700	N	200	N	100
79HH6107	20	30	20	N	20	N	700	N	300	N	70
79HH6115	20	30	15	N	20	N	1,000	N	200	N	100
79HH6125	20	30	20	N	15	N	700	N	150	N	30
79HH6135	20	20	20	N	30	N	700	N	300	N	70
79HH6145	<20	20	20	N	20	N	700	N	200	N	50
79HH6155	20	50	15	N	20	N	1,000	N	200	N	70
79HH6165	<20	30	20	N	15	N	1,000	N	200	N	30
79HH6175	<20	30	20	N	20	N	700	N	200	N	30
79HH6185	<20	20	20	N	20	N	700	N	300	N	50
79HH6195	20	20	20	N	20	N	1,000	N	300	N	50
79HH6205	<20	50	20	N	30	N	1,000	N	300	N	20
79HH6207	<20	30	15	N	50	N	700	N	300	N	50
79HH6215	<20	20	20	N	15	N	1,000	N	300	N	30
79HH6225	20	30	15	N	30	N	500	N	200	N	100
79HH6235	20	30	20	N	20	N	500	N	200	N	50
79HH6245	20	20	15	N	30	N	700	N	300	N	100
79HH6255	<20	15	15	N	20	N	700	N	300	N	70
79HH6265	<20	50	15	N	20	N	700	N	300	N	50
79HH6275	<20	70	30	N	20	N	700	N	200	N	30
79HH6285	<20	50	20	N	15	N	1,000	N	150	N	30
79HH6295	<20	30	30	N	15	N	300	N	200	N	50
79HH6305	<20	20	15	N	15	N	700	N	200	N	30
79HH6307	<20	30	20	N	20	N	1,000	N	200	N	30
79HH6315	N	50	15	N	30	N	500	N	300	N	70
79HH6325	<20	30	20	N	30	N	500	N	300	N	50
79HH6335	N	20	15	N	20	N	300	N	200	N	50
79HH6345	<20	70	20	N	20	N	500	N	300	N	30
79HH6355	<20	50	20	N	30	N	500	N	300	N	70
79HH6365	N	50	20	N	20	N	300	N	300	N	30

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-H6
79HH596S	M	100	M	<5	10	15	--
79HH597S	M	500	M	<5	10	15	--
79HH598S	M	100	M	60	10	60	--
79HH599S	M	200	M	10	5	30	--
79HH600S	M	200	M	5	20	45	--
79HH620T	M	150	M	5	20	45	--
79HH601S	M	300	M	<5	15	30	--
79HH602S	M	50	M	<5	15	40	--
79HH603S	M	200	M	<5	5	15	--
79HH604S	M	70	M	15	25	75	--
79HH605S	M	150	M	15	15	40	--
79HH606S	M	150	M	<5	5	20	--
79HH607S	M	100	M	10	10	30	--
79HH608S	M	200	M	<5	5	20	--
79HH609S	M	700	M	20	5	50	--
79HH610S	M	150	M	20	10	50	--
79HH610T	M	200	M	20	10	50	--
79HH611S	M	700	M	15	10	20	--
79HH612S	M	150	M	15	10	45	--
79HH613S	M	500	M	20	10	45	--
79HH614S	M	200	M	10	10	45	--
79HH615S	<200	200	M	15	10	30	--
79HH616S	M	100	M	15	5	40	--
79HH617S	M	100	M	20	10	45	--
79HH618S	M	300	M	15	10	65	--
79HH619S	<200	300	M	25	10	60	--
79HH620S	M	150	M	30	5	50	--
79HH620T	<200	150	M	25	10	40	--
79HH621S	<200	300	M	20	10	60	--
79HH622S	<200	>1,000	M	25	10	25	--
79HH623S	M	300	M	15	5	30	--
79HH624S	M	>1,000	M	15	10	35	--
79HH625S	<200	150	M	30	10	65	--
79HH626S	<200	150	M	30	15	60	--
79HH627S	<200	150	M	50	10	80	--
79HH628S	M	200	M	55	15	60	--
79HH629S	<200	100	M	55	20	110	--
79HH630S	<200	150	M	25	15	45	--
79HH630T	M	200	M	20	5	40	--
79HH631S	<200	100	.25	40	15	95	--
79HH632S	<200	100	M	60	10	110	--
79HH633S	<200	70	M	35	15	90	--
79HH634S	<200	150	M	35	10	90	--
79HH635S	<200	100	M	40	10	80	--
79HH636S	<200	150	M	40	20	110	--

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGZ	S-CAZ	S-TLZ	S-MN	S-AG	S-AS
79HH637S	CEA278	56 16 33	131 44 33	5.0	3.00	3.0	.50	1,000	N	N
79HH638S	CEA301	56 15 31	131 42 11	7.0	3.00	3.0	.50	1,500	M	M
79HH639S	CEA324	56 14 14	131 41 1	10.0	3.00	3.0	>1.00	>5,000	M	M
79HH640S	CEA256	56 15 18	131 44 25	7.0	3.00	3.0	.50	2,000	M	M
79HH640T	CEA279	56 15 18	131 44 25	5.0	3.00	3.0	.50	1,000	M	M
79HH641S	CEA302	56 14 4	131 44 0	7.0	3.00	3.0	.50	2,000	M	M
79HH642S	CEA325	56 7 19	131 42 19	7.0	3.00	3.0	.70	1,000	M	M
79HH643S	CEA257	56 8 36	131 42 27	5.0	3.00	3.0	.50	1,000	M	M
79HH644S	CEA280	56 8 37	131 42 20	3.0	1.50	2.0	.50	1,500	M	M
79HH645S	CEA303	56 8 2	131 40 34	5.0	3.00	3.0	.70	1,500	M	M
79HH646S	CEA326	56 7 29	131 38 53	5.0	3.00	3.0	.50	1,000	M	M
79HH647S	CEA258	56 7 32	131 38 45	7.0	3.00	3.0	.70	1,500	M	M
79HH648S	CEA281	56 6 47	131 37 45	10.0	3.00	3.0	.50	2,000	M	M
79HH649S	CEA304	56 6 45	131 37 37	3.0	2.00	2.0	.50	1,000	M	M
79HH650S	CEA327	56 6 33	131 35 5	5.0	2.00	3.0	.50	1,000	M	M
79HH650T	CEA259	56 6 33	131 35 5	10.0	3.00	3.0	.70	1,000	M	M
79HH651S	CEA282	56 5 4	131 33 45	7.0	3.00	3.0	.70	1,000	M	M
79HH652S	CEA305	56 5 41	131 33 58	5.0	3.00	3.0	.70	1,000	M	M
79HH653S	CEA328	56 5 31	131 34 16	5.0	3.00	3.0	.70	1,000	M	M
79HH654S	CEA260	56 6 31	131 32 4	7.0	3.00	3.0	.70	1,000	M	M
79HH655S	CEA283	56 6 26	131 32 0	5.0	3.00	3.0	.70	1,000	M	M
79HH656S	CEA167	56 28 58	131 39 10	2.0	1.00	2.0	.50	700	M	M
79HH657S	CEA190	56 28 49	131 39 30	3.0	2.00	2.0	.70	1,000	M	M
79HH658S	CEA214	56 28 38	131 40 17	5.0	2.00	5.0	.70	1,000	M	M
79HH659S	CEA237	56 28 35	131 40 10	7.0	2.00	3.0	.70	1,000	M	M
79HH660S	CEA168	56 28 4	131 40 38	5.0	3.00	3.0	.70	1,000	M	M
79HH660T	CEA191	56 28 4	131 40 38	5.0	3.00	3.0	.70	1,500	M	M
79HH661S	CEA215	56 26 2	131 36 58	7.0	3.00	5.0	.70	1,000	M	M
79HH662S	CEA238	56 26 11	131 37 40	5.0	1.00	2.0	.30	700	M	M
79HH663S	CEA169	56 26 55	131 38 44	3.0	2.00	3.0	.50	1,000	M	M
79HH664S	CEA192	56 26 53	131 39 0	5.0	2.00	2.0	.50	1,000	M	M
79HH665S	CEA216	56 27 38	131 40 40	7.0	5.00	5.0	.70	1,000	M	M
79HH666S	CEA239	56 28 41	131 41 58	10.0	2.00	2.0	.70	1,000	M	M
79HH667S	CEA170	56 28 34	131 42 16	7.0	5.00	2.0	1.00	1,000	M	M
79HH668S	CEA193	56 28 41	131 42 52	5.0	1.00	1.5	.50	1,000	M	M
79HH669S	CEA217	56 26 27	131 41 19	5.0	3.00	3.0	.50	1,000	M	M
79HH670S	CEA240	56 26 33	131 42 25	5.0	3.00	2.0	.30	700	M	M
79HH670T	CEA171	56 26 33	131 42 25	5.0	3.00	2.0	.50	1,000	M	M
79HH671S	CEA194	56 26 29	131 42 30	7.0	3.00	3.0	.30	1,000	M	M
79HH672S	CEA218	56 26 45	131 43 5	7.0	3.00	5.0	.50	1,000	M	M
79HH673S	CEA241	56 27 4	131 43 50	20.0	3.00	3.0	.50	1,000	M	M
79HH674S	CEA172	56 27 21	131 43 59	3.0	1.50	2.0	.30	1,000	M	M
79HH675S	CEA195	56 27 48	131 44 58	7.0	3.00	2.0	.50	1,000	M	M
79HH676S	CEA219	56 28 10	131 45 10	5.0	3.00	3.0	.70	1,000	M	M
79HH677S	CEA242	56 28 24	131 45 50	10.0	3.00	2.0	.50	1,000	M	M

Table 5.---Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
79MH6378	N	<10	1,000	1.0	N	N	20	150	50	50	N
79MH6385	N	10	1,500	1.0	N	N	50	150	50	30	N
79MH6395	N	<10	700	<1.0	N	N	15	100	10	150	N
79MH6408	N	10	1,500	1.0	N	N	30	200	30	30	N
79MH6401	N	10	1,000	1.0	N	N	15	70	7	30	N
79MH6413	N	<10	1,000	1.5	N	N	30	200	30	30	N
79MH6425	N	10	1,000	1.0	N	N	15	70	<5	50	N
79MH6435	N	<10	1,000	1.5	N	N	15	150	20	70	N
79MH6443	N	<10	500	1.0	N	N	15	70	30	50	N
79MH6455	N	10	1,000	1.5	N	N	15	150	10	70	N
79MH6465	N	<10	1,000	1.0	N	N	15	100	20	30	N
79MH6475	N	<10	1,500	1.5	N	N	20	100	50	100	N
79MH6485	N	30	1,000	1.0	N	N	30	200	50	300	N
79MH6495	N	<10	1,500	2.0	N	N	10	50	5	50	N
79MH6508	N	10	1,000	1.0	N	N	15	70	5	70	N
79MH6501	N	<10	1,500	1.0	N	N	15	100	10	50	N
79MH6518	N	10	1,500	1.0	N	N	15	100	15	30	N
79MH6525	N	10	1,500	1.5	N	N	15	70	7	50	N
79MH6535	N	10	1,000	1.0	N	N	15	70	7	70	N
79MH6545	N	<10	1,500	2.0	N	N	20	150	20	30	N
79MH6553	N	<10	1,000	1.0	N	N	10	70	5	30	N
79MH6565	N	<10	2,000	1.5	N	N	10	10	5	50	N
79MH6575	N	<10	2,000	1.0	N	N	15	15	7	70	N
79MH6588	N	<10	2,000	1.0	N	N	15	15	7	50	N
79MH6595	N	10	2,000	1.0	N	N	10	15	7	100	N
79MH6605	N	<10	2,000	1.0	N	N	20	100	10	70	N
79MH6601	N	<10	2,000	1.5	N	N	15	50	15	70	N
79MH6618	N	<10	2,000	1.0	N	N	15	15	<5	70	N
79MH6625	N	<10	3,000	1.5	N	N	7	30	7	50	N
79MH6635	N	<10	2,000	<1.0	N	N	15	20	15	50	N
79MH6645	N	<10	3,000	1.0	N	N	10	10	15	100	N
79MH6655	N	<10	2,000	1.0	N	N	20	150	50	70	N
79MH6665	N	<10	2,000	1.0	N	N	15	15	15	50	N
79MH6675	N	10	2,000	2.0	N	N	30	150	50	50	10
79MH6685	N	<10	5,000	2.0	N	N	10	50	10	30	N
79MH6695	N	<10	2,000	1.0	N	N	20	50	20	70	N
79MH6705	N	<10	1,500	1.0	N	N	15	30	10	70	N
79MH6701	N	<10	2,000	1.5	N	N	20	50	20	70	N
79MH6718	N	<10	2,000	1.0	N	N	20	15	7	100	N
79MH6725	N	<10	2,000	1.0	N	N	20	30	7	100	N
79MH6735	N	<10	1,500	<1.0	N	N	20	100	20	200	N
79MH6745	N	<10	3,000	1.5	N	N	15	20	20	30	7
79MH6755	N	10	1,500	2.0	N	N	20	20	7	50	N
79MH6765	N	<10	2,000	1.0	N	N	30	50	30	30	N
79MH6775	N	20	2,000	3.0	N	N	20	100	50	70	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-NI	S-PB	S-SB	S-SC	S-SN	S-SR	S-TN	S-V	S-W	S-Y
79MH637S	N	30	15	N	20	N	300	N	200	N	50
79MH638S	N	30	20	N	30	N	500	N	200	N	50
79MH639S	20	30	10	N	30	N	500	N	300	N	100
79MH640S	N	50	15	N	20	N	300	N	300	N	50
79MH640T	<20	5	15	N	20	N	700	N	200	N	50
79MH641S	<20	70	20	N	30	N	300	N	300	N	70
79MH642S	20	5	15	N	30	N	700	N	200	N	70
79MH643S	<20	30	15	N	20	N	200	N	200	N	30
79MH644S	N	20	15	N	15	N	500	N	150	N	30
79MH645S	<20	20	20	N	30	N	500	N	300	N	50
79MH646S	<20	15	15	N	20	N	700	N	200	N	30
79MH647S	N	20	20	N	20	N	700	N	300	N	30
79MH648S	<20	50	20	N	20	N	200	N	200	N	50
79MH649S	<20	5	20	N	15	N	700	N	200	N	30
79MH650S	<20	7	15	N	20	N	700	N	200	N	30
79MH650T	<20	7	15	N	30	N	700	N	300	N	50
79MH651S	<20	30	15	N	20	N	700	N	200	N	30
79MH652S	<20	5	20	N	20	N	200	N	300	N	30
79MH653S	<20	10	20	N	20	N	700	N	200	N	30
79MH654S	<20	20	20	N	20	N	700	N	300	N	30
79MH655S	<20	10	20	N	20	N	700	N	200	N	30
79MH656S	<20	<5	30	N	10	N	1,000	N	100	N	30
79MH657S	20	5	30	N	15	N	1,000	N	150	N	50
79MH658S	<20	7	30	N	15	N	1,000	N	150	N	30
79MH659S	<20	<5	50	N	15	N	1,000	N	200	N	30
79MH660S	<20	15	30	N	20	N	1,000	N	150	<50	50
79MH660T	<20	7	30	N	15	N	1,000	N	150	N	30
79MH661S	20	5	20	N	20	N	1,500	N	200	N	50
79MH662S	<20	7	20	N	10	N	1,500	N	100	N	20
79MH663S	20	5	20	N	15	N	1,000	N	150	<50	30
79MH664S	<20	<5	30	N	15	N	1,000	N	150	N	30
79MH665S	<20	70	30	N	20	N	1,000	N	200	N	30
79MH666S	20	5	30	N	20	N	1,000	N	200	N	50
79MH667S	20	70	100	N	15	N	700	N	200	50	50
79MH668S	<20	30	70	N	5	N	1,000	N	100	N	15
79MH669S	N	15	30	N	20	N	1,000	N	300	N	30
79MH670S	<20	10	15	N	15	N	700	N	150	N	30
79MH670T	<20	15	20	N	15	N	1,000	N	200	N	30
79MH671S	N	<5	30	N	20	N	1,000	N	200	N	30
79MH672S	N	5	30	N	20	N	1,000	N	300	N	30
79MH673S	N	<5	20	N	30	N	700	N	700	N	50
79MH674S	<20	15	20	N	10	N	1,000	N	150	<50	30
79MH675S	<20	5	30	N	20	N	700	N	200	N	30
79MH676S	<20	30	150	N	15	N	1,000	N	300	N	30
79MH677S	20	20	100	N	15	N	700	N	200	N	50

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZM	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZM-P	INST-M6
79MH6375	<200	70	M	40	15	90	--
79MH6385	<200	100	M	50	15	80	--
79MH6395	M	300	M	10	5	25	--
79MH6405	<200	150	M	40	10	85	--
79MH6407	M	150	M	10	15	65	--
79MH6415	M	100	M	25	10	80	--
79MH6425	M	500	M	5	10	60	--
79MH6435	<200	200	M	20	10	110	--
79MH6445	<200	150	M	30	15	100	--
79MH6455	M	150	M	10	10	70	--
79MH6465	<200	100	M	20	15	85	--
79MH6475	<200	200	M	35	15	110	--
79MH6485	<200	100	M	40	15	80	--
79MH6495	M	150	M	5	5	55	--
79MH6505	<200	200	M	10	10	65	--
79MH6507	M	200	M	10	10	70	--
79MH6515	M	150	M	10	15	65	--
79MH6525	M	300	M	5	10	55	--
79MH6535	<200	30	M	10	10	70	--
79MH6545	M	150	M	20	10	70	--
79MH6555	M	70	M	10	15	45	--
79MH6565	M	150	M	<5	5	30	--
79MH6575	M	150	M	10	10	45	--
79MH6585	M	200	M	5	10	30	--
79MH6595	M	200	M	15	20	55	--
79MH6605	M	100	M	10	10	35	--
79MH6607	M	200	M	10	10	40	--
79MH6615	M	300	M	5	10	25	--
79MH6625	M	150	M	10	20	40	--
79MH6635	M	300	M	10	5	15	--
79MH6645	M	200	M	5	15	50	--
79MH6655	M	150	M	40	10	65	--
79MH6665	M	200	M	15	15	40	--
79MH6675	200	200	M	45	50	190	--
79MH6685	<200	150	M	10	35	110	--
79MH6695	M	150	M	15	5	45	--
79MH6705	M	300	M	15	15	30	--
79MH6707	M	150	M	15	10	45	--
79MH6715	M	100	M	5	10	35	--
79MH6725	M	200	M	5	5	40	--
79MH6735	<200	>1,000	M	30	40	130	--
79MH6745	<200	150	M	15	30	140	--
79MH6755	M	300	M	5	15	50	--
79MH6765	500	150	M	25	85	290	--
79MH6775	M	300	M	10	10	40	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MM	S-AG	S-AS
79MH678S	CEA173	56 29 17	131 45 51	5.0	3.00	3.0	.70	1,000	.5	N
79MH679S	CEA196	56 28 5	131 47 55	7.0	3.00	2.0	.70	1,500	N	N
79MH680S	CEA220	56 28 29	131 48 15	5.0	3.00	5.0	.20	700	N	N
79MH680T	CEA243	56 28 29	131 48 15	7.0	3.00	3.0	.50	1,000	N	N
79MH681S	CEA174	56 27 38	131 48 20	5.0	3.00	3.0	.30	1,000	N	N
79MH682S	CEA197	56 27 33	131 49 37	5.0	2.00	3.0	.30	700	N	N
79MH683S	CEA221	56 27 24	131 49 38	7.0	3.00	5.0	.50	1,000	N	N
79MH684S	CEA244	56 27 28	131 50 22	7.0	3.00	3.0	.70	1,000	N	N
79MH685S	CEA175	56 27 13	131 50 38	7.0	5.00	2.0	.50	1,000	N	N
79MH686S	CEA198	56 24 28	131 47 51	5.0	2.00	3.0	.30	1,500	N	N
79MH687S	CEB989	56 24 30	131 47 47	5.0	5.00	5.0	.30	1,000	N	N
79MH688S	CEC013	56 24 44	131 48 20	5.0	3.00	2.0	.30	1,000	N	N
79MH689S	CEC036	56 24 45	131 48 48	5.0	2.00	2.0	.20	1,000	N	N
79MH690S	CEC059	56 24 43	131 48 40	5.0	3.00	5.0	.50	1,000	N	N
79MH690T	CEB990	56 24 43	131 48 40	5.0	5.00	5.0	.50	1,000	N	N
79MH691S	CEC014	56 25 24	131 49 11	5.0	3.00	3.0	.50	1,000	N	N
79MH692S	CEC037	56 25 44	131 50 0	5.0	5.00	3.0	.50	1,000	N	N
79MH693S	CEC060	56 28 3	131 54 50	5.0	3.00	3.0	.50	1,000	N	N
79MH694S	CEB991	56 32 40	131 59 58	5.0	3.00	3.0	.50	1,000	N	N
79MH695S	CEC015	56 32 22	131 59 30	5.0	5.00	3.0	.70	1,000	N	N
79MH696S	CEC038	56 31 52	131 58 41	5.0	3.00	3.0	.50	1,000	N	N
79MH697S	CEC061	56 31 43	131 59 2	7.0	3.00	5.0	.70	1,000	N	N
79MH698S	CEB992	56 30 59	131 58 15	5.0	2.00	3.0	.30	1,000	N	N
79MH699S	CEC016	56 30 36	131 57 50	5.0	3.00	3.0	.50	1,000	N	N
79MH700S	CEC039	56 30 3	131 57 9	7.0	2.00	3.0	.50	1,000	N	N
79MH700T	CEC062	56 30 3	131 57 9	10.0	3.00	3.0	1.00	1,000	N	N
79MH701S	CEB993	56 30 13	131 54 35	10.0	5.00	5.0	.70	1,000	N	N
79MH702S	CEC017	56 30 17	131 54 40	3.0	3.00	3.0	.50	1,000	N	N
79MH703S	CEC040	56 29 33	131 55 10	10.0	3.00	2.0	.70	1,000	N	N
79MH704S	CEC063	56 29 30	131 55 10	5.0	5.00	3.0	.50	1,000	N	N
79MH705S	CEB994	56 29 40	131 56 48	3.0	3.00	2.0	.50	1,000	N	N
79MH706S	CEC018	56 33 0	131 54 32	5.0	3.00	3.0	.50	1,000	N	N
79MH707S	CEC041	56 32 57	131 54 31	5.0	3.00	2.0	.50	1,000	N	N
79MH708S	CEC064	56 33 29	131 54 2	7.0	3.00	3.0	.50	700	N	N
79MH709S	CEB995	56 33 49	131 53 29	5.0	2.00	3.0	.30	1,000	N	N
79MH710S	CEC019	56 33 48	131 53 18	5.0	2.00	2.0	.70	1,000	N	N
79MH710T	CEC042	56 33 48	131 53 18	5.0	3.00	2.0	.50	1,000	N	N
79MH711S	CEC065	56 32 2	131 51 21	5.0	1.50	3.0	.50	700	N	N
79MH712S	CEB996	56 32 8	131 51 28	3.0	2.00	3.0	.50	700	N	N
79MH713S	CEC020	56 32 52	131 50 29	7.0	3.00	2.0	.70	1,000	N	N
79MH714S	CEC043	56 33 0	131 50 11	7.0	3.00	2.0	.70	1,000	N	N
79MH715S	CEC066	56 33 28	131 50 50	3.0	2.00	2.0	.50	1,000	N	N
79MH716S	CEB997	56 33 15	131 51 9	5.0	3.00	3.0	.50	1,000	N	N
79MH717S	CEC021	56 34 19	131 52 0	5.0	3.00	3.0	.30	1,000	N	N
79MH718S	CEC044	56 34 10	131 51 40	3.0	2.00	2.0	.50	700	N	N

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CO	S-CR	S-CU	S-LA	S-MO
79HH678S	M	<10	3,000	1.5	M	M	20	50	30	30	M
79HH679S	M	10	2,000	2.0	M	M	20	70	15	50	7
79HH680S	M	<10	2,000	1.0	M	M	15	20	15	50	M
79HH680T	M	<10	2,000	1.0	M	M	20	30	7	70	M
79HH681S	M	<10	1,500	1.0	M	M	15	10	5	50	M
79HH682S	M	<10	2,000	1.5	M	M	15	20	7	70	M
79HH683S	M	10	1,500	1.0	M	M	20	100	30	70	M
79HH684S	M	<10	2,000	1.0	M	M	20	150	50	70	M
79HH685S	M	20	1,500	2.0	M	M	20	100	30	70	M
79HH686S	M	<10	1,500	1.5	M	M	15	50	50	70	M
79HH687S	M	<10	1,000	2.0	M	M	20	100	30	70	M
79HH688S	M	<10	2,000	1.5	M	M	20	100	20	30	M
79HH689S	M	10	1,500	1.5	M	M	15	100	20	70	M
79HH690S	M	10	1,000	2.0	M	M	20	150	70	70	M
79HH690T	M	10	1,000	1.5	M	M	20	150	30	70	M
79HH691S	M	10	1,500	2.0	M	M	20	150	20	50	M
79HH692S	M	<10	1,000	1.5	M	M	20	200	50	120	M
79HH693S	M	<10	1,500	2.0	M	M	20	200	30	100	M
79HH694S	M	<10	1,500	1.5	M	M	20	70	20	70	M
79HH695S	M	<10	2,000	1.5	M	M	20	150	30	70	M
79HH696S	M	<10	2,000	1.0	M	M	15	30	7	70	M
79HH697S	M	10	1,000	1.5	M	M	20	50	10	30	M
79HH698S	M	<10	1,000	1.5	M	M	15	20	20	30	M
79HH699S	M	<10	2,000	2.0	M	M	20	70	20	120	M
79HH700S	M	<10	1,500	1.5	M	M	15	50	20	100	M
79HH700T	M	10	1,500	1.0	M	M	30	150	30	200	5
79HH701S	M	<10	1,000	<1.0	M	M	50	200	50	230	M
79HH702S	M	<10	2,000	2.0	M	M	15	150	15	230	M
79HH703S	M	<10	1,500	1.5	M	M	30	200	50	150	M
79HH704S	M	10	1,000	1.5	M	M	30	500	50	70	M
79HH705S	M	<10	1,500	1.5	M	M	15	150	20	120	M
79HH706S	M	<10	2,000	1.5	M	M	15	20	7	50	M
79HH707S	M	<10	1,500	2.0	M	M	20	30	15	70	M
79HH708S	M	10	1,500	1.5	M	M	20	70	15	70	M
79HH709S	M	<10	1,500	1.0	M	M	15	30	10	50	M
79HH710S	M	10	2,000	2.0	M	M	20	70	20	70	7
79HH710T	M	<10	1,500	2.0	M	M	20	50	30	50	7
79HH711S	M	<10	2,000	2.0	M	M	15	15	7	50	M
79HH712S	M	<10	1,500	1.0	M	M	15	15	7	70	M
79HH713S	M	10	2,000	3.0	M	M	20	70	50	120	M
79HH714S	M	10	2,000	3.0	M	M	30	100	50	70	M
79HH715S	M	10	2,000	3.0	M	M	20	70	20	50	M
79HH716S	M	<10	1,500	1.0	M	M	20	20	20	50	M
79HH717S	M	<10	2,000	2.0	M	M	15	30	30	50	M
79HH718S	M	<10	2,000	1.5	M	M	15	20	7	70	M



Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TM	S-V	S-M	S-Y
79MH678S	<20	20	100	N	10	N	1,500	N	300	N	50
79MH679S	<20	20	30	N	15	N	700	N	200	N	30
79MH680S	N	7	20	N	15	N	1,030	N	150	N	30
79MH680T	<20	7	30	N	15	N	1,000	N	200	N	30
79MH681S	N	<5	20	N	20	N	1,030	N	200	N	50
79MH682S	N	7	20	N	20	N	1,000	N	200	N	30
79MH683S	<20	50	20	N	15	N	700	N	200	N	30
79MH684S	<20	70	30	N	15	N	530	N	200	N	30
79MH685S	<20	50	30	N	15	N	500	N	200	N	30
79MH686S	N	20	20	N	20	N	730	N	200	N	50
79MH687S	<20	70	30	N	20	N	700	N	200	N	50
79MH688S	<20	20	30	N	20	N	1,000	N	300	N	30
79MH689S	<20	50	30	N	15	N	730	N	150	N	50
79MH690S	<20	50	20	N	20	N	700	N	200	N	50
79MH690T	<20	50	30	N	30	N	700	N	200	N	50
79MH691S	<20	50	30	N	20	N	700	N	200	N	30
79MH692S	<20	70	20	N	20	N	500	N	150	N	70
79MH693S	<20	70	20	N	20	N	500	N	200	N	50
79MH694S	<20	30	20	N	20	N	700	N	200	N	30
79MH695S	<20	30	30	N	20	N	700	N	200	N	30
79MH696S	<20	5	30	N	20	N	1,000	N	200	N	30
79MH697S	<20	10	30	N	20	N	1,000	N	200	N	30
79MH698S	N	7	50	N	20	N	100	N	150	N	30
79MH699S	<20	30	30	N	20	N	700	N	200	N	30
79MH700S	<20	7	30	N	20	N	1,030	N	200	N	50
79MH700T	20	50	20	N	30	N	700	N	300	N	70
79MH701S	<20	30	20	N	50	N	500	N	300	N	70
79MH702S	<20	30	30	N	20	N	1,000	N	200	N	30
79MH703S	<20	70	20	N	20	N	730	N	300	N	30
79MH704S	<20	70	20	N	20	N	500	N	200	N	50
79MH705S	<20	30	20	N	20	N	730	N	200	N	30
79MH706S	N	7	50	N	15	N	1,030	N	200	N	20
79MH707S	<20	7	30	N	20	N	730	N	200	N	30
79MH708S	N	20	20	N	20	N	1,000	N	200	N	20
79MH709S	N	7	30	N	20	N	1,000	N	150	N	30
79MH710S	<20	15	50	N	20	N	700	N	300	N	30
79MH710T	<20	20	30	N	15	N	1,000	N	200	N	50
79MH711S	<20	7	30	N	15	N	730	N	150	N	20
79MH712S	<20	5	20	N	15	N	730	N	150	N	20
79MH713S	<20	50	50	N	20	N	700	N	200	N	50
79MH714S	<20	50	30	N	20	N	1,000	N	200	N	50
79MH715S	<20	20	30	N	15	N	1,000	N	150	N	20
79MH716S	N	7	30	N	20	N	700	N	150	N	30
79MH717S	N	10	30	N	15	N	1,000	N	150	N	20
79MH718S	N	5	30	N	15	N	1,030	N	150	N	20

Table 5.---Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH6785	<200	100	N	15	45	70	--
79MH6795	N	200	N	15	20	85	--
79MH6805	N	200	N	10	10	35	--
79MH6807	N	150	<.05	35	15	70	--
79MH6815	N	200	N	5	5	35	--
79MH6825	N	1,000	N	10	10	30	--
79MH6835	N	150	N	25	15	45	--
79MH6845	N	200	N	65	95	100	--
79MH6855	N	100	N	30	20	90	--
79MH6865	N	200	N	35	10	25	--
79MH6875	N	200	N	25	10	55	--
79MH6885	N	150	N	25	15	45	--
79MH6895	N	200	N	20	10	30	--
79MH6905	N	100	N	35	10	40	--
79MH6907	N	300	N	35	10	45	--
79MH6915	N	200	N	30	15	65	--
79MH6925	N	200	N	20	10	35	--
79MH6935	N	500	N	35	20	45	--
79MH6945	N	200	N	25	15	45	--
79MH6955	<200	200	N	5	10	35	--
79MH6965	N	200	<.05	20	15	55	--
79MH6975	<200	200	N	15	20	30	--
79MH6985	N	150	N	15	20	45	--
79MH6995	N	300	<.05	15	10	25	--
79MH7005	N	1,000	N	15	10	40	--
79MH7007	N	1,000	N	20	15	40	--
79MH7015	N	>1,000	N	25	10	35	--
79MH7025	N	300	N	30	10	50	--
79MH7035	N	500	N	10	10	15	--
79MH7045	N	200	N	25	15	35	--
79MH7055	N	200	N	15	15	20	--
79MH7065	N	150	N	15	15	60	--
79MH7075	N	500	<.05	10	10	45	--
79MH7085	<200	30	N	10	5	20	--
79MH7095	N	150	N	10	10	40	--
79MH7105	<200	200	N	30	15	75	--
79MH7107	<200	100	N	20	20	50	--
79MH7115	N	150	N	10	10	40	--
79MH7125	N	150	N	10	20	45	--
79MH7135	<200	200	N	35	15	65	--
79MH7145	<200	150	N	40	25	85	--
79MH7155	N	150	<.05	20	15	50	--
79MH7165	N	500	N	15	15	50	--
79MH7175	N	150	N	10	10	30	--
79MH7185	N	200	N	15	15	50	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-PEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
79HH719S	CEC067	56 35 20	131 53 10	5.0	3.00	3.0	-50	1,000	N	N
79HH720S	CEB998	56 36 30	131 52 40	7.0	3.00	3.0	-70	1,000	N	N
79HH721S	CEC025	56 36 30	131 52 40	5.0	3.00	3.0	-50	1,000	N	N
79HH721S	CEC022	56 35 47	131 52 0	7.0	7.00	5.0	-50	1,500	N	N
79HH722S	CEC045	56 36 53	131 50 49	5.0	3.00	3.0	-50	1,000	N	N
79HH723S	CEC068	56 38 8	131 53 1	7.0	5.00	3.0	-70	1,000	N	N
79HH724S	CEB999	56 39 5	131 54 50	5.0	2.00	3.0	-50	1,000	N	N
79HH725S	CEC023	56 39 20	131 56 15	5.0	2.00	3.0	-30	1,000	N	N
79HH726S	CEC046	56 39 46	131 58 2	7.0	3.00	3.0	-70	1,000	<.5	N
79HH727S	CEC069	56 36 23	131 59 15	7.0	5.00	3.0	-50	1,000	N	N
79HH728S	CEC001	56 35 9	131 59 35	7.0	3.00	3.0	-50	1,000	N	N
79HH729S	CEC024	56 35 8	131 59 40	10.0	5.00	3.0	-70	1,500	N	N
79HH730S	CEC047	56 35 15	131 57 32	7.0	3.00	3.0	-50	1,000	N	N
79HH730T	CEC002	56 35 15	131 57 32	10.0	5.00	5.0	-50	1,000	N	N
79HH731S	CEC049	56 26 46	131 14 10	2.0	.70	2.0	-50	700	N	N
79HH732S	CEC070	56 26 47	131 14 18	1.0	.30	2.0	-15	500	N	N
79HH733S	CEC003	56 27 31	131 14 4	5.0	.30	2.0	-30	1,000	N	N
79HH734S	CEC026	56 27 35	131 13 56	1.5	.50	2.0	-20	700	N	N
79HH735S	CEC050	56 27 55	131 14 35	10.0	5.00	3.0	-50	1,000	N	N
79HH736S	CEC071	56 28 16	131 15 35	5.0	5.00	5.0	-30	1,000	.5	N
79HH737S	CEC004	56 29 4	131 17 18	5.0	.50	3.0	-50	1,000	N	N
79HH738S	CEC027	56 29 4	131 17 24	7.0	5.00	3.0	-70	1,000	N	N
79HH739S	CEC051	56 30 5	131 20 15	7.0	5.00	5.0	-50	1,000	<.5	N
79HH740S	CEC072	56 29 47	131 21 16	7.0	5.00	2.0	-70	1,000	.5	N
79HH740T	CEC005	56 29 47	131 21 16	10.0	5.00	2.0	-70	1,000	.5	N
79HH741S	CEC028	56 29 25	131 21 44	7.0	3.00	5.0	-70	1,000	<.5	N
79HH742S	CEC052	56 28 30	131 23 40	5.0	1.50	3.0	-70	1,000	<.5	N
79HH743S	CEC073	56 28 35	131 23 42	1.5	1.50	3.0	-50	1,000	N	N
79HH744S	CEC006	56 29 5	131 22 0	3.0	.50	2.0	-20	700	N	N
79HH745S	CEC029	56 27 56	131 24 48	3.0	3.00	2.0	-50	1,000	N	N
79HH746S	CEC053	56 27 51	131 24 45	5.0	3.00	3.0	-50	1,000	N	N
79HH747S	CEC074	56 30 15	131 26 21	2.0	1.00	3.0	-30	1,000	N	N
79HH748S	CEC007	56 30 12	131 26 5	5.0	.70	3.0	-30	700	N	N
79HH749S	CEC030	56 29 17	131 25 5	5.0	5.00	5.0	-70	1,500	N	N
79HH750S	CEC054	56 29 18	131 25 14	2.0	1.00	3.0	-50	1,000	N	N
79HH750T	CEC075	56 29 18	131 25 14	5.0	1.50	5.0	-70	1,000	N	N
79HH751S	CEC008	56 25 5	131 25 30	3.0	2.00	3.0	-50	1,000	N	N
79HH752S	CEC031	56 25 13	131 25 9	5.0	2.00	5.0	-70	1,000	<.5	N
79HH753S	CEC055	56 22 50	131 25 12	10.0	3.00	3.0	-70	1,500	N	N
79HH754S	CEC076	56 22 17	131 25 1	7.0	3.00	3.0	-70	1,000	N	N
79HH755S	CEC009	56 4 50	131 39 9	7.0	3.00	3.0	-50	1,000	N	N
79HH756S	CEC032	56 4 45	131 39 13	5.0	3.00	2.0	-70	1,000	N	N
79HH757S	CEC056	56 3 51	131 37 50	10.0	3.00	3.0	-70	1,000	N	N
79HH758S	CEC077	56 3 45	131 37 18	7.0	5.00	3.0	-70	1,500	<.5	N
79HH759S	CEC010	56 3 3	131 36 19	7.0	3.00	3.0	-50	1,500	N	N

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
79NH719S	N	<10	2,000	1.5	M	M		20	70	50	50	N
79NH720S	M	<10	1,500	1.0	M	M		20	70	30	70	M
79NH720T	M	<10	2,000	2.0	N	M		15	50	15	70	M
79NH721S	N	10	2,000	2.0	M	M		50	500	50	50	M
79NH722S	N	<10	1,500	1.5	M	M		20	70	30	30	M
79NH723S	N	10	1,500	1.5	M	M		30	50	50	50	M
79NH724S	N	<10	1,500	1.0	M	M		15	50	15	50	M
79NH725S	M	<10	2,000	1.5	M	M		15	70	50	50	M
79NH726S	M	50	1,500	1.0	M	M		30	200	70	30	M
79NH727S	N	<10	1,500	1.0	M	M		20	20	7	120	M
79NH728S	N	<10	1,500	1.0	M	M		15	30	5	120	N
79NH729S	M	10	1,500	1.0	M	M		20	30	10	100	M
79NH730S	M	10	1,500	1.0	M	M		20	70	20	50	M
79NH730T	M	<10	1,500	1.0	M	M		30	30	10	70	M
79NH731S	N	<10	5,000	1.5	15	N		7	30	10	70	M
79NH732S	N	N	>5,000	1.0	M	M		5	15	<5	30	N
79NH733S	N	<10	3,000	1.0	M	M		5	20	M	150	M
79NH734S	N	10	5,000	1.5	M	M		5	<10	M	350	M
79NH735S	M	10	1,500	1.0	M	M		30	100	100	30	M
79NH736S	M	50	1,500	1.0	M	M		30	200	300	30	5
79NH737S	N	<10	3,000	1.0	M	M		7	20	10	120	M
79NH738S	M	<10	700	1.0	M	M		30	150	70	30	M
79NH739S	M	10	1,500	1.0	M	M		20	100	50	30	M
79NH740S	M	30	2,000	1.0	M	M		30	100	100	30	<5
79NH740T	M	30	2,000	<1.0	M	M		30	100	100	30	N
79NH741S	N	10	1,500	1.0	M	M		20	70	50	30	M
79NH742S	N	<10	3,000	1.5	M	M		10	15	10	120	M
79NH743S	M	M	2,000	1.5	M	M		7	10	10	30	M
79NH744S	M	<10	5,000	1.0	M	M		7	10	15	70	M
79NH745S	N	<10	3,000	2.0	M	M		10	<10	15	50	15
79NH746S	N	<10	2,000	1.5	M	M		15	20	7	120	M
79NH747S	M	<10	2,000	1.5	M	M		7	<10	7	70	M
79NH748S	M	<10	2,000	1.0	M	M		10	10	15	70	M
79NH749S	M	<10	2,000	1.0	M	M		15	70	10	50	M
79NH750S	N	<10	>5,000	1.0	M	M		7	20	<5	70	M
79NH750T	N	<10	2,000	1.5	N	M		15	15	20	120	M
79NH751S	M	<10	2,000	1.5	M	M		10	10	5	50	M
79NH752S	M	<10	2,000	1.5	M	M		10	20	30	120	M
79NH753S	M	15	1,000	1.5	M	M		20	70	20	30	M
79NH754S	N	<10	2,000	1.0	M	M		20	50	10	70	M
79NH755S	N	10	1,000	1.0	M	M		15	70	10	50	M
79NH756S	M	<10	3,000	2.0	M	M		20	70	20	70	M
79NH757S	M	10	700	1.5	M	M		15	50	<5	120	M
79NH758S	M	15	1,500	1.5	M	M		15	70	10	50	M
79NH759S	N	10	1,500	1.5	M	M		10	50	10	50	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
79MH719S	M	30	30	M	15	M	1,000	M	300	M	20
79MH720S	<20	30	20	M	20	M	700	M	200	M	30
79MH720T	<20	15	50	M	15	M	1,030	M	200	M	30
79MH721S	<20	100	20	M	20	M	700	M	300	M	30
79MH722S	<20	20	20	M	15	M	1,000	M	200	M	30
79MH723S	<20	20	20	M	20	M	1,000	M	200	M	30
79MH724S	<20	15	30	M	20	M	1,000	M	150	M	20
79MH725S	M	20	30	M	15	M	1,000	M	150	M	20
79MH726S	<20	70	30	M	20	M	500	M	300	M	30
79MH727S	<20	<5	20	M	30	M	1,030	M	200	M	50
79MH728S	<20	5	20	M	30	M	1,030	M	300	M	30
79MH729S	<20	10	30	M	30	M	700	M	300	M	50
79MH730S	<20	20	30	M	20	M	1,000	M	200	M	30
79MH730T	<20	10	20	M	50	M	700	M	300	M	50
79MH731S	<20	5	30	M	10	M	1,500	M	100	M	20
79MH732S	M	5	50	M	5	M	2,030	M	50	M	10
79MH733S	20	<5	30	M	7	M	1,500	M	150	M	30
79MH734S	<20	<5	70	M	5	M	2,000	M	70	M	15
79MH735S	M	50	15	M	20	M	730	M	500	M	30
79MH736S	M	50	15	M	20	M	700	M	200	M	20
79MH737S	20	5	30	M	7	M	1,500	M	100	M	30
79MH738S	<20	50	15	M	20	M	500	M	300	M	20
79MH739S	M	30	20	M	20	M	500	M	300	M	30
79MH740S	<20	70	20	M	20	M	500	M	200	M	30
79MH740T	<20	70	15	M	30	M	500	M	300	M	30
79MH741S	M	20	30	M	20	M	500	M	200	M	30
79MH742S	20	5	50	M	15	M	1,000	M	200	M	50
79MH743S	M	5	30	M	10	M	1,030	M	100	M	20
79MH744S	<20	<5	30	M	7	M	1,530	M	100	M	20
79MH745S	M	<5	70	M	15	M	1,030	M	150	M	15
79MH746S	<20	5	50	M	15	M	1,030	M	200	M	20
79MH747S	<20	<5	50	M	10	M	1,000	M	100	M	20
79MH748S	20	<5	20	M	10	M	1,000	M	200	M	30
79MH749S	<20	15	30	M	10	M	1,030	M	200	M	30
79MH750S	<20	<5	50	M	10	M	2,030	M	100	M	30
79MH750T	<20	5	30	M	15	M	1,000	M	150	M	30
79MH751S	<20	5	30	M	15	M	1,000	M	150	M	20
79MH752S	<20	5	50	M	15	M	1,000	M	200	M	30
79MH753S	<20	20	30	M	20	M	700	M	200	M	30
79MH754S	<20	15	20	M	20	M	1,000	M	200	M	50
79MH755S	M	30	20	M	20	M	700	M	150	M	30
79MH756S	<20	15	30	M	15	M	1,000	M	200	M	30
79MH757S	<20	5	20	M	30	M	1,030	M	300	M	50
79MH758S	<20	15	20	M	20	M	700	M	150	M	30
79MH759S	<20	5	20	M	20	M	500	M	200	M	30

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-M6
79MH719S	<200	150	M	40	15	60	--
79MH720S	M	200	M	25	10	35	--
79MH720T	M	200	M	20	15	30	--
79MH721S	<200	100	M	25	15	75	--
79MH722S	<200	200	M	50	15	55	--
79MH723S	<200	500	M	25	15	50	--
79MH724S	M	150	M	15	15	40	--
79MH725S	<200	200	M	70	20	95	--
79MH726S	M	150	<.05	25	10	35	--
79MH727S	M	500	M	<5	10	20	--
79MH728S	M	700	M	5	10	20	--
79MH729S	M	100	--	15	15	50	--
79MH730S	M	300	M	15	15	35	--
79MH730T	M	200	<.05	10	10	35	--
79MH731S	M	500	M	<5	10	15	--
79MH732S	M	70	M	<5	5	10	--
79MH733S	M	500	M	<5	10	15	--
79MH734S	M	100	M	10	15	15	--
79MH735S	M	70	M	85	15	50	--
79MH736S	M	50	M	260	15	35	--
79MH737S	M	300	M	10	15	20	--
79MH738S	<200	150	M	100	10	55	--
79MH739S	M	200	M	45	15	30	--
79MH740S	<200	100	M	120	20	130	--
79MH740T	<200	100	M	100	20	110	--
79MH741S	M	70	M	40	20	50	--
79MH742S	M	200	M	10	45	45	--
79MH743S	M	100	M	15	10	25	--
79MH744S	M	200	<.05	10	20	25	--
79MH745S	M	200	M	10	10	20	--
79MH746S	M	150	M	25	10	20	--
79MH747S	M	150	M	5	10	25	--
79MH748S	M	200	M	10	15	25	--
79MH749S	M	300	M	10	20	35	--
79MH750S	M	300	M	25	15	20	--
79MH750T	M	150	M	20	15	15	--
79MH751S	M	150	<.05	10	10	35	--
79MH752S	M	200	M	<5	10	15	--
79MH753S	<200	150	M	15	10	25	--
79MH754S	M	150	M	10	15	35	--
79MH755S	<200	150	M	15	15	100	--
79MH756S	M	200	M	15	20	100	--
79MH757S	M	300	M	10	10	55	--
79MH758S-	<200	200	M	5	15	60	--
79MH759S	M	300	M	15	15	65	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS
79MH7605	CEC033	56 0 17	131 36 27	7.0	3.00	3.0	.50	2,000	N	N
79MH7607	CEC037	56 0 17	131 36 27	7.0	3.00	3.0	.70	1,000	N	N
79MH7615	CEC078	56 1 20	131 37 55	7.0	3.00	5.0	.70	1,000	N	N
79MH7625	CEC011	56 1 28	131 32 45	10.0	5.00	3.0	.70	1,500	N	N
79MH7635	CEC034	56 0 15	131 31 40	7.0	2.00	3.0	.30	1,000	N	N
79MH7645	CEC058	56 0 17	131 31 20	10.0	3.00	3.0	.70	5,000	N	N
79MH7655	CEC079	56 2 34	131 30 26	7.0	3.00	3.0	.70	1,500	N	N
79MH7665	CEC012	56 2 32	131 30 16	7.0	3.00	3.0	.70	3,000	N	N
79MH7675	CEC035	56 0 7	131 25 0	5.0	2.00	2.0	.50	2,000	N	N
79MH7685	CEC080	56 0 5	131 26 29	7.0	3.00	3.0	.50	1,500	N	N
79MH7695	CEC081	56 5 13	131 26 26	7.0	3.00	3.0	.70	1,000	N	N
79MH7705	CEC271	56 4 2	131 25 32	7.0	3.00	3.0	.70	1,000	N	N
79MH7707	CEC275	56 4 2	131 25 32	10.0	5.00	5.0	.50	1,500	N	N
79MH7715	CEC278	56 4 3	131 25 43	10.0	5.00	5.0	1.00	1,500	N	N
79RK0485	CDM747	56 12 29	130 49 43	15.0	3.00	2.0	.70	1,500	N	N
79RK0925	CDM774	56 15 28	130 47 17	5.0	1.50	1.5	.70	1,000	<.5	N
79RK1705	CDM156	56 11 53	131 47 10	5.0	2.00	1.0	.50	2,000	<.5	N
79RK1895	CDM203	56 11 41	131 57 41	5.0	1.50	1.5	.30	700	N	N
79RK1925	CDM236	56 13 37	131 56 30	7.0	1.50	2.0	.50	1,500	N	N
79RK1935	CDM158	56 14 3	131 56 52	7.0	2.00	2.0	.50	1,500	N	N
79RK1937	CDM181	56 14 3	131 56 52	7.0	2.00	1.5	.50	1,500	N	N
79RK1945	CDM204	56 14 40	131 57 27	3.0	1.00	1.0	.20	700	N	N
79RK1955	CDM227	56 14 57	131 57 31	7.0	1.50	2.0	.30	1,000	N	N
79RK1965	CDM159	56 16 22	131 58 39	5.0	1.50	1.5	.50	1,000	N	N
79RK2018	CEC784	56 21 27	131 58 47	5.0	1.50	2.0	.30	700	N	N
79RK2275	CEA285	56 30 49	131 36 22	7.0	1.00	2.0	.50	700	N	N
79RK2295	CEA268	56 31 2	131 44 40	3.0	1.50	1.5	.20	700	N	N
79RK2315	CEA179	56 35 3	131 38 14	5.0	.70	.7	.20	5,000	N	N
79RK2325	CEA281	56 34 42	131 36 25	2.0	1.00	1.5	.20	700	N	N
79RK2365	CEA203	56 33 32	131 39 49	7.0	3.00	2.0	.70	1,000	N	N
79RK2375	CEA236	56 33 58	131 40 24	10.0	3.00	2.0	1.00	1,000	N	N
79RK2395	CEA315	56 33 34	131 36 57	10.0	3.00	3.0	.70	1,500	N	N
79RK2425	CEA246	56 29 43	131 18 12	1.5	.70	2.0	.20	1,000	N	N
79RK2475	CEA157	56 42 2	131 54 47	10.0	5.00	2.0	1.00	1,000	N	N
79RK2485	CEA180	56 43 1	131 58 49	7.0	2.00	3.0	.50	1,000	N	N
79RK2595	CEA270	56 22 28	131 20 32	3.0	1.50	2.0	.50	1,000	N	N
79RK3205	CEC283	56 2 30	130 41 57	7.0	5.00	5.0	1.00	1,500	N	N
79RK3207	CEC274	56 2 30	130 41 57	5.0	5.00	2.0	.70	1,000	N	N
79RK7725	CEC281	56 8 32	131 33 57	10.0	7.00	5.0	.70	1,500	N	N
79RK8005	CDM233	56 10 45	131 7 45	20.0	5.00	5.0	>1.00	1,000	N	N
79RK8015	CDM190	56 10 51	131 7 58	15.0	3.00	3.0	>1.00	1,500	N	N
79RK8025	CDM213	56 10 10	131 8 32	15.0	3.00	5.0	>1.00	2,000	N	N
79RK8035	CDM259	56 10 12	131 8 29	15.0	3.00	5.0	>1.00	1,500	N	N
79RK8045	CDM235	56 9 31	131 7 52	15.0	5.00	5.0	>1.00	1,500	N	N
79RK8055	CDM191	56 9 35	131 8 11	15.0	3.00	3.0	1.00	1,500	N	N

Table 3.---Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
79NH760S	M	20	1,000	2.0	M	M	15	70	15	70	M
79NH760T	M	20	1,000	1.5	M	M	15	70	5	50	M
79NH761S	M	15	1,500	2.0	M	M	15	50	10	30	M
79NH762S	M	20	1,500	1.0	M	M	15	70	7	50	M
79NH763S	M	10	700	2.0	M	M	15	50	<5	70	M
79NH764S	M	10	1,000	2.0	M	M	30	100	10	30	S
79NH765S	M	20	1,500	2.0	M	M	15	70	15	30	M
79NH766S	M	30	1,500	1.5	M	M	15	70	10	30	M
79NH767S	M	10	700	2.0	M	M	20	50	5	30	M
79NH768S	M	15	1,500	1.5	M	M	15	200	20	30	M
79NH769S	M	10	1,500	2.0	M	M	20	100	30	70	M
79NH770S	M	10	1,500	1.5	M	M	20	200	70	130	M
79NH770T	M	10	1,500	1.5	M	M	20	130	50	120	15
79NH771S	M	<10	1,500	1.0	M	M	30	150	70	70	M
79KH048S	M	M	700	<1.0	M	M	15	150	30	50	M
79RK392S	M	M	1,000	<1.0	M	M	10	50	15	<20	M
79RK170S	M	100	1,000	1.5	M	M	30	70	20	<20	M
79RK189S	M	10	500	1.0	M	M	15	100	5	N	M
79RK192S	M	15	1,500	1.5	M	M	15	50	7	50	M
79RK193S	M	20	1,500	1.0	M	M	20	100	7	30	M
79RK193T	M	20	1,500	1.5	M	M	20	50	5	70	M
79RK194S	M	15	700	1.0	M	M	15	20	7	20	M
79RK195S	M	20	1,500	1.5	M	M	15	50	7	N	S
79RK196S	M	20	1,500	1.0	M	M	15	50	7	70	M
79RK201S	M	10	1,500	2.0	M	M	10	50	10	70	15
79RK227S	M	10	2,000	1.5	M	M	10	15	<5	120	M
79RK229S	M	10	1,500	10.0	M	M	10	50	30	230	S
79RK231S	M	20	500	70.0	M	M	20	20	10	230	50
79RK232S	M	<10	1,500	7.0	M	M	10	20	15	70	M
79RK236S	M	10	1,000	7.0	M	M	30	150	50	70	M
79RK237S	M	10	300	5.0	M	M	30	50	15	50	S
79RK239S	M	10	1,000	7.0	M	M	20	100	70	70	M
79RK242S	M	<10	2,000	1.5	M	M	7	30	15	120	M
79RK247S	M	10	700	2.0	M	M	50	200	50	300	10
79RK248S	M	<10	1,500	1.5	M	M	20	50	20	70	M
79RK259S	M	<10	3,000	1.5	M	M	10	50	7	150	M
79RK320S	M	<10	2,000	1.5	M	M	20	200	50	100	7
79RK320T	M	<10	1,500	1.5	M	M	30	300	50	120	S
79RK772S	M	<10	1,500	1.0	M	M	20	100	30	130	M
79RK800S	M	<10	1,500	1.0	M	M	15	50	10	150	M
79RK801S	M	<10	1,000	<1.0	M	M	20	100	15	70	M
79RK802S	M	<10	1,000	<1.0	M	M	15	150	100	50	M
79RK803S	M	<10	1,500	<1.0	M	M	15	100	10	50	M
79RK804S	M	<10	1,000	1.0	M	M	20	100	50	50	M
79RK805S	M	<10	1,500	1.0	M	M	20	150	300	50	M



Table 5.---Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
79NH760S	<20	10	30	N	30	N	700	N	300	N	50
79NH760T	<20	10	20	N	30	N	700	N	200	N	50
79NH761S	<20	7	30	N	30	N	1,050	N	200	N	50
79NH762S	<20	7	20	N	30	N	500	N	300	N	50
79NH763S	<20	5	20	N	30	N	700	N	200	N	30
79NH764S	<20	5	20	N	20	N	700	N	300	N	30
79NH765S	<20	7	20	N	20	N	500	N	200	N	30
79NH766S	<20	10	20	N	20	N	500	N	200	N	30
79NH767S	N	7	20	N	20	N	1,000	N	200	N	30
79NH768S	<20	70	20	N	20	N	500	N	200	N	50
79NH769S	N	30	20	N	20	N	700	N	300	N	50
79NH770S	<20	50	30	N	20	N	1,000	N	300	N	50
79NH770T	<20	50	30	N	20	N	1,050	<100	300	N	50
79NH771S	<20	50	20	N	30	N	700	N	300	N	50
79RK048S	<20	70	30	N	20	N	1,000	N	300	N	50
79RK092S	N	20	30	N	10	N	1,500	N	200	N	10
79RK170S	<20	30	15	N	50	N	500	N	200	N	20
79RK189S	N	15	10	N	30	N	300	N	200	N	20
79RK192S	N	15	20	N	30	N	700	N	200	N	30
79RK193S	<20	30	20	N	50	N	700	N	300	N	50
79RK193T	20	20	20	N	50	N	700	N	300	N	30
79RK194S	N	10	15	N	20	N	500	N	150	N	20
79RK195S	<20	10	20	N	30	N	700	N	200	N	30
79RK196S	N	10	10	N	30	N	500	N	200	N	30
79RK201S	20	20	50	N	15	N	700	N	100	N	30
79RK227S	20	<5	30	N	10	N	700	N	200	N	30
79RK229S	70	10	100	N	10	10	700	N	100	N	150
79RK231S	70	10	100	N	7	15	150	N	100	N	200
79RK232S	20	5	70	N	10	<10	700	N	100	N	30
79RK236S	30	70	70	N	20	15	300	N	300	N	70
79RK237S	20	20	50	N	20	N	300	N	300	N	70
79RK239S	30	50	100	N	30	<10	700	N	500	N	70
79RK242S	N	7	30	N	7	N	1,500	N	100	N	30
79RK247S	20	70	15	N	20	N	500	N	200	<50	30
79RK248S	<20	15	15	N	15	N	1,000	N	200	N	30
79RK259S	20	15	30	N	10	N	1,500	N	150	N	30
79RK320S	<20	70	30	N	20	N	700	N	300	N	30
79RK320T	<20	100	30	N	20	N	700	N	300	N	30
79RK772S	N	20	20	N	30	N	1,000	N	200	N	50
79RK800S	20	10	20	N	70	N	1,500	N	1,000	N	70
79RK801S	<20	50	30	N	70	N	1,500	N	500	N	70
79RK802S	<20	50	20	N	30	N	700	N	2,000	N	50
79RK803S	<20	30	20	N	50	N	1,500	N	1,000	N	50
79RK804S	<20	70	20	N	50	N	700	N	700	N	70
79RK805S	<20	100	20	N	50	N	700	N	500	N	50

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AI-ZN-P	INST-M6
79HH7603	<200	200	M	5	10	35	--
79HH7601	<200	30	M	<5	10	30	--
79HH7615	<200	200	M	5	10	50	--
79HH7625	M	200	M	5	15	60	--
79HH7635	M	500	M	5	15	50	--
79HH7645	<200	100	M	5	20	65	--
79HH7655	<200	300	M	20	25	110	--
79HH7665	<200	200	<.05	10	15	100	--
79HH7675	<200	200	M	10	15	95	--
79HH7685	<200	500	M	10	10	70	--
79HH7695	<200	200	M	25	15	55	--
79HH7705	M	150	M	25	15	50	--
79HH7701	<200	200	M	25	15	45	--
79HH7715	<200	150	M	35	15	65	--
79HK0485	M	30	M	40	10	40	--
79HK0925	M	70	M	15	15	75	--
79HK1705	<200	150	M	20	10	80	--
79HK1895	<200	150	M	10	30	85	--
79HK1925	<200	150	M	10	30	65	--
79HK1935	M	150	M	5	15	50	--
79HK1931	<200	150	M	5	20	35	--
79HK1945	<200	100	M	10	20	50	--
79HK1955	<200	200	M	5	45	50	--
79HK1965	<200	200	M	5	15	45	--
79HK2015	M	150	M	10	15	65	--
79HK2275	M	700	M	5	10	45	--
79HK2295	M	500	M	20	35	85	--
79HK2315	200	>1,000	M	15	55	210	--
79HK2325	M	200	M	10	35	80	--
79HK2365	<200	200	M	45	40	130	--
79HK2375	<200	150	M	10	25	110	--
79HK2395	<200	300	M	55	50	150	--
79HK2425	M	200	M	20	5	20	--
79HK2475	M	150	M	30	10	50	--
79HK2485	M	100	M	20	10	30	--
79HK2595	M	200	M	10	10	30	--
79HK3205	<200	200	M	20	15	35	--
79HK3201	<200	150	M	25	15	35	--
79HK7725	<200	200	M	15	15	45	--
79HK8005	<200	700	M	10	10	40	--
79HK8015	<200	700	M	15	15	30	--
79HK8025	<200	100	M	35	15	45	--
79HK8035	<200	200	M	10	10	40	--
79HK8045	<200	200	M	25	20	75	--
79HK8055	<200	150	M	80	20	75	--

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGZ	S-CAX	S-TIX	S-MM	S-AG	S-AS
79RK806S	CDH214	56 9 12	131 7 42	>20.0	3.00	5.0	>1.00	1,500	M	M
79RK807S	CDH260	56 9 11	131 7 38	15.0	5.00	5.0	>1.00	2,000	M	M
79RK808S	CDH236	56 15 22	130 39 38	5.0	2.00	2.0	1.00	700	M	M
79RK809S	CDH192	56 14 15	130 40 20	10.0	2.00	3.0	1.00	1,000	<.5	M
79RK810S	CDH215	56 12 56	130 41 29	3.0	1.50	2.0	.70	700	M	M
79RK811S	CDH261	56 12 50	130 41 35	10.0	2.00	2.0	1.00	1,000	M	M
79RK812S	CDH237	56 13 27	130 38 40	5.0	2.00	3.0	.70	1,000	M	M
79RK813S	CDH193	56 13 30	130 38 44	10.0	2.00	2.0	1.00	700	M	M
79RK813T	CDH202	56 13 30	130 38 44	10.0	2.00	1.5	.70	1,000	M	M
79RK814S	CDH216	56 12 13	130 39 54	3.0	1.50	2.0	.70	1,000	M	M
79RK815S	CDH262	56 12 10	130 39 58	10.0	2.00	2.0	1.00	1,000	M	M
79RK816S	CDH238	56 11 37	130 41 10	5.0	1.50	1.5	.50	700	M	M
79RK817S	CDH194	56 11 49	130 43 0	15.0	2.00	2.0	1.00	1,000	M	M
79RK818S	CDH217	56 5 37	130 56 48	20.0	5.00	5.0	>1.00	1,500	M	M
79RK819S	CDH263	56 8 27	131 3 45	20.0	5.00	5.0	>1.00	2,000	M	M
79RK820S	CDH239	56 9 26	131 4 51	15.0	3.00	3.0	>1.00	1,500	M	M
79RK820T	CDH196	56 9 26	131 4 51	15.0	3.00	5.0	>1.00	2,000	M	M
79RK821S	CDH218	56 9 49	131 4 32	20.0	3.00	5.0	1.00	2,000	M	M
79RK822S	CDH264	56 10 31	131 3 31	20.0	3.00	3.0	>1.00	700	M	M
79RK823S	CDH240	56 10 47	131 3 41	3.0	1.50	1.5	.30	700	M	M
79RK824S	CDH197	56 10 53	131 3 33	15.0	3.00	3.0	1.00	2,000	M	M
79RK825S	CDH250	56 22 8	131 3 10	5.0	2.00	2.0	.70	700	M	M
79RK826S	CDH273	56 22 8	131 3 0	2.0	1.00	1.5	.50	300	M	M
79RK827S	CDH716	56 22 33	131 2 20	15.0	3.00	3.0	1.00	1,000	M	M
79RK828S	CDH738	56 22 30	131 1 54	15.0	5.00	3.0	1.00	1,500	M	M
79RK829S	CDH761	56 22 48	131 1 25	10.0	3.00	3.0	.70	1,000	M	M
79RK830S	CDH784	56 22 58	131 0 57	5.0	1.50	1.5	.70	700	M	M
79RK830T	CDH717	56 22 58	131 0 57	10.0	1.50	2.0	.50	500	M	M
79RK831S	CDH739	56 22 51	131 0 19	10.0	3.00	3.0	.50	1,000	M	M
79RK832S	CDH762	56 22 49	130 59 0	7.0	1.50	2.0	.50	500	M	M
79RK834S	CDH718	56 22 5	130 57 40	3.0	.70	1.5	.50	300	M	M
79RK835S	CDH740	56 17 43	131 0 31	10.0	1.50	2.0	.50	500	M	M
79RK836S	CDH763	56 17 47	131 0 38	10.0	1.00	3.0	.70	700	M	M
79RK837S	CDH786	56 18 39	130 58 59	10.0	1.50	3.0	.30	500	M	M
79RK838S	CDH719	56 18 55	130 58 51	10.0	2.00	3.0	1.00	500	M	M
79RK839S	CDH741	56 18 52	130 58 48	7.0	2.00	2.0	.50	700	M	M
79RK840S	CDH764	56 19 31	130 58 11	10.0	1.50	2.0	.30	500	M	M
79RK841S	CDH787	56 20 6	130 58 5	15.0	2.0	2.0	1.00	500	M	M
79RK842S	CDH720	56 21 8	130 56 45	>20.0	1.00	2.0	1.00	700	M	M
79RK842T	CDH742	56 21 8	130 56 45	>20.0	1.50	2.0	1.00	700	M	M
79RK843S	CDH765	56 18 37	130 55 35	>20.0	2.00	3.0	>1.00	1,000	M	M
79RK844S	CDH788	56 16 27	130 56 13	10.0	1.50	3.0	.50	700	M	M
79RK845S	CDH814	56 5 20	131 18 4	20.0	3.00	2.0	>1.00	1,000	M	M
79RK846S	CDH860	56 4 45	131 21 31	15.0	2.00	2.0	>1.00	1,500	M	M
79RK847S	CDH845	56 5 43	131 20 2	10.0	3.00	2.0	1.00	700	M	M

Table 5.--Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CO	S-CR	S-CU	S-LA	S-MO
79RK8065	M	<10	1,000	<1.0	M	M	20	200	30	100	M
79RK8075	M	<10	1,000	1.0	M	M	20	100	20	70	M
79RK8085	M	<10	1,000	1.0	M	M	5	30	5	70	M
79RK8095	M	10	1,500	1.0	M	M	10	100	50	50	M
79RK8105	M	<10	1,500	1.0	M	M	7	30	15	20	M
79RK8115	M	<10	1,500	1.0	M	M	7	20	15	50	M
79RK8125	M	10	1,000	1.0	M	M	10	20	30	20	S
79RK8135	M	<10	1,500	1.0	M	M	7	50	10	70	M
79RK813T	M	<10	2,000	1.0	M	M	7	70	7	50	M
79RK8145	M	<10	1,000	1.0	M	M	7	30	20	50	M
79RK8155	M	<10	1,000	1.0	M	M	10	30	30	70	<5
79RK8165	M	10	1,500	1.0	M	M	7	20	7	50	M
79RK8175	M	<10	2,000	1.0	M	M	10	70	20	100	M
79RK8185	M	<10	1,000	1.0	M	M	30	200	50	70	M
79RK8195	M	<10	1,000	<1.0	M	M	30	500	150	50	M
79RK8205	M	<10	1,000	1.0	M	M	20	200	100	70	M
79RK820T	M	<10	1,000	<1.0	M	M	20	100	50	70	M
79RK8215	M	<10	700	<1.0	M	M	10	100	10	70	M
79RK8225	M	<10	1,500	<1.0	M	M	10	70	10	100	M
79RK8235	M	10	700	1.0	M	M	7	15	7	20	M
79RK8245	M	<10	1,000	1.0	M	M	20	150	20	30	M
79RK8255	M	10	1,000	<1.0	M	M	7	100	50	100	M
79RK8265	M	M	1,500	1.0	M	M	5	30	10	70	M
79RK8275	M	M	700	<1.0	M	M	20	30	200	M	S
79RK8285	M	M	500	<1.0	M	M	30	200	20	<20	M
79RK8295	M	M	500	<1.0	M	M	15	30	150	M	M
79RK8305	M	M	1,000	<1.0	M	M	7	30	10	M	M
79RK830T	M	M	1,000	<1.0	M	M	10	20	20	20	M
79RK8315	M	M	700	<1.0	M	M	10	100	10	70	M
79RK8325	M	M	700	1.0	M	M	7	30	7	30	M
79RK8345	M	M	1,500	1.0	M	M	5	10	5	20	M
79RK8355	M	M	1,000	<1.0	M	M	7	30	<5	70	M
79RK8365	M	M	1,000	1.0	M	M	5	10	5	50	M
79RK8375	M	M	1,000	1.0	M	M	7	10	<5	20	M
79RK8385	M	M	1,500	1.0	M	M	7	20	7	30	M
79RK8395	M	M	1,000	<1.0	M	M	5	<10	<5	<20	M
79RK8405	M	M	1,000	<1.0	M	M	7	15	<5	30	M
79RK8415	M	M	1,000	1.0	M	M	7	30	10	150	M
79RK8425	M	<10	700	<1.0	M	M	10	50	7	150	M
79RK842T	M	<10	700	<1.0	M	M	10	50	10	230	M
79RK8435	M	<10	700	<1.0	M	M	10	20	5	300	M
79RK8445	M	M	700	<1.0	M	M	7	15	<5	30	M
79RK8455	M	M	500	<1.0	M	M	30	150	10	70	M
79RK8465	M	<10	300	1.5	M	M	15	100	5	20	M
79RK8475	M	M	300	1.0	M	M	30	150	30	30	<5

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-MB	S-NI	S-PB	S-SB	S-SC	S-SN	S-SR	S-SH	S-V	S-W	S-Y
79RK806S	<20	50	15	N	30	N	700	N	3,000	N	70
79RK807S	<20	30	20	N	30	N	1,030	N	300	N	50
79RK808S	<20	10	20	N	10	N	700	N	200	N	30
79RK809S	<20	50	30	N	30	N	1,500	N	500	N	30
79RK810S	N	20	20	N	20	N	1,000	N	200	N	20
79RK811S	<20	15	30	N	20	N	1,000	N	300	N	20
79RK812S	N	20	20	N	30	N	700	N	300	N	50
79RK813S	<20	20	30	N	20	N	1,000	N	300	N	50
79RK813T	<20	20	20	N	30	N	1,500	N	300	N	30
79RK814S	N	20	15	N	20	N	700	N	200	N	30
79RK815S	<20	20	20	N	30	N	700	N	300	N	30
79RK816S	N	15	30	N	15	N	1,530	N	200	N	20
79RK817S	<20	30	50	N	30	N	1,030	N	700	N	50
79RK818S	<20	100	20	N	70	N	1,000	N	2,000	N	70
79RK819S	<20	300	15	N	50	N	500	N	700	N	50
79RK820S	<20	30	20	N	30	N	700	N	1,000	N	70
79RK820T	<20	50	20	N	50	N	700	N	700	N	70
79RK821S	<20	30	20	N	30	N	1,000	N	2,000	N	50
79RK822S	<20	10	30	N	30	N	1,530	N	1,000	N	50
79RK823S	N	10	20	N	20	N	700	N	200	N	20
79RK824S	N	50	20	N	50	N	1,000	N	1,000	N	50
79RK825S	N	30	20	N	20	N	1,030	N	500	N	50
79RK826S	N	10	30	N	10	N	1,030	N	100	N	10
79RK827S	N	20	20	N	20	N	700	N	700	N	30
79RK828S	N	100	30	N	20	N	500	N	500	N	30
79RK829S	N	20	20	N	20	N	700	N	300	N	20
79RK830S	N	10	30	N	10	N	1,000	N	200	N	10
79RK830T	N	15	50	N	15	N	1,000	N	300	450	20
79RK831S	N	30	20	N	15	N	500	N	300	N	20
79RK832S	N	20	20	N	10	N	500	N	200	N	10
79RK834S	N	10	30	N	5	N	1,000	N	100	N	10
79RK835S	N	5	30	N	15	N	1,500	N	300	N	30
79RK836S	<20	5	30	N	15	N	1,500	N	300	N	20
79RK837S	N	5	30	N	10	N	1,500	N	200	N	20
79RK838S	<20	10	50	N	15	N	1,530	N	200	N	20
79RK839S	N	5	30	N	10	N	1,500	N	200	N	15
79RK840S	<20	10	50	N	10	N	1,500	N	300	N	20
79RK841S	<20	10	30	N	15	N	700	N	300	N	30
79RK842S	<20	7	20	N	15	N	700	N	700	N	50
79RK842T	30	10	20	N	15	N	700	N	1,000	N	150
79RK843S	N	5	30	N	15	N	1,030	N	1,000	N	50
79RK844S	N	7	30	N	15	N	1,500	N	200	N	20
79RK845S	<20	30	20	N	20	N	300	N	1,000	N	50
79RK846S	<20	30	10	N	20	N	700	N	500	N	30
79RK847S	<20	150	15	N	20	N	700	N	200	N	20

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZM-P	INST-M6
79RK8065	<200	1,000	M	30	15	45	--
79RK8078	<200	300	M	20	15	55	--
79RK8088	M	300	M	10	10	30	--
79RK8095	<200	100	M	40	15	40	--
79RK8108	M	50	M	20	10	30	--
79RK8115	<200	200	M	20	20	45	--
79RK8125	M	100	M	35	10	35	--
79RK8135	<200	200	M	10	15	45	--
79RK8137	<200	100	M	10	20	45	--
79RK8145	<200	70	M	30	10	35	--
79RK8158	<200	150	M	35	10	40	--
79RK8168	M	200	M	15	10	35	--
79RK8178	<200	300	M	15	15	30	--
79RK8188	<200	300	M	25	10	45	--
79RK8198	<200	200	M	45	25	90	--
79RK8205	<200	1,000	M	45	20	90	--
79RK8207	<200	>1,000	M	30	20	60	--
79RK8218	<200	70	M	20	10	30	--
79RK8228	<200	1,000	M	10	10	30	--
79RK8238	<200	100	M	15	15	75	--
79RK8248	<200	70	M	20	15	40	--
79RK8258	<200	150	M	20	5	25	--
79RK8268	M	100	M	10	10	35	--
79RK8278	<200	70	M	110	10	60	--
79RK8288	<200	50	M	20	15	40	--
79RK8298	<200	50	M	110	15	95	--
79RK8308	M	70	M	20	10	35	--
79RK8307	M	50	M	25	10	35	--
79RK8318	M	20	M	30	15	65	--
79RK8328	M	200	M	20	10	20	--
79RK8348	M	100	M	5	10	40	--
79RK8358	M	200	M	<5	10	25	--
79RK8368	M	150	M	<5	10	20	--
79RK8378	M	200	M	5	5	35	--
79RK8388	M	300	M	10	10	45	--
79RK8398	M	150	M	<5	10	35	--
79RK8408	M	100	M	<5	5	30	--
79RK8418	M	200	M	15	5	30	--
79RK8428	<200	200	M	10	10	20	--
79RK8427	M	500	M	10	10	30	--
79RK8438	<200	150	M	5	5	15	--
79RK8448	M	200	M	<5	5	20	--
79RK8458	<200	300	M	15	5	30	--
79RK8468	<200	100	M	10	5	25	--
79RK8478	M	150	M	45	20	90	--

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MM	S-AG	S-AS
79RK8485	CDM830	56 7 30	131 14 19	15.0	3.00	3.0	1.00	700	M	M
79RK8495	CDM815	56 7 6	131 15 41	15.0	3.00	3.0	>1.00	1,500	M	M
79RK8505	CDM861	56 6 35	131 13 12	10.0	2.00	2.0	.70	1,000	M	M
79RK850T	CDM846	56 6 35	131 13 12	10.0	2.00	2.0	.50	700	M	M
79RK8515	CDM831	56 5 43	131 12 17	15.0	3.00	5.0	.70	1,000	M	M
79RK8525	CDM816	56 5 14	131 10 59	15.0	5.00	3.0	1.00	700	M	M
79RK8535	CDM862	56 2 33	131 16 29	7.0	2.00	1.5	1.00	700	M	M
79RK8545	CDM847	56 3 41	131 16 48	15.0	3.00	3.0	1.00	1,500	M	M
79RK8555	CDM832	56 4 5	131 16 50	15.0	5.00	3.0	.70	1,500	M	M
79RK8565	CDM817	56 4 7	131 14 46	15.0	3.00	1.5	.70	1,000	M	M
79RK8575	CDM863	56 3 30	131 14 3	10.0	3.00	2.0	.70	1,000	M	M
79RK8585	CDM848	56 3 16	131 14 9	5.0	2.00	1.5	.50	1,000	M	M
79RK8595	CDM868	56 4 33	131 12 41	10.0	3.00	2.0	.70	1,500	M	M
79RK8605	CDM833	56 5 3	131 13 12	15.0	3.00	3.0	1.00	1,500	M	M
79RK860T	CDM818	56 5 3	131 13 12	15.0	3.00	20.0	1.00	1,500	M	M
79RK8615	CDM864	56 5 49	131 14 52	7.0	2.00	1.5	.70	700	M	M
79RK8625	CDM849	56 5 50	131 15 51	10.0	3.00	2.0	1.00	1,000	M	M
79RK8635	CDM834	56 5 19	131 13 50	10.0	3.00	3.0	.70	1,500	M	M
79RK8645	CDM819	56 3 2	131 20 20	15.0	3.00	3.0	1.00	1,500	M	M
79RK8655	CDM865	56 2 28	131 19 29	10.0	3.00	2.0	.70	1,000	M	M
79RK8665	CDM850	56 2 21	131 19 21	10.0	3.00	2.0	.70	1,000	M	M
79RK8675	CDM835	56 1 11	131 20 24	15.0	3.00	2.0	1.00	1,000	M	M
79RK8685	CDM820	56 0 18	131 18 52	15.0	3.00	2.0	1.00	1,500	M	M
79RK8695	CDM866	56 2 18	131 13 50	10.0	3.00	3.0	.70	1,500	M	M
79RK8705	CDM851	56 1 57	131 12 48	15.0	3.00	3.0	1.00	1,500	M	M
79RK870T	CDM836	56 1 57	131 12 48	15.0	5.00	3.0	>1.00	1,500	M	M
79RK8715	CDM821	56 3 15	131 12 25	15.0	3.00	3.0	1.00	1,500	M	M
79RK8725	CDM869	56 16 24	130 56 10	3.0	1.50	1.5	.50	500	M	M
79RK8735	CDM142	56 29 9	131 19 11	7.0	1.50	1.0	.70	1,500	M	M
79RK8745	CDM165	56 29 10	131 19 15	10.0	3.00	2.0	.70	1,500	M	M
79RK8755	CDM157	56 11 43	131 59 49	5.0	1.50	.7	.50	1,000	M	M
79RK8765	CDM180	56 11 42	131 59 21	10.0	3.00	1.5	.70	1,500	M	M
79RK8775	CEA204	56 31 2	131 32 27	5.0	.70	2.0	.50	700	M	M
79RK8785	CEA227	56 31 3	131 32 17	3.0	1.00	2.0	.70	700	M	M
79RK8795	CEA158	56 32 16	131 31 50	3.0	1.50	1.5	.70	1,000	M	M
79RK879T	CEA181	56 32 16	131 31 50	5.0	1.00	1.5	.50	700	M	M
79RK8805	CEA205	56 32 15	131 31 48	2.0	1.00	2.0	.70	700	M	M
79RK8815	CEA228	56 31 56	131 29 11	1.5	.50	1.5	.20	500	M	M
79RK881T	CEA159	56 31 56	131 29 11	1.0	.50	1.5	.15	500	M	M
79RK8825	CEA182	56 31 58	131 29 11	1.5	.70	2.0	.15	700	M	M
79RK8835	CEA206	56 32 54	131 31 1	1.5	.70	2.0	.15	500	M	M
79RK8845	CEA229	56 33 40	131 30 42	5.0	2.00	3.0	.70	700	M	M
79RK8855	CEA160	56 33 40	131 30 47	5.0	1.00	3.0	.70	700	M	M
79RK8865	CEA183	56 34 43	131 32 36	3.0	1.50	3.0	.70	1,000	M	M
79RK8875	CEA207	56 35 8	131 34 33	10.0	3.00	5.0	.70	1,000	M	M

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO
79RK848S	N	N	700	<1.0	N	N	20	100	70	50	<5
79RK849S	N	N	700	1.0	N	N	20	100	20	120	N
79RK850S	N	<10	300	<1.0	N	N	15	30	7	50	N
79RK850T	N	N	300	<1.0	N	N	10	30	5	50	<5
79RK851S	N	N	500	1.0	N	N	20	150	10	50	<5
79RK852S	N	N	500	<1.0	N	N	50	150	30	N	N
79RK853S	N	<10	500	1.5	N	N	7	30	10	50	30
79RK854S	N	<10	300	1.0	N	N	50	150	70	20	5
79RK855S	N	N	300	<1.0	N	N	30	300	30	50	N
79RK856S	N	N	500	<1.0	N	N	20	70	70	20	N
79RK857S	N	<10	300	<1.0	N	N	15	100	15	30	N
79RK858S	N	N	500	1.0	N	N	12	50	7	20	N
79RK859S	N	<10	300	1.0	N	N	10	150	10	50	N
79RK860S	N	N	500	1.0	N	N	30	300	50	50	N
79RK860T	N	N	300	<1.0	N	N	20	150	20	120	N
79RK861S	N	<10	300	<1.0	N	N	12	150	15	50	N
79RK862S	N	<10	300	1.0	N	N	15	50	10	30	N
79RK863S	N	N	200	1.0	N	N	30	200	15	20	N
79RK864S	N	N	700	<1.0	N	N	30	200	100	30	N
79RK865S	N	<10	500	<1.0	N	N	15	200	20	20	N
79RK866S	N	<10	300	1.0	N	N	20	300	30	30	N
79RK867S	N	N	500	<1.0	N	N	30	150	50	50	10
79RK868S	N	N	700	<1.0	N	N	20	300	30	30	N
79RK869S	N	<10	300	1.5	N	N	15	100	30	<20	N
79RK870S	N	<10	300	1.0	N	N	30	200	20	120	N
79RK870T	N	N	300	1.0	N	N	20	300	70	20	70
79RK871S	N	N	700	1.0	N	N	20	150	10	50	N
79RK872S	N	N	1,000	<1.0	N	N	5	<10	5	20	N
79RK873S	N	20	2,000	1.0	N	N	20	30	70	50	N
79RK874S	N	10	1,000	1.5	N	N	30	30	200	20	N
79RK875S	N	50	1,000	1.5	N	N	30	500	30	30	N
79RK876S	N	20	2,000	1.0	N	N	50	300	15	50	N
79RK877S	N	<10	2,000	1.0	N	N	10	10	7	70	N
79RK878S	N	10	2,000	1.0	N	N	7	<10	5	70	15
79RK879S	N	<10	2,000	1.5	N	N	10	10	<5	50	N
79RK879T	N	<10	2,000	1.5	N	N	10	10	7	70	N
79RK880S	N	<10	2,000	1.5	N	N	10	<10	10	120	N
79RK881S	N	<10	2,000	1.5	N	N	5	<10	<5	70	N
79RK881T	N	N	2,000	2.0	N	N	7	<10	<5	30	N
79RK882S	N	<10	2,000	1.5	N	N	7	<10	5	50	N
79RK883S	N	<10	2,000	2.0	N	N	7	<10	5	50	N
79RK884S	N	<10	1,500	1.0	N	N	10	30	30	70	N
79RK885S	N	<10	2,000	1.5	N	N	10	10	7	150	N
79RK886S	N	<10	2,000	1.5	N	N	10	10	20	120	N
79RK887S	N	50	1,500	<1.0	N	N	30	70	50	50	N



Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-HB	S-NI	S-PB	S-SD	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
79RK848S	<20	50	20	N	15	N	500	N	700	N	50
79RK849S	<20	30	20	N	30	N	500	N	500	N	50
79RK850S	N	7	20	N	30	N	700	N	300	N	30
79RK850T	N	10	15	N	10	N	700	N	300	N	30
79RK851S	<20	100	30	N	30	N	1,000	N	500	N	50
79RK852S	N	50	20	N	70	N	500	N	700	N	20
79RK853S	N	15	20	N	15	N	700	N	150	300	30
79RK854S	<20	70	15	N	50	N	500	N	700	N	50
79RK855S	<20	100	30	N	50	N	300	N	2,000	N	50
79RK856S	N	30	30	N	15	N	300	N	200	N	30
79RK857S	N	30	15	N	20	N	500	N	300	N	20
79RK858S	N	20	20	N	15	N	700	N	150	N	20
79RK859S	N	100	10	N	20	N	300	N	150	N	20
79RK860S	<20	150	20	N	20	N	500	N	300	N	50
79RK860T	N	100	15	N	15	N	300	N	300	N	30
79RK861S	N	100	15	N	15	N	300	N	150	N	20
79RK862S	N	30	15	N	20	N	1,030	N	300	N	30
79RK863S	N	70	15	N	30	N	200	N	200	N	50
79RK864S	N	50	20	N	20	N	300	N	500	N	20
79RK865S	N	70	20	N	15	N	300	N	200	N	15
79RK866S	N	150	20	N	15	N	500	N	150	N	20
79RK867S	<20	100	20	N	20	N	500	N	500	N	30
79RK868S	N	70	30	N	15	N	500	N	300	N	20
79RK869S	N	50	10	N	20	N	500	N	200	N	20
79RK870S	<20	70	15	N	30	N	700	N	700	N	70
79RK870T	<20	70	15	N	30	N	500	N	1,000	N	50
79RK871S	<20	70	20	N	20	N	1,030	N	300	N	30
79RK872S	N	5	20	N	7	N	1,000	N	100	N	10
79RK873S	N	30	15	N	30	N	500	N	200	N	50
79RK874S	<20	30	10	N	30	N	500	N	300	N	20
79RK875S	20	100	20	N	30	N	500	N	200	N	20
79RK876S	<20	100	20	N	50	N	500	N	500	N	30
79RK877S	<20	<5	30	N	10	N	1,030	N	200	N	30
79RK878S	<20	7	50	N	10	N	1,000	N	150	70	50
79RK879S	20	5	30	N	10	N	700	N	150	N	20
79RK879T	20	<5	50	N	10	N	1,000	N	150	N	30
79RK880S	<20	<5	30	N	15	N	1,000	N	150	N	50
79RK881S	N	<5	50	N	7	N	700	N	70	N	15
79RK881T	N	<5	50	N	5	N	700	N	50	N	10
79RK882S	N	<5	50	N	7	N	1,000	N	70	N	15
79RK883S	N	<5	30	N	7	N	1,000	N	70	N	15
79RK884S	20	20	30	N	15	N	1,000	N	200	N	50
79RK885S	20	<5	30	N	15	N	1,000	N	150	N	30
79RK886S	<20	<5	50	N	10	N	1,000	N	100	N	50
79RK887S	N	30	15	N	20	N	500	N	300	N	30

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-H6
79K0468	M	150	M	40	10	80	--
79K0498	M	500	M	30	10	60	--
79K0508	M	1,000	M	10	10	50	--
79K0509	M	1,000	M	10	10	55	--
79K0509	M	500	M	15	15	50	--
79K0518	<200						
79K0528	<200	200	M	35	10	50	--
79K0538	M	100	M	25	20	85	--
79K0548	<200	300	M	60	5	30	--
79K0558	<200	100	M	30	5	35	--
79K0568	M	300	M	20	15	60	--
79K0578	M	100	M	35	10	60	--
79K0588	M	70	M	15	15	70	--
79K0598	M	200	M	30	10	65	--
79K0608	<200	150	M	35	15	60	--
79K0609	<200	50	M	30	15	80	--
79K0618	M	700	M	25	10	60	--
79K0628	M	150	M	15	5	35	--
79K0638	M	70	M	35	15	80	--
79K0648	<200	100	M	55	10	65	--
79K0658	M	30	M	35	10	55	--
79K0668	M	50	M	50	15	65	--
79K0678	<200	70	M	40	15	120	--
79K0688	<200	20	M	50	10	55	--
79K0698	M	200	M	30	10	40	--
79K0708	<200						
79K0709	M	>1,000	M	30	10	45	--
79K0718	M	150	M	15	10	45	--
79K0728	M	150	M	5	5	25	--
79K0738	<200	200	M	50	15	70	--
79K0748	<200	150	M	65	10	55	--
79K0758	<200	200	M	20	25	80	--
79K0768	<200	300	M	15	30	100	--
79K0778	M	200	M	10	10	30	--
79K0788	M	200	M	<5	5	20	--
79K0798	M	150	M	5	15	50	--
79K0808	M	500	M	<5	10	45	--
79K0818	M	200	M	15	10	15	--
79K0828	M	100	M	<5	<5	25	--
79K0838	M	100	M	<5	15	25	--
79K0848	M	100	M	5	5	30	--
79K0858	M	100	M	45	10	45	--
79K0868	M	100	M	30	20	30	--
79K0878	M	1,000	M	10	10	25	--
79K0888	M	70	M	10	10	25	--
79K0898	M	150	M	45	15	55	--

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	S-FEZ	S-MGX	S-CAZ	S-TIX	S-MW	S-AG	S-AS
79RK888S	CEA230	56 34 49	131 34 48	5.0	2.00	2.0	.70	1,000	N	N
79RK889S	CEA161	56 34 8	131 36 42	3.0	1.00	2.0	.50	700	N	N
79RK890S	CEA184	56 35 20	131 36 32	7.0	3.00	3.0	.70	1,000	N	N
79RK890T	CEA208	56 35 20	131 36 32	7.0	3.00	3.0	.70	1,000	N	N
79RK891S	CEA231	56 35 15	131 37 13	3.0	2.00	2.0	.50	700	N	N
79RK892S	CEA162	56 34 2	131 40 14	3.0	.50	.5	.15	700	<.5	N
79RK893S	CEA185	56 35 22	131 41 3	5.0	3.00	2.0	1.00	1,000	N	N
79RK894S	CEA209	56 35 19	131 41 0	3.0	.50	.7	.15	500	N	N
79RK895S	CEA232	56 36 24	131 39 41	5.0	1.50	1.5	.70	1,000	N	N
79RK896S	CEA163	56 36 28	131 40 27	5.0	.50	.7	.50	700	N	N
79RK897S	CEA186	56 29 55	131 44 19	1.5	1.00	2.0	.50	500	N	N
79RK898S	CEA210	56 31 16	131 48 42	5.0	2.00	3.0	.20	700	N	N
79RK899S	CEA233	56 31 11	131 48 36	5.0	2.00	3.0	.50	1,000	N	N
79RK900S	CEA164	56 31 38	131 46 22	3.0	2.00	2.0	.30	700	N	N
79RK900T	CEC048	56 31 38	131 46 22	7.0	3.00	3.0	.70	1,000	N	N
79RK901S	CEA187	56 34 5	131 45 29	5.0	2.00	2.0	.70	1,000	<.5	N
79RK902S	CEA211	56 34 34	131 46 12	5.0	3.00	2.0	.70	1,000	N	N
79RK903S	CEA234	56 34 48	131 45 56	3.0	1.00	1.5	.20	700	N	N
79RK904S	CEA165	56 34 43	131 46 12	3.0	1.50	1.5	.70	700	N	N
79RK905S	CEA188	56 35 50	131 44 1	1.5	.70	1.0	.20	700	N	N
79RK906S	CEA212	56 34 42	131 48 4	5.0	3.00	2.0	.70	1,000	N	N
79RK907S	CEA235	56 34 8	131 46 38	5.0	2.00	2.0	.70	1,000	N	N
79RK908S	CEA166	56 34 11	131 46 42	3.0	1.50	1.5	.30	700	N	N
79RK909S	CEA189	56 36 30	131 43 3	5.0	2.00	2.0	.50	1,000	N	N
79RK910S	CEA233	56 36 26	131 48 48	2.0	1.50	2.0	.30	700	N	N
79RK910T	CEA236	56 36 26	131 48 48	3.0	2.00	3.0	.50	1,000	N	N
79RK915S	CEC273	56 0 8	131 15 27	7.0	3.00	3.0	.50	1,000	N	N
79RK916S	CEC277	56 0 10	131 15 14	10.0	5.00	5.0	1.00	1,500	1.0	N
79RK916T	CEC280	56 0 10	131 15 14	10.0	7.00	5.0	1.00	1,500	N	N
79SK501S	CEC807	56 1 44	131 59 2	10.0	5.00	3.0	.50	1,000	N	N
79SK502S	CEA314	56 34 36	131 32 14	3.0	1.50	3.0	.70	1,000	N	N
79SK503S	CEA269	56 39 48	131 59 8	5.0	2.00	3.0	.30	1,000	N	N
79SK504S	CEA267	56 21 41	131 18 12	5.0	3.00	3.0	.50	1,000	N	N
79SK505S	CEA201	56 12 29	131 33 53	10.0	3.00	2.0	.70	5,000	N	N
79SK506S	CEA224	56 12 42	131 33 43	10.0	5.00	3.0	.70	1,500	N	N

---Analytical data for stream-sediment samples---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CB	S-CC	S-CR	S-CU	S-LA	S-MO
79RK888S	N	<10	1,500	3.0	N	N	15	30	50	120	N
79RK889S	N	<10	2,000	2.0	N	N	10	10	5	30	N
79RK890S	N	30	700	<1.0	N	N	50	70	70	30	N
79RK890T	N	70	1,000	<1.0	N	N	30	70	70	30	N
79RK891S	N	<10	1,500	3.0	N	N	10	20	7	50	N
79RK892S	N	<10	500	15.0	N	N	7	10	20	70	15
79RK893S	N	<10	300	20.0	N	N	20	30	7	220	5
79RK894S	N	<10	700	7.0	N	N	5	10	15	120	15
79RK895S	N	<10	1,000	5.0	N	N	15	30	30	50	10
79RK896S	N	<10	700	20.0	N	N	7	15	15	120	10
79RK897S	N	<10	3,000	1.5	N	N	12	15	10	50	N
79RK898S	N	<10	2,000	1.5	N	N	15	15	15	50	N
79RK899S	N	<10	3,000	2.0	N	N	10	30	10	50	N
79RK900S	N	<10	3,000	1.5	N	N	15	30	20	30	N
79RK900T	N	<10	2,000	1.0	N	N	20	70	30	70	N
79RK901S	N	<10	2,000	2.0	N	N	20	70	50	150	7
79RK902S	N	<10	2,000	2.0	N	N	15	50	15	70	N
79RK903S	N	10	1,500	50.0	N	N	7	20	5	120	N
79RK904S	N	<10	3,000	3.0	N	N	15	50	10	50	N
79RK905S	N	15	1,000	15.0	N	N	7	20	7	150	15
79RK906S	N	<10	1,500	2.0	N	N	20	50	30	50	N
79RK907S	N	<10	3,000	2.0	N	N	10	50	10	70	N
79RK908S	N	<10	2,000	2.0	N	N	15	30	15	30	N
79RK909S	N	<10	2,000	1.5	N	N	20	30	15	70	N
79RK910S	N	<10	2,000	1.5	N	N	10	30	7	30	N
79RK910T	N	<10	3,000	2.0	N	N	10	30	7	30	N
79RK915S	N	<10	1,500	2.0	N	N	20	150	50	70	N
79RK916S	N	<10	1,000	1.5	N	N	30	150	50	70	N
79RK916T	N	10	1,500	1.0	N	N	30	200	70	50	N
79SK501S	N	10	300	1.0	N	N	50	700	30	30	N
79SK502S	N	<10	3,000	2.0	N	N	10	10	150	70	N
79SK503S	N	<10	3,000	1.5	N	N	15	70	20	120	N
79SK504S	N	15	1,500	1.0	N	N	15	70	50	30	N
79SK505S	N	10	1,000	2.0	N	N	70	150	20	50	N
79SK506S	N	<10	1,000	1.5	N	N	30	150	30	220	N

Table 5.---Analytical data for stream-sediment samples---continued

SAMPLE	S-MB	S-MI	S-PB	S-SB	S-SC	S-SM	S-SR	S-TH	S-V	S-W	S-Y
79R888S	<20	15	100	N	15	N	700	N	200	N	50
79R889S	<20	5	20	N	10	N	700	N	150	N	20
79R890S	N	30	15	N	20	N	700	N	300	N	30
79R890T	N	30	10	N	20	N	700	N	300	N	30
79R891S	20	5	100	N	10	N	700	N	150	N	70
79R892S	50	<5	100	N	7	20	150	N	50	N	70
79R893S	50	10	50	N	15	20	150	N	150	N	300
79R894S	50	<5	100	N	5	30	200	N	50	N	100
79R895S	20	10	50	N	15	N	300	N	150	N	50
79R896S	50	<5	100	N	7	30	150	N	70	N	150
79R897S	<20	<5	30	N	10	N	1,000	N	100	N	20
79R898S	N	5	20	N	15	N	1,000	N	150	N	30
79R899S	<20	7	70	N	15	N	1,000	N	150	N	30
79R900S	<20	10	30	N	15	N	1,000	N	150	N	20
79R900T	<20	30	30	N	20	N	1,000	N	300	N	30
79R901S	20	20	100	N	15	N	1,000	N	200	N	30
79R902S	20	15	50	N	15	N	1,000	N	200	N	50
79R903S	30	5	70	N	7	N	700	N	70	N	150
79R904S	20	15	50	N	15	N	1,000	N	150	N	50
79R905S	70	7	50	N	7	30	500	N	70	50	150
79R906S	20	20	30	N	15	N	700	N	200	N	30
79R907S	<20	15	30	N	15	N	1,500	N	150	N	50
79R908S	<20	15	50	N	10	N	1,000	N	100	N	30
79R909S	<20	15	30	N	15	N	700	N	200	N	30
79R910S	N	5	50	N	10	N	1,500	N	100	N	20
79R910T	<20	7	50	N	15	N	1,500	N	150	N	30
79R911S	<20	30	30	N	15	N	1,000	N	200	N	30
79R916S	N	70	20	N	30	N	1,000	N	300	N	30
79R916T	<20	100	20	N	20	N	1,000	N	300	N	30
79S501S	<20	100	10	N	15	N	500	N	150	N	30
79S502S	20	5	50	N	10	N	1,500	N	150	N	50
79S503S	<20	20	20	N	15	N	1,000	N	200	N	30
79S504S	N	20	15	N	15	N	1,000	N	300	N	30
79S505S	20	20	30	N	15	N	700	N	300	N	30
79S506S	<20	70	30	N	20	N	700	N	200	N	30

Table 5.--Analytical data for stream-sediment samples--continued

SAMPLE	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-M6
79RK888	M	150	<.05	50	55	100	--
79RK889	M	70	M	5	25	60	--
79RK890	M	70	M	50	10	50	--
79RK891	M	70	M	55	15	65	--
79RK891S	M	100	M	10	30	80	--
79RK892	<200	700	M	25	40	100	--
79RK893	M	>1,000	M	5	20	80	--
79RK894	<200	700	M	20	60	110	--
79RK895	M	300	M	25	25	80	--
79RK896	<200	700	M	15	45	90	--
79RK897	M	150	M	<5	5	25	--
79RK898	M	200	M	15	10	45	--
79RK899	M	150	<.05	15	20	60	--
79RK900	M	100	M	15	15	60	--
79RK901	M	300	M	15	20	45	--
79RK911	<200	150	M	40	75	120	--
79RK912	M	500	M	15	30	45	--
79RK913	M	500	M	10	30	55	--
79RK914	M	150	M	10	20	60	--
79RK915	M	700	M	10	30	60	--
79RK916	M	150	M	20	10	65	--
79RK917	M	200	M	10	15	20	--
79RK918	M	100	M	5	10	20	--
79RK919	M	150	M	5	15	20	--
79RK920	<200	150	M	25	25	60	--
79RK921	<200	70	M	35	20	75	--
79RK922	<200	200	M	35	20	80	--
79RK923	M	150	M	25	15	60	--
79SK501	M	100	M	10	10	30	--
79SK502	M	300	M	10	10	25	--
79SK503	M	100	M	45	5	35	--
79SK504	M	300	M	15	20	120	--
79SK505	<200	200	M	25	10	75	--
79SK506	<200	200	M	25	10	75	--