

U.S. Department of the Interior  
Geological Survey

Fast evaluation of squared-Hankel transforms  
of order-1 by linear digital filtering  
(Subprogram SQJ1)

by

Walter L. Anderson

Open-File Report 82-224

1982

DISCLAIMER

This program was written in FORTRAN-77 for a VAX-11/780 system\*. Although program tests have been made, no guarantee (expressed or implied) is made by the author regarding program correctness, accuracy, or proper execution on all computer systems.

-----

\* Any use of trade names in this report is for descriptive purposes only and does not imply endorsement by the U.S. Geological Survey. This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards.

Fast evaluation of squared-Hankel transforms  
of order-1 by linear digital filtering  
by W.L. Anderson

The squared-Hankel transform of order-1 of the function  $h(g)$  has the general form,


$$\int_0^{\infty} h(g) [J_1^2(bg)] dg = H(b),$$

where  $b > 0$  is the (real) transform argument and  $J_1$  is the Bessel function of the first kind of order-1. Numerical integration of squared-Hankel transforms for various continuous bounded kernel functions  $h(g)$  are sometimes required in electromagnetic (EM) applications. For example, see Morrison et al (1969), Ryu et al (1970), and Raiche and Spies (1981) for some typical  $J_1^2$ -integral forms occurring in various EM calculations. Direct numerical evaluation is generally time-consuming due to the oscillatory behavior of the Bessel function  $J_1(bg)$ . In contrast, digital filter techniques (e.g., see Anderson, 1979) used to compute linear convolution-type integrals are usually orders-of-magnitude faster than direct quadrature methods. The purpose of this report is to provide a new computer subprogram (SQJ1) for the rapid and accurate evaluation of squared-Hankel transforms of order-1.

Subprogram SQJ1 (listed in Appendix 2--complete with the parameter-calling requirements) uses an adaptive linear digital filter algorithm to rapidly evaluate  $H(b)$  without the need to compute any Bessel J-functions. The details of the filter design process (using eq.(1) below) and algorithm

follows the method published in Anderson (1979), and will not be repeated here. Best expected relative errors by SQJ1 on a VAX computer are approximately  $10^{-6}$  using single-precision arithmetic and 32-bit floating-point computer words. A plot of the filter weights (taken from Appendix 2) is given in Figure 1, which shows the filter response characteristics for the  $J_1^2$ -filter.

Figure 1.--The  $J_1^2$  - filter response from Appendix 2.



Some squared-Hankel transforms of order-1 were tested using SQJ1 on a VAX-11/780 computer for the following known transform pairs (see Gradshteyn and Ryzhik, 1965, p. 718, p. 672, and p. 715),

$$\int_0^{\infty} x \exp(-a^2 x^2) [J_1^2(bx)] dx = \frac{\exp(-\{b^2/2a^2\}) I_1(b^2/2a^2)}{(2a^2)} \quad (1)$$

$$\int_0^{\infty} x K_0(ax) [J_1^2(bx)] dx = \frac{(R-a)}{[aR(R+a)]}, R=(a^2+4b^2)^{1/2} \quad (2)$$

$$\int_0^{\infty} x^2 \exp(-2ax) [J_1^2(bx)] dx = \frac{3b^2}{4\pi} \int_0^{\pi/2} (\cos^2 p) / (a^2 + b^2 \cos^2 p)^{5/2} dp \quad (3)$$

where  $a > 0$ ,  $b > 0$  in equations (1)-(3). Appendix 1 lists several runs made for various values of  $a$  and  $b$ , where an accuracy tolerance  $TOL = .1E-9$  was chosen (see the discussion of parameter  $TOL$  in Appendix 2).

## CONCLUSION

A squared-Hankel transform filter of order-1 has been designed and successfully tested to yield approximately single-precision accuracy on a VAX-11 system. Applications for this filter may be found, for example, in computing coincident loop soundings (Raiche and Spies, 1981), and other similar calculations involving a  $J_1^2$  Hankel transform.

REFERENCES

- Anderson, W.L., 1979, Numerical integration of related Hankel transforms of orders 0 and 1 by adaptive digital filtering: Geophysics, v. 44, no. 7, p. 1287-1305.
- Gradshteyn, I.S., and Ryzhik, I.M., 1965, Tables of integrals, series, and products: Academic Press, New York, 1086 p.
- Morrison, H.F., Phillips, R.J., and O'Brien, D.P., 1969, Quantitative interpretation of transient electromagnetic fields over a layered half-space: Geophys. Prosp., v. 17, p. 82-101.
- Raiche, A.P., and Spies, B.R., 1981, Coincident loop transient electromagnetic master curves for interpretation of two-layer earths: Geophysics, v. 46, no. 1, p. 53-64.
- Ryu, J., Morrison, H.F., and Ward, S.H., 1970, Electromagnetic fields about a loop source of current: Geophysics, v. 35, no. 5, p. 862-896.

# Appendix 1.--Test results using subprogram SQJ1.

The following definitions are used in the table below:

$$\text{ABS.ERROR} = |\text{EXACT} - \text{FILTERED}|$$

$$\text{REL.ERROR} = \text{ABS.ERROR} / \text{EXACT}$$

EXACT = right-side of respective eqs.(1)-(3)

FILTERED = result from SQJ1

NF = resulting filter weights used for TOL=.1E-9.

## TEST RESULTS FOR SQJ1 FILTER:

INTEGRAL *	b	a	EXACT	FILTERED	ABS.ERROR	REL.ERROR	NF
1	0.10000E-01	0.10000E-01	0.78210402E+03	0.78210474E+03	0.72040377E-03	0.92110992E-06	80
2	0.10000E-01	0.10000E+01	0.99960015E-04	0.99960271E-04	0.25575081E-09	0.25585311E-05	251
3	0.10000E-01	0.10000E-01	0.52164175E+05	0.52164148E+05	0.29167130E-01	0.55914098E-06	68
1	0.30000E-01	0.31623E-01	0.73564298E+02	0.73564323E+02	0.25424963E-04	0.34561552E-06	80
2	0.30000E-01	0.10000E+01	0.89677090E-03	0.89677307E-03	0.21698523E-08	0.24196284E-05	213
3	0.30000E-01	0.31623E-01	0.16296381E+04	0.16296382E+04	0.12857411E-03	0.78897339E-07	68
1	0.10000E+00	0.10488E+00	0.67280076E+01	0.67280087E+01	0.11212203E-05	0.16664968E-06	80
2	0.10000E+00	0.10000E+01	0.96144602E-02	0.96144713E-02	0.11109212E-07	0.11554691E-05	121
3	0.10000E+00	0.10488E+00	0.44729674E+02	0.44729671E+02	0.21218013E-05	0.47436101E-07	68
1	0.30000E+00	0.31780E+00	0.72400990E+00	0.72400987E+00	0.25658550E-07	0.35439502E-07	80
2	0.30000E+00	0.10000E+01	0.65786957E-01	0.65786920E-01	0.36961020E-07	0.56182899E-06	93
3	0.30000E+00	0.31780E+00	0.16032554E+01	0.16032552E+01	0.25202840E-06	0.15719791E-06	68
1	0.10000E+01	0.10493E+01	0.67182523E-01	0.67182519E-01	0.49114448E-08	0.73105989E-07	80
2	0.10000E+01	0.10000E+01	0.17082039E+00	0.17082042E+00	0.21770052E-07	0.12744410E-06	83
3	0.10000E+01	0.10493E+01	0.44663308E-01	0.44663306E-01	0.20284552E-08	0.45416592E-07	68
1	0.30000E+01	0.31782E+01	0.72389495E-02	0.72389483E-02	0.12726365E-08	0.17580404E-06	80
2	0.30000E+01	0.10000E+01	0.11797671E+00	0.11797670E+00	0.60725924E-08	0.51472808E-07	78
3	0.30000E+01	0.31782E+01	0.16029947E-02	0.16029944E-02	0.31758611E-09	0.19812050E-06	68
1	0.10000E+02	0.10493E+02	0.67181549E-03	0.67181542E-03	0.71709783E-10	0.10674029E-06	80
2	0.10000E+02	0.10000E+01	0.45187305E-01	0.45187309E-01	0.43557343E-08	0.96392877E-07	76
3	0.10000E+02	0.10493E+02	0.44662645E-04	0.44662633E-04	0.12705370E-10	0.28447419E-06	68
1	0.20000E+02	0.22585E+02	0.13234226E-03	0.13234212E-03	0.14682494E-09	0.11094335E-05	81
2	0.20000E+02	0.10000E+01	0.23773431E-01	0.23773450E-01	0.19005252E-07	0.79943244E-06	74
3	0.20000E+02	0.22585E+02	0.43707442E-05	0.43707464E-05	0.21699968E-11	0.49648222E-06	68
1	0.25000E+02	0.33691E+02	0.46479911E-04	0.46479785E-04	0.12602009E-09	0.27112809E-05	85
2	0.25000E+02	0.10000E+01	0.19211998E-01	0.19211851E-01	0.14694017E-06	0.76483544E-05	72
3	0.25000E+02	0.33691E+02	0.11954654E-05	0.11954675E-05	0.20967921E-11	0.17539547E-05	69

## \* TEST INTEGRALS USED:

$$(1) \int_0^{\infty} x e^{-(ax)^2} [J_1^2(bx)] dx = \frac{1}{2a^2} e^{-\left(\frac{b^2}{2a^2}\right)} I_1\left(\frac{b^2}{2a^2}\right) \quad (a>0, b>0);$$

$$(2) \int_0^{\infty} x K_0(ax) [J_1^2(bx)] dx = \frac{R-a}{aR(R+a)}, \quad R = \sqrt{a^2 + 4b^2} \quad (a>0, b>0);$$

$$(3) \int_0^{\infty} x^2 e^{-2ax} [J_1^2(bx)] dx = \frac{3b^2}{4\pi} \int_0^{\pi/2} \frac{\cos^2 \phi d\phi}{(a^2 + b^2 \cos^2 \phi)^{5/2}} \quad (a>0, b>0).$$

```

      REAL*4 FUNCTION SQJ1(B,FUN,TOL,NF)
C-----00000010
C** THIS IS A REAL*4 VERSION WRITTEN FOR THE VAX-11/780 BY 00000020
C   W.L.ANDERSON, U.S.GEOLOGICAL SURVEY, DENVER, COLORADO, USA. 00000030
C-----00000040
C   SUBPROGRAM SQJ1 WILL COMPUTE THE FOLLOWING INFINITE INTEGRAL: 00000050
C   THE REAL*4 HANKEL TRANSFORM-SQUARE OF ORDER-1 FOR BOUNDED CONTINUOUS 00000060
C   KERNEL FUNCTIONS AND A FIXED TRANSFORM ARGUMENT B.GT.0. THE 00000070
C   METHOD IS SIMILAR TO THE NEW-1 CASE FOR SINGLE-POWER J0,J1-FILTERS 00000080
C   DESIGNED AND PUBLISHED IN THE FOLLOWING REFERENCE: 00000090
C   00000100
C   C--REF: ANDERSON, W.L., 1979, GEOPHYSICS, VOL. 44, NO. 7, P. 1287-1305. 00000110
C   00000120
C   C--SPECIFICALLY, SQJ1 EVALUATES THE INTEGRAL FROM 0 TO INFINITY OF 00000130
C   FUN(G)*[J1(G*B)]**2 *DG, DEFINED AS THE J1**2 HANKEL TRANSFORM OF 00000140
C   ORDER N=1 AND TRANSFORM ARGUMENT B.GT.0. THE METHOD IS BY 00000150
C   ADAPTIVE DIGITAL FILTERING OF THE REAL*4 KERNEL FUNCTION FUN (SEE 00000160
C   THE ABOVE REFERENCE FOR ADDITIONAL INFORMATION). 00000170
C   00000180
C   C--PARAMETERS (ALL INPUT, EXCEPT NF) 00000190
C   00000200
C   B = REAL*4 TRANSFORM ARGUMENT B>0.0 OF THE HANKEL TRANSFORM. 00000210
C   FUN(G)= EXTERNAL DECLARED REAL*4 FUNCTION NAME (USER SUPPLIED) 00000220
C   OF A REAL*4 ARGUMENT G>0. THIS REFERENCE MUST BE SUPPLIED. 00000230
C   IF PARAMETERS OTHER THAN G ARE REQUIRED IN FUN, USE COMMON 00000240
C   IN THE CALLING PROGRAM AND IN SUBPROGRAM FUN. FUN(G) 00000250
C   MUST BE A CONTINUOUS BOUNDED FUNCTION FOR G.GT.0. 00000260
C   THE VALUE OF G IN FUN(G) MUST NOT BE CHANGED BY THE USER. 00000270
C   (G>0.0 WILL BE ASSIGNED AN ABCISSA VALUE BY SQJ1.) 00000280
C   TOL = REQUESTED REAL*4 TRUNCATION TOLERANCE USED AT THE FILTER 00000290
C   TAILS FOR ADAPTIVE FILTERING. A TRUNCATION CRITERION IS 00000300
C   DEFINED DURING CONVOLUTION IN A FIXED ABCISSA RANGE AS 00000310
C   THE MAX. ABSOLUTE CONVOLVED PRODUCT TIMES TOL. TYPICALLY, 00000320
C   TOL.LE.0.00001E0 WOULD GIVE ABOUT .01 PER CENT ACCURACY 00000330
C   FOR WELL-BEHAVED KERNELS AND MODERATE VALUES OF B. FOR 00000340
C   VERY LARGE OR SMALL B, A VERY SMALL TOL SHOULD BE USED. 00000350
C   IN GENERAL, DECREASING THE TOLERANCE WOULD PRODUCE HIGHER 00000360
C   ACCURACY IN THE CONVOLUTION SINCE MORE FILTER WEIGHTS ARE 00000370
C   USED (UNLESS EXPONENT UNDERFLOWS OCCUR IN THE KERNEL 00000380
C   EVALUATION -- SEE NOTE (1) BELOW). 00000390
C   FOR MAXIMUM ACCURACY POSSIBLE, TOL=0.0E0 MAY BE USED. 00000400
C   NF = TOTAL NUMBER OF FUNCTION CALLS USED DURING CONVOLUTION. 00000410
C   NF IS IN THE RANGE 39.LE.NF.LE.441. USUALLY, 00000420
C   NF IS MUCH LESS THAN 441 FOR TOL>0. 00000430
C   00000440
C-----00000450
C--SUBPROGRAM USAGE-- 00000460
C   00000470

```

```

C FUNCTION SQJ1 IS CALLED AS FOLLOWS (ASSUMES B>0.0, TOL>=0.0):      00000480
C ...                                                                00000490
C EXTERNAL FUN                                                         00000500
C ...                                                                00000510
C ANS=SQJ1(B,FUN,TOL,NF1)                                             00000520
C ...                                                                00000530
C END                                                                  00000540
C REAL*4 FUNCTION FUN(G)                                              00000550
C ...USER SUPPLIED CODE FOR EVALUATION OF FUN(G), G.GT.0.           00000560
C END                                                                  00000570
C-----00000580
C--NOTES                                                                00000590
C (1). EXP-UNDERFLOW MAY OCCUR IN EXECUTING THIS SUBPROGRAM.        00000600
C THIS IS OK PROVIDED THE MACHINE SYSTEM CONDITIONALLY SETS        00000610
C EXP-UNDERFLOW TO 0.0D0.                                           00000620
C (2). ANSI FORTRAN (AMERICAN STANDARD X3.9-1978) IS USED, EXCEPT 00000630
C DATA STATEMENTS MAY NEED TO BE CHANGED FOR SOME COMPILERS.      00000640
C (3). THE FILTER ABSCISSA CORRESPONDING TO EACH FILTER WEIGHT      00000650
C IS GENERATED IN DOUBLE-PRECISION (TO REDUCE ROUND-OFF),          00000660
C BUT IS USED IN SINGLE-PRECISION IN FUNCTION FUN.                 00000670
C (4). NO CHECKS ARE MADE ON CALLING PARAMETERS (TO SAVE TIME),     00000680
C HENCE UNPREDICTABLE RESULTS COULD OCCUR IF SQJ1                   00000690
C IS CALLED INCORRECTLY (OR IF FUNCTION FUN IS IN ERROR).          00000700
C-----00000710
C                                                                       00000720
C DOUBLE PRECISION E,ER,Y1,Y                                         00000730
C DIMENSION WT(441)                                                  00000740
C EQUIVALENCE (C,T),(CMAX,TMAX)                                     00000750
C-----E=DEXP(.2D0), ER=1.0D0/E                                     00000760
C DATA E/1.221402758160169834 D0/,ER/.818730753077981859 D0/    00000770
C--J1**2 TRANSFORM FILTER WEIGHT ARRAY WT:                          00000780
C DATA                                                                00000790
C *WT( 1)/-1.347588263343194E-23/,WT( 2)/-1.004450143483504E-25/, 00000800
C *WT( 3)/ 1.683503939595247E-25/,WT( 4)/-2.282980314410168E-25/, 00000810
C *WT( 5)/ 2.923585715694195E-25/,WT( 6)/-3.675806489042468E-25/, 00000820
C *WT( 7)/ 4.593049803693359E-25/,WT( 8)/-5.727028100634057E-25/, 00000830
C *WT( 9)/ 7.135771935139985E-25/,WT(10)/-8.888811014230883E-25/, 00000840
C *WT(11)/ 1.107156069674981E-24/,WT(12)/-1.378989609333908E-24/, 00000850
C *WT(13)/ 1.717546562904475E-24/,WT(14)/-2.139214301317015E-24/, 00000860
C *WT(15)/ 2.664399191263380E-24/,WT(16)/-3.318515490721890E-24/, 00000870
C *WT(17)/ 4.133215669675101E-24/,WT(18)/-5.147922382202117E-24/, 00000880
C *WT(19)/ 6.411736449429337E-24/,WT(20)/-7.985813510726213E-24/, 00000890
C *WT(21)/ 9.946324264352379E-24/,WT(22)/-1.238814130360626E-23/, 00000900
C *WT(23)/ 1.542943057770673E-23/,WT(24)/-1.921736946991326E-23/, 00000910
C *WT(25)/ 2.393526835149547E-23/,WT(26)/-2.981144052786852E-23/, 00000920
C *WT(27)/ 3.713025019486333E-23/,WT(28)/-4.624587308718179E-23/, 00000930
C *WT(29)/ 5.759943567573909E-23/,WT(30)/-7.174036219523911E-23/, 00000940
C *WT(31)/ 8.935296256138077E-23/,WT(32)/-1.112895477589067E-22/, 00000950
C *WT(33)/ 1.386116753020867E-22/,WT(34)/-1.726415206560751E-22/, 00000960
C *WT(35)/ 2.150258605026952E-22/,WT(36)/-2.678157641135945E-22/, 00000970
C *WT(37)/ 3.335658490307941E-22/,WT(38)/-4.154579043649808E-22/, 00000980
C DATA                                                                00000990
C *WT(39)/ 5.174548642169893E-22/,WT(40)/-6.444925823915958E-22/, 00001000
C *WT(41)/ 8.027186890075815E-22/,WT(42)/-9.997900876036018E-22/, 00001010
C *WT(43)/ 1.245243489344099E-21/,WT(44)/-1.550956915200967E-21/, 00001020
C *WT(45)/ 1.931724499103375E-21/,WT(46)/-2.405972408035303E-21/, 00001030
C *WT(47)/ 2.996650524068346E-21/,WT(48)/-3.732343038761098E-21/, 00001040

```

```
*WT( 49)/ 4.648651704078530E-21/,WT( 50)/-5.789918678280031E-21/, 00001050
*WT( 51)/ 7.211372338845832E-21/,WT( 52)/-8.981799902919285E-21/, 00001060
*WT( 53)/ 1.118687618908690E-20/,WT( 54)/-1.393330960673053E-20/, 00001070
*WT( 55)/ 1.735400600656860E-20/,WT( 56)/-2.161450028230063E-20/, 00001080
*WT( 57)/ 2.692096696238658E-20/,WT( 58)/-3.353019744156364E-20/, 00001090
*WT( 59)/ 4.176202667191459E-20/,WT( 60)/-5.201481066783855E-20/, 00001100
*WT( 61)/ 6.478470381490309E-20/,WT( 62)/-8.068966885313877E-20/, 00001110
*WT( 63)/ 1.004993814299769E-19/,WT( 64)/-1.251724763687751E-19/, 00001120
*WT( 65)/ 1.559029380806346E-19/,WT( 66)/-1.941778800516568E-19/, 00001130
*WT( 67)/ 2.418495094800596E-19/,WT( 68)/-3.012247595873759E-19/, 00001140
*WT( 69)/ 3.751769271050626E-19/,WT( 70)/-4.672847173158759E-19/, 00001150
*WT( 71)/ 5.820054253400369E-19/,WT( 72)/-7.248906342833808E-19/, 00001160
*WT( 73)/ 9.028548683470782E-19/,WT( 74)/-1.124510201604046E-18/, 00001170
*WT( 75)/ 1.400583014884058E-18/,WT( 76)/-1.744433068534399E-18/, 00001180
DATA
*WT( 77)/ 2.172700010108969E-18/,WT( 78)/-2.706108602890933E-18/, 00001190
*WT( 79)/ 3.370471641997983E-18/,WT( 80)/-4.197939091349257E-18/, 00001200
*WT( 81)/ 5.228553889932608E-18/,WT( 82)/-6.512189716201318E-18/, 00001210
*WT( 83)/ 8.110964483209388E-18/,WT( 84)/-1.010224635873323E-17/, 00001220
*WT( 85)/ 1.258239777819303E-17/,WT( 86)/-1.567143863125380E-17/, 00001230
*WT( 87)/ 1.951885428378836E-17/,WT( 88)/-2.431082949794263E-17/, 00001240
*WT( 89)/ 3.027925831533634E-17/,WT( 90)/-3.771296591112811E-17/, 00001250
*WT( 91)/ 4.697168546872664E-17/,WT( 92)/-5.850346644633538E-17/, 00001260
*WT( 93)/ 7.286635665898844E-17/,WT( 94)/-9.075540741890711E-17/, 00001270
*WT( 95)/ 1.130363085713088E-16/,WT( 96)/-1.407872810977746E-16/, 00001280
*WT( 97)/ 1.753512545608324E-16/,WT( 98)/-2.184008543691115E-16/, 00001290
*WT( 99)/ 2.720193437373482E-16/,WT(100)/-3.388014372976862E-16/, 00001300
*WT(101)/ 4.219788649509144E-16/,WT(102)/-5.255767622638629E-16/, 00001310
*WT(103)/ 6.546084554824806E-16/,WT(104)/-8.153180672284374E-16/, 00001320
*WT(105)/ 1.015482683093636E-15/,WT(106)/-1.264788701627155E-15/, 00001330
*WT(107)/ 1.575300580104799E-15/,WT(108)/-1.962044659701490E-15/, 00001340
*WT(109)/ 2.443736322630846E-15/,WT(110)/-3.043685669954619E-15/, 00001350
*WT(111)/ 3.790925547775887E-15/,WT(112)/-4.721616509430640E-15/, 00001360
*WT(113)/ 5.880796702857484E-15/,WT(114)/-7.324561363939633E-15/, 00001370
DATA
*WT(115)/ 9.122777386285771E-15/,WT(116)/-1.136246433122082E-14/, 00001380
*WT(117)/ 1.415200549260716E-14/,WT(118)/-1.762639279859651E-14/, 00001390
*WT(119)/ 2.195375936323478E-14/,WT(120)/-2.734351581078372E-14/, 00001400
*WT(121)/ 3.405648410969600E-14/,WT(122)/-4.241751930962383E-14/, 00001410
*WT(123)/ 5.283122998327256E-14/,WT(124)/-6.580155810347774E-14/, 00001420
*WT(125)/ 8.195616589686861E-14/,WT(126)/-1.020768097542610E-13/, 00001430
*WT(127)/ 1.271371711525175E-13/,WT(128)/-1.583499751338939E-13/, 00001440
*WT(129)/ 1.972256768251710E-13/,WT(130)/-2.456455553861335E-13/, 00001450
*WT(131)/ 3.059527536147695E-13/,WT(132)/-3.810656668935341E-13/, 00001460
*WT(133)/ 4.746191721095855E-13/,WT(134)/-5.911405245505210E-13/, 00001470
*WT(135)/ 7.362684464159483E-13/,WT(136)/-9.170259879582664E-13/, 00001480
*WT(137)/ 1.142160404137243E-12/,WT(138)/-1.422566423922795E-12/, 00001490
*WT(139)/ 1.771813523133346E-12/,WT(140)/-2.206802483504752E-12/, 00001500
*WT(141)/ 2.748583435180205E-12/,WT(142)/-3.423374195288688E-12/, 00001510
*WT(143)/ 4.263829592860520E-12/,WT(144)/-5.310620635098167E-12/, 00001520
*WT(145)/ 6.614404617771952E-12/,WT(146)/-8.238272983750129E-12/, 00001530
*WT(147)/ 1.026081093659580E-11/,WT(148)/-1.277988853702784E-11/, 00001540
*WT(149)/ 1.591741836864029E-11/,WT(150)/-1.982521593601139E-11/, 00001550
*WT(151)/ 2.469241780034636E-11/,WT(152)/-3.075450410688651E-11/, 00001560
DATA
*WT(153)/ 3.830493121765962E-11/,WT(154)/-4.770890042100824E-11/, 00001570
*WT(155)/ 5.942181847402575E-11/,WT(156)/-7.400990050559746E-11/, 00001580
00001590
00001600
00001610
```

```

*WT(157)/ 9.218018552223107E-11/,WT(158)/-1.148099864740444E-10/, 00001620
*WT(159)/ 1.429980278676499E-10/,WT(160)/-1.781017947970137E-10/, 00001630
*WT(161)/ 2.218320516379996E-10/,WT(162)/-2.762831033152235E-10/, 00001640
*WT(163)/ 3.441298524411762E-10/,WT(164)/-4.285828501125686E-10/, 00001650
*WT(165)/ 5.338614271394212E-10/,WT(166)/-6.648188696939778E-10/, 00001660
*WT(167)/ 8.282322996645696E-10/,WT(168)/-1.031208263660785E-09/, 00001670
*WT(169)/ 1.285029421731887E-09/,WT(170)/-1.599318044627408E-09/, 00001680
*WT(171)/ 1.994131320471997E-09/,WT(172)/-2.479741335832154E-09/, 00001690
*WT(173)/ 3.095744008520559E-09/,WT(174)/-3.842619853134365E-09/, 00001700
*WT(175)/ 4.809953067874334E-09/,WT(176)/-5.947178675707624E-09/, 00001710
*WT(177)/ 7.486760702417851E-09/,WT(178)/-9.179902118256913E-09/, 00001720
*WT(179)/ 1.169762997406174E-08/,WT(180)/-1.408838665765728E-08/, 00001730
*WT(181)/ 1.842372041425834E-08/,WT(182)/-2.134962991708034E-08/, 00001740
*WT(183)/ 2.950136491767512E-08/,WT(184)/-3.144119891760005E-08/, 00001750
*WT(185)/ 4.882266264702902E-08/,WT(186)/-4.320270488285106E-08/, 00001760
*WT(187)/ 8.588959358375533E-08/,WT(188)/-4.852194659790488E-08/, 00001770
*WT(189)/ 1.669435673170516E-07/,WT(190)/-1.385910316986003E-08/, 00001780
DATA
*WT(191)/ 3.708738131945973E-07/,WT(192)/ 1.823797026421996E-07/, 00001800
*WT(193)/ 9.467983934893969E-07/,WT(194)/ 9.597040523684165E-07/, 00001810
*WT(195)/ 2.701748498631580E-06/,WT(196)/ 3.734876413066559E-06/, 00001820
*WT(197)/ 8.282486621513228E-06/,WT(198)/ 1.324461998560607E-05/, 00001830
*WT(199)/ 2.641448646264069E-05/,WT(200)/ 4.523524985049475E-05/, 00001840
*WT(201)/ 8.588684980817776E-05/,WT(202)/ 1.517873902314913E-04/, 00001850
*WT(203)/ 2.813826579228376E-04/,WT(204)/ 5.038194131853568E-04/, 00001860
*WT(205)/ 9.213190246955773E-04/,WT(206)/ 1.653407812381240E-03/, 00001870
*WT(207)/ 2.987499535105453E-03/,WT(208)/ 5.321388722355372E-03/, 00001880
*WT(209)/ 9.440908759768161E-03/,WT(210)/ 1.643647423786764E-02/, 00001890
*WT(211)/ 2.808662676906598E-02/,WT(212)/ 4.626203993578857E-02/, 00001900
*WT(213)/ 7.253448218727225E-02/,WT(214)/ 1.043469122686500E-01/, 00001910
*WT(215)/ 1.316642401108199E-01/,WT(216)/ 1.297016728924245E-01/, 00001920
*WT(217)/ 7.958314538535249E-02/,WT(218)/ 5.959581319466263E-03/, 00001930
*WT(219)/ 3.637761733766417E-02/,WT(220)/ 1.209369201455565E-01/, 00001940
*WT(221)/ 3.996142046468204E-02/,WT(222)/ 6.204935352917316E-02/, 00001950
*WT(223)/ 7.416825136755058E-02/,WT(224)/ 5.350601024506145E-02/, 00001960
*WT(225)/ 7.257325296747682E-02/,WT(226)/ 5.551076116171530E-02/, 00001970
*WT(227)/ 7.378792584731115E-02/,WT(228)/ 4.699105146655452E-02/, 00001980
DATA
*WT(229)/ 9.712542002484704E-02/,WT(230)/-8.710790311395239E-03/, 00002000
*WT(231)/ 2.243194656925174E-01/,WT(232)/-2.943323232952508E-01/, 00002010
*WT(233)/ 8.579845401683572E-01/,WT(234)/-1.682517936763538E+00/, 00002020
*WT(235)/ 3.850205803583565E+00/,WT(236)/-7.990070788264109E+00/, 00002030
*WT(237)/ 1.672259034426730E+01/,WT(238)/-3.296742939854201E+01/, 00002040
*WT(239)/ 6.113461761572366E+01/,WT(240)/-9.893170516119710E+01/, 00002050
*WT(241)/ 1.202968925957973E+02/,WT(242)/-1.055273972563466E+02/, 00002060
*WT(243)/ 6.683237989195774E+01/,WT(244)/-2.793810874106434E+01/, 00002070
*WT(245)/ 1.590990990202553E+00/,WT(246)/ 1.160669943373125E+01/, 00002080
*WT(247)/-1.590041269652672E+01/,WT(248)/ 1.551471062170340E+01/, 00002090
*WT(249)/-1.322642619402104E+01/,WT(250)/ 1.051035957858022E+01/, 00002100
*WT(251)/-8.018476352610196E+00/,WT(252)/ 5.966975882060087E+00/, 00002110
*WT(253)/-4.371574296080611E+00/,WT(254)/ 3.171154372941820E+00/, 00002120
*WT(255)/-2.285863933761940E+00/,WT(256)/ 1.641078862938996E+00/, 00002130
*WT(257)/-1.175142006825595E+00/,WT(258)/ 8.401183229994065E-01/, 00002140
*WT(259)/-5.999848865403200E-01/,WT(260)/ 4.282092044767511E-01/, 00002150
*WT(261)/-3.054871785604701E-01/,WT(262)/ 2.178803108055725E-01/, 00002160
*WT(263)/-1.553720956115054E-01/,WT(264)/ 1.107858980261850E-01/, 00002170
*WT(265)/-7.898940980104745E-02/,WT(266)/ 5.631660644909182E-02/, 00002180

```

```
DATA
*WT(267)/-4.015075436876059E-02/,WT(268)/ 2.862493689156548E-02/, 00002190
*WT(269)/-2.040757592276983E-02/,WT(270)/ 1.454909156012523E-02/, 00002200
*WT(271)/-1.037239010986780E-02/,WT(272)/ 7.394705684860287E-03/, 00002210
*WT(273)/-5.271841981221853E-03/,WT(274)/ 3.758404609682646E-03/, 00002220
*WT(275)/-2.679442677158320E-03/,WT(276)/ 1.910228325289486E-03/, 00002230
*WT(277)/-1.361839769584138E-03/,WT(278)/ 9.708825536314996E-04/, 00002240
*WT(279)/-6.921613621151932E-04/,WT(280)/ 4.934554956175334E-04/, 00002250
*WT(281)/-3.517941529895520E-04/,WT(282)/ 2.508009847086945E-04/, 00002260
*WT(283)/-1.788009630614640E-04/,WT(284)/ 1.274707284368542E-04/, 00002270
*WT(285)/-9.087639280562825E-05/,WT(286)/ 6.478757008493505E-05/, 00002280
*WT(287)/-4.618833453533555E-05/,WT(288)/ 3.292857322377349E-05/, 00002290
*WT(289)/-2.347542826480734E-05/,WT(290)/ 1.673609507212648E-05/, 00002300
*WT(291)/-1.193149173068922E-05/,WT(292)/ 8.506195399309457E-06/, 00002310
*WT(293)/-6.064234196352591E-06/,WT(294)/ 4.323311969745620E-06/, 00002320
*WT(295)/-3.082174233732943E-06/,WT(296)/ 2.197342702408592E-06/, 00002330
*WT(297)/-1.566528880471568E-06/,WT(298)/ 1.116809285437889E-06/, 00002340
*WT(299)/-7.961953306989225E-07/,WT(300)/ 5.676233291497361E-07/, 00002350
*WT(301)/-4.046698484300778E-07/,WT(302)/ 2.884971033054787E-07/, 00002360
*WT(303)/-2.056752657469096E-07/,WT(304)/ 1.466299469054255E-07/, 00002370
DATA
*WT(305)/-1.045353764411399E-07/,WT(306)/ 7.452532827238916E-08/, 00002380
*WT(307)/-5.313057400462258E-08/,WT(308)/ 3.787783240273793E-08/, 00002390
*WT(309)/-2.700385257281518E-08/,WT(310)/ 1.925157823238107E-08/, 00002400
*WT(311)/-1.372482920494808E-08/,WT(312)/ 9.784700996002279E-09/, 00002410
*WT(313)/-6.975706010727724E-09/,WT(314)/ 4.973118173767800E-09/, 00002420
*WT(315)/-3.545433871815285E-09/,WT(316)/ 2.527609620402724E-09/, 00002430
*WT(317)/-1.801982669579813E-09/,WT(318)/ 1.284668928008203E-09/, 00002440
*WT(319)/-9.158657752100248E-10/,WT(320)/ 6.529387454724082E-10/, 00002450
*WT(321)/-4.654928886728159E-10/,WT(322)/ 3.318590463615230E-10/, 00002460
*WT(323)/-2.365888487920329E-10/,WT(324)/ 1.686688489780138E-10/, 00002470
*WT(325)/-1.202473436969784E-10/,WT(326)/ 8.572669911362267E-11/, 00002480
*WT(327)/-6.111625184367596E-11/,WT(328)/ 4.357097938028588E-11/, 00002490
*WT(329)/-3.106260915694127E-11/,WT(330)/ 2.214514572223418E-11/, 00002500
*WT(331)/-1.578771044574020E-11/,WT(332)/ 1.125536965278491E-11/, 00002510
*WT(333)/-8.024174655104147E-12/,WT(334)/ 5.720592115753784E-12/, 00002520
*WT(335)/-4.078322763576438E-12/,WT(336)/ 2.907516604461514E-12/, 00002530
*WT(337)/-2.072825839268808E-12/,WT(338)/ 1.477758356855950E-12/, 00002540
*WT(339)/-1.053523031162099E-12/,WT(340)/ 7.510773138515030E-13/, 00002550
*WT(341)/-5.354578065181299E-13/,WT(342)/ 3.817384139735767E-13/, 00002560
DATA
*WT(343)/-2.721488321379581E-13/,WT(344)/ 1.940202613174297E-13/, 00002570
*WT(345)/-1.383208647487461E-13/,WT(346)/ 9.861166815737169E-14/, 00002580
*WT(347)/-7.030219999306174E-14/,WT(348)/ 5.011982269661039E-14/, 00002590
*WT(349)/-3.573140851051000E-14/,WT(350)/ 2.547362471478360E-14/, 00002600
*WT(351)/-1.816064866065287E-14/,WT(352)/ 1.294708403175416E-14/, 00002610
*WT(353)/-9.230231147441696E-15/,WT(354)/ 6.580413537615677E-15/, 00002620
*WT(355)/-4.691306385976846E-15/,WT(356)/ 3.344524699139429E-15/, 00002630
*WT(357)/-2.384377515096891E-15/,WT(358)/ 1.699869681321967E-15/, 00002640
*WT(359)/-1.211870567970942E-15/,WT(360)/ 8.639663908659455E-16/, 00002650
*WT(361)/-6.159386524219969E-16/,WT(362)/ 4.391147937677918E-16/, 00002660
*WT(363)/-3.130535830922384E-16/,WT(364)/ 2.231820637286411E-16/, 00002670
*WT(365)/-1.591108879130287E-16/,WT(366)/ 1.134332850476810E-16/, 00002680
*WT(367)/-8.086882252666564E-17/,WT(368)/ 5.765297596814659E-17/, 00002690
*WT(369)/-4.110194181301590E-17/,WT(370)/ 2.930238365717713E-17/, 00002700
*WT(371)/-2.089024630262032E-17/,WT(372)/ 1.489306793905684E-17/, 00002710
*WT(373)/-1.061756139317321E-17/,WT(374)/ 7.569468587585003E-18/, 00002720
```

```

*WT(375)/-5.396423206478743E-18/,WT(376)/ 3.847216364856985E-18/, 00002760
*WT(377)/-2.742756302043894E-18/,WT(378)/ 1.955364975352951E-18/, 00002770
*WT(379)/-1.394018194041768E-18/,WT(380)/ 9.938230201715542E-19/ 00002780
DATA 00002790
*WT(381)/-7.085160004787920E-19/,WT(382)/ 5.051150081588374E-19/, 00002800
*WT(383)/-3.601064355624574E-19/,WT(384)/ 2.567269687909788E-19/, 00002810
*WT(385)/-1.830257112802977E-19/,WT(386)/ 1.304826335452211E-19/, 00002820
*WT(387)/-9.302363879800099E-20/,WT(388)/ 6.631838383372175E-20/, 00002830
*WT(389)/-4.727968171282729E-20/,WT(390)/ 3.370661607632613E-20/, 00002840
*WT(391)/-2.403011031359726E-20/,WT(392)/ 1.713153881218087E-20/, 00002850
*WT(393)/-1.221341134602363E-20/,WT(394)/ 8.707181429542280E-21/, 00002860
*WT(395)/-6.207521077792512E-21/,WT(396)/ 4.425463988842000E-21/, 00002870
*WT(397)/-3.155000395835719E-21/,WT(398)/ 2.249261879409991E-21/, 00002880
*WT(399)/-1.603543051538933E-21/,WT(400)/ 1.143197379660855E-21/, 00002890
*WT(401)/-8.150078813546612E-22/,WT(402)/ 5.810351225960625E-22/, 00002900
*WT(403)/-4.142313344616877E-22/,WT(404)/ 2.953136303480927E-22/, 00002910
*WT(405)/-2.105348607743343E-22/,WT(406)/ 1.500944118463614E-22/, 00002920
*WT(407)/-1.070052322309586E-22/,WT(408)/ 7.628611471159240E-23/, 00002930
*WT(409)/-5.438585792837369E-23/,WT(410)/ 3.877274007553577E-23/, 00002940
*WT(411)/-2.764184653478325E-23/,WT(412)/ 1.970641801894714E-23/, 00002950
*WT(413)/-1.404909843147521E-23/,WT(414)/ 1.001588663330109E-23/, 00002960
*WT(415)/-7.140532395899525E-24/,WT(416)/ 5.090636832712442E-24/, 00002970
*WT(417)/-3.629226189021914E-24/,WT(418)/ 2.587357217905591E-24/ 00002980
DATA 00002990
*WT(419)/-1.844586958423583E-24/,WT(420)/ 1.315049505312082E-24/, 00003000
*WT(421)/-9.375296774269097E-25/,WT(422)/ 6.683863590894837E-25/, 00003010
*WT(423)/-4.765072157206098E-25/,WT(424)/ 3.397118112049352E-25/, 00003020
*WT(425)/-2.421872841072187E-25/,WT(426)/ 1.726603263516931E-25/, 00003030
*WT(427)/-1.230938988644950E-25/,WT(428)/ 8.775817915630044E-26/, 00003040
*WT(429)/-6.256819583036690E-26/,WT(430)/ 4.461171435353558E-26/, 00003050
*WT(431)/-3.181251616647866E-26/,WT(432)/ 2.269032642804270E-26/, 00003060
*WT(433)/-1.618955905684386E-26/,WT(434)/ 1.155727651063629E-26/, 00003070
*WT(435)/-8.256240401524400E-27/,WT(436)/ 5.903135682837950E-27/, 00003080
*WT(437)/-4.224588415734394E-27/,WT(438)/ 3.025918616503642E-27/, 00003090
*WT(439)/-2.168627753535370E-27/,WT(440)/ 1.554288235465150E-27/, 00003100
*WT(441)/-4.937813102320317E-28/ 00003110
C 00003120
C FOLLOWING CODE FOR STARTING WEIGHT=214 FROM TOTAL WTS=441. 00003130
C 00003140
NONE=0 00003150
C-----INITIALIZE KERNEL ABSCISSA GENERATION FOR GIVEN B 00003160
Y1=0.131425823982233791D1/DBLE(B) 00003170
100 SQJ1=0.0E0 00003180
CMAX=0.0E0 00003190
NF=0 00003200
Y=Y1 00003210
C-----BEGIN RIGHT-SIDE CONVOLUTION AT WEIGHT 214 00003220
ASSIGN 110 TO M 00003230
I=214 00003240
Y=Y*E 00003250
GO TO 200 00003260
110 TMAX=AMAX1(ABS(T),TMAX) 00003270
I=I+1 00003280
Y=Y*E 00003290
IF(I.LE.250) GO TO 200 00003300
IF(TMAX.EQ.0.0E0) NONE=1 00003310
C-----ESTABLISH TRUNCATION CRITERION (CMAX=TMAX) 00003320

```

CMAX=TOL*CMAX	00003330
ASSIGN 120 TO M	00003340
GO TO 200	00003350
C-----CHECK FOR FILTER TRUNCATION AT RIGHT END	00003360
120 IF(ABS(T).LE.TMAX) GO TO 130	00003370
I=I+1	00003380
Y=Y*E	00003390
IF(I.LE.441) GO TO 200	00003400
130 Y=Y1	00003410
C-----CONTINUE WITH LEFT-SIDE CONVOLUTION AT WEIGHT 213	00003420
ASSIGN 140 TO M	00003430
I=213	00003440
GO TO 200	00003450
C-----CHECK FOR FILTER TRUNCATION AT LEFT END	00003460
140 IF(ABS(T).LE.TMAX.AND.	00003470
* NONE.EQ.0) GO TO 190	00003480
I=I-1	00003490
Y=Y*ER	00003500
IF(I.GT.0) GO TO 200	00003510
C-----NORMALIZE BY B TO ACCOUNT FOR INTEGRATION RANGE CHANGE	00003520
190 SQJ1=SQJ1/B	00003530
RETURN	00003540
200 C=FUN(SNGL(Y))*WT(I)	00003550
NF=NF+1	00003560
SQJ1=SQJ1+C	00003570
GO TO M,(110,120,140)	00003580
END	00003590