

INTRODUCTION

The purpose of this report, which was prepared in cooperation with the City of Houston, the Harris-Galveston Coastal Subsidence District, and the Texas Department of Water Resources, is to show the altitudes of water levels in wells in the Chicot and Evangeline aquifers in the Houston area. These altitudes are based on water-level measurements in spring of 1983 in about 500 wells.

Both the Chicot and Evangeline aquifers are composed of several sand layers with different potentiometric surfaces. These maps, however, show the altitudes of water levels in the Chicot and Evangeline aquifers in the Houston area. The altitudes of water levels have been published in many reports of ground-water development in the Houston area, the most recent of which (Ranzau and Strause, 1982) presented maps of the altitudes of potentiometric surfaces for 1982.

REFERENCE CITED

Ranzau, C. E., Jr., and Strause, J. L., 1982, Approximate altitude of potentiometric surfaces in the Chicot and Evangeline aquifers in the Houston area, Texas, Spring 1982: U.S. Geological Survey Open-File Report 82-559.

EXPLANATION

—/100— WATER-LEVEL CONTOUR--Shows altitude at which water level would have stood in tightly cased wells. Contour interval 50 feet. Datum is National Geodetic Vertical Datum of 1929




Figure 1.--Approximate altitude of water levels in wells in the Chicot aquifer, Spring 1983

Base from Texas Department of  
Highways and Public Transportation  
General Highway Map

APPROXIMATE ALTITUDE OF WATER LEVELS IN WELLS IN THE CHICOT AND EVANGELINE AQUIFERS IN THE HOUSTON AREA, TEXAS, SPRING 1983

BY  
JEFFREY L. STRAUSE  
JUNE 1983




Figure 2.--Approximate altitude of water levels in wells in the Evangeline aquifer, Spring 1983

Base from Texas Department of  
Highways and Public Transportation  
General Highway Map

APPROXIMATE ALTITUDE OF WATER LEVELS IN WELLS IN THE CHICOT AND EVANGELINE AQUIFERS IN THE HOUSTON AREA, TEXAS, SPRING 1983

By  
JEFFREY L. STRAUSE

JUNE 1983