

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

WATER AND STREAMBED-MATERIAL DATA, EAGLE CREEK WATERSHED, INDIANA  
AUGUST 1980, OCTOBER AND DECEMBER 1982, AND APRIL 1983: UPDATING OF  
U.S. GEOLOGICAL SURVEY OPEN-FILE REPORT 83-215

By David J. Wangsness

---

Open-File Report 83-532

Prepared in cooperation with the  
CITY OF INDIANAPOLIS,  
DEPARTMENT OF PUBLIC WORKS

Indianapolis, Indiana  
1983

UNITED STATES DEPARTMENT OF THE INTERIOR

JAMES G. WATT, Secretary

GEOLOGICAL SURVEY

Dallas L. Peck, Director

---

For additional information write to:

U.S. Geological Survey  
6023 Guion Road, Suite 201  
Indianapolis, Indiana 46254

Copies of this report  
can be purchased from:

Open-File Services Section  
Western Distribution Branch  
U.S. Geological Survey  
Box 25425, Federal Center  
Lakewood, Colorado 80225  
(Telephone: [303] 234-5888)

## CONTENTS

---

	Page
Abstract.....	1
Introduction.....	1
Approach.....	3
Methods.....	3
Data.....	5
Selected references.....	6
Appendix 1.....	44
Appendix 2.....	48
Appendix 3.....	49

---

## ILLUSTRATIONS

---

	Page
Figure 1. Sampling sites in the Eagle Creek watershed, Indiana, 1980.....	2
2. Sampling sites in the Eagle Creek watershed, Indiana, 1982-83..	4

---

## TABLES

---

	Page
Table 1. Total concentrations of selected metals and nonmetals in water, Finley Creek and Eagle Creek, October 26-27, 1982.....	7
2. Total concentrations of organochlorine insecticides in water, Finley Creek and Eagle Creek, October 26-27, 1982.....	8
3. Total concentrations of organophosphorus insecticides in water, Finley Creek and Eagle Creek, October 26-27, 1982.....	9
4. Concentrations of volatile organic compounds in water, Finley Creek and Eagle Creek, October 26-27, 1982.....	10
5. Concentrations of totally recoverable acid-extractable compounds in water, Finley Creek and Eagle Creek, October 26-27, 1982.....	12
6. Concentrations of totally recoverable base-neutral-extractable compounds in water, Finley Creek and Eagle Creek, October 26-27, 1982.....	13
7. Concentrations of selected metals and nonmetals on streambed materials (<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982.....	16

---

TABLES--Continued

---

	Page
8. Concentrations of organochlorine insecticides on streambed materials (<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982.....	17
9. Concentrations of organophosphorus insecticides on streambed materials (<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982.....	18
10. Concentrations of totally recoverable acid-extractable compounds on streambed materials (<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982.....	19
11. Concentrations of totally recoverable base-neutral-extractable compounds on streambed materials (<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982.....	20
12. Total concentrations of selected metals and nonmetals in water, Finley Creek and Eagle Creek, December 14, 1982.....	23
13. Total concentrations of organochlorine insecticides in water, Finley Creek and Eagle Creek, December 14, 1982.....	24
14. Total concentrations of organophosphorus insecticides in water, Finley Creek and Eagle Creek, December 14, 1982.....	25
15. Concentrations of volatile organic compounds in water, Finley Creek and Eagle Creek, December 14, 1982.....	26
16. Concentrations of totally recoverable acid-extractable compounds in water, Finley Creek and Eagle Creek, December 14, 1982.....	28
17. Concentrations of totally recoverable base-neutral-extractable compounds in water, Finley Creek and Eagle Creek, December 14, 1982.....	29
18. Total concentrations of selected metals and nonmetals in water, Finley Creek and Eagle Creek, April 13, 1983.....	32
19. Total concentrations of organochlorine insecticides in water, Finley Creek and Eagle Creek, April 13, 1983.....	33
20. Total concentrations of organophosphorus insecticides in water, Finley Creek and Eagle Creek, April 13, 1983.....	34
21. Concentrations of volatile organic compounds in water, Finley Creek and Eagle Creek, April 13, 1983.....	35
22. Concentrations of totally recoverable acid-extractable compounds in water, Finley Creek and Eagle Creek, April 13, 1983.....	37
23. Concentrations of totally recoverable base-neutral-extractable compounds in water, Finley Creek and Eagle Creek, April 13, 1983.....	38
24. Field measurements and streambed-material-size analyses, Finley Creek and Eagle Creek, October 26-27, 1982.....	41
25. Field measurements, Finley Creek and Eagle Creek, December 14, 1982.....	42
26. Field measurements, Finley Creek and Eagle Creek, April 13, 1983.....	43

- Appendix 1. Water-quality survey of Eagle Creek and tributaries upstream from Eagle Creek Reservoir, August 25-26, 1980
- A. Concentrations of selected metals and nonmetals on streambed material (<63-micron fraction)
  - B. Concentrations of organochlorine insecticides on streambed material (<63-micron fraction)
  - C. Concentrations of organophosphorus insecticides on streambed material (<63-micron fraction)
  - D. Concentrations of chlorinated-phenoxy and acid herbicides on streambed material (<63-micron fraction)
  - E. Concentrations of nutrients on streambed material (<63-micron fraction)
  - F. Field measurements and streambed-material-size analyses
  - G. GC/MS base-neutral scan of streambed-material (<63-micron fraction)
2. Drinking-water standards for selected inorganic and organic chemicals
3. Select organic compounds whose concentrations exceeded background concentrations in Finley and Eagle Creek, October and December, 1982

FACTORS FOR CONVERTING INCH-POUND UNITS TO THE  
INTERNATIONAL SYSTEM OF UNITS (SI)

<u>Multiply inch-pound unit</u>	<u>By</u>	<u>To obtain SI unit</u>
inch (in.)	25.40	millimeter (mm)
foot (ft)	0.3048	meter (m)
square foot (ft <sup>2</sup> )	0.093	square meter (m <sup>2</sup> )
cubic foot per second (ft <sup>3</sup> /s)	0.0283	cubic meter per second (m <sup>3</sup> /s)
mile (mi)	1.609	kilometer (km)
square mile (mi <sup>2</sup> )	2.590	square kilometer (km <sup>2</sup> )

Temperature  
°C = 5/9 (°F-32°)

USE OF TRADE NAMES

Any use of trade names in this report is for descriptive purpose only and does not imply endorsement by the U.S. Geological Survey.

ABBREVIATIONS AND SYMBOLS

mg/L	milligram per liter
ug/L	microgram per liter
ug/g	microgram per gram
ug/kg	microgram per kilogram
°C	degree Celsius
°F	degree Fahrenheit
ft <sup>3</sup> /sec	cubic foot per second
umho/cm	micromho per centimeter
<	less than
Hwy	highway
St.	street
PCB	polychlorinated biphenyl
PCN	polychlorinated naphthalene
DDD	2,2 bis(p-chlorophenyl)-1,1-dichloroethane
DDE	dichlorodiphenyldichloroethylene
DDT	dichlorodiphenyltrichloroethane
EPA	U.S. Environmental Protection Agency

WATER AND STREAMBED-MATERIAL DATA, EAGLE CREEK WATERSHED, INDIANA,  
AUGUST 1980, OCTOBER AND DECEMBER 1982, AND APRIL 1983:  
UPDATING OF U.S. GEOLOGICAL SURVEY OPEN-FILE REPORT 83-215

By David J. Wangsness

ABSTRACT

---

Water-quality surveys within the Eagle Creek watershed, Indiana, were done by the U.S. Geological Survey in August 1980, October 1982, December 1982, and April 1983 in cooperation with the city of Indianapolis, Department of Public Works. Streambed-material and water samples were collected from Finley and Eagle Creeks at various flow rates and were analyzed for selected metals, non-metals, insecticides, and acid-extractable and base-neutral-extractable compounds. Water samples also were analyzed for volatile organics.

This report lists all the data collected and analyzed by the U.S. Geological Survey during the 1980, 1982, and 1983 surveys but does not interpret the data.

INTRODUCTION

In late August 1980, the city of Indianapolis, Department of Public Works, participated in a cooperative water-quality study in which the U.S. Geological Survey collected samples of streambed materials to define the general water quality of the upper Eagle Creek watershed. The samples were analyzed for a wide variety of organic and inorganic constituents (appendix 1) at 11 sampling sites (fig. 1). The purpose of the survey was to collect water-quality information that could be used by the city of Indianapolis to determine if any toxic substances were entering Eagle Creek Reservoir (where they may pollute the drinking-water supply and ultimately endanger the public safety) and to aid the city in identifying areas that may be contributing these substances to the surface-water supply.

In October 1982, a second survey was made for the city of Indianapolis. The purpose of the survey was to collect water-quality information that could be used by the city to determine if the types and concentration of substances in Eagle Creek in August 1980 had changed. Because toxic substances detected in the 1980 survey entered Finley Creek from a source between sites 3 and 4




Figure 1.-- Sampling sites in the Eagle Creek watershed, Indiana, 1980.



(fig. 1), the 1982 survey was done at these two sites and at two sites on Eagle Creek downstream from Finley Creek (fig. 2). These four sites were sampled in October 1982, and three of them in December 1982, and in April 1983. This report lists the results of all surveys.

## APPROACH

On the basis of results of the 1980 survey, chemical constituents and properties of surface water at four sites were measured and sampled on October 26-27, 1982. Site 1, on Finley Creek at 1100 East North Road, represents back-ground water quality upstream from the identified change in water-quality (fig. 2). Site 2, on Finley Creek at Highway 421, represents a location where water quality is believed likely to be affected. Site 3, on Eagle Creek at West 146th Street, is downstream from the mouth of Finley Creek. Site 4, on Eagle Creek at Highway 100 (86th Street), represents the quality of water before it enters Eagle Creek Reservoir.

Dissolved-oxygen concentration, specific conductance, water temperature, pH, and discharge were measured in the field at the sampling sites, and samples of suspended sediments and streambed materials were collected and returned to the laboratory for size analysis. Water and streambed-material samples were collected and analyzed for selected metals, insecticides, and acid-extractable and base-neutral-extractable compounds. Water samples also were analyzed for volatile organics.

The October 1982 survey was done during an extremely low-flow period; therefore, the samples probably represented the ground-water contribution to the streams (base flow). The samples at site 4 included treated wastewater from Zionsville as another source of water. A third survey done December 14, 1982, after a rainy period, represented high flow. Site 1, the upper site in Finley Creek, was not sampled in December, and only water samples were collected at sites 2, 3, and 4 at that time. A fourth survey was done April 13, 1983, during high flow. Water samples were collected at sites 2, 3, and 4, and the water analyzed for selected metals and nonmetals, insecticides, volatile organics, and acid-extractable and base-neutral extractable compounds.

## METHODS

Dissolved-oxygen concentration, specific conductance, water temperature, and pH were measured at each site. Discharge was measured by current meters or was estimated at low flows. All water samples were collected by dipping the sample bottle from surface to bottom at several points in the stream section to assure a well-mixed sample.




Figure 2.-- Sampling sites in the Eagle Creek watershed, Indiana, 1982-83.

Streambed-material samples for determining size distribution were collected from several points in the stream section at each sampling site. These samples were slowly dried at about 60° C and were then composited and sieved through a nest of six sieves. The sieved material was weighed, and the percent of the total sample for each size fraction was calculated. Streambed-material samples for chemical analysis were collected from pooled areas where greatest amounts of fine-grained sediment were likely to be deposited. The fine sediments were wet sieved through a number 230 stainless-steel sieve. The smaller than 63-micron fraction that passed through the sieve was composited in glass jars, refrigerated, and allowed to settle for 24 to 48 hours. Most of the water was decanted, and the fine-grained sediments were shipped to the Geological Survey Central Laboratory in Doraville, Ga., for analysis.

#### DATA

The water and streambed-material data from the 1982 and 1983 surveys are listed in tables 1-26. The tables also include detection limits and units of measurement. Streambed-material data from the 1980 survey are listed in appendix 1. EPA water-quality standards are listed in appendix 2, and select organic compounds whose concentrations exceeded background concentrations in Finley and Eagle Creeks in October and December 1982, and April 1983 are listed in appendix 3.

#### SELECTED REFERENCES

U.S. Environmental Protection Agency, 1975, National interim primary drinking water regulations: Federal Register, v. 40, no. 248, p. 59566-59588.

\_\_\_\_ 1979a, National secondary drinking water regulations: Federal Register, v. 44, no. 140, p. 52195-52202.

\_\_\_\_ 1979b, National interim primary drinking water regulations; control of trihalomethanes in drinking water: Federal Register, v. 44, no. 231, p. 68624-68707.

Windholz, Martha, ed., 1976, The Merck index: Rahway, N.J., Merck and Co., Inc., 1,900 p.

Table 1.--Total concentrations of selected metals and nonmetals in water, Finley Creek and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aluminum 2	ug/L	80	300	480	120
Arsenic 3	ug/L	3	6	4	4
Barium 4	ug/L	200	400	200	200
Cadmium 3	ug/L	<1	<1	<1	1
Chromium 3	ug/L	<1	<1	<1	<1
Copper 3	ug/L	9	9	12	19
Cyanide 2	mg/L	<.01	<.01	<.01	<.01
Iron 5	ug/L	530	3,600	890	280
Lead 3	ug/L	6	5	6	6
Manganese 5	ug/L	110	280	120	20
Mercury 5	ug/L	.4	.4	.1	.1
Selenium 3	ug/L	<1	<1	<1	<1
Silver 3	ug/L	<1	3	<1	<1
Zinc 5	ug/L	10	10	10	10

1 All constituents except aluminum, barium, iron, and manganese are EPA priority pollutants.

2 Detection limit: 10 ug/L.

3 Detection limit: 1 ug/L.

4 Detection limit: 100 ug/L.

5 Detection limit: 0.1 ug/L.

Table 2.--Total concentrations of organochlorine insecticides in water, Finley Creek  
and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aldrin 2	ug/L	<.01	<.01	<.01	<.01
Chlordane 3	ug/L	<.1	<.1	<.1	<.1
DDD 2	ug/L	<.01	<.01	<.01	<.01
DDE 2	ug/L	<.01	<.01	<.01	<.01
DDT 2	ug/L	<.01	<.01	<.01	<.01
Dieldrin 2	ug/L	<.01	<.01	<.01	<.01
Endosulfan 2	ug/L	<.01	<.01	<.01	<.01
Endrin 2	ug/L	<.01	<.01	<.01	<.01
Heptachlor epoxide 2	ug/L	<.01	<.01	<.01	<.01
Heptachlor 2	ug/L	<.01	<.01	<.01	<.01
Lindane 2	ug/L	<.01	<.01	<.01	<.01
Methoxychlor 2	ug/L	<.01	<.01	<.01	<.01
Mirex 2	ug/L	<.01	<.01	<.01	<.01
PCB (total) 3	ug/L	<.1	<.1	<.1	<.1
PCN (total) 3	ug/L	<.1	<.1	<.1	<.1
Perthane 3	ug/L	<.1	<.1	<.1	<.1
Toxaphene 4	ug/L	<.1	<.1	<.1	<.1

1 All constituents except methoxychlor, mirex, PCN, and perthane are EPA priority pollutants.

2 Detection limit: 0.01 ug/L.

3 Detection limit: 0.1 ug/L.

4 Detection limit: 1 ug/L.

Table 3.---Total concentrations of organophosphorus insecticides in water, Finley Creek  
and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Diazinon	µg/L	<.01	<.01	<.01	.09
Ethion	µg/L	<.01	<.01	<.01	<.01
Malathion	µg/L	<.01	<.01	<.01	<.01
Methyl parathion	µg/L	<.01	<.01	<.01	<.01
Methyl trithion	µg/L	<.01	<.01	<.01	<.01
Parathion	µg/L	<.01	<.01	<.01	<.01
Trithion	µg/L	<.01	<.01	<.01	<.01

1 Detection limit: 0.01 µg/L.

Table 4.--Concentrations of volatile organic compounds in water, Finley Creek  
and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at				Eagle Creek at			
		1100 East Road near Zionsville (site 1)	Highway 421 near Zionsville (site 2)	West 146 St. near Zionsville (site 3)	North Road near Indianapolis (site 4)				
Benzene	ug/L	<1	<1	<1	<1				
Bromoform	ug/L	<1	<1	<1	<1				
Carbon tetrachloride	ug/L	<1	<1	<1	<1				
Chlorobenzene	ug/L	<1	<1	<1	<1				
Chlorodibromomethane	ug/L	<1	<1	<1	<1				
Chloroethane	ug/L	<1	<1	<1	<1				
2-Chloroethyl vinyl ether	ug/L	<1	<1	<1	<1				
Chloroform	ug/L	<1	<1	<1	<1				
Dichlorobromomethane	ug/L	<1	<1	<1	<1				
Dichlorodifluoromethane	ug/L	<1	<1	<1	<1				
1,1-Dichloroethane	ug/L	<1	220	<1	<1				
1,2-Dichloroethane	ug/L	<1	<1	<1	<1				
1,1-Dichloroethylene	ug/L	<1	<1	<1	<1				
1,2-trans-Dichloroethylene	ug/L	<1	1,000	<1	<1				
1,2-Dichloropropane	ug/L	<1	<1	<1	<1				
1,3-Dichloropropane	ug/L	<1	<1	<1	<1				
Ethylbenzene	ug/L	<1	<1	<1	<1				
Methylbromide	ug/L	<1	<1	<1	<1				
Methylene chloride	ug/L	<1	<1	<1	<1				
1,1,2,2-Tetrachloroethane	ug/L	<1	<1	<1	<1				



Table 4.--Concentrations of volatile organic compounds in water, Finley Creek  
and Eagle Creek, October 26-27, 1982--(Continued)

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Tetrachloroethylene	µg/L	5	37	<1	<1
Toluene	µg/L	3	7	<1	<1
1,1,1-Trichloroethane	µg/L	<1	510	<1	<1
1,1,2-Trichloroethane	µg/L	<1	<1	<1	<1
Trichloroethylene	µg/L	<1	670	<1	<1
Trichlorofluoromethane	µg/L	<1	<1	<1	<1
Vinyl chloride	µg/L	<1	<1	<1	<1

1 Detection limit: 1 µg/L. All constituents are EPA priority pollutants.

Table 5.--Concentrations of totally recoverable acid-extractable compounds in water,  
Finley Creek and Eagle Creek, October 26-27, 1982

Constituent <sup>1</sup>	Units	Finley Creek at				Eagle Creek at	
		1100 East Road near Zionsville (site 1)	Highway 421 near Zionsville (site 2)	West 146 St. near Zionsville (site 3)	North Road near Indianapolis (site 4)		
4-Chloro-3-methylphenol	ug/L	<1	<1	<1	<1		
2-Chlorophenol	ug/L	<1	<1	<1	<1		
2,4-Dichlorophenol	ug/L	<1	<1	<1	<1		
2,4-Dimethylphenol	ug/L	<1	12	<1	<1		
4,6-Dinitro-2-methylphenol	ug/L	<1	<1	<1	<1		
2,4-Dinitrophenol	ug/L	<1	<1	<1	<1		
2-Nitrophenol	ug/L	<1	<1	<1	<1		
4-Nitrophenol	ug/L	<1	<1	<1	<1		
1-Pentachlorophenol	ug/L	<1	<1	<1	<1		
2-Phenol	ug/L	<1	2,200	<1	<1		
2,4,6-Trichlorophenol	ug/L	<1	<1	<1	<1		

<sup>1</sup> Detection limit: 1 ug/L. All constituents except 4-chloro-3-methylphenol and 4,6-dinitro-2-methylphenol are EPA priority pollutants.

Table 6.--Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Acenaphthene	ug/L	<1	<1	<1	<1
Acenaphthylene	ug/L	<1	<1	<1	<1
Anthracene	ug/L	<1	<1	<1	<1
Benzidine	ug/L	<1	<1	<1	<1
Benzo (a) anthracene	ug/L	<1	<1	<1	<1
Benzo (b) fluoranthene	ug/L	<1	<1	<1	<1
Benzo (k) fluoranthene	ug/L	<1	<1	<1	<1
Benzo (g,h,i) perylene	ug/L	<1	<1	<1	<1
Benzo (a) pyrene	ug/L	<1	<1	<1	<1
4-Bromophenyl phenyl ether	ug/L	<1	<1	<1	<1
Butyl benzyl phthalate	ug/L	<1	11	<1	<1
bis (2-Chloroethoxy) methane	ug/L	<1	<1	<1	<1
bis (2-Chloroethyl) ether	ug/L	<1	43	<1	<1
bis (2-Chloroisopropyl) ether	ug/L	<1	<1	<1	<1
2-Chloronaphthalene	ug/L	<1	<1	<1	<1
4-Chlorophenyl phenyl ether	ug/L	<1	<1	<1	<1
Chrysene	ug/L	<1	<1	<1	<1
Dibenz (a,h) anthracene	ug/L	<1	<1	<1	<1
1,2-Dichlorobenzene	ug/L	<1	57	<1	<1
1,3-Dichlorobenzene	ug/L	<1	<1	<1	<1

Table 6.---Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, October 26-27, 1982--(Continued)

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
1,4-Dichlorobenzene	ug/L	<1	<1	<1	<1
3,3'-Dichlorobenzidine	ug/L	<1	<1	<1	<1
Diethyl phthalate	ug/L	<1	6	<1	<1
Dimethyl phthalate	ug/L	<1	16	<1	<1
Di-n-butyl phthalate	ug/L	<1	27	<1	<1
2,4-Dinitrotoluene	ug/L	<1	<1	<1	<1
2,6-Dinitrotoluene	ug/L	<1	<1	<1	<1
Di-n-octyl phthalate	ug/L	<1	<1	<1	<1
1-bis (2-Ethylhexyl) phthalate	ug/L	<1	13	<1	<1
Fluoranthene	ug/L	<1	<1	<1	<1
Fluorene	ug/L	<1	<1	<1	<1
Hexachlorobenzene	ug/L	<1	<1	<1	<1
Hexachlorobutadiene	ug/L	<1	<1	<1	<1
Hexachlorocyclopentadiene	ug/L	<1	<1	<1	<1
Hexachloroethane	ug/L	<1	<1	<1	<1
Indeno (1,2,3) pyrene	ug/L	<1	<1	<1	<1
Isophorone	ug/L	<1	360	<1	<1
Napthalene	ug/L	<1	<1	<1	<1
Nitrobenzene	ug/L	<1	<1	<1	<1
n-Nitrosodimethylamine	ug/L	<1	9	<1	<1

Table 6.---Concentration of totally recoverable base-neutral-extractable compounds in water, Finley Creek and Eagle Creek, October 26-27, 1982--(Continued)

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
n-Nitrosodiphenylamine	µg/L	<1	<1	<1	<1
n-Nitrosodi-n-propylamine	µg/L	<1	<1	<1	<1
Phenanthrene	µg/L	<1	<1	<1	<1
Pyrene	µg/L	<1	<1	<1	<1
2,3,7,8-Tetrachlorodibenzo- p-dioxin	µg/L	<1	<1	<1	<1
1,2,4-Trichlorobenzene	µg/L	<1	<1	<1	<1

1 Detection limit: 1 µg/L. All constituents are EPA priority pollutants.

Table 7.--Concentrations of selected metals and nonmetals on streambed materials  
(<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aluminum 2	ug/g	1,400	940	890	1,300
Arsenic 3	ug/g	1	1	<1	<1
Barium 2	ug/g	120	100	70	160
Cadmium 3	ug/g	1	2	2	2
Chromium 3	ug/g	4	4	3	4
Copper 3	ug/g	11	21	8	15
Cyanide 3	ug/g	<1	<1	<1	<1
Iron 3	ug/g	3,000	3,100	1,700	2,700
Lead 2	ug/g	20	120	30	30
Manganese 3	ug/g	330	300	220	580
Mercury 4	ug/g	<.01	<.01	<.01	<.01
Selenium 3	ug/g	<1	<1	<1	<1
Silver 5	ug/g	<1	<1	<1	<1
Zinc 3	ug/g	24	40	14	26

1 All constituents except aluminum, barium, iron, and manganese are EPA priority pollutants.

2 Detection limit: 10 ug/g.

3 Detection limit: 1.0 ug/g.

4 Detection limit: 0.01 ug/g.

5 Detection limit: 0.1 ug/g.

Table 8.---Concentrations of organochlorine insecticides on streambed materials (<63-micron fraction),  
Finley Creek and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aldrin 2	µg/kg	<0.1	<0.1	1.8	<0.1
Chlordane 3	µg/kg	12	13	12	7
DDD 2	µg/kg	0.7	3.3	0.5	0.4
DDE 2	µg/kg	<0.1	<0.1	<0.1	<0.1
DDT 2	µg/kg	2.1	0.5	0.4	0.2
Dieldrin 2	µg/kg	5.3	5.9	5.2	4.6
Endosulfan 2	µg/kg	<0.1	<0.1	<0.1	<0.1
Endrin 2	µg/kg	<0.1	<0.1	<0.1	<0.1
Heptachlor epoxide 2	µg/kg	<0.1	<0.1	<0.1	<0.1
Heptachlor 2	µg/kg	<0.1	<0.1	<0.1	<0.1
Lindane 2	µg/kg	<0.1	<0.1	<0.1	<0.1
Methoxychlor 2	µg/kg	<0.1	<0.1	<0.1	<0.1
Mirex 2	µg/kg	<0.1	<0.1	<0.1	<0.1
PCB (total) 3	µg/kg	13	72	5	4
PCN (total) 3	µg/kg	<1	<1	<1	<1
Perthane 3	µg/kg	<1	<1	<1	<1
Toxaphene 4	µg/kg	<10	<10	<10	<10

1 All constituents except methoxychlor, mirex, PCN, and perthane are EPA priority pollutants.

2 Detection limit: 0.1 µg/kg.

3 Detection limit: 1.0 µg/kg.

4 Detection limit: 10 µg/kg.

Table 9.--Concentrations of organophosphorus insecticides on streambed material (<63-micron fraction),  
Finley Creek and Eagle Creek, October 26-27, 1982

Constituent <sup>1</sup>	Finley Creek at				Eagle Creek at			
	1100 East Road near Zionsville (site 1)	Highway 421 near Zionsville (site 2)	West 146 St. near Zionsville (site 3)	100 North Road near Indianapolis (site 4)				
	Units							
Diazinon	µg/kg	<0.1	<0.1	<0.1	<0.1			<0.1
Ethion	µg/kg	<0.1	<0.1	<0.1	<0.1			<0.1
Malathion	µg/kg	<0.1	<0.1	<0.1	<0.1			<0.1
Methylparathion	µg/kg	<0.1	<0.1	<0.1	<0.1			<0.1
Methyltrithion	µg/kg	<0.1	<0.1	<0.1	<0.1			<0.1
Parathion	µg/kg	<0.1	<0.1	<0.1	<0.1			<0.1
Trithion	µg/kg	<0.1	<0.1	<0.1	<0.1			<0.1

<sup>1</sup> Detection limit: 0.1 µg/kg.



Table 10.--Concentrations of totally recoverable acid-extractable compounds on streambed materials  
(<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982

Constituent <sup>1</sup>	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
4-Chloro-3-methylphenol	µg/kg	<20	<20	<20	<20
2-Chlorophenol	µg/kg	<20	<20	<20	<20
2,4-Dichlorophenol	µg/kg	<20	<20	<20	<20
2,4-Dimethylphenol	µg/kg	<20	<20	<20	<20
4,6-Dinitro-2-methylphenol	µg/kg	<20	<20	<20	<20
2,4-Dinitrophenol	µg/kg	<20	<20	<20	<20
2-Nitrophenol	µg/kg	<20	<20	<20	<20
4-Nitrophenol	µg/kg	<20	<20	<20	<20
1-Pentachlorophenol	µg/kg	<20	<20	<20	<20
9-Phenol	µg/kg	<20	<20	<20	<20
2,4,6-Trichlorophenol	µg/kg	<20	<20	<20	<20

<sup>1</sup> Detection limit: 20 µg/kg. All constituents except 4-chloro-3-methylphenol and 4,6-dinitro-2-methylphenol are EPA priority pollutants.

Table 11.--Concentrations of totally recoverable base-neutral-extractable compounds on streambed materials (<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982

Constituent 1	Units	Finley Creek at				Eagle Creek at			
		1100 East Road near Zionsville (site 1)	Highway 421 near Zionsville (site 2)	West 146 St. near Zionsville (site 3)	North Road near Indianapolis (site 4)				
Acenaphthene	ug/kg	<20	<20	<20	<20				
Acenaphthylene	ug/kg	<20	<20	<20	<20				
Anthracene	ug/kg	<20	<20	<20	<20				
Benzidine	ug/kg	<20	<20	<20	<20				
Benzo (a) anthracene	ug/kg	<20	<20	<20	<20				
Benzo (b) fluoranthene	ug/kg	<20	<20	<20	<20				
Benzo (k) fluoranthene	ug/kg	<20	<20	<20	<20				
Benzo (g,h,i) perylene	ug/kg	<20	<20	<20	<20				
Benzo (a) pyrene	ug/kg	<20	<20	<20	<20				
4-Bromophenyl phenyl ether	ug/kg	<20	<20	<20	<20				
Butyl benzyl phthalate bis (2-Chloroethoxy) methane	ug/kg	<20	<20	<20	<20				
bis (2-Chloroethyl) ether	ug/kg	<20	<20	<20	<20				
bis (2-Chloroisopropyl) ether	ug/kg	<20	<20	<20	<20				
2-Chloronaphthalene	ug/kg	<20	<20	<20	<20				
4-Chlorophenyl phenyl ether	ug/kg	<20	<20	<20	<20				
Chrysene	ug/kg	<20	<20	<20	<20				
Dibenz (a,h) anthracene	ug/kg	<20	<20	<20	<20				
1,2-Dichlorobenzene	ug/kg	<20	630	<20	<20				
1,3-Dichlorobenzene	ug/kg	<20	<20	<20	<20				

Table 11.--Concentrations of totally recoverable base-neutral-extractable compounds on streambed materials  
(<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982--(Continued)

Constituent 1	Units	Finley Creek at				Eagle Creek at			
		1100 East Road near Zionsville	Highway 421 near Zionsville	(site 2)	(site 3)	West 146 St. near Zionsville	North Road near Indianapolis	(site 4)	
1,4-Dichlorobenzene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
3,3'-Dichlorobenzidine	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Diethyl phthalate	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Dimethyl phthalate	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Di-n-butyl phthalate	ug/kg	<20	<20	<20	<20	<20	<20	<20	
2,4-Dinitrotoluene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
2,6-Dinitrotoluene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Di-n-octylphthalate	ug/kg	<20	<20	<20	<20	<20	<20	<20	
bis (2-Ethylhexyl) phthalate	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Fluoranthene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Fluorene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Hexachlorobenzene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Hexachlorobutadiene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Hexachlorocyclopentadiene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Hexachloroethane	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Indeno (1,2,3) pyrene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Isophorone	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Naphthalene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
Nitrobenzene	ug/kg	<20	<20	<20	<20	<20	<20	<20	
n-Nitrosodimethylamine	ug/kg	<20	<20	<20	<20	<20	<20	<20	

Table 11.--Concentrations of totally recoverable base-neutral-extractable compounds on streambed materials  
(<63-micron fraction), Finley Creek and Eagle Creek, October 26-27, 1982--(Continued)

Constituent 1	Units	Finley Creek at				Eagle Creek at			
		1100 East Road near Zionsville (site 1)	Highway 421 near Zionsville (site 2)	West 146 St. near Zionsville (site 3)	North Road near Indianapolis (site 4)				
n-Nitrosodiphenylamine	ug/kg	<20	<20	<20	<20				
n-Nitrosodi-n-propylamine	ug/kg	<20	<20	<20	<20				
Phenanthrene	ug/kg	<20	<20	<20	<20				
Pyrene	ug/kg	<20	<20	<20	<20				
2,3,7,8-Tetrachlorodibenzo- p-dioxin	ug/kg	<20	<20	<20	<20				
1,2,4-Trichlorobenzene	ug/kg	<20	<20	<20	<20				

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

Table 12.--Total concentrations of selected metals and nonmetals in water, Finley Creek  
and Eagle Creek, December 14, 1982

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aluminum <sup>2</sup>	ug/L	100	100	100
Arsenic <sup>3</sup>	ug/L	3	2	2
Barium <sup>4</sup>	ug/L	100	200	300
Cadmium <sup>3</sup>	ug/L	1	<1	<1
Chromium <sup>3</sup>	ug/L	1	<1	<1
Copper <sup>3</sup>	ug/L	8	4	4
Cyanide <sup>2</sup>	Mg/L	<.01	<.01	<.01
Iron <sup>2</sup>	ug/L	420	340	250
Lead <sup>3</sup>	ug/L	5	3	2
Manganese <sup>2</sup>	ug/L	80	70	40
Mercury <sup>5</sup>	ug/L	<0.1	<0.1	<0.1
Selenium <sup>3</sup>	ug/L	2	2	2
Silver <sup>3</sup>	ug/L	<1	2	1
Zinc <sup>2</sup>	ug/L	30	20	10

<sup>1</sup> All constituents except aluminum, barium, iron, and manganese are EPA priority pollutants.

<sup>2</sup> Detection limit: 10 ug/L.

<sup>3</sup> Detection limit: 1 ug/L.

<sup>4</sup> Detection limit: 100 ug/L.

<sup>5</sup> Detection limit: 0.1 ug/L.

Table 13.--Total concentrations of organochlorine insecticides in water, Finley Creek  
and Eagle Creek, December 14, 1982

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aldrin 2	ug/L	<.01	<.01	<.01
Chlordane 3	ug/L	<.1	<.1	<.1
DDD 2	ug/L	<.01	<.01	<.01
DDE 2	ug/L	<.01	<.01	<.01
DDT 2	ug/L	<.01	<.01	<.01
Diieldrin 2	ug/L	<.01	<.01	<.01
Endosulfan 2	ug/L	<.01	<.01	<.01
Endrin 2	ug/L	<.01	<.01	<.01
Heptachlor epoxide 2	ug/L	<.01	<.01	<.01
Heptachlor 2	ug/L	<.01	<.01	<.01
Lindane 2	ug/L	<.01	<.01	<.01
Methoxychlor 2	ug/L	<.01	<.01	<.01
Mirex 2	ug/L	<.01	<.01	<.01
PCB (total) 3	ug/L	<.1	<.1	<.1
PCN (total) 3	ug/L	<.1	<.1	<.1
Perthane 3	ug/L	<.1	<.1	<.1
Toxaphene 4	ug/L	<1	<1	<1

1 All constituents except methoxychlor, mirex, PCN, and perthane are EPA priority pollutants.

2 Detection limit: 0.01 ug/L.

3 Detection limit: 0.1 ug/L.

4 Detection limit: 1 ug/L.

Table 14.--Total concentrations of organophosphorus insecticides in water, Finley Creek  
and Eagle Creek, December 14, 1982

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Diazinon	µg/L	<.01	<.01	<.01
Ethion	µg/L	<.01	<.01	<.01
Malathion	µg/L	<.01	<.01	<.01
Methyl parathion	µg/L	<.01	<.01	<.01
Methyl trithion	µg/L	<.01	<.01	<.01
Parathion	µg/L	<.01	<.01	<.01
Trithion	µg/L	<.01	<.01	<.01

<sup>1</sup> Detection limit: 0.01 µg/L.

Table 15.--Concentrations of volatile organic compounds in water, Finley Creek  
and Eagle Creek, December 14, 1982

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Benzene	ug/L	<1	<1	<1
Bromoform	ug/L	<1	<1	<1
Carbon tetrachloride	ug/L	<1	<1	<1
Chlorobenzene	ug/L	<1	<1	<1
Chlorodibromomethane	ug/L	<1	<1	<1
Chloroethane	ug/L	<1	<1	<1
2-Chloroethyl vinyl ether	ug/L	<1	<1	<1
Chloroform	ug/L	<1	<1	<1
1,2-Dichlorobromomethane	ug/L	<1	<1	<1
1,2-Dichlorodifluoromethane	ug/L	<1	<1	<1
1,1-Dichloroethane	ug/L	<1	<1	<1
1,2-Dichloroethane	ug/L	<1	<1	<1
1,1-Dichloroethylene	ug/L	140	<1	<1
1,2-trans-Dichloroethylene	ug/L	9	<1	<1
1,2-Dichloropropane	ug/L	<1	<1	<1
1,3-Dichloropropane	ug/L	<1	<1	<1
Ethylbenzene	ug/L	<1	<1	<1
Methylbromide	ug/L	<1	<1	<1
Methylene chloride	ug/L	<1	<1	<1
1,1,2,2-Tetrachloroethane	ug/L	<1	<1	<1



Table 15.--Concentrations of volatile organic compounds in water, Finley Creek  
and Eagle Creek, December 14, 1982--(Continued)

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Tetrachloroethylene	µg/L	<1	1	<1
Toluene	µg/L	2	2	<1
1,1,1-Trichloroethane	µg/L	<1	<1	<1
1,1,2-Trichloroethane	µg/L	<1	<1	<1
Trichloroethylene	µg/L	23	2	<1
Trichlorofluoromethane	µg/L	<1	<1	<1
Vinyl chloride	µg/L	<1	<1	<1

<sup>1</sup> Detection limit: 1 µg/L. All constituents are EPA priority pollutants.

Table 16.--Concentrations of totally recoverable acid-extractable compounds in water,  
Finley Creek and Eagle Creek, December 14, 1982

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
4-Chloro-3-methylphenol	ug/L	<1	<1	<1
2-Chlorophenol	ug/L	<1	<1	<1
2,4-Dichlorophenol	ug/L	<1	<1	<1
2,4-Dimethylphenol	ug/L	<1	<1	<1
4,6-Dinitro-2-methylphenol	ug/L	<1	<1	<1
2,4-Dinitrophenol	ug/L	<1	<1	<1
2-Nitrophenol	ug/L	<1	<1	<1
4-Nitrophenol	ug/L	<1	<1	<1
Pentachlorophenol	ug/L	<1	<1	<1
Phenol	ug/L	<1	<1	<1
2,4,6-Trichlorophenol	ug/L	<1	<1	<1

<sup>1</sup> Detection limit: 1 ug/L. All constituents except 4-chloro-3-methylphenol and 4,6-dinitro-2-methylphenol are EPA priority pollutants.

Table 17.--Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, December 14, 1982

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Acenaphthene	ug/L	<1	<1	<1
Acenaphthylene	ug/L	<1	<1	<1
Anthracene	ug/L	<1	<1	<1
Benzidine	ug/L	<1	<1	<1
Benzo (a) anthracene	ug/L	<1	<1	<1
Benzo (b) fluoranthene	ug/L	<1	<1	<1
Benzo (k) fluoranthene	ug/L	<1	<1	<1
Benzo (g,h,i) perylene	ug/L	<1	<1	<1
Benzo (a) pyrene	ug/L	<1	<1	<1
4-Bromophenyl phenyl ether	ug/L	<1	<1	<1
Butyl benzyl phthalate bis (2-Chloroethoxy) methane	ug/L	<1	<1	<1
bis (2-Chloroethyl) ether	ug/L	<1	<1	<1
bis (2-Chloroisopropyl) ether	ug/L	<1	<1	<1
2-Chloronaphthalene	ug/L	<1	<1	<1
4-Chlorophenyl phenyl ether	ug/L	<1	<1	<1
Chrysene	ug/L	<1	<1	<1
Dibenz (a,h) anthracene	ug/L	<1	<1	<1
1,2-Dichlorobenzene	ug/L	<1	<1	<1
1,3-Dichlorobenzene	ug/L	<1	<1	<1

Table 17.--Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, December 14, 1982--(Continued)

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
1,4-Dichlorobenzene	µg/L	<1	<1	<1
3,3'-Dichlorobenzidine	µg/L	<1	<1	<1
Diethyl phthalate	µg/L	<1	<1	<1
Dimethyl phthalate	µg/L	<1	<1	<1
Di-n-butyl phthalate	µg/L	<1	<1	<1
2,4-Dinitrotoluene	µg/L	<1	<1	<1
2,6-Dinitrotoluene	µg/L	<1	<1	<1
Di-n-octyl phthalate	µg/L	<1	<1	<1
bis (2-Ethylhexyl) phthalate	µg/L	<1	<1	<1
Fluoranthene	µg/L	<1	<1	<1
Fluorene	µg/L	<1	<1	<1
Hexachlorobenzene	µg/L	<1	<1	<1
Hexachlorobutadiene	µg/L	<1	<1	<1
Hexachlorocyclopentadiene	µg/L	<1	<1	<1
Hexachloroethane	µg/L	<1	<1	<1
Indeno (1,2,3) pyrene	µg/L	<1	<1	<1
Isophorone	µg/L	<1	<1	<1
Naphthalene	µg/L	<1	<1	<1
Nitrobenzene	µg/L	<1	<1	<1
n-Nitrosodimethylamine	µg/L	<1	<1	<1

Table 17.--Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, December 14, 1982--(Continued)

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
n-Nitrosodiphenylamine	ug/L	<1	<1	<1
n-Nitrosodi-n-propylamine	ug/L	<1	<1	<1
Phenanthrene	ug/L	<1	<1	<1
Pyrene	ug/L	<1	<1	<1
2,3,7,8-Tetrachlorodibenzo- p-dioxin	ug/L	<1	<1	<1
1,2,4-Trichlorobenzene	ug/L	<1	<1	<1

<sup>1</sup> Detection limit: 1 ug/L. All constituents are EPA priority pollutants.

Table 18.--Total concentrations of selected metals and nonmetals in water, Finley Creek  
and Eagle Creek, April 13, 1983

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aluminum <sup>2</sup>	ug/L	---	6/	---
Arsenic <sup>3</sup>	ug/L	4	3	2
Barium <sup>4</sup>	ug/L	100	<100	100
Cadmium <sup>3</sup>	ug/L	1	<1	<1
Chromium <sup>3</sup>	ug/L	5	3	31
Copper <sup>3</sup>	ug/L	37	6	7
Cyanide <sup>2</sup>	Mg/L	<.01	<.01	<.01
Iron <sup>2</sup>	ug/L	19,000	3,700	4,000
Lead <sup>3</sup>	ug/L	57	13	19
Manganese <sup>2</sup>	ug/L	530	170	220
Mercury <sup>5</sup>	ug/L	0.1	0.1	<0.1
Selenium <sup>3</sup>	ug/L	<1	<1	<1
Silver <sup>3</sup>	ug/L	<1	<1	<1
Zinc <sup>2</sup>	ug/L	110	30	30

<sup>1</sup> All constituents except aluminum, barium, iron, and manganese are EPA priority pollutants.

<sup>2</sup> Detection limit: 10 ug/L.

<sup>3</sup> Detection limit: 1 ug/L.

<sup>4</sup> Detection limit: 100 ug/L.

<sup>5</sup> Detection limit: 0.1 ug/L.

<sup>6</sup> Unable to determine because of interference.

Table 19.--Total concentrations of organochlorine insecticides in water, Finley Creek  
and Eagle Creek, April 13, 1983

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Aldrin 2	ug/L	<.01	<.01	<.01
Chlordane 3	ug/L	<.1	<.1	<.1
DDD 2	ug/L	<.01	<.01	<.01
DDE 2	ug/L	<.01	<.01	<.01
DDT 2	ug/L	<.01	<.01	<.01
Dieldrin 2	ug/L	<.01	<.01	<.01
Endosulfan 2	ug/L	<.01	<.01	<.01
Endrin 2	ug/L	<.01	<.01	<.01
Heptachlor epoxide 2	ug/L	<.01	<.01	<.01
Heptachlor 2	ug/L	<.01	<.01	<.01
Lindane 2	ug/L	<.01	<.01	<.01
Methoxychlor 2	ug/L	<.01	<.01	<.01
Mirex 2	ug/L	<.01	<.01	<.01
PCB (total) 3	ug/L	<.1	<.1	<.1
PCN (total) 3	ug/L	<.1	<.1	<.1
Perthane 3	ug/L	<.1	<.1	<.1
Toxaphene 4	ug/L	<1	<1	<1

1 All constituents except methoxychlor, mirex, PCN, and perthane are EPA priority pollutants.

2 Detection limit: 0.01 ug/L.

3 Detection limit: 0.1 ug/L.

4 Detection limit: 1 ug/L.

Table 20.--Total concentrations of organophosphorus insecticides in water, Finley Creek  
and Eagle Creek, April 13, 1983

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Diazinon	ug/L	<.01	<.01	<.04
Ethion	ug/L	<.01	<.01	<.01
Malathion	ug/L	<.01	<.01	<.01
Methyl parathion	ug/L	<.01	<.01	<.01
Methyl trithion	ug/L	<.01	<.01	<.01
Parathion	ug/L	<.01	<.01	<.01
Trithion	ug/L	<.01	<.01	<.01

-34- <sup>1</sup> Detection limit: 0.01 ug/L.



Table 21.--Concentrations of volatile organic compounds in water, Finley Creek  
and Eagle Creek, April 13, 1983

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Benzene	ug/L	<1	<1	<1
Bromoform	ug/L	<1	<1	<1
Carbon tetrachloride	ug/L	<1	<1	<1
Chlorobenzene	ug/L	<1	<1	<1
Chlorodibromomethane	ug/L	<1	<1	<1
Chloroethane	ug/L	<1	<1	<1
2-Chloroethyl vinyl ether	ug/L	--- 2/	--- 2/	--- 2/
Chloroform	ug/L	<1	<1	<1
Dichlorobromomethane	ug/L	<1	<1	<1
Dichlorodifluoromethane	ug/L	--- 2/	--- 2/	--- 2/
1,1-Dichloroethane	ug/L	<1	<1	<1
1,2-Dichloroethane	ug/L	<1	<1	<1
1,1-Dichloroethylene	ug/L	<1	<1	<1
1,2-trans-Dichloroethylene	ug/L	7	3	<1
1,2-Dichloropropane	ug/L	<1	<1	<1
1,3-Dichloropropane	ug/L	<1	<1	<1
Ethylbenzene	ug/L	<1	<1	<1
Methylbromide	ug/L	--- 2/	--- 2/	--- 2/
Methylene chloride	ug/L	<1	<1	<1
1,1,2,2-Tetrachloroethane	ug/L	<1	<1	<1

Table 21.--Concentrations of volatile organic compounds in water, Finley Creek  
and Eagle Creek, April 13, 1983--(Continued)

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Tetrachloroethylene	ug/L	<1	1	<1
Toluene	ug/L	<1	<1	4
1,1,1-Trichloroethane	ug/L	<1	<1	<1
1,1,2-Trichloroethane	ug/L	5	<1	<1
Trichloroethylene	ug/L	<1	<1	<1
Trichlorofluoromethane	ug/L	---	---	---
Vinyl chloride	ug/L	2/ ---	2/ ---	2/ ---

1 Detection limit: 1 ug/L. All constituents are EPA priority pollutants.

2 Unable to determine because of interference.

Table 22.--Concentrations of totally recoverable acid-extractable compounds in water,  
Finley Creek and Eagle Creek, April 13, 1983

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
4-Chloro-3-methylphenol	ug/L	<1	<1	<1
2-Chlorophenol	ug/L	<1	<1	<1
2,4-Dichlorophenol	ug/L	<1	<1	<1
2,4-Dimethylphenol	ug/L	<1	<1	<1
4,6-Dinitro-2-methylphenol	ug/L	<1	<1	<1
2,4-Dinitrophenol	ug/L	<1	<1	<1
2-Nitrophenol	ug/L	<1	<1	<1
4-Nitrophenol	ug/L	<1	<1	<1
Pentachlorophenol	ug/L	<1	<1	<1
Phenol	ug/L	<1	<1	<1
2,4,6-Trichlorophenol	ug/L	<1	<1	<1

<sup>1</sup> Detection limit: 1 ug/L. All constituents except 4-chloro-3-methylphenol and 4,6-dinitro-2-methylphenol are EPA priority pollutants.

Table 23.--Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, April 13, 1983

Constituent 1	Units	Finley Creek at	Eagle Creek at	Eagle Creek at 100
		Highway 421 near Zionsville (site 2)	West 146 St. near Zionsville (site 3)	North Road near Indianapolis (site 4)
Acenaphthene	ug/L	<1	<1	<1
Acenaphthylene	ug/L	<1	<1	<1
Anthracene	ug/L	<1	<1	<1
Benzidine	ug/L	<1	<1	<1
Benzo (a) anthracene	ug/L	<1	<1	<1
Benzo (b) fluoranthene	ug/L	<1	<1	<1
Benzo (k) fluoranthene	ug/L	<1	<1	<1
Benzo (g,h,i) perylene	ug/L	<1	<1	<1
Benzo (a) pyrene	ug/L	<1	<1	<1
4-Bromophenyl phenyl ether	ug/L	<1	<1	<1
Butyl benzyl phthalate	ug/L	<1	<1	<1
bis (2-Chloroethoxy) methane	ug/L	<1	<1	<1
bis (2-Chloroethyl) ether	ug/L	<1	<1	<1
bis (2-Chloroisopropyl) ether	ug/L	<1	<1	<1
2-Chloronaphthalene	ug/L	<1	<1	<1
4-Chlorophenyl phenyl ether	ug/L	<1	<1	<1
Chrysene	ug/L	<1	<1	<1
Dibenz (a,h) anthracene	ug/L	<1	<1	<1
1,2-Dichlorobenzene	ug/L	<1	<1	<1
1,3-Dichlorobenzene	ug/L	<1	<1	<1

Table 23.--Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, April 13, 1983--(Continued)

Constituent 1	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
1,4-Dichlorobenzene	ug/L	<1	<1	<1
3,3'-Dichlorobenzidine	ug/L	<1	<1	<1
Diethyl phthalate	ug/L	<1	<1	<1
Dimethyl phthalate	ug/L	<1	<1	<1
Di-n-butyl phthalate	ug/L	1	1	2
2,4-Dinitrotoluene	ug/L	<1	<1	<1
2,6-Dinitrotoluene	ug/L	<1	<1	<1
Di-n-octyl phthalate	ug/L	<1	<1	<1
bis (2-Ethylhexyl) phthalate	ug/L	830	760	594
Fluoranthene	ug/L	<1	<1	<1
Fluorene	ug/L	<1	<1	<1
Hexachlorobenzene	ug/L	<1	<1	<1
Hexachlorobutadiene	ug/L	<1	<1	<1
Hexachlorocyclopentadiene	ug/L	<1	<1	<1
Hexachloroethane	ug/L	<1	<1	<1
Indeno (1,2,3) pyrene	ug/L	<1	<1	<1
Isophorone	ug/L	10	<1	<1
Naphthalene	ug/L	<1	<1	<1
Nitrobenzene	ug/L	<1	<1	<1
n-Nitrosodimethylamine	ug/L	<1	<1	<1

Table 23.--Concentrations of totally recoverable base-neutral-extractable compounds in water,  
Finley Creek and Eagle Creek, April 13, 1983--(Continued)

Constituent <sup>1</sup>	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
n-Nitrosodiphenylamine	ug/L	<1	<1	<1
n-Nitrosodi-n-propylamine	ug/L	<1	<1	<1
Phenanthrene	ug/L	<1	<1	<1
Pyrene	ug/L	<1	<1	<1
2,3,7,8-Tetrachlorodibenzo- p-dioxin	ug/L	<1	<1	<1
1,2,4-Trichlorobenzene	ug/L	<1	<1	<1

<sup>1</sup> Detection limit: 1 ug/L. All constituents are EPA priority pollutants.

Table 24.--Field measurements and streambed-material-size analyses, Finley Creek  
and Eagle Creek, October 26-27, 1982.

Measurement	Units	Finley Creek at 1100 East Road near Zionsville (site 1)	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Water temperature	°C	6.4	6.0	8.9	6.8
Specific conductance	umho/cm at 25° C	647	1,215	607	887
Dissolved oxygen	mg/L	5.4	5.2	8.3	9.3
pH	--	7.9	7.9	8.1	7.5
Discharge	ft <sup>3</sup> /sec	<.1	<.1	0	9
Suspended-sediment concentration	mg/L	86	123	121	48
Percent suspended sediment	percent	71	71.5	51.5	91.7
<63 micron					
Streambed-material size:					
>2,000μ	percent	48.7	0	45.2	51.2
1,000 - 2,000μ	percent	14.2	0	6.0	12.2
500 - 1,000μ	percent	14.4	0	6.5	16.7
250 - 500μ	percent	14.5	0	7.7	15.7
125 - 250μ	percent	5.3	0	7.8	3.2
63 - 125μ	percent	1.4	0	7.4	0.4
<63μ	percent	1.5	100	19.4	0.6

Table 25.--Field measurements, Finley Creek and Eagle Creek,  
December 14, 1982

Measurement	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Water temperature	°C	0.8	0.6	1.4
Specific conductance	umho/cm at 25° C	621	630	665
Dissolved oxygen	mg/L	12.8	12.3	12.7
pH	--	8.7	8.4	8.3
Discharge	ft <sup>3</sup> /sec	3.8	25.3	51
Suspended-sediment concentration	mg/L	77	72	89
Percent suspended sediment <63 micron	percent	89.8	85.4	80.8



Table 26.--Field measurements, Finley Creek and Eagle Creek,  
April 13, 1983

Measurement	Units	Finley Creek at Highway 421 near Zionsville (site 2)	Eagle Creek at West 146 St. near Zionsville (site 3)	Eagle Creek at 100 North Road near Indianapolis (site 4)
Water temperature	°C	10.8	11.3	11.2
Specific conductance	umho/cm at 25° C	341	410	490
Dissolved oxygen	mg/L	---	---	---
pH	--	---	---	---
Discharge	ft <sup>3</sup> /sec	44	203	410
Suspended-sediment concentration	mg/L	712	245	229
Percent suspended sediment <63 micron	percent	83.1	91.1	88.9

Appendix 1.--Water-quality survey of Eagle Creek and tributaries upstream from Eagle Creek Reservoir, August 25-26, 1980  
A. Concentrations of selected metals and nonmetals on streambed material (<63-micron fraction)

[ug/g=microgram per gram]

Constituent	Units	Eagle Creek at 300 North Road (site 1)	Ditch to Finley East Road (site 2)	Finley Creek at 1100 East Road (site 3)	Finley Creek at Hwy 421 (site 4)	Mounts Run at 950 East Road (site 5)	Jackson Run at North 68th Road (site 6)	Little Eagle Creek at 121st St. West (site 7)	Eagle Creek at Willow Avenue (site 8)	Eagle Creek below High School Avenue (site 9)	Eagle Creek at Lafayette Road (site 10)	Fishback Creek at Wilson Road (site 11)
Aluminum 1	ug/g	3,900	7,100	7,000	4,600	4,000	3,600	4,400	4,100	5,100	8,100	3,900
Arsenic 2	ug/g	<1	3	2	1	<1	<1	<1	<1	2	<1	<1
Barium 3	ug/g	110	160	130	100	90	130	110	100	80	130	100
Cadmium 1	ug/g	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Chromium 2	ug/g	10	60	13	10	10	10	20	10	20	30	30
Copper 2	ug/g	20	20	20	20	10	20	10	20	20	30	20
Iron 2	ug/g	9,500	14,000	14,000	13,000	8,400	10	8,200	8,400	11,000	20,000	7,000
Lead 1	ug/g	20	80	30	50	20	20	20	40	30	30	30
Manganese 2	ug/g	530	710	470	590	490	520	500	450	430	700	470
Mercury 4	ug/g	<.01	<.01	<.01	<.01	<.01	<.01	<.01	<.01	<.01	<.01	<.01
Selenium 2	ug/g	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Silver 2	ug/g	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Zinc 2	ug/g	48	79	70	76	46	50	46	49	56	87	47

1 Detection limit=10 ug/g.

2 Detection limit=1 ug/g.

3 Detection limit=2.5 ug/g.

4 Detection limit=0.01 ug/g.

B. Concentrations of organochlorine insecticides on streambed material (<63-micron fraction)

Aldrin 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chlordane 2	ug/kg	7	<1	9	19	29	22	8	23	3	9	9
DDD 1	ug/kg	<0.1	<0.1	0.6	<0.1	<0.1	<0.1	<0.1	1.2	0.8	<0.1	<0.1
DDE 1	ug/kg	<0.1	<0.1	0.7	<0.1	<0.1	<0.1	0.7	1.5	<0.1	<0.1	<0.1
DDT 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Dieldrin 1	ug/kg	3.1	<0.1	3.7	4.1	19	17	5.7	13	8.9	2.5	9.2
Endosulfan 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Endrin 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Heptachlor-epoxide 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Heptachlor 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Lindane 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Mirex 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Methoxychlor 1	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
PCB (total) 2	ug/kg	1	10	10	120	3	2	2	31	7	28	3
PCN (total) 2	ug/kg	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Perthane 2	ug/kg	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Toxaphene 3	ug/kg	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

1 Detection limit=0.1 ug/kg.

2 Detection limit=1 ug/kg.

3 Detection limit=10 ug/kg.

Appendix 1.--Water-quality survey of Eagle Creek and tributaries upstream from Eagle Creek Reservoir, August 25-26, 1980--(Continued)  
C. Concentrations of organophosphorus insecticides on streambed material (<63-micron fraction)

Constituent	Units	Eagle Creek at 300 North Road (site 1)	Finley Creek at 1100 East Road (site 2)	Finley Creek at Hwy 421 (site 3)	Finley Creek at 950 East Road (site 4)	Mounts Run at North 68th Road (site 5)	Jackson Run at 121st St. West (site 6)	Little Eagle Creek at Willow Avenue (site 7)	Eagle Creek below High School Avenue (site 8)	Eagle Creek at Lafayette Road (site 9)	Fishback Creek at Wilson Road (site 10)	Fishback Creek at Wilson Road (site 11)
Diazinon	ug/kg	<0.1	2.4	2.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Etion	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Malathion	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Methylparathion	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Methyltrithion	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Parathion	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Trithion	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

1 Detection limit=0.1 ug/kg.

D. Concentrations of chlorinated-phenoxy and acid herbicides on streambed material (<63 micron-fraction)

Silvix	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
2,4D	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
2,4DP	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
2,4,5-T	ug/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

1 Detection limit=0.1 ug/kg.

Appendix 1.--Water-quality survey of Eagle Creek and tributaries upstream from Eagle Creek Reservoir, August 25-26, 1980--(Continued)  
E. Concentrations of nutrients on streambed material (<63-micron fraction)

Constituent	Units	Eagle Creek at 300 North Road (site 1)	Finley Creek at 1100 East Road (site 3)	Finley Creek at Hwy 421 (site 4)	Mounts Run at 950 East Road (site 5)	Jackson Run at North 68th Road (site 6)	Little Eagle Creek at 121st St. West (site 7)	Eagle Creek at Willow Avenue (site 8)	Eagle Creek below High School Avenue (site 9)	Eagle Creek at Lafayette Road (site 10)	Fishback Creek at Wilson Road (site 11)
Inorganic carbon (total) 1	g/kg	26	15	18	23	16	16	18	16	28	15
Organic carbon (total) 1	g/kg	36	36	36	41	36	33	36	39	42	38
Phosphorus (total) 2	g/kg	590	690	560	700	530	520	670	680	500	540
Nitrogen (total) 3	g/kg	4,900	6,400	4,100	7,300	28,000	7,100	6,400	6,700	6,600	7,200
Oil and grease (total) 1	g/kg	0	0	0	0	0	0	0	0	0	0
Cyanide 4	ug/g	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5

F. Field measurements and streambed-material-size analyses

Water temperature	°C	19.7	20.9	20.8	22.1	23.0	22.2	21.8	23.5	29.4	23.8
Specific conductance AT 25° C	umho/cm2	689	628	635	621	681	710	634	638	554	670
Dissolved oxygen	mg/L	9.3	5.4	9.4	10.4	11.3	10.6	10.2	10.4	28.0	11.6
pH	--	7.7	7.6	7.8	8.0	8.2	8.1	8.0	7.9	9.4	8.3
Streambed material size:											
>2000µ (gravel)	percent	30.3	0.2	42.5	0.2	40.5	56.2	7.3	5.6	53.2	78
1000 - 2000µ	percent	20.6	12.0	18.7	5.0	28.1	14.6	8.5	18.8	15.9	7.5
500 - 1000µ	percent	21.2	13.5	19.7	40.4	18.8	13.5	25.1	37.1	8.8	6.1
250 - 500µ (sand)	percent	20.2	10.5	14.7	45.0	9.5	10.5	47.7	33.4	8.9	5.2
125 - 250µ	percent	6.6	16.4	3.5	7.3	2.4	3.8	10.2	4.7	9.1	2.0
63 - 125µ	percent	0.8	10.1	0.5	1.4	0.5	0.8	0.7	0.2	2.1	0.5
<63µ (silt/clay)	percent	0.3	37.3	0.4	0.7	0.2	0.6	0.5	0.2	2.0	0.7

1 Detection limit varies with amount of sample analyzed.

2 Detection limit=40 mg/kg.

3 Detection limit=1 mg/kg.

4 Detection limit=0.5 ug/g.

Appendix 1.--Water-quality survey of Eagle Creek and tributaries upstream from Eagle Creek Reservoir, August 25-26, 1980--(continued)

G. GC/MS base-neutral scan of streambed material  
( $<63$ -micron fraction)

The following are results of a GC/MS base neutral scan of priority pollutants on streambed materials ( $<63$  micron) collected from Eagle Creek watershed August 25-26, 1980. Methylene chloride was used as the extraction solvent. The extract was concentrated to 1.0 ml, and approximately 4 microliters of the concentrate was analyzed. No priority pollutants were identified; however, several closely related compounds were identified and some were quantified. Minimum detection limits are approximately 2.0  $\mu\text{g/kg}$ .

- Site 1 -- One peak was identified as a phthalate; seven peaks were identified as alcohols; and thirteen peaks were identified as straight-chain, branched, and cyclic hydrocarbons.
- Site 2 -- Concentration of strobane (related to Toxaphene) was 98.1  $\mu\text{g/kg}$ . Five peaks were identified as hydrocarbons or complex alcohols.
- Site 3 -- One peak was identified as 1,4-dimethoxybenzene, and nine other peaks were identified as acetaldehyde derivatives or complex alcohols.
- Site 4 -- Traces of dimethyl and trimethyl phenanthrene were identified. Concentration of strobane was 97.1  $\mu\text{g/kg}$ .
- Site 5 -- Traces of nitrobenzene, 1,4-dimethoxybenzene, and acetaldehyde derivatives were identified.
- Site 6 -- One peak was identified as an acetaldehyde derivative, one as a fluorophenyl compound, and one as a benzenediol.
- Site 7 -- Nothing was detected.
- Site 8 -- Four peaks were identified as alcohols, and six were identified as branched or straight-chain hydrocarbons.
- Site 9 -- Phenol was identified in trace concentrations. Seven other peaks were identified as alcohols and ketones.
- Site 10 -- Three peaks were identified as alcohols, seven as straight-chain, branched, and cyclic hydrocarbons, and one as a complex ester.
- Site 11 -- Trimethyloenzenes were identified in trace concentrations. Four peaks were identified as hydrocarbons or complex organic acids.

Appendix 2.--Drinking-water standards for selected inorganic and organic chemicals

[Source, U.S. Environmental Protection Agency (1975, 1979a, 1979b)]

National Interim Primary Drinking Water Regulations

	Constituent	Concentration (ug/L)
<u>Inorganic:</u>	Arsenic	50
	Barium	1,000
	Cadmium	10
	Chromium	50
	Cyanide	200
	Lead	50
	Mercury	2
	Selenium	10
	Silver	50
<u>Organic:</u>	Bromoform	100
	Chloroform	100
	Endrin	0.2
	Lindane	4
	Methoxychlor	100
	Toxaphene	5

National Secondary Drinking Water Regulations

	Constituent or property	Concentration (ug/L)
	Copper	1,000
	Iron	300
	Manganese	50
	pH	1 6.5 - 8.5
	Zinc	5,000

<sup>1</sup> Not microgram per liter. pH is the negative logarithm of the hydrogen ion concentration.

Appendix 3.--Select organic compounds whose concentrations exceeded background concentrations in Finley and Eagle Creek, October and December, 1982

[Source, Windholz, Martha, ed., 1976]

Constituent	Uses	Public Health Concern
bis (2-Chloroethyl) ether	Solvent for oils, fats, greases; purification of oils; scouring textiles; insecticidal fumigant in soils.	Irritating to skin, eyes, mucous membrane.
bis (2-Ethylhexyl) phthalate	Used in vacuum pumps.	--
Diazinon	Insecticide.	Cholinesterase inhibitor.
1,2-Dichlorobenzene	Solvent for waxes, gums, resins, tars, rubbers, oils, asphalts; insecticide for termites and locust borers; degreaser.	May cause liver or kidney injury; high concentrations cause central nervous system (CNS) depression.
1,1-Dichloroethane	--	Narcotic in high concentration.
1,1-Dichloroethylene	Intermediate in the production of vinylidene polymer plastics such as Saran and Velon.	Irritating to skin and mucous membranes; narcotic in high concentration; may cause liver and kidney injury.
1,2-trans-Dichloroethylene	Solvent for fats, phenol, camphor; retards fermentation.	Irritant and narcotic in high concentration.
Diethyl phthalate	Solvent for cellulose acetate in the manufacture of varnishes and dopes; fixative for perfumes; denaturing alcohol.	Irritation to mucous membranes; narcotic in high concentrations.
2,4-Dimethylphenol	Preparation of coal tar disinfectants; manufacture of artificial resins.	--

Appendix 3.--Select organic compounds whose concentrations exceeded background concentrations in Finley and Eagle Creek, October and December, 1982--(Continued)

Constituent	Uses	Public Health Concern
Dimethyl phthalate	Solvent and plasticizer for cellulose acetate and cellulose acetate-butyrate compositives; insect repellant for personal use.	Irritating to eyes and mucous membranes; can cause CNS depression when ingested; not irritating to or absorbed through skin.
Di-n-butyl phthalate	Insect repellant for impregnation on clothing.	--
n-Nitrosodimethylamine	Found in trace amounts in tobacco smoke condensates.	Carcinogenic; fatal poison; causes liver injury.
PCB (Total)	Coolant in capacitors and transformers; carbonless carbon paper; electromagnets and voltage regulators in fluorescent light fixtures	Causes liver injury; suspected carcinogen; acute dose causes chloracne, headaches, nausea, and diarrhea.
Phenol	Disinfectant; manufacture of artificial resins, medical and industrial organic compounds and dyes; used as reagent in chemical analysis.	May cause nausea, vomiting, etc., average fatal dose is 15 g but as little as 1 g has caused death; poisoning may occur by skin adsorption.
Tetrachlorethylene	Degreasing metals; dry cleaning; solvents.	Narcotic in high concentrations; defatting action on skin can cause dermatitis.
Toluene	Manufacture of benzoic acid, benzaldehyde, explosives, dyes, and other organic compounds; solvent in extraction of various principles from plants.	Narcotic in high concentrations.



Appendix 3.--Select organic compounds whose concentrations exceeded background concentrations  
in Finley and Eagle Creek, October and December, 1982--(Continued)

Constituent	Uses	Public Health Concern
1,1,1-Trichloroethane	Cold type metal cleaning; cleaning plastic molds.	Narcotic in high concentrations; irritating to eyes and mucous membranes.
1,1,2-Trichloroethane	Solvent for fats, waxes, natural resins, and alkaloids.	Irritating to eyes and mucous membranes; narcotic in high concentrations.
Trichloroethylene	Solvent for fats, waxes, resins, oils, rubber, paint, varnish, cellulose esters and ethers; degreaser; manufacture of organic chemicals and pharmaceuticals such as chloroacetic acid.	Moderate exposure may be similar to alcohol inebriation; narcotic in high concentration; caused deaths by ventricular fibrillation.