

FLOW DURATION AT STREAMFLOW GAGING STATIONS IN PUERTO RICO

By Ferdinand Quiñones, Eloy Colón-Dieppa, and Max Juarbe

U.S. GEOLOGICAL SURVEY

Open-File Data Report 84-127

**Prepared in Cooperation with the
PUERTO RICO AQUEDUCT AND SEWER AUTHORITY
AND THE
PUERTO RICO ENVIRONMENTAL QUALITY BOARD**



**San Juan, Puerto Rico
1984**

UNITED STATES DEPARTMENT OF THE INTERIOR

WILLIAM P. CLARK, Secretary

GEOLOGICAL SURVEY

Dallas L. Peck, Director

For additional information
write to:

Chief, Caribbean District, WRD
U.S. Geological Survey
GPO Box 4424
San Juan, PR 00936
(Telephone: (809) 753-4414)

Copies of this report
can be purchased from:

Open-File Services Section
Western Distribution Branch
U.S. Geological Survey
Box 25425, Federal Center
Denver, Colorado 80225
(Telephone: (303) 234-5888)

CONTENTS

	Page
Abstract.....	1
Introduction.....	1
Significance and interpretation of flow-duration data.....	2
Historical and monthly flow-duration tables.....	4
Flow-duration tables.....	6
References.....	92
Index.....	93

ILLUSTRATIONS

<p>Figure 1. Graph showing flow-duration curves for Río Grande de Loíza at Caguas, P.R. (50055000).....</p>	5
<p>2. Map of gaging stations used in this report.....</p>	7

TABLES

	Page
Table 1. List of stations for which data are published.....	8-11
2. List of Stations affected by regulation.....	12-13
3-80. Flow Duration tables for:	
3. Río Camuy near Lares.....	14
4. Río Camuy near Camuy.....	15
5. Río Grande de Arecibo near Adjuntas.....	16
6. Río Pellejas below Central Pellejas.....	17
7. Río Pellejas near Utuado.....	18
8. Río Viví near Central Pellejas.....	19
9. Río Caonillas near Utuado	20
10. Río Tanamá near Utuado.....	21
11. Río Grande de Arecibo at Central Cambalache....	22
12. Río Grande de Manatí near Morovis.....	23
13. Río Sanamuerto near Orocovis.....	24
14. Río Toro Negro at Lago El Guineo.....	25
15. Río Matrullas at Lago Matrullas.....	26
16. Río Bauta near Divisoria.....	27
17. Río Bauta near Orocovis.....	28
18. Río Grande de Manatí at Ciales.....	29
19. Río Grande de Manatí at Hwy. 2.....	30
20. Río Cibuco below Corozal.....	31
21. Río Cibuco at Vega Baja.....	32
22. Río Cibuco at Central San Vicente.....	33
23. Río de la Plata at Lago Carite.....	34
24. Río de la Plata at Proyecto La Plata.....	35
25. Río Lajas at Toa Alta.....	36
26. Río de la Plata at Toa Alta.....	37
27. Río de Bayamón near Bayamón.....	38
28. Río de Bayamón at Bayamón.....	39
29. Río Piedras at Río Piedras.....	40
30. Río Grande de Loíza at Quebrada Arenas.....	41
31. Río Cayaguas at Cerro Gordo.....	42
32. Río Grande de Loíza at Caguas.....	43
33. Río Valenciano near Juncos.....	44
34. Río Gurabo at Gurabo.....	45
35. Río Canovanillas near Loíza.....	46
36. Río Canóvanas near Campo Rico.....	47
37. Río Herrera near Colonia Dolores.....	48
38. Río Espíritu Santo above El Verde.....	49
39. Río Espíritu Santo near El Verde.....	50
40. Río Espíritu Santo near Río Grande.....	51
41. Río Grande near El Verde.....	52
42. Río Mameyes near Sabana.....	53
43. Río Mameyes at Hwy. 191 at Mameyes.....	54
44. Río Sabana at Sabana.....	55
45. Río Fajardo near Fajardo.....	56

TABLES-Continued

	Page
Tables 3-80. Flow Duration tables for: (Continued)	
46. Río Fajardo at Fajardo.....	57
47. Quebrada Palma at Dagua.....	58
48. Río Icacos near Naguabo.....	59
49. Río Blanco at Río Blanco.....	60
50. Río Humacao at Las Piedras.....	61
51. Río Guayanés near Colonia Laura.....	62
52. Río Maunabo at Lizas.....	63
53. Río Grande de Patillas near Patillas.....	64
54. Río Grande de Patillas at Lago Patillas.....	65
55. Río Descalabrado near Los Llanos.....	66
56. Canal de Aceituna at Villaba.....	67
57. Río Toa Vaca near Villalba.....	68
58. Río Jacaguas near Juana Díaz.....	69
59. Río Inabón at Real Abajo.....	70
60. Río Cerrillos near Ponce.....	71
61. Río Bucaná at Playa de Ponce.....	72
62. Río Portugués near Ponce.....	73
63. Río Tallaboa at Peñuelas.....	74
64. Río Tallaboa at Tallaboa.....	75
65. Río Guayanilla near Guayanilla.....	76
66. Río Yauco at Lucchetti Dam Site.....	77
67. Río Duey above Diversion near Yauco.....	78
68. Río Yauco above Diversion Monserrate near Yauco	79
69. Río Yauco near Yauco.....	80
70. Río Loco near Yauco.....	81
71. Río Loco near Guánica.....	82
72. Río Duey near Rosario.....	83
73. Río Rosario at Rosario.....	84
74. Río Guanajibo near Hormigueros.....	85
75. Río Blanco near Adjuntas.....	86
76. Río Guayo near Lares	87
77. Río Prieto near Lares.....	88
78. Río Grande de Añasco near San Sebastián.....	89
79. Río Grande de Añasco at El Espino.....	90
80. Río Culebrinas near Moca.....	91

CONVERSION TABLE

<u>Multiply inch-pound units</u>	<u>By</u>	<u>To obtain SI units</u>
<u>FLOW</u>		
cubic feet per second (³ ft/s) (ft ³ /s)	0.02832	cubic meters per second (m ³ /s)



FLOW DURATION

AT STREAMFLOW GAGING STATIONS IN PUERTO RICO

By Ferdinand Quiñones, Eloy Colón-Dieppa, and Max Juarbe

ABSTRACT

Flow-duration tables were computed for 78 streamflow continuously gaging stations in Puerto Rico. Mean-daily discharges were used to compute the duration frequencies for the historical period of record of the stations as well as for individual months. The period of record at the gaged sites ranged from 3 to 25 years.

INTRODUCTION

The U.S. Geological Survey, Water Resources Division, has collected streamflow data throughout the island of Puerto Rico since 1959. Streamflow data include determinations of mean-daily discharges at recording stations at the principal streams in Puerto Rico. The data have been published since 1964 in a series of reports denominated "Water Records for Puerto Rico".

The data are stored in the Water Resources Division's National Water Storage and Retrieval System (WATSTORE). The data base can be accessed readily by water users in and outside of the Island through remote terminals located at U.S. Geological Survey District offices. The computerized WATSTORE system provides a variety of statistical programs for the analyses of the data. A flow-duration computation program, including determinations of historical and monthly-duration frequencies, is one of the available programs.

INTRODUCTION-Continued

Flow-duration data are used extensively by engineers and hydrologists in many water-related problems. Flow-duration frequencies can assist in the design of water-supply works, in waste-allocation studies, and in low-flow investigations.

In 1983, a project was begun in cooperation with the Puerto Rico Aqueduct and Sewer Authority and the Puerto Rico Environmental Quality Board, to compute and compile in one report historical and monthly flow-duration data. Computations utilizing WATSTORE program A969 were made for each continuous recording gaging station in Puerto Rico, active or inactive, for which 3 or more years of mean-daily discharge records were available. All records available through the 1982 water year (ending on September 30, 1982) were utilized in the computations.

SIGNIFICANCE AND INTERPRETATION OF FLOW-DURATION DATA

Flow-duration data, in the form of curves, have been used since 1924 (Foster, 1924). The methodology on which WATSTORE program A969 is based is described by Searcy (1959). The duration curve is a cumulative-frequency curve that indicates the percent of the time that a particular parameter was equalled or exceeded. Statistically, the flow-duration curve integrates the frequency of occurrence of the parameter described. The duration curve does not indicate any chronological order and technically applies only for the period for which the data used in the analyses were collected. In practice, flow-duration curves are widely used for estimating flow parameters over time and space.

SIGNIFICANCE AND INTERPRETATION OF FLOW-DURATION DATA-Continued

Flow duration curves can be prepared from daily, weekly, monthly or other time period basis of flow determinations. The data points during a given period are arranged according to the magnitude in a range of classes, and the percent of time during which the flow equals or exceeds the specified values is computed. A curve can be drawn through the computed points or the data can be summarized in a table format as in this report.

The following are typical applications of flow-duration data:

1. Computation of suspended-sediment loads utilizing techniques described by Miller (1951).
2. Estimation of long-term flow durations at a gaging station with a short-term record. An index station with long-term flow duration data is necessary (Searcy, 1959).
3. Estimation of statistical variables such as the mean, mode, and median (Cross and Hedges, 1959).
4. Study of basin characteristics on the basis of the shape of the curve (Searcy, 1959).

HISTORICAL AND MONTHLY FLOW-DURATION TABLES

Generally the flow-duration distribution for a station is computed from the maximum number of flow determinations available for the existing period of record. The mean-daily discharges computed from a continuously recording gaging station provides the most satisfactory flow statistics to determine a reliable distribution through the entire flow regime. However, a distribution or curve defined on the basis of the total data points available from the historical record, does not provide information as to time and seasonal effects. The seasonal nature of the streamflow can be investigated from a partial-duration curve based on data points collected during individual months. In a partial-duration curve, all the mean-daily discharges for all of the months of January of record are used to define a January flow-duration curve.

Examples of historical flow-duration curve compared to the partial curves for the individual months are shown in figure 1. The seasonal nature of the flow is evident from the partial-duration curves. During periods of low flow the difference is more significant. The 50 percent duration obtained from the historical curve used in the example is about 110 cubic feet per second (ft^3/s). However, the same duration is only 55 ft^3/s during the dry season (April curve), and 170 ft^3/s during the wet season (October curve).





Figure 1.--Flow-duration curves for Rio Grande de Loiza at Caguas, PR (50055000) based on historical mean daily discharges and individual months, 1959-82.

FLOW-DURATION TABLES

The flow-duration frequency tables were prepared for the stations listed in table 1 and are shown in tables 3 to 80. Stations affected by streamflow regulation are shown in table 2. The general location of the stations, referenced to map numbers, are shown in figure 2. Station numbers refer to the system of 8 digits utilized by the U.S. Geological Survey. In this system, the number "50031200" represents a station, where the first two digits ("50") refer to stations in Puerto Rico. The remaining six digits "031200" represent the local station number, based on a numbering system that increases in a downstream order. In Puerto Rico the local numbering system starts in the Río Guajataca basin and increases in a clockwise manner around the Island.

Data listed as prior to 1959 is unpublished data furnished by the Puerto Rico Water Resources Authority, and is on file in the Caribbean District office and in the National Water Data Storage and Retrieval System, Washington, D.C.

Additional data and information on any of the stations described in this report may be available from the Caribbean District office of the U.S. Geological Survey, Water Resources Division, in San Juan, Puerto Rico (tel. 809 753-4414).



**Figure 2.--Location of gaging stations used in this report.
(Map numbers refer to table I.)**

Table 1.-- Stations for which data are published.

MAP NO.	STATION NUMBER	LATITUDE	LONGITUDE	STATION NAME	DRAINAGE AREA, sq. mi.	PERIOD OF RECORD	REMARKS
1	50013000	181749	664931	Rio Camuy near Lares, PR	7.62	May 1968 Jun 1971	
2	50016000	182829	664946	Rio Camuy near Camuy, PR	N/A	May 1969 Dec 1973	
3	50020500	181054	664412	Rio Grande de Arecibo near Adjuntas, PR	13.70	Nov 1946 Apr 1950	Regulated
4	50021050	181222	664213	Rio Pellejas below Central Pellejas, PR	7.89	Aug 1971 Dec 1974	Regulated
5	50021500	181353	664256	Rio Pellejas near Utuado, PR	9.55	Jul 1969 Dec 1974	
6	50023000	181252	664025	Rio Vivi near Central Pellejas, PR	5.66	Jul 1969 Dec 1974	
7	50026100	181522	663917	Rio Caonillas near Utuado, PR	43.90	Jun 1943 Dec 1948	
8	50028000	181802	664658	Rio Tanama near Utuado, PR	18.40	Dec 1959 Current	
9	50029000	182720	664210	Rio Grande de Arecibo at Central Cambalache, PR	200 e	May 1969 Current	Regulated
10	50031200	181745	662447	Rio Grande de Manati near Morovis, PR	55.20	Jan 1965 Current	Regulated
11	50031500	181614	662447	Rio Sanamuerto near Orocovis, PR	3.68	Apr 1965 Oct 1970	Regulated
12	50032300	180942	663138	Rio Toro Negro at Lago El Guineo, PR	1.64	Oct 1949 Dec 1958	Regulated
13	50032600	181245	662850	Rio Matrullas at Lago Matrullas, PR	4.46	Oct 1949 Dec 1958	Regulated
14	50033500	181145	662630	Rio Bauta near Divisoria, PR	3.60	Jan 1949 Sep 1954	
15	50034000	181410	662718	Rio Bauta near Orocovis, PR	16.70	Oct 1969 Oct 1982	
16	50035000	181926	662736	Rio Grande de Manati at Ciales, PR	128.00	Sep 1946 Sep 1953 May 1956 Dec 1957 Oct 1960 Dec 1970 Jan 1973 Current	Regulated
17	50038100	182552	663137	Rio Grande de Manati at Hwy 2 near Manati, PR	197.00	Jan 1970 Current	Regulated
18	50038320	182113	662007	Rio Cibuco below Corozal, PR	15.10	May 1969 Current	
19	50039500	182653	662229	Rio Cibuco at Vega Baja, PR	99.10	Jan 1973 Current	Regulated
20	50039600	182742	662156	Rio Cibuco at Central San Vicente, PR	100 e	Mar 1969 Jun 1972	Regulated

Table 1.--Stations for which data are published. (Continued)

MAP NO.	STATION NUMBER	LATITUDE	LONGITUDE	STATION NAME	DRAINAGE AREA, sq. mi.	PERIOD OF RECORD	REMARKS
21	50040000	180422	660623	Rio de La Plata at Lago Carite, PR	8.20	Oct 1949 Dec 1967	Regulated
22	50043000	180937	661344	Rio de La Plata at Proyecto La Plata, PR	54.80	Apr 1960 Current	Regulated
23	50045700	182328	661528	Rio Lajas at Toa Alta, PR	8.40	Oct 1966 Dec 1974	
24	50046000	182350	661517	Rio de La Plata at Toa Alta, PR	200.00	Jan 1960 Current	Regulated
25	50047850	182038	660813	Rio de Bayamon near Bayamon, PR	41.80	Sep 1964 Oct 1970	Regulated
26	50048000	182353	660825	Rio de Bayamon at Bayamon, PR	71.90	Oct 1962 Dec 1966 Jan 1974 Dec 1974	Regulated
27	50049000	182348	660324	Rio Piedras at Rio Piedras, PR	12.50	Jul 1971 Oct 1982	Regulated
28	50050900	180710	655922	Rio Grande de Loiza at Quebrada Arenas, PR	6.00	Oct 1977 Current	
29	50051310	180927	655729	Rio Cayaguas at Cerro Gordo, PR	10.20	Sep 1977 Current	Regulated
30	50055000	181433	660034	Rio Grande de Loiza at Caguas, PR	89.80	Dec 1959 Current	
31	50056400	181258	655534	Rio Valenciano near Juncos, PR	16.40	Jan 1971 Current	
32	50057000	181530	655805	Rio Gurabo at Gurabo, PR	60.20	Oct 1959 Current	
33	50061300	182113	655500	Rio Canovanillas near Loiza, PR	14.40	Jan 1967 Dec 1973	
34	50061800	181908	655321	Rio Canovanas near Campo Rico, PR	9.84	Mar 1967 Current	
35	50062500	182102	655200	Rio Herrera near Colonia Dolores, PR	2.75	Jul 1966 Dec 1973	
36	50063250	181840	654919	Rio Espiritu Santo above El Verde, PR	2.13	Jul 1945 Dec 1952	
37	50063300	181851	654922	Rio Espiritu Santo near El Verde, PR	2.23	Mar 1967 Dec 1973	
38	50063800	182137	654849	Rio Espiritu Santo near Rio Grande, PR	8.62	Aug 1966 Current	
39	50064200	182043	655030	Rio Grande near El Verde, PR	7.31	May 1967 Dec 1970 Jan 1972 Oct 1982	
40	50065500	181946	654504	Rio Mameyes near Sabana, PR	6.88	Aug 1967 Dec 1973	

Table 1.--Stations for which data are published. (Continued)

MAP NO.	STATION NUMBER	LATITUDE	LONGITUDE	STATION NAME	DRAINAGE AREA, sq. mi.	PERIOD OF RECORD	REMARKS
41	50065700	182233	654614	Rio Mameyes at Hwy 191 at Mameyes, PR	11.80	Cct 1955 Current	
42	50067000	181952	654352	Rio Sabana at Sabana, PR	3.96	Cct 1979 Current	
43	50071000	181756	654142	Rio Fajardo near Fajardo, PR	14.90	Apr 1961 Current	Regulated
44	50072000	181911	653907	Rio Fajardo at Fajardo, PR	21.60	Aug 1960 Sep 1966	
45	50073400	181316	654130	Quebrada Palma at Dasuaor, PR	4.34	Aug 1972 Sep 1977	
46	50075000	181638	654709	Rio Icacos near Naguebo, PR	1.26	Jul 1945 Mar 1953 Oct 1979 Current	
47	50077000	181309	654657	Rio Blanco at Rio Blanco, PR	17.60	Sep 1972 Sep 1977	Regulated
48	50091000	181027	655211	Rio Humacao at Las Piedras, PR	6.65	Jul 1974 Sep 1977	
49	50092300	180455	655732	Rio Guayanes near Colonia Laura, PR	4.69	Jan 1969 Sep 1982	
50	50090500	180138	655624	Rio Maunabo at Lizas, PR	5.39	Feb 1971 Current	
51	50092000	180204	660158	Rio Grande de Patillas near Patillas, PR	13.30	Jan 1965 Current	
52	50093050	180115	660119	Rio Grande de Patillas at Lago Patillas, PR	25.60	Oct 1949 Dec 1958	
53	50108000	180308	662534	Rio Descalabrado near Los Llanos, PR	12.90	Jan 1966 Jun 1969	Intermittent
54	50110200	180948	663017	Canal de Aceituna at Villalba, PR	N/A	Jan 1966 Dec 1973	Regulated
55	50111200	180617	662852	Rio Toa Vaca near Villalba, PR	21.40	Jan 1966 Sep 1970	Regulated
56	50111700	180203	663031	Rio Jacaguas near Juana Diaz, PR	53.20	Jan 1966 Dec 1968 May, Jun 1969 Oct, Nov	Regulated
57	50112500	180510	663346	Rio Inabon at Real Abajo, PR	9.70	Jul 1964 Jul 1970 Apr 1971 Current	Regulated
58	50114000	180415	663451	Rio Carrillos near Ponce, PR	17.30	May 1964 Current	
59	50114700	175910	663552	Rio Bucana at Playa de Ponce, PR	23.40	Mar 1964 Dec 1967	Regulated
60	50115000	180445	663803	Rio Portugues near Ponce, PR	8.82	Jul 1964 Current	

Table 1.--Stations for which data are published. (Continued)

MAP NO.	STATION NUMBER	LATITUDE	LONGITUDE	STATION NAME	DRAINAGE AREA, sq. mi.	PERIOD OF RECORD	REMARKS
61	50121000	180302	664319	Rio Tallaboa at Panuelas, PR	24.20	Jan 1959 Apr 1971	Regulated
62	50122000	180331	664349	Rio Tallaboa at Tallaboa, PR	31.50	Apr 1959 Dec 1962	Regulated
63	50124000	180252	664807	Rio Guayanilla near Guayanilla, PR	18.50	Jan 1961 Dec 1969	
64	50125790	180537	665154	Rio Yauco at Luchetti Dam Site, PR	17.40	Jul 1946 Feb 1952	Regulated
65	50125900	180411	665047	Rio Duey above Diversion near Yauco, PR	9.93	Oct 1976 Oct 1980	Regulated
66	50126150	180258	665030	Rio Yauco above Diversion Monserrate nr Yauco, PR	27.20	Nov 1976 Current	Regulated
67	50128000	175919	664955	Rio Yauco near Yauco, PR	45.50	Jun 1961 Dec 1963 Nov 1976 Current	Regulated
68	50129000	180231	665318	Rio Loco near Yauco, PR	8.50	Jan 1963 Jun 1967	Regulated
69	50129500	175938	665459	Rio Loco near Guánica, PR	21.00	Jan 1963 Dec 1968	Regulated
70	50133300	180252	670337	Rio Duey near Rosario, PR	4.42	Jul 1960 Jan 1965	
71	50136000	181022	670431	Rio Rosario at Rosario, PR	16.40	Jun 1960 Dec 1965 May 1975 Current	
72	50138000	180836	670857	Rio Guanajibo near Hormigueros, PR	120.00	Jan 1973 Current	
73	50141000	181219	664801	Rio Glanco near Adjuntas, PR	15.40	Jul 1946 Sep 1957 Oct 1958 Dec 1966 Jun 1980 Current	
74	50141600	181323	664956	Rio Guayo at mouth near Lares, PR	10.10	Dec 1943 Jan 1954	
75	50142700	181150	665255	Rio Prieto near Lares, PR	14.20	Oct 1949 Sep 1957	
76	50144000	181705	670305	Rio Grande de Anasco near San Sebastian, PR	134.00	Apr 1963 Current	Regulated
77	50145000	181650	570647	Rio Grande de Anasco at El Espino, PR	148.00	Dec 1959 Mar 1965 Nov 1965 Dec 1966	Regulated
78	50147800	182142	670533	Rio Culebrinas at Hwy 104 near Moca, PR	71.20	Jul 1967 Current	

N/A - Drainage Area not available

e - Drainage Area estimated

Table 2.--Stations affected by regulation.

STATION NUMBER	DESCRIPTION OF REGULATION (See Table 1)
50020500	Drainage area includes 6.0 square miles above Lago Garzas. Low flow affected by diversion out of Lago Garzas to Rio Guayanes.
50021050	Low flow affected by diversion into the basin upstream from site and also flow is regulated 0.7 miles downstream at Pellejas Dam.
50029000	Low flow affected by regulation at Lago Dos Socas, 8.3 miles upstream.
50031200	Low flow affected by diversion for water supply, 300 feet upstream.
50031500	Low flow affected by regulation.
50032300	Low flow affected by regulation and diversion.
50032600	Low flow affected by regulation and diversion.
50035000	Low flow affected by regulation and diversion.
50038100	Low flow affected by regulation and diversion.
50039500	Drainage area includes 25.4 square miles not contributing to surface runoff.
50039600	Drainage area includes 25.4 square miles not contributing to surface runoff.
50040000	Low flow affected by diversion for domestic water supply and irrigation.
50043000	Low flow affected by diversion into Cidra Reservoir 5 miles upstream.
50046000	Low flow affected by diversion upstream for domestic water supply and irrigation.
50047850	Low flow affected by regulation (at Lago de Cidra) and diversion (at Represa de San Juan) upstream from site.
50048000	Low flow affected by regulation (at Lago de Cidra) and diversions (at Represa de San Juan and Represa de Guaynabo) upstream from site.
50049000	Low flow affected by diversion for water supply 0.4 mile upstream.
50051310	Low flow affected by diversion for water supply at gage.
50071000	Low flow affected by diversion for water supply upstream from gage.
50077000	Low flow affected by diversion for water supply upstream from gage.
50112200	Diversion flow - tunnel outlet.

Table 2.--Stations affected by regulation. (Continued)

STATION NUMBER	DESCRIPTION OF REGULATION (See Table 1)
50111200	Low flow affected by regulation downstream at Lago Guayabal.
50111700	Low flow affected by diversion from Lago Guayabal for irrigation.
50112500	Low flow affected by diversion 0.4 mile downstream.
50114700	Low flow affected by diversions for irrigation at and above gage.
50121000	Low flow affected by regulation and diversion for water supply and irrigation upstream from gage.
50122000	Low flow affected by diversion into the basin and diversion for irrigation upstream from gage.
50125790	Low flow affected by regulation, diversions into the basin, and diversions for irrigation at gage.
50125900	Low flow affected by diversion at gage
50126150	Low flow affected by regulation and diversion in and out of Lago Luchetti upstream from gage and it is also affected by diversion for water supply 300 feet downstream from gage.
50128000	Low flow affected diversions in and out of Lago Luchetti, storage regulations, power development, and diversion for irrigation and municipal use.
50129000	Low flow affected by diversion in and out of Lago Loco and diversions for irrigation upstream from gage.
50129500	Low flow affected by diversion in and out of Lago Loco and diversions for irrigation upstream from gage.
50144000	Drainage area includes 39.7 square miles from headwaters of Lago Yahuecas (17.05 square miles), Lago Guayo (9.67 square miles), Lago Prieto (9.50 square miles), and Lago Toro (3.5 square miles) which does not contribute to surface runoff except at high stages. Low flow affected by diversions out to Rio Yauco.
50145000	Drainage area includes 39.7 square miles from headwaters of Lago Yahuecas (17.05 square miles), Lago Guayo (9.67 square miles), Lago Prieto (9.50 square miles), and Lago Toro (3.5 square miles) which does not contribute to surface runoff except at high stages. Low flow affected by diversions out to Rio Yauco.

TABLE 3.--FLOW DURATIONS FOR RIO CAMUY NEAR LARES, PR STATION 50013000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1968-1971 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 360.0	0.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 310.0	0.2	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
>= 270.0	0.2	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
>= 240.0	0.2	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
>= 210.0	0.2	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
>= 180.0	0.5	0.0	2.2	0.0	0.0	0.0	0.0	2.2	1.0	0.0	0.0	0.0	0.0
>= 160.0	0.5	0.0	2.2	0.0	0.0	0.0	0.0	2.2	1.0	0.0	0.0	0.0	0.0
>= 140.0	0.8	1.1	2.2	0.0	0.0	0.0	0.0	3.3	1.0	0.0	0.0	0.0	1.1
>= 120.0	1.5	2.2	3.3	0.0	0.0	0.0	0.0	3.3	5.9	0.0	0.0	0.0	1.1
>= 110.0	1.5	2.2	3.3	0.0	0.0	0.0	0.0	3.3	5.9	0.0	0.0	0.0	1.1
>= 94.0	1.7	3.2	4.4	0.0	0.0	0.0	0.0	3.3	5.9	0.8	0.0	0.0	3.3
>= 82.0	3.2	8.6	6.7	0.0	0.0	0.0	0.0	5.6	11.3	0.8	0.0	0.0	3.3
>= 72.0	4.0	9.7	11.1	0.0	0.0	0.0	0.0	6.7	12.8	1.7	0.0	0.0	3.3
>= 63.0	5.4	12.9	11.1	0.0	0.0	0.0	0.0	11.1	14.7	4.2	0.0	0.0	5.6
>= 55.0	7.2	16.1	17.8	2.2	0.0	0.0	0.0	14.4	17.6	5.0	0.0	0.0	7.8
>= 48.0	10.0	20.4	23.3	3.2	0.0	0.0	0.0	18.9	27.4	7.5	3.2	1.1	10.0
>= 42.0	12.3	25.8	24.4	5.4	1.1	0.0	0.0	21.1	29.4	10.0	4.3	3.2	16.7
>= 37.0	14.6	32.3	28.9	9.7	1.1	0.0	1.1	22.2	34.3	12.5	6.4	4.3	17.8
>= 32.0	18.9	43.0	47.8	14.0	1.1	0.0	2.2	23.3	36.3	15.8	8.6	5.4	26.7
>= 28.0	24.7	55.9	67.8	19.4	1.1	1.2	3.2	24.4	41.2	23.3	9.7	7.5	38.9
>= 25.0	30.3	67.7	83.3	29.0	2.2	2.4	3.2	26.7	42.2	31.7	12.9	11.8	47.8
>= 22.0	38.3	77.4	93.3	50.5	6.4	2.4	4.3	30.0	46.1	47.5	16.1	17.2	67.8
>= 19.0	45.6	86.0	100.0	63.4	12.9	3.6	6.4	35.6	48.0	60.0	31.2	25.8	82.2
>= 17.0	51.4	89.2	100.0	78.5	28.0	4.8	6.4	42.2	49.0	63.3	51.6	35.5	84.4
>= 15.0	59.7	100.0	100.0	85.0	44.1	7.1	9.7	47.8	53.9	71.7	81.7	45.2	87.8
>= 13.0	69.8	100.0	100.0	94.6	66.7	20.2	16.1	57.8	63.7	73.3	90.3	73.1	93.3
>= 11.0	81.0	100.0	100.0	100.0	90.3	47.6	28.0	60.0	80.4	76.7	98.9	92.5	100.0
>= 9.8	83.8	100.0	100.0	100.0	96.8	57.1	36.6	60.0	84.3	76.7	100.0	95.7	100.0
>= 8.6	89.2	100.0	100.0	100.0	100.0	84.5	46.2	62.2	91.2	84.2	100.0	100.0	100.0
>= 7.5	94.2	100.0	100.0	100.0	100.0	100.0	69.9	70.0	92.2	92.5	100.0	100.0	100.0
>= 6.6	95.8	100.0	100.0	100.0	100.0	100.0	82.8	73.3	94.1	94.2	100.0	100.0	100.0
>= 5.7	97.7	100.0	100.0	100.0	100.0	100.0	91.4	84.4	98.0	95.0	100.0	100.0	100.0
>= 5.0	99.5	100.0	100.0	100.0	100.0	100.0	100.0	94.4	100.0	97.5	100.0	100.0	100.0
>= 4.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 4.---FLOW DURATIONS FOR RIO CAMUY NEAR CAMUY, PR STATION 50016000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969-1973 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	3400.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	2900.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	2500.0	0.0	0.7	1.9	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0
>=	2100.0	0.0	1.3	2.6	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0
>=	1800.0	0.6	2.0	2.6	0.0	0.0	0.0	0.8	0.6	0.7	0.0	0.0	0.0
>=	1600.0	0.6	2.7	2.6	0.0	0.0	0.0	1.7	0.6	0.7	0.0	0.0	0.7
>=	1400.0	3.2	3.3	3.2	0.0	0.0	0.0	1.7	0.6	0.7	0.0	0.0	0.7
>=	1200.0	4.5	4.7	3.2	0.0	0.9	0.0	1.7	3.2	0.7	0.0	0.0	2.7
>=	1000.0	8.3	6.0	3.9	0.8	0.9	0.0	2.5	4.5	0.7	0.0	0.0	4.7
>=	860.0	12.2	8.7	4.5	1.6	0.9	0.0	2.5	5.8	1.3	0.0	0.6	7.3
>=	740.0	16.1	11.3	4.5	1.6	0.9	0.0	3.3	8.4	2.7	0.6	0.6	10.7
>=	630.0	17.4	12.0	6.4	1.6	1.8	0.8	4.2	10.3	2.7	1.9	0.6	16.7
>=	540.0	23.2	14.7	7.7	2.4	1.8	1.6	5.0	14.2	3.3	1.9	1.9	20.0
>=	470.0	27.1	17.3	7.7	2.4	1.8	2.4	5.8	17.4	4.7	6.4	1.9	26.0
>=	400.0	34.8	22.0	8.4	4.8	1.8	2.4	10.8	22.6	8.0	7.7	1.9	32.0
>=	340.0	45.2	25.3	9.0	4.8	2.6	4.0	13.3	25.2	9.3	9.0	3.9	39.3
>=	290.0	52.9	29.3	10.3	4.8	2.6	4.0	15.0	27.7	11.3	11.6	5.8	44.7
>=	250.0	58.9	36.0	12.9	5.6	3.5	5.4	19.2	31.0	12.7	14.8	8.4	52.7
>=	220.0	65.8	39.3	14.2	7.3	6.2	8.1	21.7	35.5	14.7	18.7	9.7	58.0
>=	190.0	69.0	42.0	17.4	8.1	8.8	11.3	23.3	38.1	19.3	20.6	11.6	61.3
>=	160.0	72.3	45.3	25.8	10.5	9.7	12.1	24.2	40.0	22.0	23.9	17.4	66.7
>=	140.0	76.1	50.7	30.3	12.9	11.5	14.5	29.2	41.9	26.7	25.2	25.6	72.0
>=	120.0	84.5	56.7	35.5	21.0	16.8	17.7	30.8	47.1	31.3	23.4	28.4	77.3
>=	100.0	87.7	63.3	45.2	33.9	27.4	26.6	37.5	56.1	48.0	39.4	43.2	80.7
>=	87.0	92.9	66.7	51.6	43.6	37.2	36.3	43.3	64.5	62.0	47.7	54.2	88.0
>=	75.0	98.7	72.7	61.3	50.8	40.7	45.2	50.0	72.9	70.7	67.1	66.4	92.0
>=	64.0	100.0	80.7	67.1	61.3	43.4	54.8	60.8	80.0	80.0	78.7	74.8	95.0
>=	55.0	100.0	86.0	71.6	82.3	54.9	61.3	70.0	83.9	36.0	88.4	80.0	98.0
>=	47.0	100.0	92.0	78.7	90.3	67.7	72.6	34.2	87.7	90.7	94.8	86.4	99.3
>=	41.0	100.0	93.3	30.0	91.9	85.0	84.7	91.7	95.5	96.7	98.1	91.0	99.3
>=	35.0	100.0	96.0	81.3	95.0	94.7	99.2	100.0	97.4	100.0	99.3	93.6	99.3
>=	30.0	100.0	98.0	84.5	99.2	100.0	100.0	100.0	98.7	100.0	99.3	96.8	99.3
>=	26.0	100.0	100.0	89.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.3
>=	22.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 5. ---FLOW DURATIONS FOR RIO GRANDE DE ARECIBO NEAR ADJUNTAS, PR STATION 50020500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1946-1950 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	730.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
>=	630.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
>=	550.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
>=	480.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2
>=	420.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2
>=	360.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2
>=	320.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2
>=	280.0	0.8	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	1.1	0.0	3.3
>=	240.0	1.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	1.1	1.1	3.3
>=	210.0	1.4	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	2.2	2.2	5.6
>=	180.0	1.6	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	2.2	2.2	6.7
>=	160.0	2.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	2.2	3.2	7.8
>=	140.0	2.7	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.1	2.2	5.4	12.2
>=	120.0	3.8	3.3	2.4	0.0	2.6	0.0	0.0	0.0	1.1	3.2	7.5	16.7
>=	100.0	6.8	5.0	2.4	0.0	4.4	0.0	0.0	1.1	5.6	4.3	14.0	26.7
>=	91.0	7.4	3.2	3.2	0.0	5.3	0.0	0.0	1.1	5.6	4.3	15.0	26.7
>=	80.0	8.9	3.3	4.8	0.0	6.2	1.6	1.7	3.2	8.9	5.4	18.3	34.4
>=	69.0	10.9	12.5	5.6	0.0	7.1	2.4	1.7	4.3	8.9	9.7	23.7	37.8
>=	60.0	13.4	17.5	6.4	1.6	7.1	3.2	1.7	6.4	10.0	9.7	25.8	41.1
>=	53.0	15.1	22.5	6.4	1.6	8.0	3.2	1.7	8.6	13.3	11.8	26.9	53.3
>=	46.0	18.9	32.5	8.9	2.4	8.0	3.2	1.7	9.7	14.4	17.2	30.1	65.6
>=	40.0	24.5	46.7	16.1	4.0	11.5	3.2	4.2	14.0	17.8	21.5	34.4	66.7
>=	35.0	29.4	64.2	25.8	6.4	13.3	3.2	6.7	18.3	23.3	30.1	41.9	73.3
>=	30.0	36.2	78.3	49.2	6.4	15.0	4.8	10.0	22.6	27.8	41.9	47.3	78.9
>=	26.0	41.7	83.3	68.6	8.9	23.9	5.6	12.5	26.9	41.1	49.5	59.1	86.7
>=	23.0	51.5	96.7	94.4	33.1	30.1	8.9	17.5	35.5	44.4	62.4	77.4	97.3
>=	20.0	59.6	100.0	99.2	64.5	36.3	15.3	22.5	41.9	56.7	82.8	93.6	100.0
>=	17.0	68.7	100.0	100.0	87.1	52.2	29.0	29.2	48.4	65.6	100.0	98.9	100.0
>=	15.0	80.1	100.0	100.0	100.0	92.9	40.3	46.7	62.4	71.1	100.0	100.0	100.0
>=	13.0	86.2	100.0	100.0	100.0	100.0	64.5	61.7	66.7	75.6	100.0	100.0	100.0
>=	12.0	89.4	100.0	100.0	100.0	100.0	78.3	69.2	71.0	88.9	100.0	100.0	100.0
>=	10.0	94.5	100.0	100.0	100.0	100.0	96.0	81.7	76.3	97.8	100.0	100.0	100.0
>=	8.7	99.0	100.0	100.0	100.0	100.0	100.0	98.3	92.5	100.0	100.0	100.0	100.0
>=	7.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 6. ---FLOW DURATIONS FOR RIO PELLEJAS BELOW CENTRAL PELLEJAS, PR STATION 50021050

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1971-1974 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	360.0	1-6	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0
>=	320.0	1-6	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0
>=	280.0	3-2	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0
>=	250.0	4-8	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0
>=	220.0	6-4	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0	0-0
>=	190.0	7-3	0-0	0-0	0-0	0-0	1-1	0-0	0-0	0-0	0-0	0-0	0-0
>=	170.0	8-9	3-3	0-0	0-0	0-0	1-1	0-0	0-0	0-0	0-0	0-0	0-8
>=	150.0	13-7	4-2	0-0	0-0	0-0	2-2	0-0	0-0	0-0	1-1	0-9	2-5
>=	130.0	19-4	10-8	2-4	0-0	0-0	2-2	0-0	0-0	0-0	1-1	0-9	3-3
>=	120.0	27-4	15-8	3-2	1-1	0-0	2-2	1-1	0-0	0-0	3-2	0-9	4-2
>=	100.0	28-2	18-3	3-2	1-1	0-0	2-2	1-1	0-0	0-0	3-2	2-6	5-8
>=	92.0	37-1	25-0	3-2	2-2	0-0	2-2	1-1	0-0	0-0	3-2	2-6	8-3
>=	81.0	41-1	31-7	7-3	2-2	0-0	2-2	1-1	0-0	2-2	4-3	4-4	11-7
>=	72.0	46-0	33-3	10-5	3-2	0-0	2-2	1-1	0-0	2-2	4-3	7-9	22-5
>=	63.0	59-7	49-2	21-0	3-2	0-0	3-2	1-1	0-0	2-2	4-3	13-2	31-7
>=	56.0	71-0	53-3	30-6	5-4	1-2	4-3	2-2	1-1	3-3	6-4	24-6	41-7
>=	50.0	85-5	75-7	46-8	9-7	4-0	6-4	2-2	1-1	3-3	7-5	31-6	56-7
>=	44.0	90-3	97-5	61-3	22-6	4-7	8-6	2-2	1-1	4-4	8-6	38-6	71-7
>=	39.0	93-6	100-0	73-4	37-6	14-1	10-8	2-2	1-1	5-6	11-8	41-2	76-7
>=	34.0	95-2	100-0	96-0	43-0	18-8	15-0	3-3	2-2	10-0	15-0	49-1	83-3
>=	30.0	96-8	100-0	100-0	58-1	25-9	20-4	4-4	4-3	11-1	18-3	56-1	88-3
>=	27.0	96-8	100-0	100-0	83-9	38-8	26-9	8-9	4-3	11-1	18-3	61-4	93-3
>=	24.0	97-6	100-0	100-0	93-6	53-5	38-7	13-3	7-5	15-6	26-9	67-5	93-3
>=	21.0	98-4	100-0	100-0	100-0	52-4	63-4	15-6	21-5	40-0	30-1	71-0	96-7
>=	18.0	98-4	100-0	100-0	100-0	95-3	85-0	23-3	31-2	50-0	33-3	77-2	96-7
>=	16.0	99-2	100-0	100-0	100-0	100-0	96-0	51-1	38-7	56-7	44-1	84-2	98-3
>=	14.0	99-2	100-0	100-0	100-0	100-0	98-9	73-3	43-0	65-6	57-0	87-7	98-3
>=	13.0	100-0	100-0	100-0	100-0	100-0	100-0	78-9	44-1	73-3	63-4	90-4	98-3
>=	11.0	100-0	100-0	100-0	100-0	100-0	100-0	87-8	73-1	90-0	90-3	93-0	99-2
>=	9.9	100-0	100-0	100-0	100-0	100-0	100-0	91-1	95-7	98-9	93-6	95-6	99-2
>=	8.7	100-0	100-0	100-0	100-0	100-0	100-0	94-4	100-0	100-0	96-8	95-6	99-2
>=	7.7	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	97-4	99-2
>=	6.8	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	98-2	99-2
>=	6.0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	99-2
>=	0.0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0	100-0

TABLE 7.---FLOW DURATIONS FOR RIO PELLEJAS NEAR UTUADO, PR STATION 50021500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969-1974 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	820.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	640.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	500.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	380.0	0.4	1.1	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
>=	300.0	0.7	3.9	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
>=	230.0	1.0	6.2	0.5	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.6
>=	180.0	1.8	11.2	1.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.5	2.8
>=	140.0	2.3	14.5	2.2	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.5	3.3
>=	110.0	3.3	20.4	3.2	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.5	5.6
>=	85.0	4.8	26.9	4.3	0.6	0.0	0.6	0.0	0.6	0.0	0.0	2.2	12.8
>=	66.0	5.5	30.6	5.9	0.6	0.0	0.6	0.0	0.6	0.7	0.0	3.2	17.8
>=	51.0	6.4	31.7	8.6	1.3	0.0	0.6	0.0	0.6	2.0	0.6	3.8	22.9
>=	40.0	8.0	35.0	9.7	1.3	0.0	0.6	1.3	1.3	2.0	2.6	7.0	28.9
>=	31.0	9.0	36.6	11.8	1.3	0.0	2.6	1.3	1.3	2.7	3.8	8.1	30.0
>=	24.0	11.2	39.2	21.5	1.3	0.0	3.2	2.0	1.3	4.0	3.8	8.6	32.2
>=	19.0	12.8	43.0	23.7	1.3	0.0	3.9	6.7	2.6	4.0	5.1	9.1	34.4
>=	15.0	15.7	47.3	31.2	1.3	0.0	3.9	8.0	3.9	4.0	6.4	10.8	37.2
>=	11.0	19.1	52.7	41.4	1.3	0.7	5.9	11.3	4.5	5.3	8.9	16.1	40.6
>=	8.8	22.2	59.7	43.6	1.3	0.7	5.9	15.3	5.2	5.3	14.6	23.1	45.0
>=	6.8	26.7	62.4	46.8	2.6	2.8	6.4	18.0	11.0	13.3	21.0	27.4	48.3
>=	5.3	31.8	67.2	55.9	5.2	4.3	9.4	21.3	15.5	22.0	26.1	32.3	51.1
>=	4.1	38.2	71.5	60.2	25.2	18.4	12.3	28.7	20.0	26.7	28.7	35.0	54.4
>=	3.2	46.1	76.9	68.8	34.2	28.4	32.9	38.0	26.4	33.3	33.1	43.6	56.7
>=	2.5	53.3	80.6	81.2	41.9	35.5	38.1	48.0	40.0	42.0	36.9	51.1	61.1
>=	1.9	61.3	86.6	85.0	53.6	42.6	43.2	52.0	47.7	56.7	56.0	64.0	70.6
>=	1.5	65.9	86.0	86.6	59.4	61.0	43.2	54.7	51.0	58.0	58.6	68.3	76.1
>=	1.2	72.5	95.2	87.1	61.9	75.2	59.4	57.3	57.4	62.0	68.8	78.5	84.4
>=	0.9	79.4	95.7	94.6	69.7	83.7	73.6	60.0	65.2	74.0	73.9	85.0	89.4
>=	0.7	88.2	98.9	98.9	90.3	92.9	86.4	85.3	71.0	76.7	75.8	88.7	93.9
>=	0.5	90.6	98.9	100.0	92.9	93.6	87.1	92.7	74.8	78.7	79.0	93.6	96.1
>=	0.4	92.3	100.0	100.0	93.6	93.6	87.1	93.3	78.1	80.0	87.3	96.2	97.2
>=	0.3	94.6	100.0	100.0	93.6	93.6	87.7	96.0	88.4	88.7	91.1	97.3	100.0
>=	0.3	96.4	100.0	100.0	94.2	95.0	89.7	98.0	94.8	94.7	93.0	98.4	100.0
>=	0.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 8.---FLOW DURATIONS FOR RIO VIVI NEAR CENTRAL PELLEJAS, PR STATION 50023000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969-1974 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	230.0	0.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	200.0	0.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	170.0	0.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	150.0	0.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	130.0	0.5	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	110.0	0.7	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	93.0	1.4	10.2	0.0	0.6	0.0	0.6	0.0	0.6	0.7	0.0	0.5	0.6
>=	90.0	1.7	11.3	0.0	0.6	0.0	0.6	0.0	1.3	0.7	0.0	0.5	1.7
>=	69.0	1.9	11.8	0.0	0.6	0.0	0.6	0.0	1.9	0.7	0.6	1.1	3.3
>=	59.0	2.3	14.0	0.0	0.5	0.0	0.6	0.0	1.9	1.3	1.1	1.1	4.4
>=	51.0	3.4	20.4	0.0	0.6	0.0	0.6	0.7	2.6	2.0	1.1	2.7	5.6
>=	43.0	4.5	28.2	0.5	0.6	0.0	1.9	0.7	2.6	2.7	1.1	3.8	7.8
>=	37.0	6.2	28.5	1.6	1.3	0.0	2.6	0.7	2.6	4.7	1.1	5.4	11.7
>=	32.0	8.0	36.0	2.2	1.3	0.0	2.6	1.3	3.2	6.0	1.7	7.0	15.6
>=	27.0	10.9	45.2	4.3	2.6	0.0	3.2	2.7	4.5	7.3	1.7	7.5	21.1
>=	24.0	13.6	51.1	10.8	3.2	0.0	3.9	2.7	4.5	8.0	2.8	8.6	27.8
>=	20.0	17.1	56.4	15.6	5.2	0.0	4.5	3.3	4.5	10.0	4.6	11.8	38.9
>=	17.0	20.6	65.0	24.2	8.4	0.0	6.4	5.3	5.8	14.7	6.2	14.5	43.3
>=	15.0	24.3	72.6	32.3	14.8	0.0	9.0	6.0	7.1	16.7	11.4	17.2	48.9
>=	13.0	29.7	78.5	46.2	24.5	6.4	10.3	10.0	9.0	17.3	19.9	21.5	51.7
>=	11.0	38.7	85.0	60.8	31.6	20.6	15.5	19.3	13.6	21.3	33.5	28.0	55.0
>=	9.4	44.8	86.0	72.6	45.2	25.5	21.9	24.7	15.5	23.3	38.6	38.2	61.1
>=	8.1	53.6	92.5	79.6	56.8	37.6	36.8	36.7	28.4	27.3	46.0	50.5	66.7
>=	6.9	63.1	94.6	87.6	60.0	55.3	49.0	42.7	53.6	38.0	51.7	63.4	75.0
>=	5.9	69.4	95.2	93.6	66.4	64.5	55.5	43.3	58.1	59.3	56.2	69.4	82.2
>=	5.1	75.3	95.7	98.4	82.6	66.7	61.3	44.7	58.1	70.7	69.9	72.6	90.0
>=	4.4	81.1	96.8	96.7	100.0	78.7	71.0	45.3	59.4	76.0	80.1	76.9	93.9
>=	3.8	84.8	99.5	98.3	100.0	86.5	79.4	52.7	62.6	77.3	85.2	85.0	95.0
>=	3.2	88.9	100.0	100.0	100.0	97.9	88.4	67.3	63.9	78.7	89.8	89.8	96.1
>=	2.8	91.1	100.0	100.0	100.0	100.0	94.2	74.7	65.2	82.0	90.9	93.0	97.2
>=	2.4	94.4	100.0	100.0	100.0	100.0	100.0	86.0	73.5	87.3	94.3	94.6	98.9
>=	2.0	98.2	100.0	100.0	100.0	100.0	100.0	99.3	87.7	94.7	99.4	98.4	100.0
>=	1.8	99.3	100.0	100.0	100.0	100.0	100.0	100.0	94.2	97.3	100.0	100.0	100.0
>=	1.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 9. ---FLOW DURATIONS FOR RIO CAONILLAS NEAR UTUADO, PR STATION 50026100

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1943-1948 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 4100.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
>= 3500.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
>= 3000.0	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0
>= 2500.0	0.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.5	0.0
>= 2100.0	0.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.1	0.0
>= 1800.0	0.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.1	1.1
>= 1500.0	0.7	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	1.1	2.2
>= 1300.0	0.8	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	1.1	2.8
>= 1100.0	1.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.6	0.0	1.1	3.9
>= 940.0	1.2	5.4	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.6	0.0	1.6	4.4
>= 800.0	1.8	7.5	0.0	0.0	0.6	0.7	0.0	0.0	4.5	0.6	0.0	2.2	5.6
>= 680.0	2.2	8.1	0.0	0.0	0.6	0.7	0.0	0.0	5.8	1.7	0.0	3.2	7.8
>= 570.0	2.6	10.2	0.6	0.0	0.6	0.7	0.0	0.0	5.8	1.7	0.5	4.3	8.9
>= 490.0	3.2	14.0	0.6	0.5	0.6	0.7	0.0	0.0	5.8	2.2	1.1	5.4	10.0
>= 410.0	4.0	14.5	3.3	0.5	1.3	0.7	0.0	0.0	7.1	3.3	1.1	8.1	11.7
>= 350.0	5.0	16.1	5.0	0.5	1.9	0.7	0.0	0.7	9.7	6.1	1.1	10.2	14.4
>= 300.0	6.1	21.0	6.7	0.5	1.9	0.7	0.0	0.7	11.0	7.8	1.1	11.8	15.6
>= 250.0	7.6	24.2	9.4	1.1	2.6	1.4	0.0	2.7	13.6	8.3	2.7	13.4	18.9
>= 210.0	8.8	28.0	11.7	1.1	2.6	1.4	0.0	4.7	14.8	10.0	3.8	15.6	22.2
>= 180.0	10.9	32.8	15.0	1.6	2.6	1.4	0.0	5.3	18.1	13.3	4.8	19.4	26.7
>= 150.0	15.2	43.6	21.1	4.3	4.5	2.1	0.0	8.7	21.9	18.3	6.4	23.1	40.6
>= 130.0	19.2	51.6	33.9	6.4	5.2	2.8	0.6	9.3	26.4	27.8	9.1	26.9	47.8
>= 110.0	22.2	58.6	39.4	11.3	5.3	3.5	0.6	11.3	29.0	34.4	14.5	34.4	55.6
>= 94.0	27.4	72.0	53.3	13.4	9.0	4.9	1.3	13.3	30.3	40.0	19.4	41.4	61.7
>= 80.0	33.0	79.0	67.8	18.8	16.3	7.8	3.9	14.7	37.4	45.0	29.6	46.2	69.4
>= 68.0	41.4	96.6	80.0	37.1	30.3	11.3	5.2	16.7	43.9	54.4	32.3	52.7	77.8
>= 58.0	48.8	93.6	88.3	53.2	37.4	21.1	10.3	21.3	49.7	58.3	36.6	57.5	83.3
>= 49.0	57.3	96.2	96.7	73.7	51.6	33.1	17.4	24.7	54.8	68.3	43.6	62.4	89.4
>= 41.0	67.3	97.3	98.9	67.1	67.7	52.1	36.1	30.7	63.2	78.3	53.2	68.3	92.8
>= 35.0	80.4	100.0	99.4	98.9	90.3	71.8	61.9	45.3	75.5	90.6	68.3	77.4	97.8
>= 30.0	90.4	100.0	99.4	100.0	100.0	94.4	69.7	68.0	91.6	96.7	81.7	89.8	100.0
>= 25.0	95.8	100.0	99.4	100.0	100.0	100.0	94.2	80.7	92.9	98.9	91.9	94.6	100.0
>= 22.0	98.5	100.0	99.4	100.0	100.0	100.0	100.0	97.3	94.8	98.9	97.3	95.7	100.0
>= 5.3	99.8	100.0	99.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.9	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 10. ---FLOW DURATIONS FOR RIO TANAMA NEAR UTUADO, PR STATION 50028000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1959-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 2000.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
>= 1700.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
>= 1400.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.3
>= 1200.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4
>= 1000.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4
>= 860.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4
>= 730.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.3	0.6
>= 620.0	0.2	0.3	0.9	0.1	0.0	0.0	0.1	0.0	0.3	0.1	0.0	0.3	0.7
>= 520.0	0.3	0.3	1.0	0.1	0.0	0.0	0.3	0.1	0.6	0.1	0.0	0.4	0.9
>= 440.0	0.4	0.6	1.3	0.1	0.0	0.0	0.3	0.6	0.7	0.1	0.0	0.4	1.0
>= 370.0	0.6	0.7	1.4	0.1	0.0	0.0	0.3	1.0	1.0	0.1	0.0	0.6	2.0
>= 310.0	0.9	1.1	1.7	0.1	0.0	0.2	0.4	1.4	1.3	0.1	0.1	0.8	3.3
>= 270.0	1.2	1.7	2.5	0.5	0.0	0.2	0.6	1.6	1.8	0.1	0.1	1.0	3.8
>= 220.0	1.7	3.2	3.5	0.8	0.0	0.2	0.7	2.3	2.8	0.7	0.4	1.1	4.6
>= 190.0	2.2	4.2	3.9	1.2	0.0	0.2	0.7	2.9	3.6	1.0	0.6	1.4	6.2
>= 160.0	3.0	6.3	4.9	1.8	0.0	0.2	0.7	3.2	5.8	1.7	0.7	2.2	7.7
>= 140.0	3.9	7.8	6.4	2.0	0.0	0.2	1.0	4.2	7.4	2.8	1.1	3.2	10.6
>= 110.0	5.8	13.0	9.3	3.6	0.0	0.3	1.3	5.4	10.8	3.9	2.5	4.5	14.8
>= 97.0	7.5	17.8	11.7	5.1	0.0	0.3	1.8	6.2	12.1	5.2	3.1	5.9	19.4
>= 82.0	10.8	26.1	17.4	8.1	0.4	1.2	2.8	7.7	16.3	7.5	5.3	9.0	26.4
>= 69.0	15.2	39.7	27.2	11.3	0.9	1.6	3.6	10.1	21.0	11.0	8.4	13.9	31.7
>= 59.0	20.6	51.9	40.6	17.6	2.3	2.7	4.2	12.0	24.5	17.1	13.5	18.9	39.7
>= 50.0	28.7	66.8	56.8	27.3	6.3	4.2	6.0	16.8	29.9	25.8	20.1	27.5	55.4
>= 42.0	38.2	80.1	71.3	41.7	16.8	6.8	8.1	20.7	37.5	35.3	31.1	39.3	65.6
>= 35.0	49.8	97.5	82.3	58.7	30.5	16.4	12.5	29.7	48.1	48.1	48.0	54.7	77.2
>= 30.0	59.3	91.2	83.3	72.4	46.8	26.9	19.9	37.1	53.4	55.9	60.4	66.9	84.8
>= 25.0	70.0	95.6	94.4	83.7	67.4	40.0	31.6	47.2	67.6	69.0	71.7	82.6	91.7
>= 1.0	80.4	97.6	97.7	91.4	81.3	62.0	43.5	59.6	75.5	80.0	80.8	91.2	98.4
>= 18.0	88.6	99.9	100.0	98.7	93.0	80.3	67.9	69.3	81.5	87.8	88.8	95.4	99.9
>= 15.0	94.6	100.0	100.0	100.0	99.9	91.7	82.9	83.6	87.7	93.6	98.5	97.6	100.0
>= 13.0	97.4	100.0	100.0	100.0	100.0	97.6	91.4	91.7	92.8	95.9	99.9	99.0	100.0
>= 11.0	99.0	100.0	100.0	100.0	100.0	100.0	97.6	95.6	97.0	97.2	100.0	100.0	100.0
>= 9.2	99.6	100.0	100.0	100.0	100.0	100.0	99.4	99.0	98.7	97.7	100.0	100.0	100.0
>= 7.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 11. ---FLOW DURATIONS FOR RIO GRANDE DE ARECIBO AT CENTRAL CAMBALACHE, PR STATION 50029000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969-1992 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	12000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	10000.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5
>=	8600.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5
>=	7300.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.7
>=	6200.0	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.7
>=	5300.0	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	1.0
>=	4500.0	0.2	0.3	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	1.0
>=	3800.0	1.2	1.0	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	1.4
>=	3300.0	1.4	1.3	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	1.7
>=	2800.0	2.2	1.3	0.7	0.0	0.0	0.0	0.0	0.7	0.7	0.2	0.2	2.6
>=	2400.0	2.2	3.3	1.7	0.0	0.0	0.0	0.3	1.2	1.2	0.2	0.2	3.1
>=	2000.0	5.5	5.1	2.2	0.0	0.0	0.0	0.3	1.9	1.9	0.5	0.2	5.0
>=	1700.0	8.8	7.2	3.5	0.0	0.0	0.0	0.8	3.4	2.9	0.7	0.7	6.9
>=	1500.0	12.2	10.5	4.0	0.0	0.0	0.0	1.0	4.8	4.0	1.4	1.6	9.8
>=	1300.0	16.0	13.8	4.7	0.0	0.0	0.5	1.3	7.0	4.3	1.8	2.3	13.6
>=	1100.0	20.8	19.0	6.7	0.2	0.0	1.0	3.6	9.9	7.4	3.2	3.7	17.4
>=	910.0	28.5	27.2	11.7	1.5	0.0	3.2	5.1	14.7	10.7	5.1	5.8	23.8
>=	780.0	38.0	32.6	18.6	4.0	0.5	6.2	8.5	21.2	15.7	8.8	8.8	29.5
>=	660.0	47.4	40.8	25.1	7.7	2.4	9.9	13.8	27.9	22.4	14.8	15.2	35.5
>=	560.0	57.7	49.5	35.4	14.4	8.4	13.2	19.0	36.5	30.2	21.9	21.4	42.9
>=	480.0	69.6	58.7	40.7	22.6	14.4	17.9	24.6	44.0	34.8	28.8	27.2	50.0
>=	410.0	79.0	66.2	47.2	28.3	22.9	23.8	31.3	52.9	42.6	35.7	34.1	57.2
>=	350.0	87.3	74.6	53.8	36.0	32.7	34.5	38.0	59.4	50.7	44.7	44.2	67.4
>=	300.0	92.1	80.3	60.3	45.7	42.0	44.2	47.2	66.1	56.0	52.8	54.6	73.8
>=	250.0	96.2	86.2	67.5	58.1	52.6	54.3	57.4	72.8	62.6	61.8	64.1	81.7
>=	220.0	97.8	87.7	75.4	64.8	61.0	72.8	63.3	77.4	69.5	69.8	70.0	86.4
>=	180.0	98.3	94.1	86.1	74.2	74.7	74.2	73.1	84.1	76.9	78.8	80.2	91.2
>=	160.0	99.5	96.4	90.1	80.4	79.8	79.2	78.7	86.5	81.2	83.4	84.8	94.0
>=	130.0	100.0	98.5	95.8	89.3	89.6	88.3	88.2	91.1	87.4	90.1	92.6	98.3
>=	110.0	100.0	99.7	97.0	95.8	95.1	95.0	93.8	95.4	93.3	94.7	95.8	99.5
>=	97.0	100.0	99.7	99.5	99.0	97.0	98.0	98.0	97.6	97.2	96.8	97.5	100.0
>=	83.0	100.0	99.7	99.8	100.0	98.4	99.5	99.7	99.0	98.8	98.4	99.3	100.0
>=	70.0	100.0	100.0	99.8	100.0	99.5	100.0	100.0	99.5	100.0	98.8	99.5	100.0
>=	50.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 12.---FLOW DURATIONS FOR RIO GRANDE DE MANATI NEAR MOROVIS, PR STATION 50031200

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1965-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 6700.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 5500.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>= 4600.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>= 3800.0	0.1	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>= 3100.0	0.1	0.7	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>= 2600.0	0.2	0.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
>= 2100.0	0.2	0.9	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2
>= 1800.0	0.3	1.1	0.6	0.9	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.4	0.4
>= 1500.0	0.4	1.1	0.9	1.1	0.0	0.0	0.2	0.4	0.4	0.2	0.0	0.4	0.6
>= 1200.0	0.6	1.4	0.9	1.1	0.0	0.0	0.4	0.7	1.4	0.2	0.0	0.5	0.7
>= 1000.0	0.8	1.6	1.7	1.1	0.0	0.0	0.7	1.5	1.8	0.2	0.0	0.5	0.7
>= 830.0	1.2	2.0	2.1	1.8	0.4	0.0	0.9	1.8	3.0	0.2	0.0	0.5	1.1
>= 690.0	1.6	3.1	3.2	2.2	0.7	0.2	1.1	2.6	3.4	0.2	0.4	0.5	1.3
>= 570.0	2.0	4.1	4.3	2.5	0.7	0.4	1.2	3.5	4.3	0.2	0.4	0.5	1.8
>= 470.0	2.9	6.1	6.4	3.9	1.2	0.4	1.6	5.0	6.6	0.6	0.4	0.5	2.0
>= 390.0	4.0	8.8	7.9	5.0	1.7	0.8	2.2	7.4	3.4	0.6	0.4	0.7	3.7
>= 320.0	5.4	11.9	10.9	6.8	2.4	1.4	3.0	8.5	11.3	0.9	0.7	0.9	4.8
>= 270.0	6.6	14.9	15.6	8.8	2.9	1.6	3.6	10.0	12.5	1.1	0.7	1.1	5.6
>= 220.0	8.7	18.5	20.8	11.5	4.2	3.5	4.3	13.3	15.8	1.8	0.7	1.8	7.8
>= 180.0	11.3	22.7	25.8	15.6	6.1	4.5	5.7	15.7	19.2	3.2	1.8	2.7	11.8
>= 150.0	14.3	26.1	31.0	20.1	8.8	7.1	7.4	19.3	23.1	5.2	3.4	4.3	16.1
>= 130.0	17.4	29.5	36.2	25.4	13.0	10.4	10.0	21.7	27.1	7.0	4.3	5.0	18.3
>= 100.0	25.3	38.3	45.8	42.6	22.8	17.2	14.9	28.9	33.7	16.7	8.2	8.8	24.8
>= 86.0	30.0	42.8	49.5	49.1	31.8	20.4	19.4	33.0	38.0	25.0	10.9	10.6	29.1
>= 71.0	37.7	49.6	55.9	56.1	49.6	28.2	27.6	40.6	47.7	30.0	16.8	15.8	33.9
>= 59.0	46.6	59.0	63.0	62.5	63.2	42.4	34.5	49.4	54.1	39.4	26.0	21.9	41.3
>= 49.0	56.7	67.6	73.9	69.4	71.4	58.2	52.2	58.3	63.4	47.2	37.5	33.2	49.4
>= 40.0	68.1	74.5	87.0	85.5	78.4	70.4	66.8	73.2	75.6	56.7	47.8	44.6	59.4
>= 33.0	79.4	82.2	94.4	95.0	89.8	83.5	78.0	82.0	88.0	73.3	61.3	56.3	72.2
>= 28.0	86.7	88.5	96.1	96.6	96.7	94.7	87.6	85.0	91.4	83.9	72.4	71.5	78.9
>= 23.0	93.7	93.9	97.8	99.3	99.0	99.8	97.2	93.9	93.4	89.6	87.5	84.0	90.7
>= 19.0	97.3	97.3	100.0	100.0	100.0	99.8	98.3	95.7	97.0	92.6	93.2	95.5	98.5
>= 16.0	99.5	99.0	100.0	100.0	100.0	100.0	100.0	98.2	93.5	99.6	99.6	98.9	100.0
>= 13.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 13.---FLOW DURATIONS FOR RIO SANAMUERTO NEAR ORCOVOIS, PR STATION 50031500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1965--1970 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 520.0	0.1	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0
>= 430.0	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
>= 360.0	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.6	1.1	0.0	0.0	0.0	0.0
>= 300.0	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.6	1.1	0.0	0.0	0.0	0.0
>= 250.0	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.6	1.1	0.0	0.0	0.0	0.0
>= 210.0	0.3	0.0	1.3	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	0.0
>= 170.0	0.5	0.6	1.3	0.6	0.0	0.0	0.0	2.2	1.1	0.0	0.0	0.0	0.0
>= 140.0	0.8	1.2	2.0	1.3	0.0	0.0	0.0	2.8	2.2	0.0	0.0	0.0	0.0
>= 120.0	0.9	2.4	2.0	1.3	0.6	0.0	0.0	2.8	2.2	0.0	0.0	0.0	0.0
>= 97.0	1.3	2.4	3.3	1.3	1.3	0.0	0.0	5.0	2.7	0.0	0.0	0.0	0.0
>= 81.0	1.5	3.1	4.7	1.3	1.3	0.0	0.0	5.0	3.8	0.0	0.0	0.0	0.0
>= 67.0	2.1	3.1	4.7	3.2	1.3	0.7	1.3	6.1	4.3	0.6	0.0	0.0	0.6
>= 56.0	2.4	3.7	5.3	3.2	1.9	1.4	1.9	6.1	4.3	0.6	0.0	0.0	0.6
>= 46.0	2.8	4.3	6.0	3.9	1.9	1.4	1.9	7.2	7.0	0.6	0.5	0.0	0.6
>= 38.0	3.8	5.5	8.7	4.5	2.6	1.4	2.6	8.9	9.7	1.7	0.5	0.0	1.1
>= 32.0	4.8	7.4	9.3	5.2	3.9	2.8	3.8	8.9	12.4	1.1	0.5	0.5	2.2
>= 26.0	5.9	9.8	11.3	7.7	3.9	4.3	4.5	10.0	13.4	2.2	1.6	0.5	3.9
>= 22.0	7.0	11.0	14.0	9.0	5.2	5.7	4.5	11.1	16.7	2.2	1.6	0.5	5.0
>= 18.0	8.2	12.3	17.3	10.3	5.8	7.8	4.5	12.2	18.3	3.3	1.6	0.5	6.1
>= 15.0	10.5	13.5	24.7	12.9	7.1	9.2	7.7	13.9	24.2	3.9	2.7	0.5	7.8
>= 12.0	13.9	20.2	32.0	17.4	9.7	13.5	10.3	16.1	29.0	7.8	3.2	1.6	10.0
>= 10.0	16.8	21.5	37.3	23.2	12.8	17.0	13.6	16.7	34.4	10.0	4.8	3.2	12.8
>= 8.6	20.9	26.4	42.0	33.6	17.4	20.6	20.6	17.2	39.2	16.1	6.4	4.3	13.9
>= 7.1	28.9	33.7	52.0	55.5	25.2	27.0	31.0	20.6	44.1	30.0	9.1	7.5	21.1
>= 5.9	37.6	41.1	61.3	67.7	43.2	30.5	36.1	28.3	58.6	36.7	19.8	11.8	26.7
>= 4.9	50.2	49.7	78.7	74.2	76.8	53.2	45.2	31.7	67.7	51.7	33.9	18.3	33.7
>= 4.1	64.9	57.7	86.7	87.7	86.4	80.8	74.2	45.6	72.6	69.4	52.2	36.6	49.4
>= 3.4	78.6	64.4	95.3	96.1	93.1	86.5	98.1	63.8	90.9	77.8	68.3	54.8	68.9
>= 2.8	92.9	76.7	100.0	99.4	100.0	98.6	100.0	86.7	98.4	100.0	91.9	85.0	75.0
>= 2.3	97.3	83.4	100.0	100.0	100.0	100.0	100.0	87.8	99.5	100.0	97.8	98.9	91.1
>= 1.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	90.0	100.0	100.0	100.0	100.0	100.0
>= 1.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.7	100.0	100.0	100.0	100.0	100.0
>= 1.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 1.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 14.--FLOW DURATIONS FOR RIO TORO NEGRO AT LAGO EL GUINEO, PR STATION 50032300

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1949-1958 PERCENT												REGULATED	
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		
>=	650.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	470.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	330.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>=	240.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
>=	170.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4
>=	120.0	0.4	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8
>=	87.0	0.6	1.0	0.7	0.0	0.0	0.0	0.4	0.7	0.7	0.0	0.0	0.0	0.4	2.6
>=	62.0	0.9	2.3	1.3	0.0	0.0	0.0	0.4	2.2	1.1	0.0	0.0	0.0	0.7	2.6
>=	44.0	2.2	6.4	4.7	0.0	0.0	0.0	0.7	4.3	2.6	0.7	2.2	2.2	2.2	4.8
>=	32.0	4.0	10.0	7.7	0.0	0.0	0.0	2.2	5.7	5.2	1.8	4.7	4.7	4.7	8.9
>=	23.0	7.7	20.0	13.0	0.7	0.8	0.0	4.1	12.2	7.4	1.8	7.8	7.8	7.8	18.9
>=	16.0	12.9	31.3	24.7	1.4	3.2	0.4	7.4	19.0	11.1	5.0	14.7	14.7	14.7	26.7
>=	12.0	18.1	44.2	32.0	2.5	4.3	1.1	10.0	23.7	17.4	9.3	21.9	21.9	21.9	37.8
>=	8.3	27.3	63.6	41.3	8.2	7.9	4.3	15.2	32.3	27.8	17.9	34.4	34.4	34.4	56.3
>=	5.9	37.7	75.5	54.7	19.0	19.3	10.0	21.5	40.1	38.5	29.0	48.4	48.4	48.4	69.3
>=	4.2	49.0	36.4	66.7	32.6	29.9	16.5	29.3	51.2	52.6	40.1	61.6	61.6	61.6	78.2
>=	3.0	60.1	92.6	75.3	43.0	46.1	27.6	39.6	59.5	54.4	52.7	73.1	73.1	73.1	84.8
>=	2.2	68.0	95.8	81.0	55.9	57.9	42.5	50.0	66.0	71.8	61.6	79.2	79.2	79.2	88.5
>=	1.5	76.2	96.8	86.0	68.5	68.9	55.6	61.1	75.3	78.5	71.0	86.7	86.7	86.7	91.8
>=	1.1	79.0	96.8	88.3	72.9	72.8	61.6	65.2	75.6	80.7	75.3	89.2	89.2	89.2	91.8
>=	0.8	83.4	97.1	91.0	73.1	77.6	73.1	75.2	79.6	82.6	80.3	91.4	91.4	91.4	92.6
>=	0.6	84.6	97.4	84.5	80.3	78.7	74.2	76.7	80.6	83.0	82.1	92.8	92.8	92.8	92.6
>=	0.4	97.3	99.7	94.8	96.1	94.5	97.1	94.4	98.2	98.9	97.1	98.9	98.9	98.9	99.6
>=	0.3	97.7	99.7	95.2	96.4	95.7	97.5	95.6	93.6	98.9	97.1	98.9	98.9	98.9	99.6
>=	0.2	98.1	99.7	95.8	96.8	98.0	97.5	95.9	98.9	99.3	98.2	98.9	98.9	98.9	99.6
>=	0.2	98.5	100.0	97.1	97.5	98.4	97.5	95.9	98.9	99.6	98.6	99.4	99.4	99.4	99.6
>=	0.1	98.5	100.0	97.1	97.5	98.4	97.5	95.9	98.9	99.6	98.6	99.4	99.4	99.4	99.6
>=	0.1	98.7	100.0	97.7	97.8	98.8	97.8	96.3	98.9	99.6	98.6	99.4	99.4	99.4	100.0
>=	0.0	98.9	100.0	98.1	93.6	98.8	93.6	96.3	98.9	100.0	99.3	99.4	99.4	99.4	100.0
>=	0.0	98.9	100.0	98.1	93.6	98.8	93.6	96.3	98.9	100.0	99.3	99.4	99.4	99.4	100.0
>=	0.0	99.0	100.0	98.1	93.6	99.2	93.6	96.3	98.9	100.0	99.3	99.4	99.4	99.4	100.0
>=	0.0	99.0	100.0	98.1	93.6	99.2	93.6	96.3	98.9	100.0	99.3	99.4	99.4	99.4	100.0
>=	0.0	99.0	100.0	93.1	93.9	99.2	95.6	96.3	98.9	100.0	99.3	99.4	99.4	99.4	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 15.---FLOW DURATIONS FOR RIO MATRULLAS AT LAGO MATRULLAS, PR STATION 50032600

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1949-1958 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1000.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	810.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	630.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
>=	490.0	1.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
>=	390.0	1.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
>=	300.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
>=	230.0	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1
>=	180.0	1.3	1.3	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.7	2.2
>=	140.0	2.2	1.7	0.0	0.4	0.4	0.0	0.0	0.4	0.7	0.0	0.7	2.6
>=	110.0	4.2	2.0	0.6	1.1	1.1	0.0	0.0	1.1	1.5	0.0	0.7	4.1
>=	85.0	5.9	3.7	1.3	1.4	2.0	0.0	0.0	2.9	2.6	0.4	0.7	5.9
>=	66.0	10.0	4.0	1.3	1.4	3.2	0.0	1.8	5.8	5.6	0.7	1.1	8.2
>=	51.0	13.9	5.0	1.8	2.5	4.7	0.0	3.7	11.1	7.8	1.1	3.2	11.5
>=	40.0	17.7	6.7	3.2	3.2	5.1	0.4	5.9	15.4	7.8	1.4	5.4	17.4
>=	31.0	27.1	10.3	6.4	4.3	6.7	0.7	8.5	21.2	9.6	2.5	6.8	23.0
>=	24.0	39.0	18.0	9.7	7.9	8.7	1.4	11.5	27.5	15.6	3.9	9.7	31.5
>=	19.0	53.6	33.0	15.8	14.0	13.4	3.2	15.9	37.3	25.9	7.2	15.8	42.2
>=	15.0	67.1	50.7	27.4	24.7	24.8	6.1	21.5	43.4	35.2	15.4	26.2	54.4
>=	11.0	86.1	77.3	50.3	45.9	38.6	17.6	31.5	59.1	54.1	29.0	47.7	76.7
>=	8.8	93.6	87.3	70.3	62.0	50.0	28.3	39.6	65.6	65.9	48.4	62.0	85.9
>=	6.8	97.7	93.3	85.5	76.3	66.9	52.3	55.9	74.6	77.8	70.2	78.5	91.5
>=	5.3	98.7	95.7	92.3	87.8	83.5	72.8	69.3	83.9	81.5	81.0	88.2	95.6
>=	4.1	99.4	96.7	95.5	93.9	93.7	81.4	79.3	88.5	86.3	85.0	91.8	96.7
>=	3.2	100.0	97.0	98.4	97.1	97.2	89.2	88.2	92.1	89.3	87.1	94.3	98.5
>=	2.5	100.0	98.0	99.0	97.3	97.2	91.8	91.8	93.9	93.3	91.0	96.4	99.9
>=	2.0	100.0	98.3	99.4	98.6	97.6	93.6	93.0	94.6	96.7	93.9	96.4	99.3
>=	1.5	100.0	98.3	99.4	98.6	98.4	95.0	93.3	95.0	96.7	93.9	97.5	100.0
>=	1.2	100.0	98.3	99.4	98.6	98.4	96.8	93.7	95.0	96.7	94.6	97.8	100.0
>=	0.9	100.0	93.7	100.0	98.9	99.2	96.8	93.7	95.3	97.8	94.6	98.6	100.0
>=	0.7	100.0	93.7	100.0	98.9	99.2	97.1	95.6	95.3	97.8	95.7	99.3	100.0
>=	0.6	100.0	98.7	100.0	98.9	99.2	97.5	95.6	97.1	98.2	95.7	99.3	100.0
>=	0.4	100.0	100.0	100.0	99.3	99.6	98.6	99.3	100.0	99.6	99.3	100.0	100.0
>=	0.3	100.0	100.0	100.0	99.6	99.6	98.9	99.3	100.0	99.6	99.3	100.0	100.0
>=	0.3	100.0	100.0	100.0	99.6	99.6	98.9	99.3	100.0	100.0	99.3	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 16.--FLOW DURATIONS FOR RIO BAUTA NEAR DIVISORIA, PR STATION 50033500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1949-1954 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	880.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.7
>=	730.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	2.8
>=	600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	3.3
>=	500.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	4.4
>=	420.0	2.6	0.7	0.6	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.5	5.6
>=	350.0	2.6	0.7	0.6	0.5	0.6	0.0	0.0	1.6	0.0	0.0	0.5	6.1
>=	290.0	3.2	0.7	0.6	0.5	1.2	0.0	1.1	1.6	0.0	0.0	0.5	6.7
>=	240.0	4.5	0.7	0.6	0.5	1.3	0.0	2.2	2.2	0.0	0.0	0.5	7.2
>=	200.0	5.2	0.7	1.9	0.5	1.8	0.0	3.3	2.7	0.0	0.5	1.6	7.2
>=	160.0	6.4	1.3	1.9	0.5	3.0	0.0	4.4	4.3	0.6	0.5	2.2	7.8
>=	140.0	7.1	1.3	1.9	1.1	3.0	0.0	4.4	4.8	1.1	0.5	3.2	7.8
>=	110.0	9.7	2.0	1.9	1.1	3.6	0.0	5.6	5.9	1.1	0.5	3.2	11.1
>=	94.0	12.3	2.0	1.9	1.1	3.6	0.0	6.1	6.4	1.1	0.5	3.2	11.7
>=	78.0	16.8	2.7	1.9	2.2	5.3	0.0	7.2	7.5	2.8	0.5	4.3	14.4
>=	65.0	19.4	2.7	4.5	2.2	5.9	0.0	7.8	9.1	4.4	0.5	4.3	17.2
>=	54.0	21.3	2.7	4.5	3.2	7.7	0.5	9.4	12.4	5.0	0.5	4.3	20.6
>=	45.0	25.3	5.3	8.4	3.8	8.9	0.5	11.7	15.0	5.6	1.1	5.4	24.4
>=	37.0	34.8	8.0	10.3	5.4	10.6	0.5	13.9	19.9	6.7	2.7	7.5	31.7
>=	31.0	40.6	12.0	11.5	7.0	14.2	1.1	16.1	24.2	7.2	3.2	8.6	35.6
>=	26.0	47.1	15.7	16.1	11.3	16.6	1.5	18.3	30.1	8.3	5.4	9.1	40.0
>=	21.0	54.2	21.3	26.4	15.0	24.3	2.2	20.6	32.3	10.0	5.9	9.7	50.0
>=	18.0	64.5	30.7	33.6	19.9	28.4	2.7	22.2	33.2	12.2	8.1	11.3	56.7
>=	15.0	67.7	37.3	36.8	23.7	30.8	4.3	22.8	40.3	15.0	9.7	14.0	59.4
>=	12.0	84.5	55.3	47.1	29.6	36.1	7.5	28.3	48.4	20.0	10.8	17.7	68.9
>=	10.0	96.1	70.7	56.4	38.2	40.8	12.4	30.0	54.3	27.2	15.6	25.8	81.7
>=	8.4	99.4	82.7	73.6	49.5	46.2	19.9	32.8	61.8	35.6	20.4	29.6	85.6
>=	7.0	100.0	96.0	86.4	75.3	53.8	35.0	36.1	77.4	58.3	34.4	43.0	87.8
>=	5.8	100.0	100.0	96.8	85.0	63.6	45.2	46.1	80.1	73.3	47.8	57.0	84.8
>=	4.8	100.0	100.0	100.0	97.8	80.5	75.3	58.9	82.3	94.4	82.3	78.5	94.4
>=	4.0	100.0	100.0	100.0	100.0	98.2	86.6	71.1	87.6	84.4	90.9	81.7	97.8
>=	3.3	100.0	100.0	100.0	100.0	100.0	100.0	95.6	98.9	87.2	93.6	98.7	100.0
>=	2.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	95.0	99.5	91.4	100.0
>=	2.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 17.--FLOW DURATIONS FOR RIO BAUTA NEAR OROCOVIS, PR STATION 50034000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969--1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	2600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0
>=	2100.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.2	0.3
>=	1800.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.2	0.3
>=	1400.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.3
>=	1200.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.3
>=	950.0	0.4	0.3	0.2	0.0	0.0	0.0	0.0	1.4	0.0	0.2	0.5	1.0
>=	770.0	0.4	0.3	0.2	0.0	0.0	0.0	0.2	1.9	0.0	0.2	0.5	1.3
>=	630.0	0.6	0.5	0.2	0.0	0.0	0.2	0.2	2.3	0.0	0.2	0.5	1.3
>=	510.0	0.8	1.0	0.2	0.0	0.0	0.2	0.5	3.0	0.0	0.5	0.5	1.8
>=	420.0	1.0	1.5	0.5	0.0	0.0	0.2	0.8	3.3	0.5	0.5	0.5	1.8
>=	340.0	1.5	2.6	1.2	0.0	0.0	0.5	1.3	4.4	0.5	0.5	0.5	2.0
>=	280.0	2.0	4.6	2.0	0.0	0.0	0.7	1.3	5.4	0.5	0.5	0.7	2.6
>=	220.0	2.9	6.2	2.2	0.2	0.0	1.0	2.0	7.3	1.0	0.7	1.2	3.8
>=	180.0	3.6	8.0	3.0	0.7	0.3	1.2	2.0	7.7	1.3	0.7	1.2	5.6
>=	150.0	4.4	10.8	3.2	1.0	0.3	1.2	2.3	8.9	1.5	0.7	1.2	6.2
>=	120.0	5.8	15.1	4.0	1.2	0.8	1.5	4.3	11.7	2.0	0.7	1.7	7.7
>=	99.0	7.3	20.5	5.0	1.5	0.8	2.0	5.8	13.1	2.5	1.0	2.0	9.5
>=	80.0	8.8	24.1	6.4	2.0	1.1	2.5	8.4	15.5	3.3	1.2	2.5	12.0
>=	65.0	10.6	30.0	8.2	2.2	1.1	2.7	9.4	18.5	4.5	1.7	3.2	15.6
>=	53.0	13.0	35.9	11.4	2.7	1.4	3.5	13.2	22.0	5.0	2.0	4.0	20.8
>=	43.0	15.6	42.0	14.4	3.0	1.9	4.2	14.7	24.8	7.3	3.0	5.2	25.6
>=	35.0	18.7	47.7	19.8	5.2	3.3	4.5	17.2	29.0	10.3	4.7	6.4	30.3
>=	29.0	22.0	52.6	25.6	7.4	4.6	5.0	19.2	32.8	13.6	5.4	8.4	37.7
>=	23.0	28.0	57.4	40.9	15.9	8.4	7.2	25.3	36.8	20.4	9.1	12.2	44.6
>=	19.0	34.7	63.6	47.9	32.0	13.6	9.2	31.4	45.4	28.6	12.3	16.6	50.5
>=	16.0	42.7	71.3	55.8	43.6	21.8	13.9	39.5	54.1	34.4	19.4	24.3	56.7
>=	13.0	53.8	81.3	68.2	67.0	44.4	25.8	46.8	64.9	40.7	31.9	29.0	67.3
>=	10.0	66.4	92.6	80.2	72.2	73.0	50.6	56.7	71.4	52.8	47.2	41.9	70.0
>=	8.4	75.1	94.6	91.3	79.6	77.1	68.0	65.6	77.5	64.3	54.8	56.1	79.2
>=	6.8	84.1	98.5	97.5	92.1	95.3	79.2	80.8	85.7	75.6	65.4	66.8	85.9
>=	5.6	90.9	100.0	100.0	98.5	96.7	86.8	84.3	87.8	84.9	77.4	83.6	92.6
>=	4.5	96.7	100.0	100.0	100.0	100.0	98.5	93.9	94.6	92.0	89.2	95.5	98.2
>=	3.7	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.2	97.0	99.5	99.5
>=	3.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 18.--FLOW DURATIONS FOR RIO GRANDE DE MANATI AT CIALES, PR STATION 50035000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD PERCENT												1946-1953, 1960-1970, 1973-1982 REGULATED		
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP			
>= 20000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0
>= 16000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0
>= 13000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0
>= 11000.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1
>= 8900.0	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1
>= 7300.0	0.1	0.3	0.2	0.3	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.2	0.1	0.0	0.2	0.1
>= 5900.0	0.2	0.6	0.2	0.6	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.2	0.1	0.0	0.2	0.1
>= 4800.0	0.2	0.6	0.3	0.8	0.1	0.2	0.0	0.1	0.4	0.0	0.0	0.2	0.6	0.0	0.2	0.6
>= 3900.0	0.4	0.7	0.6	1.0	0.1	0.4	0.0	0.4	0.9	0.1	0.0	0.3	0.7	0.0	0.3	0.7
>= 3200.0	0.5	0.8	0.7	1.3	0.1	0.6	0.0	0.7	1.2	0.1	0.0	0.4	0.9	0.0	0.4	0.9
>= 2600.0	0.8	1.1	1.0	1.7	0.1	0.6	0.1	0.8	2.0	0.1	0.2	0.7	1.4	0.0	0.7	1.4
>= 2100.0	1.2	2.2	1.8	2.2	0.4	1.1	0.6	1.6	3.0	0.3	0.2	0.7	2.0	0.2	0.7	2.0
>= 1700.0	1.6	3.3	2.6	2.8	0.6	1.3	0.9	2.9	4.0	0.5	0.2	0.9	2.1	0.2	0.9	2.1
>= 1400.0	2.1	4.4	3.7	3.0	0.9	1.8	1.0	4.2	5.4	0.7	0.3	1.1	2.6	0.3	1.1	2.6
>= 1200.0	2.6	5.8	4.8	3.9	1.7	2.4	1.3	6.0	9.4	1.2	0.4	1.4	3.0	0.3	1.2	3.0
>= 950.0	3.8	9.5	7.2	5.4	2.8	3.0	1.5	7.6	12.0	1.7	0.4	2.2	4.0	0.4	1.4	4.0
>= 770.0	5.2	13.5	9.5	5.4	4.3	4.2	2.2	9.5	15.6	2.2	0.7	2.2	5.8	0.7	2.2	5.8
>= 630.0	6.8	17.0	12.9	7.1	5.6	5.4	2.9	11.4	17.9	2.9	1.2	3.4	7.2	1.2	3.4	7.2
>= 510.0	8.8	21.7	17.5	9.9	8.1	7.2	4.0	14.0	20.6	4.6	1.8	5.0	10.0	1.8	5.0	10.0
>= 420.0	11.0	25.6	21.3	11.9	11.6	8.7	5.3	16.7	25.6	8.2	2.4	6.9	13.7	2.4	6.9	13.7
>= 340.0	14.5	31.5	26.9	16.2	15.3	11.0	7.7	19.6	29.2	10.5	3.8	8.7	19.3	3.8	8.7	19.3
>= 280.0	18.2	38.4	32.6	21.9	20.0	13.7	9.7	23.7	33.9	13.9	6.3	10.7	25.0	6.3	10.7	25.0
>= 230.0	22.9	44.9	41.2	30.3	29.6	18.5	14.9	28.7	41.7	23.1	10.9	16.1	31.6	10.9	16.1	31.6
>= 180.0	31.3	55.9	52.4	44.3	41.5	25.3	19.4	35.2	48.9	31.3	17.5	21.4	42.3	17.5	21.4	42.3
>= 150.0	39.0	65.8	60.5	52.8	62.1	38.6	26.7	41.9	57.8	42.3	29.4	32.6	50.2	29.4	32.6	50.2
>= 120.0	50.9	78.1	74.0	64.0	70.7	54.7	39.4	51.4	66.0	52.5	41.3	43.2	61.9	41.3	43.2	61.9
>= 100.0	62.1	87.1	86.7	76.9	86.1	68.7	55.4	60.6	74.0	59.7	54.6	57.2	72.7	54.6	57.2	72.7
>= 92.0	72.0	92.8	94.0	86.1	89.3	83.9	72.9	73.2	82.3	70.5	64.6	71.5	86.3	64.6	71.5	86.3
>= 67.0	81.8	97.0	96.8	95.0	98.0	94.4	89.6	86.9	90.3	80.6	77.0	81.4	92.3	77.0	81.4	92.3
>= 54.0	90.3	98.8	98.4	98.9	99.6	96.7	94.2	91.1	94.6	89.8	85.8	93.9	96.7	85.8	93.9	96.7
>= 44.0	95.0	99.6	100.0	100.0	100.0	100.0	100.0	99.4	100.0	97.1	94.2	98.3	99.7	94.2	98.3	99.7
>= 36.0	99.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.6	100.0	100.0	99.6	100.0
>= 28.0	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 24.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 19.---FLOW DURATIONS FOR RIO GRANDE DE MANATI AT HIGHWAY 2 NEAR MANATI, PR STATION 50038100

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1970-1982 PERCENT												REGULATED	
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		
>=	32000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	27000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	22000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	18000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	15000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	12000.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	10000.0	0.1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	8200.0	0.2	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	6700.0	0.3	0.5	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.2	0.5
>=	5500.0	0.5	0.5	1.0	0.0	0.0	0.0	0.0	0.7	0.0	0.2	0.2	0.2	0.2	1.3
>=	4500.0	0.6	1.0	1.0	0.0	0.0	0.0	0.0	1.2	0.0	0.2	0.2	0.2	0.2	1.5
>=	3700.0	0.7	1.0	1.2	0.0	0.0	0.0	0.3	1.2	0.0	0.2	0.2	0.2	0.2	1.8
>=	3100.0	1.1	1.8	2.0	0.0	0.0	0.0	0.3	2.2	0.5	0.2	0.5	0.2	0.5	2.3
>=	2500.0	1.7	2.6	2.5	0.2	0.0	0.5	0.8	3.7	0.5	0.2	0.7	0.2	0.7	2.6
>=	2100.0	2.2	4.6	2.7	0.2	0.0	0.4	1.5	4.5	0.5	0.2	0.7	0.2	0.7	2.8
>=	1700.0	3.0	6.7	3.7	0.5	0.2	1.2	2.6	6.4	0.5	0.2	0.7	0.2	0.7	4.1
>=	1400.0	3.9	9.2	4.5	0.9	0.8	1.5	3.3	7.9	0.5	0.2	1.0	0.2	1.0	4.9
>=	1200.0	5.0	11.8	5.5	1.4	0.8	2.2	5.6	9.2	0.5	0.2	1.2	0.2	1.2	5.6
>=	950.0	6.9	17.4	7.7	2.5	1.3	2.7	8.0	11.9	1.5	0.7	1.2	0.2	1.2	6.7
>=	780.0	8.9	24.6	9.7	3.0	1.5	2.7	10.8	14.1	2.8	1.2	2.2	0.2	2.2	9.0
>=	640.0	11.5	31.0	13.6	3.9	2.0	3.6	13.6	16.9	3.8	1.5	3.5	0.2	3.5	14.6
>=	530.0	14.3	34.6	18.6	5.8	3.8	4.4	16.9	20.1	6.2	2.0	4.5	0.2	4.5	20.8
>=	430.0	18.4	41.5	25.1	9.8	4.8	5.8	21.8	24.3	10.0	2.5	7.2	0.2	7.2	27.7
>=	360.0	22.4	44.6	33.5	13.1	6.6	7.3	25.9	27.3	14.1	5.2	9.9	0.2	9.9	33.6
>=	290.0	28.7	51.5	45.4	21.9	12.4	8.5	32.8	33.2	24.1	8.2	12.2	0.2	12.2	40.0
>=	240.0	36.0	59.7	53.1	35.0	18.5	13.1	39.2	42.9	29.0	13.4	17.6	0.2	17.6	48.7
>=	200.0	45.1	66.2	63.5	53.2	29.9	20.9	46.2	53.1	32.6	21.8	23.8	0.2	23.8	55.6
>=	160.0	57.5	78.0	75.9	66.6	53.2	35.4	53.1	68.2	42.0	31.3	35.7	0.2	35.7	64.4
>=	130.0	70.7	89.0	86.1	79.7	73.2	60.0	62.0	73.4	56.4	48.1	47.9	0.2	47.9	77.2
>=	110.0	81.1	93.8	92.3	91.7	87.8	74.5	76.7	85.9	68.5	60.0	65.0	0.2	65.0	83.3
>=	90.0	91.9	100.0	100.0	99.5	98.7	90.5	85.1	92.6	84.9	82.1	81.1	0.2	81.1	92.3
>=	74.0	98.0	100.0	100.0	100.0	100.0	99.5	99.0	98.0	94.1	93.6	95.8	0.2	95.8	97.2
>=	61.0	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.7	99.3	99.0	0.2	99.0	98.5
>=	50.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.2	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.2	100.0	100.0

TABLE 20.--FLOW DURATIONS FOR RIO CIBUCO BELOW COROZAL, PR STATION 50038320

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1500.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 1200.0	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
>= 960.0	0.2	0.2	0.5	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
>= 780.0	0.2	0.2	0.7	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
>= 630.0	0.4	0.7	1.0	1.2	0.0	0.0	0.5	0.5	0.5	0.0	0.0	0.2	0.0
>= 510.0	0.6	0.9	1.2	1.2	0.0	0.3	0.5	0.8	1.2	0.0	0.0	0.2	0.0
>= 410.0	0.7	1.2	1.7	1.6	0.2	0.3	0.5	0.8	1.2	0.0	0.0	0.5	0.2
>= 330.0	1.0	1.4	1.7	2.3	0.7	0.3	0.5	0.8	2.5	0.0	0.0	0.5	0.2
>= 270.0	1.2	2.1	2.1	2.5	0.7	0.5	1.0	0.8	3.2	0.0	0.0	0.7	0.2
>= 220.0	1.7	3.0	3.1	2.5	0.9	0.5	1.2	1.3	4.2	0.2	0.0	0.9	1.0
>= 170.0	2.4	4.2	5.2	3.7	1.8	1.9	1.5	2.0	5.1	0.2	0.0	0.9	1.7
>= 140.0	3.0	5.3	6.2	4.8	2.3	2.4	1.7	2.6	6.0	0.2	0.5	1.2	1.9
>= 110.0	4.0	7.4	8.6	5.8	2.8	3.2	2.5	3.6	6.7	0.5	0.9	1.4	3.1
>= 92.0	5.1	9.4	10.7	7.4	3.0	3.5	3.0	4.9	7.8	1.2	1.2	2.5	4.8
>= 74.0	6.7	10.6	13.6	10.6	4.2	3.8	3.7	8.5	10.4	1.7	1.2	3.5	6.7
>= 60.0	8.9	14.1	19.3	12.9	6.0	4.9	5.2	11.3	13.4	2.4	1.4	4.4	8.8
>= 49.0	11.1	17.7	25.0	17.0	6.7	6.0	5.2	13.8	15.0	2.9	1.4	6.7	11.7
>= 39.0	14.2	22.4	30.2	25.6	9.7	7.3	7.4	16.2	19.1	3.8	2.1	8.1	14.8
>= 32.0	17.7	26.7	34.8	34.6	14.6	10.3	3.9	18.5	22.8	5.7	2.8	9.7	18.3
>= 26.0	22.8	33.0	41.4	39.6	24.2	15.4	10.9	24.6	28.3	10.2	5.1	12.7	22.1
>= 21.0	29.9	39.6	48.1	45.6	40.0	24.4	16.1	29.5	36.2	18.6	10.4	18.9	26.2
>= 17.0	39.5	51.8	58.1	55.8	57.0	37.4	27.0	34.9	41.7	25.7	20.5	25.8	34.3
>= 14.0	49.8	62.0	67.1	66.1	70.0	56.4	44.7	43.6	52.1	33.1	28.8	34.6	40.0
>= 8.9	60.4	68.2	76.7	74.4	81.8	75.0	62.3	54.4	61.1	47.1	37.3	41.0	48.3
>= 7.2	69.6	76.7	83.1	82.5	87.8	85.9	78.7	70.8	72.6	55.0	47.0	52.5	61.2
>= 5.8	87.7	91.7	90.0	90.8	91.7	91.6	87.3	79.5	83.9	66.9	58.3	65.0	74.0
>= 4.7	91.8	94.7	95.2	94.7	99.1	98.4	89.6	90.5	90.8	74.8	70.3	80.6	86.9
>= 3.8	94.8	97.0	93.6	98.6	100.0	100.0	95.5	94.4	93.6	34.0	77.0	85.9	91.0
>= 3.1	97.1	98.8	99.3	100.0	100.0	100.0	100.0	99.5	94.9	89.5	83.9	88.7	94.5
>= 2.5	98.4	99.3	100.0	100.0	100.0	100.0	100.0	100.0	97.9	94.3	93.1	92.9	96.9
>= 2.0	99.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.2	95.8	95.6	98.8
>= 1.6	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	93.6	99.1	99.5
>= 1.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 21.--FLOW DURATIONS FOR RIO CIBUCO AT VEGA BAJA, PR STATION 50339500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1973-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 8500.0	0.1	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 6800.0	0.1	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
>= 5500.0	0.1	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
>= 4500.0	0.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
>= 3600.0	0.1	0.0	0.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
>= 2900.0	0.2	0.0	0.7	1.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.3
>= 2400.0	0.3	0.0	0.7	1.0	0.0	0.0	0.3	0.3	0.3	0.0	0.0	0.3	0.3
>= 1900.0	0.5	1.0	1.3	1.0	0.0	0.0	0.3	0.7	0.6	0.0	0.0	0.3	0.3
>= 1500.0	0.6	1.0	1.3	1.0	0.0	0.3	0.3	0.7	1.3	0.0	0.0	0.3	0.3
>= 1200.0	0.9	1.0	2.0	1.6	0.3	0.3	0.3	1.3	1.3	0.0	0.0	0.3	0.7
>= 1000.0	1.1	1.6	2.3	1.6	0.3	0.3	0.6	1.7	2.9	0.0	0.0	0.3	0.7
>= 810.0	1.5	2.6	4.0	2.9	0.3	0.3	0.6	1.7	3.9	0.0	0.0	0.3	1.0
>= 650.0	2.2	2.9	4.7	4.9	0.3	0.3	1.3	2.3	5.8	0.0	0.0	1.0	2.0
>= 530.0	2.7	3.9	6.0	5.5	0.3	0.3	1.3	2.7	6.3	0.0	0.0	1.6	3.0
>= 430.0	3.6	5.8	7.7	6.8	0.6	0.3	2.6	4.0	9.4	0.3	0.3	2.9	3.7
>= 340.0	5.3	8.1	12.3	9.7	1.2	1.0	3.5	7.0	9.0	0.7	1.0	3.6	6.3
>= 280.0	7.0	10.3	17.0	12.3	1.5	1.6	4.1	10.0	11.0	1.0	1.3	4.2	9.0
>= 220.0	10.1	13.2	24.3	16.6	2.9	3.6	5.6	12.7	16.4	2.7	1.9	6.8	13.3
>= 180.0	13.5	17.7	31.0	25.3	4.7	5.5	6.7	16.7	19.7	5.3	2.9	8.7	16.3
>= 150.0	17.3	22.9	36.3	34.1	8.8	9.7	7.9	21.0	23.2	8.0	3.9	11.3	19.0
>= 120.0	22.6	29.4	45.0	40.9	17.6	14.2	10.8	26.0	27.1	13.7	6.1	17.4	21.0
>= 96.0	30.1	35.8	53.0	50.6	34.6	24.5	15.2	32.0	34.2	20.7	11.6	23.2	24.3
>= 77.0	38.1	41.0	58.7	57.5	51.3	41.6	22.0	36.7	43.2	27.3	18.1	29.7	29.3
>= 63.0	47.1	51.3	60.7	65.3	64.2	55.2	35.8	44.3	51.3	36.0	25.5	36.1	38.3
>= 51.0	58.0	62.6	67.3	73.0	76.0	68.1	54.0	61.3	60.6	46.3	32.6	44.2	48.0
>= 41.0	68.2	72.3	79.3	81.5	85.3	78.1	70.1	70.0	72.9	54.0	40.6	57.4	58.3
>= 33.0	77.5	84.2	91.0	90.9	83.6	88.7	85.9	76.3	77.1	64.7	53.9	64.5	73.0
>= 27.0	85.2	92.9	96.3	94.8	99.4	97.4	95.0	86.0	79.4	68.7	66.1	69.4	83.3
>= 22.0	90.1	96.8	98.0	95.7	100.0	100.0	97.4	96.0	84.2	73.0	75.5	78.4	90.0
>= 17.0	95.3	98.4	98.7	99.4	100.0	100.0	98.2	100.0	95.8	86.0	88.1	87.7	93.0
>= 14.0	97.8	100.0	100.0	100.0	100.0	100.0	99.7	100.0	98.7	93.0	93.2	92.9	96.3
>= 11.0	99.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.3	95.5	98.1	99.7
>= 9.2	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.1	100.0	99.7
>= 7.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 22.---FLOW DURATIONS FOR RIO CIBUCO AT CENTRAL SAN VICENTE, PR STATION 50039600

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969-1972 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 3300.0	0.3	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 2800.0	0.4	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 2400.0	0.6	0.0	3.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 2100.0	0.8	0.0	3.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0
>= 1800.0	1.2	0.0	4.4	3.2	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.1	0.0
>= 1500.0	1.8	2.2	4.4	3.2	0.0	0.0	0.0	0.0	2.4	0.0	0.0	1.1	0.0
>= 1300.0	2.0	2.2	5.6	3.2	0.0	0.0	0.0	0.0	4.0	0.0	0.0	1.1	0.0
>= 1100.0	2.3	3.2	5.6	3.2	0.0	1.2	0.0	0.0	4.8	0.0	0.0	1.1	0.0
>= 980.0	2.7	5.4	5.6	4.3	0.0	1.2	0.0	0.0	4.8	0.0	0.0	1.1	0.0
>= 840.0	3.0	5.4	6.7	4.3	1.1	1.2	0.0	0.8	4.8	0.0	0.0	1.1	0.0
>= 720.0	3.7	5.4	6.7	6.4	3.2	1.1	0.0	0.8	5.6	0.0	0.0	1.1	0.0
>= 620.0	4.4	5.4	6.7	6.4	3.2	2.4	0.0	4.2	6.4	1.1	0.0	1.1	0.0
>= 530.0	5.8	5.4	11.1	7.5	4.3	5.9	0.0	5.0	8.9	2.1	0.0	1.1	0.0
>= 460.0	7.0	8.6	13.3	7.5	6.4	5.9	0.0	7.5	9.7	2.1	1.1	1.1	0.0
>= 390.0	8.5	8.6	16.7	9.7	7.5	8.2	1.0	10.8	0.7	2.1	2.2	1.1	0.0
>= 340.0	9.3	9.7	17.8	10.8	8.2	8.2	2.0	12.5	13.7	3.2	2.2	1.1	0.0
>= 290.0	10.6	10.8	20.0	10.8	10.8	9.4	3.0	15.0	13.6	4.3	3.2	1.1	0.0
>= 250.0	12.5	12.9	22.2	10.8	14.0	9.4	3.0	15.0	22.6	4.3	4.3	3.2	1.1
>= 210.0	14.4	16.1	24.4	11.8	15.0	10.6	3.0	20.8	24.2	7.4	5.4	3.2	2.2
>= 180.0	17.7	18.0	28.9	17.2	17.2	11.8	3.0	22.5	29.0	11.7	8.6	3.2	4.4
>= 160.0	19.3	19.4	33.3	21.5	17.2	14.1	6.0	23.3	29.8	11.7	9.7	4.3	4.4
>= 140.0	23.6	24.7	41.1	28.0	19.4	15.3	6.0	25.8	33.9	14.9	10.8	5.4	6.7
>= 120.0	27.1	28.0	46.7	37.6	21.5	17.6	7.0	28.3	41.1	16.0	17.2	6.4	8.9
>= 100.0	33.7	33.3	48.9	45.2	31.2	23.5	12.0	37.5	45.2	23.4	21.5	11.8	14.4
>= 86.0	42.5	43.0	53.3	55.9	40.9	34.1	26.0	47.5	48.4	34.0	25.8	14.0	20.0
>= 74.0	56.3	54.8	63.3	72.0	61.3	35.3	47.0	53.3	54.8	43.6	35.5	23.6	25.6
>= 64.0	68.4	73.4	74.4	74.2	73.1	40.0	48.0	59.2	71.8	59.6	49.5	34.4	41.1
>= 55.0	74.9	80.6	75.6	80.6	80.6	56.5	51.0	64.2	75.0	68.1	58.1	44.1	50.0
>= 47.0	80.6	80.6	77.8	79.6	87.1	80.0	60.0	70.8	75.0	76.6	73.1	52.7	62.2
>= 40.0	85.3	87.1	78.9	82.8	94.6	81.2	81.0	77.5	75.0	83.0	86.0	67.7	71.1
>= 35.0	90.1	89.2	82.2	87.1	100.0	91.8	89.0	82.5	75.0	93.6	95.7	76.3	73.3
>= 30.0	95.6	91.4	98.9	39.2	100.0	96.5	100.0	97.5	79.8	95.7	98.9	92.5	76.7
>= 26.0	98.4	94.6	100.0	100.0	100.0	100.0	100.0	100.0	87.1	95.7	100.0	100.0	86.7
>= 22.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 23.--FLOW DURATIONS FOR RIO DE LA PLATA AT LAGO CARITE, PR STATION 50040000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1949-1967 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	3100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.0
>=	2200.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>=	1600.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4
>=	1100.0	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4
>=	810.0	0.3	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.4
>=	580.0	0.4	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.2	1.1	0.9	0.6
>=	410.0	0.7	0.3	0.8	0.0	0.0	0.0	0.0	0.2	0.2	2.0	1.6	1.1
>=	300.0	1.1	1.0	1.2	0.0	0.0	0.0	0.0	0.2	0.6	2.9	2.0	2.0
>=	210.0	1.8	2.1	1.9	0.0	0.6	0.0	0.2	0.9	0.7	3.8	2.3	3.9
>=	150.0	2.9	3.0	2.6	0.0	0.8	0.0	0.4	1.6	2.6	6.3	3.4	7.6
>=	110.0	4.4	3.7	3.1	0.4	0.8	0.2	0.7	2.9	6.1	9.0	5.6	10.9
>=	78.0	7.0	4.4	5.1	1.6	1.4	0.2	3.0	4.8	10.0	13.3	8.8	14.4
>=	56.0	10.2	7.5	6.8	2.2	2.8	0.2	4.3	3.4	14.4	17.9	12.9	19.8
>=	40.0	16.1	14.4	9.0	4.1	5.3	0.7	6.8	14.0	21.7	26.0	22.9	29.8
>=	29.0	25.5	26.0	18.3	3.4	9.1	1.1	8.9	20.3	32.8	39.1	41.9	45.2
>=	20.0	43.2	47.0	42.4	29.2	22.6	4.7	14.1	34.0	52.6	57.5	67.0	68.3
>=	15.0	58.8	62.1	61.2	54.5	38.6	15.6	26.1	47.1	67.8	74.6	82.4	80.7
>=	10.0	76.4	80.7	79.1	76.3	63.8	46.8	48.3	64.5	84.4	87.6	91.8	88.2
>=	7.5	34.6	68.4	36.8	86.9	71.5	62.7	64.6	76.9	90.2	94.6	94.3	91.3
>=	5.4	90.4	96.1	92.4	93.6	85.2	72.4	74.6	84.4	93.2	95.2	96.4	94.8
>=	3.9	93.8	98.2	96.4	97.0	91.9	80.1	81.3	90.1	95.7	98.2	97.5	96.7
>=	2.8	96.0	99.0	98.5	97.8	94.1	88.2	85.9	92.5	98.3	99.3	98.9	97.8
>=	2.0	97.2	99.3	99.2	98.9	95.7	91.8	88.9	94.3	98.9	99.6	99.8	98.9
>=	1.4	98.0	99.6	99.7	99.1	97.2	93.7	90.9	96.2	99.8	99.8	100.0	99.3
>=	1.0	98.3	99.8	99.7	99.1	98.0	94.4	92.8	96.6	99.8	100.0	100.0	99.4
>=	0.7	98.6	99.8	99.7	99.5	99.2	95.5	93.3	97.1	99.8	100.0	100.0	99.6
>=	0.5	98.9	99.8	99.8	99.5	99.2	96.4	94.4	97.7	99.8	100.0	100.0	99.6
>=	0.4	99.8	100.0	99.8	99.3	99.8	99.3	99.3	99.3	100.0	100.0	100.0	99.6
>=	0.3	99.8	100.0	99.8	99.3	99.8	99.5	99.8	99.5	100.0	100.0	100.0	99.6
>=	0.2	99.9	100.0	99.8	99.3	99.8	99.6	99.8	99.5	100.0	100.0	100.0	99.8
>=	0.1	99.9	100.0	99.8	99.3	99.8	99.6	99.8	99.6	100.0	100.0	100.0	99.8
>=	0.1	100.0	100.0	99.8	100.0	99.8	100.0	100.0	100.0	100.0	100.0	100.0	99.8
>=	0.1	100.0	100.0	99.8	100.0	99.8	100.0	100.0	100.0	100.0	100.0	100.0	99.8
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 24.---FLOW DURATIONS FOR RIO LA PLATA AT PROYECTO LA PLATA, PR STATION 50043000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1960-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 20000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>= 15000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>= 11000.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
>= 8700.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
>= 6600.0	0.1	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3
>= 5100.0	0.2	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4
>= 3900.0	0.3	1.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7	0.6
>= 2900.0	0.5	1.3	1.3	0.4	0.0	0.2	0.0	0.1	0.4	0.7	0.1	1.0	0.9
>= 2300.0	0.7	1.4	1.3	0.7	0.0	0.2	0.0	0.3	0.6	0.9	0.1	1.4	1.0
>= 1700.0	1.0	1.8	1.9	1.1	0.3	0.2	0.0	0.4	1.3	1.3	0.4	2.0	1.7
>= 1300.0	1.5	2.4	3.2	1.6	0.3	0.2	0.2	0.4	1.7	1.6	0.8	2.7	2.3
>= 1000.0	2.0	3.5	4.5	2.0	0.4	0.2	0.2	0.6	2.7	2.0	1.1	3.2	2.8
>= 760.0	2.5	4.4	5.5	2.4	0.6	0.3	0.3	0.6	3.2	3.3	1.7	3.4	3.8
>= 580.0	3.2	6.0	6.3	2.7	1.0	0.5	0.4	0.9	4.1	3.8	2.1	4.6	5.6
>= 440.0	4.1	7.6	7.7	3.8	1.4	0.6	0.6	1.6	4.9	7.5	2.3	5.5	7.4
>= 340.0	5.1	9.5	9.2	5.1	2.0	0.8	0.9	2.2	5.9	4.6	4.2	7.0	9.0
>= 260.0	6.5	11.3	11.5	6.8	2.4	1.1	1.5	2.6	7.3	5.8	6.6	8.4	10.9
>= 200.0	8.6	15.8	14.8	9.4	2.7	1.4	2.5	4.1	9.3	7.5	9.4	10.4	15.2
>= 150.0	11.4	20.3	18.8	13.9	4.5	3.2	3.4	4.9	11.2	9.9	13.9	14.3	19.7
>= 110.0	15.1	25.8	26.0	20.3	5.7	4.0	4.6	7.0	14.4	13.3	17.8	17.5	24.5
>= 98.0	19.6	31.7	33.0	27.5	9.3	6.4	5.7	10.4	18.0	16.4	21.2	23.6	32.5
>= 67.0	26.2	42.8	43.5	37.9	15.3	9.6	7.6	13.0	22.9	21.6	28.8	32.4	39.7
>= 51.0	33.5	52.4	53.0	45.9	25.1	15.8	11.3	17.1	27.6	29.0	36.3	43.8	48.4
>= 39.0	42.8	59.9	60.3	58.4	39.5	23.1	19.5	27.6	37.0	41.4	46.4	55.8	55.9
>= 30.0	53.6	66.3	67.2	71.3	61.2	36.8	35.6	30.6	48.4	51.3	55.8	64.8	63.8
>= 23.0	62.6	71.5	74.3	78.0	75.8	58.1	43.3	36.7	59.0	57.8	62.0	71.5	69.6
>= 17.0	73.3	78.0	82.3	86.1	84.7	75.0	60.3	53.6	70.7	67.5	70.3	80.4	78.1
>= 13.0	82.5	84.0	89.0	91.4	92.7	80.2	75.2	69.9	78.3	78.7	79.0	87.5	89.6
>= 10.0	88.6	90.6	93.6	94.8	95.3	88.2	83.0	79.3	84.2	87.4	86.3	91.4	93.9
>= 7.7	92.9	95.1	98.4	97.2	97.3	94.1	88.3	85.2	88.9	91.9	90.6	94.2	96.5
>= 5.9	96.1	99.9	99.3	99.3	98.3	98.7	92.3	90.6	92.3	95.2	94.0	96.4	97.7
>= 4.5	98.0	100.0	100.0	100.0	98.9	100.0	97.5	95.6	65.8	97.1	95.5	97.9	98.6
>= 3.4	99.6	100.0	100.0	100.0	99.7	100.0	100.0	99.4	99.9	99.4	97.6	99.7	100.0
>= 2.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 25.--FLOW DURATIONS FOR RIO LAJAS AT TOA ALTA, PR STATION 50045700

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1974 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1000.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
>= 790.0	0.1	0.7	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
>= 630.0	0.1	0.7	0.4	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
>= 500.0	0.2	1.1	0.7	1.1	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
>= 390.0	0.3	1.4	0.7	1.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0
>= 310.0	0.4	1.8	1.1	1.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0
>= 250.0	0.4	2.2	1.5	1.8	0.0	0.0	0.0	0.4	0.4	0.4	0.0	0.4	0.0
>= 200.0	0.6	2.9	2.6	2.5	0.4	0.0	0.0	0.4	0.4	0.4	0.0	0.4	0.0
>= 160.0	0.8	2.9	2.6	2.9	0.8	0.0	0.0	0.4	0.8	0.8	0.0	0.8	0.0
>= 120.0	1.0	3.2	2.6	3.2	0.8	0.0	0.4	0.8	1.2	0.8	0.0	0.8	0.0
>= 97.0	1.1	4.7	5.2	4.3	1.2	0.4	0.4	1.2	1.5	0.8	0.4	0.8	0.0
>= 77.0	1.8	5.0	6.7	4.7	1.3	0.9	0.4	2.5	2.0	0.8	0.8	0.8	0.8
>= 61.0	2.2	7.5	8.5	5.7	2.4	2.6	0.4	2.5	2.8	0.8	0.8	2.0	0.8
>= 48.0	3.0	9.7	13.0	9.3	4.4	4.0	0.8	4.2	4.0	2.5	1.2	2.8	1.2
>= 38.0	4.7	12.9	15.9	12.5	6.0	6.6	2.4	5.8	4.8	6.2	3.2	5.2	2.5
>= 30.0	6.4	17.2	22.6	16.5	8.1	8.8	2.4	7.9	5.6	7.1	5.7	6.8	3.8
>= 24.0	8.3	19.4	25.2	20.1	10.1	10.2	3.2	9.2	8.1	9.2	7.7	8.9	6.2
>= 19.0	10.0	23.7	28.9	28.7	14.5	15.5	4.8	10.0	10.5	9.2	10.1	11.7	8.3
>= 15.0	12.9	26.9	34.4	40.1	25.0	26.1	3.1	13.3	17.3	12.5	13.3	16.1	14.2
>= 12.0	17.7	34.0	40.0	49.8	35.9	34.1	10.9	15.4	24.2	16.2	13.3	19.4	18.3
>= 9.5	23.6	37.3	45.9	60.6	44.4	37.2	16.9	19.6	28.6	20.8	19.2	27.0	23.3
>= 7.5	29.4	40.5	55.2	70.2	60.1	54.9	34.7	24.6	34.3	27.9	27.8	35.9	31.2
>= 6.0	37.9	48.0	63.0	77.1	75.8	71.2	47.2	32.1	43.6	32.5	36.3	48.0	38.8
>= 4.7	47.7	52.7	70.7	84.6	89.5	91.2	62.5	40.4	55.2	45.0	44.8	51.6	52.5
>= 3.7	58.4	56.6	73.0	90.7	93.0	97.8	70.6	50.4	58.1	60.4	58.9	58.9	62.9
>= 3.0	67.4	68.8	80.0	93.6	100.0	97.8	84.7	64.2	66.5	50.8	69.4	58.9	73.8
>= 2.4	75.5	78.1	86.3	97.5	100.0	100.0	93.2	72.5	73.6	62.5	74.6	71.4	85.8
>= 1.9	89.2	90.0	93.3	98.9	100.0	100.0	97.2	85.8	85.9	69.6	80.2	79.4	95.0
>= 1.5	94.8	93.6	99.3	99.3	100.0	100.0	98.0	90.4	92.3	87.9	90.7	87.1	98.8
>= 1.2	96.7	95.3	100.0	100.0	100.0	100.0	100.0	95.4	93.6	89.2	91.1	94.0	100.0
>= 0.9	97.3	98.6	100.0	100.0	100.0	100.0	100.0	96.2	95.2	90.0	91.5	94.8	100.0
>= 0.7	98.2	100.0	100.0	100.0	100.0	100.0	100.0	99.6	96.4	92.9	93.2	96.4	100.0
>= 0.6	99.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.5	97.2	98.8	100.0
>= 0.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 26.---FLOW DURATIONS FOR RIO DE LA PLATA AT TOA ALTA, PR STATION 50046000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1960-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 36000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
>= 27000.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
>= 21000.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2
>= 16000.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2
>= 12000.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2
>= 8900.0	0.2	0.7	0.0	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.3
>= 6700.0	0.2	0.8	0.3	0.7	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.3
>= 5100.0	0.4	1.0	0.7	1.3	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.6	0.6
>= 3800.0	0.6	1.0	0.9	1.6	0.0	0.0	0.1	0.1	0.6	0.6	0.1	0.8	0.9
>= 2900.0	0.8	1.6	1.3	2.0	0.1	0.0	0.1	0.1	1.0	0.7	0.4	1.1	1.4
>= 2200.0	1.3	2.3	2.8	3.0	0.3	0.0	0.3	0.4	2.0	1.0	0.4	1.4	1.5
>= 1600.0	2.2	3.7	4.8	4.5	0.7	0.2	0.5	1.0	4.3	1.9	0.6	1.7	2.4
>= 1200.0	3.5	4.8	7.6	6.4	1.1	0.8	0.7	2.8	6.6	2.3	1.8	3.0	4.4
>= 940.0	5.0	7.3	10.9	7.8	2.0	1.1	1.4	4.5	8.7	3.0	1.5	4.4	7.1
>= 710.0	7.2	11.3	15.7	11.9	2.3	2.0	2.5	5.4	10.8	4.1	3.4	6.4	9.9
>= 540.0	10.3	17.9	20.9	17.4	4.5	2.8	3.0	7.4	14.4	5.8	5.9	9.4	13.8
>= 430.0	14.5	23.4	28.4	24.8	8.1	5.0	4.4	10.6	17.2	8.3	9.7	13.6	19.9
>= 310.0	18.8	29.2	35.1	31.3	12.5	6.9	5.5	13.2	21.5	12.0	14.2	17.8	25.8
>= 230.0	25.9	35.4	41.2	41.9	23.0	10.9	9.4	18.4	27.1	17.0	23.3	27.2	34.6
>= 170.0	35.6	47.7	52.1	50.4	33.7	18.8	14.0	27.5	35.1	26.4	34.5	38.6	46.1
>= 130.0	45.5	60.1	61.7	58.1	47.3	33.0	23.1	34.8	42.2	37.1	43.3	49.5	53.1
>= 99.0	55.6	66.2	71.1	58.4	61.3	48.8	37.3	46.1	51.8	44.8	50.9	57.9	60.1
>= 75.0	65.2	72.4	78.4	76.2	75.4	62.2	51.3	59.0	61.2	52.5	57.8	65.1	67.5
>= 57.0	72.3	78.4	84.0	82.3	83.1	71.9	62.0	64.6	72.5	58.4	63.4	70.3	74.5
>= 43.0	78.5	83.5	83.4	87.2	87.7	80.4	71.4	71.7	78.5	67.8	67.7	75.2	80.4
>= 32.0	84.8	88.0	93.5	90.6	92.1	87.8	80.9	78.6	84.0	79.7	75.7	80.4	85.7
>= 24.0	90.4	95.1	96.7	95.0	96.3	92.8	86.7	85.8	87.5	87.5	84.4	86.3	91.0
>= 18.0	94.2	98.0	98.7	97.4	98.5	96.5	93.6	92.9	90.7	90.1	88.9	91.4	95.0
>= 14.0	96.9	99.4	99.4	99.6	98.9	99.5	96.6	96.4	93.4	92.3	93.4	96.8	97.4
>= 10.0	98.6	100.0	99.7	99.7	100.0	100.0	99.7	98.7	97.0	94.6	95.6	98.7	98.9
>= 7.9	99.4	100.0	99.3	99.7	100.0	100.0	100.0	100.0	99.9	97.2	97.3	98.9	99.7
>= 6.0	99.9	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	99.9	99.2	100.0
>= 4.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.6	100.0
>= 3.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 27.--FLOW DURATIONS FOR RIO DE BAYAMON NEAR BAYAMON, PR STATION 50047850

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1964-1970 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	5300.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	4200.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	3300.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	2600.0	0.1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	2100.0	0.2	0.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0
>=	1600.0	0.3	0.6	1.1	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0
>=	1300.0	0.4	0.6	1.1	0.5	0.0	0.0	0.0	1.0	0.0	0.0	1.1	0.0
>=	1000.0	0.4	1.1	1.1	0.5	0.0	0.0	0.0	1.0	0.0	0.0	1.1	0.0
>=	800.0	0.6	2.2	1.1	1.1	0.0	0.0	0.5	1.6	0.0	0.0	1.1	0.0
>=	630.0	0.8	2.2	1.1	1.1	0.0	0.5	0.5	2.1	0.0	0.0	1.6	0.0
>=	500.0	1.0	2.2	2.2	1.6	0.0	0.5	0.5	2.1	0.6	0.0	1.6	0.0
>=	400.0	1.4	3.1	2.7	2.2	0.0	0.5	0.5	2.6	1.1	0.0	2.2	0.0
>=	310.0	1.9	5.6	3.8	2.2	0.0	0.5	1.0	3.6	1.1	0.5	2.2	1.4
>=	250.0	2.4	6.1	4.3	2.7	0.0	0.9	1.4	5.7	1.1	1.1	2.7	1.9
>=	190.0	3.1	6.1	4.8	4.3	0.6	0.9	1.4	7.2	1.7	1.1	3.8	2.4
>=	150.0	4.1	7.8	5.9	5.4	0.6	1.4	2.4	8.8	2.2	2.2	5.9	4.3
>=	120.0	5.3	8.3	9.7	5.4	1.8	1.9	4.3	10.4	2.2	2.7	8.1	5.7
>=	96.0	6.7	10.6	10.8	5.9	2.4	1.9	6.7	14.0	2.8	3.8	9.7	9.1
>=	76.0	8.8	11.7	12.9	7.0	3.0	2.3	7.6	16.1	5.0	7.0	13.4	12.9
>=	60.0	11.6	13.3	15.6	8.6	3.6	2.8	10.0	19.2	7.2	10.8	19.4	17.6
>=	47.0	14.8	16.7	21.0	11.3	4.1	3.7	11.9	22.3	11.7	15.0	24.2	22.9
>=	37.0	17.2	20.6	24.2	13.4	5.3	4.6	11.9	24.9	13.9	16.1	27.4	28.1
>=	29.0	21.7	25.0	30.1	18.3	5.9	6.5	14.8	29.0	20.0	20.4	32.8	34.3
>=	23.0	27.0	27.8	36.6	27.4	10.1	14.9	18.6	35.2	22.8	26.3	41.4	42.9
>=	18.0	35.4	40.6	47.3	40.9	17.8	25.6	26.7	43.5	30.0	34.4	48.4	50.0
>=	15.0	43.7	46.7	59.1	53.8	33.1	33.0	31.4	48.7	36.1	43.0	60.2	54.3
>=	11.0	58.6	60.6	71.0	72.0	58.0	46.5	41.0	64.2	52.8	63.4	70.4	64.3
>=	9.1	64.6	65.0	73.7	75.8	68.0	52.1	47.1	67.4	60.0	73.7	76.3	69.0
>=	7.2	73.5	76.1	80.7	78.5	69.2	72.1	54.8	74.1	70.6	81.7	90.9	79.0
>=	5.7	80.3	85.0	85.5	82.8	71.0	76.3	73.3	81.9	72.8	89.2	94.1	89.0
>=	4.5	88.2	93.3	91.4	90.3	79.3	86.0	86.7	89.1	81.7	96.8	96.2	92.9
>=	3.5	97.1	98.9	100.0	100.0	97.0	89.8	91.4	99.0	97.8	99.5	100.0	100.0
>=	2.8	99.4	100.0	100.0	100.0	100.0	100.0	94.3	100.0	100.0	100.0	100.0	100.0
>=	2.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 28.---FLOW DURATIONS FOR RIO DE BAYAMON AT BAYAMON, PR STATION 50048000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1962-1966, 1974 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	5800.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	4400.0	0.6	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	3300.0	1.2	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
>=	2500.0	2.5	1.3	2.5	0.0	0.0	0.0	0.8	2.4	0.0	0.0	1.6	0.8
>=	1900.0	3.1	4.4	3.1	0.0	0.0	0.0	0.8	2.4	0.0	0.0	2.3	1.6
>=	1400.0	5.0	4.4	3.8	0.0	0.0	0.0	0.8	3.2	0.0	0.8	2.3	2.4
>=	1100.0	5.0	4.4	4.4	0.0	0.0	0.0	0.8	4.0	0.0	0.8	2.3	4.0
>=	790.0	5.6	5.7	6.9	1.6	0.0	2.4	0.8	7.2	0.0	1.6	5.4	4.0
>=	600.0	2.3	6.9	7.6	1.6	0.0	2.4	0.8	10.4	0.0	2.4	6.2	7.3
>=	450.0	4.0	6.9	8.2	1.6	0.0	2.4	3.3	15.2	2.5	2.4	14.0	9.7
>=	340.0	6.8	8.2	10.7	1.6	0.0	2.4	3.3	18.4	4.2	4.0	16.3	12.9
>=	260.0	11.8	8.2	13.8	2.4	0.0	3.2	4.2	24.8	6.7	8.0	22.5	19.4
>=	190.0	12.4	10.7	15.7	4.8	0.0	4.0	5.8	32.8	10.0	10.4	28.7	24.2
>=	150.0	14.0	14.5	18.2	5.6	0.0	4.0	7.5	35.2	15.0	15.2	32.6	29.0
>=	110.0	19.2	22.6	20.1	7.9	0.0	4.8	9.2	39.2	20.8	26.4	38.0	40.3
>=	82.0	24.6	27.0	26.4	11.1	1.8	5.6	11.7	44.0	27.5	36.0	47.3	50.0
>=	62.0	30.6	32.7	33.3	15.7	3.5	8.8	15.0	51.2	38.3	42.4	54.3	56.4
>=	47.0	36.7	39.0	36.2	23.0	3.5	10.4	19.2	54.4	50.8	51.2	63.6	62.9
>=	35.0	44.3	50.9	42.8	34.9	7.1	11.2	22.5	58.4	65.8	56.0	69.8	72.6
>=	26.0	51.2	65.4	46.5	44.4	9.7	12.0	26.7	63.2	72.5	64.0	76.0	80.6
>=	20.0	57.4	71.1	52.8	54.8	18.6	16.8	31.7	66.4	75.8	72.0	79.8	84.7
>=	15.0	64.3	79.2	61.0	65.1	27.4	19.2	38.3	70.4	80.8	79.2	89.9	87.1
>=	11.0	69.9	83.6	69.2	67.5	38.0	27.2	45.0	72.8	82.5	88.8	93.8	89.5
>=	8.5	73.5	85.5	74.2	71.4	46.0	33.6	47.5	73.6	84.2	90.4	97.7	93.6
>=	6.4	77.5	86.8	79.2	79.4	59.3	38.4	50.8	75.2	85.0	93.6	98.4	96.0
>=	4.8	81.8	90.6	85.5	83.9	64.6	48.8	56.7	75.2	86.7	96.8	98.4	97.6
>=	3.6	84.4	92.4	90.6	90.5	69.9	56.0	58.3	75.2	88.3	98.4	98.4	100.0
>=	2.7	88.0	93.7	96.2	96.0	78.8	67.2	63.3	76.8	89.2	100.0	98.4	100.0
>=	2.1	91.4	98.7	99.4	100.0	83.2	73.6	70.0	76.8	96.7	100.0	99.2	100.0
>=	1.6	93.9	100.0	100.0	100.0	89.4	80.8	80.0	78.4	99.2	100.0	99.2	100.0
>=	1.2	97.1	100.0	100.0	100.0	100.0	94.4	38.3	82.4	100.0	100.0	100.0	100.0
>=	0.9	99.5	100.0	100.0	100.0	100.0	100.0	95.8	98.4	100.0	100.0	100.0	100.0
>=	0.7	99.9	100.0	100.0	100.0	100.0	100.0	100.0	93.4	100.0	100.0	100.0	100.0
>=	0.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 29.--FLOW DURATIONS FOR RIO PIEDRAS AT RIO PIEDRAS, PR STATION 50049000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1971-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1600.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	1200.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0
>=	940.0	0.0	0.3	0.3	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.3	0.0
>=	720.0	0.3	0.3	1.2	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.5	0.3
>=	550.0	1.1	0.6	1.2	0.0	0.3	0.0	0.3	0.6	0.0	0.0	0.8	0.6
>=	420.0	2.0	0.6	1.8	0.0	0.3	0.0	0.6	0.9	0.0	0.0	1.1	0.8
>=	330.0	2.5	1.5	2.6	0.3	0.3	0.3	0.9	1.5	0.0	0.3	1.3	1.1
>=	250.0	3.9	2.7	3.8	0.3	0.3	0.9	1.2	3.2	0.3	0.8	1.6	1.9
>=	190.0	5.1	3.9	4.1	0.6	0.3	1.2	1.5	4.1	1.8	1.1	2.7	2.8
>=	150.0	7.6	5.4	4.1	0.6	1.0	2.0	2.1	5.2	1.8	1.4	4.3	4.4
>=	110.0	9.6	6.7	5.6	0.6	1.0	2.0	2.7	7.0	2.4	2.5	5.6	6.7
>=	87.0	12.7	8.5	6.4	1.5	1.6	2.9	3.3	8.2	2.4	3.4	7.5	3.6
>=	67.0	17.2	11.5	7.0	2.4	2.6	3.5	4.6	11.1	2.7	3.7	8.6	10.6
>=	51.0	21.4	13.6	7.3	3.5	3.2	4.1	6.1	12.6	4.2	4.8	10.8	13.3
>=	39.0	25.4	17.3	10.8	5.3	4.2	4.4	9.4	15.2	5.2	7.6	15.9	17.5
>=	30.0	31.3	23.9	16.4	7.3	5.5	5.0	10.9	19.6	7.6	11.3	20.2	21.1
>=	23.0	43.1	31.8	25.2	9.7	8.4	5.9	14.8	24.6	9.7	17.2	25.5	30.3
>=	18.0	53.0	38.2	34.9	17.9	13.2	7.9	17.6	30.5	15.8	22.6	33.3	40.3
>=	14.0	63.1	49.4	46.6	31.1	18.6	10.6	22.7	36.7	25.8	31.9	44.6	50.6
>=	11.0	71.6	61.8	59.5	36.7	29.3	22.0	30.6	40.8	40.0	40.7	54.6	59.4
>=	8.1	83.7	76.4	75.4	49.8	42.1	39.0	40.9	43.7	45.4	47.5	66.7	66.7
>=	6.2	90.7	88.8	89.7	63.0	50.5	48.7	47.9	52.8	50.0	53.1	75.8	80.0
>=	4.8	94.1	93.6	96.8	77.7	66.9	62.2	58.2	61.6	58.8	60.2	82.5	88.9
>=	3.7	97.5	98.2	98.8	90.9	82.3	73.3	67.6	70.4	66.1	66.7	85.5	96.7
>=	2.8	98.3	100.0	99.7	98.2	93.2	86.2	77.0	79.2	75.2	74.9	89.0	99.2
>=	2.2	99.2	100.0	100.0	99.4	98.4	93.6	84.8	88.9	86.1	83.0	92.5	99.7
>=	1.7	99.7	100.0	100.0	100.0	100.0	97.4	91.5	94.1	94.2	92.9	93.3	100.0
>=	1.3	100.0	100.0	100.0	100.0	100.0	99.1	96.4	96.5	98.8	97.2	94.4	100.0
>=	1.0	100.0	100.0	100.0	100.0	100.0	99.7	98.2	98.2	99.1	98.3	96.2	100.0
>=	0.8	100.0	100.0	100.0	100.0	100.0	100.0	98.8	99.1	99.4	99.7	98.9	100.0
>=	0.6	100.0	100.0	100.0	100.0	100.0	100.0	98.8	99.1	99.4	100.0	99.7	100.0
>=	0.4	100.0	100.0	100.0	100.0	100.0	100.0	98.8	99.4	99.7	100.0	100.0	100.0
>=	0.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.7	100.0	100.0	100.0	100.0
>=	0.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 30.--FLOW DURATIONS FOR RIO GRANDE DE LOIZA AT QUEBRADA ARENAS, PR STATION 50050900

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1977-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0
>=	840.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	0.0
>=	700.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.3	0.0
>=	590.0	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	1.3	0.0
>=	490.0	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	1.3	0.7
>=	420.0	0.7	0.7	0.6	0.0	0.0	0.0	0.0	0.0	1.3	0.6	1.3	1.3
>=	350.0	0.9	0.7	0.6	0.0	0.0	0.0	0.0	1.3	2.0	0.6	1.3	1.3
>=	290.0	1.2	0.7	0.6	0.0	0.7	0.0	0.0	2.6	2.7	1.3	1.3	1.3
>=	250.0	1.6	0.7	1.9	0.0	0.7	0.0	0.7	3.2	3.3	1.3	1.3	2.0
>=	210.0	1.9	2.0	1.9	0.0	0.7	0.0	0.7	3.9	4.0	1.3	1.3	2.7
>=	170.0	2.7	3.3	2.6	0.0	0.7	0.0	0.7	6.4	4.7	3.2	1.3	2.7
>=	150.0	3.1	3.3	2.6	0.0	0.7	0.0	0.7	7.1	6.7	3.9	2.6	2.7
>=	120.0	3.6	4.0	2.6	0.0	0.7	0.0	0.7	7.7	7.3	5.8	2.6	4.0
>=	100.0	4.6	6.7	3.2	0.0	0.7	0.0	1.3	9.7	11.3	5.8	3.9	5.3
>=	86.0	5.3	6.7	3.2	0.6	0.7	0.0	1.3	11.0	11.3	8.4	4.5	3.0
>=	72.0	7.1	8.7	4.5	0.6	1.4	0.0	1.3	12.9	16.0	11.6	5.8	11.3
>=	61.0	9.1	11.3	5.2	0.6	2.8	0.6	2.7	16.8	17.3	14.2	7.1	13.3
>=	51.0	11.1	15.3	7.1	1.9	2.8	1.3	2.7	20.0	20.7	18.1	9.7	16.0
>=	43.0	14.1	19.3	10.3	3.2	3.6	1.3	2.7	23.2	26.0	27.1	15.5	19.3
>=	36.0	18.5	24.0	18.7	3.9	6.4	1.3	5.3	28.4	31.3	33.6	19.4	22.7
>=	30.0	24.3	34.7	30.3	5.2	9.2	2.6	7.3	38.1	39.3	33.7	25.8	30.7
>=	25.0	29.6	41.3	38.1	7.7	12.1	3.9	8.7	44.5	46.7	48.4	38.7	32.7
>=	21.0	36.5	52.1	48.4	10.3	17.0	6.4	9.3	49.0	53.3	62.6	56.8	33.7
>=	18.0	45.2	63.3	56.8	13.7	19.2	14.2	14.0	54.8	69.3	71.0	76.8	46.7
>=	15.0	56.0	76.0	71.6	27.7	24.1	21.9	21.3	63.9	84.0	83.9	98.4	56.7
>=	13.0	64.2	82.0	81.3	47.1	30.5	27.1	26.7	67.7	98.7	94.2	98.4	75.3
>=	11.0	74.5	87.4	94.2	72.9	41.8	39.4	34.7	75.5	92.0	98.7	100.0	94.0
>=	8.9	82.7	95.2	96.1	87.7	61.7	47.7	59.3	83.9	98.7	100.0	100.0	100.0
>=	7.4	88.1	99.4	99.4	95.5	74.5	55.4	50.0	86.4	100.0	100.0	100.0	100.0
>=	6.2	92.5	98.7	100.0	100.0	86.5	71.0	64.0	89.0	100.0	100.0	100.0	100.0
>=	5.2	96.0	100.0	100.0	100.0	99.3	85.2	74.0	92.9	100.0	100.0	100.0	100.0
>=	4.4	98.6	100.0	100.0	100.0	100.0	100.0	87.3	95.5	100.0	100.0	100.0	100.0
>=	3.7	99.5	100.0	100.0	100.0	100.0	100.0	96.7	97.4	100.0	100.0	100.0	100.0
>=	3.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 31.--FLOW DURATIONS FOR RIO CAYAGUAS AT CERRO GORDO, PR STATION 50051310

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1977-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	2300.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0
>=	1900.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0
>=	1600.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	0.6
>=	1400.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	0.6
>=	1100.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	1.2
>=	960.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	1.2
>=	800.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.3	1.2
>=	670.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.3	1.8
>=	570.0	0.9	1.3	0.6	0.0	0.0	0.0	0.0	0.6	1.3	0.6	1.3	1.8
>=	480.0	1.1	1.3	0.6	0.0	0.0	0.0	0.0	1.3	2.0	0.6	1.3	2.4
>=	400.0	3.0	2.0	1.3	0.0	0.0	0.0	0.0	3.2	2.0	1.3	1.3	3.6
>=	330.0	1.8	2.7	1.3	0.0	0.0	0.0	0.0	3.2	2.7	1.3	1.3	3.6
>=	280.0	5.4	3.3	1.9	0.0	0.0	0.0	0.0	5.8	4.0	1.3	1.9	4.2
>=	240.0	2.6	3.3	1.9	0.0	0.0	0.0	0.0	6.4	4.0	2.6	1.9	4.8
>=	200.0	3.0	4.0	3.2	0.0	0.0	0.0	0.0	6.4	5.3	2.6	1.9	6.1
>=	170.0	3.6	4.7	5.2	0.0	0.0	0.0	0.0	7.7	6.7	2.6	2.6	6.1
>=	140.0	4.4	6.0	5.2	0.0	0.0	0.0	0.7	8.4	6.7	3.2	3.2	8.5
>=	120.0	5.5	8.7	5.2	0.6	0.7	0.0	0.7	11.0	8.0	3.9	3.2	9.7
>=	98.0	6.8	12.7	9.0	0.6	0.7	0.0	0.7	12.3	9.3	7.1	3.2	10.9
>=	82.0	9.1	15.3	14.8	0.6	1.4	0.6	0.7	13.6	12.0	7.1	5.2	14.6
>=	69.0	11.9	22.7	18.1	1.3	2.1	0.6	0.7	15.5	15.3	8.4	7.7	20.0
>=	58.0	15.0	29.3	24.5	1.9	2.8	1.3	0.7	19.7	20.0	14.8	9.0	23.0
>=	49.0	19.3	36.5	31.6	7.1	7.1	1.9	1.3	20.6	23.3	20.0	12.3	24.2
>=	41.0	26.0	41.9	40.0	15.5	11.4	2.6	2.7	30.3	31.3	31.6	20.0	26.7
>=	34.0	33.5	47.3	50.3	19.4	18.4	4.5	5.3	33.6	48.0	43.9	36.8	33.3
>=	29.0	42.1	54.5	61.9	27.1	27.7	8.4	7.3	41.3	61.3	48.4	56.1	46.1
>=	24.0	55.4	64.1	76.8	45.2	41.1	21.3	12.7	52.3	78.0	65.4	76.8	62.4
>=	20.0	70.0	80.2	91.6	77.4	51.1	41.3	26.7	65.8	86.7	80.6	80.6	83.0
>=	17.0	81.0	92.8	97.4	83.2	68.8	56.8	40.0	76.1	92.0	95.5	90.3	88.5
>=	14.0	89.5	97.6	98.7	89.7	92.2	81.9	50.7	79.4	97.3	99.4	96.8	93.9
>=	12.0	93.6	99.4	100.0	96.8	94.3	89.7	63.3	84.5	100.0	100.0	98.7	97.0
>=	10.0	97.3	99.4	100.0	100.0	96.4	98.1	84.0	91.6	100.0	100.0	99.4	98.2
>=	8.5	99.6	100.0	100.0	100.0	98.6	100.0	98.7	98.1	100.0	100.0	100.0	99.4
>=	7.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 32.--FLOW DURATIONS FOR RIO GRANDE DE LOIZA AT CAGUAS, PR STATION 50055000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1959-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 18000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>= 14000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>= 11000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1
>= 9100.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1
>= 7300.0	0.2	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	0.1
>= 5800.0	0.2	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.6	0.1
>= 4700.0	0.3	1.3	0.4	0.1	0.0	0.0	0.0	0.0	0.6	0.4	0.0	0.6	0.1
>= 3700.0	0.4	1.5	0.4	0.7	0.0	0.0	0.0	0.0	0.7	0.6	0.3	0.6	0.4
>= 3000.0	0.6	1.8	0.6	0.9	0.0	0.0	0.0	0.0	0.8	0.9	0.4	1.0	0.9
>= 2400.0	0.9	2.0	0.7	1.2	0.0	0.0	0.0	0.0	1.1	1.6	0.3	1.8	1.2
>= 1900.0	1.2	2.4	1.4	1.3	0.0	0.0	0.3	0.1	1.7	1.9	1.3	2.0	1.3
>= 1500.0	1.6	3.2	2.3	2.0	0.3	0.0	0.3	0.1	2.7	2.3	1.7	2.2	1.9
>= 1200.0	2.1	3.9	2.5	2.4	0.5	0.0	0.4	0.6	3.8	3.0	2.4	3.1	2.5
>= 970.0	2.8	5.5	3.2	2.8	0.7	0.2	0.5	0.6	5.2	4.6	3.1	3.8	3.8
>= 780.0	3.8	6.7	4.5	4.2	0.8	0.2	0.3	1.0	6.9	6.1	4.1	5.0	5.4
>= 620.0	5.1	8.1	6.4	6.0	0.9	0.4	1.1	1.0	8.4	8.1	5.8	7.3	7.4
>= 500.0	7.0	12.2	9.3	7.8	1.5	0.6	1.6	1.4	10.4	10.0	9.4	8.8	10.7
>= 400.0	9.3	16.8	12.2	10.2	2.7	1.0	2.0	2.4	12.6	12.9	13.3	11.9	13.6
>= 320.0	12.3	22.2	16.5	13.2	4.3	1.3	2.6	3.6	15.3	17.2	18.4	16.3	17.2
>= 250.0	17.3	29.2	24.5	19.6	7.1	1.6	3.4	5.2	19.6	21.9	25.8	24.4	25.3
>= 200.0	24.7	41.6	35.4	29.0	11.7	4.9	5.0	7.8	25.2	29.3	36.5	36.0	35.5
>= 160.0	33.2	54.7	45.6	40.9	20.8	9.4	6.3	11.2	30.2	39.0	46.1	49.5	46.5
>= 130.0	42.6	69.1	55.8	51.5	30.9	15.0	10.2	15.2	36.3	51.9	55.8	62.7	60.0
>= 100.0	55.6	82.6	74.5	67.9	47.6	25.8	19.9	21.3	47.0	64.8	64.5	76.6	77.5
>= 83.0	64.7	87.8	83.5	77.3	66.1	39.7	29.0	28.3	53.9	71.3	73.4	82.0	86.2
>= 66.0	75.2	92.4	91.2	88.8	85.6	61.4	44.6	38.4	64.2	77.8	80.2	87.9	91.2
>= 53.0	82.9	93.7	95.1	94.6	95.0	80.7	60.4	52.2	73.4	92.8	85.0	91.3	93.3
>= 42.0	88.7	96.2	97.2	96.1	95.4	91.9	75.6	69.1	78.0	88.4	88.2	93.6	95.2
>= 34.0	93.5	97.9	99.7	97.4	97.2	96.3	89.9	81.8	86.1	93.0	92.0	95.9	96.5
>= 27.0	97.2	98.7	100.0	100.0	99.7	97.6	96.6	91.5	94.5	96.8	95.5	98.0	97.7
>= 22.0	98.8	99.9	100.0	100.0	99.7	99.7	98.4	96.0	97.2	99.9	96.6	98.9	97.4
>= 17.0	99.5	100.0	100.0	100.0	100.0	100.0	99.2	97.4	99.7	100.0	93.5	99.6	100.0
>= 14.0	99.8	100.0	100.0	100.0	100.0	100.0	100.0	97.6	100.0	100.0	99.4	100.0	100.0
>= 11.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 33.---FLOW DURATIONS FOR RIO VALENCIANO NEAR JUNCOS, PR STATION 50056400

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1971-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	3700.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3
>=	3000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3
>=	2400.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.6
>=	1900.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.6
>=	1500.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	1.4
>=	1200.0	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	1.7
>=	970.0	1.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	1.7
>=	780.0	1.4	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	3.1
>=	620.0	1.7	1.3	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.5	1.6	3.1
>=	500.0	2.3	2.4	0.6	0.0	0.0	0.5	0.0	1.9	1.4	0.5	1.6	3.1
>=	400.0	3.5	2.7	0.6	0.0	0.0	0.5	0.0	2.2	3.1	1.1	1.9	4.2
>=	320.0	3.8	4.2	1.5	0.0	0.0	0.8	0.0	3.2	3.6	2.2	3.0	4.7
>=	250.0	6.1	4.3	2.4	0.0	0.0	0.8	0.0	5.1	5.3	3.2	4.0	5.8
>=	200.0	9.0	5.8	2.6	0.0	0.0	1.1	0.3	7.0	6.7	4.0	5.4	6.7
>=	160.0	9.9	7.3	3.2	0.0	0.0	1.3	0.3	8.1	7.5	5.9	6.2	7.8
>=	130.0	12.5	9.4	4.1	0.0	0.3	1.9	0.3	9.1	8.6	3.6	8.1	9.2
>=	100.0	15.6	11.5	5.0	0.3	0.6	2.2	0.8	12.1	10.3	12.1	11.3	12.2
>=	66.0	19.7	14.2	7.0	0.6	0.9	2.2	0.8	13.2	13.3	14.5	13.2	13.6
>=	53.0	25.5	19.1	10.0	1.2	1.2	3.0	1.7	16.1	17.2	17.2	18.3	18.9
>=	42.0	33.2	23.3	13.2	3.8	1.2	4.3	2.5	19.9	19.7	21.0	23.9	25.3
>=	34.0	44.1	32.7	20.8	5.2	1.8	5.9	3.6	25.5	26.7	27.2	29.3	35.3
>=	27.0	54.5	41.5	28.4	8.7	2.4	7.5	5.8	28.8	31.4	33.9	38.2	45.6
>=	22.0	67.5	53.9	43.4	13.9	5.6	9.4	7.5	35.8	39.2	41.9	49.2	56.4
>=	17.0	79.7	72.1	58.4	26.0	11.8	13.4	11.4	40.3	50.0	47.8	58.9	68.3
>=	14.0	90.4	90.9	75.7	42.1	27.4	22.6	19.4	50.8	61.1	60.5	67.2	84.2
>=	11.0	96.5	98.2	39.2	69.0	42.2	35.5	29.2	58.1	64.2	71.5	75.0	90.6
>=	8.8	99.1	100.0	98.5	88.1	72.3	59.4	41.4	63.2	68.9	77.7	85.8	96.7
>=	7.1	99.4	100.0	100.0	97.1	90.3	67.7	54.2	69.1	73.6	81.4	90.0	99.4
>=	5.6	100.0	100.0	100.0	98.8	94.1	84.1	68.3	79.0	78.6	83.1	95.4	100.0
>=	4.5	100.0	100.0	100.0	100.0	98.8	98.1	98.6	86.3	85.0	86.8	98.4	100.0
>=	3.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	91.9	91.9	91.4	99.7	100.0
>=	2.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.5	97.2	96.5	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 34.--FLOW DURATIONS FOR RIO GURABO AT GURABO, PR STATION 50057000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1959-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 18000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>= 14000.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>= 11000.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1
>= 8400.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1
>= 6500.0	0.2	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.4
>= 5100.0	0.2	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.6
>= 4000.0	0.3	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.4	0.9
>= 3100.0	0.4	0.9	0.4	0.7	0.0	0.0	0.0	0.0	0.1	0.1	0.1	1.0	1.0
>= 2400.0	0.5	1.2	0.7	0.9	0.0	0.0	0.0	0.0	0.7	0.1	0.1	1.3	1.2
>= 1900.0	0.7	1.6	0.7	1.2	0.0	0.0	0.0	0.0	0.7	0.4	0.4	1.4	1.6
>= 1500.0	0.9	1.8	1.2	1.4	0.0	0.0	0.0	0.0	0.3	0.7	0.7	1.7	1.7
>= 1100.0	1.2	2.0	1.9	1.8	0.0	0.0	0.0	0.0	1.7	1.4	0.8	2.1	2.8
>= 890.0	1.6	2.6	2.3	2.3	0.0	0.0	0.1	0.0	2.5	1.7	1.0	2.5	3.6
>= 700.0	2.3	3.2	3.9	2.8	0.3	0.0	0.3	0.0	3.9	3.2	1.8	3.4	4.6
>= 540.0	3.3	5.1	5.6	3.2	0.4	0.0	0.3	0.1	6.2	4.4	2.5	4.5	6.5
>= 420.0	4.5	7.7	7.8	4.4	0.7	0.2	0.6	0.6	7.0	6.5	3.9	6.0	7.8
>= 330.0	6.1	10.3	9.9	5.9	0.8	0.2	0.7	1.3	8.8	8.7	7.3	8.0	10.9
>= 260.0	8.0	14.3	11.8	8.3	1.0	0.3	1.1	1.6	11.4	11.0	9.3	10.8	13.9
>= 200.0	11.1	20.8	17.1	12.8	1.9	0.4	1.7	1.9	14.2	15.1	13.0	14.7	18.3
>= 160.0	14.3	26.3	21.1	17.1	3.0	0.8	1.8	2.8	18.0	18.3	16.6	20.5	23.8
>= 120.0	20.2	38.3	29.9	22.3	5.6	2.1	2.5	4.6	23.3	23.8	23.8	29.3	34.4
>= 95.0	26.3	49.4	37.9	31.2	10.1	3.9	3.6	6.8	28.2	29.7	30.3	38.4	45.1
>= 74.0	35.2	64.2	53.1	45.4	16.8	9.0	4.9	10.6	34.1	37.1	39.6	50.9	57.0
>= 58.0	44.5	77.3	66.2	58.8	23.0	14.3	7.2	14.2	39.7	48.6	50.4	61.4	68.6
>= 45.0	55.2	86.4	78.2	70.7	50.6	24.2	12.3	23.8	48.5	60.0	61.7	71.2	75.5
>= 35.0	66.8	90.0	87.6	84.2	67.6	44.3	27.1	33.0	58.1	70.3	74.0	81.9	82.8
>= 27.0	78.3	93.1	92.5	92.9	84.6	65.1	47.7	47.1	70.7	79.9	84.6	91.2	89.1
>= 21.0	96.9	95.0	95.7	95.7	92.6	84.8	69.1	61.6	79.5	37.1	91.0	96.4	95.2
>= 17.0	91.4	97.0	97.1	96.0	95.8	89.8	81.6	74.4	85.7	91.7	94.2	98.0	95.8
>= 13.0	95.8	97.3	99.3	96.5	97.1	93.6	94.4	89.4	93.1	95.8	97.8	99.3	96.1
>= 10.0	97.9	98.0	99.4	98.8	98.1	95.1	97.2	95.4	98.2	99.1	99.0	99.9	96.4
>= 7.9	99.0	98.9	99.6	99.5	99.3	97.6	99.2	98.3	98.7	100.0	99.7	100.0	97.7
>= 6.2	99.7	99.2	100.0	100.0	100.0	98.7	100.0	99.4	100.0	100.0	100.0	100.0	98.7
>= 4.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 36.--FLOW DURATIONS FOR RIO CANOVANILLAS NEAR LOIZA, PR STATION 500561300

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1967-1973 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1700.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	1300.0	1.4	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0
>=	1100.0	1.4	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0
>=	830.0	1.4	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0
>=	660.0	1.4	1.4	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.0	0.9	0.0
>=	520.0	1.8	1.4	0.5	0.5	0.0	0.0	0.5	0.5	0.5	0.5	0.9	0.0
>=	410.0	2.3	1.9	1.4	0.9	0.0	0.0	1.0	0.9	1.0	0.5	0.9	0.5
>=	320.0	2.3	2.9	2.3	0.9	0.5	0.0	1.0	2.3	1.4	0.9	0.9	0.5
>=	260.0	2.3	2.9	3.2	1.4	0.5	0.0	1.0	2.8	1.9	0.9	0.9	1.0
>=	200.0	3.2	4.8	3.2	2.8	1.0	0.5	1.4	4.2	1.9	0.9	1.8	1.0
>=	160.0	3.7	4.8	3.7	2.8	1.0	0.5	1.4	5.1	2.4	0.9	2.3	1.4
>=	130.0	4.2	4.8	4.6	2.8	1.0	0.5	2.4	6.0	2.9	1.4	3.7	1.9
>=	99.0	4.2	5.7	5.1	3.2	1.0	0.9	3.3	6.9	2.9	2.3	4.6	1.9
>=	79.0	4.6	7.1	5.1	3.2	1.5	1.4	3.8	8.8	3.3	2.3	5.1	2.4
>=	62.0	6.0	8.6	6.4	4.6	2.5	1.4	3.8	9.2	3.8	2.8	6.4	2.9
>=	49.0	6.9	11.9	9.2	5.5	3.5	2.3	5.7	9.2	4.3	3.2	7.4	3.8
>=	39.0	9.7	13.3	12.4	6.4	3.5	2.3	5.7	11.1	4.8	4.6	7.8	6.2
>=	31.0	13.4	17.6	14.3	7.4	5.6	2.3	5.7	12.4	6.2	7.4	9.7	7.6
>=	24.0	17.5	21.9	22.6	10.6	8.1	3.2	7.6	13.8	10.0	10.6	11.1	10.0
>=	19.0	21.2	27.6	29.5	18.0	12.1	4.2	8.6	16.6	11.9	12.0	15.2	12.9
>=	15.0	26.3	31.9	37.8	28.6	18.7	6.9	11.4	20.7	14.8	18.4	17.0	17.1
>=	12.0	31.8	35.7	48.4	49.3	30.3	12.4	16.7	24.4	22.4	25.8	21.2	22.4
>=	9.4	40.1	43.3	61.3	63.1	37.9	24.9	24.3	30.4	31.4	30.0	35.0	30.5
>=	7.4	42.4	47.6	66.8	74.2	51.0	34.1	37.1	42.9	35.2	36.9	42.9	38.6
>=	5.9	52.1	57.6	70.5	81.6	68.2	41.9	39.0	54.4	40.0	40.6	47.5	42.9
>=	4.6	59.4	72.4	77.4	88.9	78.8	63.6	47.6	65.9	55.7	47.0	51.2	51.4
>=	3.7	69.1	80.5	80.6	91.2	85.4	72.4	56.7	71.4	62.4	55.3	61.3	62.4
>=	2.9	78.8	89.5	86.6	92.6	88.4	82.5	70.0	80.6	69.5	68.7	75.1	77.1
>=	2.3	84.3	91.4	90.8	94.9	90.9	90.8	78.6	87.1	82.4	84.3	82.0	81.0
>=	1.8	93.6	99.5	98.6	100.0	93.9	97.2	83.8	90.3	94.8	96.8	88.5	86.7
>=	1.4	99.5	100.0	100.0	100.0	98.5	99.5	93.8	93.6	98.6	100.0	97.7	93.3
>=	1.1	100.0	100.0	100.0	100.0	100.0	100.0	96.2	96.3	100.0	100.0	100.0	99.5
>=	0.9	100.0	100.0	100.0	100.0	100.0	100.0	98.1	98.6	100.0	100.0	100.0	100.0
>=	0.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 36.--FLOW DURATIONS FOR RIO CANOVANAS NEAR CAMPO RICO, PR STATION 50061800

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1967-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 2200.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 1700.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 1400.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 1100.0	0.2	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.2
>= 840.0	0.2	1.1	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.4
>= 660.0	0.4	1.3	0.7	0.2	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.8
>= 520.0	0.5	1.7	1.1	0.4	0.2	0.2	0.0	0.2	0.4	0.0	0.0	0.8	0.8
>= 410.0	0.7	1.7	1.3	0.6	0.4	0.2	0.2	0.2	0.6	0.2	0.4	1.0	0.8
>= 320.0	1.0	2.2	1.6	1.5	0.4	0.5	0.2	0.4	1.4	0.4	0.6	1.0	1.5
>= 250.0	1.3	2.4	1.8	1.7	0.9	0.5	0.2	0.6	1.8	0.8	1.0	1.4	1.9
>= 200.0	1.7	2.6	2.2	2.4	1.1	0.7	0.2	1.0	2.8	1.0	1.0	1.8	2.5
>= 160.0	2.0	3.4	3.3	3.8	1.3	0.9	0.2	1.2	3.0	1.2	1.2	2.0	2.5
>= 120.0	3.0	4.1	5.3	3.7	1.9	1.2	1.3	1.9	4.4	2.1	1.6	3.0	4.0
>= 97.0	3.8	5.2	6.4	5.0	2.6	2.4	1.3	2.7	5.4	2.3	2.0	3.4	5.4
>= 76.0	5.0	6.2	9.3	6.4	3.4	2.8	1.9	3.3	6.4	3.5	2.6	4.2	7.5
>= 60.0	7.0	9.7	13.3	9.2	5.2	4.7	2.6	4.4	8.1	5.0	3.8	6.6	9.2
>= 47.0	9.8	14.6	18.2	13.1	6.7	5.9	3.6	5.8	11.1	6.9	6.2	7.9	13.8
>= 37.0	13.5	21.5	24.0	18.1	8.8	7.3	4.3	8.1	14.7	10.6	9.3	11.3	19.2
>= 29.0	19.1	28.2	32.4	28.4	17.4	11.8	6.0	11.0	19.6	14.2	14.7	15.9	24.0
>= 23.0	26.1	36.8	40.2	44.3	26.0	18.6	8.3	14.2	25.2	20.0	20.0	21.4	31.9
>= 18.0	36.4	49.9	50.0	59.1	41.3	28.8	13.4	19.6	31.2	28.5	28.0	32.7	43.3
>= 14.0	48.7	63.2	62.0	69.2	59.1	50.0	24.7	28.3	38.7	37.7	34.9	46.6	58.1
>= 11.0	60.2	75.0	74.2	78.1	71.2	64.4	46.3	39.0	48.6	47.1	39.5	57.5	67.7
>= 8.8	68.6	80.6	79.8	84.3	79.6	76.4	62.9	47.1	56.6	55.0	45.4	65.3	75.8
>= 6.9	79.6	88.2	88.4	93.3	93.1	83.5	81.7	65.2	69.4	64.6	55.6	78.0	83.8
>= 5.5	88.4	96.3	96.4	97.0	99.3	88.7	91.3	84.6	82.1	75.8	73.2	84.5	90.4
>= 4.3	94.0	100.0	100.0	100.0	100.0	92.7	94.0	93.5	89.5	84.6	84.9	92.7	99.2
>= 3.4	96.9	100.0	100.0	100.0	100.0	98.1	96.0	96.7	96.4	90.6	90.7	96.6	100.0
>= 2.7	98.4	100.0	100.0	100.0	100.0	100.0	100.0	97.9	98.0	95.0	93.2	98.0	100.0
>= 2.1	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.2	96.6	99.8	100.0
>= 1.6	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.8	100.0	100.0
>= 1.3	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.0	100.0	100.0
>= 1.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.2	100.0	100.0
>= 0.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 37.--FLOW DURATIONS FOR RIO HERRERA NEAR COLONIA DOLORES, PR STATION 50062500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1973 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	430.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0
>=	360.0	0.4	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0
>=	300.0	0.9	0.4	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0
>=	250.0	0.4	0.8	0.8	0.0	0.0	0.0	0.5	0.5	0.0	0.4	0.0	0.0
>=	210.0	1.2	1.2	0.8	0.0	0.0	0.0	0.5	0.9	0.0	0.4	0.0	0.4
>=	180.0	1.2	1.7	2.0	0.0	0.0	0.0	1.0	0.9	0.0	0.4	0.4	0.8
>=	150.0	1.6	1.7	2.8	0.5	0.0	0.5	1.0	0.9	0.0	0.4	0.4	0.8
>=	120.0	2.0	1.7	2.8	1.8	0.5	0.5	1.0	1.4	0.0	0.4	0.4	0.8
>=	100.0	2.4	2.1	2.8	2.3	0.5	0.5	1.0	1.4	0.5	0.4	1.2	1.2
>=	88.0	2.4	2.9	2.8	2.8	0.5	0.5	1.0	1.4	0.5	0.9	1.2	1.2
>=	74.0	2.4	2.9	2.8	3.2	1.5	0.5	1.0	1.4	0.5	1.3	2.0	2.1
>=	62.0	2.4	3.8	4.4	3.2	1.5	0.5	1.0	2.3	1.0	2.2	2.4	2.5
>=	52.0	2.8	4.2	6.4	3.2	2.0	0.5	1.0	2.3	1.0	2.2	2.8	2.9
>=	44.0	3.2	5.0	7.7	4.2	2.5	0.5	1.4	3.7	1.0	3.1	2.8	2.9
>=	37.0	3.6	5.4	8.5	4.6	3.5	0.5	1.4	3.7	1.0	3.5	3.2	3.3
>=	31.0	4.0	7.1	9.7	5.1	4.0	0.9	1.9	4.6	1.4	4.4	3.2	3.3
>=	26.0	4.4	9.2	12.1	6.0	4.0	0.9	2.4	5.1	1.9	5.7	3.6	3.0
>=	22.0	5.2	9.6	13.7	6.4	5.0	1.4	2.9	6.0	2.9	6.6	4.0	4.2
>=	18.0	6.4	11.2	17.3	6.9	6.6	1.8	2.9	7.4	4.3	7.5	6.0	5.0
>=	15.0	8.1	13.3	21.0	10.5	7.6	1.8	4.8	9.7	4.3	9.2	8.5	5.8
>=	13.0	9.7	14.6	24.2	13.4	9.6	2.8	5.2	11.1	5.7	12.3	9.3	8.8
>=	11.0	12.1	16.2	29.0	17.5	13.1	4.2	7.6	12.4	7.1	15.8	12.5	9.6
>=	9.0	14.1	19.6	34.7	28.6	17.2	5.1	8.6	15.2	9.0	18.4	14.9	12.1
>=	7.5	19.4	28.8	45.6	44.7	26.3	7.4	10.5	19.8	13.3	23.7	20.2	15.8
>=	6.3	25.0	34.5	54.4	56.7	35.4	12.9	18.1	24.4	20.0	30.3	27.0	24.2
>=	5.3	31.0	38.8	62.1	66.4	42.4	21.7	25.7	30.4	24.8	36.4	41.1	33.8
>=	4.4	42.3	50.0	68.2	79.3	57.6	38.7	34.8	45.6	34.3	45.2	56.8	46.2
>=	3.7	46.4	61.2	79.8	85.7	81.3	49.8	38.6	60.4	41.0	53.5	69.8	55.8
>=	3.1	56.8	70.0	85.9	90.8	87.9	67.3	50.5	77.0	53.8	58.8	79.0	62.9
>=	2.6	68.6	85.4	88.7	94.5	90.4	88.0	55.7	86.6	77.6	64.5	81.0	74.2
>=	2.2	81.4	96.7	91.9	99.5	100.0	99.5	80.0	96.8	85.2	84.2	86.7	87.9
>=	1.9	94.8	100.0	98.8	100.0	100.0	100.0	99.0	100.0	99.0	90.4	94.0	100.0
>=	1.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.1	96.0	97.2	100.0
>=	1.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	109.0

TABLE 38.---FLOW DURATIONS FOR RIO ESPIRITU SANTO ABOVE EL VERDE, PR STATION 50063250

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1945-1952 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	400.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
>=	340.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.8
>=	290.0	0.4	0.0	0.8	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.4	1.7
>=	250.0	0.4	0.4	1.2	0.5	0.5	0.0	0.0	1.4	0.0	0.0	0.4	1.7
>=	220.0	0.4	0.4	1.2	0.5	0.5	0.0	1.0	1.4	0.0	0.0	0.8	1.7
>=	190.0	0.4	0.4	1.6	0.5	1.5	0.0	1.4	2.8	0.0	0.8	1.2	1.7
>=	160.0	1.6	1.3	1.6	1.4	2.5	0.0	2.4	3.7	0.0	1.2	1.2	1.7
>=	140.0	2.4	1.7	1.6	1.4	2.5	0.5	3.3	3.7	0.5	1.6	1.6	1.7
>=	120.0	2.8	1.7	2.8	1.3	2.5	0.5	3.3	3.7	1.4	2.4	2.8	2.1
>=	100.0	3.2	2.5	3.2	2.8	4.0	0.9	4.3	6.0	2.9	5.2	3.6	4.2
>=	86.0	3.2	4.2	4.4	2.8	4.0	1.4	4.3	6.0	3.8	6.8	3.6	4.6
>=	74.0	4.8	6.7	5.2	3.2	5.6	1.4	4.8	8.3	4.8	10.1	5.2	4.6
>=	63.0	7.3	7.5	6.8	4.6	8.6	2.3	4.8	10.1	7.1	11.3	7.3	3.3
>=	54.0	9.3	9.2	8.9	5.5	10.1	3.7	7.6	11.5	9.0	12.9	8.9	10.4
>=	46.0	13.3	10.4	10.9	9.2	11.6	5.1	8.6	13.8	11.4	15.7	9.3	13.3
>=	40.0	16.9	11.7	12.5	15.7	13.1	6.4	10.0	17.0	12.4	19.0	10.9	16.7
>=	34.0	19.4	12.5	19.8	21.7	14.1	3.3	13.3	20.3	17.1	23.0	14.1	20.8
>=	29.0	22.6	16.2	23.8	24.4	17.2	11.1	14.8	24.4	19.5	29.0	16.9	24.2
>=	25.0	25.8	19.6	27.8	30.9	19.7	13.4	17.6	27.2	21.4	34.3	20.6	30.0
>=	22.0	28.2	24.6	31.4	36.4	21.7	14.3	20.0	30.4	25.2	39.1	23.0	32.5
>=	18.0	33.9	31.2	40.7	43.3	27.3	15.7	21.9	38.7	29.0	45.2	31.4	37.1
>=	16.0	37.5	34.2	48.2	49.3	29.8	16.6	24.8	41.5	36.2	53.2	36.3	40.8
>=	14.0	42.7	40.0	51.2	56.7	34.8	19.4	29.0	46.1	39.0	56.3	47.6	44.6
>=	12.0	55.2	45.4	54.0	65.0	40.9	23.0	34.3	50.2	46.2	61.7	53.2	52.1
>=	10.0	66.5	52.5	65.3	71.9	49.5	31.8	40.5	58.5	55.2	66.9	62.1	60.4
>=	8.6	71.8	56.2	73.0	76.0	55.6	41.0	47.6	70.5	69.0	73.4	68.6	70.4
>=	7.3	77.4	63.8	76.2	83.9	62.6	47.9	51.0	77.4	75.7	79.4	73.0	74.2
>=	6.3	81.8	72.9	83.1	88.5	75.2	65.9	58.6	84.3	83.8	87.1	82.3	77.5
>=	5.4	89.1	88.3	88.7	95.8	93.4	95.8	83.8	95.4	91.0	94.4	90.7	92.5
>=	4.6	93.6	90.0	91.5	97.7	96.5	98.6	90.5	97.7	94.8	97.2	95.2	95.8
>=	4.0	98.0	97.1	98.0	100.0	99.0	100.0	96.2	100.0	99.0	100.0	99.2	99.6
>=	3.4	100.0	98.8	98.4	100.0	100.0	100.0	98.6	100.0	100.0	100.0	100.0	99.6
>=	2.9	100.0	100.0	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	2.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 39.--FLOW DURATIONS FOR RIO ESPIRITU SANTO NEAR EL VERDE, PR STATION 50063300

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1967-1973 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 710.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0
>= 600.0	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0
>= 500.0	0.4	0.9	0.5	0.5	1.1	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.5
>= 420.0	0.7	0.9	1.4	1.4	1.1	0.0	0.0	1.0	0.5	0.0	0.5	0.5	0.5
>= 360.0	1.0	0.9	1.4	1.4	2.2	0.0	0.5	1.0	1.4	0.0	0.5	0.9	1.0
>= 300.0	1.5	1.8	1.9	2.3	2.7	1.2	0.5	1.0	1.4	0.0	0.9	1.4	1.0
>= 250.0	2.0	2.3	2.4	2.8	3.2	1.2	0.5	1.4	1.8	0.5	1.8	1.8	1.0
>= 210.0	2.5	2.3	3.3	3.7	3.2	1.8	0.9	1.4	3.2	1.0	1.3	2.3	1.0
>= 180.0	3.2	2.8	3.3	4.6	4.3	1.8	1.4	2.4	5.1	1.9	2.3	3.2	1.4
>= 150.0	3.9	4.2	4.8	5.5	4.8	2.4	2.3	2.9	6.0	3.3	2.3	3.7	1.4
>= 130.0	4.6	6.0	6.2	6.4	4.3	2.4	2.3	3.3	6.9	3.3	2.3	4.6	2.4
>= 110.0	5.2	6.4	7.1	6.9	6.4	2.4	2.3	3.8	6.9	3.8	3.2	5.5	3.3
>= 91.0	6.3	7.8	8.1	8.3	8.1	3.5	2.8	4.8	8.3	5.7	4.2	6.4	4.3
>= 77.0	7.7	9.2	3.6	9.7	9.1	4.7	3.2	5.7	10.1	9.0	6.0	7.8	5.2
>= 65.0	8.9	10.6	12.4	11.1	10.2	5.3	3.7	7.6	12.0	11.0	7.8	8.3	5.7
>= 54.0	10.7	12.4	13.3	13.4	12.4	7.1	4.6	8.6	13.8	12.9	9.7	10.1	7.6
>= 46.0	12.6	12.9	15.7	16.6	14.0	8.2	4.6	8.6	15.7	15.7	11.5	13.8	10.0
>= 39.0	15.2	14.8	17.1	19.4	16.7	12.4	5.5	9.5	17.5	17.1	15.1	18.0	12.4
>= 33.0	17.8	16.1	21.4	21.7	20.4	14.2	7.4	10.5	20.3	19.0	19.8	21.2	15.2
>= 27.0	22.2	19.8	23.1	26.7	22.0	17.6	9.2	12.4	24.9	23.8	26.3	24.9	21.4
>= 23.0	25.7	21.7	31.9	30.9	24.2	21.8	11.5	13.3	28.6	28.6	30.4	30.4	23.8
>= 20.0	29.5	23.0	35.7	36.4	23.5	24.1	12.9	17.6	30.9	31.4	36.9	34.1	23.6
>= 16.0	36.0	30.0	44.3	46.1	41.4	28.2	16.1	20.0	35.9	35.7	44.7	42.9	34.3
>= 14.0	41.1	34.1	43.6	52.5	49.5	31.2	18.9	20.5	38.7	40.0	53.0	48.8	41.0
>= 12.0	48.4	38.7	55.2	61.3	56.6	39.4	24.9	23.8	44.7	47.1	60.4	57.1	49.5
>= 9.8	57.2	49.3	66.2	71.4	70.4	49.4	32.3	31.0	49.3	55.2	67.7	67.7	59.0
>= 8.3	66.0	57.6	75.2	82.0	82.9	55.9	40.1	37.1	59.0	64.3	77.0	78.3	66.2
>= 7.0	75.0	64.5	83.8	89.4	88.7	68.8	53.9	44.3	73.3	75.7	85.2	86.2	71.9
>= 5.9	83.2	71.4	89.0	94.5	91.4	76.5	63.6	52.4	85.2	88.1	93.1	94.0	81.4
>= 5.0	88.9	32.0	91.9	95.9	97.3	85.9	71.0	59.0	91.2	93.3	99.1	98.2	87.6
>= 4.2	93.6	59.4	94.3	98.2	100.0	89.4	81.6	73.8	95.4	97.1	100.0	100.0	95.2
>= 3.5	96.8	94.0	95.2	100.0	100.0	91.2	90.3	91.9	100.0	100.0	100.0	100.0	98.6
>= 3.0	99.4	99.1	99.0	100.0	100.0	98.8	96.8	99.5	100.0	100.0	100.0	100.0	100.0
>= 2.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 40.--FLOW DURATIONS FOR RIO ESPIRITU SANTO NEAR RIO GRANDE, PR STATION 50063800

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1600.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>= 1400.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 1100.0	0.2	0.8	0.6	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.2	0.2
>= 950.0	0.3	0.8	0.6	0.2	0.0	0.2	0.0	0.2	0.6	0.0	0.0	0.2	0.2
>= 790.0	0.4	0.8	0.6	0.4	0.2	0.2	0.0	0.2	0.8	0.0	0.0	0.2	0.8
>= 660.0	0.6	1.1	0.3	1.4	0.6	0.4	0.2	0.4	1.0	0.0	0.0	0.2	0.8
>= 550.0	1.0	1.5	1.5	2.2	1.2	0.7	0.6	0.6	1.4	0.4	0.0	0.8	1.0
>= 460.0	1.4	1.7	2.1	3.0	1.4	1.1	1.0	0.8	2.0	0.4	0.2	1.0	1.4
>= 380.0	1.9	2.3	3.1	4.0	1.4	1.1	1.2	1.7	3.4	0.8	0.6	1.3	1.4
>= 320.0	2.7	2.5	4.4	5.2	1.9	1.6	1.3	2.1	5.4	1.9	1.2	1.3	2.6
>= 270.0	3.6	3.0	5.2	6.4	2.8	2.4	2.4	2.5	6.6	2.1	2.2	2.7	2.8
>= 220.0	4.5	4.0	7.5	7.5	2.3	2.9	2.6	3.8	9.1	3.8	3.6	4.2	3.2
>= 180.0	6.1	6.6	9.2	8.9	4.2	3.5	3.4	5.6	10.7	5.4	4.4	6.3	4.3
>= 150.0	7.7	9.1	11.5	11.5	6.4	4.4	4.2	6.9	10.7	7.1	6.0	7.4	6.6
>= 130.0	9.3	10.6	13.5	13.5	8.5	6.2	5.0	8.1	12.3	8.1	7.5	9.7	7.5
>= 110.0	11.5	13.1	16.9	16.5	10.5	9.7	5.4	9.4	13.7	10.6	10.5	11.8	9.1
>= 90.0	14.6	16.5	20.3	21.2	12.9	12.0	5.8	12.9	17.7	13.3	14.1	15.4	12.1
>= 75.0	17.3	18.4	25.2	25.8	15.9	14.4	7.1	14.4	21.4	16.5	18.4	20.3	15.1
>= 62.0	21.6	22.4	30.3	29.7	20.2	17.9	3.5	17.5	24.4	20.4	23.6	24.3	18.6
>= 52.0	25.9	26.2	37.7	34.3	24.2	22.6	11.9	20.0	29.6	22.5	29.0	28.6	21.8
>= 43.0	30.9	31.4	43.3	43.4	31.2	28.1	14.9	23.3	32.5	26.0	34.3	33.4	27.0
>= 36.0	36.3	37.1	50.0	51.4	38.7	31.0	17.5	27.9	35.5	30.8	40.1	40.6	32.5
>= 30.0	43.8	43.4	53.3	61.3	45.6	38.3	23.8	32.5	41.9	37.9	47.4	49.7	42.9
>= 25.0	51.5	51.9	65.2	75.4	54.6	46.2	29.3	37.7	47.6	42.5	55.2	58.8	51.2
>= 21.0	59.3	59.9	72.9	84.1	64.3	54.6	37.1	41.9	53.6	50.6	61.7	67.9	60.9
>= 18.0	67.4	66.4	79.4	91.9	77.0	63.9	49.0	47.5	57.9	58.1	67.9	75.9	72.6
>= 15.0	76.6	77.0	85.0	97.6	82.5	76.3	60.5	57.5	66.1	67.9	74.4	84.1	81.8
>= 12.0	86.0	88.6	93.5	99.4	93.4	91.2	77.8	66.7	75.8	77.1	83.3	90.5	91.5
>= 10.0	90.5	94.1	97.1	100.0	100.0	95.4	85.3	75.4	81.2	82.5	83.5	92.8	94.8
>= 8.5	94.2	96.2	98.5	100.0	100.0	98.0	93.9	86.5	87.1	89.6	93.4	94.1	93.2
>= 7.1	97.4	98.3	99.4	100.0	100.0	99.6	95.4	94.0	96.2	93.8	97.0	96.2	99.8
>= 5.9	99.1	100.0	100.0	100.0	100.0	100.0	93.6	98.5	100.0	96.9	97.8	97.7	100.0
>= 4.9	99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.4	98.2	100.0	98.0
>= 4.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 41.--FLOW DURATIONS FOR RIO GRANDE NEAR EL VERDE, PR STATION 50064200

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1967-1970, 1972-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 3100.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
>= 2500.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
>= 2000.0	0.1	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
>= 1600.0	0.1	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2
>= 1300.0	0.2	0.9	1.2	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.2
>= 1100.0	0.2	1.1	1.2	0.0	0.5	0.0	0.0	0.2	0.4	0.0	0.2	0.2	0.2
>= 860.0	0.4	1.6	1.2	0.0	0.7	0.2	0.2	0.2	0.7	0.0	0.2	0.6	0.2
>= 700.0	0.6	1.8	1.7	0.0	0.7	0.5	0.2	0.2	1.1	0.0	0.4	0.1	0.4
>= 560.0	0.9	1.8	1.9	0.5	1.2	0.8	0.2	0.5	1.3	0.2	0.6	1.0	1.3
>= 450.0	1.3	2.0	2.6	1.6	1.4	0.8	0.2	0.5	2.6	0.7	1.3	1.7	1.6
>= 370.0	1.5	2.5	3.1	2.5	1.4	0.8	0.2	1.0	3.1	1.1	1.3	1.9	1.6
>= 290.0	2.0	3.4	4.5	3.2	1.6	0.8	0.7	1.7	3.5	2.0	1.5	2.8	2.2
>= 240.0	2.8	3.8	6.2	4.2	2.3	1.3	1.4	2.1	5.0	2.9	1.9	2.8	3.1
>= 190.0	4.1	5.4	9.0	5.8	2.5	2.5	1.6	3.1	6.1	3.6	3.0	4.5	5.1
>= 150.0	5.4	7.0	12.1	6.9	3.7	3.0	2.1	3.8	7.9	4.7	4.3	6.4	6.2
>= 120.0	7.0	8.4	14.5	8.5	5.3	4.6	3.2	5.7	9.0	6.0	5.4	8.6	9.1
>= 100.0	8.8	9.8	15.2	10.1	7.4	6.1	3.7	7.6	12.3	7.3	7.5	11.0	10.9
>= 81.0	10.9	13.8	17.6	14.1	8.3	6.8	4.2	8.8	15.1	8.0	10.3	13.3	13.1
>= 65.0	13.8	17.5	23.3	19.6	12.0	8.6	6.0	10.2	16.8	10.9	12.5	16.8	16.7
>= 53.0	17.3	20.6	28.3	22.8	16.1	11.9	7.1	12.9	21.4	13.6	16.1	19.6	20.9
>= 43.0	21.2	24.0	32.6	27.6	19.1	15.9	9.2	16.0	24.5	17.3	22.6	24.3	25.6
>= 34.0	27.1	31.3	38.6	36.4	25.1	21.5	11.5	18.8	28.0	24.7	29.0	31.4	32.7
>= 28.0	32.7	38.3	44.5	44.7	31.6	25.8	13.3	22.9	32.2	28.2	35.3	40.9	39.1
>= 22.0	42.2	49.7	52.9	58.8	43.3	33.1	20.7	30.0	39.0	36.0	44.7	52.5	50.0
>= 18.0	52.5	62.4	63.3	70.3	56.9	42.4	31.3	36.7	46.0	44.4	53.3	63.9	62.4
>= 15.0	61.8	71.9	71.9	79.5	63.9	54.3	46.8	41.9	52.7	52.7	60.0	72.7	73.3
>= 12.0	72.4	81.2	82.6	89.9	81.8	68.4	59.4	52.6	63.0	62.2	68.0	83.2	81.6
>= 9.5	81.3	88.0	92.6	96.8	90.3	83.3	72.8	62.6	70.0	69.6	76.1	89.0	91.6
>= 7.6	89.3	94.8	97.4	100.0	99.3	90.7	85.7	74.0	81.6	80.0	84.3	94.4	96.0
>= 6.2	93.9	98.2	99.0	100.0	100.0	94.7	91.0	86.9	90.2	86.9	89.2	96.3	98.2
>= 5.0	97.6	100.0	100.0	100.0	100.0	96.7	94.5	96.4	96.1	94.4	95.3	99.1	99.6
>= 4.0	99.1	100.0	100.0	100.0	100.0	98.0	95.4	98.8	99.1	99.1	99.6	99.8	100.0
>= 3.2	99.5	100.0	100.0	100.0	100.0	99.8	96.3	98.8	99.5	100.0	100.0	100.0	100.0
>= 2.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 2.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 42.--FLOW DURATIONS FOR RIO MAMEYES NEAR SABANA, PR STATION 50365500

CLASS CUBIC FEET PER SECOND (CFS/S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1967-1973 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1600.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	1300.0	0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0
>=	1100.0	0.9	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0
>=	960.0	0.2	0.5	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0
>=	820.0	0.5	0.5	0.0	1.1	0.0	0.0	0.6	0.0	0.0	0.0	0.9	1.0
>=	690.0	2.3	1.0	0.5	1.1	0.0	0.0	0.5	1.1	0.0	0.0	0.9	1.0
>=	590.0	2.3	1.0	1.8	1.6	0.0	0.5	0.6	1.1	0.0	0.0	0.9	1.0
>=	500.0	1.5	2.4	2.3	2.7	0.0	0.5	0.5	2.2	0.0	0.0	0.9	1.0
>=	420.0	1.7	2.4	2.8	2.7	0.0	0.5	0.6	2.7	0.6	0.5	0.9	1.4
>=	360.0	2.2	3.7	3.3	3.2	0.0	0.5	0.6	4.8	1.1	0.5	2.3	1.9
>=	300.0	2.6	3.7	4.2	3.8	0.0	0.5	1.1	5.4	1.1	0.5	2.3	1.9
>=	260.0	3.1	3.7	5.1	3.8	0.0	0.5	1.7	5.4	2.2	0.5	2.8	2.4
>=	220.0	3.9	5.1	6.0	4.3	1.8	0.5	1.7	7.0	4.4	1.1	2.8	2.4
>=	190.0	4.4	5.1	6.4	5.4	2.4	0.5	1.7	7.0	5.6	2.2	3.2	2.4
>=	160.0	5.7	7.6	6.4	7.5	2.4	1.5	2.2	7.0	8.9	2.7	4.2	4.8
>=	130.0	7.3	9.1	7.8	8.1	3.5	2.7	3.3	8.1	11.7	4.8	5.1	5.7
>=	110.0	10.0	10.0	9.2	10.8	5.3	3.8	5.6	10.8	16.1	8.6	7.4	7.5
>=	96.0	12.9	16.2	12.4	12.4	6.5	4.8	6.7	12.9	19.4	10.2	7.8	11.4
>=	82.0	15.0	21.9	15.7	15.5	6.5	5.9	8.3	15.6	23.3	14.5	12.4	14.3
>=	69.0	19.0	26.2	20.3	18.3	7.6	8.1	11.7	19.3	27.8	18.8	20.7	13.1
>=	59.0	23.8	31.0	26.7	24.7	11.8	9.1	13.9	21.0	33.9	26.3	24.9	22.4
>=	50.0	29.5	38.5	34.6	34.4	16.5	12.4	14.4	25.3	38.9	37.1	29.5	26.2
>=	42.0	36.4	46.7	45.2	44.6	21.8	13.4	18.9	36.0	46.7	42.5	37.3	34.8
>=	36.0	44.1	55.2	53.0	54.3	28.8	13.8	21.7	45.2	53.9	51.1	46.5	43.3
>=	30.0	53.5	63.8	57.3	63.2	37.6	23.7	27.2	52.7	60.0	61.3	57.6	56.7
>=	26.0	61.4	72.9	74.2	74.2	47.1	38.3	32.2	60.8	67.2	66.7	59.6	67.1
>=	22.0	72.1	83.3	87.1	87.1	59.4	45.2	42.8	70.4	77.8	72.6	84.3	79.0
>=	19.0	79.9	90.5	94.9	90.9	74.1	53.3	50.6	78.5	83.9	80.7	99.9	87.6
>=	16.0	87.6	94.3	100.0	95.7	84.1	65.0	64.4	86.0	93.9	91.9	93.1	95.7
>=	13.0	95.1	99.5	100.0	99.5	94.1	83.3	77.8	95.7	99.4	98.9	97.7	98.5
>=	11.0	98.8	100.0	100.0	100.0	100.0	98.4	87.2	100.0	100.0	100.0	100.0	100.0
>=	9.6	99.6	100.0	100.0	100.0	100.0	100.0	95.0	100.0	100.0	100.0	100.0	100.0
>=	8.1	99.9	100.0	100.0	100.0	100.0	100.0	98.9	100.0	100.0	100.0	100.0	100.0
>=	6.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 43.--FLOW DURATIONS FOR RIO MAMEYES AT HIGHWAY 191 AT MAMEYES, PR STATION 50065700

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 2500.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
>= 2100.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
>= 1700.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
>= 1400.0	0.1	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2
>= 1200.0	0.2	0.6	0.2	0.0	0.2	0.0	0.0	0.2	0.6	0.0	0.0	0.2	0.2
>= 980.0	0.3	0.8	0.6	0.0	0.2	0.0	0.0	0.4	0.6	0.0	0.0	0.2	0.6
>= 810.0	0.6	1.4	1.0	0.4	0.4	0.0	0.4	0.4	1.2	0.0	0.0	0.4	0.8
>= 670.0	0.8	1.6	2.1	0.8	0.4	0.0	0.4	0.4	2.0	0.0	0.0	0.4	1.0
>= 550.0	1.1	2.0	2.5	2.0	0.4	0.2	0.4	0.4	2.3	0.0	0.4	0.8	1.2
>= 450.0	1.6	2.4	3.8	2.8	0.8	0.4	0.6	0.8	3.6	0.2	0.4	1.2	1.7
>= 380.0	2.2	3.2	4.6	4.0	1.2	0.9	0.6	1.2	5.2	1.0	0.8	1.8	1.7
>= 310.0	2.9	4.0	4.8	4.6	1.6	1.1	0.8	1.9	7.1	2.0	1.4	2.2	2.5
>= 260.0	4.0	5.2	7.3	6.8	1.6	1.3	1.0	4.0	9.1	3.5	1.8	2.8	2.9
>= 220.0	5.1	6.4	9.6	7.8	2.6	1.8	1.3	5.2	11.7	5.4	2.6	3.6	3.3
>= 180.0	7.1	10.8	12.1	9.9	4.2	2.4	1.3	6.7	14.3	7.3	3.6	6.4	5.4
>= 150.0	9.5	15.3	15.4	11.5	5.0	4.0	2.4	8.3	18.4	10.8	5.2	8.7	8.1
>= 120.0	13.4	19.7	20.3	16.5	7.3	7.5	4.2	12.1	22.2	15.2	10.5	12.3	11.7
>= 100.0	17.0	23.7	27.7	22.6	9.7	9.1	5.6	14.6	26.6	17.9	13.9	15.3	16.7
>= 84.0	21.4	28.3	33.3	28.8	13.9	11.7	6.6	17.7	31.2	21.2	19.6	21.2	22.1
>= 70.0	27.1	33.5	43.5	39.3	19.6	14.6	9.7	21.2	36.3	26.0	24.8	28.6	27.7
>= 58.0	34.0	43.2	52.5	49.4	28.8	20.6	11.5	26.2	41.1	32.5	32.3	33.7	35.2
>= 48.0	42.7	53.6	62.1	63.3	37.7	28.3	18.4	31.0	47.8	38.8	41.7	42.0	45.4
>= 40.0	52.1	65.3	70.3	75.2	50.6	37.6	27.4	37.1	54.4	47.1	50.4	52.8	54.8
>= 33.0	62.2	75.7	79.4	85.7	64.5	47.4	35.9	43.1	61.7	59.0	59.1	67.3	66.2
>= 27.0	73.3	85.7	86.9	94.4	80.6	63.5	50.2	51.5	68.8	68.3	70.4	78.4	78.5
>= 23.0	81.3	91.8	93.3	97.8	89.9	75.1	63.1	57.3	74.4	74.4	80.4	86.5	87.3
>= 19.0	88.1	94.8	98.5	100.0	97.0	87.8	79.0	65.8	81.0	80.2	87.1	91.1	94.8
>= 15.0	93.8	99.4	100.0	100.0	99.2	96.0	91.9	80.6	87.7	85.6	90.5	94.8	99.2
>= 13.0	96.0	99.8	100.0	100.0	100.0	98.9	95.4	87.7	91.3	90.4	92.5	96.2	99.6
>= 11.0	97.9	99.8	100.0	100.0	100.0	100.0	97.8	95.6	94.0	93.8	95.6	98.0	100.0
>= 8.8	98.8	100.0	100.0	100.0	100.0	100.0	98.8	97.1	95.4	96.2	97.8	100.0	100.0
>= 7.3	99.8	100.0	100.0	100.0	100.0	100.0	100.0	99.0	98.2	100.0	100.0	100.0	100.0
>= 6.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0
>= 5.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 44.--FLOW DURATIONS FOR RIO SABANA AT SABANA, PR STATION 50067000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1970-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	650.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
>=	540.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
>=	450.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
>=	370.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
>=	310.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0
>=	260.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0
>=	210.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0
>=	180.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0
>=	150.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	3.6	0.0	1.1	0.0	0.0
>=	120.0	0.0	0.0	6.4	0.0	0.0	1.1	0.0	9.7	1.1	1.1	0.0	2.2
>=	100.0	0.0	4.2	7.3	0.0	1.2	1.1	0.0	12.9	1.1	2.2	0.0	2.2
>=	86.0	0.0	5.0	8.1	0.0	2.4	2.2	0.0	16.1	2.2	2.2	0.0	2.2
>=	71.0	0.8	6.7	9.7	0.0	2.4	2.2	0.0	19.4	4.4	4.3	1.1	2.2
>=	59.0	1.6	10.0	12.1	1.0	2.4	3.2	0.0	21.5	7.8	4.3	3.2	2.2
>=	49.0	3.2	12.5	13.7	1.0	2.4	5.4	0.0	25.8	8.0	4.3	5.4	3.3
>=	41.0	4.8	14.2	15.3	1.9	3.5	5.4	2.2	28.0	8.9	4.3	6.4	3.3
>=	34.0	8.1	17.5	20.2	2.9	4.7	6.4	4.4	30.1	8.9	4.3	7.5	3.3
>=	28.0	10.5	21.7	21.8	3.9	9.4	6.4	6.7	33.3	11.1	7.5	7.5	5.6
>=	24.0	12.1	24.2	25.0	6.8	11.8	6.4	7.8	41.9	17.8	11.8	10.8	5.6
>=	20.0	17.7	26.7	31.4	7.8	15.3	9.7	7.8	48.4	22.2	17.2	14.0	11.1
>=	16.0	20.1	32.5	43.6	15.5	20.0	9.6	12.2	64.5	34.4	22.6	16.1	16.7
>=	14.0	31.4	37.5	48.4	19.4	22.4	11.8	16.7	68.8	41.1	26.9	23.7	22.2
>=	11.0	44.4	50.3	62.9	35.9	31.8	14.0	21.1	80.6	52.2	37.6	30.1	27.8
>=	9.4	54.8	58.3	66.9	47.6	40.0	15.0	26.7	81.7	64.4	49.5	37.6	35.6
>=	7.9	65.3	70.0	74.2	55.3	45.9	20.4	31.1	83.9	76.7	55.9	50.5	42.2
>=	6.5	72.6	75.0	84.7	63.0	61.2	34.4	40.0	93.9	86.7	63.4	63.4	50.0
>=	5.4	76.6	80.8	90.1	76.7	74.1	48.4	44.4	83.9	93.3	75.3	73.1	63.3
>=	4.5	80.6	91.7	96.0	82.5	85.9	59.1	51.1	85.0	100.0	85.0	82.8	90.0
>=	3.8	85.5	93.3	98.4	84.5	91.8	66.7	56.7	86.0	100.0	90.3	90.3	96.7
>=	3.1	89.5	99.2	100.0	83.4	98.8	80.6	60.0	87.1	100.0	94.6	97.8	93.9
>=	2.6	93.6	99.2	100.0	98.1	100.0	91.4	67.8	89.2	100.0	95.7	100.0	100.0
>=	2.2	96.0	99.2	100.0	100.0	100.0	93.6	84.4	93.6	100.0	98.9	100.0	100.0
>=	1.8	99.2	100.0	100.0	100.0	100.0	93.9	94.4	100.0	100.0	100.0	100.0	100.0
>=	1.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 45.--FLOW DURATIONS FOR RIO FAJARDO NEAR FAJARDO, PR STATION 50071000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1961-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 4500.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2
>= 3600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2
>= 2900.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2
>= 2300.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2
>= 1800.0	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.4
>= 1400.0	0.2	0.6	0.2	0.2	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.1	0.4
>= 1100.0	0.3	0.7	0.3	0.4	0.0	0.0	0.0	0.3	0.7	0.0	0.0	0.3	0.4
>= 910.0	0.4	1.5	0.6	0.8	0.0	0.0	0.0	0.6	0.8	0.0	0.0	0.3	0.6
>= 720.0	0.7	1.8	1.4	1.0	0.0	0.0	0.0	0.6	1.7	0.4	0.0	0.4	0.8
>= 570.0	1.2	2.4	2.8	1.6	0.2	0.0	0.4	0.9	2.8	0.7	0.3	0.8	1.5
>= 460.0	1.9	3.2	3.7	3.1	0.3	0.2	0.7	1.6	4.4	0.7	0.6	1.1	2.4
>= 360.0	2.7	4.8	5.4	4.5	0.3	0.2	1.0	1.7	6.0	1.6	1.1	1.4	3.8
>= 290.0	3.6	6.4	6.9	5.8	0.9	0.5	1.5	1.9	7.3	2.8	1.7	1.8	5.3
>= 230.0	4.8	8.8	9.4	6.7	1.3	0.8	1.6	2.6	9.3	4.0	2.3	3.9	6.4
>= 190.0	6.8	11.3	13.6	8.8	1.8	1.6	2.5	3.6	12.8	5.3	4.1	5.2	9.7
>= 140.0	9.3	13.8	13.4	12.7	2.8	2.6	3.4	5.8	16.6	8.4	5.1	8.0	12.6
>= 110.0	12.9	19.8	24.0	17.6	5.6	4.2	4.1	7.8	22.7	12.0	7.6	10.9	16.0
>= 91.0	15.8	23.8	28.0	21.3	8.2	5.3	5.0	9.7	25.8	16.8	11.0	13.6	18.3
>= 72.0	21.5	33.4	36.2	28.5	12.9	7.9	6.9	14.2	31.7	22.7	17.4	19.2	24.4
>= 58.0	29.0	43.8	44.4	40.3	20.1	12.2	9.5	19.0	37.6	31.6	26.5	26.1	34.2
>= 46.0	39.5	57.3	53.3	52.2	31.4	19.5	13.3	25.6	46.0	42.9	41.6	38.2	47.7
>= 36.0	52.1	72.9	68.3	70.3	48.2	28.3	19.1	32.0	55.4	52.3	55.3	54.8	63.5
>= 29.0	62.2	92.1	81.8	79.4	65.1	41.1	27.6	39.4	64.2	61.5	61.9	65.9	73.4
>= 23.0	72.2	88.9	90.7	91.0	76.4	58.9	37.8	51.0	69.8	70.1	70.4	78.5	82.3
>= 18.0	81.5	92.5	96.1	97.2	83.0	74.7	56.4	58.6	79.8	78.9	80.5	87.2	90.3
>= 14.0	89.2	95.8	99.2	99.7	94.0	85.0	76.4	69.1	88.6	87.6	87.6	91.9	96.8
>= 12.0	92.1	97.4	99.7	100.0	96.2	90.2	82.6	76.4	90.5	90.9	91.1	94.5	98.3
>= 9.1	95.5	99.3	100.0	100.0	93.7	94.4	90.0	84.8	93.8	94.4	95.8	97.2	99.4
>= 7.3	97.6	100.0	100.0	100.0	100.0	97.4	93.8	90.4	96.5	98.0	98.0	98.2	100.0
>= 5.8	98.6	100.0	100.0	100.0	100.0	98.6	96.3	93.5	97.6	99.4	99.6	98.6	100.0
>= 4.6	99.3	100.0	100.0	100.0	100.0	99.2	98.5	96.7	98.0	100.0	99.9	99.2	100.0
>= 3.6	99.7	100.0	100.0	100.0	100.0	99.7	99.3	98.8	98.9	100.0	100.0	99.9	100.0
>= 2.9	100.0	100.0	100.0	100.0	100.0	100.0	99.9	99.7	99.9	100.0	100.0	100.0	100.0
>= 2.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 46.--FLOOD DURATIONS FOR RIO FAJARDO AT FAJARDO, PR STATION 50072000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1960-1966 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1900.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
>= 1600.0	0.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.5
>= 1300.0	0.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.5
>= 1100.0	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.6	0.5	0.6	0.0	0.0	0.5
>= 900.0	0.2	0.5	0.0	0.5	0.0	0.0	0.0	0.6	0.5	0.6	0.0	0.0	0.5
>= 740.0	0.4	0.5	0.0	0.5	0.0	0.0	0.0	0.6	0.5	1.7	0.0	0.0	1.0
>= 620.0	0.5	0.5	1.1	0.5	0.0	0.0	0.0	0.6	0.5	1.7	0.0	0.0	1.4
>= 510.0	0.8	1.1	1.7	2.2	0.0	0.0	0.0	1.1	0.5	1.7	0.0	0.9	1.4
>= 420.0	1.0	1.1	2.2	3.2	0.0	0.0	0.0	1.7	0.5	1.7	0.0	1.4	1.9
>= 350.0	1.5	2.2	2.3	3.2	0.0	0.0	0.5	2.2	1.1	2.8	1.1	1.8	2.9
>= 290.0	2.2	3.8	2.8	4.8	0.5	0.0	1.1	2.2	2.2	3.3	1.6	3.7	4.8
>= 240.0	3.1	5.4	4.4	5.9	0.5	0.0	1.1	3.9	4.8	4.4	2.2	4.6	7.1
>= 200.0	4.1	6.4	6.1	7.0	1.1	0.6	1.1	5.0	7.0	5.0	3.7	6.4	10.0
>= 170.0	5.7	8.1	8.3	9.7	1.6	0.6	1.1	5.0	12.9	6.7	3.8	7.4	12.4
>= 140.0	8.3	12.4	12.2	12.4	3.8	1.2	2.2	8.9	19.9	8.9	4.3	8.8	14.3
>= 120.0	10.4	16.7	16.1	16.1	6.4	1.2	2.2	10.0	22.6	10.6	6.4	12.0	16.2
>= 95.0	14.5	22.0	21.1	25.3	14.0	1.8	2.7	12.8	26.3	16.1	9.1	14.8	20.5
>= 79.0	20.7	29.6	27.2	34.4	21.5	5.9	3.2	17.8	31.7	22.2	15.7	21.2	28.1
>= 66.0	28.5	41.4	32.2	44.6	30.6	11.8	4.3	24.4	40.3	28.3	28.5	29.5	36.2
>= 55.0	37.5	54.3	45.6	50.5	40.9	15.4	7.5	29.4	48.4	37.8	46.2	38.2	45.2
>= 45.0	47.9	67.7	53.9	56.4	53.2	21.3	10.2	34.4	58.1	48.3	57.5	55.3	63.3
>= 38.0	58.5	78.5	69.4	62.4	64.0	26.6	16.1	44.4	68.3	60.0	70.4	69.1	75.2
>= 31.0	68.9	88.2	85.0	72.0	80.1	39.6	22.0	51.1	77.4	64.4	80.1	77.9	89.0
>= 26.0	80.0	93.6	93.9	94.1	90.3	59.8	28.5	62.8	81.7	75.6	89.2	87.6	93.6
>= 21.0	88.5	100.0	100.0	100.0	97.3	78.1	47.8	73.3	86.6	88.9	96.8	94.0	100.0
>= 18.0	92.6	100.0	100.0	100.0	100.0	89.4	65.6	81.1	88.7	90.6	99.5	97.2	100.0
>= 15.0	95.7	100.0	100.0	100.0	100.0	96.4	80.6	87.2	93.0	92.8	100.0	98.6	100.0
>= 12.0	97.6	100.0	100.0	100.0	100.0	97.0	87.6	91.7	97.3	97.2	100.0	100.0	100.0
>= 10.0	98.8	100.0	100.0	100.0	100.0	97.6	90.9	96.7	100.0	100.0	100.0	100.0	100.0
>= 8.4	99.3	100.0	100.0	100.0	100.0	100.0	94.6	96.7	100.0	100.0	100.0	100.0	100.0
>= 7.0	99.6	100.0	100.0	100.0	100.0	100.0	93.4	97.2	100.0	100.0	100.0	100.0	100.0
>= 5.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.4	100.0	100.0	100.0	100.0	100.0
>= 4.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.4	100.0	100.0	100.0	100.0	100.0
>= 4.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 47.--FLOW DURATIONS FOR QUEBRADA PALMA AT DAGUAO, PR STATION 50073400

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1972-1977 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	430.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	330.0	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	300.0	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
>=	240.0	0.6	0.0	0.6	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	1.7
>=	190.0	1.3	0.7	0.6	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.6	2.8
>=	150.0	2.6	1.3	0.6	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.6	4.4
>=	120.0	3.9	1.3	0.6	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.6	4.4
>=	95.0	5.8	2.7	1.3	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.6	5.0
>=	75.0	6.4	5.3	1.9	0.0	0.0	0.6	0.7	0.0	0.7	0.0	0.6	5.0
>=	59.0	8.4	6.7	3.2	0.0	0.0	0.6	0.7	0.0	0.7	0.0	0.6	5.0
>=	47.0	9.7	7.3	3.2	0.0	0.0	0.6	0.7	0.0	0.7	0.0	1.3	5.6
>=	37.0	11.0	10.0	5.8	0.0	0.0	0.6	0.7	0.0	0.7	0.0	2.6	6.7
>=	29.0	14.2	12.0	7.1	1.3	0.0	0.6	0.7	0.0	0.7	0.0	3.2	7.8
>=	23.0	16.8	14.7	7.7	1.3	0.0	1.3	1.3	0.6	0.7	0.0	4.5	11.7
>=	18.0	20.6	17.3	11.6	1.3	0.0	1.3	1.3	1.9	0.7	0.0	7.0	14.4
>=	15.0	23.9	20.7	14.8	2.6	0.0	1.3	2.7	1.9	0.7	0.6	9.0	13.3
>=	12.0	31.0	24.0	20.6	6.4	0.0	2.6	4.0	2.6	0.7	0.6	10.3	21.1
>=	9.2	35.5	28.7	25.8	9.0	1.5	3.2	4.0	3.2	1.3	1.9	11.5	25.0
>=	7.3	44.5	36.7	40.6	17.4	2.3	4.5	5.3	3.2	1.3	3.2	13.5	28.3
>=	5.8	56.1	45.3	55.5	24.5	6.0	4.5	7.3	5.3	3.3	3.9	14.7	36.7
>=	4.6	70.3	60.0	60.6	35.5	10.5	5.8	8.7	3.4	4.7	5.8	20.5	49.4
>=	3.6	83.2	76.7	65.8	51.6	19.6	9.0	10.7	11.6	6.0	5.8	27.6	62.2
>=	2.9	92.3	88.7	71.0	63.2	33.8	15.5	15.3	18.1	10.7	9.0	29.5	73.9
>=	2.3	97.4	99.3	83.2	72.9	60.2	23.4	22.0	29.0	17.3	10.3	32.7	79.4
>=	1.8	99.4	100.0	95.5	80.6	78.2	50.3	29.3	40.0	28.7	12.9	37.2	85.0
>=	1.4	100.0	100.0	98.7	85.2	85.0	69.0	41.3	54.2	41.3	18.7	46.2	90.0
>=	1.1	100.0	100.0	100.0	91.0	91.0	85.2	64.7	72.9	54.0	31.0	59.0	91.7
>=	0.9	100.0	100.0	100.0	98.1	91.0	87.7	83.3	82.6	72.0	44.5	67.3	42.8
>=	0.7	100.0	100.0	100.0	100.0	97.0	91.0	36.0	89.0	81.3	55.5	73.7	94.4
>=	0.6	100.0	100.0	100.0	100.0	100.0	91.0	92.0	89.7	85.3	68.4	87.2	96.7
>=	0.4	100.0	100.0	100.0	100.0	100.0	91.0	96.7	92.9	89.3	74.8	100.0	100.0
>=	0.4	100.0	100.0	100.0	100.0	100.0	92.6	98.7	96.1	95.3	89.7	100.0	100.0
>=	0.3	100.0	100.0	100.0	100.0	100.0	92.9	100.0	93.1	99.3	92.3	100.0	100.0
>=	0.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 48.--FLOW DURATIONS FOR RIO ICACOS NEAR NAGUABO, PR STATION 50075000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1945-1953, 1979-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	340.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	290.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9
>=	240.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9
>=	210.0	0.3	0.3	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.0	0.3	0.9
>=	180.0	0.3	0.3	0.3	0.3	1.0	0.3	0.3	0.3	0.0	0.3	0.3	1.2
>=	150.0	0.3	0.5	0.8	0.3	1.0	0.3	1.3	1.0	0.0	0.3	0.3	1.2
>=	130.0	1.1	0.6	0.8	0.3	1.6	0.3	1.3	1.3	0.0	0.3	0.9	1.5
>=	110.0	1.6	1.4	1.1	0.5	1.6	1.2	2.0	2.9	0.7	0.6	1.5	1.8
>=	91.0	2.4	1.9	1.1	0.5	2.2	1.2	3.0	3.6	0.7	1.5	2.0	3.0
>=	77.0	3.2	3.1	3.0	0.8	2.9	1.2	3.7	5.5	1.7	2.6	2.9	3.0
>=	66.0	3.5	3.9	3.5	1.1	3.2	2.0	3.7	6.9	2.7	3.5	3.8	4.6
>=	56.0	4.3	5.3	5.4	1.3	4.1	2.9	4.0	7.4	2.7	4.1	4.4	6.1
>=	47.0	6.0	9.4	6.7	1.3	6.0	3.5	4.7	11.3	3.3	6.7	5.9	7.3
>=	40.0	8.0	11.1	9.1	2.4	7.0	3.8	6.3	14.5	6.0	10.0	7.0	9.1
>=	34.0	10.8	12.2	10.8	4.3	8.6	4.4	8.3	15.3	8.3	11.4	11.4	11.2
>=	29.0	12.6	15.3	14.2	7.3	10.8	4.4	9.7	13.4	11.3	14.4	13.5	15.8
>=	25.0	15.4	20.0	16.1	11.5	12.1	5.6	13.7	20.0	13.3	16.7	15.5	19.1
>=	21.0	18.2	23.3	19.9	15.3	14.3	7.3	16.7	23.2	14.7	22.0	18.2	20.6
>=	18.0	21.9	28.1	24.2	20.2	16.2	10.3	19.0	26.4	16.3	25.5	23.5	24.8
>=	15.0	26.2	33.1	27.7	25.5	20.0	12.6	22.0	31.9	19.7	29.6	28.7	32.4
>=	13.0	29.9	36.9	32.3	30.6	23.5	14.4	24.7	35.5	23.7	34.6	32.8	35.2
>=	11.0	35.6	41.1	40.0	35.5	28.6	16.4	28.0	41.6	28.0	43.4	39.3	44.2
>=	9.2	42.6	49.4	49.7	44.9	37.5	20.3	32.7	48.7	33.3	51.0	47.8	50.9
>=	7.8	53.3	60.3	62.9	57.3	48.2	27.9	40.0	56.0	43.0	59.8	58.6	63.0
>=	6.6	62.0	66.7	72.6	69.6	60.3	36.4	44.0	62.9	51.0	67.2	68.0	77.0
>=	5.6	78.0	82.2	85.2	83.4	80.0	55.7	54.3	78.1	74.3	82.1	87.1	95.2
>=	4.7	87.1	95.3	91.4	95.4	91.8	70.4	60.7	86.9	96.0	92.1	90.9	98.2
>=	4.0	94.4	93.6	96.2	99.5	99.7	83.6	77.7	90.3	97.3	95.9	94.7	99.1
>=	3.4	96.0	99.2	97.6	99.5	100.0	91.2	82.3	93.6	98.0	98.2	95.6	99.4
>=	2.9	97.1	99.7	98.7	99.3	100.0	95.0	86.3	94.8	100.0	99.1	96.2	99.7
>=	2.5	98.2	99.7	99.5	99.5	100.0	96.5	89.7	96.1	100.0	100.0	98.8	100.0
>=	2.1	99.6	100.0	99.5	99.7	100.0	99.4	98.3	99.4	100.0	100.0	99.4	100.0
>=	1.8	99.8	100.0	100.0	99.7	100.0	99.4	99.3	100.0	100.0	100.0	99.4	100.0
>=	1.5	100.0	100.0	100.0	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 49.--FLOW DURATIONS FOR RIO BLANCO AT RIO BLANCO, PR STATION 50077000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1972-1977 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	3000.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	2200.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
>=	1700.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.9
>=	1300.0	1.3	1.3	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.9	3.5
>=	940.0	1.2	2.7	0.6	0.0	0.0	0.0	0.7	0.6	0.0	0.0	1.9	4.0
>=	700.0	1.8	4.7	1.9	0.0	0.0	0.6	0.7	1.3	0.0	0.0	2.6	4.6
>=	520.0	2.1	5.3	1.9	0.0	0.0	0.6	2.0	1.3	0.0	0.0	2.6	5.2
>=	390.0	3.7	8.7	3.9	0.6	0.0	1.3	2.7	1.9	0.0	0.6	3.9	9.8
>=	290.0	4.8	11.3	3.9	1.3	0.0	1.3	2.7	1.9	0.0	1.3	7.7	12.1
>=	220.0	6.8	14.0	6.4	2.6	0.0	1.9	3.3	1.9	0.7	2.6	11.0	19.1
>=	160.0	9.4	17.3	11.6	4.5	0.0	1.9	3.3	1.9	1.3	2.6	15.5	25.4
>=	120.0	12.9	20.7	18.1	8.4	0.0	3.9	4.7	5.3	2.7	3.9	18.1	32.4
>=	91.0	18.0	30.7	27.1	13.6	5.0	5.2	5.3	7.1	3.3	3.9	25.8	44.5
>=	58.0	25.3	46.0	38.1	26.4	14.9	9.0	5.3	11.0	4.7	5.2	31.0	52.0
>=	51.0	33.7	61.3	52.9	42.6	16.3	12.9	8.7	13.6	6.7	6.4	40.0	62.4
>=	38.0	44.3	84.0	69.0	60.6	29.1	25.3	13.3	16.8	7.3	9.7	47.7	72.2
>=	28.0	52.4	96.7	74.8	75.5	44.0	38.7	18.0	23.2	12.0	16.8	51.6	79.2
>=	21.0	59.0	99.3	85.2	78.1	53.9	52.3	26.0	27.1	20.0	23.9	58.1	85.6
>=	16.0	65.3	100.0	96.1	83.2	63.8	60.6	34.0	31.6	25.3	31.6	65.2	93.1
>=	12.0	70.4	100.0	99.4	89.0	71.6	66.4	42.0	32.9	34.0	38.7	73.6	97.1
>=	8.8	74.8	100.0	100.0	92.3	78.7	74.2	49.3	37.4	43.3	48.4	76.1	98.3
>=	6.6	79.5	100.0	100.0	95.5	81.6	83.4	55.3	41.3	50.7	61.3	80.0	100.0
>=	4.9	82.2	100.0	100.0	97.4	93.0	92.3	62.7	44.5	58.7	65.2	82.6	100.0
>=	3.7	84.8	100.0	100.0	100.0	85.1	94.2	72.0	50.3	63.3	67.0	84.5	100.0
>=	2.8	87.2	100.0	100.0	100.0	87.2	95.5	80.0	59.4	67.3	72.3	85.2	100.0
>=	2.1	91.4	100.0	100.0	100.0	89.4	95.5	84.7	65.2	81.3	91.6	88.4	100.0
>=	1.5	95.0	100.0	100.0	100.0	95.7	99.4	94.0	77.4	84.7	97.4	91.6	100.0
>=	1.2	96.9	100.0	100.0	100.0	97.2	100.0	97.3	87.7	89.3	100.0	91.6	100.0
>=	0.9	98.4	100.0	100.0	100.0	100.0	100.0	100.0	92.9	96.7	100.0	91.6	100.0
>=	0.6	98.8	100.0	100.0	100.0	100.0	100.0	100.0	92.9	100.0	100.0	93.6	100.0
>=	0.5	99.0	100.0	100.0	100.0	100.0	100.0	100.0	92.9	100.0	100.0	95.5	100.0
>=	0.4	99.6	100.0	100.0	100.0	100.0	100.0	100.0	93.1	100.0	100.0	96.8	100.0
>=	0.3	99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.1	100.0
>=	0.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 50.--FLOW DURATIONS FOR RIO HUMACAO AT LAS PIEDRAS, PR STATION 50081000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1974-1977 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	950.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	790.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
>=	650.0	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
>=	540.0	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
>=	450.0	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
>=	380.0	1.1	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
>=	310.0	1.1	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
>=	260.0	2.2	1.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
>=	220.0	2.2	1.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
>=	130.0	2.2	1.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.0
>=	150.0	2.2	3.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.0
>=	130.0	4.3	4.4	3.2	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.6	3.3
>=	100.0	5.4	6.7	3.2	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.4	3.3
>=	87.0	6.4	5.7	4.3	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.4	5.0
>=	72.0	11.8	12.2	4.3	0.0	0.0	0.0	0.0	0.0	2.2	0.9	2.4	9.2
>=	50.0	12.9	15.6	8.6	0.0	0.0	0.0	0.0	2.2	3.3	0.9	5.6	11.7
>=	42.0	25.8	23.3	10.8	0.0	0.0	0.0	0.0	3.2	3.3	1.8	8.1	15.8
>=	35.0	33.3	23.9	15.0	1.1	3.5	1.1	0.0	4.3	4.4	3.5	11.3	20.8
>=	29.0	43.0	40.0	22.6	1.1	4.7	2.2	2.2	6.4	6.7	6.2	13.7	26.7
>=	24.0	58.1	45.6	53.8	3.6	5.9	5.4	2.2	8.6	7.8	6.2	16.1	36.7
>=	20.0	76.3	63.9	72.0	22.6	12.9	8.6	3.3	10.9	11.1	7.1	20.2	48.3
>=	17.0	94.6	90.0	98.2	44.1	18.8	3.6	10.9	14.0	18.9	10.6	21.8	57.5
>=	14.0	98.9	100.0	100.0	76.3	35.3	19.4	10.0	19.4	28.9	19.5	35.5	65.8
>=	12.0	98.9	100.0	100.0	90.3	70.6	29.0	14.4	30.1	35.6	33.6	50.0	74.2
>=	9.6	100.0	100.0	100.0	98.9	91.8	64.5	37.8	50.5	35.6	40.7	60.5	84.2
>=	8.0	100.0	100.0	100.0	100.0	100.0	86.0	42.2	55.9	37.8	46.9	69.4	88.3
>=	6.6	100.0	100.0	100.0	100.0	100.0	97.8	68.9	71.0	53.3	53.1	77.4	95.0
>=	5.5	100.0	100.0	100.0	100.0	100.0	100.0	32.2	85.0	68.9	62.0	81.4	93.3
>=	4.6	100.0	100.0	100.0	100.0	100.0	100.0	91.1	96.8	88.9	75.2	93.9	100.0
>=	3.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	85.8	89.5	100.0
>=	3.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	89.4	92.7	100.0
>=	2.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	94.7	97.6	100.0
>=	2.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 51.--FLOW DURATIONS FOR RIO GUAYANES NEAR COLONIA LAURA, PR STATION 50082800

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1969-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1200.0	0.1	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>= 1000.0	0.1	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
>= 850.0	0.2	1.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2
>= 700.0	0.3	1.4	0.3	0.2	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.5	0.2
>= 580.0	0.4	1.7	0.8	0.5	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.7	0.2
>= 480.0	0.7	2.4	1.3	0.7	0.0	0.0	0.2	0.0	0.2	1.0	0.0	0.9	1.2
>= 400.0	0.8	2.6	1.5	0.7	0.0	0.0	0.2	0.0	0.5	1.2	0.0	1.6	1.2
>= 330.0	1.0	3.1	1.8	1.5	0.0	0.0	0.2	0.2	0.7	1.4	0.2	1.6	1.2
>= 270.0	1.4	3.9	2.6	2.0	0.0	0.2	0.5	0.5	0.7	2.6	0.7	1.8	1.9
>= 230.0	1.8	4.3	2.6	2.2	0.0	0.2	0.5	0.5	1.4	3.3	1.4	1.8	2.9
>= 190.0	2.3	4.8	3.8	2.7	0.0	0.2	0.5	0.5	2.3	4.5	1.6	3.2	3.6
>= 150.0	2.9	5.5	5.1	3.2	0.0	0.2	0.7	0.5	3.0	4.8	2.8	4.6	4.5
>= 130.0	3.5	6.5	5.6	4.2	0.0	0.5	0.9	0.5	3.2	5.7	3.5	5.3	6.0
>= 110.0	4.0	6.8	6.4	4.5	0.0	0.8	1.2	0.5	4.4	6.2	4.4	5.8	7.9
>= 88.0	5.5	9.2	9.0	4.7	0.5	1.8	1.8	0.7	7.4	8.1	6.2	6.9	93.0
>= 72.0	6.6	11.6	11.0	6.2	1.2	1.8	2.1	0.7	8.1	10.0	8.1	7.8	11.0
>= 60.0	8.1	14.5	12.6	7.7	1.2	2.3	2.8	1.0	9.7	12.4	11.1	10.1	12.4
>= 50.0	9.8	17.6	15.6	8.9	1.8	2.5	3.2	1.0	11.1	15.0	13.6	12.2	15.0
>= 41.0	11.6	22.4	17.2	10.7	1.8	3.8	3.9	1.4	12.2	16.9	15.9	15.2	18.1
>= 34.0	14.7	27.7	21.5	14.4	3.7	4.6	4.6	2.1	14.5	21.0	21.7	19.1	21.4
>= 28.0	18.5	35.4	25.9	19.8	4.4	5.8	6.2	2.9	16.8	24.3	28.1	26.5	26.2
>= 23.0	23.8	44.1	34.1	23.8	6.2	7.6	7.3	5.2	21.7	29.3	35.9	35.9	33.8
>= 19.0	31.5	58.6	46.9	33.5	10.1	11.6	9.2	5.5	27.2	39.5	44.2	46.3	46.0
>= 16.0	40.0	71.3	59.7	46.2	20.7	16.2	13.1	7.9	31.3	46.4	52.3	60.1	55.5
>= 13.0	53.1	84.8	72.6	58.0	39.6	25.3	23.0	14.5	41.9	58.6	63.8	72.6	74.5
>= 11.0	63.0	90.6	85.6	78.9	54.8	35.4	35.7	20.2	51.8	67.4	71.9	81.8	84.3
>= 9.0	72.6	97.8	93.6	87.1	71.0	50.6	44.5	26.7	62.9	74.3	82.0	90.3	92.6
>= 7.5	81.4	99.3	98.5	91.3	86.9	69.4	59.2	42.4	71.9	83.3	86.6	93.6	96.7
>= 6.2	88.8	100.0	100.0	98.8	95.1	82.3	73.3	61.2	81.1	89.5	91.5	95.2	98.8
>= 5.1	95.6	100.0	100.0	100.0	98.4	93.4	94.2	83.8	90.6	96.2	94.7	97.0	100.0
>= 4.2	98.2	100.0	100.0	100.0	99.1	96.2	97.2	97.1	94.7	98.1	97.7	98.2	100.0
>= 3.5	99.0	100.0	100.0	100.0	99.5	98.2	98.6	98.8	95.8	98.6	99.1	99.8	100.0
>= 2.9	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.0	99.0	100.0	100.0	100.0
>= 2.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	103.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 52.---FLOW DURATIONS FOR RIO MAUNABO AT LIZAS, PR STATION 50090500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1971-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1000.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
>=	830.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0
>=	690.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0
>=	570.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0
>=	480.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5
>=	400.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5
>=	330.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5
>=	270.0	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.8
>=	230.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.8
>=	190.0	1.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.5	0.8
>=	160.0	1.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.5	1.3
>=	130.0	2.7	2.5	0.3	0.0	0.3	0.2	0.0	0.2	1.0	0.2	0.7	1.8
>=	110.0	3.0	2.3	1.1	0.0	0.3	0.2	0.0	0.5	1.6	0.2	1.0	1.8
>=	90.0	4.9	4.5	1.4	0.0	0.3	0.5	0.0	1.0	1.8	0.7	1.5	2.1
>=	75.0	6.2	5.6	1.6	0.0	0.6	0.5	0.0	2.2	2.3	1.5	2.0	3.1
>=	62.0	8.7	6.5	2.2	0.3	0.6	0.5	0.0	3.2	3.1	3.0	2.5	4.9
>=	51.0	14.4	3.2	3.5	0.3	0.8	0.5	0.3	4.5	4.6	4.2	5.5	7.8
>=	43.0	19.0	11.3	6.0	0.5	1.4	1.3	0.3	6.2	5.9	5.7	8.9	11.7
>=	36.0	24.4	15.9	7.3	1.4	1.4	1.3	1.3	7.0	8.0	9.2	13.9	13.1
>=	30.0	29.5	20.3	13.0	2.2	2.5	3.2	1.3	10.0	12.6	12.4	20.8	23.8
>=	25.0	37.9	30.7	18.6	3.2	4.2	4.5	1.6	12.5	18.0	20.8	25.3	28.5
>=	20.0	47.4	43.4	31.4	7.6	7.5	8.7	3.9	17.2	24.0	33.5	35.7	37.3
>=	17.0	58.0	50.4	40.5	12.1	11.2	10.5	4.1	20.7	29.1	39.4	43.9	45.3
>=	14.0	69.4	63.7	55.1	21.6	14.3	13.0	6.7	26.9	38.7	43.4	56.8	53.6
>=	12.0	79.7	72.4	73.7	34.0	21.2	26.7	9.0	30.7	47.4	53.1	63.0	70.5
>=	9.7	59.7	83.1	90.3	53.9	33.5	34.2	14.4	39.6	60.8	65.5	70.5	81.1
>=	3.1	94.3	92.1	90.3	73.4	47.2	45.6	25.3	49.1	7.1	71.2	75.2	88.3
>=	6.7	97.8	95.6	97.6	96.5	78.2	56.4	40.7	64.1	78.7	73.2	81.4	91.4
>=	5.6	100.0	100.0	100.0	99.7	96.9	69.3	60.6	77.3	82.5	84.4	87.3	95.3
>=	4.6	100.0	100.0	100.0	99.7	100.0	87.0	71.9	85.3	91.0	89.1	91.8	99.2
>=	3.8	100.0	100.0	100.0	99.7	100.0	96.3	84.0	94.3	95.4	93.0	95.0	100.0
>=	3.2	100.0	100.0	100.0	99.7	100.0	100.0	92.0	97.3	99.0	96.0	96.5	100.0
>=	2.7	100.0	100.0	100.0	99.7	100.0	100.0	99.2	100.0	100.0	93.5	98.5	100.0
>=	2.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 53.--FLOW DURATIONS FOR RIO GRANDE DE PATILLAS NEAR PATILLAS, PR STATION 50092000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 4000.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>= 3300.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>= 2700.0	0.1	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 2200.0	0.2	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2
>= 1800.0	0.2	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.2
>= 1500.0	0.2	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.4
>= 1200.0	0.3	1.1	0.6	0.2	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.4	0.6
>= 970.0	0.5	1.9	1.0	0.6	0.0	0.0	0.0	0.0	0.4	0.8	0.2	0.6	1.0
>= 790.0	0.7	2.5	1.2	0.8	0.0	0.0	0.0	0.0	0.6	0.8	0.2	0.8	1.6
>= 640.0	1.0	2.8	1.2	1.0	0.0	0.2	0.0	0.0	1.0	1.4	0.4	1.5	2.0
>= 520.0	1.3	3.4	1.6	1.7	0.0	0.2	0.2	0.0	1.0	2.0	0.8	2.5	2.4
>= 430.0	1.8	4.0	2.8	1.7	0.0	0.2	0.2	0.0	2.1	2.9	1.9	2.8	3.1
>= 350.0	2.3	4.6	3.7	2.3	0.0	0.2	0.2	0.2	2.3	3.7	2.3	3.8	4.5
>= 280.0	3.3	6.4	5.1	2.7	0.0	0.4	0.2	0.4	4.4	4.9	3.8	4.7	6.1
>= 230.0	4.2	7.8	6.9	3.6	0.2	0.6	0.2	0.4	5.3	6.1	5.5	5.9	7.8
>= 190.0	5.1	9.3	8.0	4.4	0.4	0.6	0.8	0.4	5.9	8.2	6.6	7.2	9.2
>= 150.0	6.4	12.4	9.8	5.7	0.6	0.6	0.8	0.8	7.4	10.4	8.9	8.7	11.0
>= 130.0	7.7	13.7	12.2	7.2	1.3	1.2	1.3	0.8	3.5	11.6	10.8	11.4	12.6
>= 100.0	10.7	17.8	16.3	10.2	2.1	2.3	2.7	1.2	11.0	13.5	17.8	15.9	17.8
>= 84.0	12.9	21.1	19.6	12.0	2.4	2.9	3.4	2.2	12.5	17.1	21.4	19.7	21.4
>= 68.0	16.7	27.1	25.8	16.1	4.3	4.0	4.2	3.3	15.9	21.4	28.1	26.8	25.7
>= 56.0	21.3	33.2	33.1	21.6	6.2	5.8	5.7	4.5	19.4	27.6	35.1	35.1	31.4
>= 45.0	28.8	43.4	44.3	30.6	12.2	7.9	7.6	7.2	25.2	38.0	44.2	48.4	42.0
>= 37.0	37.3	53.9	53.3	40.6	20.6	11.7	10.6	11.2	30.0	49.2	54.3	61.9	55.7
>= 30.0	47.3	69.6	63.1	54.8	32.8	18.1	16.1	14.5	35.3	53.6	64.5	75.3	72.0
>= 25.0	55.7	79.7	71.0	65.5	47.6	24.2	22.2	19.4	42.9	67.8	72.1	82.4	79.6
>= 20.0	67.4	89.4	83.7	75.7	63.4	37.3	39.3	30.8	56.4	75.3	81.2	88.8	86.7
>= 16.0	78.9	92.6	91.6	89.2	85.0	63.3	58.2	49.4	67.2	91.8	85.6	93.9	91.2
>= 13.0	87.0	95.2	96.3	93.4	90.3	81.9	75.1	66.7	76.7	88.4	91.1	97.7	93.5
>= 11.0	92.2	96.6	99.6	94.3	93.4	87.5	83.1	81.4	84.2	93.9	97.2	99.6	96.3
>= 8.9	95.7	98.1	100.0	95.4	95.7	89.8	91.6	89.4	93.4	97.4	99.4	100.0	98.8
>= 7.2	98.0	100.0	100.0	99.6	98.9	92.3	96.0	93.5	96.3	99.4	100.0	100.0	100.0
>= 5.9	99.3	100.0	100.0	100.0	99.3	99.2	98.7	95.9	97.7	100.0	100.0	100.0	100.0
>= 4.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 54.---FLOW DURATIONS FOR RIO GRANDE DE PATILLAS AT LAGO PATILLAS, PR STATION 50093050

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1949-1958 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 2300.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0
>= 1800.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1
>= 1300.0	0.4	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	2.2
>= 1000.0	0.5	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	2.5
>= 770.0	0.7	1.3	0.7	0.3	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.4	3.7
>= 590.0	1.2	2.6	0.7	0.3	0.0	0.8	0.0	0.0	0.0	1.8	1.4	0.7	5.2
>= 450.0	1.8	3.2	0.7	1.0	0.0	1.6	0.0	0.0	0.7	4.4	2.5	1.1	5.9
>= 340.0	2.6	4.5	1.0	1.3	0.0	2.0	0.0	0.0	1.3	5.9	3.6	2.5	8.2
>= 260.0	4.4	5.4	1.7	1.6	0.4	2.4	0.0	0.7	5.4	11.1	7.5	4.3	9.3
>= 200.0	6.4	11.9	2.7	2.3	0.7	3.2	0.0	1.1	9.6	16.3	9.3	7.9	13.0
>= 150.0	10.2	20.0	5.0	2.6	1.3	4.7	0.0	2.6	13.6	21.1	16.8	12.5	20.4
>= 110.0	15.1	25.1	11.0	3.6	3.6	6.3	0.0	5.2	18.3	27.4	25.4	22.2	29.6
>= 36.0	21.2	36.1	21.7	6.8	4.3	9.4	0.0	5.9	24.4	38.5	34.4	33.3	38.9
>= 55.0	32.0	56.1	42.7	18.4	8.2	12.2	0.0	9.2	30.8	52.2	45.9	52.3	55.9
>= 50.0	46.1	72.9	63.0	38.1	19.0	23.6	5.2	13.7	39.8	65.6	61.6	70.2	75.6
>= 38.0	60.9	84.2	95.0	67.1	40.9	35.0	8.2	21.5	50.2	80.4	83.2	83.5	89.6
>= 29.0	72.7	92.3	93.0	84.5	63.8	52.0	20.4	33.3	58.4	90.0	93.9	91.4	96.3
>= 22.0	82.5	95.9	95.7	93.9	84.6	75.2	41.6	47.4	66.7	95.2	96.1	95.3	99.3
>= 17.0	88.1	97.1	97.3	96.4	94.6	83.5	59.9	60.7	74.9	96.7	97.5	96.8	99.3
>= 13.0	92.5	99.0	99.0	98.7	97.8	91.3	74.9	70.7	83.9	98.9	97.5	97.1	99.6
>= 9.6	95.4	99.7	99.7	99.4	99.3	96.8	83.9	30.0	90.0	99.6	98.9	97.8	100.0
>= 7.3	97.0	99.7	99.7	99.7	99.6	98.8	90.7	85.9	92.8	99.6	98.9	98.9	100.0
>= 5.5	98.0	99.7	99.7	99.7	99.6	98.8	94.6	88.2	97.7	100.0	98.9	98.9	100.0
>= 4.2	98.3	99.7	99.7	99.7	99.6	98.8	96.1	89.3	97.8	100.0	99.3	99.3	100.0
>= 3.2	98.5	99.7	99.7	99.7	99.6	98.8	97.1	90.0	97.3	100.0	99.3	99.6	100.0
>= 2.4	98.8	99.7	100.0	99.7	99.6	99.2	92.6	90.7	97.8	100.0	100.0	100.0	100.0
>= 1.8	99.0	99.7	100.0	100.0	99.6	99.6	93.9	91.7	97.8	100.0	100.0	100.0	100.0
>= 1.4	99.1	99.7	100.0	100.0	99.6	99.6	98.9	92.2	98.6	100.0	100.0	100.0	100.0
>= 1.1	99.1	99.7	100.0	100.0	99.6	99.6	98.9	92.2	98.9	100.0	100.0	100.0	100.0
>= 0.8	99.2	99.7	100.0	100.0	99.6	99.6	98.9	92.6	98.9	100.0	100.0	100.0	100.0
>= 0.6	99.2	99.7	100.0	100.0	99.6	100.0	93.9	92.6	93.9	100.0	100.0	100.0	100.0
>= 0.5	99.3	100.0	100.0	100.0	100.0	100.0	93.6	99.6	100.0	100.0	100.0	100.0	100.0
>= 0.4	100.0	100.0	100.0	100.0	100.0	100.0	99.6	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 55.--FLOW DURATIONS FOR RIO DESCALABRADO NEAR LOS LIANOS, PR STATION 50108000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1969 INTERMITTENT PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	200.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	150.0	1.1	2.2	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0
>=	110.0	1.1	3.3	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0
>=	80.0	1.1	4.4	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	1.1	0.0
>=	59.0	2.2	5.5	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	1.1	3.3
>=	44.0	3.2	7.8	0.0	0.0	0.0	0.0	0.0	4.0	0.8	0.0	1.1	3.3
>=	33.0	7.5	11.1	0.0	0.0	0.0	0.0	0.0	4.3	0.8	0.0	1.1	5.6
>=	24.0	10.8	13.3	1.1	0.0	0.0	0.0	0.0	8.1	2.5	0.0	1.1	6.7
>=	18.0	14.0	15.6	1.1	0.0	0.0	0.0	0.8	12.9	5.0	0.0	2.2	6.7
>=	13.0	18.3	20.0	1.1	0.0	0.0	0.0	0.8	13.7	6.7	0.0	4.3	6.7
>=	9.8	20.4	24.4	1.1	0.8	0.0	0.0	0.8	13.7	7.5	0.0	4.3	6.7
>=	7.3	26.9	27.8	1.1	0.8	0.9	0.0	0.8	14.5	7.5	2.2	4.3	8.9
>=	5.4	33.3	33.9	2.2	0.8	0.9	0.0	0.8	14.5	7.5	2.2	4.3	12.2
>=	4.0	35.5	56.7	11.8	0.3	0.9	0.0	0.8	16.1	7.5	2.2	9.7	14.4
>=	3.0	37.6	68.9	30.1	1.6	1.8	0.3	0.8	17.7	7.5	2.2	10.8	16.7
>=	2.2	40.9	73.3	50.5	4.8	1.8	1.6	0.8	17.7	8.3	3.2	10.8	17.8
>=	1.6	43.0	75.6	58.1	12.9	2.7	2.4	0.8	18.6	10.0	4.3	10.8	17.8
>=	1.2	46.2	77.8	66.7	24.2	3.5	3.2	0.8	19.4	10.8	4.3	11.8	20.0
>=	0.9	46.2	80.0	66.7	33.9	6.2	4.8	1.7	20.2	10.8	4.3	12.9	22.2
>=	0.7	46.2	80.0	66.7	46.0	15.0	6.4	2.5	21.7	10.8	4.3	15.1	26.7
>=	0.5	49.5	85.6	66.7	57.3	27.4	8.9	2.5	22.6	10.8	7.5	18.3	28.9
>=	0.4	53.8	87.8	66.7	62.1	32.7	10.5	4.2	25.8	10.8	8.6	18.3	30.0
>=	0.3	60.2	93.3	68.8	62.9	38.1	16.1	4.2	27.4	10.8	10.8	18.3	38.9
>=	0.2	64.5	100.0	93.6	64.5	50.4	48.4	15.8	28.2	11.7	11.8	22.6	42.2
>=	0.2	67.7	100.0	93.6	67.7	51.3	49.2	15.8	28.2	11.7	12.9	22.6	42.2
>=	0.1	68.8	100.0	93.6	67.7	51.3	50.0	15.8	28.2	11.7	14.0	23.7	42.2
>=	0.1	71.0	100.0	100.0	67.7	53.1	58.9	40.8	36.3	12.5	14.0	28.0	43.3
>=	0.1	73.1	100.0	100.0	84.7	53.1	58.9	50.8	51.6	23.3	18.3	35.5	43.3
>=	0.0	74.2	100.0	100.0	92.7	59.3	60.5	50.8	58.9	26.7	19.4	38.7	44.4
>=	0.0	74.2	100.0	100.0	92.7	69.0	62.9	55.0	65.3	30.0	23.7	44.1	47.8
>=	0.0	74.2	100.0	100.0	92.7	69.0	63.2	55.0	67.7	30.8	25.8	44.1	52.2
>=	0.0	74.2	100.0	100.0	92.7	69.0	64.5	55.8	63.6	30.8	25.8	46.2	53.3
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 56. ---FLOW DURATIONS FOR CANAL DE ACEITUNA AT VILLALBA, PR STATION 50110200

CLASS CUBIC FEET PER SECOND (FT ³ /S)		MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1973 REGULATED PERCENT												DURATION FOR PERIOD OF RECORD (PERCENT)	
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		
>=	120.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
>=	93.0	0.8	0.0	0.0	1.2	0.0	0.0	1.3	3.6	0.0	0.0	0.0	0.0	0.0	0.0
>=	75.0	8.5	3.8	0.0	1.6	1.3	0.0	1.7	6.9	5.0	1.2	2.0	9.2	9.2	9.2
>=	61.0	25.4	6.2	0.4	2.4	2.6	0.4	5.7	10.9	10.0	1.6	2.8	22.1	22.1	22.1
>=	49.0	33.9	13.3	5.4	5.2	15.0	6.4	12.9	19.4	20.8	4.8	4.4	30.4	30.4	30.4
>=	40.0	44.8	24.2	19.4	12.9	29.2	14.9	20.8	38.3	35.8	12.5	13.3	35.4	35.4	35.4
>=	32.0	60.1	46.2	32.3	36.3	42.9	31.0	30.8	50.0	45.4	20.2	24.2	54.2	54.2	54.2
>=	26.0	72.6	68.3	62.9	54.0	56.2	46.3	40.8	55.2	55.4	32.7	36.3	72.1	72.1	72.1
>=	21.0	75.8	74.6	65.3	64.5	66.4	54.8	50.8	65.7	63.3	46.4	47.6	73.3	73.3	73.3
>=	17.0	82.3	81.2	68.2	73.0	72.6	67.7	66.3	75.4	73.8	52.0	62.9	84.6	84.6	84.6
>=	14.0	85.5	91.2	72.6	73.2	76.6	71.4	72.1	79.8	79.6	67.7	68.6	87.9	87.9	87.9
>=	11.0	87.9	95.8	79.8	81.8	35.8	80.6	78.3	87.5	86.2	71.4	74.2	90.4	90.4	90.4
>=	8.9	89.5	97.1	82.3	85.5	38.9	85.1	85.4	93.2	87.9	73.8	75.8	93.8	93.8	93.8
>=	7.2	90.3	97.1	100.0	94.4	91.2	89.1	87.1	94.4	89.6	78.6	78.6	95.4	95.4	95.4
>=	5.8	90.7	97.1	100.0	93.3	96.9	96.0	90.0	95.2	93.8	83.9	84.7	97.1	97.1	97.1
>=	4.7	91.5	97.1	100.0	100.0	98.7	97.2	93.3	96.4	94.6	90.7	87.1	98.3	98.3	98.3
>=	3.8	91.9	97.1	100.0	100.0	99.6	99.6	95.8	98.0	95.4	93.6	93.6	99.2	99.2	99.2
>=	3.1	92.3	97.1	100.0	100.0	99.6	100.0	97.1	100.0	97.1	97.2	99.2	100.0	100.0	100.0
>=	2.5	92.3	97.1	100.0	100.0	99.6	100.0	99.6	100.0	97.1	97.2	99.6	100.0	100.0	100.0
>=	2.0	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.1	98.0	100.0	100.0	100.0	100.0
>=	1.6	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.1	98.0	100.0	100.0	100.0	100.0
>=	1.3	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	1.1	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.8	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.7	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.6	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.4	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.4	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.3	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.2	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.2	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.2	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.1	92.3	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.1	92.7	97.1	100.0	100.0	99.6	100.0	100.0	100.0	97.5	98.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 57.--FLOW DURATIONS FOR RIO TOA VACA NEAR VILLALBA, PR STATION 50111200

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1970 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 600.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6	0.0
>= 470.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.6	0.0
>= 370.0	0.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.3	0.0
>= 290.0	0.5	2.4	0.3	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.3	0.0
>= 230.0	0.7	3.2	0.3	0.0	0.0	0.0	0.0	0.7	2.6	0.0	0.0	1.3	0.0
>= 180.0	1.0	4.0	2.5	0.0	0.0	0.0	0.0	1.3	3.2	0.7	0.0	1.3	0.0
>= 140.0	1.8	7.3	5.0	0.0	0.0	0.0	0.0	1.3	3.9	1.3	0.0	1.9	1.6
>= 110.0	3.3	13.7	7.5	0.0	0.6	0.0	0.0	2.0	5.8	2.7	0.0	4.5	5.4
>= 86.0	4.1	14.5	10.0	0.0	0.5	0.0	0.0	2.0	6.4	4.0	0.0	5.9	8.5
>= 68.0	5.7	21.8	12.5	0.0	0.6	0.0	0.6	2.7	9.0	8.0	0.0	5.8	11.6
>= 53.0	7.7	29.8	19.2	0.0	0.6	0.0	1.3	3.3	12.3	10.7	0.0	7.1	14.0
>= 42.0	11.7	38.7	36.7	0.0	2.6	0.0	1.9	6.0	21.9	17.3	0.0	7.7	16.3
>= 33.0	15.1	50.0	46.7	0.3	3.2	0.0	2.6	6.7	25.8	24.7	1.3	9.7	21.7
>= 26.0	19.2	56.4	63.3	7.3	3.2	0.0	3.9	8.0	28.4	32.7	3.2	11.6	27.9
>= 20.0	23.6	63.7	75.8	17.7	5.3	0.7	5.2	8.7	30.3	35.3	10.3	12.9	36.4
>= 16.0	27.5	66.9	82.5	32.3	7.1	1.4	5.2	9.3	32.9	37.3	19.4	16.8	39.5
>= 12.0	32.6	71.8	90.8	45.2	10.3	1.4	5.8	9.3	34.2	38.7	26.4	31.0	49.6
>= 9.7	37.4	75.8	93.3	60.5	17.4	2.1	5.8	10.7	36.3	40.0	36.1	34.8	59.7
>= 7.6	45.8	79.0	100.0	76.6	47.7	14.2	8.4	11.3	38.7	43.3	40.6	47.1	66.7
>= 6.0	52.1	83.1	100.0	82.3	72.9	31.9	12.9	12.7	40.0	44.0	43.9	54.2	69.8
>= 4.7	57.3	87.1	100.0	89.5	73.1	48.2	23.2	16.0	42.6	46.7	47.1	56.1	75.2
>= 3.7	63.0	91.1	100.0	96.0	81.9	68.1	38.1	20.7	45.2	48.0	49.7	61.9	76.7
>= 2.9	71.3	91.9	100.0	100.0	82.6	81.6	59.4	46.7	52.3	56.7	52.3	68.4	81.4
>= 2.3	76.4	93.6	100.0	100.0	87.1	83.0	67.1	61.3	60.6	62.7	58.1	72.3	85.3
>= 1.8	85.5	100.0	100.0	100.0	97.4	95.7	82.6	74.0	71.6	72.7	72.3	81.9	87.6
>= 1.1	93.6	100.0	100.0	100.0	100.0	100.0	92.9	82.7	87.7	89.3	87.7	98.7	87.6
>= 1.1	96.7	100.0	100.0	100.0	100.0	100.0	93.7	86.0	94.2	100.0	96.8	100.0	88.4
>= 0.9	98.5	100.0	100.0	100.0	100.0	100.0	100.0	96.0	100.0	100.0	96.8	100.0	90.7
>= 0.7	99.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	92.2
>= 0.5	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	93.0
>= 0.4	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	94.6
>= 0.3	99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.9
>= 0.3	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	92.2
>= 0.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 58.--FLOW DURATIONS FOR RIO JACAGUAS NEAR JUANA DIAZ, PR STATIONS 50111700

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1966-1969 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1600.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0
>=	1100.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0
>=	790.0	0.1	1.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0
>=	550.0	0.1	1.1	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0
>=	380.0	0.4	2.1	0.0	0.0	0.0	0.0	0.0	4.3	1.0	0.0	0.0	1.1
>=	270.0	0.9	9.6	0.0	0.0	0.0	0.0	0.0	6.0	1.0	0.0	0.0	3.3
>=	180.0	1.9	10.6	0.0	0.0	0.0	0.0	0.0	7.8	1.0	0.0	0.0	7.8
>=	130.0	2.3	14.9	0.0	0.0	0.0	0.0	0.0	11.2	2.1	0.0	0.0	7.8
>=	89.0	3.0	21.3	9.6	0.0	0.0	0.0	0.0	19.8	6.2	0.0	0.0	8.9
>=	62.0	4.4	29.8	9.7	3.2	0.0	0.0	0.0	19.3	6.2	0.0	2.2	11.1
>=	43.0	5.1	35.1	11.8	4.3	0.0	0.0	0.0	19.8	6.2	0.0	2.2	11.1
>=	30.0	5.9	40.4	14.0	4.3	0.0	0.0	0.0	19.8	6.2	0.0	3.2	13.3
>=	21.0	7.6	50.0	15.0	4.3	0.0	0.0	0.0	20.7	6.2	0.0	4.3	14.4
>=	14.0	8.8	59.6	20.4	4.3	0.0	0.0	0.0	20.7	6.2	1.1	6.4	15.6
>=	10.0	9.2	62.0	23.7	4.3	0.0	0.0	0.0	20.7	6.2	1.1	6.4	15.7
>=	7.0	10.5	64.9	26.9	4.3	0.0	0.0	0.0	20.7	6.2	1.1	6.4	24.4
>=	4.9	11.7	67.0	33.3	4.3	0.0	2.2	0.0	20.7	6.2	1.1	8.6	23.9
>=	3.4	13.3	68.1	34.4	5.4	1.2	4.3	0.0	21.6	6.2	3.2	8.6	37.8
>=	2.4	15.4	74.5	36.6	5.4	8.2	7.5	1.1	21.6	6.2	6.4	8.6	40.0
>=	1.6	18.5	75.5	45.2	8.6	17.6	9.7	2.2	22.4	7.3	10.8	8.6	42.2
>=	1.1	24.9	75.5	59.1	28.0	31.8	20.4	7.8	22.4	8.3	15.0	8.6	43.3
>=	0.5	37.6	81.9	65.6	64.5	65.9	40.9	20.0	23.3	13.5	26.9	8.6	44.4
>=	0.6	41.7	83.0	67.7	66.7	65.9	48.4	31.1	24.1	18.8	36.6	8.6	44.4
>=	0.4	58.5	92.6	97.8	66.7	65.9	66.7	65.6	48.3	41.7	52.7	28.0	45.6
>=	0.3	63.7	92.6	100.0	71.0	65.9	66.7	65.6	52.6	51.0	64.5	44.1	47.8
>=	0.2	68.1	92.6	100.0	71.0	67.1	66.7	66.7	60.3	57.3	71.0	60.2	53.3
>=	0.1	69.1	92.6	100.0	73.5	67.1	66.7	66.7	61.2	57.3	73.1	60.2	53.3
>=	0.1	75.3	96.3	100.0	79.6	75.3	66.7	66.7	75.9	69.8	73.1	72.0	62.2
>=	0.1	77.0	96.3	100.0	81.7	77.6	66.7	66.7	75.9	69.8	81.7	75.3	64.4
>=	0.0	91.5	97.2	100.0	89.2	37.1	69.9	66.7	78.4	77.1	89.2	78.5	71.1
>=	0.0	82.5	98.2	100.0	89.2	39.4	69.9	66.7	80.2	77.1	90.3	80.6	73.3
>=	0.0	34.8	99.1	100.0	94.6	92.9	72.0	66.7	80.2	77.1	94.6	82.8	73.9
>=	0.0	87.4	100.0	100.0	95.7	94.1	73.1	66.7	81.0	78.1	97.8	97.8	82.2
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 59.---FLOW DURATIONS FOR RIO INABON AT REAL ABAJO, PR STATION 50112500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1964-1970, 1971-1982 PERCENT REGULATED											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	640.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
>=	550.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
>=	430.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4
>=	350.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4
>=	290.0	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	0.2	0.5
>=	230.0	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.7
>=	190.0	2.2	0.9	0.0	0.0	0.0	0.0	0.0	1.4	0.2	0.2	0.4	1.1
>=	160.0	3.4	1.3	0.0	0.0	0.0	0.0	0.0	1.4	0.6	0.2	0.4	1.7
>=	130.0	5.0	2.8	0.0	0.0	0.0	0.0	0.0	1.6	1.1	0.7	0.4	3.2
>=	100.0	7.9	5.2	0.9	0.0	0.0	0.0	0.2	3.2	1.7	1.1	2.2	5.9
>=	35.0	11.9	7.1	1.1	0.0	0.0	0.0	0.4	3.8	3.0	1.4	2.7	7.8
>=	69.0	17.1	10.6	1.3	0.0	0.0	0.2	0.6	4.5	3.9	2.0	3.4	11.5
>=	56.0	23.0	14.8	1.4	0.0	0.0	0.2	1.0	5.7	5.4	2.9	5.4	14.3
>=	46.0	32.5	19.7	2.2	0.2	0.0	0.6	1.7	7.2	6.9	3.9	8.1	18.9
>=	38.0	43.1	26.2	2.9	0.5	0.0	1.0	2.7	10.2	8.9	5.5	10.8	25.4
>=	31.0	54.0	34.0	4.5	1.1	0.0	1.1	4.0	13.4	11.7	7.3	15.2	33.3
>=	25.0	67.3	45.3	6.8	1.8	0.2	1.9	5.2	18.5	16.0	10.9	19.9	44.4
>=	20.0	76.8	59.9	12.0	2.9	0.6	3.0	7.3	22.4	21.5	17.1	28.3	55.2
>=	17.0	83.5	69.0	19.0	4.0	1.0	4.4	8.8	26.9	25.7	22.2	35.3	61.3
>=	14.0	89.4	30.2	32.3	5.0	1.8	5.5	10.7	32.4	33.7	29.9	43.2	70.9
>=	11.0	93.2	83.1	50.0	12.4	2.0	9.7	16.1	39.8	41.5	38.8	57.4	79.4
>=	9.1	95.9	91.3	83.3	20.1	4.1	11.6	20.1	43.9	48.0	44.0	64.5	84.8
>=	7.4	98.0	96.1	78.1	36.0	7.7	16.3	25.1	51.1	59.3	53.6	71.2	90.6
>=	6.1	98.6	97.6	89.8	52.3	19.3	21.6	28.2	57.5	67.6	61.7	76.7	94.3
>=	5.0	98.6	98.0	96.1	75.6	36.0	32.0	35.6	65.2	75.0	72.8	86.0	96.5
>=	4.1	99.8	98.9	97.9	91.2	62.4	50.6	43.5	69.5	80.9	81.5	89.8	97.6
>=	3.3	100.0	98.9	100.0	99.1	81.1	70.1	62.5	74.4	87.8	86.3	93.4	99.5
>=	2.7	100.0	100.0	100.0	100.0	95.3	86.0	79.7	81.7	90.9	89.9	95.9	100.0
>=	2.2	100.0	100.0	100.0	100.0	99.4	93.9	92.5	87.8	93.9	95.2	97.9	100.0
>=	1.8	100.0	100.0	100.0	100.0	99.8	96.8	98.5	94.8	98.7	97.9	99.3	100.0
>=	1.5	100.0	100.0	100.0	100.0	99.8	98.5	98.5	98.2	99.6	98.2	100.0	100.0
>=	1.2	100.0	100.0	100.0	100.0	100.0	99.8	98.5	99.8	99.8	99.1	100.0	100.0
>=	1.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.6	100.0	100.0
>=	0.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 60.--FLOW DURATIONS FOR RIO CERRILLOS NEAR PONCE, PR STATION 50114000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1964--1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	2000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>=	1600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>=	1300.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>=	1100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>=	890.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>=	720.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
>=	590.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.5
>=	480.0	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.5
>=	390.0	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.3	0.3	0.7
>=	320.0	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.6	1.0	0.3	0.5	0.9
>=	260.0	0.8	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	0.3	0.3	1.4
>=	210.0	1.4	1.9	0.2	0.0	0.0	0.0	0.2	1.5	1.7	1.1	1.3	3.3
>=	170.0	2.3	4.0	0.2	0.0	0.0	0.0	0.4	2.8	2.7	1.5	1.6	5.2
>=	140.0	3.7	7.0	0.3	0.0	0.0	0.0	0.4	4.6	3.3	1.3	2.6	9.6
>=	110.0	6.0	13.3	1.4	0.0	0.0	0.3	0.5	6.0	4.3	2.9	4.8	15.7
>=	93.0	7.9	13.6	1.5	0.0	0.0	0.5	0.9	8.3	5.5	4.0	6.8	19.8
>=	76.0	11.1	26.3	2.9	0.2	0.0	0.7	1.6	12.3	7.7	5.8	10.7	27.3
>=	62.0	15.2	37.7	3.9	0.3	0.0	0.8	3.2	16.9	12.8	7.8	14.4	37.6
>=	50.0	20.1	59.9	6.3	0.3	0.4	1.4	3.9	21.9	17.4	12.1	23.3	46.3
>=	41.0	24.7	70.5	10.0	1.2	0.8	2.1	5.4	23.9	22.5	15.7	29.6	55.6
>=	33.0	30.8	74.4	17.7	1.9	1.7	2.9	8.1	28.9	29.6	23.3	39.7	68.2
>=	27.0	37.1	84.2	30.4	3.9	2.4	4.4	10.0	32.3	33.6	33.3	47.5	78.5
>=	22.0	43.3	83.5	43.9	7.8	4.1	5.9	13.0	37.2	45.7	41.9	56.1	85.3
>=	18.0	50.2	93.9	56.4	16.7	5.6	9.5	16.5	42.2	56.9	48.7	67.4	92.7
>=	15.0	57.3	95.3	60.6	35.9	9.9	13.4	20.6	47.4	56.6	56.6	75.0	96.0
>=	12.0	65.9	98.1	90.5	60.5	25.1	20.9	25.5	53.2	66.6	66.2	85.1	98.8
>=	9.7	72.5	99.1	93.6	80.6	45.7	30.0	29.9	53.4	72.0	71.5	90.6	99.1
>=	7.9	80.2	100.0	96.3	93.5	70.4	47.7	38.8	64.6	78.8	80.6	93.0	99.5
>=	6.4	88.2	99.5	99.3	93.0	92.0	75.7	55.0	71.6	86.0	85.3	95.6	99.8
>=	5.2	92.9	100.0	100.0	99.2	99.2	91.3	67.5	78.1	89.5	92.9	98.2	100.0
>=	4.3	96.9	100.0	100.0	99.8	100.0	88.6	88.9	83.2	92.5	97.1	99.2	100.0
>=	3.5	99.4	100.0	100.0	100.0	100.0	100.0	99.1	96.8	98.0	99.7	99.8	100.0
>=	2.8	99.9	100.0	100.0	100.0	100.0	100.0	100.0	99.4	99.5	100.0	100.0	100.0
>=	2.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 61.---FLOW DURATIONS FOR RIO BUCANA AT PLAYA DE PONCE, PR STATION 50114700

CLASS		MONTHLY DURATIONS FOR PERIOD OF RECORD 1964-1967 REGULATED											
CUBIC FEET PER SECOND (FT ³ /S)		PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	390.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	290.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.0
>=	210.0	3.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	1.7
>=	150.0	8.1	1.7	0.8	0.0	0.0	0.0	0.0	1.6	1.7	0.8	0.8	2.5
>=	110.0	12.9	3.3	1.6	0.0	0.0	0.0	0.0	2.4	2.5	0.8	3.2	5.8
>=	79.0	23.4	10.0	2.4	0.0	0.0	0.0	0.0	5.6	4.2	1.6	6.4	9.2
>=	58.0	33.1	18.3	4.8	1.1	0.0	0.0	0.0	11.3	5.0	1.6	8.9	12.5
>=	42.0	40.3	25.8	4.8	1.1	0.0	0.0	0.0	12.9	7.5	1.6	15.3	18.3
>=	30.0	42.7	41.7	6.4	2.2	0.0	0.0	0.0	12.9	10.0	3.2	25.0	25.8
>=	22.0	48.4	51.7	8.1	3.2	0.0	0.0	0.0	17.7	12.5	4.0	30.6	31.7
>=	16.0	57.3	60.8	9.7	3.2	0.0	0.0	0.0	19.4	16.7	6.4	37.1	40.8
>=	12.0	61.3	68.3	12.9	4.3	0.0	0.0	0.0	19.4	16.7	8.9	41.9	46.7
>=	8.4	64.5	72.5	15.3	6.4	0.0	0.0	0.0	20.2	17.5	10.5	46.0	52.5
>=	6.1	65.3	76.7	19.4	6.4	0.0	0.0	0.0	21.0	20.8	13.7	46.8	55.8
>=	4.4	68.6	78.3	24.2	8.6	0.0	0.0	0.8	21.7	25.8	16.1	49.2	60.8
>=	3.2	70.2	80.0	27.4	10.8	0.0	0.0	0.8	23.4	30.0	20.2	51.6	62.5
>=	2.3	71.0	80.0	30.6	14.0	0.0	0.0	0.8	24.2	30.8	21.8	53.2	62.5
>=	1.7	72.6	81.7	36.3	18.3	1.2	0.0	0.8	25.0	30.8	22.6	54.8	62.5
>=	1.2	73.4	81.7	38.7	18.3	4.8	0.8	0.8	25.8	33.3	23.4	57.3	64.2
>=	0.9	74.2	83.3	41.1	19.4	11.9	0.8	0.8	25.8	34.2	25.0	58.1	65.8
>=	0.6	74.2	84.2	41.9	20.4	14.3	0.8	2.5	25.8	38.3	26.6	59.7	66.7
>=	0.5	75.0	85.0	42.7	21.5	19.0	1.6	3.3	25.8	40.0	26.6	59.7	70.0
>=	0.3	75.0	85.0	44.4	22.6	20.2	1.6	3.3	25.3	40.8	27.4	59.7	71.7
>=	0.2	75.0	85.0	48.4	23.7	23.8	1.6	3.3	26.6	41.7	29.0	62.1	72.5
>=	0.2	75.3	85.0	49.2	23.7	26.2	2.4	8.3	27.4	44.2	30.6	62.1	73.3
>=	0.1	75.8	85.0	14.2	23.7	26.2	2.4	8.3	27.4	44.2	30.6	62.1	73.3
>=	0.1	100.0	100.0	100.0	100.0	100.0	75.0	90.0	75.0	90.0	100.0	100.0	100.0
>=	0.1	100.0	100.0	100.0	100.0	100.0	75.0	90.8	75.0	90.8	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	75.0	91.7	75.0	90.8	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	75.0	92.5	75.0	90.8	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	75.0	94.2	75.0	90.8	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	75.0	94.2	75.0	91.7	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	75.0	94.2	75.8	91.7	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 62.---FLOW DURATIONS FOR RIO PORTUGUES NEAR PONCE, PR STATION 50115000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1964-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 900.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 730.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 590.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2
>= 480.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.4
>= 390.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.4
>= 320.0	0.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.5
>= 260.0	0.3	1.0	0.2	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.3	0.3	0.9
>= 210.0	0.5	1.9	0.2	0.0	0.0	0.0	0.0	0.2	0.5	0.5	0.3	0.5	1.4
>= 170.0	0.9	3.4	0.9	0.0	0.0	0.0	0.0	0.2	1.4	1.1	0.3	0.6	2.4
>= 140.0	1.3	4.2	1.9	0.0	0.0	0.0	0.2	0.2	1.9	1.6	0.6	1.1	3.3
>= 110.0	1.8	6.3	3.5	0.2	0.0	0.0	0.2	0.2	2.0	1.8	1.3	1.8	4.9
>= 90.0	2.7	8.8	5.3	0.2	0.0	0.2	0.2	0.2	3.1	1.9	1.9	2.9	7.3
>= 73.0	3.8	12.4	7.7	0.3	0.0	0.2	0.3	0.4	4.8	2.8	2.9	4.4	9.4
>= 59.0	5.4	17.2	11.8	0.7	0.0	0.6	0.3	0.7	6.0	3.5	4.4	6.4	13.3
>= 48.0	7.3	23.3	16.7	2.4	0.0	0.6	0.7	1.0	8.2	3.7	5.3	8.2	17.5
>= 39.0	10.0	31.2	22.6	3.2	0.5	0.6	1.0	1.9	10.2	5.1	8.2	11.4	23.8
>= 31.0	13.8	41.9	32.3	4.6	0.8	0.9	1.4	3.3	13.1	7.8	11.9	15.8	31.6
>= 26.0	17.1	51.4	40.9	6.1	1.4	0.9	2.0	3.9	15.5	9.5	15.2	19.5	33.1
>= 21.0	21.8	61.6	51.9	9.5	1.7	1.5	3.1	4.6	19.2	12.3	19.8	26.6	49.3
>= 17.0	27.2	72.0	63.9	14.9	2.6	2.2	4.2	6.1	22.7	17.4	26.3	33.7	58.7
>= 14.0	33.0	81.3	76.3	26.2	3.7	3.5	5.6	8.2	26.8	21.5	31.4	41.6	68.7
>= 11.0	41.5	90.3	86.3	50.8	10.0	5.4	7.3	10.4	32.0	31.3	37.6	54.5	80.1
>= 9.0	47.8	95.8	92.3	66.0	21.3	7.8	9.7	12.6	35.8	35.9	44.2	63.6	85.3
>= 7.3	55.6	99.3	97.5	81.7	42.0	15.1	12.9	16.6	41.2	41.4	51.4	72.4	91.3
>= 5.9	64.2	100.0	99.3	94.2	63.0	34.3	19.0	22.1	46.0	50.2	53.6	79.4	96.3
>= 4.8	72.9	100.0	100.0	98.6	84.9	62.1	35.0	32.5	52.3	60.0	65.6	85.5	98.2
>= 3.9	82.5	100.0	100.0	99.7	93.5	36.2	63.8	47.5	63.9	70.2	73.7	89.8	99.1
>= 3.1	90.3	100.0	100.0	99.8	100.0	95.5	87.1	72.5	75.1	80.5	82.1	93.4	100.0
>= 2.5	94.9	100.0	100.0	100.0	100.0	98.0	95.1	88.8	80.1	88.4	91.4	98.2	100.0
>= 2.1	97.4	100.0	100.0	100.0	100.0	100.0	96.1	95.4	89.4	93.7	95.5	99.2	100.0
>= 1.7	99.6	100.0	100.0	100.0	100.0	100.0	100.0	99.8	95.7	99.3	100.0	100.0	100.0
>= 1.4	99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.1	99.6	100.0	100.0	100.0
>= 1.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 63.--FLOW DURATIONS FOR RIO TALLA30A AT PENUELAS, PR STATION 50121000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1959-1971 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1600.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	1200.0	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6
>=	830.0	0.5	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.3	0.0	0.5	0.8
>=	660.0	1.3	0.3	0.5	0.0	0.0	0.0	0.5	0.0	0.3	0.0	1.1	0.8
>=	490.0	3.2	0.8	0.8	0.0	0.0	0.2	0.5	0.3	0.3	0.3	1.9	1.4
>=	370.0	4.8	1.9	1.3	0.0	0.0	0.2	0.8	0.5	0.6	0.3	2.4	1.4
>=	270.0	7.3	6.1	1.6	0.2	0.0	0.2	2.1	1.3	1.4	0.3	4.0	3.1
>=	200.0	13.7	9.2	2.7	0.2	0.3	0.5	3.0	3.2	2.8	0.8	5.4	6.4
>=	150.0	19.9	15.3	4.3	0.2	0.5	0.5	4.3	5.4	3.9	1.9	7.8	11.1
>=	110.0	32.0	23.3	8.1	0.5	0.8	0.5	5.9	10.0	5.8	2.7	10.8	19.2
>=	84.0	41.7	32.2	10.0	0.7	0.8	1.0	8.6	15.9	8.3	4.6	15.6	26.7
>=	63.0	48.7	43.9	13.4	1.2	1.4	2.5	10.5	23.9	10.6	7.3	22.8	33.1
>=	47.0	58.6	53.9	22.6	2.7	1.9	3.7	15.3	28.5	16.1	10.2	31.2	45.3
>=	35.0	66.9	65.3	35.5	7.7	5.7	7.9	20.1	35.5	21.1	16.1	41.9	53.1
>=	26.0	76.3	76.1	51.3	13.4	7.9	11.9	26.3	43.6	30.0	22.8	51.3	68.6
>=	20.0	81.7	83.6	66.1	24.8	13.9	17.1	31.9	53.0	43.6	32.3	58.6	75.0
>=	15.0	88.4	83.6	30.1	47.2	28.1	21.9	41.6	64.2	58.9	44.9	68.0	83.2
>=	11.0	94.9	91.9	33.1	69.5	42.8	32.3	56.0	76.9	69.4	58.9	78.5	85.6
>=	8.1	97.8	95.6	34.4	75.9	54.0	44.4	55.2	84.7	77.8	71.0	84.1	87.2
>=	6.0	100.0	99.4	27.6	82.4	62.9	50.1	71.0	90.0	85.6	76.9	88.2	90.8
>=	4.5	100.0	99.4	94.9	84.4	67.8	58.6	76.9	92.2	88.3	82.3	91.1	94.4
>=	3.4	100.0	100.0	97.3	83.3	75.8	67.5	82.0	94.1	90.8	86.6	92.5	95.3
>=	2.5	100.0	100.0	99.7	90.8	83.1	76.9	85.5	95.8	93.6	90.3	95.2	95.8
>=	1.9	100.0	100.0	100.0	92.1	88.0	84.1	39.5	97.8	94.4	91.7	96.5	96.9
>=	1.4	100.0	100.0	100.0	75.3	92.4	86.4	93.0	93.9	95.0	92.7	97.6	97.8
>=	1.0	100.0	100.0	100.0	93.3	98.4	88.8	92.2	99.2	98.9	93.3	98.1	99.7
>=	0.8	100.0	100.0	100.0	99.5	98.4	91.1	96.2	99.5	100.0	95.2	98.1	100.0
>=	0.6	100.0	100.0	100.0	100.0	98.4	91.8	97.0	99.5	100.0	98.9	99.2	100.0
>=	0.4	100.0	100.0	100.0	100.0	98.4	92.3	97.3	99.7	100.0	100.0	99.7	100.0
>=	0.3	100.0	100.0	100.0	100.0	98.4	92.3	97.3	99.7	100.0	100.0	100.0	100.0
>=	0.2	100.0	100.0	100.0	100.0	98.4	92.3	97.6	100.0	100.0	100.0	100.0	100.0
>=	0.2	100.0	100.0	100.0	100.0	100.0	92.3	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.1	100.0	100.0	100.0	100.0	100.0	92.3	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 64.--FLOW DURATIONS FOR RIO TALLABOA AT TALLABOA, PR STATION 50122000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1959-1962 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1400.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 1100.0	0.4	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 810.0	0.5	0.0	0.0	1.6	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
>= 620.0	0.6	2.4	0.0	1.6	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
>= 470.0	0.8	4.0	0.0	1.6	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0
>= 360.0	1.6	5.6	0.0	4.0	0.0	0.0	1.1	4.2	0.0	0.0	0.0	1.6	1.7
>= 280.0	2.6	7.3	3.3	4.8	0.0	0.0	1.1	6.7	0.0	0.0	0.0	4.8	4.2
>= 210.0	3.6	12.1	3.3	6.4	0.0	0.0	1.1	6.7	3.2	0.0	0.0	5.6	5.8
>= 160.0	5.7	19.4	5.0	9.7	0.0	0.0	1.1	9.2	6.4	2.5	0.0	5.6	8.3
>= 120.0	8.7	28.2	9.2	11.3	0.0	1.2	1.1	12.5	14.5	2.5	0.0	10.5	11.7
>= 95.0	13.7	37.1	17.5	16.1	0.0	1.2	3.2	15.0	26.6	5.8	1.6	14.5	19.2
>= 72.0	18.6	45.2	25.8	20.2	0.0	3.5	5.4	19.2	31.4	8.3	4.8	16.9	27.5
>= 55.0	23.2	54.0	33.3	22.6	1.1	4.7	5.4	20.0	40.3	14.2	6.4	23.4	37.5
>= 42.0	29.8	58.1	45.0	25.0	3.2	5.9	7.5	28.3	43.4	21.7	10.5	30.6	51.7
>= 32.0	36.5	68.6	50.8	29.0	6.4	7.1	11.8	33.3	61.3	25.0	16.1	37.9	61.7
>= 25.0	40.4	74.2	52.5	31.4	9.7	8.2	14.0	40.8	66.9	28.3	21.0	41.1	69.2
>= 19.0	43.8	78.2	56.7	33.1	11.3	9.4	14.0	45.8	72.5	30.8	24.2	43.6	75.8
>= 15.0	48.3	83.1	64.2	40.3	15.0	10.6	16.1	49.2	79.0	34.2	25.0	47.6	80.0
>= 11.0	54.6	89.5	68.3	50.8	23.0	12.9	18.3	55.0	81.4	42.5	26.6	52.4	85.8
>= 8.5	58.2	91.9	69.2	53.2	41.9	17.5	20.4	60.0	83.9	44.2	26.6	54.8	86.7
>= 6.5	63.4	93.6	73.3	58.1	47.3	21.2	24.7	72.5	89.7	52.5	27.4	58.9	88.3
>= 5.0	66.4	94.4	75.8	63.7	54.3	24.7	26.9	80.0	90.3	55.0	28.2	60.5	89.2
>= 3.8	69.2	95.2	79.2	67.7	64.5	32.9	26.9	82.5	91.9	58.3	24.0	61.3	93.3
>= 2.9	73.2	96.0	85.0	76.6	72.0	50.6	29.0	85.0	91.9	61.7	32.3	62.9	94.2
>= 2.2	77.5	100.0	88.3	83.1	75.3	78.3	32.3	85.8	93.6	66.7	33.9	62.9	97.5
>= 1.7	82.0	100.0	94.2	89.5	81.7	89.4	40.9	91.7	96.0	75.8	39.5	65.3	97.5
>= 1.3	85.5	100.0	100.0	92.7	92.5	92.9	47.3	92.5	96.0	66.7	44.4	69.4	98.3
>= 1.0	89.7	100.0	100.0	95.2	100.0	92.9	68.8	93.3	96.8	39.2	57.3	81.5	98.3
>= 0.8	94.0	100.0	100.0	96.8	100.0	95.3	77.4	93.3	96.8	95.8	76.6	90.3	98.3
>= 0.6	98.6	100.0	100.0	99.2	100.0	96.5	93.9	95.8	97.6	100.0	90.3	95.2	98.3
>= 0.4	99.3	100.0	100.0	100.0	100.0	98.3	100.0	95.8	98.4	100.0	92.7	95.2	98.3
>= 0.3	99.8	100.0	100.0	100.0	100.0	100.0	100.0	95.8	99.2	100.0	100.0	96.0	99.2
>= 0.3	99.9	100.0	100.0	100.0	100.0	100.0	100.0	95.8	99.2	100.0	100.0	96.8	100.0
>= 0.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	95.8	100.0	100.0	100.0	96.8	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 65.--FLOW DURATIONS FOR RIO GUAYANILLA NEAR GUAYANILLA, PR STATION 50124000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1961-1969 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	630.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
>=	510.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0
>=	410.0	0.1	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4
>=	340.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4
>=	270.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.4	1.1
>=	220.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.4	1.5
>=	180.0	0.8	1.8	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.4	1.8
>=	150.0	1.1	2.6	0.0	0.0	0.0	0.0	0.4	0.7	0.4	0.4	2.5	2.6
>=	120.0	1.6	4.3	0.4	0.0	0.0	0.0	0.4	1.1	0.4	0.7	2.9	3.0
>=	97.0	2.9	8.2	1.1	0.0	0.0	0.0	0.7	2.2	1.5	1.4	3.9	5.6
>=	79.0	4.6	13.0	1.4	0.0	0.0	0.0	1.8	3.3	2.6	2.2	7.2	6.7
>=	64.0	6.5	18.2	2.5	0.0	0.0	0.0	1.8	5.7	2.6	3.2	9.7	11.1
>=	52.0	9.1	25.6	2.9	0.0	0.0	0.4	4.4	6.8	4.4	5.7	14.0	17.8
>=	42.0	12.4	36.7	4.3	0.0	0.0	0.4	5.2	9.0	6.7	7.9	19.4	24.1
>=	34.0	16.6	49.3	8.6	0.0	0.0	0.7	7.8	10.4	8.2	12.5	24.0	33.7
>=	28.0	20.3	62.2	13.6	0.4	0.0	1.1	9.3	12.2	8.9	14.3	30.8	39.6
>=	23.0	24.7	71.1	23.3	1.4	0.0	1.4	10.4	15.8	13.3	18.6	36.2	48.2
>=	18.0	31.6	77.4	48.8	4.3	0.4	2.2	11.8	21.5	17.8	26.2	43.7	60.4
>=	15.0	37.6	81.8	62.4	17.2	0.8	2.9	13.7	23.3	20.7	32.6	49.8	71.5
>=	12.0	45.5	87.8	67.7	36.2	3.5	4.7	17.8	37.6	29.6	44.4	55.6	85.6
>=	9.9	51.4	93.7	73.1	50.5	9.1	6.1	19.6	44.4	38.5	50.5	59.5	88.9
>=	8.1	58.3	96.7	79.9	62.7	21.3	10.0	24.8	52.3	50.0	55.2	65.2	93.7
>=	6.6	67.0	100.0	89.6	72.8	39.0	16.5	32.6	59.5	67.8	63.8	74.9	97.0
>=	5.3	76.1	100.0	97.8	85.7	60.2	30.5	44.1	67.4	75.9	74.6	85.7	98.5
>=	4.3	84.5	100.0	99.6	97.8	81.5	53.8	53.7	75.3	84.1	80.6	92.5	100.0
>=	3.5	90.2	100.0	100.0	100.0	95.7	72.0	66.7	80.3	87.0	87.5	96.4	100.0
>=	2.9	93.5	100.0	100.0	100.0	100.0	85.7	77.0	82.4	90.0	92.5	97.1	100.0
>=	2.3	96.6	100.0	100.0	100.0	100.0	96.4	88.9	87.8	94.1	96.1	97.8	100.0
>=	1.9	98.0	100.0	100.0	100.0	100.0	98.9	94.4	91.0	95.2	99.3	97.8	100.0
>=	1.5	99.2	100.0	100.0	100.0	100.0	100.0	98.9	96.1	96.7	100.0	98.6	100.0
>=	1.3	99.6	100.0	100.0	100.0	100.0	100.0	100.0	97.1	98.5	100.0	99.3	100.0
>=	1.0	99.7	100.0	100.0	100.0	100.0	100.0	100.0	97.8	98.9	100.0	100.0	100.0
>=	0.8	99.8	100.0	100.0	100.0	100.0	100.0	100.0	98.9	99.3	100.0	100.0	100.0
>=	0.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 66.--FLOW DURATIONS FOR RIO YAUCO AT LUCCHETTI DAMSITE, PR STATION 50125790

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1946-1952 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	630.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	530.0	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	440.0	0.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	370.0	0.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	310.0	0.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
>=	260.0	0.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.2
>=	220.0	1.6	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.8
>=	190.0	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8
>=	160.0	4.8	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8
>=	130.0	9.7	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.4
>=	110.0	12.9	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.1
>=	94.0	16.1	8.3	1.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	3.2	10.0
>=	79.0	23.1	10.6	2.2	0.0	0.6	0.0	0.0	0.0	0.0	0.0	7.0	16.1
>=	66.0	30.1	13.3	5.4	0.0	0.6	0.6	0.0	0.0	0.7	0.0	8.1	20.0
>=	56.0	39.8	20.6	5.9	0.0	1.2	1.3	0.0	1.3	0.7	0.0	13.4	29.4
>=	47.0	53.8	27.8	8.1	0.0	1.2	1.3	0.0	1.3	2.0	0.0	16.7	36.1
>=	39.0	64.0	43.3	11.3	0.0	1.8	1.3	0.7	1.3	2.7	1.1	22.6	47.8
>=	33.0	68.8	51.1	15.0	0.0	1.8	2.6	0.7	2.6	3.3	2.2	30.1	57.2
>=	28.0	83.9	62.2	25.8	0.0	1.8	3.2	0.7	3.2	3.3	5.4	38.2	66.1
>=	24.0	90.3	74.4	35.0	1.1	2.4	3.2	2.7	5.8	3.3	7.5	42.5	71.1
>=	20.0	95.7	85.7	50.4	7.0	3.5	3.2	2.7	9.0	6.0	13.4	51.6	79.4
>=	17.0	97.3	97.5	69.9	11.3	5.9	3.2	4.0	14.8	8.7	14.5	57.5	84.4
>=	14.0	97.8	83.9	73.7	25.8	13.5	5.8	7.3	22.6	10.0	18.3	61.8	89.3
>=	12.0	98.9	96.7	83.9	32.3	17.1	6.4	9.3	25.2	12.0	23.7	67.2	99.4
>=	9.9	100.0	100.0	100.0	46.2	29.4	6.4	14.7	31.0	17.3	30.1	72.0	99.4
>=	8.4	100.0	100.0	100.0	63.3	50.6	12.3	26.0	40.6	25.3	39.2	79.0	100.0
>=	7.0	100.0	100.0	100.0	95.7	58.8	30.3	35.3	49.0	34.0	50.5	88.7	100.0
>=	5.9	100.0	100.0	100.0	99.5	86.5	49.0	46.7	61.3	42.7	60.2	91.9	100.0
>=	5.0	100.0	100.0	100.0	100.0	95.9	60.6	59.3	72.3	59.3	69.4	94.1	100.0
>=	4.2	100.0	100.0	100.0	100.0	99.4	76.8	72.0	77.4	70.0	78.0	95.7	100.0
>=	3.5	100.0	100.0	100.0	100.0	100.0	98.1	82.7	86.4	83.3	83.9	97.8	100.0
>=	3.0	100.0	100.0	100.0	100.0	100.0	100.0	94.0	94.8	88.0	99.5	100.0	100.0
>=	2.5	100.0	100.0	100.0	100.0	100.0	100.0	94.7	100.0	96.7	100.0	100.0	100.0
>=	2.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 67.--FLOW DURATIONS FOR RIO DUEY ABOVE DIVERSION NEAR YAUCO, PR STATION 50125900

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1976-1980 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0
>=	900.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0
>=	730.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0
>=	590.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0
>=	470.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.0
>=	380.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.0
>=	310.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.8	0.8	0.0
>=	250.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	2.5	0.8	0.8	0.8
>=	200.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	2.5	0.8	0.8	0.8
>=	160.0	3.6	0.8	0.0	0.0	0.0	0.0	0.8	2.4	2.5	0.8	0.8	0.8
>=	130.0	4.5	1.7	0.0	0.0	0.0	0.0	0.8	2.4	2.5	1.6	1.6	1.7
>=	110.0	5.4	2.5	0.0	0.0	0.0	0.0	0.8	3.2	2.5	1.6	2.4	2.5
>=	85.0	6.2	3.3	0.0	0.0	0.0	0.0	0.8	5.6	2.5	1.6	5.6	5.0
>=	69.0	7.1	6.7	0.0	0.0	0.0	0.0	1.7	5.6	2.5	1.6	6.4	6.7
>=	55.0	8.0	8.3	0.0	0.0	0.0	0.0	1.7	8.1	3.3	2.4	7.3	10.0
>=	45.0	10.7	12.5	0.0	0.0	0.0	0.0	1.7	9.7	3.3	3.2	9.7	11.7
>=	36.0	11.6	19.2	0.0	0.0	0.0	0.0	1.7	9.7	3.3	3.2	10.5	13.3
>=	29.0	12.5	23.3	0.0	0.0	0.0	0.0	2.5	9.7	4.2	3.2	11.3	15.8
>=	24.0	13.4	26.7	0.0	0.0	0.0	0.0	3.3	12.1	5.0	4.0	12.9	19.2
>=	19.0	21.4	33.3	0.8	0.0	0.0	0.8	6.7	12.9	5.8	4.0	16.1	25.0
>=	15.0	27.7	40.8	1.6	0.0	0.0	0.8	6.7	14.5	10.0	8.9	20.2	29.2
>=	12.0	39.3	50.0	1.6	0.0	0.0	0.8	7.5	14.5	15.0	13.7	25.8	36.7
>=	10.0	54.5	62.5	2.4	0.0	0.0	1.6	8.3	16.9	20.0	20.2	33.1	43.3
>=	8.0	77.7	75.0	7.3	0.0	1.8	2.4	10.0	20.2	24.2	27.4	37.9	44.2
>=	6.5	83.0	80.0	39.5	0.8	2.6	4.0	12.5	24.2	30.0	36.3	50.0	44.2
>=	5.2	88.4	85.8	72.6	6.4	8.8	5.6	15.0	26.6	37.5	44.4	58.1	48.3
>=	4.2	100.0	91.7	83.9	47.6	15.9	11.3	21.7	29.0	44.2	55.6	71.8	56.7
>=	3.4	100.0	100.0	90.3	73.4	46.9	28.2	34.2	37.1	48.3	74.2	76.6	85.0
>=	2.8	100.0	100.0	96.8	84.7	76.1	68.6	47.5	42.7	55.0	80.6	96.8	91.7
>=	2.2	100.0	100.0	96.8	89.5	35.0	81.4	72.5	63.7	55.8	90.3	99.2	94.2
>=	1.8	100.0	100.0	100.0	92.7	87.6	91.1	94.2	83.7	76.7	96.8	100.0	100.0
>=	1.4	100.0	100.0	100.0	97.6	99.1	100.0	100.0	91.9	82.5	96.8	100.0	100.0
>=	1.2	100.0	100.0	100.0	98.4	100.0	100.0	100.0	103.0	94.2	103.0	100.0	100.0
>=	0.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	103.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	103.0	100.0	100.0	100.0	100.0

TABLE 68.--FLOW DURATIONS FOR RIO YAUCO ABOVE DIVERSION MONSERRATE NEAR YAUCO, PR STATION 50126150

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1976-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1200.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0
>=	920.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.5	0.0
>=	710.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.5	0.6
>=	540.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.5	0.6
>=	420.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.5	0.5	1.1
>=	320.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.5	0.5	2.8
>=	250.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.7	0.5	0.5	6.1
>=	190.0	1.4	1.5	0.0	0.0	0.0	0.0	0.0	1.6	1.7	0.5	1.1	8.3
>=	150.0	2.0	3.6	0.0	0.0	0.0	0.0	0.0	3.2	1.7	0.5	1.6	10.6
>=	110.0	3.0	7.1	0.5	0.0	0.0	0.0	0.0	4.3	1.7	0.5	3.8	12.2
>=	86.0	4.1	10.2	0.5	0.0	0.0	0.0	0.0	5.4	2.2	0.5	4.8	17.8
>=	66.0	5.2	11.7	1.4	0.0	0.0	0.0	1.1	9.1	2.2	0.5	5.4	21.1
>=	51.0	7.0	16.2	1.4	0.0	0.0	0.0	1.1	10.8	5.0	1.6	8.1	25.0
>=	39.0	9.6	22.3	1.8	0.0	0.0	0.0	1.1	14.0	8.3	2.7	12.4	31.1
>=	30.0	13.2	28.4	3.7	0.0	0.0	0.0	1.7	17.2	10.6	5.4	15.6	36.1
>=	23.0	17.2	44.2	5.5	0.5	0.0	0.0	3.3	17.7	12.8	12.4	21.5	38.9
>=	18.0	21.8	53.3	16.1	2.1	0.6	0.5	6.1	18.3	16.4	19.4	28.0	42.2
>=	14.0	27.6	61.4	32.7	7.4	2.4	1.6	7.8	22.0	16.1	28.5	35.5	43.9
>=	10.0	36.6	67.0	47.9	39.5	17.2	3.2	14.4	30.6	19.4	33.9	39.2	49.4
>=	8.0	45.3	72.6	59.0	51.0	49.7	17.2	17.8	38.7	25.0	37.1	44.6	53.9
>=	6.2	57.0	89.8	74.2	71.6	57.4	35.5	36.7	45.7	29.4	44.6	52.4	59.4
>=	4.7	67.3	93.9	90.8	86.8	74.0	43.4	44.4	50.5	36.7	54.8	66.1	68.9
>=	3.6	79.0	99.0	93.2	92.6	85.8	70.4	61.7	65.6	53.9	71.0	72.6	81.1
>=	2.8	87.9	99.5	100.0	100.0	89.4	91.4	78.3	78.0	66.7	83.3	83.9	85.6
>=	2.2	93.8	100.0	100.0	100.0	100.0	95.8	92.8	89.2	78.3	86.6	91.9	91.7
>=	1.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	93.4	91.7	90.9	95.2	97.2
>=	1.3	98.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	92.8	92.5	95.7	97.8
>=	1.0	98.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	92.8	94.6	97.8	99.4
>=	0.8	99.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	93.3	96.2	99.5	99.4
>=	0.6	99.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	93.9	96.2	99.5	99.4
>=	0.4	99.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	95.0	98.9	100.0	99.4
>=	0.3	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.7	99.5	100.0	99.4
>=	0.3	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.9	100.0	100.0	99.4
>=	0.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.4
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 69.--FLOW DURATIONS FOR RIO YAUCO NEAR YAUCO, PR STATION 50128000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1961-1963, 1976-1982 PERCENT REGULATED											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 2400.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0
>= 1600.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.7
>= 1100.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	1.1	1.1
>= 780.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.4	0.4	1.1	1.5
>= 530.0	0.5	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.4	0.4	0.4	1.4	1.8
>= 370.0	1.0	1.5	1.1	0.7	0.0	0.0	0.0	0.0	0.4	0.7	0.7	2.5	3.3
>= 250.0	1.5	1.9	2.2	0.7	0.0	0.0	0.0	0.4	1.2	1.1	0.7	2.9	5.6
>= 170.0	2.0	3.5	3.0	0.7	0.0	0.0	0.0	0.4	2.0	1.5	0.7	3.6	7.4
>= 120.0	2.9	4.6	4.5	1.1	0.0	0.0	0.0	0.8	4.0	1.8	0.7	3.9	11.5
>= 82.0	4.1	7.7	7.1	1.8	0.0	0.0	0.0	0.8	5.2	1.8	1.4	6.8	14.8
>= 56.0	5.4	10.8	10.1	1.8	0.0	0.0	0.0	1.2	6.3	3.0	1.4	10.0	18.2
>= 39.0	7.6	15.0	17.2	1.8	0.0	0.0	0.0	1.7	9.7	4.1	2.5	13.6	23.3
>= 27.0	9.9	22.3	24.4	2.9	0.0	0.0	0.0	1.7	13.3	4.8	3.2	15.4	27.4
>= 18.0	13.1	33.8	33.6	5.4	0.0	0.4	0.0	1.7	16.1	7.0	4.3	17.2	33.0
>= 13.0	16.3	45.8	41.8	6.8	0.0	0.4	0.0	2.1	19.4	10.4	8.2	19.4	36.3
>= 8.6	19.9	53.8	48.9	10.4	0.4	0.9	0.4	4.2	24.2	13.3	10.8	25.4	41.5
>= 5.9	22.5	60.4	57.8	17.6	0.8	1.3	0.4	5.8	25.4	17.0	12.9	26.2	47.4
>= 4.1	25.0	63.1	63.8	25.4	2.8	1.8	0.4	10.4	28.2	19.3	15.0	27.2	49.3
>= 2.8	28.4	65.0	70.2	34.4	7.7	3.6	1.6	14.6	33.1	21.8	19.0	29.8	53.3
>= 1.9	32.6	65.8	71.3	46.2	22.2	10.2	4.8	17.5	36.3	30.0	23.7	31.2	53.7
>= 1.3	37.2	66.9	73.9	52.3	31.0	18.7	8.1	20.8	41.9	36.7	28.0	36.2	55.6
>= 0.9	41.1	68.5	74.2	54.1	43.2	33.3	12.9	24.6	43.2	41.5	31.9	37.6	57.8
>= 0.6	45.6	72.3	75.2	54.8	49.2	49.3	21.4	25.8	45.6	49.6	36.2	45.2	58.2
>= 0.4	50.0	73.5	76.5	55.6	51.6	52.0	30.6	30.4	49.6	55.6	40.9	53.0	63.3
>= 0.3	53.4	73.8	79.1	56.6	51.6	55.6	37.5	34.6	52.0	62.6	47.0	57.4	64.8
>= 0.2	55.4	74.2	81.0	57.0	51.6	57.3	43.2	39.6	53.2	63.3	50.5	58.1	65.2
>= 0.1	56.3	74.6	81.0	57.4	51.6	57.3	45.6	40.8	54.4	63.7	52.0	59.9	65.9
>= 0.1	57.3	75.8	82.8	57.7	51.6	57.3	47.6	42.1	54.4	64.4	54.5	60.9	66.3
>= 0.1	58.8	77.3	84.3	57.7	51.6	57.3	52.8	47.9	54.4	65.2	55.6	61.6	66.7
>= 0.0	59.4	77.3	85.4	57.7	51.6	57.3	54.0	47.9	54.8	65.2	57.7	63.4	67.0
>= 0.0	60.0	77.7	86.2	58.1	51.6	57.3	54.0	48.8	55.2	65.6	58.4	94.9	67.8
>= 0.0	60.6	78.1	86.6	58.4	51.6	57.8	54.4	50.4	56.0	65.9	59.9	64.9	68.2
>= 0.0	61.2	79.6	87.3	58.4	51.6	58.2	54.4	50.8	57.3	66.3	60.9	65.2	68.5
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 71.---FLOW DURATIONS FOR RIO LOCO NEAR GUANICA, PR STATION 50129500

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATIONS FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1963-1968 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	680.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0
>=	490.0	7.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.8
>=	350.0	9.1	1.7	2.7	0.0	0.0	0.0	0.0	1.1	0.0	0.0	4.8	6.1
>=	250.0	12.9	3.3	4.8	0.0	0.0	0.0	0.0	1.6	1.1	1.6	8.6	7.2
>=	180.0	17.7	15.6	8.6	0.0	0.0	0.0	0.0	6.4	11.7	5.9	12.9	8.9
>=	130.0	22.0	24.4	16.7	4.3	0.0	2.2	1.7	8.6	22.2	11.3	17.2	10.6
>=	90.0	23.1	32.9	23.1	4.3	1.2	7.5	3.9	10.8	29.4	15.6	22.6	18.3
>=	64.0	25.8	41.1	29.6	7.0	1.8	12.4	5.6	11.8	33.9	19.4	23.1	27.2
>=	46.0	27.4	47.8	35.5	7.0	1.8	15.6	6.7	13.4	36.1	21.5	24.2	31.1
>=	33.0	29.0	50.0	45.7	9.1	2.4	18.9	9.4	15.6	37.8	21.5	24.7	35.0
>=	23.0	32.3	54.4	48.9	12.4	2.4	19.4	11.1	17.7	39.4	23.7	28.5	39.4
>=	17.0	35.0	55.6	50.0	14.0	2.9	21.0	14.4	18.3	41.7	25.8	29.0	40.6
>=	12.0	37.1	56.1	52.7	14.5	3.5	23.7	16.7	21.0	41.7	26.3	29.6	41.1
>=	8.5	37.6	58.3	55.4	17.2	4.1	26.3	17.8	22.0	41.7	27.4	29.6	42.2
>=	6.1	37.6	60.6	57.0	17.2	4.1	28.0	20.6	23.7	42.2	27.4	30.1	44.4
>=	4.3	39.2	61.7	58.1	18.3	5.9	29.0	21.7	23.7	42.2	28.5	31.2	46.1
>=	3.1	40.3	63.9	59.7	19.8	6.5	30.6	22.2	23.7	42.2	29.0	31.8	48.9
>=	2.2	40.9	64.4	60.2	19.4	7.6	31.7	23.3	26.3	42.2	29.0	33.9	49.4
>=	1.6	41.9	65.5	63.4	23.7	12.9	32.3	25.6	28.5	42.8	29.0	34.4	51.7
>=	1.1	42.7	66.7	63.4	27.4	18.2	32.8	27.2	31.2	43.3	30.6	35.0	53.3
>=	0.8	43.0	67.8	65.0	31.7	22.4	32.8	29.4	33.3	43.9	31.2	36.0	56.7
>=	0.6	44.6	68.9	67.7	33.3	24.7	32.8	30.0	35.0	43.9	31.2	36.6	57.8
>=	0.4	45.2	71.7	68.8	35.0	25.3	32.8	30.0	35.0	43.9	31.7	36.6	57.8
>=	0.3	46.8	75.0	73.7	36.0	27.6	32.8	30.0	36.0	45.0	31.7	38.2	57.8
>=	0.2	47.3	75.0	74.2	36.0	27.6	32.8	30.0	36.0	45.0	32.3	38.2	57.8
>=	0.2	47.8	76.1	78.0	36.0	30.0	32.8	31.1	36.6	45.0	32.3	38.7	57.8
>=	0.1	47.8	76.1	78.0	36.0	30.6	33.3	31.1	36.6	45.0	33.3	38.7	57.8
>=	0.1	48.9	76.7	80.0	49.5	32.9	33.9	31.1	39.2	46.1	33.3	39.2	58.3
>=	0.0	48.9	76.7	80.6	49.5	33.5	34.4	31.1	39.2	46.1	33.3	39.2	58.3
>=	0.0	48.9	76.7	81.7	49.5	34.1	34.4	31.1	39.2	46.1	34.4	39.2	58.3
>=	0.0	48.9	76.7	81.7	49.5	34.1	34.4	31.1	39.2	46.1	35.0	39.2	58.3
>=	0.0	48.9	77.2	81.7	49.5	34.1	34.4	31.1	39.2	46.1	35.0	39.2	58.3
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 72.--FLOW DURATIONS FOR RIO DUEY NEAR ROSARIO, PR STATION 50133800

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1960-1965 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	330.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.7
>=	280.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.7
>=	230.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.7
>=	190.0	1.9	0.7	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.6	1.3
>=	160.0	1.9	1.3	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.0	1.9	1.3
>=	140.0	2.6	1.3	0.6	0.0	0.0	0.0	0.8	0.8	0.8	0.0	1.9	1.3
>=	110.0	3.2	1.3	1.3	0.0	0.0	0.8	0.8	1.6	1.7	0.6	2.6	1.3
>=	95.0	5.2	2.7	1.9	0.0	0.0	0.8	1.7	1.6	1.7	0.6	3.9	1.3
>=	79.0	5.8	4.7	3.2	1.3	0.0	0.8	2.5	3.2	1.7	1.9	5.2	1.3
>=	66.0	7.1	5.3	3.9	1.3	0.0	0.8	4.2	5.6	4.2	1.9	7.1	2.0
>=	55.0	10.3	6.0	4.5	1.3	0.9	0.8	5.0	6.4	6.7	3.2	11.6	2.0
>=	46.0	13.6	7.3	5.2	2.6	0.9	0.8	7.5	8.9	6.7	4.5	12.3	7.3
>=	39.0	16.8	8.7	5.8	3.2	0.9	0.8	9.2	11.3	6.7	5.2	14.8	10.7
>=	32.0	23.2	10.0	7.7	3.2	0.9	0.8	11.7	14.5	9.2	7.1	18.1	14.7
>=	27.0	28.4	10.7	8.4	3.9	1.8	1.6	15.8	19.4	11.7	8.4	21.9	20.7
>=	23.0	33.6	16.0	9.0	5.2	2.6	1.6	16.7	21.8	13.3	14.2	27.7	25.3
>=	19.0	39.4	18.7	9.0	5.8	3.5	1.6	20.0	28.2	18.3	16.8	32.9	34.0
>=	16.0	48.4	22.0	11.0	5.8	3.5	1.6	21.7	29.0	24.2	19.4	37.4	42.0
>=	13.0	58.1	25.7	13.6	8.4	3.5	3.2	26.7	30.6	30.0	25.2	53.6	53.3
>=	11.0	68.4	35.3	16.8	12.9	3.5	4.0	30.8	33.9	35.8	33.6	60.0	68.7
>=	9.2	80.6	47.3	21.3	15.5	6.2	5.6	33.3	36.3	38.3	45.8	67.7	83.3
>=	7.7	90.3	60.7	27.7	19.4	8.0	8.1	38.3	40.3	43.3	58.1	77.4	93.3
>=	6.5	94.8	79.3	36.1	22.6	8.8	9.7	45.0	45.2	47.5	76.8	87.7	98.7
>=	5.4	97.4	83.7	40.0	25.2	12.4	12.9	49.2	55.6	57.5	84.5	94.2	100.0
>=	4.5	100.0	96.7	52.9	34.2	25.7	14.5	66.7	66.9	65.0	98.1	99.4	100.0
>=	3.8	100.0	100.0	67.7	38.1	29.2	24.2	75.0	82.3	75.8	100.0	100.0	100.0
>=	3.2	100.0	100.0	88.4	47.1	38.0	25.3	77.5	100.0	89.2	100.0	100.0	100.0
>=	2.6	100.0	100.0	95.5	69.0	50.4	28.2	80.8	100.0	95.0	100.0	100.0	100.0
>=	2.2	100.0	100.0	100.0	90.3	77.9	54.0	99.2	100.0	100.0	100.0	100.0	100.0
>=	1.8	100.0	100.0	100.0	91.6	92.9	78.2	100.0	100.0	100.0	100.0	100.0	100.0
>=	1.5	100.0	100.0	100.0	92.3	96.5	82.3	100.0	100.0	100.0	100.0	100.0	100.0
>=	1.3	100.0	100.0	100.0	100.0	100.0	91.1	100.0	100.0	100.0	100.0	100.0	100.0
>=	1.1	100.0	100.0	100.0	100.0	100.0	96.3	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 73.---FLOW DURATIONS FOR RIO ROSARIO AT ROSARIO, PR STATION 50136000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1960-1965, 1975-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	1500.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>=	1200.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>=	1000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5
>=	840.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.7
>=	690.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.2	1.0
>=	570.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.2	0.2	1.2
>=	470.0	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.8	0.5	0.2	1.2	2.1
>=	330.0	0.8	0.2	0.5	0.0	0.0	0.0	0.0	0.8	0.5	0.5	2.5	2.4
>=	310.0	1.2	0.7	0.5	0.0	0.0	0.0	0.3	1.0	1.0	0.5	3.9	3.3
>=	260.0	1.8	1.7	0.7	0.0	0.0	0.3	0.6	2.1	1.2	0.9	5.8	4.5
>=	210.0	2.8	3.1	0.7	0.0	0.0	0.5	0.8	3.1	1.9	2.3	7.1	7.1
>=	180.0	4.0	6.0	1.2	0.0	0.0	0.3	1.9	3.9	2.6	3.2	9.0	10.0
>=	140.0	6.4	8.6	2.3	0.2	0.0	1.1	3.3	6.2	3.6	5.3	15.7	16.0
>=	120.0	8.4	11.2	3.7	0.2	0.0	1.1	4.2	7.2	4.5	7.1	19.8	22.9
>=	98.0	11.7	17.4	4.8	0.7	0.0	1.1	5.3	10.3	7.6	10.8	27.2	28.8
>=	80.0	16.0	24.1	7.1	1.5	0.0	1.9	6.7	15.7	9.5	15.0	35.9	39.3
>=	66.0	20.8	32.5	10.1	2.0	0.3	3.5	7.2	20.3	11.9	20.5	43.6	51.2
>=	54.0	27.6	44.6	18.9	4.0	1.4	3.8	10.6	25.4	15.5	29.3	54.4	62.4
>=	45.0	33.4	55.8	25.6	4.5	2.3	4.6	13.9	30.3	19.3	38.5	61.3	75.0
>=	37.0	42.2	72.1	40.8	7.0	3.5	5.6	17.8	36.2	31.4	50.2	73.3	84.8
>=	30.0	50.7	85.0	54.4	13.6	5.2	6.4	24.4	43.4	43.8	66.1	82.3	92.1
>=	25.0	58.0	94.5	64.3	24.8	11.5	9.1	33.1	48.1	50.7	77.4	91.5	95.5
>=	21.0	64.7	98.3	77.4	40.9	21.6	9.7	41.4	53.7	60.2	82.5	94.2	97.4
>=	17.0	72.0	100.0	88.0	64.0	41.8	16.9	47.2	59.6	66.7	88.5	95.4	99.3
>=	14.0	79.6	100.0	95.4	76.9	62.8	35.5	56.8	70.2	72.1	91.9	97.2	99.5
>=	11.0	89.0	100.0	100.0	90.8	78.1	61.0	71.4	84.8	84.5	95.5	99.8	100.0
>=	9.4	93.3	100.0	100.0	95.8	84.4	75.0	83.9	89.5	90.0	99.1	100.0	100.0
>=	7.7	96.0	100.0	100.0	100.0	93.1	84.4	90.8	91.8	92.4	100.0	100.0	100.0
>=	6.4	97.7	100.0	100.0	100.0	99.1	92.2	94.7	93.6	93.8	100.0	100.0	100.0
>=	5.2	98.9	100.0	100.0	100.0	100.0	100.0	96.4	96.1	95.0	100.0	100.0	100.0
>=	4.3	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.2	100.0	100.0	100.0
>=	3.6	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.4	100.0	100.0	100.0
>=	2.9	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.6	100.0	100.0	100.0
>=	2.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 74.---FLOW DURATIONS FOR RIO GUANAJIBO NEAR HORMIGUEROS, PR STATION 50138000

CLASS CUBIC FEET PER SECOND (FT ³ /S)		MONTHLY DURATIONS FOR PERIOD OF RECORD 1973-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	26000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
>=	20000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
>=	16000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
>=	12000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
>=	9300.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7
>=	7200.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.7
>=	5600.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	1.0
>=	4300.0	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	1.0
>=	3300.0	1.0	1.8	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.0	0.3	1.3
>=	2500.0	1.6	2.5	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.0	0.3	2.3
>=	2000.0	2.3	4.3	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.0	0.3	3.3
>=	1500.0	2.9	6.1	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.0	0.6	5.7
>=	1200.0	7.1	9.8	0.7	0.0	0.0	0.0	0.0	1.0	0.7	0.0	1.0	7.0
>=	900.0	13.2	13.4	1.7	0.0	0.0	0.0	0.0	1.6	1.0	0.3	2.6	12.3
>=	700.0	21.9	18.4	3.8	0.0	0.0	0.0	0.0	1.9	1.7	1.0	6.4	20.7
>=	540.0	30.0	25.3	5.5	0.0	0.0	0.0	0.0	3.9	1.7	1.3	10.3	23.3
>=	410.0	37.1	32.1	9.0	0.0	1.0	0.0	2.0	5.2	1.7	3.6	14.5	37.0
>=	320.0	44.8	37.6	12.5	0.3	1.0	0.0	3.3	7.4	2.7	5.5	21.9	46.0
>=	250.0	57.4	46.6	15.2	0.3	2.4	0.0	4.3	9.4	5.3	9.7	31.3	50.0
>=	190.0	69.0	56.0	20.4	1.2	3.4	0.6	6.7	12.3	10.0	14.8	43.6	60.0
>=	150.0	79.0	67.5	26.3	1.5	5.2	0.6	8.3	16.4	17.3	21.6	53.6	70.0
>=	110.0	90.3	83.4	39.1	4.4	6.9	3.6	12.0	21.3	26.7	38.7	63.9	82.7
>=	87.0	96.4	89.5	52.9	9.1	7.9	4.2	17.0	26.8	31.0	49.4	72.3	92.3
>=	67.0	99.4	95.3	63.7	19.1	12.1	6.8	21.7	32.9	36.0	58.1	81.3	96.7
>=	52.0	100.0	100.0	76.1	30.2	23.1	12.3	29.0	40.0	41.0	64.5	86.1	99.7
>=	40.0	100.0	100.0	90.0	60.1	41.4	26.4	35.7	46.8	46.7	70.3	88.7	99.7
>=	31.0	100.0	100.0	99.3	75.7	69.0	44.5	48.0	55.2	54.3	76.1	92.3	99.7
>=	24.0	100.0	100.0	100.0	88.3	83.1	62.6	65.0	68.4	67.0	80.0	94.8	99.7
>=	18.0	100.0	100.0	100.0	91.8	88.3	82.6	80.3	78.7	81.3	88.1	98.1	99.7
>=	14.0	100.0	100.0	100.0	94.7	93.1	90.6	89.0	89.4	86.0	96.8	99.4	99.7
>=	11.0	100.0	100.0	100.0	98.0	100.0	94.3	96.7	95.8	90.7	98.1	99.7	99.7
>=	8.4	100.0	100.0	100.0	100.0	100.0	99.7	99.0	96.1	94.7	99.4	100.0	100.0
>=	6.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.0	97.7	100.0	100.0	100.0
>=	5.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 75.--FLOW DURATIONS FOR RIO BLANCO NEAR ADJUNTAS, PR STATION 50141000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD PERCENT												1958-1966, REGULATED	
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		
>=	2300.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	1900.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>=	1600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
>=	1300.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
>=	1100.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>=	920.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.8
>=	760.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.1	0.8
>=	640.0	0.3	0.6	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.0	0.4	0.4	0.4	1.0
>=	530.0	0.4	0.7	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.0	0.7	0.7	0.7	1.4
>=	440.0	0.5	0.6	0.1	0.0	0.0	0.0	0.2	0.4	0.2	0.1	0.9	0.9	0.9	1.8
>=	370.0	0.7	0.6	0.3	0.0	0.2	0.0	0.3	0.4	0.2	0.3	1.2	1.2	1.2	2.2
>=	310.0	0.9	0.7	0.4	0.0	0.2	0.0	0.6	0.7	0.3	0.4	1.6	1.6	1.6	3.1
>=	260.0	1.2	1.2	0.5	0.1	0.2	0.0	0.8	1.2	0.4	0.4	1.9	1.9	1.9	3.8
>=	220.0	1.5	1.5	0.7	0.1	0.2	0.0	0.9	1.6	0.4	0.7	2.4	2.4	2.4	4.4
>=	180.0	2.0	2.9	0.9	0.1	0.2	0.2	1.2	2.9	0.8	0.9	3.0	3.0	3.0	6.0
>=	150.0	2.7	4.7	1.3	0.1	0.3	0.2	1.2	3.7	0.9	0.9	3.9	3.9	3.9	6.8
>=	130.0	3.5	5.6	1.6	0.3	0.5	0.2	1.7	5.0	1.2	1.5	4.7	4.7	4.7	8.5
>=	100.0	5.4	16.3	2.7	0.3	1.1	0.2	2.4	7.3	2.2	2.2	7.7	7.7	7.7	13.8
>=	87.0	6.7	20.2	3.4	0.7	1.1	0.2	3.2	8.5	2.7	3.1	9.4	9.4	9.4	16.9
>=	73.0	8.7	25.0	4.6	0.7	1.4	0.3	4.2	10.1	3.9	4.4	12.8	12.8	12.8	20.7
>=	61.0	11.5	32.9	5.8	1.0	2.6	0.4	5.3	13.2	5.8	5.8	16.7	16.7	16.7	26.9
>=	51.0	16.1	46.1	8.9	1.3	3.3	0.7	6.7	16.6	7.8	9.1	23.7	23.7	23.7	37.8
>=	42.0	22.2	57.8	14.4	2.4	4.3	1.5	9.2	21.6	12.4	13.4	32.3	32.3	32.3	49.0
>=	35.0	29.1	69.1	27.0	3.8	5.6	1.8	12.3	26.5	16.6	20.2	41.7	41.7	41.7	60.8
>=	30.0	36.2	78.5	42.2	9.8	8.3	2.4	15.4	31.8	22.2	25.5	49.3	49.3	49.3	69.6
>=	25.0	44.4	89.1	58.2	23.8	14.8	4.1	19.8	38.7	29.5	33.5	56.2	56.2	56.2	77.4
>=	21.0	52.5	94.1	70.8	38.4	22.4	6.7	26.4	47.2	35.2	42.7	62.5	62.5	62.5	86.9
>=	17.0	60.9	97.7	82.3	53.3	31.8	14.4	32.9	57.9	45.7	53.9	71.9	71.9	71.9	91.8
>=	14.0	75.7	99.5	96.0	81.5	62.3	31.1	48.3	73.3	60.9	73.7	85.1	85.1	85.1	96.7
>=	12.0	83.4	100.0	100.0	92.2	75.8	45.2	58.6	80.9	76.2	84.1	90.6	90.6	90.6	98.8
>=	10.0	92.2	100.0	100.0	100.0	94.0	71.6	76.7	88.0	89.0	91.7	96.4	96.4	96.4	100.0
>=	8.3	97.2	100.0	100.0	100.0	100.0	90.5	90.3	95.0	96.3	96.1	98.4	98.4	98.4	100.0
>=	7.0	99.4	100.0	100.0	100.0	100.0	98.2	98.8	98.2	99.1	98.5	100.0	100.0	100.0	100.0
>=	5.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 76.--FLOW DURATIONS FOR RIO GUAYO NEAR LARES, PR STATION 50141600

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1948-1954 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	310.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
>=	270.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.7
>=	230.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.7
>=	200.0	3.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.7
>=	170.0	3.2	0.7	0.0	0.0	0.7	0.0	0.0	0.6	0.0	0.0	1.3	4.0
>=	150.0	5.2	2.0	0.5	0.5	0.7	0.0	0.0	1.3	0.0	0.0	1.3	4.7
>=	130.0	7.1	2.7	0.5	0.5	0.7	0.0	0.0	1.3	0.0	0.0	1.3	6.0
>=	110.0	9.0	3.3	0.5	0.5	1.4	0.0	0.0	1.3	0.0	0.0	1.9	8.7
>=	93.0	14.2	4.7	1.6	0.5	1.4	0.0	0.7	1.9	0.0	0.0	3.9	9.3
>=	80.0	18.1	6.0	1.6	0.5	1.4	0.0	0.7	2.6	0.0	1.3	5.2	13.3
>=	69.0	24.5	8.7	2.7	0.5	1.4	1.3	0.7	3.9	0.0	1.3	5.8	14.7
>=	60.0	29.0	11.3	3.2	0.5	2.1	1.3	0.7	4.5	0.0	2.6	9.7	16.7
>=	51.0	33.6	14.0	5.4	0.5	3.6	1.3	1.3	4.5	0.0	3.2	11.6	22.0
>=	44.0	38.7	20.7	7.5	1.1	4.3	1.9	1.3	5.8	0.7	3.2	14.2	26.7
>=	38.0	44.5	26.0	10.2	1.1	5.0	1.9	2.0	7.7	0.7	4.5	16.1	30.0
>=	33.0	45.8	32.7	13.4	1.6	7.1	2.6	4.0	11.0	1.3	4.5	18.7	34.0
>=	28.0	49.0	50.0	24.2	2.2	10.6	3.2	5.3	16.1	2.0	4.5	24.5	38.0
>=	24.0	55.5	59.3	35.5	5.4	13.5	9.0	12.7	18.7	2.7	5.2	29.7	46.7
>=	21.0	58.1	62.7	47.3	23.7	22.7	22.6	24.0	23.2	3.3	6.4	31.6	52.7
>=	18.0	65.2	68.7	52.2	34.4	36.9	22.5	26.0	36.1	6.0	8.4	38.1	56.7
>=	15.0	76.1	73.3	58.1	36.0	36.9	22.6	27.3	44.5	14.7	11.0	45.8	62.7
>=	13.0	82.6	82.7	65.0	39.8	39.7	26.4	30.0	46.4	34.7	14.8	50.3	73.3
>=	11.0	85.8	87.3	72.0	47.8	50.4	36.1	37.3	47.7	37.3	27.7	57.4	78.0
>=	9.9	89.7	90.0	73.7	54.8	53.2	42.6	44.0	49.0	42.0	34.2	61.3	82.0
>=	8.5	92.9	96.0	78.0	64.5	56.7	43.9	46.7	49.4	46.7	40.6	62.6	84.7
>=	7.3	99.4	100.0	86.6	77.4	61.7	49.0	50.0	54.2	46.7	47.1	67.7	87.3
>=	6.3	100.0	100.0	94.6	83.3	73.8	54.8	56.7	55.5	48.7	49.0	86.4	90.0
>=	5.4	100.0	100.0	98.9	87.1	80.1	67.7	62.0	65.2	53.3	51.0	87.7	93.3
>=	4.7	100.0	100.0	100.0	93.9	80.8	83.9	75.3	78.7	57.3	53.6	94.2	98.7
>=	4.0	100.0	100.0	100.0	100.0	92.2	87.7	83.3	88.4	78.7	76.8	96.1	100.0
>=	3.5	100.0	100.0	100.0	100.0	100.0	96.1	87.3	91.0	88.7	85.2	97.4	100.0
>=	3.0	100.0	100.0	100.0	100.0	100.0	98.1	92.0	95.5	91.3	88.4	98.1	100.0
>=	2.6	100.0	100.0	100.0	100.0	100.0	100.0	97.3	97.4	94.0	94.2	98.1	100.0
>=	2.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 77.--FLOW DURATIONS FOR RIO PRIETO NEAR LARES, PR STATION 50142700

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1949-1957 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 1700.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 1300.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 1100.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 840.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 670.0	0.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 530.0	0.2	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 420.0	0.3	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>= 340.0	0.6	2.0	1.7	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.8	1.2
>= 270.0	0.9	3.2	2.1	0.0	0.0	0.0	0.0	0.4	0.8	0.4	0.4	0.8	2.1
>= 210.0	1.5	5.6	5.0	0.4	0.0	0.0	0.0	0.4	1.2	0.4	0.4	1.2	3.3
>= 170.0	2.1	6.4	7.9	0.8	0.0	0.4	0.0	0.8	1.2	0.4	0.4	2.0	5.0
>= 140.0	3.2	11.7	9.6	1.2	0.0	0.4	0.0	0.8	2.0	0.4	0.8	3.2	7.9
>= 110.0	4.9	17.3	17.1	1.6	0.4	0.9	0.0	0.8	3.6	0.4	0.8	4.4	11.7
>= 86.0	7.2	28.2	20.8	2.8	0.8	0.9	0.0	1.7	4.4	0.8	0.8	7.3	17.1
>= 68.0	10.4	44.4	25.4	6.0	1.2	0.9	0.4	2.1	6.4	1.2	1.6	11.3	23.8
>= 54.0	15.0	52.4	35.0	15.7	2.4	2.6	0.8	3.8	10.1	1.7	2.4	18.2	33.8
>= 43.0	18.8	55.2	36.2	24.2	12.9	4.0	1.2	5.4	12.9	2.5	5.2	23.4	41.2
>= 34.0	25.9	61.7	45.8	35.5	24.2	6.6	1.6	11.7	23.0	4.6	8.5	33.1	53.3
>= 27.0	36.8	79.0	68.3	48.4	32.7	15.5	4.0	16.2	37.5	10.4	13.7	46.0	67.9
>= 22.0	48.2	87.9	77.5	67.7	46.0	25.7	14.9	26.7	51.2	24.2	27.4	51.6	75.4
>= 17.0	60.6	88.7	83.3	83.5	62.1	44.2	20.6	36.7	70.6	43.8	44.0	62.1	81.2
>= 14.0	68.0	89.1	88.8	86.3	68.2	59.7	34.3	47.5	74.2	64.6	55.6	64.1	83.3
>= 11.0	77.0	90.3	88.8	87.1	75.8	75.2	56.0	70.4	79.0	72.1	66.9	75.4	87.1
>= 8.8	81.6	93.6	89.2	87.1	77.4	83.6	72.2	75.4	79.8	75.8	73.4	81.8	90.0
>= 7.0	86.2	98.0	99.6	91.5	82.3	84.1	76.6	79.2	81.0	76.7	79.4	91.1	94.6
>= 5.6	89.2	99.6	100.0	97.6	83.9	85.0	77.4	84.2	83.1	81.7	87.9	93.2	96.7
>= 4.4	90.7	100.0	100.0	99.6	83.7	86.3	78.2	87.5	85.5	82.5	88.3	94.4	97.5
>= 3.5	92.5	100.0	100.0	100.0	90.7	87.6	82.7	87.5	89.9	86.7	89.5	96.4	98.8
>= 2.8	94.0	100.0	100.0	100.0	96.4	87.6	85.5	87.5	91.1	89.6	93.2	98.0	99.2
>= 2.2	96.2	100.0	100.0	100.0	99.2	88.9	89.9	89.6	91.9	94.6	99.2	100.0	100.0
>= 1.8	97.7	100.0	100.0	100.0	100.0	95.1	97.6	92.1	91.9	95.8	100.0	100.0	100.0
>= 1.4	97.9	100.0	100.0	100.0	100.0	95.1	98.0	92.9	91.9	96.2	100.0	100.0	100.0
>= 1.1	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.4	100.0	100.0	100.0	100.0
>= 0.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 78.--FLOW DURATIONS FOR RIO GRANDE DE ANASCO NEAR SAN SEBASTIAN, PR STATION 50144000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1963-1982 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 15000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 12000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 10000.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 8600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
>= 7100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2
>= 5900.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.3
>= 4900.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.2	0.3
>= 4100.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.7
>= 3400.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.2	0.2	1.0
>= 2800.0	0.3	0.6	0.3	0.2	0.0	0.0	0.0	0.0	0.3	0.3	0.2	0.2	1.0
>= 2300.0	0.4	1.3	0.7	0.2	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.2	1.0
>= 1900.0	0.7	2.6	1.3	0.2	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.3	2.2
>= 1600.0	1.1	4.3	1.3	0.3	0.0	0.0	0.0	0.0	1.9	0.3	0.6	0.3	2.8
>= 1300.0	2.0	8.2	2.3	0.5	0.0	0.0	0.0	0.0	3.7	1.0	1.3	1.9	5.2
>= 1100.0	3.0	11.6	3.3	0.8	0.0	0.0	0.0	0.0	5.6	2.5	3.6	3.2	7.8
>= 920.0	4.7	18.2	6.0	1.0	0.0	0.0	0.0	0.0	8.4	4.0	5.8	5.3	12.0
>= 760.0	7.2	24.0	11.3	1.4	0.0	0.2	0.5	2.0	12.3	5.7	9.4	6.8	20.7
>= 630.0	10.6	32.9	18.5	2.4	0.2	0.2	0.7	2.8	14.3	9.0	12.7	12.6	29.7
>= 520.0	14.2	42.4	25.3	3.9	0.5	0.2	0.3	4.5	19.0	16.2	18.7	17.4	38.3
>= 430.0	19.6	53.2	36.2	6.6	0.6	0.5	1.2	6.7	25.3	22.0	25.3	24.7	50.8
>= 360.0	25.8	67.6	43.7	10.3	1.0	0.5	2.0	8.7	35.5	28.5	34.5	32.6	65.2
>= 300.0	32.8	83.9	67.0	17.9	2.1	0.9	2.5	10.7	41.6	37.8	42.4	41.9	75.5
>= 250.0	39.9	93.2	73.3	32.6	2.9	1.4	4.4	12.3	49.4	47.0	52.6	53.2	84.2
>= 210.0	46.5	96.9	88.5	46.4	5.3	1.8	5.5	17.3	59.0	60.3	65.8	63.9	91.3
>= 170.0	55.5	99.0	97.0	55.2	20.3	4.6	8.0	22.7	71.7	77.2	76.8	76.9	97.2
>= 140.0	64.1	99.8	99.7	81.1	43.2	12.4	10.0	29.7	85.2	85.2	85.2	85.2	99.5
>= 120.0	70.8	100.0	100.0	93.4	60.5	28.8	13.7	34.2	94.2	94.5	99.0	93.9	100.0
>= 98.0	79.4	100.0	100.0	99.2	89.2	53.6	26.2	40.8	97.6	96.2	91.6	96.4	100.0
>= 81.0	86.5	100.0	100.0	100.0	97.6	77.5	49.0	52.0	99.7	98.5	96.6	98.6	100.0
>= 67.0	92.8	100.0	100.0	100.0	100.0	93.3	75.3	69.7	94.2	94.5	99.0	99.7	100.0
>= 56.0	96.9	100.0	100.0	100.0	100.0	100.0	91.3	82.7	94.2	96.2	100.0	99.8	100.0
>= 46.0	99.0	100.0	100.0	100.0	100.0	100.0	99.2	93.8	97.6	98.5	100.0	100.0	100.0
>= 39.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	98.7	99.7	100.0	100.0	100.0	100.0
>= 32.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 79.--FLOW DURATIONS FOR RIO GRANDE DE ANASCO AT EL ESPINO, PR STATION 50145000

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1959-1966 REGULATED PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>= 2500.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>= 2200.0	0.1	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
>= 1900.0	0.4	1.1	0.0	1.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.6
>= 1700.0	0.6	1.1	1.0	1.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	2.2
>= 1500.0	0.7	3.8	1.0	1.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	2.8
>= 1400.0	1.0	3.8	1.0	2.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	1.1	3.3
>= 1200.0	1.6	4.8	1.9	2.4	0.0	0.0	0.0	1.1	4.3	0.0	0.0	2.2	5.0
>= 1100.0	1.9	10.2	1.9	2.8	0.0	0.0	0.0	1.7	5.4	0.0	0.0	2.2	5.6
>= 970.0	3.0	12.9	2.4	3.2	0.0	0.0	0.0	2.8	7.0	1.1	0.0	4.8	8.9
>= 870.0	4.0	14.5	4.8	4.0	0.0	0.0	0.9	3.9	9.7	1.1	1.6	5.4	10.6
>= 770.0	5.3	17.2	5.7	4.8	0.0	0.0	0.9	4.4	10.8	2.8	2.2	5.9	15.6
>= 690.0	6.7	19.4	8.6	5.6	0.0	0.0	1.4	5.6	12.4	4.4	2.7	7.0	19.4
>= 610.0	8.4	23.7	12.4	6.4	0.0	0.0	1.4	6.1	13.4	5.6	3.8	9.1	23.9
>= 550.0	10.5	28.0	15.2	9.7	0.0	0.0	2.3	7.2	15.6	7.2	4.8	12.9	26.1
>= 490.0	13.0	35.5	20.5	9.7	0.0	0.0	2.3	8.9	17.2	10.0	8.1	16.7	30.6
>= 430.0	15.8	42.5	25.2	11.3	0.0	0.0	3.2	10.6	21.5	15.0	9.7	21.0	33.3
>= 390.0	18.9	51.1	29.0	13.3	0.0	0.0	4.2	10.6	24.7	18.9	14.5	25.3	40.0
>= 340.0	24.9	66.7	47.1	20.6	0.0	0.5	4.6	13.3	29.6	24.4	18.3	33.9	46.1
>= 310.0	28.4	71.0	53.3	23.4	0.5	1.0	5.5	13.9	33.9	28.9	18.8	41.9	53.3
>= 270.0	35.3	77.4	61.4	28.6	3.2	1.0	6.9	17.8	40.3	41.7	25.8	54.3	66.7
>= 240.0	41.1	86.6	69.0	34.3	4.6	1.0	8.3	19.4	44.6	52.8	36.0	64.5	75.0
>= 220.0	46.0	90.3	76.2	41.9	6.0	1.5	9.3	22.8	49.5	63.9	46.2	68.8	78.3
>= 190.0	53.4	93.6	84.3	52.0	11.5	3.5	8.8	26.1	59.1	78.9	60.8	78.5	86.7
>= 170.0	60.4	97.3	90.0	63.7	16.1	6.1	9.2	35.6	65.6	84.4	72.0	88.2	93.9
>= 150.0	67.4	99.5	100.0	71.8	36.4	7.6	10.1	41.1	74.2	90.0	80.1	92.5	97.8
>= 140.0	70.3	99.5	100.0	75.4	44.7	10.6	11.5	45.6	77.4	91.7	83.9	94.6	98.3
>= 120.0	77.4	99.5	100.0	83.5	65.4	29.8	14.3	54.4	85.0	94.4	87.6	97.8	99.4
>= 110.0	81.0	100.0	100.0	87.9	68.7	42.9	18.0	62.2	87.1	95.6	90.9	98.9	100.0
>= 96.0	87.7	100.0	100.0	96.4	78.8	64.6	36.9	67.2	88.2	96.7	95.7	100.0	100.0
>= 86.0	91.6	100.0	100.0	100.0	96.3	74.8	46.1	74.4	90.3	98.9	98.4	100.0	100.0
>= 76.0	95.1	100.0	100.0	100.0	100.0	90.9	54.8	89.4	91.4	100.0	100.0	100.0	100.0
>= 68.0	98.0	100.0	100.0	100.0	100.0	98.5	77.4	95.6	93.0	100.0	100.0	100.0	100.0
>= 61.0	99.4	100.0	100.0	100.0	100.0	100.0	90.3	96.7	97.8	100.0	100.0	100.0	100.0
>= 54.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>= 0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 80.---FLOW DURATIONS FOR RIO CULEBRINAS NEAR MOCA, PR STATION 50147300

CLASS CUBIC FEET PER SECOND (FT ³ /S)	DURATION FOR PERIOD OF RECORD (PERCENT)	MONTHLY DURATIONS FOR PERIOD OF RECORD 1967-1982 PERCENT											
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
>=	11000.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>=	8800.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
>=	7200.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.2
>=	6000.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.6
>=	4900.0	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.6
>=	4100.0	0.6	0.4	0.2	0.0	0.0	0.2	0.0	0.4	0.2	0.6	0.2	0.8
>=	3400.0	1.6	1.5	0.2	0.0	0.2	0.2	0.0	1.2	0.7	0.6	0.4	1.0
>=	2800.0	3.6	1.7	0.2	0.0	0.2	0.2	0.0	1.6	0.9	0.6	0.8	1.2
>=	2300.0	3.8	2.7	0.2	0.0	0.2	0.2	0.0	2.4	2.0	1.6	1.0	2.3
>=	1900.0	4.8	3.3	0.2	0.0	0.2	0.2	0.0	3.0	3.1	2.5	1.4	3.8
>=	1600.0	7.1	4.4	0.4	0.0	0.2	0.2	0.0	3.4	4.0	3.1	1.8	4.0
>=	1300.0	8.7	5.0	0.4	0.0	0.2	0.2	0.0	5.7	4.4	3.5	3.4	6.0
>=	1100.0	11.5	5.0	0.6	0.0	0.2	0.6	1.5	9.1	5.7	4.7	4.4	9.0
>=	880.0	15.5	5.7	0.8	0.0	0.4	0.6	1.5	11.5	8.2	7.2	6.0	12.7
>=	720.0	20.2	9.0	1.4	0.2	0.4	0.6	2.7	15.4	12.6	9.9	9.1	16.7
>=	600.0	24.4	11.7	2.0	0.2	1.3	0.8	3.3	19.6	19.0	12.4	12.7	24.4
>=	490.0	30.4	15.5	2.6	0.4	1.3	1.0	4.2	23.4	24.9	16.3	17.5	32.1
>=	410.0	35.7	20.4	4.6	0.8	1.3	1.2	5.6	29.9	30.7	21.6	21.4	40.8
>=	340.0	45.4	27.1	6.0	1.0	1.6	1.5	7.5	35.6	40.8	27.0	27.6	50.2
>=	280.0	56.4	38.1	8.1	2.0	1.6	2.2	9.2	43.6	46.8	34.4	34.7	61.5
>=	230.0	67.7	49.4	11.3	2.4	2.2	2.6	11.2	50.3	55.4	43.9	43.8	69.8
>=	190.0	77.8	62.5	17.5	3.0	2.7	3.2	14.4	55.4	63.6	56.3	52.0	77.9
>=	160.0	86.9	75.2	25.4	4.5	3.6	4.3	17.3	61.2	69.8	66.4	61.9	87.7
>=	130.0	95.0	87.5	37.7	9.1	5.1	6.2	19.8	63.6	77.7	77.7	77.8	96.9
>=	110.0	98.2	94.4	49.0	15.1	6.9	7.1	22.7	65.9	83.2	83.5	87.3	100.0
>=	88.0	100.0	97.7	72.3	27.5	14.2	10.1	28.8	71.3	87.6	89.5	95.2	100.0
>=	73.0	100.0	100.0	92.5	46.6	20.0	16.7	31.9	76.2	90.1	93.0	97.4	100.0
>=	60.0	100.0	100.0	99.8	69.3	36.1	23.0	39.6	82.2	93.6	95.9	98.8	100.0
>=	50.0	100.0	100.0	100.0	92.7	69.0	36.1	48.1	85.7	95.6	97.7	100.0	100.0
>=	41.0	100.0	100.0	100.0	99.2	90.2	60.3	54.2	89.5	98.2	93.6	100.0	100.0
>=	34.0	100.0	100.0	100.0	100.0	98.7	80.0	64.4	94.3	100.0	99.6	100.0	100.0
>=	28.0	100.0	100.0	100.0	100.0	100.0	94.8	79.4	98.0	100.0	100.0	100.0	100.0
>=	23.0	100.0	100.0	100.0	100.0	100.0	100.0	93.1	99.6	100.0	100.0	100.0	100.0
>=	19.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
>=	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

REFERENCES

- Cross, W.P., and Hedges, R.E., 1959, Flow duration of Ohio stream:
Bulletin No. 3, Ohio Water Plans Inventory, Ohio Department of
Natural Resources, Ohio, 152 p.
- Foster, H.A., 1924, Theoretical frequency curves and their application
to engineering problems: American Society Civil Engineers Trans-
action, v. 87, p. 142-203.
- Miller, C.R., 1951, Analysis of flow-duration, sediment-rating curve
method of computing sediment yield: U.S. Bureau of Reclamation,
Hydrology Branch, 55 p.
- Searcy, J.K., 1959, Flow-duration curves: U.S. Geological Survey
Water-Supply Paper 1542-A, 33 p.

INDEX

Page	Page
Abstract.....	1
Adjuntas, Río Grande de Arecibo near.....	16
Adjuntas, Río Blanco near.....	86
Bauta near Divisoria, Río.....	27
Bauta near Orocovis, Río.....	28
Bayamón, Río de Bayamón at.....	39
Bayamón, Río de Bayamón near.....	38
Blanco near Adjuntas, Río.....	86
Bucaná at Playa de Ponce, Río.....	72
Caguas, Río Grande de Loíza at.....	43
Campo Rico, Río Canóvanas near.....	47
Camuy near Lares, Río.....	14
Camuy, Río Camuy near.....	15
Caonillas near Utuado, Río.....	20
Canal de Aceituna at Villalba.....	67
Canóvanas near Campo Rico, Río.....	47
Canovanillas near Loíza, Río.....	46
Cayaguas at Cerro Gordo, Río.....	42
Central Cambalache, Río Grande de Arecibo at.....	22
Central Pellejas, Río Pellejas below.....	17
Central Pellejas, Río Viví near.....	19
Central San Vicente, Río Cibuco at.....	33
Cerrillos near Ponce, Río.....	71
Cerro Gordo, Río Cayaguas at.....	42
Ciales, Río Grande de Manatí at.....	29
Cibuco at Central San Vicente, Río.....	33
Cibuco at Vega Baja, Río.....	32
Cibuco below Corozal, Río.....	31
Colonia Dolores, Río Herrera near.....	48
Colonia Laura, Río Guayanés near.....	62
Corozal, Río Cibuco below.....	31
Culebrinas near Moca, Río.....	91
Curves, flow-duration (fig. 1).....	5
Daguao, Quebrada Palma at.....	58
Descalabrado near Los Llanos, Río.....	66
Divisoria, Río Bauta near.....	27
Duey above Diversion near Yauco, Río.....	78
Duey near Rosario, Río.....	83
El Espino, Río Grande de Añasco at.....	90
El Verde, Río Espíritu Santo above.....	49
El Verde, Río Espíritu Santo near.....	50
El Verde, Río Grande near.....	52
Espíritu Santo above El Verde, Río.....	49
Espíritu Santo near El Verde, Río.....	50
Espíritu Santo near Río Grande, Río.....	51
Fajardo, Río Fajardo at.....	57
Fajardo, Río Fajardo near.....	56
Flow-duration data, significance and interpretation.....	2
Flow-duration curves, (figs. 1).....	5
Flow-duration, historical and monthly tables.....	4
Flow-duration tables.....	6
Gaging stations, map of.....	7
Grande de Añasco at El Espino, Río.....	90
Grande de Añasco near San Sebastián, Río.....	89
Grande de Arecibo at Central Cambalache, Río.....	22
Grande de Arecibo near Adjuntas, Río.....	16
Grande de Loíza at Caguas, Río.....	43
Grande de Loíza at Quebrada Arenas, Río.....	41
Grande de Manatí at Ciales, Río.....	29
Grande de Manatí at Highway 2, Río.....	30
Grande de Manatí near Morovis, Río.....	23
Grande de Patillas at Lago Patillas, Río.....	65
Grande de Patillas near Patillas, Río.....	64
Grande near El Verde, Río.....	52
Graph, (fig. 1).....	5
Guanajibo near Hormigueros, Río.....	85
Guánica, Río Loco near.....	82
Guayanés near Colonia Laura, Río.....	62
Guayanilla, Río Guayanilla near.....	76
Guayo near Lares, Río.....	87
Gurabo, Río Gurabo at.....	45
Herrera near Colonia Dolores, Río.....	48
Highway 2, Río Grande de Manatí at.....	30
Historical and monthly, flow-duration tables.....	4
Hormigueros, Río Guanajibo near.....	85
Humacao at Las Piedras, Río.....	61
Icacos near Naguabo, Río.....	59
Inabón at Real Abajo, Río.....	70
Introduction.....	1
Jacaguas near Juana Díaz, Río.....	69
Juana Díaz, Río Jacaguas near.....	69
Juncos, Río Valenciano near.....	44
La Plata at Lago Carite, Río de.....	34
La Plata at Proyecto La Plata, Río de.....	35
La Plata at Toa Alta, Río de.....	37
Lago Carite, Río de la Plata at.....	34
Lago El Guineo, Río Toro Negro at.....	25
Lago Matrullas, Río Matrullas at.....	26
Lago Patillas, Río Grande de Patillas at.....	65
Lajas at Toa Alta, Río.....	36
Lares, Río Camuy near.....	14
Lares, Río Guayo near.....	87
Lares, Río Prieto near.....	88
Las Piedras, Río Humacao at.....	61
Lizas, Río Maunabo at.....	63
Loco near Guánica, Río.....	82
Loco near Yauco, Río.....	81
Loíza, Río Canovanillas near.....	46
Los Llanos, Río Descalabrado near.....	66
Lucchetti Dam Site, Río Yauco at.....	77
Mameyes at Highway 191 at Mameyes, Río.....	54
Mameyes near Sabana, Río.....	53
Map of gaging stations.....	7
Matrullas at Lago Matrullas, Río.....	26
Maunabo at Lizas, Río.....	63
Moca, Río Culebrinas near.....	91
Morovis, Río Grande de Manatí near.....	23
Naguabo, Río Icacos near.....	59
Orocovis, Río Bauta near.....	28
Orocovis, Río Sanamuerto near.....	24
Palma at Dagua, Quebrada.....	58
Patillas, Río Grande de Patillas near.....	64
Pellejas below Central Pellejas, Río.....	17
Pellejas near Utuado, Río.....	18
Peñuelas, Río Tallaboa at.....	74
Playa de Ponce, Río Bucaná at.....	72
Ponce, Río Cerrillos near.....	71
Ponce, Río Portugués near.....	73
Portugués near Ponce, Río.....	73
Prieto near Lares, Río.....	88
Proyecto La Plata, Río de la Plata at.....	35
Quebrada Arenas, Río Grande de Loíza at.....	41
Quebrada Palma at Dagua.....	58
Real Abajo, Río Inabón at.....	70
References.....	92
Regulation, stations affected by (Table 2).....	12
Río Blanco, Río Blanco at.....	60
Río Grande, Río Espíritu Santo near.....	51
Río Piedras, Río Piedras at.....	40
Rosario, Río Duey near.....	83
Rosario, Río Rosario at.....	84
Sabana, Río Mameyes near.....	53
Sabana, Río Sabana at.....	55
San Sebastián, Río Grande de Añasco near.....	89
Sanamuerto near Orocovis, Río.....	24
Significance and interpretation, flow-duration data.....	2
Stations affected by regulation (Table 2).....	12
Stations for which data are published (Table 1).....	8
Tables, flow-duration.....	6
Tallaboa at Peñuelas, Río.....	74
Tallaboa, Río Tallaboa at.....	75
Tanamá near Utuado, Río.....	21
Toa Alta, Río de la Plata at.....	37
Toa Alta, Río Lajas at.....	36
Toa Vaca near Villalba, Río.....	68
Toro Negro at Lago El Guineo, Río.....	25
Utuado, Río Caonillas near.....	20
Utuado, Río Pellejas near.....	18
Utuado, Río Tanamá near.....	21
Valenciano near Juncos, Río.....	44
Vega Baja, Río Cibuco at.....	32
Villalba, Canal de Aceituna at.....	67
Villalba, Río Toa Vaca near.....	68
Viví near Central Pellejas, Río.....	19
Yauco above Diversion Monserrate near Yauco, Río.....	79
Yauco at Lucchetti Dam Site, Río.....	77
Yauco, Río Duey above Diversion near.....	78
Yauco, Río Loco near.....	81
Yauco, Río Yauco above Diversion Monserrate near.....	79
Yauco, Río Yauco near.....	80