

UNITED STATES DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

A listing and map showing molybdenum occurrences in Arizona

by

Jan C. Wilt 1/, Stanley B. Keith 2/, and Ted G. Theodore 3/

U.S. Geological Survey

Open-File Report 84-830

1984

[1985]

Prepared in part under U.S. Geological Survey Contract

14-08-0001-17737 to the

Arizona Bureau of Geology and Minerals Technology

a division of

The University of Arizona

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards and stratigraphic nomenclature.

- 1/ Present address: Jan C. Wilt, Consulting Geologist, Tucson, AZ 85746  
2/ Present address: MAGMACHEM Exploration Inc., Phoenix, AZ 85044  
3/ U.S. Geological Survey, Menlo Park, CA 94025

A listing and map showing molybdenum  
occurrences in Arizona

by

Jan C. Wilt, Stanley B. Keith, and Ted G. Theodore

INTRODUCTION

This report is a summary of molybdenum occurrences throughout Arizona prepared in part by the Arizona Bureau of Geology and Mineral Technology under a contract issued by the U.S. Geological Survey. Each entry in the included table (table 1) is listed in a form abbreviated from that in a prior publication wherein the entire MRDS (Mineral Resource Data System) record was published (see Wilt and others, 1984). The molybdenum occurrences shown on the accompanying 1:1,000,000-scale map (plate 1) are grouped by mineral, and by the age of the rocks or deposits which the molybdenum mineral(s) are in or associated.

## List of References

- Aiken, D. M., and West, R. J., 1978, Some geologic aspects of the Sierrita-Esperanza copper-molybdenum deposit, Pima County, Arizona, in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: Arizona Geological Society Digest, v. 11, p. 117-128.
- Alberding, H. L., 1938, Geology of the northern Empire Mountains, Arizona: [Ph.D. thesis]: Tucson, University of Arizona, 107 p.
- Alexis, C. O., 1939, Geology of the Lead Mountain area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 74 p.
- Allen, M. A., 1920, The southern section of the Amole mining district: Arizona Bureau of Mines Bulletin 106, p. 19-25.
- Allen, M. A., and Butler, G. M., 1921, Fluorspar: Arizona Bureau of Mines Bulletin 114, 19 p.
- Anderson, C. A., 1943, Report on the Loma Prieta mine (copper and molybdenum), Copper Basin, Yavapai County, Arizona: U.S. Geological Survey Open-File Report, 6 p.
- 1948, Structural control of copper mineralization, Bagdad, Arizona: American Institute of Mining, Metallurgical, and Petroleum Engineers Transactions, v. 178, p. 170-180.
- 1950, Alteration and metallization in the Bagdad porphyry copper deposit, Arizona: Economic Geology, v. 45, p. 609-628, 612, 616.
- 1968, Arizona and adjacent New Mexico, in Ridge, J. E., ed., Ore deposits of the United States, 1933-1967: American Institute of Mining, Metallurgical, and Petroleum Engineers (Graton-Sales Volume), v. 2, p. 1163-1190.
- Anderson, C. A., and Blacet, P. M., 1972, Geologic map of the Mount Union quadrangle, Yavapai County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-997, scale 1:62,500.
- Anderson, C. A., and Creasey, S. C., 1955, Geology and ore deposits of the Jerome area, Yavapai County, Arizona: U.S. Geological Survey Professional Paper 308, 185 p.
- 1967, Geologic map of the Mingus Mountain quadrangle, Yavapai County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-715, scale 1:62,500.
- Anderson, C. A., and Kupfer, D. H., 1943, Report on the properties of the Amargosa Molybdenum and Copper Corporation, Pima County, Arizona: U.S. Geological Survey Open-File Report, 20 p.
- 1944, Report on the properties of the Amargosa Molybdenum and Copper Corporation, Pima County, Arizona: U.S. Geological Survey Minerals Open-file Report, Dec. 12, 1945, 20 p.

- Anderson, C. A., Scholz, E. A., and Strobell, J. D., Jr., 1955, Geology and ore deposits of the Bagdad area, Yavapai County, Arizona: U.S. Geological Survey Professional Paper 278, 103 p.
- Anthony, J. W., 1951, Geology of the Montosa-Cottonwood Canyon area, Santa Cruz County, Arizona [M.S. thesis] Tucson, University of Arizona, M.S. thesis, 84 p.
- Anthony, J. W., Williams, S. A., and Bideaux, R. A., 1977, Mineralogy of Arizona: Tucson, University of Arizona Press, p. 121, 156, 205.
- Ashwill, W. R., 1955, Topaz claims, Oro Fino-Middle Camp district, Yuma County, Arizona: U.S Atomic Energy Commission Preliminary Reconnaissance Report A-P-308, 1 p.
- Baker, A., 3d, 1953, Pyrometamorphic ore deposits at Johnson Camp, Arizona [Ph.D. thesis]: Stanford, Calif., Stanford University, 101 p.
- Baker, R. C., 1961, Geology and ore deposits of the southeastern portion of the Patagonia Mountains, Arizona [Ph.D. thesis]: Ann Arbor, University of Michigan, 132 p.
- Balla, J. C., 1972, The relationship of Laramide stocks to regional structure in central Arizona [Ph. D. thesis]: Tucson, University of Arizona, 132 p.
- Bancroft, H., 1910, Notes on the occurrence of cinnabar in central-western Arizona: U.S. Geological Survey Bulletin 430, p. 151-153.
- 1911, Reconnaissance of the ore deposits in northern Yuma County, Arizona: U.S. Geological Survey Bulletin 451, 130 p.
- Banks, N. G., 1976, Reconnaissance geologic map of the Mount Lemmon quadrangle, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-747, scale 1:62,500.
- Banks, N. G., Cornwall, H. R., Silberman, M. L., Creasey, S. C., and Marvin, R. F., 1972, Chronology of intrusion and ore deposition at Ray, Arizona: Part I, K-Ar ages: Economic Geology, v. 67, no. 7, p. 864-878.
- Banks, N. G., and Dockter, R. D., 1976, Reconnaissance geologic map of the Vaca Hills quadrangle, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-793, scale 1:62,500.
- Banks, N. G., Dockter, R. D., Silberman, M. L., and Naeser, C. W., 1978, Radiometric ages of some Cretaceous and Tertiary volcanic and intrusive rocks in south-central Arizona: U.S. Geological Survey Journal of Research, v. 6, no. 4, p. 439-445.
- Banks, N. G., and Krieger, M. H., 1977, Geologic map of the Hayden quadrangle, Pinal and Gila Counties, Arizona: U.S. Geological Survey Geologic Quadrangle Map, GQ-1391, 15 p. text, scale 1:24,000.

- Banks, N. G., and Stuckless, J. S., 1973, Chronology of intrusion and ore deposition at Ray, Arizona; Part II, Fission-track ages: *Economic Geology*, v. 68, no. 5, p. 657-664.
- Barrett, L. F., 1972, Igneous intrusions and associated mineralization in the Saddle Mountain mining district, Pinal County, Arizona [M.S. thesis]: Salt Lake City, University of Utah, 89 p.
- Barter, C. F., 1978, Stratigraphy, alteration, and ore controls in the main ore zone, Twin Buttes mine, Pima County, Arizona [abs.], in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: *Arizona Geological Society Digest*, v. 11, p. 115-116.
- Bastin, E. S., 1925, Origin of certain rich silver ores near Chloride and Kingman, Arizona, in Contributions to economic geology 1923-24; Part 1--Metals and nonmetals except fuels: *U.S. Geological Survey Bulletin* 750, p. 17-39.
- Bell, G. L., 1946, Tungsten deposits near Morristown, Maricopa County, Arizona: *U.S. Geological Survey Open-File Report*, 5 p.
- Bennett, K. C., 1975, Geology and origin of the breccias in the Morenci-Metcalf district, Greenlee County, Arizona [M.S. thesis]: Tucson, University of Arizona, 153 p.
- Bergquist, J. R., and Blacet, P. M., 1978, Preliminary reconnaissance bedrock geologic map of part of the Casa Grande Mountains quadrangle, Pinal County, Arizona: *U.S. Geological Survey Open-File Report* 78-547, scale 1:24,000.
- 1979a, Preliminary reconnaissance bedrock geologic map of the Casa Grande East quadrangle, Pinal County, Arizona: *U.S. Geological Survey Open-File Report* 79-391, map scale 1:24,000
- 1979b, Preliminary reconnaissance bedrock geologic map of the Casa Grande West quadrangle, Pinal County, Arizona: *U.S. Geological Survey Open-File Report* 79-390, map scale 1:24,000.
- Bideaux, R. A., 1980, Famous mineral localities - Tiger, Arizona: *The Mineralogical Record, Arizona I*, v. II, no. 3, p. 155-181.
- Bideaux, R. A., and Williams, S. A., 1960, Some new occurrences of minerals of Arizona: *Arizona Geological Society Digest*, v. 3, p. 53-56.
- Billingsley, G. H., 1974, Mining in the Grand Canyon, in Breed, W. J., and Roat, E., eds., *Geology of the Grand Canyon, The Cenozoic* (second edition): *Museum of Northern Arizona, Flagstaff* p. 170-179.
- Blacet, P. M., 1964, Geologic map of the southeast  $\frac{1}{4}$  of the Mount Union quadrangle, Yavapai County, Arizona: *U.S. Geological Survey Open-File Report*, scale 1:24,000.

- 1968, Precambrian geology of the SE 1/2 Mount Union quadrangle, Bradshaw Mountains, central Arizona [Ph.D. thesis]: Stanford, Calif., Stanford University, 244 p.
- 1969, Gold placer and lode deposits, Gold Basin and Lost Basin: U.S. Geological Survey Professional Paper 650-A, p. 1-2.
- 1975, Preliminary geologic map of the Garnet Mountain quadrangle, Mohave County, Arizona: U.S. Geological Survey Open-File Report 75-93, scale 1:48,000.
- Blacet, P. M., Bergquist, J. R., and Miller, S. T., 1978, Reconnaissance geologic map of the Silver Reef Mountains quadrangle, Pinal and Pima Counties, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-934, scale 1:62,500.
- Blake, D. W., 1971, Geology, alteration and mineralization of the San Juan mine area, Graham County, Arizona [M.S. thesis]: Tucson, University of Arizona, 85 p.
- Blake, W. P., 1880, 1881, Castle Dome Mining and Smelting Company: unpublished private report to stockholders: New Haven, Tuttle, Morehouse, and Taylor.
- 1881, On the occurrence of vanadates of lead at the Castle Dome mines in Arizona: American Journal of Science, 3rd. series, v. 22, p. 410-411.
- 1889, The copper deposits of Copper Basin, Arizona, and their origin: Transactions of the American Institute of Mining Engineers, v. 17, p. 479-485.
- Blanchard, K., and Boswell, P. F., 1935, "Limonite" of molybdenite derivation: Economic Geology, v. 30, no. 3, p. 313-319.
- Bodnar, R. J., 1978, Fluid inclusion study of the porphyry copper prospect at Red Mountain, Arizona [M.S. thesis]: Tucson, University of Arizona, 70 p.
- Bollin, E. M., and Kerr, P. F., 1958, Uranium mineralization near Cameron, Arizona, in Black Mesa Basin, northeastern Arizona: New Mexico Geological Society, 9th Annual Field Conference Guidebook, p. 164-168.
- Bowman, A. B. , 1963, History, growth, and development of a small mining company: Mining Engineering, v. 15, no. 6, p. 42-49.
- Braun, E. R., 1969, Geology and ore deposits of the Marble Peak area, Santa Catalina Mountains, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 75 p.
- Brinsmade, R. B., 1907, Lead-silver deposits of Mowry, Arizona: Mines and Minerals, v. 27, no. 12, p. 529-531.
- Brittain, R. L., 1954, Geology and ore deposits of the western portion of the Hilltop mine area, Cochise County, Arizona [M.S. thesis]: Tucson, University of Arizona, 97 p.

- Bromfield, C. S., 1950, Geology of the Maudina mine area, northern Santa Catalina Mountains, Pinal County, Arizona [M.S. thesis]: Tucson, University of Arizona, 63 p.
- Brown, R. L., 1926, Arizona Geology and ore deposits of the Twin Buttes district(Arizona) [M.S. thesis]: Tucson, University of Arizona, 40 p.
- Browne, J. F., 1958, The geology of the Cuprite mine area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 39 p.
- Browne, J. R., 1867, Reports on the Mineral resources of the states and territories west of the Rocky Mountains: Washington, D.C., U.S. Treasury Department, Government Printing Office, [1968], p. 480.
- Brundy, C. M., 1977, Orphan with a Midas touch: Empire Magazine, Nov. 27, 1977, p. 12-17; supplement to the Denver Post.
- Bryant, D. G., and Metz, H. E., 1966, Geology and ore deposits of the Warren mining district, in Titley, S. R., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: University of Arizona Press, p. 189-203.
- Bryner, L., 1959, Geology of the South Comobabi Mountains and Ko Vaya Hills, Pima County, Arizona[Ph. D. thesis]: Tucson, University of Arizona, 156 p.
- Buchanan, J. F., and Buchella, F. H., 1960, The history and development of the San Manuel mine: American Institute of Mining Engineers, Preprint 60AU90, 21 p.
- Burchard, E. F., 1934, Fluorspar deposits in western United States (with discussion): American Institute of Mining, Metallurgical, and Petroleum Engineers Transactions, v. 109, p. 370-396.
- Butler, B. S., Wilson, E. D., and others, 1938, General features, in Some Arizona ore deposits, Part I; Arizona Bureau of Mines Bulletin 145, Geology Series 12, 136 p.
- Butler, B. S., and Wilson, E. D., 1938, Clifton-Morenci district, in Some Arizona ore deposits: Arizona Bureau of Mines Bulletin 145, Geology Series 12, p. 72-80.
- Carpenter, M. M., 1940, Mine operations in the Patagonia district: Mining Journal, v. 24, no. 3, p. 3-6.
- Carrigan, F. J., 1971, A geologic investigation of contact metamorphic deposits in the Coyote Mountains, Pima County, Arizona[M.S. thesis]: Tucson, University of Arizona.
- Cederstrom, D. J., 1946a, Geology of the central Dragoon Mountains, Arizona[Ph. D. thesis]: Tucson, University of Arizona, p.
- 1946b, The structural geology of the Dragoon Mountains, Arizona: American Journal of Science, v. 244, no. 9, p. 601-621.

- Chaffee, M. A., 1976a, Geochemical exploration techniques based on distribution of selected elements in rocks, soils, and plants, Mineral Butte copper deposit, Pinal County, Arizona: U.S. Geological Survey Bulletin 1278-D, p. D1-D55.
- 1976b, Primary geochemical zoning of the Kalamazoo porphyry copper deposit, Arizona, U.S.A., and applications to geochemical prospecting [abs.]: International Geological Congress, Abstracts, Resumes, no. 25, v. 2, sec. 10B, Exploration geochemistry, p. 438-439.
- 1977, Geochemical exploration techniques based on distribution of selected elements in rocks, soils, and plants, Vekol porphyry copper deposit area, Pinal County, Arizona: U.S. Geological Survey Bulletin 1278-E, p. E1-E78.
- Christman, J. L., 1978, Geology, alteration, and mineralization of the Copper Basin porphyry copper deposit, Yavapai County, Arizona [M.S. thesis]: Tucson, University of Arizona, 78 p.
- Church, J. A., 1903, The Tombstone, Arizona, mining district: American Institute of Mining, Metallurgical and Petroleum Engineers Transactions, v. 33, p. 3-37.
- Clark, A., and Fleck, G., 1980, The Grey Horse mine, Pinal county, Arizona: The Mineralogical Record, Arizona II, v. 11, no. 4, p. 231-233.
- Clarke, C. W., 1966, The geology of the El Tiro Hills, west Silverbell Mountains, Pima County, Arizona[M.S. thesis]: Tucson, University of Arizona, 51 p.
- Clarke, O. M., Jr., 1952, Structural control of ore deposition at Ray, Arizona: Arizona Geological Society, Field Trip Excursions in Southern Arizona, Guidebook, p. 91-95.
- Clayton, R. L., 1978, Alteration and mineralization of the Cyprus Johnson deposit, Cochise County, Arizona: Arizona Geological Society Digest, v. 11, p. 17-24.
- Cooper, J. R., 1960a, Reconnaissance map of the Wilcox, Fisher Hills, Cochise, and Dos Cabezas quadrangles, Cochise and Graham Counties, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-231, scale 1:62,500.
- 1960b, Some geologic features of the Pima mining district, Pima County, Arizona: U.S. Geological Survey Bulletin 1112-C, p. 63-103.
- 1971, Mesozoic stratigraphy of the Sierrita Mountains, Pima County, Arizona: U.S. Geological Survey Professional Paper 658-D, p. 42.
- 1973, Geologic map of the Twin Buttes quadrangle, southwest of Tucson, Pima County, Arizona: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-745, scale 1:48,000.
- Cooper, J.R., and Silver, L. T., 1964, Geology and ore deposits of the Dragoon quadrangle, Cochise County, Arizona: U.S. Geological Survey Professional Paper 416, 196 p.



- Corn, R. M., 1975, Alteration-mineralization zoning, Red Mountain, Arizona: Economic Geology, v. 70, no. 8, p. 1437-1447.
- Cornwall, H. R., Banks, N. G., and Phillips, C. H., 1971(1972), Geologic map of the Sonora quadrangle, Pinal and Gila Counties, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1021, scale 1:24,000.
- Cornwall, H. R., and Krieger, M. H., 1975a, Geologic map of the Kearny quadrangle, Pinal County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1188, scale 1:24,000.
- 1975b, Geologic map of the Grayback quadrangle, Pinal County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1206, scale 1:24,000.
- 1978, Geologic map of the El Capitan Mountain quadrangle, Gila and Pinal Counties, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1442, scale 1:24,000.
- Creasey, S. C., 1950, Geology of the St. Anthony (Mammoth) area, Pinal County, Arizona, in Arizona zinc and lead deposits, Part I: Arizona Bureau of Mines Bulletin 156, Geology Series 18, p. 63-84.
- 1965, Geology of the San Manuel area, Pinal County, Arizona, with a section on Ore deposits, by J. D. Pelletier and S. C. Creasey: U.S. Geological Survey Professional Paper 471, 64 p.
- 1967, General geology of the Mammoth quadrangle, Pinal County, Arizona: U.S. Geological Survey Bulletin 1218, 94 p., map scale 1:48,000.
- Creasey, S. C., Banks, N. G., Ashley, R. P., and Theodore, T. G., 1978, Middle Tertiary plutonism in the Santa Catalina and Tortolita Mountains, Arizona: U.S. Geological Survey Journal of Research, v. 5, no. 6, p. 705-717.
- Creasey, S. C., and Kistler, R. W., 1962, Ages of some copper-bearing porphyries and other igneous rocks in southeastern Arizona, in Short papers in geology, hydrology, and topography: U.S. Geological Survey Professional Paper 450-D, p. D1-D5.
- Creasey, S. C., and Krieger, M. H., 1978, Galiuro volcanics, Pinal, Graham, and Cochise Counties, Arizona: U.S. Geological Survey Journal of Research, v. 6, no. 1, p. 115-131.
- Creasey, S. C., and Pelletier, J. D., 1965, Geology of the San Manuel area, Pinal County, Arizona: U.S. Geological Survey Professional Paper 471, 64 p.
- Creasey, S. C., and Quick, G. L., 1955, Copper deposits of part of Helvetia mining district, Pima County, Arizona: U.S. Geological Survey Bulletin 1027-F, p. 301-323.

- Creasey, S. C., and Theodore, T. G., 1975, Preliminary reconnaissance geologic map of Bellota Ranch quadrangle, Pima County, Arizona: U.S. Geological Survey Open-File Report 75-295, map scale 1:31,680.
- Crowl, W. J., 1979, Geology of the central Dome Rock Mountains, Yuma County, Arizona [M.S. thesis]: Tucson, University of Arizona, 76 p.
- Crowley, J.A., 1980, The C & B mine, Gila County, Arizona: The Mineralogical Record, Arizona II, v.11, no. 4, p. 213-218.
- Cummings, J. B., and Romslo, T. M., 1950, Investigation of the Twin Buttes copper mines, Pima County, Arizona: U.S. Bureau of Mines Report of Investigations RI-4732, 12 p.
- Cummings, R. B., 1982, Geology of the Sacaton porphyry copper deposit, Pinal County, Arizona, in Titley, S. R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, 560 p., p. 507-522.
- Dale, V. B., 1959, Tungsten deposits of Yuma, Maricopa, Pinal, and Graham Counties, Arizona: U.S. Bureau of Mines Report of Investigations RI-5516, 68 p.
- 1961, Tungsten deposits of Gila, Yavapai, and Mohave Counties, Arizona: U.S. Bureau of Mines Information Circular IC-8078, 104 p.
- Dale, V. B., Stewart, L. A., and McKinney, W. A., 1961, Tungsten deposits of Cochise, Pima, and Santa Cruz Counties, Arizona: U.S. Bureau of Mines Report of Investigations RI-5650, 132 p.
- Damon, P. E., and Bikerman, M., 1964, Potassium-argon dating of post-Laramide plutonic and volcanic rocks within the Basin and Range province of southeastern Arizona and adjacent areas: Arizona Geological Society Digest, v. 7, p. 63-78.
- Damon, P. E., and Mauger, R. L., 1966, Epeirogeny-orogeny viewed from the Basin and Range province: American Institute of Mining, Metallurgical, and Petroleum Engineers Transactions, v. 235, p. 99-112.
- Damon, P. E., Mauger, R. L., and Bikerman, M., 1964, K-Ar dating of Laramide plutonic and volcanic rocks within the Basin and Range province of Arizona and Sonora, in Cretaceous-Tertiary boundary including Volcanic Activity: Proceedings, International Geological Congress, 22nd, Calcutta, India, I.G.C. organizing committee, p. 45-55.
- Davis, G. A., Anderson, J. L., Frost, E. G., and Shakelford, T. J., 1980, Mylonitization and detachment faulting in the Whipple-Buckskin-Rawhide mountains terrane, southeastern California and western Arizona, in Crittenden, M. D., Jr., Coney, P. J., and Davis, G. H., eds., Cordilleran metamorphic core complexes: Geological Society of America Memoir 153, p. 79-129.

- Davis, J. D., 1974, Geothermometry, geochemistry, and its alterations at the San Manuel porphyry copper orebody, San Manuel, Arizona [Ph. D. thesis]: Tucson, University of Arizona, 130 p.
- Davis, S. R., 1975, The Hardshell silver deposit, Harshaw mining district, Santa Cruz County, Arizona [abs.]: Las Cruces Country, New Mexico Geological Society, 26th Annual Field conference, Guidebook, p. 336-337.
- Defty, W. E., 1912, The Vulture mine, Arizona: Engineering and Mining Journal, v. 93, pt. 2, no. 21, p. 1044-1045.
- Denton, T. C., 1947, Old Reliable copper mine, Pinal County, Arizona: U.S. Bureau of Mines Report of Investigations RI 4006, 9 p.
- Diery, H. D., 1964, Petrography and petrogenetic history of a quartz monzonite intrusive, Swisshelm Mountains, Cochise County, Arizona [M.S. thesis]: Tucson, University of Arizona, 100 p.
- Dings, M. G., 1951, The Wallapai mining district, Cerbat Mountains, Mohave County, Arizona: U.S. Geological Survey Bulletin 978-E, p. 123-162.
- Dinsmore, C. A., 1911, The Vulture mine, Arizona; its past and present: Mining and Engineering World, v. 35, p. 645-646.
- Dixon, D. W., 1966, Geology of the New Cornelia mine, Ajo, Arizona, in Titley, S. R., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 123-132.
- Dockter, R. D., and Keith, W. J., 1978, Reconnaissance geologic map of the Vekol Mountains quadrangle, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-931, scale 1:62,500.
- Dohms, P. H., Dunn, P. G., Harding, L. E., Lundin, R. J., Lynch, D. J., Reynolds, S. J., and Teet, J. E., 1980, Geologic road logs, 1979 Arizona Geological Society Spring Field Trip, in Jenney, J. P., and Stone, C., eds., Studies in western Arizona: Arizona Geological Society Digest, v. 12, p. 290-322.
- Drake, W. E., 1972, A study of ore-forming fluids at the Mineral Park porphyry copper deposit, Kingman, Arizona [Ph.D. thesis]: New York, Columbia University, 245 p.
- Drewes, H., 1967, A geochemical anomaly of base metals and silver in the southern Santa Rita Mountains, Santa Cruz County, Arizona, in Geological Survey research 1967: U.S. Geological Survey Professional Paper 575-D, p. 175-182.
- 1971a, Geologic map of the Sahuarita quadrangle, southeast of Tucson, Pima County, Arizona: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-613, scale 1:48,000.

- 1971b, Geologic map of the Mount Wrightson quadrangle, southeast of Tucson, Santa Cruz, and Pima Counties, Arizona: U.S. Geological Survey Miscellaneous Geological Investigations Map I-614, scale 1:48,000.
- 1973, Geochemical reconnaissance of the Santa Rita Mountains, southeast of Tucson, Arizona: U.S. Geological Survey Bulletin 1365, p. 12-14.
- 1976, Laramide tectonics from Paradise to Hells Gate, southeastern Arizona: Arizona Geological Society Digest, v. 10, p. 151-167.
- Drewes, H., and Cooper, J. R., 1973, Reconnaissance geologic map of the west side of the Sierrita Mountains, Palo Alto Ranch quadrangle, Pima County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-538, scale 1:24,000.
- Drewes, H., and Williams, F. E., 1973, Mineral resources of the Chiricahua Wilderness Area, Cochise County, Arizona: U.S. Geological Survey Bulletin 1385-A, p. A1-A53.
- Dunn, P. G., 1978, Regional structure of the Safford district, Arizona, in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: Arizona Geological Society Digest, v. 11, p. 9-15.
- Durning, W. P., 1972, Geology and mineralization of Little Hill mine, northern Santa Catalina Mountains, Pinal County, Arizona [M.S. thesis]: Tucson, University of Arizona, 91 p.
- Durning, W. P., and Davis, J. D., 1978, The root-zone characteristics of porphyry copper deposits, in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: Arizona Geological Society Digest, v. 11, p. 81-89.
- Eastlick, J. T., 1968, Geology of the Christmas mine and vicinity, Banner mining district, Arizona, in Ridge, J. D., ed., Ore deposits of the United States, 1933-1967 (Graton-Sales volume): American Institute of Mining, Metallurgical, and Petroleum Engineers, v. 2, p. 1191-1210.
- Eckel, E. B., 1930, Geology and ore deposits of the Mineral Hill area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 51 p.
- Edmiston, R., 1971, Thermal gradients and sulfide oxidation in the Silver Bell mining district, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona.
- Edson, G. M., 1980, The Red Cloud mine, Yuma County, Arizona: The Mineralogical Record, Arizona I, v. 11, no. 3, p. 141-152.
- Eidel, J. J., Frost, J. E., and Clippinger, D. M., 1968, Copper molybdenum mineralization at Mineral Park, Mohave County, Arizona, in Ridge, J. D., ed., Ore deposits of the United States, 1933-1967, (Graton-Sales volume): American Institute of Mining, Metallurgical, and Petroleum Engineers, v. 2, p. 1258-1281.

- Elsing, M. J., and Heineman, R. E. S., 1936, Arizona metal production: Arizona Bureau of Mines Bulletin 140, Economic Series 19, 112 p.
- Emmons, S. F., and Becker, G. F., 1885, Statistics and technology of the precious metals: Census Office Report, Washington, p. 52.
- Endlich, F. M., 1897, The Pearce mining district: Engineering and Mining Journal, v. 63, n. 23, p. 571.
- Engineering and Mining Journal, 1957b, How AS&R raised molybdenite recovery on copper concentrate: v. 158, no. 8, p. 104-106.
- Evensen, J., 1961, Geology of the Copper Hill area, Winkelman, Arizona [M.S. thesis]: Tucson, University of Arizona, 45 p.
- Faick, J. N., and Hildebrand, F. A., 1958, An occurrence of molybdenian stolzite in Arizona: American Mineralogist, v. 43, p. 156-159.
- Farnham, L. L., Stewart, L. A., and Delong, C. W., 1961, Manganese deposits of eastern Arizona: U.S. Bureau of Mines Information Circular 7990, 178 p.
- Feiss, J. W., 1929, Geology and ore deposits of Hiltano Camp, Arizona [M.S. thesis]: Tucson, University of Arizona, 40 p.
- Finnell, T. L., 1971, Preliminary geology map of the Empire Mountains quadrangle, Pima County, Arizona: U.S. Geological Survey Open-File Report OFR 0-71, scale 1:48,000.
- Fleischer, M., 1959, The geochemistry of rhenium, with special reference to its occurrence in molybdenite: Economic Geology, v. 54, no. 8, p. 1406-1413.
- Foshag, W. F., 1919, Famous mineral localities: Yuma County, Arizona: American Mineralogist, v. 4, no. 12, p. 149-150.
- Fronzel, C., W., and Wickman, F. E., 1970, Molybdenite polytypes in theory and occurrence, II.; Some naturally occurring polytypes of molybdenite: American Mineralogist, v. 55, nos. 11-12, p. 1857-1875.
- Galbraith, F. W., and Loring, W. B., 1951, Swisshelm districts, chapter 3, in Arizona zinc and lead deposits, Part II: Arizona Bureau of Mines Bulletin 158, p. 30-36.
- Gale, R., 1965, Geology of the Mission Copper Mine, Pima Mining District, Arizona [Ph.D. thesis]: Stanford, Calif., Stanford University, 176 p.
- Galey, J. L., 1979, General geology and hydrothermal alteration of the Silver Bell porphyry copper deposit: Society of Economic Geologists, Porphyry Copper Field Conference, 18 p.
- Gambell, N. A., 1973, A heavy mineral reconnaissance of a portion of the Copper Basin mining district, Arizona, with emphasis on gold [M.S. thesis]: Flagstaff, Northern Arizona University, 95 p.

- 1978, Geology and mineralization of Ray silicate ore body, Pinal County, Arizona [abs.], in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the Porphyry Copper Symposium: Arizona Geological Society Digest, v. II, p. 35.
- Gilluly, J., 1937, Geology and ore deposits of the Ajo quadrangle, Arizona: University of Arizona, Arizona Bureau of Mines Bulletin 141, 83 p.
- 1946, The Ajo mining district, Arizona: U.S. Geological Survey Professional Paper 209, 112 p.
- 1956, General geology of central Cochise County, Arizona, with sections on Age and correlation by A. R. Palmer, J. S. Williams, and J. B. Reeside, Jr.: U.S. Geological Survey Professional Paper 281, 169 p.
- Gornitz, V. M., 1969, Mineralization, alteration, and mechanism of emplacement, Orphan ore deposit, Grand Canyon, Arizona [Ph.D. thesis]: New York, Columbia University.
- Gornitz, V., and Kerr, P. F., 1970, Uranium mineralization and alteration, Orphan mine, Grand Canyon, Arizona: Economic Geology, v. 65, no. 7, p. 751-768.
- Granger, H. C., 1952, Lucky Strike claim: U.S. Atomic Energy Commission, Preliminary Reconnaissance Report 386, 1 p.
- Granger, H. C., and Raup, R. B., 1959, Uranium deposits of the Dripping Spring Quartzite, Gila County, Arizona: U.S. Geological Survey Bulletin 1046-P, 472 p.
- 1962, Reconnaissance study of uranium deposits in Arizona: U.S. Geological Survey Bulletin 1147-A, p. A1-A54.
- 1969, Detailed descriptions of uranium-bearing deposits in the Dripping Spring Quartzite, Gila County, Arizona: U.S. Geological Survey Open-File Report, 145 p., Maps.
- Graybeal, F. T., 1972, The partition of trace elements among coexisting minerals in some Laramide intrusive rocks in Arizona [Ph.D thesis]: Tucson, University of Arizona, 220 p.
- Greeley, M. N., 1978, Proven copper reserves in Arizona, in The primary copper industry of Arizona in 1975-1976: Arizona Department of Mineral Resources, Special Report 2, p. 83-87.
- Guilbert, J. M., and Davis, S. R., 1979, North Silver Bell, in Titley, S. R., and Beane, R., eds., Porphyry copper deposits of southern Arizona: Society of Economic Geologists, 1979 Field Conference, Guidebook, 7 p.
- Guild, F. N., 1907, The composition of molybdenite from Arizona: American Journal of Science, 4th ser., v. 23, p. 455-456.

- 1910, The mineralogy of Arizona: Easton, Pennsylvania, The Chemical Publishing Company, 103 p.
- 1911, Minewralogische Notizen: Zeitschrift fur Kristallographie und Mineral., v. 49, p. 321-331.
- Guthrie, J. O., and Moore, D. G., 1978, The geology of the Copper Creek area, Bunker Hill mining district, Galiuro Mountains, Arizona, in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: Arizona Geological Society Digest, v. 11, p. 25-31.
- Hafer, C., 1911, Vulture mine and others in the Hassayampa: Mining World, v. 34, p. 1233-1234.
- Hamilton, P., and Kerr, P. F., 1959, Umohoite from Cameron, Arizona: American Mineralogist, v. 44, p. 1248-1260.
- Hammer, D. F., 1961, Geology and ore deposits of the Jackrabbit area, Pinal County, Arizona [M.S. thesis]: Tucson, University of Arizona, 156 p.
- Hanson, S. C., 1977, The economic geology of the Wikieup prospect, Mohave County, Arizona [Ph.D. thesis]: Moscow, University of Idaho, 162 p.
- Harper, H. E., and Reynolds, J. R., 1969, The Lakeshore copper deposit: Mining Congress Journal, v. 55, no. 11, p. 26-30.
- Harrer, C. M., 1964, Reconnaissance of iron resources in Arizona: U.S. Bureau of Mines Information Circular IC-8236, 204 p.
- Haxel, G., Briskey, J. A., Rytuba, J. J., Bergquist, J. R., Blacet, P. M., and Miller, S. T., 1978, Reconnaissance geologic map of the Comobabi quadrangle, Pima County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-964, scale 1:62,500.
- Haxel, G., and Dillon, J., 1978, The Pelona-Orocopia schist and Vincent-Chocolate Mountain thrust system, southern California, in Howell, D. G., and McDougall, K. A., eds., Mesozoic paleogeography of the western United States: Society of Economic Paleontologists and Mineralogists, Pacific Section, Pacific Paleogeography Symposium II, p. 453-470.
- Haxel, G., Wright, J. E., May, D. J., and Tosdal, R. M., 1980, Reconnaissance geology of the Mesozoic and lower Cenozoic rocks of the southern Papago Indian Reservation, Arizona; a preliminary report in Jenny, J. P., ed, Studies in Western Arizona: Arizona Geological Society Digest, v. 12, p. 17-27.
- Heidrick, T., 1980, Mylonitization, detachment faulting, and associated mineralization, Whipple Mountains, California, and Buckskin Mountains, Arizona: Arizona Geological Society, 1980 Spring Field Trip, Guidebook, 51 p.
- Heikes, V. C., 1906, Arizona, in Mineral resources of the United States, calendar year 1906: U.S. Geological Survey Mineral Resources, 1906, p. 147-177.

- Heineman, R. E. S., 1935, Sugarloaf Butte alunite: Engineering and Mining Journal, v. 136, no. 3, p. 138-139.
- Hess, F. L., 1924, Molybdenum deposits, a short review: U.S. Geological Survey Bulletin 761, 35 p.
- Hewett, D. F., Callaghan, E., Moore, B. N., Nolan, T. B., Rubey, W. W., and Schaller, W. T., 1936, Mineral resources of the region around Boulder Dam: U.S. Geological Survey Bulletin 871, 197 p.
- Heyman, A. M., 1958, Geology of the Peach-Elgin copper deposit, Helvetia district, Arizona [M.S. thesis]: Tucson, University of Arizona, 66 p.
- Hicks, C. J., 1979, Molybdenum occurrences in Arizona: Arizona Department of Mineral Resources Publication MR3 (79), p. 20.
- Hill, J. M., 1946, Report on the Maudina tungsten mine, Oracle, Pinal County, Arizona: Private report to the Mine Owners, 9 p.
- Hillman, B. A., 1972, Hydrothermal activity as related to ore deposition at the Sierrita porphyry copper-molybdenite deposit, southwestern Arizona [M.S. thesis]: Cincinnati, University of Cincinnati, 69 p.
- Hillman, B. A., and Kilinc, I. A., 1972, Research in hydrothermal activity as related to ore deposition at the Sierrita porphyry copper deposit [abs.]: EOS, Transactions of the American Geophysical Union, v. 53, no. 3, p. 531.
- Himes, M. D., 1972, Geology of the Pima mine, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 92 p.
- 1973, Mineralization and alteration at Pima mine: a complex porphyry copper deposit: Society of Mining Engineers, Transactions of the American Institute of Mining Metallurgical, and Petroleum Engineers, v. 254, p. 166-174.
- Hinckley, D. N., 1957, An investigation of the occurrence of uranium at Cameron, Arizona [M.S thesis]: Salt Lake City, University of Utah, 67 p.
- Hobbs, S. W., 1944, Tungsten deposits in the Borianana district and the Aquarius Range, Mohave County, Arizona: U.S. Geological Survey Bulletin 940-I, p. 247-264.
- Holen, H. and Twitchell, L. C., 1955, Jasper group: U.S. Atomic Energy Commission, PRR- R-R-275, 1 p.
- Honea, R. M., 1959, New data on gastunite, an alkali uranyl silicate: American Mineralogist, v. 44, nos. 9-10, p. 1047-1056.
- Horsnail, R. F., 1978, Safford district, Graham County, Arizona, in Lovering, T. G., and McCarthy, J. H., Jr., eds., Conceptual models in exploration geochemistry; the Basin and Range Province of the western United States and northern Mexico: Journal of Geochemical Exploration, v. 9, nos. 2-3, p. 241-243.



- Houser, F. N., 1949, The geology of the Contention mine area, Twin Buttes, Arizona [M.S. thesis]: Tucson, University of Arizona, 61 p.
- Howell, K. K., 1977, Geology and alteration of the Commonwealth mine, Cochise County, Arizona [M.S. thesis]: Tucson, University of Arizona, 225 p.
- Hutchinson, W. S., 1921, The Vulture mine: Engineering and Mining Journal, v. 111, pt. 1, no. 7, p. 298-302.
- Huttl, J. B., 1943, Bagdad--Arizona's latest porphyry copper: Engineering and Mining Journal, v. 144, no. 6, p. 62-66.
- Iles, C. D., West, R. J., and Oakley, C. A., 1975, Mineralization and structure of Sierrita/Esperanza ore body [abs.]: Mining Engineering, v. 27, no. 12, p. 70-71.
- 1976, Mineralization and structure of Sierrita/Esperanza ore body [abs.]: Economic Geology, v. 71, no. 3, p. 700-701.
- Isachsen, Y. W., and Evensen, C. G., 1956, Geology of uranium deposits of the Shinarump and Chinle Formations of the Colorado Plateau: U.S. Geological Survey Professional Paper 300, p. 263-280.
- Jaggar, T. A., and Palache, Charles, 1905, Description of Bradshaw Mountains quadrangle, Arizona: U.S. Geological Survey Atlas, Folio 126, 11 p.
- Jahns, R. H., 1952, Pegmatite deposits of the White Picacho district, Maricopa and Yavapai Counties, Arizona: Arizona Bureau of Mines Bulletin 162, Mineral Technology Series 46, 105 p.
- Jenkins, O. P., and Wilson, E. D., 1920, A geological reconnaissance of the Tucson and Amole Mountains: Arizona Bureau of Mines Bulletin 106, Geology Series 2, p. 5-18.
- Jinks, J. E., 1961, The Margaret Wash section of the Mogul Fault, Pinal County, Arizona [M.S. thesis]: Tucson, University of Arizona, 19 p.
- Johnson, D. H., 1963, Mineralogy and paragenesis at the Monument No. 2 and Cato Sells mines, in Witkind, I. J., and Thaden, R. E., Geology and uranium-vanadium deposits of the Monument Valley area, Apache and Navajo Counties, Arizona: U.S. Geological Survey Bulletin 1103, p. 113-135.
- Johnson, M. G., 1972, Placer gold deposits of Arizona: U.S. Geological Survey Bulletin 1355, 103 p.
- Johnson, V. H., 1941, Geology of the Helvetia mining district, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 111 p.
- Johnston, W. P., 1955, The Geology and ore deposits of the Copper Basin mining district, Yavapai County, Arizona [Ph.D. thesis]: Salt Lake City, University of Utah, 130 p.

- 1972, K-Ar dates on intrusive rocks and alteration associated with the Lakeshore porphyry copper deposit, Pinal County, Arizona: Isochron/West, No. 4, p. 29-30.
- Johnston, W. P., and Lowell, J. D., 1961, Geology and origin of mineralized breccia pipes in Copper Basin, Arizona: Economic Geology, v. 56, no. 5, p. 916-940.
- Jones, E. L., Jr., and Ransome, F. L., 1920, Deposits of maganese ore in Arizona: U.S. Geological Survey Bulletin 710-D, p. 93-184.
- Jones, R., 1979, Apache uprising: Rock and Gem, v. 9, no. 2, p. 64-65, 67-69.
- Jones, R. W., 1980, the Grand Reef mine, Graham County, Arizona: The Mineralogical Record, Arizona II, v. 11, no. 4, p. 219-226.
- Journey, J. A., 1959, Pyrometasomatic deposits at Pima mine: Arizona Geological Society, 55th Annual Cordilleran Section Meeting, Geological Society of America, Southern Arizona Guidebook II, p. 198-199.
- Journey, J. A., Thurmond, R. E., and others, 1958, Pima; a three-part story-- geology, open pit, milling: Mining Engineering, v. 10, p. 453-462.
- Kalt, W. D., Jr., 1968, Awake the copper ghosts! The history of The Banner Mining Company and the treasure of Twin Buttes: Banner Mining Co.
- Keiser, H. D., ed., 1947, Minerals Yearbook 1945: Washington, U.S. Government Printing Office, p. 663-664.
- Keith, S. B., 1970, Uranium, in Peirce, H. W., Keith, S. B., and Wilt, J. C., eds., Coal, oil, natural gas, helium, and uranium in Arizona: Arizona Bureau of Mines Bulletin 182, p. 103-159, 202-289.
- 1972, Mineralogy and paragenesis of the 79 mine lead zinc copper deposit: Mineralogical Record, v. 3, no. 6, p. 247-264.
- 1973, Index of mining properties in Cochise County: Arizona Bureau of Mines Bulletin 187, 98 p.
- 1974, Index of mining properties in Pima County, Arizona: Arizona Bureau of Mines Bulletin 189, 156 p.
- 1975, Index of mining properties in Santa Cruz County, Arizona: Arizona Bureau of Mines Bulletin 191, 94 p.
- \_\_\_\_ 1978, Index of mining properties in Yuma County, Arizona: State of Arizona, Bureau of Geology and Mineral Technology Bulletin 192, 185 p.
- Keith, S. B., Reynolds, S. J., Damon, P. E., Shafiqullah, M., Livingston, D. E., and Pushkar, P. D., 1980, Evidence for multiple intrusion and deformation within the Santa Catalina-Rincon-Tortolita metamorphic core complex, southeastern Arizona, in Crittenden, M. D., Jr., Coney, P. J., and Davis, G. H., eds., Cordilleran metamorphic core complexes: Geological Society of America Memoir 153, p. 217-268.

- Keith, W. J., 1976, Reconnaissance geologic map of the San Vicente and Cocoraque Butte 15' quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-769, scale 1:62,500.
- Kelly, J. L., 1975, Geology of the Twin Buttes copper deposit, Pima County, Arizona [abs.] Mining Engineering, v. 25, no. 12, p. 70.
- 1976, Geology of the Twin Buttes copper deposit, Pima County, Arizona [abs.]: Economic Geology, v. 71, no. 3, p. 701.
- 1977, Geology of the Twin Buttes copper deposit, Pima County, Arizona: Transactions of the American Institute of Mining Metallurgical, and Petroleum Engineers, v. 262, p. 110-116.
- Kerr, P. F., 1946, Tungsten mineralization in the United States: Geological Society of America Memoir 15, 241 p.
- 1951, Alteration features at Silverbell, Arizona: Geological Society of America Bulletin 62, no. 5, p. 451-480.
- Kiersch, G. A., 1947, The geology and ore deposits of the Seventy-nine mine area, Gila County, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 124 p.
- 1949, Structural control and mineralization at the Seventy-nine mine, Gila County, Arizona: Economic Geology, v. 44, no.1, p. 24-39.
- 1951, Geology and ore deposits of the Seventy-nine mine area, Arizona, in Arizona zinc and lead deposits, Pt. II: Arizona Bureau of Mines Bulletin 158, p. 66-83.
- King, J. R., 1978, The geology of the San Xavier porphyry copper deposit, Pima mining district, Arizona, in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: Arizona Geological Society Digest, v. 11, p. 101-102.
- King, R. U., 1969, Molybdenum and rhenium, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 230-238.
- 1970, Molybdenum in the United States exclusive of Alaska and Hawaii: U.S. Geological Survey Mineral Investigations Resource Map MR-55, 21 p. text, map scale 1:3,168,000.
- Kinnison, J. E., 1958, Geology and ore deposits of the southern section of the Amole mining district, Tucson Mountains, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 123 p.
- 1963, Probable origin of the Mission copper deposit: Transactions of the American Institute of Mining, Metallurgical, and Petroleum Engineers, Reprint no. 631-33, 14 p.

- 1966, The Mission copper deposit, in Titley, S. R., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 281-287.
- Kirkemo, H., Anderson, C. A., and Creasey, S. C., 1965, Investigations of molybdenum deposits in the conterminous United States, 1942-1960: U.S. Geological Survey Bulletin 1182-E, p. E1-E90.
- Knoerr, A. W., 1956, San Manuel--America's newest large copper producer: Engineering and Mining Journal, v. 157, April, p. 75-100.
- Kofford, M. E., 1969, The Orphan mine, in Geology and natural history of the Grand Canyon Region: Four Corners Geological Society, Fifth Annual Field Conference, Powell Centennial River Expedition, Guidebook, p. 190-194.
- Koski, R. A., 1978, Geology and porphyry copper-types; alteration-mineralization of igneous rocks at the Christmas mine, Gila County, Arizona [Ph.D. thesis]: Stanford, Calif., Stanford University, 268 p.; U.S. Geological Survey Open-File Report 79-844, 196 p.
- Koutz, Fleetwood, Jr., 1983, Genesis of the Hardshell silver base metal, manganese deposit, Patagonia Mountains, Arizona [M.S. thesis]: Tucson, University of Arizona.
- Krieger, M. H., 1965, Geology of the Prescott and Paulden quadrangles, Arizona: U.S. Geological Survey Professional Paper 467, 127 p.
- \_\_\_\_ 1974a, Geologic map of the Crozier Peak quadrangle, Pinal County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1107, scale 1:24,000.
- \_\_\_\_ 1974b, Geologic map of the Putnam Wash quadrangle, Pinal County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1109, scale 1:24,000.
- \_\_\_\_ 1974c, Geologic map of the Winkelman quadrangle, Pinal and Gila Counties, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1106, scale 1:24,000.
- Kuck, P. H., 1978, The behavior of molybdenum, tungsten, and titanium in the porphyry copper environment [Ph. D. thesis]: Tucson, University of Arizona, 277 p.
- Kuhn, T. H., 1938, Childs-Aldwinkle mine, in Some Arizona ore deposits, Part 2, Mining Districts: Arizona Bureau of Mines Bulletin 145, Geological Series 12, p. 127-130.
- 1940, Geology and ore deposits of the Copper Creek, area, Arizona [Ph.D thesis]: Tucson, University of Arizona, 147 p.
- 1941, Pipe deposits of the Copper Creek area, Arizona: Economic Geology, v. 36, no. 5, p. 512-538.

- 1951, Bunker Hill district, in Zinc and lead deposits, Chapter 7, Pt. 2: Arizona Bureau of Mines Bulletin 158, Geological Series 19, p. 56-65.
- Kupfer, D. H., 1965, Santo Nino mine, in Kirikemo, H., Anderson, C. A., and Creasy, S. C., Investigations of molybdenum deposits in the conterminous United States, 1942-1960: U.S. Geological Survey Bulletin 1182-E, p. E14-E16.
- Lacy, W. C., 1959, Structure and ore deposits of the east Sierrita area: Arizona Geological Society, Southern Arizona Guidebook II, p. 184-192.
- Langlois, J. D., 1978, Geology of the Cyprus-Pima mine, Pima County, Arizona, in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: Arizona Geological Society Digest, v. 11, p. 103-113.
- Langton, J. M., 1973, Ore genesis in the Morenci-Metcalf district: American Institute of Mining, Metallurgical and Petroleum Engineers Transaction, v. 254, p. 247-257.
- Langton, J. M., and Williams, S. A., 1982, Structural, petrologic, and mineralogic controls for the Dos Pobres orebody, Lone Star Mining District, Graham County, Arizona, in Titley, S. R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 335-352.
- Lausen, Carl, 1931a, Geology and ore deposits of the Oatman and Katherine districts, Arizona: Arizona Bureau of Mines Bulletin 131, Geological Series 6, 126 p.
- 1931b, Gold veins of the Oatman and Katherine districts, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 155 p.
- Lausen, C., and Gardner, E. D., 1927, Quicksilver (mercury) resources of Arizona: Arizona Bureau of Mines Bulletin 122, 112 p.
- Lausen, Carl, and Wilson, E. D., 1924, Gold and copper deposits near Payson, Arizona: Arizona Bureau of Mines Bulletin 120, 44 p.
- 1927, Gold and copper deposits near Payson, Arizona: Arizona Mining Journal, v. 10, no. 19, p. 5-7, p. 12-14.
- Lee, C. A., and Borland, G. C., 1935, The geology and ore deposits of the Cuprite mining district, Santa Rita Mountains, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 54 p.
- Lehman, N. E., 1978, The geology and pyrometasomatic ore deposits of the Washington Camp-Duquesne district, Santa Cruz County, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 285 p.
- Lemmon, D. M., and Tweto, O. L., 1962, Tungsten in the United States Exclusive of Alaska and Hawaii: U.S. Geological Survey Mineral Resources Map MR-25, scale 1:168,000.

- Lewis, A. S., 1920, Ore deposits of Cave Creek district, Arizona: Engineering and Mining Journal, v. 110, no. 15, p. 713-716.
- Lindgren, W., 1905a, Description of the Clifton quadrangle: U.S. Geological Survey Folio 129, 13 p.
- 1905b, The copper deposits of the Clifton-Morenci district, Arizona: U.S. Geological Survey Professional Paper 43, 375 p.
- 1926, Ore deposits of the Jerome and Bradshaw Mountains quadrangles, Arizona: U.S. Geological Survey Bulletin 782, 192 p.
- Loring, W. B., 1947, Geology and ore deposits of the Mountain Queen area, northern Swisshelm Mountains, Arizona [M.S. thesis]: Tucson, University of Arizona, 65 p.
- Lovstrom, K. A., 1978, Rosemont deposit, Pima County, Arizona, in Lovering, T. G., and McCarthy, J. H., Jr., eds., Conceptual models in exploration geochemistry; the Basin and Range Province of the western United States and northern Mexico: Journal of Geochemical Exploration, v. 9, nos. 2-3, p. 232-235.
- Lowell, J. D., 1968, Geology of the Kalamazoo orebody, San Manuel district, Arizona: Economic Geology, v. 63, no. 6, p. 645-654.
- Lowell, J. D., and Guilbert, J. M., 1970, Lateral and vertical alteration-mineralization zoning in porphyry ore deposits: Economic Geology, v. 65, no. 4, p. 373-408.
- Ludden, R. W., 1950, Geology of the Campo Bonito area, Oracle, Arizona [M.S. thesis]: Tucson, University of Arizona, 52 p.
- Lynch, D. W., 1966, The economic geology of the Esperanza mine and vicinity, in Titley, S. R., and Hicks, C. L. eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 267-279.
- 1967, The geology of the Esperanza mine and vicinity, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 70 p.
- 1968, The geology of the Esperanza mine: Arizona Geological Society, 64th Annual Meeting of the Cordilleran Section, Geological Society of America, Guidebook III, p. 125-136.
- MacKallor, J. A., 1965, The Rowley or Reliance Mine, Maricopa County, Arizona, in Kirkemo, H., Anderson, C. A., and Creasey, S. C., eds., Investigations of molybdenum deposits in the conterminous United States 1942-60: U.S. Geological Survey Bulletin 1182-E, p. E6-E10.
- MacKenzie, F. D., 1959, Pyrometasomatic deposits at the Mineral Hill and Daisy mines: Arizona Geological Society, Southern Arizona Guidebook II, p. 193-194.

- 1963, Geological interpretation of the Palo Verde mine based on diamond drill core: Arizona Geological Society Digest, v. 6, p. 41-48.
- Malach, R., 1977, Mohave County mines: Kingman, Ariz., Mohave County Board of Supervisors, 63 p.
- Marvin, R. F., Naeser, C. W., and Mehnert, H. H., 1978, Tabulation of radiometric ages--including unpublished K-Ar and fission-track ages--for rocks in southeastern Arizona and southwestern New Mexico, in Callendar, J. F., Wilt, J. C., and Clemons, R. E., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society, 29th Field Conference Guidebook, p. 243-257.
- Marvin, R. F., Stern, T. W., Creasey, S. C., and Mehnert, H. H., 1973, Radiometric ages of igneous rocks from Pima, Santa Cruz, and Cochise Counties, southeastern Arizona: U.S. Geological Survey Bulletin 1379, 27 p.
- Marvin, T. C., 1942, The geology of the Hilton Ranch area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 60 p.
- Mauger, R. L., 1966, A petrographic and geochemical study of Silver Bell and Pima mining districts, Pima County, Arizona [Ph. D. thesis]: Tucson, University of Arizona, 212 p.
- Mayuga, M. N., 1942, The geology and ore deposits of Helmet Peak area, Pima County, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 124 p.
- McClintock, J. H., 1928, High grading at the old Vulture and Silver King: Mining Journal, v. 11, no. 19, p. 14.
- McClymonds, N. E., 1957, Stratigraphy and structure of the southern portion of the Waterman Mountains, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 157 p.
- 1958, The stratigraphy and structure of the Waterman Mountains, Pima County, Arizona [abs.]: Arizona Geological Society Digest, v. 1, p. 43-44.
- 1959, Paleozoic stratigraphy of the Waterman Mountains, Pima County, Arizona: Arizona Geological Society, Southern Arizona Guidebook II, p. 66-76.
- McDowell, F. W., 1971, K-Ar ages of igneous rocks from the western United States: Isochron/West, no. 3, August 1971, p. 1-16.
- McRae, O. M., 1966, General geology and some structural features of the Courtland-Gleeson area, Cochise County, Arizona: Transactions of the American Institute of Mining, Metallurgical, and Petroleum Engineers, v. 235, no. 2, p. 133-138.
- Medhi, P. K., 1964, A geologic study of the Pontatoc mine area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 44 p.

- Meeves, H. C., 1966, Nonpegmatitic beryllium occurrences in Arizona, Colorado, New Mexico, Utah, and four adjacent states: U.S. Bureau of Mines Report of Investigations 6828, 68 p.
- Metz, R. A., Phillips, C. H., and Caviness, C. R., 1968, Recent developments in the geology of the Ray area: Arizona Geological Society, Southern Arizona Guidebook III, p. 137-146.
- Metz, R. A., and Rose, A. W., 1966, Geology of the Ray copper deposit, Ray, Arizona, in Titley, S. R., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 177-188.
- Metzger, O. H., 1938, Gold mining and milling in the Wickenburg area, Maricopa and Yavapai Counties, Arizona: U.S. Bureau of Mines Information Circular 6991, 78 p.
- Michel, F. A., Jr., 1959, Geology of the King mine, Helvetia, Arizona [M.S. thesis]: Tucson, University of Arizona, 59 p.
- Miller, D. S., and Kulp, J. L., 1963, Isotopic evidence on the origin of the Colorado Plateau uranium ores: Geological Society of America Bulletin, v. 74, p.609-630.
- Miller, R. A., 1955, King mine, Helvetia district, Arizona: U.S. Atomic Energy Commission Preliminary Reconnaissance Report A-37, 1 p.
- Mining World, 1948, The silver Coin mine: v. 10, no. 1, p. 59.
- Mitcham, T. W., 1955, Discussion of Structure and mineralization at Silver Bell, Arizona: Transactions of the American Institute of Mining, Metallurgical, and Petroleum Engineers, v. 202, p. 300.
- Moger, S. R., 1969, The geology of the west-central portion of the Patagonia Mountains, Santa Cruz County, Arizona [M.S. thesis]: Tucson, University of Arizona, 60 p.
- Moolick, R. T., and Durek, J. J., 1966, The Morenci district, in Titley, S. R., and Hicks, C. T., eds., Geology of the porphyry copper deposits, Southwestern North America: Tucson, University of Arizona Press, p. 221-231.
- Moore, K. T., 1902, Vulture; a mining camp in Arizona: University of Arizona Monthly, v. 4, p. 227-232.
- Moore, R. T., 1969, Lead and zinc, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 182-205.
- Moore, R. C., 3d., 1972, The geology and ore deposits of a portion of the Harshaw district, Santa Cruz County, Arizona [M.S. thesis]: Tucson, University of Arizona, 98 p.



- Nevius, J. N., 1912, The Castle Dome lead district, Arizona: Mining and Scientific Press, v. 104, p. 854-866.
- Newell, R. A., 1974, Exploration geology and geochemistry of the Tombstone-Charleston area, Cochise County, Arizona [Ph.D. thesis]: Stanford, Calif., Stanford University, 205 p.
- Newhouse, W. H., 1934, The source of vanadium, molybdenum, tungsten, and chromium in oxidized lead deposits: American Mineralogist, v. 19, p. 209-220.
- Norvil, N. A., 1939, Bronx mine: Private report in Arizona Bureau of Mines old mine reports, reel 20.1.
- Olmstead, H. W., and Johnson, D. W., 1966, Inspiration geology, in Titley, S. T., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 143-150.
- Olmsted, F. H., Loeltz, O. J., and Irelan, B., 1973, Geohydrology of the Yuma area, Arizona and California: U.S. Geological Survey Professional Paper 486-H, p. H1-H227.
- Olson, H. J., 1961, The geology of the Glove mine, Santa Cruz County, Arizona [M.S. thesis]: Tucson, University of Arizona, 82 p.
- 1966, Oxidation of a sulfide body, Glove mine, Santa Cruz County, Arizona: Economic Geology, v. 61, no. 4, p. 731-743.
- Papke, K. G., 1952, Geology and ore deposits of the eastern portion Hilltop mine area, Cochise County, Arizona [M.S. thesis]: Tucson, University of Arizona, 99 p.
- Parker, F. Z., 1966, The geology and mineral deposits of the Silver district, Trigo Mountains, Yuma County, Arizona [M.S. thesis]: San Diego, University of California.
- Pay Dirt, 1974, ASARCO's new \$40 million Sacaton unit dedicated today: no. 417, March 25, 1974, p. 1-27.
- Pellegrin, A. L., 1911, Rare minerals in southern Arizona: Mining World, v. 34, p. 450.
- Pelletier, J. D., and Creasey, S. C., 1965, Ore deposits of the San Manuel area, Pinal County, Arizona: U.S. Geological Survey Professional Paper 471, p. 29-61.
- Penfield, S. L., 1886, Crystallized vanadinite from Arizona and New Mexico: American Journal of Science, 3d ser., v. 32, p. 441-443.
- Perry, D. V., 1964, Genesis of the contact rocks at the Abril mine, Cochise County, Arizona [M.S. thesis]: Tucson, University of Arizona, 97 p.

- 1968, Genesis of the contact rocks at the Christmas mine, Gila County, Arizona [Ph. D. thesis]: Tucson, University of Arizona, 229 p.
- 1969, Skarn genesis at the Christmas mine, Gila County, Arizona: Economic Geology, v. 64, no. 3, p. 255-270.
- Petersen, R. G., 1957, Occurrence of rhenium associated with uraninite in Coconino County, Arizona [abs.]: Geological Society of America Bulletin, v. 68, no. 12, p. 1178.
- Petersen, R. G., Hamilton, J. C., and Myers, A. T., 1959, Occurrence of rhenium associated with uraninite in Coconino County, Arizona: Economic Geology, v. 54, no. 2, p. 254-267.
- Peterson, N. P., 1938a, Geology and ore deposits of the Mammoth mining camp area, Pinal County, Arizona: Arizona Bureau of Mines Bulletin 144, Geological Series no. 11, 63 p.
- 1938b, Geology and ore deposits of the Mammoth mining camp, Pinal County, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 171 p.
- 1938c, Mammoth mining camp area, Pinal County, Arizona: Arizona Bureau of Mines Bulletin 145, p. 124-127.
- 1947, Phosphate minerals in the Castle Dome copper deposit, Arizona: American Mineralogist, v. 32, p. 574-582.
- 1948, Geology of the Castle Dome copper deposit, Arizona: Transactions of the American Institute of Mining, Metallurgical, and Petroleum Engineers, v. 178, p. 195-205.
- 1950, Lead and zinc deposits in the Globe-Miami district, Arizona, in Arizona zinc and lead deposits, Pt. 1: Arizona Bureau of Mines Bulletin 156, Geology Series 18, p. 98-112.
- 1952, Castle Dome copper deposit: Arizona Geological Society, Field Trip Excursions in Southern Arizona, Guidebook, p. 128-131.
- 1954, Copper Cities copper deposit, Globe-Miami district, Arizona: Economic Geology, v. 49, p. 362-377.
- 1962, Geology and ore deposits of the Globe-Miami district, Arizona: U.S. Geological Survey Professional Paper 342, 151 p.
- 1963, Geology of the Pinal Ranch quadrangle, Arizona: U.S. Geological Survey Bulletin 1141-H, p. H1-H18.
- Peterson, N. P., and Creasey, S. C., 1943, Some copper deposits of the Old Hat mining district, Pima County, Arizona: U.S. Geological Survey Open-File Report, 40 p.

- Peterson, N. P., Gilbert, C. M., and Quick, G. L., 1945, Hydrothermal alteration in the Castle Dome copper deposit, Miami, Arizona: *Economic Geology*, v. 40, p. 820-840.
- 1951, Geology and ore deposits of the Castle dome area, Gila County, Arizona: U.S. Geological Survey Bulletin 971, maps, 134 p.
- 1953, Geologic map of a portion of the Inspiration quadrangle, Arizona: U.S. Geological Survey Open File Report, 2 maps.
- Peterson, N. P., and Swanson, R. W., 1956, Geology of the Christmas copper mine, Gila County, Arizona: U.S. Geological Survey Bulletin 1027-H, p. 351-371.
- Phillips, C. H., Cornwall, H. R., and Rubin, M., 1971, A Holocene ore body of copper oxides and carbonates at Ray, Arizona: *Economic Geology*, v. 66, no.3, 495-498.
- Phillips, C. H., Gambell, N. A., and Fountain, D. S., 1974, Hydrothermal alteration, mineralization, and zoning in the Ray deposit: *Economic Geology*, v. 69, no. 8, p. 1237-1250.
- Pough, F. N., 1941, Occurrence of willemite: *American Mineralogist*, v. 26, p. 92-102.
- Pratt, J. H., 1902, Gold deposits of Arizona: *Engineering and Mining Journal*, v. 73, p. 795-796.
- Prout, J. W., 1907, The silver-lead deposits of the Mowry mine, Mowry, Santa Cruz County, Arizona [M.S. thesis]: Tucson, University of Arizona, 18 p.
- Purington, C. W., 1907, The Vulture mine, Arizona: *Mining and Scientific Press*, v. 94, p. 308-310.
- Pushkar, P., and Damon, P. E., 1974, Apparent Paleozoic ages from southern Arizona; K-Ar and Rb-Sr geochronology: *Isochron/West*, no. 10, p. 7-10.
- Raabe, R. G., 1959, Structure and petrography of the Bullock Canyon, Buchman Canyon area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 50 p.
- Ransome, F. L., 1902, Copper deposits of Bisbee, Arizona: U.S. Geological Survey Bulletin 213, p. 149-157.
- 1903, Geology of the Globe copper district, Arizona: U.S. Geological Survey Professional Paper 12, 168 p.
- 1904a, Description of the Globe quadrangle, Arizona: U.S. Geological Survey Folio 111, 17 p.
- 1904b, The geology and ore deposits of the Bisbee quadrangle, Arizona: U.S. Geological Survey Professional Paper 21, 168 p.

- 1912, Activities in the Turquoise copper district, Arizona: Mining Engineering World, v. 36, p. 1359-1361.
- 1913, The Turquoise copper mining district, Arizona: U.S. Geological Survey Bulletin 530, p. 125-234.
- 1915, The copper deposits of Ray and Miami, Arizona: U.S. Geological Survey Professional Paper 115, 192 p.
- 1919, The copper deposits of Ray and Miami, Arizona: U.S. Geological Survey Professional Paper 115, 92 p.
- 1920, Deposits of manganese ore in Arizona - Bisbee and Tombstone districts: U.S. Geological Survey Bulletin 710, p. 96-119.
- 1922, Ore deposits of the Sierrita Mountains, Pima County, Arizona: U.S. Geological Survey Bulletin 725-J, p. 407-428.
- 1923a, Description of the Ray quadrangle, Arizona: U.S. Geological Survey Folio 217, 24 p., Maps.
- 1923b, Geology of the Oatman gold district, Arizona: U.S. Geological Survey Bulletin 743, 58 p.
- Reber, L. E., 1916, The mineralization of Clifton-Morenci: Economic Geology, v. 11, p. 528-573.
- Rehrig, W. A., and Reynolds, S. J., 1980, Geologic and geochronologic reconnaissance of a northwest trending zone of metamorphic core complexes in southern and western Arizona, in Crittenden, M. D., Jr., Coney, P. J., and Davis, G. H., eds., Cordilleran metamorphic core complexes: Geological society of America Memoir 153, p. 131-157.
- Rehrig, W. A., Shafiullah, M., and Damon, P. E., 1980, Geochronology, geology, and listric normal faulting of the Vulture Mountains, Maricopa County, Arizona: Arizona Geological Society Digest, v. 12, p. 89-110.
- Richard, K. E., and Courtright, J. H., 1954, Structure and mineralization at Silver Bell, Arizona: Mining Engineering, v. 6, no. 11, p. 1095-1099.
- \_\_\_\_\_ 1959, Some geologic features of the Mission copper deposit: Arizona Geological Society, 2nd Annual Field Conference, Guidebook II, p. 200-204.
- \_\_\_\_\_ 1966, Structure and mineralization at Silver Bell, Arizona, in Titley, S. K., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 157-163.
- Robinson, R. F., and Cook, A., 1966, The Safford copper deposit, Lone Star mining district, Graham County, Arizona, in Titley, S. R., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 251-266.

- Robison, B. A., 1979, Stratigraphy and petrology of some Mesozoic rocks in western Arizona [M.S. thesis]: Tucson, University of Arizona, 138 p.
- Robison, R. L., 1954, Sunset claims, Pajarito district Arizona: U.S. Atomic Energy Commission Preliminary Reconnaissance Report A-P-287, 1 p.
- Roe, R. R., 1976, Geology of the Squaw Peak porphyry copper-molybdenum deposit, Yavapai County, Arizona [M.S. thesis]: Tucson, University of Arizona, 102 p.
- Romslo, T. M., 1950, Investigation of the Lakeshore copper deposits, Pinal County, Arizona: U.S. Bureau of Mines Information Circular 4706, 24 p.
- Ross, C. P., 1925a, Geology and ore deposits of the Aravaipa and Stanley mining districts, Graham County, Arizona: U.S. Geological Survey Bulletin 763, 120 p.
- 1925b, Ore deposits of the Saddle Mountain and Banner mining districts, Arizona: U.S. Geological Survey Bulletin 771, 72 p.
- Ruff, A. W., 1952, The geology and ore deposits of the Indiana mine area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 64 p.
- Rytuba, J. J., Till, A. B., Blair, W., and Haxel, G., 1978, Reconnaissance geologic map of the Quijotoa Mountains quadrangle, Pima County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-937, scale 1:62,500.
- Savely, J. P., 1972, Orientation and engineering properties of jointing in the Sierrita pit, Arizona [M.S. thesis]: Tucson, University of Arizona, p.
- Scheller, W. L., 1932, Chemical composition of cuprotungstite: American Mineralogist, v. 17, p. 234-237.
- Schloderer, J. P., 1974, Geology and kinematic analysis of deformation in the Redington Pass area, Pima County, Arizona [M.S. thesis] Tucson, University of Arizona, 60 p.
- Schmidt, E. A., 1971, A structural investigation of the northern Tortilla Mountains, Pinal County, Arizona [Ph.D thesis]: Tucson, University of Arizona, 248 p.
- Schmitt, H. A., Clippinger, D. M., Roper, E. J., and Toombs, H., 1959, Disseminated deposits at the Esperanza copper mine [abs.]: Arizona Geological Society, Southern Arizona Guidebook II, p. 205.
- Schrader, F. C., 1907, The mineral deposits of the Cerbat Range, Black Mountains, and Grand Wash Cliffs, Mohave County, Arizona: U.S. Geological Survey Bulletin 340, p. 53-83.

- F. C., 1909, The mineral deposits of the Cerbat Range, Black Mountains, and Grand Wash Cliffs, Mohave County, Arizona: U.S. Geological Survey Bull. 397, 226 p.
- 1915, Mineral deposits of the Santa Rita and Patagonia Mountains, Arizona (with contributions by J. M. Hill): U.S. Geological Survey Bulletin 582, 373 p.
- 1917, The geologic distribution and genesis of the metals in the Santa Rita-Patagonia Mountains, Arizona: Economic Geology, v. 12, p. 237-269.
- Schrader, F. C., and Hill, J. M., 1910, Some occurrences of molybdenite in the Santa Rita and Patagonia Mountains, Arizona: U.S. Geological Survey Bulletin 430-D, p. 154-163.
- Schwartz, G. M., 1949, Oxidation and enrichment in the San Manuel copper deposit, Arizona: Economic Geology, v. 44, p. 253-277.
- 1953, Geology of the San Manuel copper deposit, Arizona: U.S. Geological Survey Prof. Paper 265, 65 p.
- Schwartz, R. J., 1954 Detailed geological reconnaissance of the central Tortilla Mountains, Pinal County, Arizona [M.S. thesis]: Tucson, University of Arizona, 82 p.
- Scott, W. A., 1916, Commonwealth mine and mill at Pearce, Arizona: Mining and Engineering World, v. 45, p. 187-188.
- See, J. M., Jr., 1964, Origin and distribution of molybdenum in the vicinity of the Glove mine, Santa Cruz County, Arizona [M.S. thesis]: Tucson, University of Arizona, 89 p.
- Shafiqullah, M., and Langlois, J. D., 1978, The Pima mining district, Arizona - a geochronologic update, in Callender, J. F., Wilt, J. C., Clemmons, R. E., and James, H. L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society, 29th Field Conference, Guidebook, p. 321-327.
- Shafiqullah, M., Damon, P. E., Lynch, D. J., Kuck, P. H., and Rehrig, W. A., 1978, Mid-Tertiary magmatism in southeastern Arizona, in Callender, J. F., Wilt, J. C., Clemmons, R. E., and James, H. L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society, 29th Annual Guidebook, p. 231-242.
- Shakel, D. W., 1974, The geology of layered gneisses in part of the Santa Catalina forerange, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 233 p.
- Shoemaker, A. H., and Somers, G., 1924, The geology of El Tiro mine, Silver Bell, Arizona [M.S. thesis]: Tucson, University of Arizona, 40 p.
- Silliman, B. 1881, Mineralogical notes. American Journal of Science, v. 22, 3d series: p. 198-205.

- Simmons, W. W., and Fowells, J. E., 1966, Geology of the Copper Cities mine, in Titley S. R., and Hicks C. L., eds. Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 151-156.
- Simons, F. S., 1964, Geology of the Klondyke quadrangle, Graham and Pinal Counties, Arizona: U.S. Geological Survey Prof. Paper 461, 173 p.
- 1972, Mesozoic stratigraphy of the Patagonia Mountains and adjoining areas, Santa Cruz County, Arizona: U.S. Geological Survey Prof. Paper 658-E, p. E1-E23.
- 1974, Geologic map and section of the Nogales and Lochiel quadrangles, Santa Cruz County, Arizona: U.S. Geological Survey Miscellaneous Investigations Map I-762, scale 1:48,000.
- Smith, F. C., 1907, The cyanidation of raw pyrite concentrates: Transactions of the American Institute of Mining, Metallurgical, and Petroleum Engineers, v. 37, p. 570-575.
- Smith, G. E., 1956, The geology and ore deposits of the Mowry mine area, Santa Cruz County, Arizona [M.S. thesis]: Tucson, University of Arizona, 44 p.
- Smith, L. A., 1927, The geology of the Commonwealth mine [M. S. thesis]: Tucson, University of Arizona, 73 p.
- Smith, V. L., 1975, Hypogene alteration at the Esperanza mine, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 161 p.
- Sousa, F. X., 1980, Geology of the Middlemarch mine and vicinity, Cochise County, Arizona [M.S. thesis]: Tucson, University of Arizona, 107 p.
- South, D. L., 1972, Sulphide zoning at the Lakeshore copper deposit, Pinal County, Arizona [M.S. thesis]: Tucson, University of Arizona, 102 p.
- Spatz, D. M., 1974, Geology and alteration-mineralization zoning of the Pine Flat porphyry copper occurrence, Yavapai County Arizona [M.S. thesis]: Tucson, University of Arizona, 148 p.
- Steele, H. J., 1978 Vekol Hills copper deposit, Pima County, Arizona, [abs.], in Jenney, J. P., and Hauck, H. R., eds., Proceedings of the porphyry copper symposium: Arizona Geological Society Digest, v. 11, p. 36.
- Stevens, H. J., 1903(v. III), 1905(v. V), 1906(v. VI), 1908(v. VII), 1910-1900(v. X), The copper handbook, a manual of the copper industry of the world; Houghton, Michigan, Horace J. Stevens.
- Stewart, C. A., 1912, The geology and ore deposits of the Silverbell mining district, Arizona: Institute of Mining, Metallurgical, and Petroleum Engineers Bulletin 65 p. 455-505; v. 43, p. 240-290: Mining World, v. 36, p. 1104-1107, 1147-1150.

- Stewart, L. A., and Pfister, A. J., 1960, Barite deposits of Arizona: U.S. Bureau of Mines Report of Investigations 5651, 89 p.
- Storms, W. R., and Bowman, A. B., 1957, Mining methods and practices at the Mineral Hill Copper mine, Banner Mining Company, Pima County, Arizona: U.S. Bureau of Mines, Information Circular 7786, 25 p.
- Studebaker, I. G., 1960, Structure and stratigraphy of the Helmet Peak area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 26 p.
- Tainter, S. L., 1947, Amargosa (Esperanza) molybdenum-copper property, Pima County, Arizona: U.S. Bureau of Mines Report of Investigations 4016, 15 p.
- Tainter, S. L., 1948, Christmas copper deposit, Gila County, Arizona: U.S. Bureau of Mines Report of Investigations no. 4293, 58 p.
- Tenney, J. B., 1927-29, History of mining in Arizona: unpub. manuscript, Special Collections, University Arizona Library and Arizona Bureau of Mines Library, Tucson, 514 p.
- 1934, Economic geological reconnaissance of Casa Grande Mining District, Pinal County, Arizona: Unpublished report, Casa Grande Chamber of Commerce, 24 p.
- 1935, Bisbee district, in Copper resources of the world: 16th International Geological Congress, v. 1, p.218-219.
- 1936, Geological report, Apache Peak gold prospect, Old Hat mining district, Pinal County, Arizona: Private report, 4 p.
- Thomas, L. A., 1966, Geology of the San Manuel ore body, in Titley, S. R., and Hicks, C. L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson University of Arizona Press, p. 133-142.
- Theodore, T. G., Blair, W. N., and Nash, J. T., 1982, Preliminary report on the geology and gold mineralization of the Gold Basin-Lost Basin mining districts, Mohave County, Arizona, with a section on K-Ar chronology of mineralization and igneous activity, by E. H. McKee, and Implications of the composition of lode and placer gold, by J. C. Antweiler and W. L. Campbell: U.S. Geological Survey open-file report 82-1052, 322 p.
- Thompson, A. P., 1925, The Silver mining district in Yuma County, Arizona: Mining Journal, v. 8, no. 16, p. 3-4.
- 1930, Finding the lost Vulture lode: Mining Journal, v. 14, no. 13, p. 9-11, 28-30.
- Thomsen, B. W., and Stulik, R. S., 1978, Hydrologic data for the Copper Basin area, a potential mining area in Yavapai County, Arizona: U.S. Geological Survey Open-File Report 78-413, 51 p.



- Thomssen, R. W., 1957, Micromounts from the Apache mine: The Mineral Explorer, v. 1, no. 1.
- Thomssen, R. W., Williams, S. A., and Bideaux, R. A., 1958, Minerals of the Table Mountain mine, Pinal County, Arizona: Mineral Explorer, 1958.
- Thorson, J. P., 1971, Igneous petrology of the Oatman district, Mohave County, Arizona [Ph.D. thesis]: Santa Barbara, University of California, 189 p.
- Thurmond, R. E., Heinrichs, W. E., Jr., and Spaulding, E. D., 1954, Geophysical discovery and development of the Pima mine, Pima County, Arizona--a successful exploration project: Mining Engineering, v. 6, no. 2, p. 197-202.
- Thurmond, R. E., and Storms, W. R., 1958, Discovery and development of the Pima copper deposit, Pima Mining Company, Pima County, Arizona: U.S. Bureau of Mines Information Circular IC-7822, 19 p.
- Trebisky, T. J., and Keith, S. B., 1975, Descloizite from the C and B vanadium mine: Mineralogical Record, v. 6, no. 3, p. 109.
- Ullmer, E., 1978, Copper Creek district, Pinal County, Arizona, in Lovering T. G., and McCarthy, J. H., Jr., eds., Conceptual models in exploration geochemistry; the Basin and Range province of the western United States and northern Mexico: Journal of Geochemical Exploration, v. 9, nos. 2-3, p. 160-163.
- 1978, Sacaton mine area, Pinal County, Arizona, in Lovering T. G., and McCarthy, J. H., Jr., eds., Conceptual models in exploration geochemistry; the Basin and Range province of the western United States and northern Mexico [abs.]: Journal of Geochemical Exploration, v. 9, nos. 2-3, p. 235-236.
- Van Alstine, R. E., and Moore, R. T., 1969, Fluorspar, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 348-357.
- Varga, R. J., 1976, Stratigraphy and superposed deformation of a Paleozoic and Mesozoic sedimentary sequence in the Harquahala Mountains, Arizona [M.S. thesis]: Tucson, University of Arizona, 61 p.
- 1977, Geology of the Socorro Peak area, western Harquahala mountains: Arizona Bureau of Geology and Mineral Technology Circular 20, scale 1:33,000.
- Venable, B. W., 1963, Mining at the Palo Verde mine: Mining Congress Journal, v. 49, no. 1, p. 14-18.
- Vuich, J. S., 1974, A geologic reconnaissance and mineral evaluation, Wheeler Wash area, Hualapai Mountains, Mohave County, Arizona [M.S. thesis]: Tucson, University of Arizona, 77 p.

- Wahab, O. A., 1974, Aplites and pegmatite in certain productive and barren North American Laramide and Mid-Tertiary intrusions [M.S. thesis]: Tucson, University of Arizona, 225 p.
- Wallace, R. M., 1951, Stratigraphy and structure of a part of the Canada del Oro district, Santa Catalina Mountains, Pinal County, Arizona [M.S. thesis]: Tucson, University of Arizona, 55 p.
- 1955, Structure of the northern end of the Santa Catalina Mountains, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 45 p.
- Wargo, J. G., 1954, Geology of a portion of the Coyote-Quinlan complex, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 67 p.
- Warner, L. A., Holser, W. T., Wilmarth, V. R., and Cameron, E. N., 1959, Occurrences of nonpegmatite beryllium in the United States: U.S. Geological Survey Professional Paper 318, 198 p.
- Watson, B. N., 1964, Structure and petrology of the eastern portion of the Silver Bell Mountains, Pima County, Arizona [Ph.D. thesis]: Tucson, University of Arizona, 168 p.
- Webb, V. P., and Coryell, K. C., 1954, Preliminary regional mapping in the Ruby quadrangle, Arizona: U.S. Atomic Energy Commission Technical Report RME-2009.
- Weed, W. H., 1913, "Chimney" or "pipe" deposits in the porphyries: Mining and Engineering World, v. 38, p. 375-378.
- 1918(v. XIII), 1920(v. XIV), The mines handbook and copper handbook, a manual of the copper industry of the world: Houghton, Michigan, Walter Harvey Weed.
- 1922(v. XV), 1925(v. XVI), 1926(v. XVII), The mines handbook, a manual of the copper industry of the world: Houghton, Michigan, Walter Harvey Weed.
- Wells, R. C., 1937, Analyses of rocks and minerals from the laboratory of the United States Geological Survey, 1914-1936: U.S. Geological Survey Bulletin 878, 134 p.
- Whitacre, H. E., 1964, The geology of the Madera-Aqua Caliente Canyons area, southern Arizona [M.S. thesis]: Tucson, University of Arizona, 41 p.
- Whitcomb, H. A., 1948, Geology of the Morgan mine area, Twin Buttes, Arizona [M.S. thesis]: Tucson, University of Arizona, 83 p.
- Wickes, L. W., 1917, Molybdenum in the Hualapai Mountains: Mining and Scientific Press, v. 114, p. 699-700.
- Wilkinson, W. H., Roe, A., and Williams, S. A., 1980, some unusual secondary minerals from the Mineral Park mine: The Mineralogical Record, Arizona II, v. II, no. 4, p. 243-245.

- Willden, R., 1964, Geology of the Christmas quadrangle, Gila and Pinal Counties, Arizona: U.S. Geological Survey Bulletin 1161-E, 64 p.,
- Williams, S. A., 1962, The mineralogy of the Mildren and Steppe mineral districts, Pima County, Arizona [Ph. D. thesis]: Tucson, University of Arizona, 95 p.
- 1963, Oxidation of sulphide ores in the Mildren and Steppe mining districts, Pima County, Arizona: Economic Geology, v. 58, no. 7, p. 1119-1125.
- 1978, Khinite, parakhinite, and dugganite, three new tellurates from Tombstone, Arizona: American Mineralogist, v. 63, no. 9-10, p. 1016-1019.
- 1980, The Tombstone district, Cochise County, Arizona: The Mineralogical Record, Arizona II, v. 11, no. 4, p. 251-258.
- Williams, S. A., and Anthony, J. W., 1970, Hemihedrite, a new mineral from Arizona: American Mineralogist, v. 55, p. 1088-1102.
- Williamson, D. R., and Mueller, E., 1977, Ore estimation at Cyrus Pima mine: Transactions of the American Institute of Mining Engineers, v. 262, p. 17-29.
- Willis, C. F., 1920, Prince of Arizona: Arizona Mining Journal, April 1920, p. 38.
- Willis, C. F., ed., 1920, Arizona mining journal, devoted to the mining industry of the southwest: v. 3, no. 8, p. 41.
- 1935, The mining journal, a metal mining review of the United States and Mexico: v. 19, no. 8, p. 12.
- Wilson, E. D., 1927, Geology and ore deposits of the Courtland-Gleeson region, Arizona: Arizona Bureau of Mines Bulletin 123, Geological Series 5, 79 p.
- 1933, Geology and mineral deposits of southern Yuma County, Arizona: Arizona Bureau of Mines Bulletin 134, Geological Series 7, 236 p.
- 1941, Tungsten deposits of Arizona: Arizona Bureau of Mines Bulletin 148, Geological Series 14, 54 p.
- 1950, Arizona zinc and lead deposits: Arizona Bureau of Mines Bulletin 156, p. 23-26.
- 1951a, Arizona zinc and lead deposits--Castle Dome district (Yuma County): Arizona Bureau of Mines Bulletin 158, p. 98-115.
- 1951b, Curtin or Humphrey mine, in Arizona zinc and lead deposits, pt. II: Arizona Bureau of Mines Bulletin 158, p. 82-83.

- 1957, Geologic factors related to block caving at San Manuel Copper mine, Pinal County, Arizona: U.S. Bureau of Mines Report of Investigations 5336, 78 p.
- 1961, Gold placers and placering in Arizona, 6th ed., revised: Arizona Bureau of Mines Bulletin 168, 124 p.
- 1969, Mineral deposits of the Gila River Indian Reservation, Arizona: Arizona Bureau of Mines Bulletin 179, 34 p.
- Wilson, E. D., and Butler, G. M., 1930, Manganese ore deposits in Arizona: Arizona Bureau of Mines Bulletin 127, 107 p.
- Wilson, E. D., Cunningham, J. B., and Butler, G. M., 1934, Arizona lode gold mines and gold mining: Arizona Bureau of Mines Bulletin 137, Mineral Technology Series 37, 261 p.
- Wilson, E. D., Fansett, G. R., Johnson, C. H., Smith, M. C., Perkins, F.P.M.D., Vorhies, C. T., and Butler, G. N., 1937, Arizona gold placers and placering (fourth edition, reprinted 1967): Arizona Bureau of Mines Bulletin 148.
- Wilson, J. R., 1977, Geology, alteration, and mineralization of the Korn Kob mine area, Pima County, Arizona [M.S. thesis]: Tucson, University of Arizona, 103 p.
- Wilson, W. E., 1971, Classic locality: the Apache mine: Mineralogical Record, v. 2, no. 6, p. 252-258.
- 1972, Folio, the 79 mine: Mineralogical Record, v. 3, no. 6, p. 265-272.
- Wilson, W. E., and Miller, D. K., 1974, Minerals of the Rowley Mine: Mineralogical Record, v. 5, no. 1, p. 10-30.
- Wilt, J. C., Keith, S. B., Peterson, J. A., Huber, D. F., and Theodore, T. G., 1984, Preliminary report of molybdenum occurrences in Arizona: U.S. Geological Survey open-file report 84-9, 1,381 p.
- Witkind, I. J., 1956, Uranium deposits at base of the Shinarump conglomerate, Monument Valley, Arizona: U.S. Geological Survey Bulletin 1030-C, p. 99-130.
- Witkind, I. J., and Thaden, R. E., 1963, Geology and uranium-vanadium deposits of the Monument Valley area, Apache and Navajo Counties, Arizona: U.S. Geological Survey Bulletin 1103, 171 p.
- Yarter, W. V., 1981, Geology, geochemistry, alteration, and mass transfer in the Sol prospect, a subeconomic porphyry copper-molybdenum deposit, Safford district, Graham County, Arizona [M.S. thesis]: Tucson, University of Arizona, 50 p.
- Yeend, W., 1976, Reconnaissance geologic map of the Picacho Mountains, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-778.

Table 1.-- Listing of Molybdenum occurrences in Arizona. Locality numbers are keyed to those shown on plate 1.

Locality number	County	District	Deposit Name	Township Range	Section 1/4	Geologic associations	Molybdenum production	References
Molybdenite in deposits in or associated with Precambrian host rocks								
1	Gila	Masatzel Mountains	El Oso group	5 N. 10 E.	30	Tungsten veins at intersections of fissures which are intruded by pegmatite and apatite dikes. Minor amounts of molybdenite occur in quartz, with wolframite crystals coated with scheelite	--	Dale, 1961, p. 11-13; U.S. Geological Survey Mineral Resource Data System (MRDS) # M003020
2	Gila	Pinal Mountains	Sammel mine	2 S. 14 E.	11 NW	Tungsten quartz vein is in shear zone. Near east-northeast Laramide dikes	--	Wilson, E. D., 1941, p. 28-29; Dale, 1961, p. 7-8; MRDS # M000364
3	Gila	Sierra Ancha	Hope mine	6 N. 14 E.	30 NE	Uraninite in brecciated hornfels of Dripping Spring Quartzite above diabase. Molybdenite rosettes occur in vugs on silicate minerals and some molybdenite is associated with pyrite and pyrrhotite	--	Grauger and Kaup, 1959, p. 464-465; 1969, p. 44-54; MRDS # M002877
4	Gila	Sierra Ancha	Suckerite mine	6 N. 13 E.	24 SC	Uraninite in bedding plane faults in Dripping Spring Quartzite above diabase. Molybdenite occurs with other base-metal sulfides	--	Grauger and Kaup, 1959, p. 469-470; 1969, p. 86; MRDS # M003112
5	Gila	Sierra Ancha	Workman Creek mine	6 N. 14 E.	19 C	Uraninite in brecciated above hornfels of Dripping Spring Quartzite diabase. Molybdenite occurs in mobilized hornfels facies along with base-metal sulfides	--	Grauger and Kaup, 1959, p. 470-472; 1969, p. 86; MRDS # M002876
6	Maricopa	Cave Creek	Gold Cliff mine	6 N. 4 E.	11	Tungsten in quartz veins at intersections of northeast and north-northeast fissures with chalcopyrite and minor molybdenite	--	Schaller, 1932, p. 234; Wilson, E. D., 1941, p. 26; MRDS # D000073
7	Yavapai	Bradshaw Mountains	Cornucopia mine	11 N. 1 W.	33 NC	Gold and molybdenite in vein in Brady Butte porphyritic granodiorite	--	Wilson and others, 1937, p. 25; Anderson and Blacet, 1972; MRDS # M004333
8	Yavapai	Camp Wood	Black Pearl mine	15 N. 7 W.	7, 8, 18	Tungsten in quartz fissure vein in granite to alkali with scheelite, chalcopyrite, and molybdenite.	--	Dale, 1961, p. 43; Wilson, E. D., 1941, p. 21; MRDS M003351
9	Yavapai	Cherry Creek	Black Hawk prospect	14 N. 3 E.	16	Gold in veins in quartz diorite, with molybdenite	--	Anderson and Creasey, 1958, p. 176; MRDS # M800020
10	Yavapai	Cleator area	Kelley mine	10 N. 1 E.	2, 3	Gold, silver, lead, and molybdenum in pegmatite cut by quartz veins	--	U.S. Bureau of Mines unpub. data; MRDS # M002357
11	Yavapai	Groom Creek	Prescott area	13 N. 2 W.		Flakes of molybdenite in quartz veins in Prescott Granodiorite	--	Kreiger, 1965, p. 105; MRDS # M030509
12	Yavapai	Groom Creek	Williams (Spring-time) lode mine	13 N. 2 W.	22	Copper, gold, and molybdenum in quartz veins near Government Canyon Granodiorite in Green Gulch volcanic schist	--	U.S. Bureau of Mines unpub. data; Anderson and Blacet, 1972; MRDS # M003376
13	Yavapai	Bassayampa	(*)Arizona Central (Kanjuck) mine	12 N. 1 W.	19 WC	Copper, gold, silver, and molybdenite in Crooks Canyon Granodiorite near gabbro	--	Lindgren, 1926, p. 126; Jagger and Palache, 1905; MRDS # 0034493
14	Yavapai	Bassayampa	Twin Ledge prospect	12 N. 2 W.	33	Copper, gold, silver, and molybdenite in quartz veins in Government Canyon Granodiorite	--	Kirkemo, Anderson and Creasey, 1965, p. 32; King, 1969, p. 235; Anderson and Blacet, 1972; MRDS # M003374
15	Yavapai	Bassayampa	Venusia	12 N. 2 W.	12	Molybdenite in quartz veins in Crooks Canyon Granodiorite	--	Lindgren, 1926, p. 24, 26, 114-126; Anderson and Blacet, 1972; MRDS # 800166
16	Yavapai	Kirkland	Pleeta group	12 N. 4 W.		Gold, silver, cerussite, and molybdenite(?) in quartz veins in quartz porphyry	--	Hicks, 1979, p. 25; MRDS # 030501
17	Yavapai	Peck	Blue Bird mine (Gold King group)	11 N. 1 W.	35	Molybdenite in gold, silver, and base-metal veins in Iron King Volcanics of Big Bug Group of Yavapai Schist	--	Anthony, Williams, and Sidaux, 1977 p. 142; Jagger and Palache, 1905; MRDS # M800050
18	Yavapai	White Picacho	Picacho View mine	7 N. 3 W.	10 NW	Pyrite, molybdenite, galena, sphalerite, and rare earth elements in feldspar-bearing Precambrian pegmatites in Precambrian quartz-mica schist and amphibolite schist	--	Jahns, 1952, p. 90-93; MRDS # M001390
Molybdenite in deposits in or associated with Jurassic host rocks								
19	Cochise	Warren	Biabea Queen shaft	23 S. 24 S.		Rare molybdenite as films on pyritic ore. (See also no. 333)	--	Anthony, Williams, and Sidaux, 1977, p. 142, 156; Emmons and Becker, 1885; MRDS # M002911

Table 1.-- (cont'd)

20	Pima	Baboquivari	Arizona Molybdenum mine	20 S.	7 E.	2		Molybdenite and base-metal sulfides in pegmatitic veins and dikes in granitic to granodioritic rocks	Minor Mo conc. (1917)	Keith, S. B., 1974, p. 107; Hazel and others, 1980; MRDS # M000929
21	Pima	Baboquivari	Big Banana mine	17 S.	7 E.	32	NC	Tungsten, copper, molybdenite, and fluorite in fissure vein in altered intrusive rhyolite of the All Molina Formation	--	Keith, S. B., 1974, p. 108; Dale, Stewart, and McKinney, 1960, p. 67-69; MRDS # M050133
22	Pima	Baboquivari	Gold Bullion mine	20 S.	7 E.	2		Gold-pyrite quartz veins in fissures cutting pegmatites and metasediments	Several hundred tons high-grade molybdenum ore	Keith, S. B., 1974, p. 109; King, 1969, p. 236; Anthony, Williams, and Bileaux, 1977, p. 141; MRDS # M050222
23	Pima	Cababi	Hildren mine	16 S.	4 E.	16	EC	A molybdenite specimen found on Brecon claim in gold-quartz vein in brecciated fissure vein cutting andesite. (See also no. 193)	--	Williams, 1962, p. 25, 46, 91; MRDS # M050610
24	Santa Cruz	Harshaw	Thunder mine	23 S.	16 E.	7	N	In shear zones in Triassic-Jurassic granite porphyry which intrudes Mt. Wrightson Formation. (See also no. 357).	--	Schrader, 1915, p. 256-257; MRDS # M030390
25	Yuma	Middle Camp	(?) Sugarloaf Peak area	3 N.	20 W.	3		Geochemical molybdenum anomaly in intense quartz-sericite-pyrite alteration in Dome Rock metamorphics. May be Laramide.	--	Crowl, 1979; Heineman, 1935, p. 138-139; Kerr, 1946; MRDS # M002156
Molybdenite in post-Paleozoic uranium-bearing deposits on the Colorado Plateau										
26	Coconino	Grand Canyon	Orphan Lode mine	31 N.	2 E.	14	WC SH	Uraninite and base-metal sulfides in permeable areas of collapse breccia pipe. (See also nos. 190, 393)	--	Kofford, 1969, p. 190-194; Granger and Raup, 1962, p. 10; Gornitz and Kerr, 1970; MRDS # M01823
Molybdenite associated with Laramide (71 to 50 m.y.) porphyry copper deposits										
27	Cochise	Cochise (Johnson Camp)	Johnson Camp mine	15 S.	22 E.	23	SE	Tungsten-copper-zinc skarn deposits are in middle member of Abrigo Formation near east side of 57-m.y.-old Texas Canyon Quartz Monzonite. Secondary copper oxide deposits in lower Abrigo Formation (See also no. 338)	--	Keith, S. B., 1973, p. 57; Clayton, 1978, p. 17-24; Backer, A., 1932; others, 1973, p. 21; Marvin, Naefer, and Mehnert, 1978, p. 250; Cooper and Silver, 1964, p. 163-181; MRDS # M050007
28	Cochise	Cochise	Keystone mine (Hagerman mine) (Bannon group)	15 S.	22 E.	36	NW	Spotty molybdenite in Abrigo Formation in base-metal sulfide skarn of 53-m.y.-old Texas Canyon Quartz Monzonite	--	Keith, S. B., 1973, p. 57; Cooper and Silver, 1964, p. 173-174; Marvin and others, 1973, p. 21; Marvin, Naefer, and Mehnert, 1978, p. 250; MRDS # M050006
29	Cochise	Cochise	Hammoth mine	15 S.	22 E.	23	SH	Molybdenite flakes disseminated through copper and zinc sulfides and skarn in top of middle member of Abrigo Limestone	--	Keith, S. B., 1973, p. 58; Cooper and Silver, 1964, p. 168; MRDS # M241085
30	Cochise	Cochise	Moore mine	15 S.	22 E.	23	SH	In fold flexures in skarn in an erratically garnetized and permeable limestone beneath an impermeable white tuffite at the top of the middle member of Abrigo Limestone	--	Keith, S. B., 1973, p. 58; Cooper and Silver, 1964, p. 163-165; MRDS # M050014
31	Cochise	Cochise	Republic mine	15 S.	22 E.	36	EC	At fold flexures and intersection of northeast faults with favorably garnetized limestone beds in middle member of Abrigo Limestone below impermeable white tuffite beds	--	Keith, S. B., 1973, p. 59; Cooper and Silver, 1964, p. 149, 165-168; MRDS # M050513
32	Cochise	Cochise	St. George mine	15 S.	22 E.	36	NW	Scarce molybdenite in garnet and lime silicates in copper and zinc sulfides in skarns in middle Abrigo Formation. Oxidized copper in Martin Formation	--	Keith, S. B., 1973, p. 59; Cooper and Silver, 1964, p. 174-175; MRDS # M050004
33	Gila	Banner	Chilito mine (Schneider group)	4 S.	15 E.	22		Disseminated copper sulfide in fractured Precambrian Apache Group sediments, diabase sills, and 1,400-m.y.-old granite, and in probable 63-m.y.-old quartz diorite porphyry	--	Earlick, 1968, p. 1191-1210; Banks and Krieger, 1977, p. 3; Koaki, 1978; Perry, 1968, 1969; MRDS # M000503
34	Gila	Banner	Christmas mine (Red Bird shaft) (hackberry shaft)	4 S.	16 E.	29	NW	Disseminated along fractures in limestone beds garnetized by contact metamorphism near 62-m.y.-old quartz diorite stock	--	Earlick, 1968, p. 1191-1210; Peterson and Swanson, 1956, p. 151-171; Tainter, 1948; Willden, 1964; P. 50-56; Koaki, 1978; Perry, 1968, MRDS # M000635
35	Gila	Banner	79 mine	4 S.	15 E.	21	SE	Very rare molybdenite occurs as disseminated grains in the rhyodacite porphyry dikes. No molybdenite has been found in the lead-zinc deposit which may be the outer lead-zinc zone of the Christmas and Chilito deposits (See also no. 231)	--	Keith, S. B., 1972, p. 247-264; Wilson, W. E., 1972, p. 265-272; Kiersch, 1951, p. 66-83; 1949, p. 24-39; 1947; Banks and Krieger, 1977; MRDS # M000500

Table 1.-- (cont'd)

36	Gila	Miami		1 N.	13 E.	36			Molybdenum anomaly near supergene-enriched partly oxidized chalcocite blanket above gently dipping Cactus thrust fault with Schultze granite in vicinity	--	Arizona Bureau of Geology and Mineral Technology (ABGMT) unpub. data; Peterson, N. P., 1962, p. 95-97; HRDS # HD02008
37	Gila	Miami		1 N.	14 E.				Disseminated in steep east-northeast quartz veins, in Precambrian diabase sills, and in(?) 64-m.y.-old Lost Gulch quartz monzonite. Supergene enrichment is important. (See also nos. 235, 361)	946,394 lbs (1948-1975)	Peterson, N. P., and others, 1951; Peterson, N. P., 1950, p. 820-840; 1952, p. 129-131; 1948, p. 195-205; HRDS # HD02863
38	Gila	Miami		1 N.	15 E.	7	WC		Disseminated in highly fractured zone in 64-m.y.-old Lost Gulch Quartz Monzonite especially along the contact of 62-m.y.-old Schultze Granite. Secondary enrichment is greater in more permeable quartz monzonite. (See also no. 362)	1,446,184 lbs (1967-1975)	Simmons and Fowells, 1966, p. 151-156; Peterson, N. P., 1954, p. 362-377, 1967, p. 88-94; Anderson, 1968; Greasey, 1965; Greasey and Klatier, 1962; HRDS # HD03145
39	Gila	Miami		1 N.	14 E.	23-26			Disseminated in small fractures in porphyritic phase of 62-m.y.-old Schultze Granite, which is intruded along northeast schistosity in Pinal Schist. Supergene enrichment made high-grade chalcocite deposit. (See also nos. 340, 383.)	3,558,125 lbs (1958-1973)	Olmstead and Johnson, 1966, p. 143-150; Peterson, N. P., 1962; Anderson, 1968; HRDS # HD00316
40	Gila	Miami		1 N.	14 E.	23-26			Is part of same ore body as Inspiration mine but owned by different company	2,177,876 lbs (1949-1959)	Peterson, N. P., 1962; Olmstead and Johnson, 1966, p. 143-150 HRDS # HD03084
41	Gila	Pinal Mountains		1 S. 14-1/2 E.	18, 19	W			Disseminated in northwest fractures between 62-m.y.-old Schultze Granite and Madera diorite. (See also no. 363.)	--	Peterson, N. P., 1963, p. 14; ABGMT unpub. data; HRDS # HD00365
42	Gila	Summit		1 S.	14 E.	6	S line		Molybdenite with chalcocopyrite, pyrite, ferrimolybdenite, cerussite, azurite, and malachite, in shear zone or stockwork in Tertiary (58 to 62 m.y.-old) Schultze Granite. Large foliated masses of molybdenite occur with quartz between the middle part of the northeast veins and the muscovite envelope. (See also no. 364.)	50 t high-grade molybdenite stored but washed down stream in flood early in World War I	Norvill, 1938; Peterson, N.P., 1962, p. 133-134; 1963, p. 16-17; 1969, p. 235; Greasey and Klatier, 1962; Kling, 1970; HRDS # HD01974
43	Gila	Summit						Near northwest corner of Pinal Manch quadrangle	Small scattered knots of molybdenite occur in glassy quartz veins	--	Peterson, N. P., 1962; Kerr, 1946; King, 1969, p. 235; HRDS # HD00317
44	Gila	Summit						Northeast of Bronx property	Copper and molybdenite in veins in granite (probably the Schultze Granite of Tertiary (58 m.y. old) age	--	ABGMT unpub. data; Greeley, 1978, p. 83-87; Langton and Williams, 1982; HRDS # HD01628
45	Graham	Lone Star (Safford)		5 S.	26 E.	28			Disseminated in fracture intersections in Cretaceous andesite and 58 to 62-m.y.-old monzonite porphyry	--	Robinson and Cook, 1966, p. 250-266; Dunn, 1978, p. 9-15; Morenall, 1978, p. 241-243; HRDS # HD01755
46	Graham	Lone Star		6 S.	27 E.	5			Disseminated in Cretaceous porphyritic andesite where northeast faults and shears were intruded by rhyolite, latite, dacite, and 58-m.y.-old quartz diorite. 53-m.y.-old mineralization	--	Dunn, 1978, p. 9-15; Robinson and Cook, 1966; HRDS # HD00791
47	Graham	Lone Star		6 S.	27 E.	25, 26			Disseminated in quartz monzonite porphyry stock and especially in nearby andesites	--	Robinson and Cook, 1966; Dunn, 1978, p. 9-15; Blake, 1971; Morenall, 1978, p. 241-243; HRDS # HD01715
48	Graham	Lone Star		6 S.	26 E.	2			Disseminated in fractures and veins in 53-m.y.-old San Juan Quartz Monzonite porphyry stock, intruded into east-northeast shear zone.	--	Yarter, 1981; Dunn, 1978, p. 9-15;
49	Graham	Lone Star		7 S.	28 E.	19			Disseminated in 60-m.y.-old diorite porphyry	--	Moelick and Durek, 1966, p. 221-231; Ludgren, 1905A, 1905B; Bucier and Wilson, 1938, p. 72-80; Reber, 1916, p. 529-573; Bennett, 1973; Langton, 1973; McBowell, 1971; HRDS # HD02216
50	Greenlee	Morenci		4 S.	29 E.	8, 9, 15, 16			Disseminated in 55-m.y.-old quartz monzonite porphyry intruded into northeast Precambrian zone of weakness. 51-m.y.-old breccia pipes are in granite porphyry. Supergene enrichment is in porphyry, Precambrian plutonics, and Paleozoic limestones and quartzites. (See also no. 239.)	--	Anchovy, Williams, and Bideaux, 1977, p. 141; Frondel and Micklem, 1970; HRDS # HD03074
51	Mohave	Diamond Joe mine		17 N.	14 W.	29	WC		Quartz veins in 69-m.y.-old Diamond Joe quartz monzonite.	--	Arizona Department of Mineral Resources, 1962; Hess, 1924, p. 13-14; HRDS # HD03076
52	Mohave	Diamond Joe		17 N.	14 W.	19	E		Quartz veins in 69-m.y.-old Diamond Joe quartz monzonite.	--	

Table 1.-- (cont'd)

53	Mohave	Diamond Joe	Golden Comstock mine	17 N.	14 W.	29	EC	Quartz veins in 69- to 73-m.y.-old Diamond Joe quartz monzonite.	--	ARGENT unpub. data; Anthony, Williams and Bidaux, 1977, p. 141; MRDS # M030346
54	Mohave	Diamond Joe	Leviathan mine	17 N.	14 W.	31	NE	Quartz veins cutting 69- to 73-m.y.-old Diamond Joe quartz diorite.	--	Ivess, 1974, p. 14; King, 1969, p. 237; Anthony, Williams and Bidaux, 1977; MRDS # M030826
55	Mohave	Diamond Joe	Old Hill Site prospect	17 N.	14 W.	28	SW	Northwest shear zone in 72- to 73-m.y.-old Diamond Joe quartz monzonite porphyry stock	--	ARGENT unpub. data;
56	Mohave	Diamond Joe	Pasadena mine	17 N.	14 W.	30		Molybdenite and pyrite in Precambrian rhyolite and gneisses near Leviathan mine in Tertiary-Cretaceous quartz diorite.	--	ARGENT unpub. data; MRDS # M04447
57	Mohave	Diamond Joe	(?) Waldron and Venture mines	17 N.	14 W.	29	C	Gold, silver, copper, molybdenum, lead, and zinc, in Diamond Joe quartz monzonite porphyry	--	ARGENT unpub. data; MRDS # M030351
58	Mohave	Diamond Joe	Yellow Basin area (includes Leviathan)	17 N.	14 W.	20	W	Molybdenite and powellite(?).	--	Hicks, 1979, p. 18; MRDS # M030826
59	Mohave	Eldorado	Black Mountain prospect	27 N.	21 W.			Molybdenite, chalcocite, chrysocolla, and molybdenum geochemical anomaly. Cretaceous(?) intrusive.	--	ARGENT unpub. data; Black, 1975; MRDS # M030369
60	Mohave	Gold Basin	O.K. claim (Doney and Galen)	28 N.	18 W.	28	NW	Gold, tungsten, galena, and molybdenite in fissure veins in Precambrian granite with Late Cretaceous(?) porphyritic quartz monzonite nearby. Uncertain age.	--	Lawson and Tveit, 1962; Black, 1975; Anthony, Williams, and Bidaux, 1977; MRDS M004093
61	Mohave	Hayward	Blue Bell group	19 N.	15 W.	1, 2, 12		Pyrite, molybdenite, tungsten, and bismuth in quartz veins in northwest fissures in Precambrian granite gneiss and Cretaceous granite.	--	Dale, 1961, p. 91-93; MRDS # M003906
62	Mohave	Hayward	Century mine	20 N.	15 W.	12	W	Pyrite and molybdenite in quartz veins in 65-m.y.-old quartz monzonite.	--	Vulch, 1974; Malach, 1977, p. 37; MRDS # M030356
63	Mohave	Hayward	Gold Metal mine	20 N.	15 W.	24	NW	Disseminated in northeast fractures in Soap Wash fault zone in 65-m.y.-old quartz monzonite.	--	Malach, 1977; Vulch, 1974; MRDS # M030357
64	Mohave	Hayward	Laxton property	20 N.	15 W.	26, 27	NE	Disseminated in pyritic quartz veins with tungsten, molybdenite, copper sulfides, galena, and sphalerite in 65-m.y.-old quartz monzonite.	--	Wilson, E. D., 1941, p. 15; Dale, 1961, p. 91; Vulch, 1974; MRDS # M001794
65	Mohave	Hayward	Telluride Chief mine (Standard Minerals mine)	20 N.	15 W.	13	SE	Molybdenite, tungsten, gold, and silver in quartz veins in northeast fissures in 68-m.y.-old granite and pegmatite	Some production in World War I	Hewitt and others, 1936, p. 16; Vulch, 1974; Malach, 1977, p. 60; King, 1970; Hicks, 1979, p. 19; MRDS # M003914
66	Mohave	Hayward	Prospect west of Standard Minerals mine	20 N.	15 W.	13	SW	Pyrite, chalcocopyrite, and molybdenite in quartz veins in Precambrian granite near 68-m.y.-old pegmatite.	--	Vulch, 1974; MRDS # M004049
67	Mohave	Hayward	Prospect in Soap Canyon	20 N.	15 W.	23	E	Pyrite, chalcocopyrite, and molybdenite in quartz veins in Soap Wash fault(?) zone in Precambrian granite and Cretaceous quartz monzonite.	--	Vulch, 1974; Malach, 1977, p. 23; MRDS # M030360, M030359
68	Mohave	Hayward	Prospect west of Odie Ranch	20 N.	15 W.	26	NE	Pyrite and molybdenite in north-northeast-striking quartz veins.	--	Vulch, 1974; Malach, 1977, p. 23; MRDS # M030361
69	Mohave	Shannon Basin (Owens)	(?) Devils Canyon area	15 N.	14 W.	14		Copper and molybdenum in quartz veins in 58-m.y.-old quartz monzonite and dacite porphyry.	--	ARGENT unpub. data; MRDS # M030347
70	Mohave	Shannon Basin (Owens)	Wikitup prospect	15 N.	13 W.	22, 15		Chalcocopyrite and molybdenite disseminated in fractures and quartz veins in 58-m.y.-old quartz monzonite porphyry. (See also no. 365.)	--	ARGENT unpub. data; Lawson, 1977; MRDS # M030373
71	Mohave	Wallapai (Mineral Park)	Mineral Park property	23 N.	17 W.	19		Molybdenite, chalcocopyrite, and chalcocite disseminated in 71-m.y.-old Itasca Peak quartz monzonite porphyry. Secondary enrichment. (See also nos. 243, 366.)	43,750,000 lb (1964-1979)	Eldred, Frost, and Clippinger, 1968, p. 1258-1281; Drake, 1972; Damon and Hauger, 1966; MRDS # M004058
72	Mohave	Wallapai (Mineral Park)	Gross Copper prospects	23 N.	18 W.	25	NC	Disseminated in 71-m.y.-old Itasca Peak granite.	--	Schraeder, 1909, p. 1; Dinges, 1951, p. 154-155; Damon and Hauger, 1966; MRDS # M004206
73	Mohave	Wallapai (Mineral Park)	Gross Molybdenite prospects	23 N.	18 W.	25	C	Disseminated in quartz veinlets in 71-m.y.-old Itasca Peak granite.	--	Dinges, 1951, p. 154-155; Damon and Hauger, 1966; MRDS # M004207
74	Mohave	Wallapai (Mineral Park)	Turquoise Mountain prospects	23 N.	18 W.	25	E	Molybdenum geochemical anomalies in 71-m.y.-old Itasca Peak granite.	--	Eldred, Frost, and Clippinger, 1968, p. 1258-1293; Damon and Hauger, 1966; MRDS # M030365
75	Mohave	Wallapai (Chloride)	Samoa mine	23 N.	18 W.	1	SE	Molybdenite in cross veinlets in granite 71-m.y.-old Itasca Peak granite is nearby. No copper sulfides.	--	Schraeder, 1909, p. 51-80; 1907, p. 63-64; Dinges, 1951, p. 147; Damon and Hauger, 1966; MRDS # M004035



Table 1.-- (cont'd)

76	Pima	Ajo	New Cornelia open pit mine (Ajo mine)	12 S. 22 W. 23 N 26 NE 27	6 W.	22 23 26 27	SE SW NW NE	Diseminated in 63-m.y.-old Cornelia quartz monzonite and bordering quartz diorite and in microfractures in rhyolites of Concentrador (Cretaceous?) volcanics.	Mo recovery circuit to be installed	Dixon, 1966, p. 123-132; Gilluly, 1946; 1957; Damon, Hauger, and Bikerman, 1964; Pay Dirt, 1974; HDS # HD00040, HD02267, HD02276
77	Pima	Catalina	Pontacoc mine	13 S. 3	14 E.	3	NE	Chalcopyrite and molybdenite along Santa Catalina fault and subsidiary faults between Catalina gneiss and Pinalon conglomerate. Laramide Leatherwood quartz diorite is in vicinity.	--	Medhi, 1964; Keith, S. B., 1974, p. 113; Danko, 1976; Creasey and others, 1978; Keith, S. B., and others, 1980; Shaker, 1974; HDS # HD50656
78	Pima	Coyote	Ronanza mine	16 S. 26	8 E.	26	WC	In faulted metasomatized Paleozoic limestones in contact with Laramide aplite to pegmatitic quartz monzonite. Pluton is 38-m.y.-old two-mica granite.	--	Keith, S. B., 1974, p. 116; Keith, M. J., 1976; Carrigan, 1971; Haxel and others, 1980; Wargo, 1954; Haxel and others, 1978; HDS # HD00118
79	Pima	Helvetia-Rosemont	Broad Top mine	18 S. 24	15 E.	24	EC	Diseminated in strongly brecciated Permian quartzite and silicified limestone next to 56-m.y.-old quartz latite porphyry.	--	Keith, S. B., 1974, p. 124; Heyman, 1958; Drewes, 1970; Johnson, V. H., 1941; Drewes, 1971; HDS # HD50524
80	Pima	Helvetia-Rosemont	Copper World mine (Black Horse shaft, Brunswick, Owaoko)	18 S. 13	15 E.	13	SW	Chalcopyrite and sparse molybdenite in fractured, faulted, less recrystallized limestone above alaskite aplite dike. (See also no. 345.)	--	Keith, S. B., 1974, p. 124; Schrader, 1915, p. 99-106; Drewes, 1970; Dale, Stewart, and McKinney, 1961, p. 110; HDS # HD50038
81	Pima	Helvetia-Rosemont	Cuprite mine	17 S. 28	16 E.	28	NW	Chalcopyrite and molybdenite in Paleozoic marble overlying quartzite, and in strongly fractured Cretaceous sediments overlying a low-angle fault adjacent to Laramide quartz diorite stock.	--	Keith, S. B., 1974, p. 125; Schrader, 1915, p. 134-136; Finnell, 1971; Broome, 1958; Lee and Worland, 1935; HDS # HD50490
82	Pima	Helvetia-Rosemont	King-Exile mine group	18 S. 24	15 E.	24	EC	Diseminated in northeast fractures in contact-metamorphosed limestones, along gently dipping contact where Laramide quartz latite (quartz monzonite) porphyry intruded a low-angle fault	--	Keith, S. B., 1974, p. 126; Schrader, 1915, p. 119; Drewes, 1960; Michel, 1959; Miller, K. A., 1955, Creasey and Quick, 1955, p. 312; HDS # HD50049
83	Pima	Helvetia-Rosemont	Leader mine	18 S. 24	15 E.	24	NW	Diseminated in allicated Paleozoic limestone in footwall of low-angle fault with Precambrian granite in hanging wall. (See also no. 347.)	--	Keith, S. B., 1974, p. 126; Schrader, 1915, p. 106-108; Drewes, 1970; Johnson, V. H., 1941, p. 85; Creasey and Quick, 1955, p. 316-318; HDS # HD50045
84	Pima	Helvetia-Rosemont	(?) New York mine	17 S. 29	16 E.	29	NE	Unspecified molybdenum mineral with chalcopyrite, galena, and sphalerite in shear zones in pyrometamorphosed Paleozoic limestone along contact with Laramide quartz monzonite	--	Keith, S. B., 1974, p. 127; Schrader, 1915, p. 137-138; Finnell, 1971; Broome, J. F., 1958, p. 36; Lee and Borland, 1936; HDS # HD50049
85	Pima	Helvetia-Rosemont	Pauline mine	17 S. 27	16 E.	27	C	Copper-lead-zinc sulfides in garnetized Cretaceous limestone in low-angle fault near quartz latite porphyry	--	Keith, S. B., 1974, p. 128; Schrader, 1915, p. 138; Finnell, 1971; Anthony, Williams, and Biddeau, 1977, p. 141; HDS # HD50492
86	Pima	Helvetia-Rosemont	Peach-Egin deposit (West Helvetia deposit)	18 S. 15	15 E.	23 15	NW SE	Copper sulfides disseminated in pyrometamorphosed Pennsylvanian and Permian limestone (Horquilla and Concha limestones) in breccia near low-angle faults overlying Precambrian granite and near 36-m.y.-old quartz latite porphyry	--	Keith, S. B., 1974, p. 125, 128; Heyman, 1958; Drewes, 1970; Johnson, V. H., 1941; HDS # HD50164, HD50039, HDS # HD50492
87	Pima	Helvetia-Rosemont	Kidley mine	18 S. 21	15 E.	21	SE	Copper, lead, and zinc sulfides in Tertiary(?) sheared quartz vein, associated with Laramide aplite dikes and stocks intruded into Precambrian Continental granodiorite porphyry.	--	Keith, S. B., 1974, p. 128; Schrader, 1915, p. 126-127; Drewes, 1970; Johnson, V. H., 1941, p. 96; HDS # HD50161
88	Pima	Helvetia-Rosemont	Rosemont deposit (East Helvetia deposit)	18 S. 36	15 E.	25 36	SE NE	Copper sulfides and molybdenite disseminated in pyrometamorphosed Paleozoic limestones near 56-m.y.-old quartz latite porphyry intruding low-angle fault between unmineralized Cretaceous Bisbee Group clastics and underlying mineralized Paleozoic carbonates.	--	Drewes, 1970; Anamax, oral comm., 1979; Lovstrom, 1978; HDS # HD000917, HD00804
89	Pima	Old Baldy	Jackson mine	19 S. 24	14 E.	24	SE	Chalcopyrite and molybdenite in veins in 68-m.y.-old Hadera Canyon granodiorite.	--	Hicks, 1979, p. 19; Keith S. B., 1974, p. 129; Schrader, 1915, p. 171-172; HDS # HD50172
90	Pima	Old Baldy	McLeary prospects	19 S. 35	14 E.	35	W	Chalcopyrite and molybdenite in quartz veins in 68-m.y.-old Hadera Canyon Granodiorite and Elephant Head Quartz Monzonite. (See also no. 367.)	--	Drewes, 1971b; Schrader, 1915, p. 173-175; Schrader and Hill, 1910, p. 138-159; Keith, S. B., 1975, p. 61; HDS # HD30552
91	Pima	Old Baldy	(?) Old Baldy Copper mine	19 S. 33	14 E.	33	SW	Chalcopyrite, galena, and molybdenum in quartz vein in lamprophyric spotted porphyry intruded into micaceous quartz schist.	--	Schrader, 1915, p. 176-177; Schrader and Hill, 1910, p. 66; King, 1969, p. 236; HDS # HD00334
92	Pima Santa Cruz	Old Baldy	Sun Lode Moly Sun Lode Moly	19 S. 20 S. 35, 1, 2	14 E. 14 E.	35, 1, 2	40	Molybdenite in quartz vein along fault, and in diorite.	--	

Table 1.-- (cont'd)

93	Pima	Oraclie (Old Hat)	Stratton mine (Old Hat mine)	11 S.	16 E.	20	NW	Chalcopyrite and molybdenite disseminated and in fracture fillings in pyrometamorphosed lower Paleozoic limestone near 75 to 84-m.y.-old Leatherwood Quartz Diorite.	--	Keith, S. B., 1974, p. 131; Braun, 1969, p. 42-43; Peterson and Creasey, 1943, p. 10; Keith and others, 1980; HRDS # HD50864
94	Pima	Pima	Copper Queen mine	18 S.	13 E.	6	NW	Copper sulfide and unspecified molybdenum along bedding planes and sheared contact in pyrometamorphosed Paleozoic limestone and Precambrian granite. (See also no. 349.)	--	Keith, 1974, p. 134; Ransome, 1922, p. 407-428; Cummings and Romslo, 1950; HRDS # HD50378
95	Pima	Pima	Cowboy mine	18 S.	12 E.	7	SE	Weak and spotty copper and molybdenum minerals along fault zone in Laramide granodiorite and diorite	--	Keith, S. B., 1974, p. 134; HRDS # HD00097
96	Pima	Pima	Daisy mine	16 S.	13 E.	36	SW	Copper, molybdenum, zinc, and lead sulfides in pyrometamorphosed Paleozoic limestone along the contact with Laramide quartz monzonite along Mineral Hill fault.	--	Keith, S. B., 1974, p. 138; Storms and Bowman, 1957; Mackenzie, 1959; Bowman, 1963; Cooper, 1960b; HRDS # HD50385
97	Pima	Pima	Esperanza open pit mine	18 S.	12 E.	8	SE	Chalcopyrite, chalcocite, molybdenite, etc., disseminated in fractures in 36-m.y.-old Ruby Star Quartz monzonite porphyry and Triassic to Permian rhyolite. Secondary enrichment in andesite porphyry. (See also nos. 368, 385.)	38,000,000 lbs (1959-1979)	Alkin and West, 1978; Lynch, 1966; Schmitt and others, 1959; Smith, V. L., 1975; Keith, S. B., 1974, p. 135; Cooper, 1973; Sharfquillan and Langlois, 1978; Creasey and Kistler, 1962; HRDS # HD50391
98	Pima	Pima	Mineral Hill mine	16 S. 16 S.	12 E. 13 E.	35 31	S WC	Copper-lead-zinc sulfides in pyrometamorphosed Paleozoic limestones at fault or fracture intersections in Laramide granitic sill near Mineral Hill fault. Spotty scheelite and molybdenite with pyrite in garnetized zones. (See also no. 244.)	--	Keith, S. B., 1974, p. 135; Ransome, 1922, p. 419-422; Mayuga, 1942; Storms and Bowman, 1957, p. 1-6; Mackenzie, 1959; HRDS # HD50359
99	Pima	Pima	Mission open pit mine	16 S.	12 E.	36	EC	Copper, lead, zinc, and molybdenum sulfides disseminated in Paleozoic and Triassic sediments pyrometamorphosed to tectite, hornfels and some argillite, especially at the unconformity on the Paleozoic and along faults.	10,660,000 lbs (1964-1979)	Richard and Courtright, 1959; Kinnison, 1966; 1963; Gale, 1965; Cooper, 1960b; Keith, S. B., 1974, p. 136; Thurmond, Heinrichs, and Spaulding, 1954; HRDS # HD50387
100	Pima	Pima	New Years Eve mine	18 S.	12 E.	9	SC	Chalcopyrite and molybdenite disseminated in brecciated quartz rocks intruded by 53 to 58-m.y.-old granodiorite or quartz monzonite porphyry.	32,000 lbs (1900-1955) (now part of Esperanza mine)	Keith, S. B., 1974, p. 135; Lynch, 1966; King, 1969; Cooper, 1973; Anderson and Kupfer, 1944, 1943; HRDS # HD00304
101	Pima	Pima	Old Esperanza mine group	18 S.	12 E.	8	S	Copper, lead, zinc, and molybdenum sulfides disseminated in brecciated 53-m.y.-old quartz monzonite porphyry and Cretaceous sediments.	--	Keith, S. B., 1974, p. 135; Tainter, 1947; Ransome, 1922; Cooper, 1973; Anderson and Kupfer, 1943, 1944; HRDS # HD50391
102	Pima	Pima	Palo Verde mine (Eisenhower group) (Pima, Mission, etc.)	16 S.	12 E.	36	NC	Copper, zinc, lead, and molybdenum sulfides disseminated in fractures and veinlets in brecciated tectite of Paleozoic limestone above low-angle fault contact with Precambrian granite and near Laramide quartz monzonite intrusive.	--	Keith, S. B., 1974, p. 136; Venable, 1963; Bowman, 1963; Gale, 1965; Langlois, 1978; HRDS # HD50384
103	Pima	Pima	Pima open pit mine	16 S.	12 E.	36	S	Copper, zinc, lead, and molybdenum sulfides disseminated in fractures in Paleozoic hornfels, Mesozoic clastic rocks (Rodolfo formation), Paleozoic quartzite, and tertiary porphyry. Host rocks were pyrometamorphosed earlier, possibly by Ruby Star granodiorite, and mineralized and altered by 36-m.y.-old quartz monzonite porphyry.	16,960,000 lbs (1967-1979)	Langlois, 1978; Himes, 1973, 1972; Cooper, 1971, 1973; Journey and others, 1958; Journey, 1959; Lacy, 1959; Mackenzie, 1959, 1963; Mayuga, 1942; Studebaker, 1960; Thurmond and Storms, 1958; Williams and Huebler, 1977; Keith, S. B., 1974, p. 137; Sharfquillan and Langlois, 1978; Thurmond, Heinrichs, and Spaulding, 1951; HRDS # HD50388
104	Pima	Pima	San Xavier open pit mine (San Xavier north)	16 S.	12 E.	23	NE	Chalcopyrite and molybdenite disseminated in fine grained clastic rocks of Biabee group and in Laramide (36-m.y.-old) quartz monzonite porphyry.	--	King, J. R., 1978; Creasey, 1978, p. 83; Keith, S. B., 1974, p. 138; Sharfquillan and Langlois, 1978; HRDS # HD50619
105	Pima	Pima	Serrita open pit mine	18 S.	12 E.	7	SE	Copper and molybdenum sulfides in seams and fractures in Triassic to tertiary andesite porphyry, 58-m.y.-old quartz diorite and Ruby Star quartz monzonite porphyry.	133,030,000 lbs (1970-1979)	Alkin and West, 1978; Lynch, 1966, 1967; Keith, S. B., 1974, p. 138; Cooper, 1973; Hillman, 1972; Rice and others, 1975, 1976; Savelly, 1972; Smith, V. L., 1973; Creasey and Kistler, 1962; Sharfquillan and Langlois, 1978; HRDS # HD50331
106	Pima	Pima	Twin Buttes open pit mine	18 S.	13 E.	5	SW	Copper and molybdenum sulfides in quartz veins and disseminated in skarns of Paleozoic carbonates and limy argillaceous beds and Mesozoic arkose that had been pyrometamorphosed by 58-m.y.-old quartz monzonite porphyry. Hydrothermal alteration and sulfide mineralization are about 34 m.y.	18,170,000 lbs Mo (1965-1979)	Barter, 1978, p. 115-116; Kelly, 1977, p. 110-116, 1975, 1976; Keith, S. B., 1974, p. 138; Cummings and Romslo, 1950; Greely, 1978; Kait, 1968; Cooper, 1973; Eckel, 1930; Bouser, 1949; Sharfquillan and Langlois, 1978; Damon and Hauger, 1960; HRDS # HD50350

Table 1.-- (cont'd)

107	Pinal	Redington	Korn Kob mine	12 S.	17 E.	14 23	SC NC	old. Secondary enrichment has upgraded the quartz monzonite porphyry. (See also nos. 245, 311)	Wilson, J. K., 1977; Crusey and Theodore, 1975; Keith, S. B., 1974, p. 141; Anthony, Williams, and Bideaux, 1977; Keith, 1959; Scholander, 1974; Keith, Bideaux, and others, 1980; HRS # M001134
108	Pinal	Silver Bell	El Teco mine (now part of Silver Bell mine)	11 S. 12 S.	8 E. 8 E.	33 4	SW NW	Molybdenite disseminated in skarn near garnet in pyroxenophase breccia and Hart. Pyroxene probably mineralized by Laramide (65 to 70 m.y.-old) leathery quartz diorite. Later fracturing localized secondary copper minerals. (See also no. 352)	Keith, S. B., 1974, p. 143; King, 1969; Anthony, Williams, and Bideaux, 1977, p. 141; Shumaker and Somers, 1924; HRS M050650
109	Pinal	Silver Bell	(?) Mammoth mine	12 S.	8 E.	4	NE	Base-metal sulfides and carbonates in fissure veins and disseminated in pyroxenophase Paleozoic limestone blocks engulfed in Laramide dacite porphyry and monzonite intrusions along a major fault zone.	Keith, S. B., 1974, p. 143; Richard and Courtright, 1966, 1954; HRS # M050652
110	Pinal	Silver Bell	North Silver Bell deposit	11 S.	8 E.	33 32		Chalcopyrite and molybdenite disseminated in dacite porphyry, quartz latite porphyry, and quartz monzonite porphyry with large alteration pattern. Chalcoite blanket associated with gossan.	Gulbert and Davis, 1979; Banks and Dockter, 1976; HRS # M051069
111	Pinal	Silver Bell	(?) Oxide mine (now part of Silver Bell mine)	12 S.	8 E.	10 11	NE NW	Copper carbonates in garnetized Paleozoic limestone (skarn) blocks engulfed in Laramide dacite porphyry and monzonite along a major fault zone.	Keith, S. B., 1974, p. 143; U.S. Geological Survey, 1965; Stewart, 1912; Stevens, 1916, p. 794-795; 1908, p. 1095; Weed, 1918, p. 532; Helges, 1906; HRS # M050651
112	Pinal	Silver Bell	Silver Bell mine	12 S.	8 E.	4 11 C	NW C	Chalcopyrite, molybdenite, bornite, sphalerite, and galena are disseminated in Precambrian, Paleozoic, and Mesozoic rocks intruded by Laramide (63 to 67-m.y.-old) dacite porphyry and monzonite porphyry along a major west-northeast fault zone with east-northeast tensional dikes. Most of the ore is in two tabular chalcocite blankets beneath leached limonite caps formed by secondary enrichment (See no. 248).	Richard and Courtright, 1966, 1954; Galey, 1979; Banks and Dockter, 1976; Banks and others, 1978; Edinaton, 1971; Engineering and Mining Journal, 1957, p. 105-106; Kerr, 1951; Hauger, 1966; Mitchell, 1955; Stewart, 1912; Watson, 1964; Keith, S. B., 1974, p. 143; Greeley, 1978; Anthony, Williams, and Bideaux, 1977; HRS # D002948
113	Pinal	Blackwater	Mineral Butte prospect	4 S.	7 E.	1	NE	Pyrite and chalcopyrite disseminated in Precambrian Oracle Granite, and Pinal Schist and Laramide (70-m.y.-old) biotite quartz monzonite.	Chaffee, 1976; Balla, 1972; Kuck, 1978; Wilson, E. D., 1969; HRS # Y504079
114	Pinal	Canada del Oro	Little Hillie mine	10 S.	15 E.	5 8 10		Chalcopyrite, molybdenite, galena, and sphalerite, in Precambrian Oracle Granite, Pinal Schist, gneiss, schists, and amphibolites, and monzonite porphyry dikes. Primary mineralization occurred after first movement on Mogul fault and before Tertiary rhyolite dikes. Presently mined oxide ore (chrysocolla, malachite, hematite, etc.) resulted from percolation of copper-bearing groundwaters through brecciated horstcavities and shear of Mogul fault.	Burns, 1972; Burnings and Jarvis, 1978; Hinks, 1961; Wallace, 1951, 1955; HRS # M030466
115	Pinal	Casa Grande	Francisco Grande	6 S. 6 S.	5 E. 4 E.	19 13 24		Copper porphyry deposit.	Greeley, 1978, p. 83; Bergquist and Blacet, 1979; HRS # M050669
116	Pinal	Casa Grande	Sutton mine Casa Grande West open pit; Casa Grande East underground	5 S.	5 E.	26		Chalcopyrite and molybdenite disseminated in Precambrian Pinal Schist and Oracle Granite and Laramide 66-m.y.-old altered quartz monzonite porphyry, Sutton Granite, and 71-3 especially in northeast. Secondary enriched chalcocite blanket was downropped along Sutton fault; deposit covered by 100 to 800 feet of alluvium and Tertiary conglomerate.	Paydirt, 1974, p. 1-27; Cummings, 1982; Greeley, 1978; Ulmer, 1978; Bergquist and Blacet, 1978, 1979a, 1979b; Anderson and others, 1978, p. 439-445; Pughbar and Mason, 1974; Balla, 1972; HRS # M050669
117	Pinal	Crozier Peak	Copper Hill mine	5 S.	14 E.	36	SE	Chalcopyrite and traces of molybdenite disseminated in Precambrian Ruid Granite and Laramide (68-m.y.-old) granodiorite.	Evensen, 1961; Krieger, 1974c; Schmidt, 1971; Schwartz, R. J., 1954; Mason and Mauger, 1966; HRS # M030480
118	Pinal	Florence	Posson Butte prospect	4 S.	9 E.	28		Copper and molybdenum sulfides disseminated in Laramide (63-64-m.y.-old) granodiorite and quartz monzonite porphyry.	Yeend, 1976; Wilson, E. D., 1969; Kuck, 1978, p. 51; Greeley, 1978, p. 84; HRS # M030478
119	Pinal	Mineral Creek	Ray mine	3 S.	13 E.	9 16 NE 15 MI/2 14 11 SI/2 10	SE NE MI/2	Chalcopyrite, molybdenite, bornite, etc., disseminated in highly fractured Precambrian diabase sills, Pinal Schist, Drifting Spring Quartzite, and Pioneer Shale and in Laramide (60 to 70-m.y.-old) Granite Mountain Porphyry and related rocks. Most ore has come from secondary-enriched chalcocite blanket mostly in Pinal Schist.	Metz and Rose, 1966; Phillips, Gambell, and Fountain, 1974; Corwell, Banks, and Phillips, 1971; Banks and Stuckless, 1973; Banks and others, 1972; Clarke, O. M., 1952; Gambell, Metz, Phillips, and Caviness, 1968; Ransome, 1922, 1919, 1904, 1915;

120	Pinal	Riverside	Rare Metals mine	4 S.	13 E.	8 S.	SE 9 SW	9 15	Chalcopyrite, molybdenite, ferrimolybdenite, malachite, chrysotile, and pyrite. Massive veins in Laramide (65-m.y.-old) Tropic Granodiorite intruding Precambrian Rulo Granite in wide shear zone. (See also no. 37)	Phillips, Cornwall, and Rubin, 1971; MRDS # M000327
121	Pinal	Saddle Mountain	Saddle Mountain group	4 S. 5 S.	16 E. 16 E.	35 2			Pyrite, galena, sphalerite, and chalcopyrite in brecciated zones in Cretaceous Williamson Canyon volcanics and Laramide (62-m.y.-old) diorite porphyry and quartz diorite dikes <i>in situ</i> .	Harret, 1972; Ross, 1975b; Willdon, 1964; Schwartz, K. J., 1954; MRDS # M000645
122	Pinal	San Manuel	San Manuel mine (San Manuel- Kilmatzo deposit)	8 S.	16 E.	34 35		65-710,000 lbs (1956-1979)	Chalcopyrite and molybdenite disseminated in Precambrian Oracle Granite (a porphyritic quartz monzonite) and in Laramide (65-69-m.y.-old) porphyritic quartz monzonite especially in clayey fractured contact zones. Thin chalcopyrite blanket. Molybdenite occurs in narrow quartz veinlets and as fracture coatings.	Thomas, 1966; Creasey and Pelletier, 1965; Creasey, 1967; Schwartz, G. H., 1963; 1953; Wilson, F. D., 1957; Lowell, 1948; Lowell and Colburn, 1970; Buchanan and Muchelli, 1960; Wells, J. D., 1974; Cluffe, 1976b; Koester, 1956; Pelletier and Creasey, 1965; MRDS # M050188
123	Pinal	Slate Mountains	Lakeshore mine	10 S.	4 E.	25	SE		Chalcopyrite and molybdenite disseminated in Laramide (67.3-m.y.-old) biotite quartz diorite to quartz monzonite porphyry. High grade tabular calcite ore bodies occur with magnetite and allucates in Precambrian Mesal Limestone.	South, 1972; Harper and Reynolds, 1969; Johnson, 1972; Ross, 1970; Creasey, 1978; Blaser, Bergstein, and Millet, 1978; MRDS # M000752
124	Pinal	Summit	Clark prospect	1 S.	13 E.	12	SE		Tungsten, pyrite, chalcopyrite, and molybdenite in dense zone cutting Laramide Schutze Granite near contact with Pinal Schist.	ARCO unpub. data; Peterson, D. W., 1963; MRDS # M030485
125	Pinal	Summit	(?) Rainbow group	1 S.	13 E.	12			Tungsten, copper, and molybdenum reported.	ARCO unpub. data; Peterson, D. W., 1963; MRDS # M00245
126	Pinal	Summit	Swede mine	1 S.	13 E.	12	NE		Tungsten, chalcopyrite, and molybdenite in northeast east zone in Precambrian Pinal Schist at intersections of Laramide Schutze Granite porphyry dikes.	ARCO unpub. data; Peterson, M. P., 1963; MRDS # M000667
127	Pinal	Troy	Troy Ranch prospect (Mary Alice claim, nearby claim)	3 S.	14 E.	23	N1/2		Chalcopyrite-molybdenite veins in Laramide (70-m.y.-old) Baitler Granodiorite. Pyrite-chalcopyrite mineralization related to 63-m.y.-old rhyodacite porphyry dikes.	Keith, S. B., oral comm., 1979; Cornwall, Baker, and Phillips, 1971; MRDS # M030475
128	Pinal	Vekol	Vekol Hills mine	10 S.	3 E.	4		No reserves	Chalcopyrite, molybdenite disseminated and in fracture fillings in Precambrian diabase and lower Paleozoic sediments near contact with Laramide quartz monzonite porphyry.	Chaffee, 1977; Creasey, 1978; Steele, 1978; Bocke and Keith, 1978; Creasey, 1978, p. 85; MRDS # M000009
129	Santa Cruz	Hartshew	Red Mountains deposit	22 S.	16 E.	21	SW		Chalcopyrite, molybdenite, enargite, tetrahedrite, and sphalerite disseminated in Laramide intrusive breccia and quartz monzonite porphyry, and Laramide Red Mountain Volcanics. Strong alteration zones.	Corn, 1975; Bodnar, 1978; Simons, 1972; Schrader, 1975; MRDS # M039921
130	Santa Cruz	Old Baldy	Carrie Nelson mine	20 S.	14 E.	14	NE		Chalcopyrite, molybdenite, bornite, galena, sphalerite, and pyrite in quartz diorite zone in Laramide (67-m.y.-old) quartz diorite of Josephine Canyon and in (68-m.y.-old) Madera Canyon Granodiorite.	Keith, S. B., 1975, p. 61; ARCO unpub. data; Schrader, 1975; Whitcraft, 1964, p. 35; Dreeses, 1971; Dreeses, 1976; MRDS # M030410
131	Santa Cruz	Old Baldy	Daniela mine	20n S.	14 E.	1	NE		Molybdenum reported. Rocks mapped are dacite and latite of Mt. Wrightson Formation that were contact metamorphosed by Laramide (68-m.y.-old) Madera Canyon Granodiorite.	ARCO unpub. data; Dreeses, 1971; MRDS # M030415
132	Santa Cruz	Patagonia	Benton mine	24 S.	16 E.	15			Chalcopyrite and molybdenite disseminated in Laramide (58-m.y.-old) biotite hornblende granodiorite with a sericite zone and molybdenite along a granite porphyry dike. Copper oxides.	Anthony, Williams, and Audeaux, 1977, p. 142; Schrader, 1975; Schrader and Hill, 1970; Simons, 1974; MRDS # M001447
133	Santa Cruz	Patagonia	Bonanza mine (Duquesne-Washington Camp group)	24 S.	16 E.	2	NW		Chalcopyrite, molybdenite, sphalerite, galena, and pyrite in hard cherty limestone and quartziferous Peralta Epitaph Dolomite and Scherrer Formation near fault contact with Triassic-Jurassic Duquesne volcanics.	Lehman, 1978, p. 127, 139; Keith, S. B., 1975, p. 76; Simons, 1974; MRDS # M030399
134	Santa Cruz	Patagonia	Ruens Vista mine	23 S.	15 E.	36	SW		Chalcopyrite, molybdenite, bornite, and pyrite in quartz-calcite fissure veins in Laramide (58-m.y.-old) hornblende-biotite granodiorite, with minor copper oxides.	Keith, S. B., 1975, p. 75; Schrader, 1975, p. 314-315; Simons, 1974; Carpenter, 1940; Baker, R. C., 1962; MRDS # M001429
135	Santa Cruz	Patagonia	Duquesne-Washington Camp group	23 S. 24 S.	16 E. 16 E.	34 2, 3			Chalcopyrite, molybdenite, sphalerite, galena, etc., in cherty Peralta No. 1 Group. Lenses promoted morphosed by Laramide (58-m.y.-old) biotite-hornblende granodiorite intrusion.	Keith, S. B., 1975, p. 76-79; Schrader, 1975, p. 321-343; Simons, 1974; Lehman, 1978; MRDS # M030397, M030399

136	Santa Cruz	Patagonia	Edna mine group	24 S.	15 E.	12	NE	Tungsten, molybdenite, and copper carbonates in shear zone cutting Jurassic granite at contact of Laramide (58-m.y.-old) biotite quartz monzonite.	Keith, S. B., 1975, p. 76; Dale, Stewart, and McKinney, 1960, p. 120-122; Simons, 1974; HRDS # H000232
137	Santa Cruz	Patagonia	Golden Rose mine	24 S.	16 E.	36	--	Chalcopyrite, molybdenite, galena, and pyrite in quartz veins in Jurassic granite of Conero Canyon near contact with Laramide (58-m.y.-old) syenodiorite or quartz diorite.	Schrader and Hill, 1910, p. 159-160; Schrader, 1915, p. 312-313; Simons, 1974; HRDS # H001445
138	Santa Cruz	Patagonia	Gross copper prospect	23 S.	16 E.	36	NE	Chalcopyrite, molybdenite, and pyrite disseminated in Laramide (58-m.y.-old) quartz monzonite or biotite-hornblende granodiorite.	Schrader, 1915, p. 310-313; Simons, 1974; HRDS # H099911
139	Santa Cruz	Patagonia	Holland mine (Duquesne-Washington Camp group)	24 S.	16 E.	3	--	Chalcopyrite, sphalerite, galena, molybdenite, and pyrite etc., in skarns of cherty limestone of Epitaph Dolomite underlying Scherrer Quartzite, especially at irregularities along marble-skarn contact. Laramide granodiorite dikes and porphyritic granite are nearby. (See also no. 353)	Lehman, 1978, p. 244; Keith, S. B., 1975, p. 77; Schrader, 1915, p. 338-340; Simons, 1974; Carpenter, 1940, p. 4; HRDS # H030397
140	Santa Cruz	Patagonia	Line Boy mine	24 S.	16 E.	22	--	Chalcopyrite and molybdenite crystals, bornite, pyrite, and minor chalcocite, in joints and fissures along contact of granite porphyry intrusion into Laramide (58-m.y.-old) quartz monzonite.	Anthony, Williams and Bideaux, 1977, p. 142; Schrader, 1915, p. 347-348; 1917, p. 238; Schrader and Hill, 1910, p. 161-162; Simons, 1974; Hicks, 1979, p. 24; HRDS # H001446
141	Santa Cruz	Patagonia	O'Connor prospect	24	16	3	--	Chalcopyrite, molybdenite, galena, and pyrite with drusy quartz in Laramide (58-m.y.-old) granite intruded by granite porphyry.	Schrader, 1915, p. 340-346; Schrader and Hill, 1910, p. 161; Simons, F. S., 1974; Department of Mineral Resources, 1962; HRDS # H030406
142	Santa Cruz	Patagonia	Providencia claim (Providencia Canyon)	23 S.	15 E.	35 36	--	Chalcopyrite, molybdenite, pyrite, and bornite disseminated in Laramide (58-m.y.-old) granite-quartz monzonite-biotite hornblende granodiorite and syenodiorite.	Schrader, 1915, p. 310; Schrader and Hill, 1910, p. 159; Simons, F. S., 1974; Anthony, Williams, and Bideaux, 1977, p. 141; Gatliff, 1907, p. 455-457; HRDS # H030403
143	Santa Cruz	Patagonia	Santo Nino mine	24 S.	16 E.	9	NW	Molybdenite crystals and masses in quartz veins, with pyrite and chalcopyrite in fissures and joints in Laramide (58-m.y.-old) biotite hornblende granodiorite or quartz monzonite.	Anthony, Williams and Bideaux, 1977, p. 142; King, R. B., 1969, p. 236; Blanchard and Boswell, 1935, p. 315-316; Frondel and Wichman, 1970; Keith, S. B., 1975, p. 82; Kuck, 1978, p. 187-188; Kupfer, 1965, p. 14-16; Baker, R. C., 1962, p. 194, 202, 234; King, 1970; HRDS # H000982
144	Santa Cruz	Patagonia	Siplot mine (Duquesne-Washington Camp group)	23 S.	16 E.	34	C	Chalcopyrite, galena, sphalerite, pyrrhotite, argentite, pyrite, and molybdenite in skarns in Permian Concha Limestone at contact with Triassic-Jurassic Buquesne Volcanics near Laramide porphyritic andesite sills.	Lehman, 1978, p. 132-139, 245; Simons, 1974; HRDS # H030398
145	Santa Cruz	Tyndall	Alto vein swarm	21 S.	14 E.	12 13	SE/ NW/2	Chalcopyrite, molybdenite, galena, sphalerite, pyrite, argentite, and tetrahedrite in quartz fissure veins in Cretaceous Salermo Formation volcanic and Laramide (63-67-m.y.-old) Josephine Canyon diorite, with some oxidation and supergene enrichment.	Keith, S. B., 1975, p. 83; Schrader, 1915, p. 197-203; Dreesse, 1973, p. 12-14, HRDS # H030411
146	Santa Cruz	Tyndall	Ceanega-Daly mine	near Amsdoville			--	Copper-, lead-, and molybdenum-sulfides, silver, and gold in ore shoots in monzonite.	ABORT unpub. data; Heed, 1918, p. 498;
147	Santa Cruz	Tyndall	Edwards group (St. Marys group)	8 mi east of Amsdoville Agua Caliente Canyon			--	Molybdenite.	Hicks, 1979, p. 23; HRDS # 030457
148	Santa Cruz	Tyndall	Elephant Head group	20 S.	14 E.	4 5 8	SW SE NE	Chalcopyrite, molybdenite, galena, and sphalerite in quartz fissure veins, and disseminated in Laramide (68-m.y.-old) quartz monzonite of Quantrell stock of Elephant Head Quartz Monzonite, and minor copper carbonates.	Dreesse, 1971b; 1976; Keith, S. B., 1975, p. 85; Schrader, 1915, p. 182-183; 1917, p. 256; Weed, 1918, p. 501; HRDS # H030413
149	Santa Cruz	Tyndall	Tia Juana mine	20 S.	14 E.	26	NE	Chalcopyrite, molybdenite, galena, sphalerite, pyrite, and chalcocite in quartz fissure veins in Laramide (61- to 67-m.y.-old) fine-grained quartz monzonite of Josephine Canyon Diorite.	Keith, S. B., 1975, p. 87; Schrader, 1915, p. 191-193; Dreesse, 1971b; HRDS # H030410
150	Yavapai	Eureka	Bagdad mine	14 N.	9 W.	4	--	Chalcopyrite, molybdenite, galena, and sphalerite, etc., disseminated in fracture and intersecting faults and dike swarms in Laramide quartz monzonite. (See also no. 380)	Anderson, C. A., and Creasey, S. C., 1955; Butler and Wilson, 1938, p. 98-103; Anderson, 1948, 1950; Anthony, Williams, and Bideaux, 1977, p. 142; Hattli, 1943; HRDS # H002114, H002659, H003467
151	Yavapai	Eureka	Copper Ridge prospect	14 N.	10 W.	14 15 22 23	--	Molybdenite reported.	

152	Yavapai	Minnehaha	"Snokey's" Copper Basin	9 N	1 W.	10	Chalcopyrite and molybdenite in Laramide(?) quartz monzonite.	---	HMDS # D000349
153	Yavapai	Squaw Peak	Squaw Peak min	13 N.	5 W.	30 31	Chalcopyrite and molybdenite, rare bornite, and pyrite, disseminated in quartz veins and fractures in Precambrian granodiorite at contact with Laramide Squaw Peak Quartz Monzonite intrusion. Intensity of Fe mineralization directly related to fracture density.	6,000 lbs (1944-1946)	Ree, 1976; Grealey, 1978; Anthony, Williams, and Bideaux, 1977; King, R. H., 1969; Kirkwood, Anderson, and Creasey, 1965; King, 1970; HMDS # D000350
154	Yavapai	Turkey Creek	Pine Flat deposit	12 N.	1 W.	22 27	Chalcopyrite, molybdenite, etc., disseminated in highly fractured Precambrian Sandstone Volcanic (Schist) Zone of Laramide Pine Flat intrusive complex of quartz latite porphyry, dacite porphyry and monzonite porphyry. Strong alteration pattern.	---	Spatz, 1974; Anderson and Blacet, 1977; Lindgren, 1976, p. 149-152; Grealey, 1978; Blacet, 1968; 1964; HMDS # M003365
155	Yuma	Middle Camp (Iro Fino)	Topaz veins	4 N.	20 W.	22	Gold in quartz veins with molybdenum, and tungsten, and with titanite and copper staining. In massive Middle Camp quartz monzonite, intruded by Laramide(?) Diablo Quartz Monzonite.	---	Crowl, 1979; Keith, S. B., 1970, p. 289; 1978, p. 161-162; Ashwell, 1955; HMDS # M030338
Molybdenite from breccia pipes associated with Laramide porphyry copper deposits									
156	Pinel	Bunker Hill	American Eagle Basin	8 S.	18 E.	11	Chalcopyrite, molybdenite, bornite, galena, sphalerite, and pyrite, in breccia pipe in Laramide (68-m.y.-old) granodiorite and dacite porphyry with strong alteration pattern.	---	Guthrie and Moore, 1978, p. 25; Kuhn, 1941, 1951, 1938; Simon, 1964, p. 154; Creasey and Klettner, 1962; HMDS # M050121
157	Pinel	Bunker Hill	Ohlids-Aldinkle mine	8 S.	18 E.	11	Molybdenite, bornite, chalcopyrite, tenanite, pyrite, chalcocite, and erzgite in fracture intersections in breccia pipes in Laramide (68-m.y.-old) Copper Creek Granodiorite. Alteration pattern, some oxidation. (See also nos. 369, 386)	4,176,000 lbs (1933-1965)	Guthrie and Moore, 1978; Kuhn, 1941, 1951, 1938, 1940; Simon, 1964; HMDS # M050120
158	Pinel	Bunker Hill	Copper Creek area (includes 162-167)	8 S.	18 E.	10	Molybdenite, chalcopyrite, bornite, and other sulfides in joint sets of breccia pipes in Laramide (68-m.y.-old) Copper Creek Granodiorite District zoned with Mo in center, surrounded by Cu, then by Pb-Ag-Cu. (See also no. 370).	7,000,000 lbs est. (1933-1938)	Guthrie and Moore, 1978; Kuhn, 1941, 1951, 1938, 1940; Simon, 1964; Williams, 1978, p. 160-164; HMDS # M050128, M050109, M050129, M050110
159	Pinel	Bunker Hill	Copper Prince mine	8 S.	18 E.	10	Chalcopyrite, molybdenite, tungsten and pyrite at fault intersections in breccia pipes in Laramide (68-m.y.-old) Copper Creek Granodiorite in the porphyritic quartz monzonite phase.	Mined in 1937 by Arizona Holy Corp.	Anthony, Williams, and Bideaux, 1977; Simon, 1964, p. 158-160; Guthrie and Moore, 1978; Kuhn, 1938, 1951, 1941, 1940; King, 1970; HMDS # M050127
160	Pinel	Bunker Hill	Glory Hole mine (Globe mine)	8 S.	18 E.	3 10	Copper and molybdenum in joint intersections in breccia pipes in andesite and tuff (hornfels of Glory Hole Volcanics, 66 m.y. old) and probably underlain by Laramide (68-m.y.-old) Copper Creek granodiorite.	---	Kuhn, 1941, 1951, 1938; Simon, 1964, p. 160-162; Weed, 1913; Guthrie and Moore, 1978; HMDS # M050125
161	Pinel	Bunker Hill	Old Reliable mine	8 S.	18 E.	10	Molybdenite, pyrite, sparse chalcopyrite, sphalerite, enriched copper sulfides, in breccia pipes near contact of altered Glory Hole Volcanics and Laramide (68-m.y.-old) Copper Creek Granodiorite.	---	Anthony, Williams and Bideaux, 1977; Simon, 1974; Denton, 1947; Kuhn, 1941, 1938, 1951; Weed, 1913; Grealey, 1978, p. 86; HMDS # M050126
162	Pinel	Mineral Creek	Calumet mine	3 S.	13 E.	11 12	Chalcopyrite, molybdenite and pyrite, in breccia pipes in Precambrian diabase, Pinal Schist, Pioneer Shale and Scanlon Conglomerate, and Laramide (63-m.y.-old) Granite Mountain Porphyry.	---	Hetz and Rose, 1966, p. 182; Hetz, Phillips and Caviness, 1968; Marcano, 1923; Cornwall, Banks, and Phillips, 1971; HMDS # M030472
163	Santa Cruz	Palmetto	Ventura mine group	23 S.	15 E.	1	Chalcopyrite, molybdenite, pyrite, chalcocite, etc., in fissures and joints in breccia pipes in Triassic Mt. Whigston Formation and Jurassic (160-20-m.y.-old) granite of Chuspa Canyon near Laramide (58- to 63-m.y.-old) biotite hornblende granodiorite.	No reserves	Keith, S. B., 1975, p. 74; Schrader, 1915, p. 291-297; King, 1969, p. 236; Carpenter, 1940, p. 6; Simon, 1974; Graybeal, 1972, p. 36; Meger, 1969, p. 3; HMDS # M030395
164	Santa Cruz	Patagonia	Four Metals mine	23 S.	16 E.	29	Chalcopyrite, molybdenite, pyrite, chalcocite, galena, apatite, argentic, tungsten, gold, in breccia pipe in Laramide (58-m.y.-old) biotite hornblende granodiorite with strong alteration pattern. (See also no. 372)	---	Graybeal, 1972, p. 36-43; Keith, S. B., 1975, p. 80; Schrader, 1915, p. 317-320; 1917, p. 261; Simon, 1974; Brown, H. B., 1968, p. 449; Hetke, 1906, p. 156; HMDS M030400
165	Yavapai	Copper Basin	Boston-Arizona mine	13 N.	3 W.	7	Chalcopyrite, molybdenite, pyrite, bornite and oxidized minerals, bornite, platiniferous, in breccia pipes in Laramide (73-75-m.y.-old) Copper Basin stock of quartz latite porphyry. (See also no. 375)	---	Johnston and Lovell, 1961; Johnston, V. P., 1955; Christmann, 1978; Anthony, Williams, and Bideaux, 1977, p. 141; HMDS # M035569

166	Yavapai	Copper Basin	Commercial mine	13 N.	3 W.	20	Chalcopyrite, molybdenite, pyrite, bornite, and oxidized minerals in breccia pipe in Laramide (7-7.5-m.y.-old) Copper Basin stock of quartz monzonite and quartz monzonite porphyry, quartz latite porphyry and latite. (See also no. 376)	--	Johnston and Lowell, 1961; Johnston, 1955; Christman, 1978; Kirreno, Anderson, and Creasey, 1965; Greeley, 1976; Blake, 1989; HEDS # H000029
167	Yavapai	Copper Basin	Copper Basin deposit	13 N.	3 W.	16 17 20 21	Chalcopyrite, molybdenite, and pyrite disseminated in brecciated collapse structure related to north-northeast fault-controlled intrusion of quartz latite porphyry of Laramide (7.5-7.7-m.y.-old) Copper Basin stock of granodiorite, quartz diorite, and quartz monzonite porphyry intruded into Precambrian quartz diorite and oxidized minerals in breccia pipes in Precambrian quartz diorite and Laramide (7.5 to 7.7-m.y.-old) quartz monzonite porphyry. Secondary enriched chalcopyrite blanket and molybdenum as ferri-molybdenite. (See also no. 377)	No reserves	Christman, 1978; Johnston, 1955; Johnston and Lowell, 1961; Greeley, 1976, p. 86; HEDS # W-6056
168	Yavapai	Copper Basin	Copper Hill mine	13 N.	3 W.	20	Chalcopyrite, molybdenite, pyrite, bornite, and oxidized minerals in breccia pipe in Laramide (7.5-7.7-m.y.-old) quartz monzonite and associated quartz latite porphyry dikes. (See also no. 378)	--	Johnston and Lowell, 1961; Johnston, 1955; Arthony, Williams, and Bidoux, 1977; Kirreno, Anderson and Creasey, 1965; Christman, 1978; Anderson, 1964; HEDS # H003750
169	Yavapai	Copper Basin	Iona Prieta mine	13 N.	3 W.	21	Chalcopyrite, molybdenite, pyrite, bornite, and oxidized minerals in breccia pipe in Laramide (7.5-7.7-m.y.-old) quartz monzonite and associated quartz latite porphyry dikes. (See also no. 378)	--	Johnston, 1955; Johnston and Lowell, 1961; Christman, 1978; Campbell, 1971; Blake, 1989; Anderson, 1945; HEDS # H003742
170	Yavapai	Copper Basin	(?) Schiruber mine	13 N.	3 W.	21	Copper, molybdenum, gold, and silver	--	ABQMT unpub. data; HEDS #
171	Yavapai	Copper Basin	U.S. Navy mine	13 N.	3 W.	19	Chalcopyrite, molybdenite, pyrite, bornite, and oxidized minerals in breccia pipe in Laramide (7.5-7.7-m.y.-old) Copper Basin stock (quartz monzonite and quartz monzonite porphyry). See also no. 379	--	Johnston, 1955; Johnston and Lowell, 1961; Christman, 1978; Youaman and Skulike, 1978; HEDS # H003571
172	Yavapai	Eureka	Black Mesa prospect	15 N.	9 W.	32	Chalcopyrite, molybdenite, and pyrite in breccia pipe in Laramide quartz monzonite porphyry, especially the western margin of the pipe.	--	Anderson and Creasey, 1955, p. 75; HEDS # H003350
173	Yavapai	Eureka	Mammoth prospect (Hubbard)	14 N.	9 W.	7	Chalcopyrite, molybdenite, pyrite, and oxidized minerals in breccia pipe in Precambrian rhyolite and ataskite and Laramide quartz monzonite stocks and dikes, especially in northeast fractures where closely spaced.	--	Anderson, C. A., and Creasey, S. C., 1955, p. 93; HEDS # H003403
174	Cochise	Middlepass	April mine	17 S.	23 E.	34	Molybdenite associated with mid-Tertiary igneous rocks		
175	Cochise	Dos Cabezas	Silver Bell mine	14 S.	29 E.	29 30	Molybdenite from deposits of uncertain age (possibly Laramide)		
176	Gila	Miami	Tungsten No. 1	1 N.	14 E.	14	Sphalerite, chalcopyrite, galena, molybdenite, silver, and ferrimolybdenite in replacement bodies in latite metamorphosed from Mississippian Escabrosa limestone to marble and hornfels by Tertiary (26-m.y.-old) Stronghold granite and lamprophyre dikes. (See also no. 381)	--	Perry, 1964; Wilson, E. D., 1950, p. 23-26; Keith, S. B., 1977, p. 68; Damon and Birkman, 1964; HEDS # H001415
177	Gila	Summit	Falcon Tungsten mine	1 S.	15 E.	6	Tungsten replacement veins with scheelite, molybdenite, and base-metal sulfides in northeast striking quartz veins in Paleozoic limestones (possibly Laramide).	--	D. Silver, oral comm., 1979; HEDS # H030364
178	Ibabe	Boriana	Boriana mine	18 N.	15 W.	18, 8	Molybdenum occurs with tungsten in mineralized fault in diabase (possibly Laramide).	--	U.S. Bureau of Mines unpub. data; Peterson, 1962; HEDS # H002858
179	Ibabe	Boriana	Bull Canyon group	18 N.	15 W.	7, 18	Tungsten in quartz vein (possibly Laramide).	--	U.S. Bureau of Mines unpub. data; HEDS # D000761
180	Yavapai	Black Hills	Burnt Canyon prospect	15 N.	2 E.	28	Tungsten in quartz fluorite vein in schist near granite, with wolframite mineralization followed by scheelite, and then by chalcopyrite and molybdenite. Muscovite age of 72 m.y.	--	Dale, 1961, p. 77-84; Hobbs, 1944, p. 247-264; T. Haidrich, oral comm., 1979; Dale, 1964, p. 84-87; Hewitt and others, 1936, p. 14; HEDS # D000847
181	Hartcopa	Cave Creek	Hartcopa mine	6 N.	4 E.	8	Tungsten in quartz fluorite vein in granite and schist as in Boriana mine.	--	Dale, 1961, p. 84-87; Hewitt and others, 1936, p. 14; HEDS # H003786
							Molybdenite crystals in quartz vein in granodiorite porphyry dikes in Buzzard Rhyolite (Granodiorite dikes may be Laramide). (See also no. 356)	--	Anderson and Creasey, 1958, p. 92, 178, 1967; HEDS # H030497
							Molybdenite from oxidized areas of veins in or associated with Precambrian host rocks		
							Gold with oxidized lead minerals (molybdenum and vanadium also reported) in fissure veins in silicified and brecciated north-striking fault zone between altered andesite and schist (Precambrian Yavapai Schist(?)) intruded by dikes of granite porphyry and rhyolite porphyry and small diorite stocks. (See also no. 384)	--	Wilson, Cunningham, and Butler, 1934, p. 164; ABQMT unpub. data; HEDS # H002782

Table 1.-- (cont'd)

182	Maricopa	Hieroglyphic Mountains	Princes of Arizona mine	5 N.	1 W.	16	NW	Lead and zinc oxidation products, with lead and zinc sulfides, horn silver and ruby silver, vanadinite, wulfenite, bismuth and uranium oxides, and desulfozite in east-west ledges in Precambrian Yavapai schist.	ABCHT unpub. data; Willis, 1920, p. 38; HRDS # H004277
183	Maricopa	White Picacho	Lucky Strike claim	7 N.	3 W.	6		Galena, chalcocite, wulfenite, chrysocolla, chalcocite, willemite(?), and pyromorphite(?) in quartz-calcite fissure vein in Precambrian Yavapai Schist.	ABCHT unpub. data; Granger and Kaup, 1962, p. A-16; Granger, 1950; HRDS # H001826
184	Pinal	Campo Bonito (Old flat)	Rear Cat claims	10 S. 4 mi south Oracle by road	16 E.			Tungsten (scheelite), sparse wulfenite, vanadinite and pyrite in north-northeast quartz veins in Precambrian granite and in diorite porphyry dike of unknown age.	Wilson, E. D., 1941, p. 34; Ludden, 1950; HRDS # H050214
185	Yavapai	Blue Tank	Genung Spring mine	14 mi northeast of Wickenburg				Galena and wulfenite at contact of diabase and gneiss.	Hecks, 1979, p. 26; HRDS # 030503
186	Yavapai	Blue Tank	Great Southern mine	8 N.	3 W.	32	NW	Galena, cerussite, anglesite, and wulfenite in quartz veins in porphyritic granite and diabase. Age may be mid-Tertiary.	ABCHT unpub. data; Keith S. B., oral comm., 1979; Shannon, D., 1979; HRDS # 030502
187	Yavapai	Bureka	Tungstona mine	15 N.	9 W.	24		Tungsten, lead, bismuth, molybdenum, vanadium and beryl in quartz veins in Precambrian (1,400-m.y.) Lawler Peak Granite. Apatite dikes.	Dale, 1961, p. 53-57; Anderson, Scholz, and Strobell, 1953, p. 97; HRDS # H001168
188	Yavapai	White Picacho	Outpost mine	8 N. 7 N.	3 W. 3 W.	34 3		Bismuth minerals in brecciated quartz-rich pegmatite in gneiss.	Jahns, 1952, p. 93-97; HRDS # H001394, H003391
189	Yavapai	White Picacho	Picacho View mine	7 N.	3 W.	10	NW	Supergene minerals including wulfenite along fractures in zone of feldspar-bearing pegmatite.	Jahns, 1952, p. 90-93; HRDS # H003390
190	Coconino	Grand Canyon	Orphan Lode mine	31 N.	2 E.	14	WC SW	Uraninite and base-metal sulfides in permeable areas of collapse breccia pipe in Pennsylvanian Supai Formation collapsed into Mississippian Redwall Limestone. Hydrothermal deposition, bacterial action, and deposition from groundwater. (See also nos. 26, 393).	Kofford, 1969, p. 190-194; Granger and Kaup, 1962, p. 20; Keith, S. B., 1970; Gornitz, 1969; Brundy, 1977; Gornitz and Kerr, 1970; HRDS # H001823
191	Cochise	Warren	Campbell orebody of Biabea mine	23 S.	24 S.	15		Oxidized copper, lead, and zinc minerals (malachite, azurite, cerussite, smithsonite, mimetite), small crystals of wulfenite on 1,700-2,500 level, in replacement bodies in lower Paleozoic limestones related to Jurassic (180-m.y.-old) porphyry dikes and sills.	Anthony, Williams, and Bideaux, 1977, p. 203; Ransome, 1904b; Bryant and Metz, 1966; Emmons, and Becker, 1885; HRDS # H241089, H002911
192	Pima	Cababi	Chicago mine	16 S.	4 E.	23 26	SW NW	Abundant wulfenite is associated with cerussite and malachite in brecciated quartz fissure veins in Jurassic amygdaloidal andesite flows. (See also no. 358)	Williams, 1962, p. 25, 46, 91; 1963; Haxel and others, 1978;
193	Pima	Cababi	Mildren mine	16 S.	4 E.	16	EC	Abundant wulfenite, associated with vanadinite, cerussite, mimetite, and chrysocolla in brecciated quartz fissure veins in Jurassic amygdaloidal andesite flows. (See also nos 23, 360)	Williams, 1962, p. 23, 35, 91; 1963; Haxel and others, 1978; HRDS # H050610
194	Pima	Cababi	Sunset mine	16 S.	4 E.	21	NW	Lead, copper, silver, molybdenum, and gold in quartz vein in Jurassic andesite.	ABCHT unpub. data; HRDS # H800103
195	Pima	Papago	Abe Lincoln mine group	17 S. 11 E.	10 E. 11 E.	26 34	SW	Galena, sphalerite, cerussite, oxidized copper, lead and zinc minerals (molybdenum and bismuth reported) in replacement deposits in metamorphosed Paleozoic quartzites and Mesozoic sediments and volcanics.	Keith, S. B., 1974, p. 132; Stevens, 1905; Ransome, 1922, p. 418; Leites, 1906; HRDS # H800305
196	Santa Cruz	Palmetto	Domino mine group	22 S.	15 E.	35	SW	Argentiferous galena, cerussite, with minor oxidized copper minerals, wulfenite, and native silver in east-west veins at strong shear zone between Precambrian hornblende-rich metamorphics and Jurassic (160±20-m.y.-old) intrusive granite of Comoro Canyon. Mineralization may be Laramide.	Keith, S. B., 1975, p. 73; Schrader, 1917; 1915, p. 287-288; ABCHT unpub. data; Anthony, Williams, and Bideaux, 1977; Simons, 1974; HRDS # H030392
197	Santa Cruz	Palmetto	Jarillas mine group	23 S.	15 E.	9	SE	Argentiferous galena with minor chalcocopyrite, wulfenite, cerussite, malachite, and horn silver in east-northeast fissure veins in fault zones parallel to diorite dikes and to contact between Precambrian hornblende-rich metamorphics and the Jurassic (160±20-m.y.-old) intrusive granite of Comoro Canyon. Mineralization may be Laramide.	Keith, S. B., 1975, p. 73; Schrader, 1915, p. 288-290; Neger, 1969, p. 52; Simons, 1974; ABCHT unpub. data; HRDS # H030393
198	Santa Cruz	Palmetto	Tres de Mayo mine group	23 S.	15 E.	3 10	SW N	Argentiferous galena, chalcocopyrite, and sphalerite, with wulfenite, vanadinite, cerussite, cerargyrite, in northeast fissure veins in Precambrian hornblende-rich metamorphics and biotite-quartz monzonite and Jurassic (160±20-m.y.-old) granite of Comoro Canyon. High-grade wulfenite and vanadinite are on La Palma ground. Mineralization may be Laramide.	Carpenter, 1940, p. 6; Keith, S. B., 1975, p. 74; Schrader, 1915, p. 290; Neger, 1969; Simons, 1974; HRDS # H000429



199	Yuma	Ellsworth	Desert mine	5 N. 14 W. 21 C	Gold, oxidized copper minerals, and wulfenite following schistosity of metamorphosed Mesozoic arenaceous shales and argillites, rhyolite and phonolite extrusives and apilite and basic dikes. Granite Wash Pass intrusion (Late Cretaceous) is in vicinity so deposit may be Laramide.	Keith, S. B., 1978, p. 148; Bancroft, 1911, p. 102; Weed, 1918, p. 556; HMD # M003794
200	Yuma	Gila Bend Mountains	Yellow Breast prospect	2 S. 11 W. 15 SW	Galena, anglesite, cerussite, wulfenite, and yellow lead oxide in fissure vein in calcareous schist with fluorite gangue in southwest fault.	Wilson, 1933, p. 1465; Keith, S. B., 1978, p. 150-151; HMD # M003682
201	Yuma	La Cholla	Cinnabar mine	3 N. 20 W. 31 NE 2 N. 20 W. 9 NE	Cinnabar, metamorphosed malachite, chrysocolla, wulfenite, magnetite, manganese oxides, gold and silver values in a fault fissure in metamorphosed Mesozoic schist (Livingston Hills Formation).	Keith, S. B., 1978, p. 156; Bancroft, 1910, p. 151-153; 1911, p. 82-84; Lausen and Gardner, 1927, p. 27-31; Robison 1979; Crowl, 1979; HMD # M055134
202	Yuma	Done	McPhaul copper prospect	8 S. 21 W. 14 NC	Chrysocolla, malachite, limonite, hematite, gold, and wulfenite (as abundant small crystals in cavities and fissures near the walls and surface). In quartz fissure veins in strike fault with Mesozoic schist footwall and marble hanging wall.	Wilson, E. D., 1961, p. 18-21; 1933, p. 201, 181-189, 202-210; Johnson, 1972, p. 67-69; Keith, S. B., 1978, p. 145; Olmsted, 1973; Locitz, and Trehan, HMD # M002579
203	Yuma	Hohawk	Unnamed mine	10 S. 13 W. 8 NE	Elements reported include silver, lead, barium, gold, copper, molybdenum, and fluorine in quartz veins in Mesozoic granitic gneiss and schist with granite porphyry dikes.	ARQNT unpub. data; HMD # M030343
204	Yuma	Hohawk	Unnamed prospect	11 S. 12 W. 23 24 line	Lead, molybdenum, and silver reported. Wulfenite in vuggy quartz veins in southeastern Mohawk Mountains from Mesozoic granite.	Keith, S. B., 1978, p. 163; Wilson, E. D., 1933, p. 148-154; ARQNT unpub. data; HMD # M030302
Wulfenite from oxidized areas of Late Cretaceous (80-70-m.y.-old) lead-zinc-silver districts						
205	Cochise	Tombatone	Emerald-Silver Plume mine group	20 S. 22 E. 23 NW	Galena, wulfenite, horn silver, chalcocite, malachite, and aurifer, in brecciated fissure zone in Cambrian Abrigo Limestone and Boles Quartzite. Considerable wulfenite is present in open spaces in oxidized material	Church, 1903, p. 6, 29; Butler and others, 1938, p. 55, 71-72, 107; Keith, S. B., 1973, p. 75; Williams, 1980; HMD # M050352, M001472
206	Cochise	Tombatone	Empire mine	20 S. 22 E. 11 EC	Oxidized base-metal sulfides (cerussite, anglesite, horn silver, pyrite, and wulfenite) in northeast fissures in brecciated Cretaceous Bisbee Group limestones and anticlinal rolls under metamorphosed shale, sandstone, and quartzite.	Butler and others, 1938, p. 27, 84, 86, 89, 98; Church, 1903; Keith, S. B., 1973, p. 75; Anthony, Williams, and Bideaux, 1977; Williams, 1980; HMD # M050016, M002173
207	Cochise	Tombatone	Grand Central mine (Contention)	20 S. 22 E. 14 11 SE	Wulfenite crystals in gossany, leached quartz.	Williams, 1980; Keith, S. B., 1973, p. 74; HMD # M050475
208	Cochise	Tombatone	Tribute mine	20 S. 22 E. 11 SC	Oxidized argentiferous and auriferous base-metal sulfides (Pb, Cu, Mo) near northeast fissures and folds in Cretaceous Bisbee Group shales intersected by dikes of granodiorite to diorite related to Uncle Sam porphyry (72 m.y. old).	Butler and others, 1938, p. 28, 89, 91, 93, 96, 103; Keith, S. B., 1973, p. 80; Church, 1903; Newell, 1974; Williams, 1980; HMD # M001735
209	Cochise	Turquoise	Defiance mine	19 S. 25 E. 32 NW	Cerussite, anglesite, malachite, smithsonite, cerargyrite, and pyrolusite, etc; large amounts of magnificent wulfenite specimens lining solution cavities and in oxidized lead, manganese, and iron. Orebodies are in Pennsylvanian-Permian Naco Group limestones where fractures intersect or change dip or are parallel to bedding. Aplite dikes are related to Sugarloaf Quartz Latite Porphyry of Cretaceous (75-m.y.-old) age. Some think age is possibly Jurassic.	Keith, S. B., 1973, p. 81; Gilluly, 1956, p. 152-157; Bideaux, and Williams, 1960; Wilson, E. D., 1927, p. 75-76; McKee, 1966, p. 133-138; Marvin, Messer and Mehnert, 1978; Ransome, 1913; Anthony, Williams, and Bideaux, 1977, p. 205; Thompson, 1980; HMD # M002139
210	Cochise	Turquoise	Mystery mine	19 S. 25 E. 29 32 NE	Oxidized lead, zinc, and copper minerals with wulfenite and minor chalcopryite and pyrite. Ore bodies in Permian Naco Group limestones in fractures. Quartz monzonite is cut by monzonite porphyry. Very similar to Silver Bell mine, which connects with it. Possibly Jurassic age.	Anthony, Williams, and Bideaux, 1977, p. 205; Bideaux and Williams, 1960; Wilson, E. D., 1927, p. 77-78; Keith, S. B., 1973, p. 84; Ransome, 1913; HMD # M030581
211	Cochise	Turquoise	Silver Bell mine	19 S. 25 E. 32 NC	Oxidized base-metal sulfides and wulfenite, as at Mystery mine, in Pennsylvanian-Permian Naco Group limestones in contact with quartz monzonite dikes. Some think age is Jurassic.	Anthony, Williams, and Bideaux, 1977, p. 205; Bideaux and Williams, 1960; Wilson, 1927, p. 74-75; Ransome, 1912; Keith, S. B., 1973, p. 84; HMD # M800140
212	Cochise	Turquoise	Tom Scott mine	19 S. 25 E. 32 C	Oxidized lead, zinc, and copper minerals and wulfenite in breccia-filled solution cavities in Pennsylvanian-Permian Naco Group limestones near quartz monzonite dikes (Sugarloaf Quartz Latite) of Cretaceous (75-m.y.-old) age. Some think mineralization is Jurassic.	Keith, S. B., 1973, p. 84; Wilson, E. D., 1927, p. 72-74; Anthony, Williams, and Bideaux, 1977; Bideaux and Williams, 1960; Ransome, 1913; HMD # M800142
213	Pima	Amole	Old Yuma mine	13 S. 12 E. 9 C	Base-metal sulfides, cerussite, wulfenite, and vanadinite in fissure vein in Cretaceous andesite.	Anthony, Williams, and Bideaux, 1977, p. 205; Gault, 1910, 1911; Keith, S. B., 1974, p. 102; Jenkins and Wilson, 1920, p. 16-17; HMD # M050625

Table 1.-- (cont'd)

214	Pima	Amole	Papago Queen mine (Saginaw Mill group)	15 S.	12 E.	12	WC	12	Cuprite, malachite, minor molybdenum oxides, cerussite, and galena. Siliceous veins with quartz porphyry stock (Saginaw Mill latite porphyry) of Cretaceous age and at rhyolite-limestone contact.	Keith, S. B., 1974, p. 102; Allen, 1920, p. 21; Klason, 1958, p. 109-110; MRDS # 030513
215	Pima	Empire	Copper mine (Hiltano or State of Maine group)	18 S.	17 E.	7	NE	7	Anglesite, cerussite, wulfenite, copper carbonates, galena, chalcocite, and pyrite in replacement bodies in fissures, veins in Permian Concha limestone and quartzite with some contact metamorphism adjacent to Cretaceous (71-m.y.-old) Sycamore Canyon quartz monzonite.	Keith, S. B., 1974, p. 118; Schrader, 1915, p. 148; Peiss, 1929; Alessi, 1939; Albersding, 1938; Fimmel, 1971; Marvin, 1942; Marvin, Nasser, and Hehnert, 1978, p. 247; MRDS # HD50523
216	Pima	Empire	Prince mine (Hilton or Lead Mountain mine; Hiltano group)	18 S.	17 E.	18	C	18	Cerussite, anglesite, smithsonite, wulfenite, copper carbonates, minor copper and lead-zinc sulfides in small packets along fissures and solution cavities in Permian Concha and Main Valley limestones near dioritic sill or dike related to Cretaceous (71 m.y.-old) Sycamore Canyon quartz monzonite.	Keith, 1974, p. 119; Peiss, 1929; Alessi, 1939; Wilson, E. D., 1951a, p. 54-55; Fimmel, 1971; MRDS # HD50521, MU01572
217	Pima	Empire	Total Wreck mine	18 S.	17 E.	3	EC	3	Cerussite, wulfenite, cerargyrite, copper oxide minerals, vanadinite, and minor copper and lead sulfides in replacement veins in fissures in Permian Concha and Main Valley limestones overlying quartzite with Cretaceous (71-m.y.-old) diorite stringers and dikes and Sycamore Canyon quartz monzonite.	Keith, S. B., 1974, p. 119; Anthony, Williams, and Bidaux, 1977, p. 205; King, 1969, p. 236; Schrader, 1915, p. 142; Wilson, E. D., 1951a, p. 52-53; Albersding, 1938; Fimmel, 1971; MRDS # HD50896
218	Pima	Empire	Verde Queen mine	18 S.	17 E.	17	WC	17	Lead and copper carbonates, silver chlorides and wulfenite in replacement bodies in fissure veins in Permian Concha Limestone and Scherer Formation near Cretaceous (71-m.y.-old) Sycamore Canyon quartz monzonite.	Keith, S. B., 1974, p. 119; Schrader, 1915, p. 148-149; Alessi, 1939; Fimmel, 1971; MRDS # HD50461
219	Pinal	Vekol	Pomona mine	10 S.	2 E.	2		2	Lead, silver, molybdenum, zinc, vanadium, and gold in veins in Mississippian Escabrosa Limestone and Cretaceous(?) Vekol Formation, Chisapuk Rhyolite, and Phanerozoic Formation(?).	MRDS? unpub. data; Doekter and Keith, 1978; MRDS # HD00011
220	Santa Cruz	Harehaw	Hardehell mine	23 S.	16 E.	4	C	4	Argentiferous cerussite, anglesite, cerargyrite, smithsonite, wulfenite, pyromorphite, etc., in fissure vein in silicified fault breccia, especially at contact of Cretaceous quartzite and porphyry. (Mineralization may be laramide porphyry copper related).	Keith, S. B., 1975, p. 58; Koutz, 1984, in progress; Jones, E. L. and Ransome, 1920, p. 174-177; Wilson, E. D. and Butler, 1910, p. 91-94; Farham, Stewart, and DeLong, 1961, p. 170-171; Simons, 1974; Davis, S. B., 1975; Schrader, 1915, p. 265-271; MRDS # HD30387
221	Santa Cruz	Harehaw	Hermosa mine	23 S.	16 E.	4	SE	4	Cerargyrite, other silver chlorides, minor molybdenum staining (also manganese, lead, copper, gold) in fracture fillings along a fault zone in Jurassic rhyolite and latite porphyry breccia near Cretaceous pyroxene monzonite. (Mineralization may be laramide porphyry copper related).	Keith, S. B., 1975, p. 58; Schrader, 1915, p. 272-274; Moore, 1972; Simons, 1974; MRDS # HD30389
222	Santa Cruz	Pajarito	Sunset mine group	24 S.	12 E.	3	NE	3	Argentiferous galena, cerussite, minor chalcocopyrite, wulfenite, vanadinite, and uranium in fissure zones in Cretaceous quartz latite and brecciated rhyolite porphyry with an oxidized pyrite gossan, with gold and silver pockets.	Keith, S. B., 1975, p. 72; Robinson, R. L., 1954; Webb and Coryell, 1954; MRDS # HD30420
223	Santa Cruz	Tyndall	Glove mine	20 S.	14 E.	30	C and SW	30	Argentiferous galena, sphalerite, spectacular wulfenite, pyrite, chalcocopyrite, cerussite, anglesite, smithsonite, and rare vanadinite in permeable zones at fault intersections and bedding plane faults, especially in Pennsylvanian-Permian Horquilla Limestone (Naco Group) where a latite porphyry sill was emplaced along the fault and acted as a deflecting barrier for solutions. Associated igneous rocks include Jurassic quartz monzonite, Tertiary quartz latite dikes, and Cretaceous volcanics of Salero Formation. See (1964, p. 68) suggested the source of molybdenum in the groundwater was the molybdenite-bearing alaskite-pegmatite dikes in Agua Caliente Canyon.	See, 1964; Olson, 1966, 1961; Anthony, 1951; Anthony, Williams, and Bidaux, 1977, p. 206; Drewes, 1971; Keith, S. B., 1975, p. 85; Schrader, 1915, p. 185; Whitacre, 1964; MRDS # DD00342
224	Gila	Banner	C&B Vanadium mine	3 S.	15 E.	32	NE	32	Wulfenite from oxidized areas of lead-zinc-silver deposits in Laramide (71-50 m.y.) porphyry copper districts	Trebilcock and Keith, 1975, p. 109; Cornwall and Krieger, 1978; Ross, 1925b, p. 69; Crowley, 1980; MRDS # HD00497

Table 1.-- (cont'd)

225	Gila	Banner	Iron Spike vein	4 S.	15 E.	?	Wulfenite, vanadinite, and copper staining in ferruginous quartz at contact between Precambrian diabase and Mesozoic limestone.	--	Rose, 1925b, p. 68; MRDS # 030437
226	Gila	Banner	Kullman-McCool Group (Razan Camp prospects)	4 S.	15 E.	28	Galena, anglesite, cerussite with wulfenite, vanadinite, descloizite, and copper carbonates in east-northeast-striking fissure veins that juxtapose Williamson Canyon volcanics with Pennsylvanian Horquilla Formation.	3 less than 1-t-lots of Mo-V concentrates produced in 1934	Anthony, Williams and Bideaux, 1977, p. 205; Banks and Krieger, 1977; Kiersch, 1951, p. 81-82; Ransome, 1923, p. 66-67; Willden, 1964, p. 66-67; Willden, 1964; Ransome, 1923; Elsie and Heineman, 1936, p. 92; Wilson, 1951b, p. 82-83; MRDS # MO02098
227	Gila	Banner	London-Arizona mine (London Range and Curtin)	4 S.	15 E.	27 26	Malachite, cerussite, anglesite, amthonsite, hemimorphite, chalcocite, wulfenite, rhodochrosite, and sparse galena in fissure vein with garnet, specularite, and quartz limestone replacements in O'Carroll ore bed of Devonian Percha Shale and Martin Formation in the east hanging wall of the Chocolate fault about 0.5 mi southeast of the Tertiary (63-m.y.-old) quartz-mica diorite stock at Chillito.	--	Anthony, Williams, and Bideaux, 1977, p. 205; Eastlick, 1968, p. 1100; Banks and Krieger, 1977; Rose, 1925b, p. 61-62; Willden, 1964; Ransome, 1923a, p. 23; Elsie and Heineman, 1936, p. 92; Wilson, 1951b, p. 82-83; MRDS # MO02098
228	Gila	Banner	Nichur prospect	4 S.	15 E.	21	Vanadinite, wulfenite, and siderite, in irregular masses of gossanite material in Pennsylvanian Horquilla Limestone near Tertiary quartz latite porphyry.	--	Anthony, Williams, and Bideaux, 1977, p. 205; Rose, 1925, p. 68; MRDS # MO00501
229	Gila	Banner	Overland mine	4 S.	15 E.	28	Galena, cerussite, anglesite with wulfenite, vanadinite, descloizite, copper carbonates, and manganese oxides in limestone replacement veins in Pennsylvanian Horquilla Limestone buried by Williamson Canyon volcanics.	--	Banks and Krieger, 1977; MRDS # MO30434
230	Gila	Banner	Premier group (Santa Monica camp or Santa Monica camp)	4 S.	15 E.	13	Cerussite, anglesite, galena, with wulfenite, vanadinite, gold hemimorphite, and copper carbonates in heavily iron stained replacement veins in Mississippian Escabrosa Limestone on south side of west-northwest fault and near Tertiary dike of quartz porphyry (riyodacite porphyry).	--	Banks and Krieger, 1977, p. 3, 4; Anthony, Williams, and Bideaux, 1977, p. 205; Rose, 1925b, p. 69; MRDS # MO00499
231	Gila	Banner	79 mine	4 S.	15 E.	21	Galena, sphalerite, pyrite, and cerussite with a large variety of secondary minerals including wulfenite, in permeable zones such as breccias, fractures, and shear zones especially as bedded and vein replacements, in favorable rock types such as contact metamorphosed Pennsylvanian Naco Limestone and silicified rhyolite porphyry dikes of probable Tertiary (62 m.y. old) age. (See also no. 35)	--	Keith, S. B., 1972; Wilson, W. E., 1972; Kiersch, 1951, 1949, 1947; Eastlick, 1968; Anthony, Williams, and Bideaux, 1977, p. 205; Rose, 1925b, p. 66-67; Willden, 1964; Ransome, 1923; Elsie and Heineman, 1936, p. 92; Banks and Krieger, 1977; MRDS # MO00500
232	Gila	Globe Hills	Albert Lea property	1 N.15-1/2 E.		22	Cerussite with galena, massicot, hemimorphite, descloizite, vanadinite, and wulfenite, in fissure veins in brecciated Precambrian Troy Quartzite and diabase with fluorite porphyry.	--	ARIGHT unpub. data; Peterson, N. P., 1962, p. 124-126; 1950, p. 105-107; MRDS # MO03136
233	Gila	Globe Hills	Apache mine (Defiance mine, Vanadium mine)	1 N.	15 E.	2	Vanadinite, cerussite, and anglesite, with wulfenite, mallockite, brochantite, boleite, malachite, mottramite, descloizite, etc., in fissure vein in center of fault zone in clay fault gouge with fragments of Precambrian quartzite of Pioneer Formation and diabase.	--	Wilson, W. E., 1971; Peterson, N. P., 1962, p. 126-128; Jones, B., 1979, p. 64; Thomassen, 1957; Bideaux and Williams, 1960 p. 55; Anthony, Williams, and Bideaux, 1977, p. 197, 205; Peterson, 1950, p. 101-105; MRDS # MO02970
234	Gila	Globe Hills	Doughboy shaft	1 N.	15 E.	11 14	Wulfenite, vanadinite, descloizite, mottramite, copper carbonates and silicates, in fissure vein on walls of fractures with wuggy and drusy quartz and manganese oxides in Precambrian diabase. Dripping Spring Quartzite, and Pioneer Formation.	--	ARIGHT unpub. data; Peterson, N. P., 1962, p. 128; MRDS # MO03150
235	Gila	Miami-Inspiration	Castle Dome mine (Pinto Valley mine) between Copper Cities and Inspiration	1 N.	14 E.	27	Wulfenite occurs with libethenite, having been deposited very late (post oxidation of galena) in a fault zone in Precambrian diabase and Tertiary (647-m.y.-old) Lost Gulch quartz monzonite. (See also no. 37)	--	Peterson, Quilbert, and Quirk, 1951; Peterson, N. P., 1950, p. 820-840; Peterson, N. P., 1952, p. 128-131; 1948, p. 195-205; MRDS # MO02863
236	Gila	Miami-Inspiration	Crown Point mine	1 N.	13 E.	25 36	Cerussite, galena, vanadinite and wulfenite in slightly mineralized fissure vein in Precambrian diabase overlain by thrust fault of Pinal Schist and Whitetail Conglomerate (post-32 m.y. old).	--	ARIGHT unpub. data; Peterson, N. P., 1962, p. 129; MRDS # MO02457
237	Gila	Miami-Inspiration	Day Peaks area veins	1 N.	14 E.	1	Molybdenum stolzite (wulfenite), with cerussite and scheelite in fissure vein in east-striking fracture zones in Precambrian diabase near the edge of the dacite that caps Day Peak. Wulfenite occurs in cavities in quartz and disseminated in wulfenite.	--	Peterson, N. P., 1962, p. 129; Dale, 1961, p. 19-20; Faick and Hildebrand, 1958, p. 156-159; ARIGHT unpub. data; MRDS # MO30554
238	Gila	Miami-Inspiration	Sleeping Beauty Mountain (Sulphur Beauty mine or? Honey Metal mine?)	1 N.	14 E.	uncertain	Wulfenite as the variety chilligite.	--	Anthony, Williams, and Bideaux, 1977, p. 205; MRDS # 030450

239	Greenlee	Morenci	Morenci mine	4 S.	29 E.	8, 9, 15, 16	1	One small specimen of clear wulfenite reported very rare. Stronizian wulfenite. (See also no. 40)	--	Phillips, K., oral commun., 1979; Department of Mineral Resources; Bideaux, R. A., oral commun., 1979; HRDS # M02216
240	Hohave	Owens(?)	Midwest mine (Shannon Basin moly mine)	15 N.	13W.	78 717	uncertain	Galena, cerussite, and wulfenite in quartz vein with "black" calcite in granite gneiss several miles from Tertiary (58-m.y.-old) intrusion.	--	Hicks, 1979, p. 18; HRDS # M030370
241	Hohave	Wallapai (Chloride subdistrict)	Empire mine	24 N.	18 W.	35	EC	Pyrite, tennantite, proustite, arsenopyrite, sphalerite, galena; reportedly 2 percent V and Mo and 2 to 14 percent Au and Ag. (?) with quartz.	--	Malach, 1977, p. 40; Bastin, 1925, p. 21; Schrader, 1909, p. 61-62; Wiffle, 1920, p. 41; MADS # M004230
242	Hohave	Wallapai (Chloride subdistrict)	New Tennessee mine (Ryan, Overight claims)	23 N.	18 W.	3	EC	Reported lead, zinc, copper, gold, silver, and molybdenum from northwest veins in Precambrian amphibolite schist and undifferentiated granite, gneiss, and schist near Laramide (71.5-m.y.-old) Ithaca Peak quartz monzonite.	--	ARCO? unpub. data; Schrader, 1909, pl. 3; Dings, 1951; HRDS # M004153
243	Hohave	Wallapai (Mineral Park subdistrict)	Mineral Park	23 N.	17 W.	19	W	Squat dipyramide and acicular-shaped wulfenite on cerussite or chalcocite. (See no. 71 for description of geology of deposit)	--	University of Arizona microamount collection; Wilkinson, Roe, and Williams, 1980; HRDS # D000322
244	Pima	Pima	Mineral Hill mine	16 S.	12 E.	35	SI/2	Rare wulfenite with partly oxidized copper, lead, and zinc minerals in garnetized or brecciated Paleozoic limestone at fault intersections near Mineral Hill thrust fault and Laramide Intrusive granitic sill. (See also no. 98)	--	Keith, S. B., 1974, p. 135; Kansas, 1922, p. 419-422; Mayuga, 1942; Storms and Bowman, 1957, p. 1-6; MacKenzie, 1959; HRDS # M050359
245	Pima	Pima	Twin Buttes mine	18 S.	13 E.	5 6	SW NE	Rare wulfenite occurs with mimette in oxidized coatings on galena cores in fractures in a lead-zinc breccia pipe separate from the main ore bodies. (See also no. 106)	--	Barter, 1978; Kelly, 1977, p. 176, 1975; Keith, 1974; Keith, S. B., oral commun., 1979; HRDS # M050530
246	Pima	Readington	Lucky Strike No. 1	11 S.	18 E.	24 32		Copper and lead oxides, wulfenite, and vanadinite, in Paleozoic(?) limestone and porphyritic igneous rocks of intermediate composition.	--	Hicks, 1979, p. 20; Greasey and Theodore, 1975; HRDS # M002259
247	Pima	Silver Bell	Megonigal mine	11 S.	7 E.	34	EC	Copper oxides and sulfides with wulfenite, and manganese and iron oxides, along a fault zone cutting Paleozoic and Cretaceous limestone and sediment and volcanics, and apparently peripheral to Tertiary mineralization at Silver Bell.	--	Keith, S. B., 1974, p. 143; Clark, C. W., 1966; ARCO? unpub. data; HRDS # M051113
248	Pima	Silver Bell	Silver Bell mine	12 S.	8 E.	11	C	Wulfenite occurs sparsely with fluorite in Tertiary (63-m.y.-old) copper sulfide mineralization. (See also no. 112)	--	Anthony, Williams, and Bideaux, 1977, p. 205; Richard and Courtright, 1966; Galey, 1979; Banks and Dockett, 1976; HRDS # D002948
249	Pima	Waterman	Indiana-Arizona mine	12 S.	8 E.	25	NE	Galena, cerussite, sphalerite with chalcopyrite, chalcocite, wulfenite, mimette, copper carbonates, silver, and anglesite, in vein replacements along breccia zones, strong faults, and fissure intersections in Paleozoic (Cambrian) quartzites, and less favorable intersections in Tertiary(?) Waterman alkaliite. Wulfenite and mimette occur on quartz, and postdate galena altered to anglesite.	--	Keith, S. B., oral commun., 1979; Keith S. B., 1974, p. 144; Ruff, 1952; McClymonds, 1957, 1958, 1959; Knudsen, P., oral commun., 1979; HRDS # M050601
250	Pinal	Bunker Hill (Copper Creek)	Blue Bird mine	8 S.	18 E.	2	SE	Lead, zinc, and copper sulfides and oxidized minerals, as cerussite, anglesite, malachite, cerargyrite, wulfenite, and desulphate in northeast fissure veins in recrystallized limestone adjacent to Laramide (68-m.y.-old) Copper Creek granodiorite, intruded by small andesite dikes. Wulfenite occurs with limonite, partly filling open spaces in a quartz network.	--	Guthrie and Moore, 1978; Kuhn, 1941, p. 529; 1951, 1938; Simons, 1964; Anthony, Williams, and Bideaux, 1977, p. 206; HRDS # M030468
251	Pinal	Campo Bonita (Old Hat)	Old Maudina mine	10 S.	16 E.	20 17		Tungsten as scheelite, with cerussite, wulfenite, vanadinite, and minor lead and copper-sulfides in replacement veinlets and masses in a fault block of marble and silicified Mississippian Escabrosa Limestone adjacent to the Mogul fault. Cretaceous(?) Rice Peak granodiorite porphyry is in area.	--	Greasey, 1967, p. 84-87; Wilson, E. D., 1941, p. 32-34; Brownfield, 1950; Dale, 1959, p. 52, 61; Lemmon and Tweto, 1962; Ludden, 1950; Hill, 1946; Tenney, 1936; Keiser, 1945, p. 663-664; HRDS # M030487
252	Pinal	Silver Reef(?)	Orizaba mine	9 S.	4 E.	25	NW	Silver-bearing cerussite, limonite, and chrysocholla (molybdenum reported) in fault zone of Cambrian and Devonian quartzite and Permian sandstone near Tertiary-Cretaceous diorite porphyry dike (porphyritic biotite-hornblende quartz monzonite).	--	Tenney, 1927-29; ARCO? unpub. data; Blacet, Bergquist, and Miller, 1978; Tenney, 1934; HRDS # M030492
253	Pinal	Silver Reef	Turning Point mine	9 S.	4 E.	36	SE	Copper silicate and iron staining, with silver, lead, gold, and wulfenite also reported, from replacements in Mississippian Escabrosa Limestone in strong fault zones near andesite porphyry dikes of Tertiary age.	--	Blacet, Bergquist, and Miller, 1978, Tenney, 1934, p. 22; Tenney, 1927-1929; Hammer, 1961; HRDS # M000048

Table 1.-- (cont'd)

254	Pinal	Troy	Elder Gulch prospects	3 S.	14 E.	29				Galena with cerussite, wulfenite, sphalerite, sphalerite, smithsonite, etc., in east-northeast veins crosscutting Cretaceous (70-m.y.-old) Torilla Quartz Diorite and Pennsylvanian horquilla limestone. Veins are mineralized faults and fissures associated with Tertiary (63-m.y.-old) east-northeast rhyodacite porphyry dikes. In the outer lead-zinc zone north of the Troy-Buckeye-Alice copper belt.	Keith, S. B., oral commun., 1979; Kamsome, 1923a; Cornwall, Banks, and Phillips, 1971; HDUS # HD30474
255	Pinal	Troy	Grayhorse Vanadium prospects	4 S.	14 E.	3	SW			Vanadinite and desulfitized with wulfenite, galena, and cerussite in east-northeast fissure veins in Precambrian Mesal Limestone inclusion in Precambrian diabase. In the outer lead-zinc zone south of the Troy-Buckeye-Alice copper belt.	Kamsome, 1923a, p. 24; Cornwall and Krieger, 1973a; Clark and Pleck, 1980; Newhouse, 1934; ABCGT unpub. data; HDUS # HD30473
256	Pinal	Troy	Ninety-one mine	3 S.	14 E.	27	SW			Oxidized copper, lead, molybdenum, and vanadium minerals in replacement lenses along N. 80° E. fault vein structures and bedding planes in inclusions of Precambrian Mesal Limestone in Precambrian diabase. Wulfenite occurs in joints in fractured Precambrian Rippling Spring Quartzite. Tertiary (63-m.y.-old) rhyodacite porphyry dikes are in area.	Kamsome, 1923a, p. 24; Cornwall, Banks, and Phillips, 1971; Keith, S. B., written commun., 1979; HDUS # HD00385
257	Pinal	Ripsey	Florence Lead-Silver mines	5 S.	13 E.	12	SE			Silver-bearing galena, sphalerite, pyrite, tennantite with cerussite, wulfenite, hemadrite, willemite, vanadinite, minium and mimetic along a sheared and mineralized east-west-striking fault zone separating Mississippian Becabrosa Limestone and quartzite. Wulfenite formed after cerussite, during and after formation of hemadrite. Lead-zinc mineralization may be Late Cretaceous rather than Laramide porphyry copper.	Anthony, Williams, and Biddeau, 1977, p. 205; Williams and Anthony, 1970, p. 108B-102; Cornwall and Krieger, 1973a; Schmidt, 1971; Kamsome, 1923; HDUS # HD30467
258	Santa Cruz	Patagonia	Nowry mine	23 S.	16 E.	15	NW			Argentiferous galena, cerussite, and anglesite, with minor copper, bindheimite, wulfenite, vanadinite, and manganese oxides in replacement of Mississippian Becabrosa Limestone along strong east-northeast fault zones and fissures in quartz monsonite.	Keith, S. B., 1975, p. 81; Schrader, 1913, p. 296-306; 1917, p. 250-252; Simons, 1974; Smith, C. E., 1956; Prout, 1907; Arlinsade, 1907; Carpenter, 1940; Farnham, Stewart, and DeLong, 1961, p. 159-162; Willaon, E. D., and Butler, 1930, p. 94; HDUS # HD99923
259	Santa Cruz	Tyndall	Ivanhoe mine (Commercial shaft)	21 S.	15 E.	34	SI/2			Chalcopyrite, galena, tetrahedrite, silver halides, and chlorides, cerussite, wulfenite, and copper carbonates in east-west quartz fissure veins in Jurassic (161-m.y.-old) Squaw Gulch granite associated with Tertiary (Paleocene) fault system and alteration and quartz veins.	Keith, S. B., 1975, p. 85; Drewes, 1967, p. 175-182; Schrader, 1915, p. 216-218; Elising and Heineann, 1936, p. 100; HDUS # HD50441
260	Santa Cruz	Wrightson	Gringo mine	21 S.	15 E.	36	NW			Native gold and minor silver, with wulfenite, apatite copper and lead sulfides and malachite stains in east-west Tertiary quartz veins related to nearby dacite porphyry phase of Gringo Gulch pluton (60 m.y. old) which intrudes Cretaceous Bathub Formation andeolites. Mineralization may be Late Cretaceous rather than Laramide porphyry copper.	Keith, S. B., 1975, p. 89; Schrader, 1915, p. 222-226; Anthony, Williams, and Biddeau, 1977, p. 206; Drewes, 1971b; HDUS # HD30418
261	Yavapai	Bureka	Mountain Spring mine	14 N.	9 W.	17				Galena, sphalerite, chalcopyrite, and pyrite, with cerussite, anglesite, wulfenite, chrysocolla, malachite, and hemimorphite, in quartz veins on south end of Mountain Spring fault in Precambrian Hillside Mica schist, and Lawler Peak Granite, with Laramide mineralization as in nearby Bagdad.	Anderson C. A., and Creasey, S. C., 1955, p. 93; HDUS # HD00182
Wulfenite from oxidized areas of lead-zinc-silver districts in or associated with mid-Tertiary igneous rocks											
262	Cochise	California	Hilltop mine	17 S. 16 S.	30 E. 30 E.	3, 4, 5 32, 33, 34				Galena, cerussite, sphalerite with scheelite, wulfenite, anglesite, amibonite, malachite, and manganese oxides in northeast fissure veins in Permian limestone and quartzite in association with mid-Tertiary porphyry and felsite dikes probably related to Jhus Canyon pluton (31 m.y. old).	Anthony, Williams, and Biddeau, 1977, p. 205; Keith, S. B., 1973, p. 32; Pape, 1952; Drewes and Williams, 1973, p. 37; Dale, Stewart, and McKinney, 1960, p. 17-18; Brittain, 1934; Sharfquith and others, 1978; HDUS # HD02167
263	Cochise	California	Hilltop Extension	16 S.	30 E.	28 34	SE SW			Base-metal sulfides and carbonates in quartz veins, and contact metamorphic deposits in Paleozoic limestones, cut by intrusives and dikes. Paleozoic rocks and Cretaceous Blisbee Group rocks are juxtaposed by northwest-striking, 30-45°-southwest-dipping thrust fault.	AGCIT unpub. data; U.S. Geological Survey Mineral Resources, 1923; 1926-1928; Weed, 1926, 1931; Keith, S. B., 1973, p. 32; HDUS # HD41042
264	Cochise	Middle Pass	Bacapule property (Garnet and Moonlight groups)	18 S.	23 E.	24				Oxidized lead and zinc minerals with wulfenite, vanadinite, and minor copper.	Keith, S. B., 1973, p. 68; ABCGT unpub. data; Wilson, E. D., 1950, p. 28; Geerstrom, 1946b, p. 86; HDUS # HD00921

Table 1.-- (cont'd)

265	Cochise	Middle Pass	Middlemarch mine	18 S.	23 E.	12			Chalcopyrite, sphalerite, galena, pyrrhotite, and sparse scheelite, with enriched copper, copper carbonates, and trace wolfeite in a 45°-west-plunging pipe-like structure in Glance conglomerate made of limestone cobbles in the Cretaceous-aged Bisbee Group. The cobbles have been contact metamorphosed to wollastonite and karnet skarns along faults and near the mid-Tertiary (25.9-m.y.-old) Stronghold Granite. (See also no. 353)	Cederstrom, 1948a, p. 87-88; Keith, S. B., 1973, p. 68; Tenney, 1927-29, p. 218-219; Sousa, 1979; Larvin and others, 1971; Hanson and Aikerman, 1964; HRDS # HD30367
266	Cochise	Pearce	Pearce mine (Commonwealth mine)	18 S.	25 E.	5	NE		Silver and gold halides, sulfosalts, native gold and silver, wolfeite, and some base-metal sulfides in fissure veins and fault breccia zones in mid-Tertiary rhyolite and andesite of Pearce Volcanics. Wolfeite occurs lining cavities and with embolite.	Anthony, Williams, and Bideaux, 1977, p. 205; Scott, 1916, p. 187-188; Erdlich, 1897; Smith, L. A., 1927; Keith, S. B., 1973, p. 69; Howell, 1977; HRDS # UJ0569
267	Cochise	Swisshelm	Chance mine	20 S.	27 E. 22 E.	12 16			Galena, cerussite, pyrite, vanadinite, wolfeite, and mimetic, in replacement deposits in Pennsylvanian-Permian Naco group limestones above a tabular body of Tertiary or Cretaceous diorite porphyry, intruded along a strong northwest-striking thrust fault. (Associated with 30-m.y.-old Elfrida stock)	Galbraith and Loring, 1951; Keith, S. B., 1973, p. 70-71; Dietz, 1964; Loring, 1947; Cooper, 1960a; Dale, Stewart, and McKinney, 1960, p. 58; Shaflughan and others, 1978; McGaw, P., oral comm., 1981; HRDS # HD02185, H241077
268	Graham	Aravaipa	Brooker T. Washington claim	5 S.	20 E.	30	NW		Galena, malachite, chrysocolla, and wolfeite along northwest fracture veins in Pennsylvanian-Permian limestone with nearby rhyolite dikes of probable Tertiary age.	Simons, 1964, p. 143; Ross, 1925a; Denton, 1947; ABCRT unpub. data; HRDS # HD50084
269	Graham	Aravaipa	Dogwater mine (near Silver Cable mine)	6 S.	20 E.	33	NW		Cerussite and galena, with some anglesite, argentite, wolfeite, and copper oxides in silicified fault breccia along the Grand Reef structure between Tertiary (25-m.y.-old) Horse Mountain Volcanics and Goodwin Canyon Quartz Monzonite and Precambrian Pinal Schist.	Anthony, Williams and Bideaux, 1977, p. 205; Simons, 1964, p. 147-148; Wilson, E. D., 1950, p. 61; Wess, 1925a; Denton, 1947; Cressay and Krieger, 1978 HRDS # HD50154
270	Graham	Aravaipa	Pairview prospect	5 S.	19 E.	25 26	S 1/4		Cerussite, anglesite, and chrysocolla, with very scarce wolfeite, in north fracture veins in porphyritic andesite of Horse Mountain Volcanics of probable mid-Tertiary age.	Simons, 1964, p. 133; ABCRT unpub. data; HRDS # HD30101
271	Graham	Aravaipa	Grand Reef mine	6 S.	20 E.	29			Galena, sphalerite, chalcopyrite with cerussite, wolfeite, anglesite, malachite, azurite, and chrysocolla, in silicified breccia in northwest-striking fissure veins along the Grand Reef fault in rhyolite porphyry of mid-Tertiary Horse Mountain Volcanics intruded by mid-Tertiary (25-m.y.-old) Goodwin Canyon Quartz Monzonite.	King, 1969, p. 235; ABCRT unpub. data; Simons, 1964, p. 146-147; Ross, 1922a; p. 82; Wilson, E. D., 1950; Kerrig and Reynolds, 1980; Jones, 1980; HRDS # HD50132
272	Graham	Aravaipa	Ionida claim	5 S.	20 E.	30	NE		Galena, sphalerite, johannsenite, anglesite, wolfeite, and copper staining in limestone replacement deposits in lower Paleozoic Boles Quartzite, Martin Formation, and Bacabrossa Limestone, near Iron Cap thrust fault.	ABCRT unpub. data; Simons, 1964, p. 144; HRDS # HD30082
273	Graham	Aravaipa	Silver Coin mine (Quinn mine)	7 S.	20 E.	11	E 1/2		Galena, anglesite, cerussite, wolfeite, plumbogonite(?), and sparse copper staining in east-northeast fissure vein in silicified and brecciated fault zone between a plug of biotite quartz karts on north and volcanics of Cerrocorral(?) Buford Canyon formation on south with some silvers of Precambrian Pinal Schist.	Anthony, Williams, and Bideaux, 1977, p. 205; Simons, 1964, p. 148; Ross, 1925a; p. 72, 85, 87; Mining World, 1946, p. 59; HRDS # HD50156
274	Graham	Aravaipa	Sinn Pein mine	5 S.	20 E.	19 30	line		Galena, chalcopyrite, sphalerite, fluorite, anglesite, cerussite, malachite, azurite, and wolfeite in fissure vein along fault contact between Mississippian Bacabrossa Limestone and Pennsylvanian-Permian Horse Mountain Volcanics with a quartz porphyry (porphyritic dacite) intruding the fault. Small wolfeite crystals are fairly common in open spaces in upper part of mine.	Simons, 1964, p. 137-141; Ross, 1925, p. 100; ABCRT unpub. data; HRDS # HD30096
275	Maricopa	Painted Rock	Rowley mine	4 S.	8 W.	24 25	E 1/2		Barite, wolfeite, cerussite, base-metal sulfides, (secondary minerals include a cerussite-anglesite suite, a wolfeite suite, a cerussite-tetradite suite, and vanadinite suite) and northwest fracture veins in mid-Tertiary andesite and rhyolite flows and dikes. (See also no. 362)	Wilson, W. F., and Miller, 1974, p. 14; Anshy, Williams, and Bideaux, 1977; HRDS # HD00321
276	Maricopa	Vulture	Vulture mine	6 N.	5 W. 35 36 6 N. 6 W.	25 26 35 36 31	SW W 1/2		Cold, oxidized lead, galena, sphalerite, wolfeite, vanadinite, pyrite, arsenic, and silver in Precambrian quartzite schist in vicinity of granitic porphyry dikes of rhyolite intrusion of uncertain age (Precambrian or Tertiary).	Wilson, Cunningham, and Suttler, 1967, p. 15-16; Tenney, 1927-1929; Hutchison, 1921; Jeffrey, 1912; Dineaus, 1911; Hefar, 1911; McClintock, 1928; Thompson, 1902; Arlington, 1907; Thompson, 1930; Metzger, 1938; Bahlig, Shaflughan, and Deason, 1980; HRDS # HD03317

277	Hohave	Oatman	Artec shaft of Tom Reed mine	19 N.	20 W.	23	SE	Gold, with thin film of wulfenite, in fissure veins in mid-Tertiary Oatman Andesite (between 10 and 22 m.y. old) near the Gold Road lactic.	Lausen, 1931, p. 60, 74-80; Ransome, 1923, p. 39-45; Wells, 1937, p. 9-10; Thorson, 1971; MADS # H004493
278	Hohave	Oatman	Big Jim mine (part Tom Reed vein)	19 N.	20 W.	23	SW	Gold, in fissure veins, with specimens on dump containing thin film of wulfenite. Ore occurs in fissure veins in mid-Tertiary Oatman Andesite near Gold Road lactic.	Lausen, 1931, p. 60, 76-87, 105, 109-110; Ransome, 1923, p. 39-45; Schrader, 1909, p. 180-183; Malach, 1977, p. 15; Thorson, 1971; MADS # H004495
279	Hohave	Oatman	Pioneer vein (German-American vein)	19 N.	20 W.	21	E 1/2	Gold, with thin film of wulfenite, in fissure veins along contact of mid-Tertiary Oatman Andesite and Alcyone Trachyte.	Ransome, 1923, p. 50; Lausen, 1931, p. 60, 84; Schrader, 1909, p. 186-190; 1907, p. 80; MADS # H004486
280	Pinal	Bunker Hill	Table Mountain mine	7 S.	18 E.	15 22	SE NE	Chrysocolla, wulfenite, vanadinite, gold in quartz, and secondary copper minerals, in fissure veins and Jasperoid breccia associated with Mississippian Facobrosa Limestone, and overlain by mid-Tertiary (29-m.y.-old) lower andesite of Galluro Volcanics. Deposit is derived from erosion of nearby oxidized lead-silver and copper deposits.	Simons, 1964, p. 150-152; Kuhn, 1941, 1938; 1951; Guthrie and Moore, 1978; Thomssen, Williams, and Bideaux, 1958; Keith, S. B., written commun., 1979; MADS # H050053
281	Pinal	Hammoth	Hammoth-St. Anthony mine (at Tiger)	8 S.	16 E.	26	SW	Wulfenite, vanadinite, gold in quartz, galena, sphalerite, anglesite, cerussite, and many oxidized minerals, in west-northwest shear zones intruded by mid-Tertiary (22-m.y.-old) rhyolite, with widest fissure veins occurring in quartz monzonite (Precambrian) most intensely shattered and brecciated. Deposit was oxidized and faulted, thin wulfenite and vanadinite were deposited with later oxidation.	Anthony, Williams, and Bideaux 1977, p. 21-23, 205; Greasey, 1950, p. 63; 1967; Peterson, N. P., 1938a; 1938b; 1938c; Bideaux, 1980; Greasey, 1965; MADS # H050189
282	Yuma	Castle Dome	Adams mine group	4 S.	18 W.	31	SW	Galena, anglesite, cerussite, vanadinite, wulfenite, lead- and copper- oxides, in north-northwest-striking fissure veins in brecciated slate of Mesozoic(?) age with diorite porphyry dikes and quartz porphyry dikes and quartz porphyry, in region of major mid-Tertiary volcanism.	Keith, S. B., 1978, p. 117; Wilson, E. D., 1933, p. 101-102; Wilson, 1951, p. 113; MADS # H002517
283	Yuma	Castle Dome	Buckeye vein group	4 S.	19 W.	25 36	SC C	Argentiferous galena, fluorite, anglesite, cerussite, wulfenite, vanadinite, and lead- and zinc-oxide minerals, in south-southeast fissure veins in Mesozoic (?) shale near or on contact between large diorite porphyry dikes and quartz porphyry dikes.	Keith, S. B., 1978, p. 119; Wilson, E. D., 1933, p. 95-96; Wilson, 1951a, p. 110-111; Blake, 1881; Nevius, 1912; MADS # H030339
284	Yuma	Castle Dome	Castle Dome mine group	4 S. 4 S. 5 S.	19 W. 18 W. 19 W.	24, 36 30, 31 1		Argentiferous galena, anglesite, cerussite, and mimetite in fissure veins in Mesozoic(?) slates metamorphosed to mica schists, with dike swarms of intrusive diorite porphyry dikes and quartz porphyry dikes.	Keith, S. B., 1978, p. 118-121, 21-26; Wilson, E. D., 1933, 1951c; Allen, and Butler, 1921, p. 6-7; Foshag, 1919, p. 149-150; Blake, 1880-1881; Moore, R. T., 1969, p. 200; Van Alatine and Moore, 1969; MADS # H001813
285	Yuma	Castle Dome	Cleveland-Chicago group	4 S.	18 W.	30 31	SW NW	Argentiferous galena in south-southeast fissure veins in Mesozoic(?) shale and limestone near dikes of quartz porphyry and diorite porphyry. Molybdenum, vanadium, zinc, gold, barium, and fluorine are also reported.	Keith, S. B., 1978, p. 119; Wilson, E. D., 1933, p. 100-101; p. 112-113; MADS # H030318
286	Yuma	Castle Dome	Colorado or Lincoln group	5 S.	19 W.	12	EC	Argentiferous galena, oxidized lead and copper staining, in fissure veins in Mesozoic(?) shale and limestone near diorite porphyry dikes. Molybdenum, vanadium, zinc, gold, fluorine, and barium also reported.	Keith, S. B., 1978, p. 120; Wilson, E. D., 1933, p. 102; 1951a, p. 114; MADS # H099962
287	Yuma	Castle Dome	Flora Temple claim	4 S.	19 W.	36	NC	Rich argentiferous galena, cerussite, anglesite, wulfenite, vanadinite, mimetite, smithsonite, and hydrozincite in north-northwest fissure veins in Mesozoic (?) slate and quartz porphyry dikes and diorite porphyry dike with strong cross fractures.	Keith, S. B., 1978, p. 119; Wilson, E. D., 1933, p. 90-92; 1951a, p. 106-107; Blake, 1881; MADS # H030315
288	Yuma	Castle Dome	Haak mine group	4 S. 4 S.	19 W. 18 W.	25 31	SE NW	Argentiferous galena, and oxidized lead, zinc, and copper minerals in fissure veins in Mesozoic(?) shale and diorite and quartz porphyry dikes. Elements reported also include molybdenum, vanadium, gold, arsenic, selenium, beryllium, tin, barium, and fluorine.	Keith, J. B., 1978, p. 119; Wilson, E. D., 1933, p. 9; MADS # H030327
289	Yuma	Castle Dome	Hull mine group (Rialto group)	4 S.	19 W.	24 25	SW NC	Argentiferous galena, oxidized lead minerals, wulfenite, vanadinite, and mimetite, in north-northwest fissure veins in Mesozoic(?) shale, limestone, and sandstone, with diorite porphyry dikes.	Keith, S. B., 1978, p. 120; Wilson, E. D., 1933, p. 99-100; 1951a, p. 111-112; Blake, W. P., 1881; Nevius, 1912; MADS # H030326
290	Yuma	Castle Dome	Little Dome mine (Linda Extension)	4 S.	19 W.	36	SE	Argentiferous galena, anglesite, and cerussite, in west-northwest-striking fissure veins in Mesozoic(?) shale cut by diorite porphyry dikes, that one cut by quartz porphyry dikes. Elements reported also include molybdenum, vanadium, gold, zinc, barium, fluorine, copper, arsenic, tin, selenium, and beryllium.	Keith, S. B., 1978, p. 120; Wilson, E. D., 1933, p. 96-99; 1951a, p. 110; MADS # H001817, M241394, H030341

291	Yuma	Castle Dome	Nabel mine group	4 S.	18 W.	31	MC	Argentiferous galena (partly oxidized), wulfenite, and vanadinite, in vugs and solution channels in fissure veins in Mesozoic(?) shales and diorite porphyry and quartz porphyry dikes.	Keith, S. B., 1978, p. 122; Wilson, E. D., 1933, p. 102; 1951a, p. 113-114; MMS # MD03024, MD02611
292	Yuma	Castle Dome	Senora mine group	4 S. 5 S.	19 W. 19 W.	36 1	SC NC	Argentiferous galena, cerussite, and anglesite, wulfenite, fluorite, hydrozincite, and smithsonite, in north-northwest fissure veins in Mesozoic(?) shale and diorite porphyry and quartz porphyry dikes.	Keith, S. B., 1978, p. 121; Wilson, E. D., 1933, p. 92-93; 1951a, p. 107-108; Burchard, 1934; MMS # MD03025
293	Yuma	Barquahala	Socorro mine	5 N.	12 W.	25	SM	Galena with pyrite, anglesite, cerussite, wulfenite and oxidized copper minerals, in fissure veins in subconcordant fault zone in Paleozoic and Mesozoic quartzite, limestone, and shale near mid-Tertiary microdiorite dike swarm.	Keith, S. B., 1978, p. 154; Bancroft, 1911, p. 111-113; Mehrgig and Reynolds, 1980; Varga, 1977; Wilson, Cunningham, and Butler, 1934, p. 131; Smith, 1907; Pract., 1902; MMS # MD03687
294	Yuma	Huggins	Red Knob mine	8 S.	19 W.	10		Uranium minerals with wulfenite, vanadinite, and cuprite, in high-grade pockets in mid-Tertiary (22-m.y.-old) volcanics, opalized mudstone and sandstone.	Keith, 1978, p. 164; Anthony, Williams, and Bideaux, 1977, p. 207; Jones, 1959; Wilson, E. D., 1933, p. 218-220; Keith, S. B., 1970, p. 257; MMS # MD03019
295	Yuma	Santa Maria	Copper Penney mine	10 N.	17 W.	35 36		Chrysocolla, malachite, azurite, tenorite, wulfenite, chalcocite, pyrite, and limonite in shattered, chloritized, pyritized lower plate mylonite, especially immediately below a mid-Tertiary (18-15-m.y.-old) dislocation surface	Heidrick, 1980, p. 38-51; Wilkins, J., oral commun., 1979; Mehrgig and Reynolds, 1980; Davis and others, 1980;
296	Yuma	Santa Maria	Planet mine	10 N. 11 N.	16 W. 16 W.	6 31	NM SC	Copper carbonates and silicates, wulfenite, specular hematite, copper sulfides and pyrite in brecciated Paleozoic limestone and shale along a mid-Miocene dislocation surface above Precambrian metamorphic.	Keith, S. B., 1978, p. 173; Bancroft, 1911, p. 47-53; Harter, 1964, p. 130-133; Heidrick, 1980 p. 38-51; MMS # MD03887
297	Yuma	Santa Maria	Swansea mine (Signal mine group)	10 N.	15 W.	32	NC	Oxidized copper minerals, specular hematite, wulfenite, chalcocite, pyrite, and bornite, in upper plate Paleozoic limestones along a strong flat fault zone overlying lower plate Precambrian gneiss. The dislocation surface was probably mid-Tertiary (17-m.y.-old).	Keith, S. B., 1978, p. 174; Bancroft, 1911, p. 62-63; Heidrick, 1980; p. 38-61; Harter, 1964, p. 134-135; Stevens, 1910-1911, p. 1537, 1635, 912-913; Weed, 1918, p. 360-361; 1922, p. 392; MMS # MD03777
298	Yuma	Silver	Black Rock mine	4 S.	23 W.	11 12	S	Silver-bearing quartz, fluorite, willemite, cerussite, smithsonite, wulfenite, and iron- and manganese-oxides in west-northwest fissure veins in Mesozoic(?) quartzite, schist, and granite, intruded and metamorphosed by Tertiary(?) granodiorite. Area is major center of probable mid-Tertiary volcanism.	Keith, S. B., 1978, p. 175; Wilson, E. D., 1933, p. 67-69; Wilson E. D., 1951a, p. 93-94; Parker, 1966; Dohms, and others, 1980, p. 316; MMS # MD02447
299	Yuma	Silver	Chloride, Mandarin, Cash Entry claims	4 S.	22 W.	6 7		Barite and fluorite with galena, lead oxide, wulfenite, smithsonite, cerussite, chrysocholla, and malachite in north-northwest fissure veins in probable mid-Tertiary trachytic to andesitic lavas, tuffs, and breccias.	Wilson, E. D., 1933, p. 60-62; MMS # MD02423
300	Yuma	Silver	Ceromino mine	3 S.	23 W.	34	E1/2	Argentiferous anglesite and cerussite, with wulfenite, vanadinite, galena, smithsonite, lead oxides, quartz, fluorite, and manganese oxides, in north-northwest fissure veins in probable mid-Tertiary rhyolite tuffs and andesite flows faulted against granodiorite.	Keith, S. B., 1978, p. 176; Wilson, E. D., 1933, p. 64-65; Parker, 1966; MMS # MD02459
301	Yuma	Silver	Hamburg claim	4 S.	23 W.	1	C	Argentiferous cerussite and anglesite, galena, argente, cerargyrite, wulfenite, vanadinite, quartz, barite, and fluorite, in north-northwest fissure veins in Mesozoic(?) schist, correlative with Urocopa schist and granite and probable mid-Tertiary volcanics.	Anthony, Williams, and Bideaux 1977, p. 20; Wilson, E. D., 1933, p. 63-64; Keith, S. B., 1978, p. 177; Parker, 1966; Blake, M. P., 1880-1881; Haxel and Dillon, 1978; MMS # MD02446
302	Yuma	Silver	Melissa claim	near Red Cloud mine				Wulfenite specimens exhibit unusual crystal forms.	Anthony, Williams, and Bideaux, 1977, p. 207;
303	Yuma	Silver	Papago mine	4 S.	23 W.	11	C	Cerargyrite, cerussite, smithsonite, pyrochlore, anglesite, wulfenite, vanadinite, malachite, and galena, in north-trending fissure veins in probable mid-Tertiary volcanic tuffs and andesite flows faulted against granodiorite.	Keith, S. B., 1978, p. 177; Wilson, E. D., 1933, p. 70; Parker, 1966; Wilson, 1951a, p. 96; MMS # MD02445
304	Yuma	Silver	Princess mine	4 S.	23 W.	1	C	Anglesite, cerussite, fluorite, barite with yellow lead oxide, vanadinite, wulfenite, smithsonite, galena, argente, and cerargyrite in north-northwest fissure veins in fault separating Mesozoic schist from probable mid-Tertiary andesite and granite.	Keith, S. B., 1978, p. 177; Wilson, E. D., 1933, p. 63; Parker, 1966; Bamone and Becker, 1885, p. 52; MMS # MD02448



305	Yuma	Silver	Red Cloud mine	4 S.	23 W.	2	SE	Argentiferous galena, anglesite, fluorite, cerussite, cerargyrite with wulfenite, pyrofluorite, vanadinite, malachite, and silver bromide in north-northwest fissure veins in probable mid-Tertiary andesite breccia, dacite porphyry, rhyolitic to dacitic tuffs, and lapilli tuffs, and faulted against granodiorite to quartz diorite with best ore at intersections of fault and cross fractures. Wulfenite crystals up to 2 in. on an edge.	Keith, S. B., 1978, p. 178; Wilson, E. D., 1933, p. 65-67; Parker, 1966; Anthony, Williams, and Bideaux, 1977, p. 207; Blake, 1880-1881; Foshag, 1919; Thompson, 1925; Stillman, 1881; Wilson, E. D., 1951a, p. 90-93; Edson, 1980; HRDS # M002442
306	Yuma	Silver	Saxon mine (Padre Kino mine)	3 S.	23 W.	36	SW	Argentiferous cerussite and smithsonite, celestite, wulfenite, millemite, barite, mangiferous calcite, quartz, gypsum, and iron oxides in fissure vein between Mesozoic metamorphics and granite, and probable mid-Tertiary dacitic and andesitic lavas, rhyolite tuffs, and lapilli tuffs	Wilson, E. D., 1933, p. 62-63; Keith, S. B., 1978, p. 178; Keith S. B., oral commun., 1979; Shannon, D., written commun., 1980;
307	Yuma	Silver	Silver Glance claim	4 S.	23 W.	11	NE	Galena, cerussite, anglesite, wulfenite, yellow lead oxide, quartz, limonite, and mangiferous calcite, in south-southwest fissure veins in Mesozoic quartz sericite schist correlative with Orocoipa schist, and probable mid-Tertiary lavas and tuffs.	Keith, S. B., 1978, p. 178; Wilson, E. D., 1933, p. 68-70; Parker, 1966; Haxel and Dillon, 1978; HRDS # M002452
308	Yuma	Silver	Silver King claim	4 S.	23 W.	1	NC	Galena, anglesite, cerussite, yellow lead oxide, wulfenite, and manganese and copper staining, in quartz fluorite fissure veins in probable mid-Tertiary andesite flows and granite.	Keith, S. B., 1978, p. 178; Wilson, E. D., 1933, p. 64; Parker, 1966; Stewart and Pfeister, 1960; HRDS # M002449
Wulfenite from deposits of unclassified age									
309	Cochise	Cochise	Tungsten King mine	16 S.	22 E.	1 6		Scheelite, pyrite, galena with tetradymite, beryl, chalcocyanite, wulfenite, and copper staining, in north-trending quartz veins along contact of Precambrian schist and granite in a mineralized fault zone.	Keith, S. B., 1973, p. 60; Dale, Stewart, and McKinney, 1960, p. 43-45; Meves, 1966, p. 56-58; Wilson, 1941, p. 43-44; Cooper and Silver, 1964; HRDS # M050021
310	Gila	Payson	Ox Bow mine	10 N.	10 E.	32	NW	Gold in quartz veins with wulfenite, cuprodesclozite, diopase, malachite, chrysocolla, and fluorite, in ox-bow-shaped fault fissures in porphyritic hornblende diorite and granite porphyry dikes.	Lausen and Wilson, 1925, p. 37-41; Lausen and Wilson, 1927, p. 12-14; HRDS # M241207
311	Gila	Payson (Green Valley)	Silver King mine	10 N.	10 E.	7	EC	Elements reported include gold, silver, lead, and molybdenum.	Willis, 1935, p. 12; HRDS # M241206
312	Hohave	Gold Basin	Climax mine	30 N.	17 W.	33	SE	Gold-bearing quartz-carbonate-sulfide veins occur in Precambrian amphibolite metasediments and granitoid plutonic rocks. Disseminated gold occurs in medium-grained porphyritic leucosyenite with several percent interstitial fluorite. Wulfenite occurs in mine.	Anthony, Williams, and Bideaux, 1977, p. 205; Blacet, 1975, 1969, p. 1-2; Theodore and others, 1982; HRDS # M030383
313	Hohave	Hayward	Kaaba mine	20 N.	14 W.	26	NE	Gold-rich vanadinite produced vanadium; other elements reported include silver, copper, and molybdenum.	Malach, 1977, p. 23; HRDS # M030378
314	Hohave	Artillery Peak	Rashide mine	11 N. 11 N.	13 W. 14 W.	18 13	NW NE	Anglesite, cerussite with silver, wulfenite, diopase, chrysocolla, and shattuckite.	Anthony, Williams, and Bideaux, 1979, p. 205; Jones, B., oral commun., 1979; HRDS # M030385
315	Hohave	Owens	Doyle Vanadium mine	1 to 2 mi north of Bill Williams River				Elements reported include vanadium, molybdenum, gold, silver, lead, zinc, copper, tungsten, and arsenic.	Malach, 1977, p. 53;
316	Hohave	Owens	Sally Ann mine	8 mi west of Alamo Crossing				Elements reported include gold, silver, copper, lead, and molybdenum.	Malach, 1977, p. 49;
317	Hohave	Owens	Lone Eagle prospect	?				Reported gold, and silver, values; with wulfenite, barite, and fluorite.	Hicks, 1979, p. 18;
318	Pima	Papago (Sierrita)	Aguinaldo mine group	17 S.	10 E.	26	SE	Galena, manganese oxides, pyrite, chalcocyanite, wulfenite, azurite, and malachite in replacement veins in fractured and metamorphosed Devonian Martin Formation and Mississippian Escabrosa Limestone with dioritic offshoots from a nearby mass of granite that could be related to Jurassic Sierrita granite or to Tertiary-Cretaceous Ruby Star granite of Twin Buttes district.	Keith, S. B., 1974, p. 131; Ransome, 1922, p. 416-417; Farnham, Stewart, and DeLong, 1961, p. 119-121; Drees and Cooper, 1973, HRDS # M050526
319	Pima	Papago (Sierrita)	Big Johnny-Little Johnny mine	17 S.	10 E.	23	SC	Argentiferous galena, chalcocyanite, pyrite, wulfenite, and mangiferous silver ore in west-northwest fractures in metamorphosed Mississippian Escabrosa Limestone and Mesozoic (?) rhyolite and intrusives.	Keith, S. B., 1974, p. 132; Drees and Cooper, 1973; Ransome, 1922, p. 417 HRDS # M050577
320	Pinal	Pioneer	Black Prince mine	?				Vanadinite and wulfenite crystals.	Blake, 1880-1881, p. 235; Penfield, 1886; Anthony, Williams, and Bideaux, 1977, p. 207; HRDS # M050195

321	Pinal	Pioneer	Prudential mines	1 S.	12 E.	20 21 28 29		Copper, lead, and molybdenum reported from lead-zinc veins.	HRDS # HD00236
322	Pinal	Riverside	Haybee group	5 mi south of Ray				Wulfenite along with lead, silver, and gold.	Ulcks, 1979, p. 22;
323	Santa Cruz	(7) Santa Rita Mountains	J. C. Holmes claim	near Patagonia				Wulfenite with vanadinite, desclozite, and cerussite on fracture planes in quartz vein filling. Probable Late Cretaceous age	Anthony, Williams, and Bideaux, 1977, p. 207-207; Pellegrin, 1911, p. 450; HRDS # 030421
324	Yavapai	Buteka	Bevering Gulch area about 34034'N, 113912'30"W.	west of Bevering Gulch				Wulfenite occurs in small veins. Probable Laramide porphyry copper.	Krieger, 1965, p. 106;
325	Yavapai	Mineral Point	United States mine	18 N.	1 E.	27		Galena in calcite veins with wulfenite and vanadinite, in Mississippian Redwall Limestone.	Krieger, 1965, p. 106
326	Yuma	Hellton	McMahon prospect	10 S.	18 W.	15 22	SC	Wulfenite, copper-stained silica, iron oxide and sericite in vugs in calcite in quartz vein in fissure vein in Mesozoic gneiss.	Wilson, E. D., 1933, p. 175-176; Wallaby Ent., data base; HRDS # HD02541
Powellite from deposits in or associated with Precambrian rocks									
327	Maricopa	White Picacho	Little San Domingo mine	7 N.	3 W.	15 22	SW	Scheelite and powellite with pyrite, chalcopyrite iron oxides, copper carbonates, and gold in contact metamorphic garnet-epidote zones of Precambrian(?) hornblende-biotite schist, with granite and pegmatite dikes cutting the veins.	Bell, 1947; Dale, 1959; Jahns, 1952; Anthony, Williams, and Bideaux, 1977, p. 156; Wilson, E. D., 1941; HRDS # HD00237
328	Maricopa	White Picacho	Tamarack group (Horrietown area)	7 N.	3 W.	15, 16 22		Scheelite and powellite in contact metamorphic garnet-epidote zones within Precambrian schist and limestone (?), with Precambrian(?) granite and pegmatite dikes cutting veins.	Dale, 1959, p. 33-34; Bell, 1947; Anthony, Williams, and Bideaux, 1977, p. 156; Jahns, 1952; Wilson, E. D., 1941; HRDS # 002844
329	Pinal	Antelope Peak	Gold Circle Group	7 S.	14 E.	13	approx	Wolframite, scheelite, and powellite in fissure veins containing quartz and gold in Precambrian Rubin Granite and muscovite granite with Tertiary-Cretaceous(?) dikes in area.	Anthony, Williams, and Bideaux 1977, p. 156; 1974b; HRDS # HD30490
330	Pinal	Antelope Peak	Opahaw Tuangatan mines group	7 S.	14 E.	11		Powellite, wolframite, and scheelite in gold-bearing quartz fissure veins in Precambrian Oracle (Ru'n) granite with Tertiary-Cretaceous(?) dikes in area.	Wilson, E. D., 1941, p. 35; Anthony Williams, and Bideaux, 1977, p. 156; Dale, 1959; Krieger, 1974b, HRDS # HD50213
331	Yavapai	White Picacho	Buena Vista mine (Starlight mine)	7 N.	3 W.	1 2		Scheelite, powellite, pyrite, chalcopyrite, azurite, malachite, gold, and iron oxides in quartz veins. Tungsten is disseminated in garnet-epidote schist bands within Precambrian hornblende biotite schist, and higher grade zones conform to schistosity.	Dale, 1959; 1961, p. 39; Wilson, E. D., 1941, p. 24; Jahns, 1952; Bell, 1947; HRDS # HD01108
332	Yavapai	White Picacho	Climax mine	8 N.	3 W.	351		Scheelite with powellite, pyrite, chalcopyrite, lead, gold, iron oxides, and copper carbonates, disseminated in quartz veins in epidote-garnet zone of hornblende-biotite schist (Precambrian) with Precambrian(?) aplite dikes and monzonite porphyry dikes cutting the veins.	Dale, 1961, p. 38; Wilson, E. D., 1941, p. 24; Jahns, 1952; Bell, 1947; Anthony, Williams, and Bideaux 1977, p. 156; HRDS # HD03416
Powellite from deposits in or associated with Jurassic rocks									
333	Cochise	Warren	Blahee Queen shaft	23 S.	24 E.	9	SW	Powellite reported. (See also no. 19)	Anthony, Williams, and Bideaux 1977, p. 156; Emmons and Becker, 1885; HRDS # HD02911
334	Pima	Reboquitar	Giant mine (Grand Mountain claim)	20 S.	7 E.	30	NC	Spotty scheelite and powellite with minor chrysocolla and malachite in irregular, disconnected quartz lenses in Jurassic quartzitic beds of the metamorphic rocks of Chutum Vaya with Jurassic aplite dikes.	Keith, S. B., 1974, p. 108; Dale; Stewart, and McKinley, 1960, p. 78-81; Haxel and others, 1980; HRDS # HD50227
Powellite from deposits in or associated with Late Cretaceous rocks									
335	Maricopa	Vulture	Flying Saucer group	6 N.	6 W.	12	NW	Powellite and scheelite disseminated in granitic rocks and dikes of Cretaceous (68-m.y.-old) age (granodiorite of biotite granite porphyry).	Mehrig, Shafiqullah, and Damon 1980; Dale, 1959, p. 37; Anthony, Williams, and Bideaux, 1977, p. 156; HRDS # HD02742
336	Pima	Empire	Hilton tungsten claim	18 S.	17 E.	4, 8, 9		Scheelite, powellite, disseminated in marble and garnetiferous Pennsylvanian-Permian limestone beds of Horquilla and Earp Formations adjacent to Cretaceous (71-m.y.-old) quartz monzonite intrusive of the Sycamore Canyon stock.	Anthony, Williams, and Bideaux 1977, p. 156; 1974, p. 118; Wilson, E. D., 1941, p. 36; Dale, Stewart and McKinley, 1960, p. 107-109; Finneil, 1971; Schrader, 1913; HRDS # HD01572
Powellite from deposits in or associated with Laramide (71-50-m.y.-old) porphyry copper deposits									
337	Cochise	Cochise	Donna Anna workings	15 S.	22 E.	26 27	SW SE	Huebnerite with scheelite and powellite, pyrite, galena, and chalcopyrite in northeast to east-northeast-striking quartz fissure veins in Precambrian Pinal Schist (sericite schist and metagraywacke) near Tertiary (53-m.y.-old) Texas Canyon Quartz 57 Monzonite.	Keith, S. B., 1973, p. 56; Cooper and Silver, 1964, p. 187-188; Mahab, 1974; HRDS # HD50025

338	Cochise	Cochise	Johnson Camp mine	15 S.	22 E.	23	SE	Scheelite and powellite occur in copper-zinc sulfide skarn deposit, in lactite metasomatized from middle member of Cambrian Abrego Formation near east side of Tertiary (53-m.y.-old) Texas Canyon Quartz Monzonite. (See also no. 27)	Clayton, 1978; Keith, S. B., 1973, p. 57; Dale, Stewart and McKinney 1960; Coopet and Silver, 1964, p. 163-181; HRDS # MD50007
339	Cochise	Cochise	Standard prospect	16 S.	23 E.	6	SW	Sphalerite, chalcopyrite, bornite, chalcocite, and powellite in skarns in Cambrian Abrego Limestone near Tertiary (53-m.y.-old) Texas Canyon Quartz Monzonite.	Warner and others, 1959, p. 88; Wooper, and Silver, 1964, p. 171-181; Keith, S. B., 1973, p. 59; HRDS # MD50018
340	Gila	Miami-Inspiration	Inspiration mine	1 N.	14 E.	23, 24 25, 26		Powellite occurs as crusts of tiny crystals in a seam adjacent to veins containing molybdenite and lindgrenite. Disseminated porphyry copper deposit is in Tertiary (62-m.y.-old) porphyritic Schultz Granite. (See also nos. 39, 383)	Anthony, Williams, and Bideaux 1977, p. 156; Olstead and Johnson, 1966, p. 143-150; Peterson, N. P., 1962; Dale, 1961, p. 94; HRDS # MD03084
341	Mohave	Wallapai	Cerbat range	22 N.	17 W.	7		Powellite reported from Cerbat Range.	Anthony, Williams, and Bideaux, 1977, p. 156; Wickes, 1917; HRDS # MD03997
342	Pima	Qunsight	(?) Ajo Qunsight mine	15 S.	4 W.	11	WC	Gold, silver, oxidized copper, tungsten, and molybdenum reported from fissure veins in Cretaceous-Tertiary granitic intrusive. Tertiary basaltic andesite is in area.	Keith, S. B., 1974, p. 122; Weed, 1920, p. 288-289; HRDS # MD02267
343	Pima	Qunsight	Black Bass mine group	15 S.	4 W.	1 2	SW SE	Oxidized copper, gold, scheelite, and powellite, in fissure zones in decomposed Laramide (Cretaceous-Tertiary) granitic rock near contact with Tertiary basaltic andesite.	Keith, 1974, p. 122; Weed, 1920, p. 248; HRDS # MD02286
344	Pima	Helvetia-Rosemont	GGH mine group (Copper Alex, Black Horse, Nevada, Green Monument, Coyote)	17 S.	16 E.	21	SC	Copper carbonates, chalcopyrite, pyrite, scheelite, and powellite in pyrometamorphic deposits in brecciated Cretaceous conglomerates and Cambrian limestones in contact with dikes and stocks of Laramide quartz monzonite or quartz diorite.	Keith, S. B., 1974, p. 124; Schrader, 1915, p. 136-137; Lee and Morlano, 1933; Dale, Stewart, and McKinney, 1960, p. 111-112; Finnell, 1971; Drewes, 1976; Marvin and others, 1973; HRDS # MD50491
345	Pima	Helvetia	Copper World mine (Brunswick, Owasco, Little Dave)	18 S.	15 E.	13 24	SW SW	Chalcopyrite and chalcocite with cupriferous pyrite and molybdenite; powellite is disseminated with scheelite in garnetiferous contact zones in shattered Paleozoic limestones underlain by quartzites or aplite dikes of probable Laramide age. (See also no. 80)	Keith, S. B., 1974, p. 124; Schrader, 1915, p. 99-106; Drewes, 1970; Dale, Stewart, and McKinney, 1960, p. 110; Johnson, V. H., 1941; HRDS # MD50038
346	Pima	Helvetia-Rosemont	Iale Royale mine	18 S.	15 E.	24	NW	Cupriferous pyrite, chalcocite, and copper carbonates with powellite in altered Paleozoic limestones along a low-angle fault with Precambrian Continental granodiorite in hanging wall and Pennsylvanian Horquillas Limestone in footwall.	Keith, S. B., 1974, p. 126; Schrader, 1915, p. 108-110; Drewes, 1970; Johnson, V. H., 1941, p. 97, 79-80; Creasey and Quick, 1953, p. 312, 320; HRDS # MD50044
347	Pima	Helvetia-Rosemont	Lauder mine	18 S.	15 E.	24 13	NI/2 SE	Disseminations and stringers of scheelite and powellite occur in garnetiferous contact zones associated with molybdenite in brecciated and silicified Pennsylvanian Horquilla Limestone in the footwall of a thrust with Precambrian Continental granodiorite in the hanging wall. (See also no. 83)	Keith, S. B., 1974, p. 126; King, 1969, p. 236; Anthony, Williams, and Bideaux, 1977, p. 141; Prondel and Wickham, 1970; Creasey and Quick, 1953, p. 316-318; Schrader and Hill, 1910, p. 156-157; Schrader, 1915, p. 106-108; Johnson, V. H., 1941, p. 85; Wilson, E. D., 1941, p. 36; HRDS # MD50045
348	Pima	Helvetia-Rosemont	Omega tunnel	18 S.	15 E.	24	WC	Chalcopyrite, pyrite, powellite, and sphalerite in magnetite-garnet gangue along contact of Tertiary (56-m.y.-old) aplite dikes intruded into thrust fault between Devonian Martin Formation-Mississippian Escabrosa Limestone and Precambrian Continental granodiorite	Johnson, V. H., 1941, p. 77; Keith, S. B., 1974, p. 127; Schrader, 1915, p. 115-117; Creasey and Quick, 1953, p. 320; Drewes, 1970; HRDS # MD50179
349	Pima	Pima	Copper Queen mine	18 S.	13 E.	6	NW	Copper-lead-zinc sulfides with molybdenum, tungsten, gold, and silver also reported from pyrometamorphosed Paleozoic limestones and Precambrian granite. (See also no. 94)	Keith, S. B., 1974, p. 134; Kanasove, 1922, p. 425-427; Brown, R. L., 1926; Whitcomb, 1948; Cummings and Rosalo, 1950; Weed, 1926, p. 247-248; HRDS # MD50378
350	Pima	Pima	Senator Morgan mine	18 S.	12 E.	1 2	SW SE	Chalcopyrite and pyrite with scheelite, and powellite in quartz veins in fractured and garnetized Paleozoic limestones along a fault contact with Cretaceous quartzites and closely associated with a Laramide granodiorite porphyry dike	Keith, S. B., 1974, p. 138; Kanasove, 1922, p. 425-427; Mayuga, 1942; Dale, Stewart, and McKinney, 1960, p. 85-92; Anthony, Williams, and Bideaux, 1977, p. 156; Brown, R. L., 1926; Whitcomb, 1948; Wilson, E. D., 1941, p. 44-46; HRDS # MD50383
351	Pima	Pima	Twin Buttes mine	18 S.	13 E.	5 6	SW NE	Tungsten, in the form of scheelite and powellite, is rather uniformly scattered throughout the skarns in small amounts. (See nos. 106, 245)	Kelly, 1977; HRDS # MD50530
352	Pima	Redington	Korn Kob mine	12 S.	17 E.	14 23	line	Powellite generally appears to be reaction rim around molybdenite. (See no. 107)	Wilson, J. R., 1977; Keith, S. B., 1974, p. 141; Waabe, 1959; HRDS # MD00134
353	Santa Cruz	Patagonia	Holland mine	24 S.	16 E.	3		Powellite and scheelite occur with base-metal sulfides in skarns in Permian Maco group at limestone-quartzite contacts with nearby Tertiary (58-m.y.-old) Granddiorite dikes and sills. (See no. 139)	Lehman, 1978, p. 244; Keith, S. B., 1975, p. 77; Schrader, 1915, p. 338-340; Simons, 1974; Carpenter, 1940, p. 4; HRDS # MD30397

		Powellite from deposits in or associated with mid-Tertiary rocks						Ferrimolybdate from deposits in or associated with Precambrian rocks			
354	Cochise	California	King-Alsworth mine	17 S. 31 E. 4 5	Galena, chalcopyrite, scheelite, and powellite(?) in replacement deposits in Cambrian Limestone and quartzite	---	Keitch, S. B., 1973, p. 53; Lait, Stewart, and McKinney, 1960, p. 15-16; Mead, 1926, p. 202; Drewes and Williams, 1973; MRDS # M241030				
355	Cochise	Middle Pass	Middlemarch mine	18 S. 23 E. 12	Sparse scheelite with powellite component occurs with base-metal sulfides and oxides in skarns of limestone of lower Paleozoic and Cretaceous age that were contact metamorphosed by mid-Tertiary (26-m.y.-old) Stronghold Granite and related dikes. (See no. 265)	---	Souza, 1979; Cedarstrom, 1946a, p. 87-88; Tenney, 1928-1929, p. 218-219; Keitch, S. B., 1973, p. 68; MRDS # M30567				
356	Yavapai	Black Hills	Burnt Canyon prospect	15 N. 2 E. 28	Coatings of ferrimolybdate, malachite, and limonite in quartz vein with scattered molybdenite crystals. (See no. 180)	---	Anderson and Creasey, 1958, p. 92, 178; Ludgren, 1926, p. 97-102; MRDS # M30497				
357	Yavapai	White Picacho	Picacho View mine	7 N. 3 W. 10 NW	Oxidized minerals, including molybdenite in fractures in pegmatite of Precambrian age. (See no. 18)	---	Jahns, 1952, p. 90-93; MRDS # M303390				
358	Pima	Cababi	Chicago mine	16 S. 4 E. 23 SW 26 NW	Ferrimolybdate occurs as an oxidation product of wulfenite on the dumps of the Chicago mine. (See no. 192)	---	Williams, 1962, p. 25, 46, 91; 1963;				
359	Pima	Cababi	Little Mary mine (Stepper claim)	16 S. 4 E. 23 SW 26 NW	Ferrimolybdate was found as a common mineral on the 80-ft level of the Little Mary mine, where it stains gangue minerals	---	Anthony, Williams, and Bideaux, 1977, p. 102; Williams, 1962, 1963; James and others, 1978; MRDS # M30622				
360	Pima	Cababi	Mildren group	16 S. 4 E. 16 EC	Ferrimolybdate was found at the Mildren mine in brecciated quartz fissure veins in Jurassic amygdaloidal andesite flows containing molybdenite and wulfenite with other base-metal sulfides and oxidation products. (See nos. 23, 193)	---	Williams, 1962, 1963; Anthony, Williams, and Bideaux, 1977, p. 102; Janet and others, 1978; MRDS # M30610				
361	Gila	Miami	Cattle Dome mine (Pinto Valley mine)	1 N. 14 E. 27	Ferrimolybdate from deposits in or associated with Laramide (71-50-m.y.-old) porphyry copper districts	---	Peterson, Gilbert, and Quick, 1951, p. 60; MRDS # M302863				
362	Gila	Miami	Copper Cliffs mine	1 N. 15 E. 7 WC	Ferrimolybdate occurs along with oxidized copper minerals, malachite, azurite, and turquoise. (See no. 38)	---	Simmons and Fowells, 1966, p. 151-156; Peterson, N. P., 1954, 1972; MRDS # M303143				
363	Gila	Pinal Mountains	Indesa prospect (Ellis vein)	1 S. 14-1/2 E. 18 W. 19	Ferrimolybdate present along with a relatively large proportion of fine- and coarse-grained molybdenite. (See no. 41)	---	Peterson, N. P., 1963, p. 14; MRDS # M30365				
364	Gila	Summit	Bronx property	1 S. 14 E. 6 S line	Powdery masses of ferrimolybdate occur in a few places as result of oxidation of molybdenite. (See no. 42)	---	Peterson, N. P., 1962, p. 133-134; King, 1969, p. 235; Borst, 1935; Peterson, N. P., 1963, p. 16-17; MRDS # M30374				
365	Hohave	Shannon Basin	Wilkeup prospect	15 N. 13 W. 22, 14 15	Ferrimolybdate present, as well as bornite, chalcocite, and magnetite. (See no. 70)	---	Hansen, 1977; ASCEP unpub. data; MRDS # M30373				
366	Hohave	Wallapai (Mineral Park)	Mineral Park property (Chaca Peak orebody)	23 N. 17 W. 19	Ferrimolybdate present, as well as copper enrichment products. (See nos. 71, 243)	---	Eidel, Frost, and Clippinger, 1968; Anthony, Williams, and Bideaux, 1977, p. 103; MRDS # M304058				
367	Pima	Old Baldy	McLeary prospects	19 S. 14 E. 35 W	Ferrimolybdate reported. (See no. 90)	---	Schraeder, 1915; Anthony, Williams, and Bideaux 1977; MRDS # M30552				
368	Pima	Pima	Eperanza open pit mine	18 S. 12 E. 8 SE	Ferrimolybdate reported, as well as oxidized copper minerals. Molybdenite is widespread in fractures and quartz veinlets. (See no. 97)	---	Lynch, 1966; Aiken and West, 1978; MRDS # M30591				
369	Pinal	Bunker Hill	Childs-Adwinle mine	8 S. 18 E. 11 EC	Ferrimolybdate occurs as a yellow powder and radiating crystal aggregates. (See nos. 157, 386)	---	Guthrie and Moore, 1978; Kuhn, 1938, 1941, 1951; Stanton, 1964; MRDS # M305120				
370	Pinal	Bunker Hill	Copper Creek area	8 S. 18 E. 10 11	Ferrimolybdate present. (see no. 158)	---	Guthrie and Moore, 1978; Kuhn, 1938, 1941, 1951; Anthony, Williams, and Bideaux, 1977; MRDS # M305126, M305109, M305115, M305116, M305108, M305129, M305110, M305114				
371	Pinal	Riverside	Bare Metals mine	4 S. 13 E. 8 SE 9 SW	Ferrimolybdate present. (See no. 120)	---	Anthony, Williams, and Bideaux, 1977, p. 102; MRDS # M306334				
372	Santa Cruz	Patagonia	Four Metals mine	23 S. 16 E. 29 WC	Ferrimolybdate present. (See no. 164)	---	Grasbeal, 1972, p. 36-43; Keitch, S. B., 1973, p. 80; MRDS # M304800				

Table 1.-- (cont'd)

373	Santa Cruz	Patagonia	Red Kacer	23 S. 16 E. 15 mi east of Nogales	31		Talc and Ferrimolybdate	--	Hicks, 1979, p. 24; MRDS # RD30405
374	Santa Cruz	Patagonia	Red Mountain mine	22 S. 16E	21		Ferrimolybdate reported	--	Anthony, Williams, and Bideaux, 1977, p. 102; Schrader, 1915; MRDS # H899921
375	Yavapai	Copper Basin	Boston-Arizona mine	13 N. 3 W.	7		Ferrimolybdate reported. (See no. 165)	--	Johnston, and Lowell, 1961; Johnston, W. P., 1955; MRDS # M003569
376	Yavapai	Copper Basin	Commercial mine	13 N. 3 W.	20		Ferrimolybdate reported. (See no. 166)	--	Johnston, and Lowell, 1961; Johnston, W. P., 1955; MRDS # H800029
377	Yavapai	Copper Basin	Copper Hill mine	13 N. 3 W.	20	NW	Ferrimolybdate reported as a bright yellow oxide in a zone of secondary enrichment of molybdenum just above and in the upper part of the zone of copper enrichment. (See no. 168)	--	Johnston, and Lowell, 1961; Johnston, W. P., 1955; MRDS # H00375J
378	Yavapai	Copper Basin	Loma Prieta mine	13 N. 3 W.	21		Ferrimolybdate reported. (See no. 169)	--	Johnston, and Lowell, 1961; MRDS # H00374Z
379	Yavapai	Copper Basin	U.S. Navy mine	13 N. 3 W.	19		Ferrimolybdate reported. (See no. 171)	--	Johnston, and Lowell, 1961; MRDS # H003571
380	Yavapai	Eureka	Bagdad mine	14 N. 9 W.	4		Ferrimolybdate reported. (See no. 150)	--	Anderson, and Greasey, 1955; Fleischer, 1959; MRDS H00467
Ferrimolybdate from deposits in or associated with mid-Tertiary rocks									
381	Cochise	Middlepass	Abril mine	17 S. 23 E.	34		Ferrimolybdate reported. (See no. 174)	--	Perry, 1964; MRDS # H001415
382	Maricopa	Vulture	Rowley mine	4 S. 8 W.	24		Ferrimolybdate forms a thin partial coating on the walls of the main shaft from the surface to a depth of 30 ft. (See no. 275)	--	Wilson, E. D., and Miller, 1974, p. 14; Mackallor, 1965; MRDS # D000321
383	Gila	Miami	Inspiration mine	1 N. 14 E.	23-26		Lindgrenite from Laramide porphyry copper districts in hydrothermally altered schist, also associated with molybdenite and rarely associated with poxellite. (See nos. 39, 340)	--	Anthony, Williams, and Bideaux, 1977, p. 130; Pough, 1941;
384	Maricopa	Cave Creek	Cave Creek district (Maricopa and Phoenix mines)	6 N. 4 E.	8		Lindgrenite occurs with cuprotungstite, oxidized lead minerals, and gold with quartz in silicified breccia zones in Precambrian schist intruded by dikes of granite porphyry. (See no. 181)	--	Anthony, Williams, and Bideaux, 1977, p. 130; Schaller, 1932, p. 234-237; Wilson, Cummings, and Butler, 1934, p. 164; Lewis, 1920; MRDS # H002740, H002782
385	Pima	Pima	Esperanza mine	18 S. 12 E.	8	SE	Lindgrenite occurs very sparsely at the Esperanza mine. (See no. 97)	--	Anthony, Williams, and Bideaux, 1977, p. 130; Lynch, 1968; MRDS # H050391
386	Pinal	Bunker Hill	Childe-Alberkle mine	8 S. 18 E.	11		Lindgrenite occurs at Childe-Alberkle. (See nos. 158, 369)	--	Anthony, Williams, and Bideaux, 1977, p. 130; MRDS # M050120
387	Pinal	Bunker Hill	Hull claims	3 S. 13 E.	237		Lindgrenite sample from Hull claims is in Harvard mineral collection. (HF 108666)	--	Anthony, Williams, and Bideaux, 1977, p. 130;
388	Pinal	?	Superior area	1 S. 12 E.			Lindgrenite sample from Superior is in Harvard mineral collection. (HF 105628)	--	Anthony, Williams, and Bideaux, 1977, p. 130; MRDS # H899880
Ilsemanite									
389	Apache	Monument Valley	Monument No. 2	41 N. 23 E.	29	WC NC	Poody blue ilsemanite coats and impregnates friable conglomerate and is associated with uranium minerals and pyrite, but no primary molybdenum minerals (in Triassic Chinle Formation).	--	Johnson, 1963; King, 1969, p. 235; Anthony, Williams, and Bideaux, 1977, p. 121; Keith, S. B., 1970, p. 214; Winkler and Thadeu, 1963; MRDS # H002989
390	Coconino	Cameron	Alyce Tolino mine	29 N. 9 E.	24	EC	Uranium minerals, uranohite, ilsemanite, and cobalt-rich pyrite in carbonaceous materials in Triassic Chinle Formation. (See also no. 395)	--	Bollin and Kerr, 1958, p. 166; Keith, S. B., 1970, p. 221; Hamilton and Kerr, 1959; King, 1969, p. 235; MRDS # H002678
391	Coconino	Cameron	Huskon #10 mine	28 N. 10 E.	29	NI/2	Uranium minerals and ilsemanite in carbonaceous material at permeability contrasts in Triassic Chinle Formation.	--	Tschalen and Evesen, 1956; Keith, S. B., 1970, p. 225; Bollin and Kerr, 1958; Anthony, Williams, and Bideaux, 1977; Huckle, 1957; MRDS # H003675
392	Coconino	Cameron	Huskon #11 mine	28 N. 10 E. 27 N. 10 E.	33 4	S edge	Uranium minerals, ilsemanite and jordisite, with carbonized plant remains in channel in Triassic Chinle Formation. Ilsemanite occurs with marcasite in sandstone as inky blue masses and stains. (See also no. 396)	--	Anthony, Williams, and Bideaux, 1977, p. 121; Keith, S. B., 1970, p. 225; Bollin and Kerr, 1958; Peterson, Hamilton and Hyers, 1959; MRDS # H002406
393	Coconino	Grand Canyon	Orphan Lodge mine	31 N. 2 E.	14	SW	Uranium minerals, base-metal sulfides, and their oxidation products in breccia pipes in Paleozoic limestones and shales with a 101-m.y.-old or older age date on mineralization. Molybdenite, wolfferite, and ilsemanite are present. (See 60 nos. 26, 190)	--	Kofford, 1969; Miller, D. S., and Kulp, 1963; Granger and Kaup, 1962, p. 10; Keith, S. B., 1970, p. 263; Gornitz, 1969; Billingsley, 1974; MRDS # H001823

Table 1.-- (cont'd)

394	Coconino	Vermilion Cliffs	Sun Valley mine	39 N.	6 E.	32	WC	Uranium minerals with illemanite, jordisite(?), and rare base-metal sulfides in channel in Triassic Chinle Formation; illemanite forms on walls of older mine workings and associated with rhenium. (See also no. 397)	--	Peterson, Hamilton, and Myers, 1959; Keith, S. B., 1970, p. 218; Peterson, R. G., 1957, p. 151; King, 1969, p. 235; Anthony, Williams, and Bideaux, 1977, p. 121-123; HRDS # MO02734
Umohotte										
395	Coconino	Gameron	Alyce Tolino mine	29 N.	9 E.	24	EC	Umohotte occurs as blue-black isotropic mineral contained in aorty masses and carbonaceous replacements. (See no. 390)	--	Holln and Kerr, 1958, p. 166; Keith, S. B., 1970, p. 221; HRDS # MO02678
Jordisite										
396	Coconino	Gameron	Huakon #11 mine	28 N.	10 E.	33	S edge	Jordisite with illemanite. (See no. 392)	--	Anthony, Williams, and Bideaux, 1977, p. 121; HRDS # MO02406
397	Coconino	Vermilion Cliffs	Sun Valley mine	39 N.	6 E.	32	WC	Jordisite(?). (See no. 394)	--	Peterson, Hamilton, and Myers, 1959; HRDS # MO02734
Unspecified molybdenum minerals in uranium deposits										
398	Coconino	Vermilion Cliffs	Jasper group	39 N.	6 E.	27	SW	Uranium minerals and copper carbonates and unspecified molybdenum in carbonaceous material near base of Triassic Chinle Formation.	--	Keith, S. B., 1970, p. 219; Peterson, R. G., 1955; HRDS # MO02731
399	Coconino	Vermilion Cliffs	Vermilion No. 1 mine	38 N.	5 E.	20	NE	Metacornbernite, copper carbonates, and unspecified molybdenum at base of Triassic Chinle Formation.	--	Keith, S. B., 1970, p. 219; Peterson, R. G., 1957; HRDS # MO02733
400	Navajo	Monument Valley	Mitchell Mesa	41 N.	20 E.	13		Uranium minerals, with copper carbonates and unspecified molybdenum mineral.	--	King, 1969, p. 235; Wilkind and Thaden, 1963, p. 139-142; Keith, S. B., 1970, p. 215; Wilkind, 1956, p. 107; HRDS # MR00298
401	Navajo	Monument Valley	Monument No. 1	41 N.	19 E.	24	NE	Uranium minerals, copper carbonates and unspecified molybdenum and vanadium minerals near siltified wood agnd with carbonaceous matter in basal conglomerate of Triassic Chinle Formation.	--	King, 1969, p. 235; Wilkins, 1956, p. 233-237; Wilkind and Thaden, 1963, p. 129; Keith, S. B., 1970, p. 216; HRDS # MO03052
Unspecified molybdenum minerals										
402	Cochise	Dos Cabezas	Elma mine	14 S.	27 E.	9		Chalcopyrite, pyrite, and magnetite, in limestone and granite, diabase dikes and quartz porphyry. (no published reference to Mo)	--	Weed, 1925, p. 278; 1926, p. 239; Tenney, 1927-1929, p. 226-227; AZ. Department of Mineral Resources, 1962; Keith, S. B., 1973, p. 61; HRDS # MO02125
403	Cochise	Turquoise	Gold Camp mines area (Golden Crown)	20 S.	24 E.	15		Oxidized copper and lead minerals, reported gold, silver, and molybdenum in Triassic-Jurassic (178- and 181-m.y.-old) Gleason Quartz Monzonite.	--	Keith, S. B., 1973, p. 82; Anderson, 1968, p. 1167; Brewes, 1976; Creasey, 1965; HRDS # M241165
404	Maricopa	Vulture	Black Hawk mine	5 N.	6 W.	1	W/2	Lead, molybdenum, and gold reported from 11-ft-wide vein about 1 mi south of Vulture mine.	--	ABQHT unpub. data; Moore, 1902; HRDS # MR00239
405	Pima	Beboquivari	Lost Horse group	18 S.	7 E.	24	C	Copper, lead, zinc sulfides, silver, gold, and molybdenum in Tertiary-Cretaceous sediments and metamorphosed sediments oxidized to shallow depths along strong fault zones.	--	ABQHT unpub. data (Keith, S. B., file card for Pima County); HRDS # MO30519
406	Pima	Cahabi	High Card mine (Paro Bank group)	17 S.	5 E.	4	SW	Base-metal sulfides with some molybdenum in assay; in oxidized and weathered quartz veins along a fissure zone cutting Laramide granitic rocks.	--	ABQHT unpub. data; Keith, S. B., 1974, p. 111; Bryner, 1959; Department of Mineral Resources, 1962; HRDS # MD30517
407	Pima	Quijotoa	Black Prince mine	14 S.	1 E.	24	C	Base-metal sulfides and carbonates, with argenteite, native silver, molybdenum(?), and gold values in quartz veins in Jurassic, Cretaceous, and Tertiary limestone, gneiss, schist and muscovite quartz monzonite in a strong fault zone.	--	Keith, S. B., 1974, p. 140; ABQHT unpub. data; Kyocba and others, 1978, head, 1922, p. 288; HRDS # O30536
408	Pinal	Goldfields	Mammoth group	1 N.	8 E.	1		Gold and molybdenum reported from north-south fault planes and southeast-northwest fractures in Precambrian and Tertiary pegmatite, granite, andesites, rhyolites, dacite, and minor monzonite.	--	ABQHT unpub. data; Johnson H. G., 1972; Wilson, Cunningham, and Butler, 1967, p. 167-168; Tenney, 1927-1929, p. 344-345; HRDS # MO02831
409	Santa Cruz	Patagonia	Coronado mines, Inc. (Buena Vista mine, King prospect, and Red Mountain mine)	15 mi northeast of Nogales				Copper, gold, silver, molybdenum, and tungsten.	--	HRDS #MO01224
410	Yavapai	Black Hills	Unnamed prospect	15 N.	2 E.	27	C	Molybdenum reported.	--	ABQHT unpub. data; HRDS # MO02655, MO30497
411	Yavapai	Eureka	Black Diamond prospect	15 N.	7 W.	7, 17, 18		Tungsten, gold, silver, and molybdenum.	--	Dale, 1961, p. 50, 51; HRDS # MO03328

Table 1.-- (cont'd)

412	Yavapai	Hazat'ai	Blue lode	9 N.	7 E.	13	Molybdenum.	--	HRDS # MU0282b
413	Yavapai	Thumb Butte	Unnamed prospect	13 N.	3 W.	7	Molybdenum.	--	HRDS # MU03568
414	Yuma	Wellton (La Posa)	Betty Lee mine	11 S.	17 W.	2	Chrysocolla and malachite in fissure veins as lenses, coarsely crystalline quartz-hematite-epitrite veins in Mesozoic granite. Other elements reported include silver, molybdenum, vanadium, gold, uranium, and iron	--	Keith, S. B., 1978, p. 160; Wilson, E. D., 1933, p. 166-167; Wallaby Ent., data base 1979; HRDS # MU02516
415	Yuma	Wellton	Poorman mine	10 S.	18 W.	2	Gold, silver and molybdenum in fissure vein in west-northwest fault zone filled with quartz, gouge, and breccia and in Mesozoic gneiss with nearby aplitic dikes	--	Keith, S. B., 1978, p. 160; Wilson, E. D., 1933, p. 174; Wallaby Ent., data base, 1979; HRDS # MU02526
416	Yuma	Wellton	Smith claims	11 S.	17 W.	12	Chrysocolla, copper pitch, hematite, and gold (also reported silver and molybdenum) in pockets of brecciated coarse-grained quartz in north-northwest fissure vein in granite and pegmatite dikes	--	Wilson, E. D., 1933, p. 167; HRDS # MU02530
417	Yuma	Wellton	Unknown name for this prospect	10 S.	18 W.	22	Copper, iron, lead, and molybdenum reported	--	Wallaby Ent., data base, 1979; HRDS # MU03001