OPEN-FILE REPORT 84-843-G
PLATE 1

DEPARTMENT OF THE INTERIOR
U. S. GEOLOGICAL SURVEY

Base from U.S. Geological Survey
Charlotte AMS, 1953-74

This map is preliminary and has not been edited or reviewed for conformity with U.S. Geological Survey editorial standards

Scale 1:250,000
5 0 5 10 15 20 Statute Miles
5 0 5 10 15 20 25 30 Kilometres
5 0 5 10 Nautical Miles

CONTOUR INTERVAL 100 FEET WITH
SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS
TRANSVERSE MERCATOR PROJECTION
BLACK NUMBERED LINES INDICATE THE 10,000 METRE UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17
TATO MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 7° 10' WEST AT THE WEST EDGE TO 6° 10' WEST AT THE EAST EDGE



GEOLOGIC PROVINCES



LOCATION OF CHARLOTTE QUADRANGLE

EXPLANATION

Beryllium content (ppm) in NM concentrate

- + Less than 2
- ▵ 2-10
- △ 15-30
- △ 50-100
- ✳ Greater than 100

Beryllium content (ppm) of minus 100 mesh sediment (after Ferguson, 1979)

- Less than 2
- 2-4.5
- 5-84

- Cherryville pluton
- Salisbury pluton
- Brown Mountain pluton
- Spodumene-bearing pegmatite
- ○ Coarse muscovite pegmatite

DISTRIBUTION OF BERYLLIUM IN HEAVY-MINERAL-CONCENTRATE SAMPLES FROM THE CHARLOTTE 1° X 2° QUADRANGLE, NORTH CAROLINA AND SOUTH CAROLINA

By

W.R. Griffitts, J.W. Whitlow, K.A. Duttweiler, D.F. Siems, and J.D. Hoffman,

1985