

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

to accompany

Engineering-geologic maps of northern Alaska,
Umiat quadrangle

by

L. David Carter¹ and John P. Galloway²

Open-File Report 86-335

This report is preliminary and has not been edited or reviewed for conformity with USGS editorial standards and stratigraphic nomenclature.

¹ U.S. Geological Survey, Anchorage, Alaska

² U.S. Geological Survey, Menlo Park, California

SOURCES OF INFORMATION

The following list of references includes those cited in the text and in addition contains references concerning topics such as climate, permafrost, pingos, ground ice, soil development, vegetation, floods and storm surges, economic geology, and water resources, all of which are pertinent to land management considerations.

- Albert, N.R.D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928V, scale 1:500,000, 3 sheets.
- Alpha, T.R., and Gerin, Marybeth, 1980, Oblique map of the Beaufort Sea and the Brooks Range of Alaska: U.S. Geological Survey Open-File Report 80-455.
- Anderson, D.M., Reynolds, R.C., and Brown, J., 1975, Bentonite debris flows in northern Alaska: Science, v. 164, no. 3876, p. 173-174.
- Arnborg, Lennart, Walter, H.J., and Peippo, Johan, 1966, Water discharge in the Colville River, 1962: Geografiska Annaler, v. 48A, no. 4, p. 195-210.
- , 1967, Suspended load in the Colville River, Alaska, 1962: Geografiska Annaler, v. 49A, no. 2-4, p. 133-144.
- Arnold, C.A., 1959, Some paleobotanical aspects of tundra development: Ecology, v. 40, no. 1, p. 146-148.
- Barnes, F.F., 1967a, Coal resources of Alaska: U.S. Geological Survey Bulletin 1242-B, p. B1-B36.
- , 1967b, Coal resources of the Cape Lisburne-Colville River regions, Alaska: U.S. Geological Survey Bulletin 1242-E, p. E1-E37.
- Batzil, G.O., and Brown, Jerry, 1976, RATE - the influence of grazing on arctic tundra ecosystems: Arctic Bulletin, Interagency Arctic Research Coordinating Committee, v. 2, p. 153-160.
- Beikman, H.M., and Lathram, E.H., 1976, Preliminary geologic map of northern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-789, scale 1:1,000,000, 2 sheets.
- Benson, C.S., 1969, The seasonal snow cover of arctic Alaska: Arctic Institute of North America Research Paper 51, 85 p.
- Benson, C.S., 1982, Reassessment of winter precipitation on Alaska's Arctic Slope and measurements on the flux of windblown snow: Fairbanks, University of Alaska, Geophysical Institute Report UAG R-288, 26 p.
- Berg, T.E., 1984, Status of numerical models for heat and mass transfer in frost-susceptible soils, in International Conference on Permafrost, 4th, Fairbank, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 67-92.

- Bird, K.J., 1981a, Petroleum exploration of the North Slope in Alaska, U.S.A.: U.S. Geological Survey Open-File Report 81-227, 43 p.
- , 1981b, Machine-generated displays of well logs and lithology from selected wells on the North Slope of Alaska: 11 wells from the northeastern part of the National Petroleum Reserve in Alaska (NPRA): U.S. Geological Survey Open-File Report 81-1034, 6 p., 11 sheets.
- , 1982, Rock-unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 106 p.
- , 1983, Oil and gas resources of the North Slope, Alaska (abs.): U.S. Geological Survey Circular 911, p. 27-30.
- Black, R.F., 1951, Eolian deposits of Alaska: *Arctic*, v. 4, no. 2, p. 89-111.
- , 1952, Growth of ice-wedge polygons in permafrost near Barrow, Alaska (abs): *Geological Society of America Bulletin*, v. 63, no. 12, p. 1235-1236.
- , 1954a, Precipitation at Barrow, Alaska, greater than recorded: *Eos (American Geophysical Union Transactions)*, v. 35, no. 2, p. 203-207.
- , 1954b, Permafrost - a review: *Geological Society of America Bulletin*, v. 65, no. 9, p. 839-856.
- , 1957, Some problems in engineering geology caused by permafrost in the Arctic Coastal Plain, northern Alaska: *Arctic*, v. 10, no. 4, p. 230-240.
- , 1963, Les coins de glace et le gel permanent dans le Nord de l'Alaska (Ice wedges and permafrost in northern Alaska): *Annales de Geographie*, v. 72, p. 257-271.
- , 1964, Gubik Formation of Quaternary age in northern Alaska: U.S. Geological Survey Professional Paper 302-C, p. 59-91.
- , 1969, Thaw depression and thaw lakes, a review: *Biuletyn Peryglacjalny*, v. 18, p. 131-150.
- , 1974, Ice-wedge polygons of northern Alaska, in Coates, D. R., ed., *Glacial geomorphology: Annual Geomorphology Series*, 5th, Binghamton, N.Y., 1974, Proceedings: Binghamton, State University of New York, p. 247-275.
- , 1976, Periglacial features indicative of permafrost: Ice and soil wedges: *Quaternary Research*, v. 6, no. 1, p. 3-26.
- , 1983a, Ice-wedge diapirs, northern Alaska, are produced mainly by horizontal compression (abs.): *Geological Society of America, Abstracts with Programs*, v. 15, no. 6, p. 527.

- Black, R.F., 1983b, Three superposed systems of ice wedges at McLeod Point, northern Alaska, may span most of the Wisconsin stage and Holocene, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 68-73.
- Black, R.F., and Barksdale, W.L., 1949, Oriented lakes of northern Alaska: Journal of Geology, v. 57, no. 2, p. 105-118.
- Boyd, W.L., 1959, Limnology of selected arctic lakes in relation to water-supply problems: Ecology, v. 40, no. 1, p. 49-54.
- Brewer, M.C., 1958a, The thermal regime of an arctic lake: Eos (American Geophysical Union Transactions), v. 39, p. 278-284.
- , 1958b, Some results of geothermal investigations of permafrost in northern Alaska: Eos (American Geophysical Union Transactions), v. 39, p. 19-26.
- , 1984, Petroleum exploration and protection of the environment on the National Petroleum Reserve in Alaska, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 133-134.
- Brigham, J.K., 1981, Amino-acid geochronology of Late Pliocene and Pleistocene marine transgressions on the Arctic Coastal Plain, northern Alaska: Geological Society of America, Abstracts with Programs, v. 12, no. 7, p. 417.
- , 1983, Correlation of late Cenozoic marine transgressions of the Arctic Coastal Plain with those in western Alaska and Northeastern Russia (abs.): U.S. Geological Survey Circular 911, p. 47-52.
- , 1984, Marine stratigraphy and amino acid geochronology of the Gubik Formation, western Arctic Coastal Plain, Alaska: U.S. Geological Survey Circular 934, p. 5-9.
- , 1985, Marine stratigraphy and amino acid geochronology of the Gubik Formation, western Arctic Coastal Plain, Alaska: Boulder, University of Colorado, Ph.D. thesis, 316 p.
- Brigham, J.K., Hopkins, D.M., Carter, L.D., and Miller, G.H., 1980, Application of amino-acid geochronology to deposits of the Arctic Coastal Plain, Alaska; preliminary results and implications, in Annual Arctic Workshop, 9th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1980, p. 34-35.
- Brigham, J.K., and Miller, G.H., 1982, Late Cenozoic history of high sea level stands and Pleistocene temperature estimates, northwestern Alaska: Geological Society of America, Abstracts with Programs, v. 14, no. 7, p. 451.

- Brigham, J.K., and Miller, G.H., 1983, Paleotemperature estimates of the Alaskan Arctic Coastal Plain during the last 125,000 years, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 80-85.
- Britton, M.E., 1967, Vegetation of the Arctic tundra, in Hansen, H. P., ed., Arctic biology: Corvallis, Oregon State University, p. 67-130.
- Brosge, W.P., and Whittington, C.L., 1966, Geology of the Umiat-Maybe Creek Region, Alaska: U.S. Geological Survey Professional Paper 303-H, p. 501-638.
- Brown, Jerry, 1965, Radiocarbon dating, Barrow, Alaska: Arctic, v. 18, no. 1, p. 36-48.
- , 1966, Ice-wedge chemistry and related frozen-ground processes, Barrow, Alaska, in International Conference on Permafrost, Lafayette, Ind., 1963, Proceedings: Washington, D.C., National Academy of Sciences, National Research Council Publication 1287, p. 94-98.
- , 1967, Tundra soils formed over ice wedges, northern Alaska: Soil Science Society of America, Proceedings, v. 31, p. 686-691.
- , 1969a, Buried soils associated with permafrost, in Pedology and Quaternary Research, Edmonton, University of Alberta, Canada, 1969, Symposium: National Research Council of Canada, p. 115-128.
- , 1969b, Soil properties developed on the complex tundra relief of northern Alaska: Biuletyn Peryglacjalny, no. 18, p. 153-167.
- , 1969c, Ionic concentration gradients in permafrost, Barrow, Alaska: Hanover, N.H., U.S. Army Corps of Engineers Cold Regions Research and Engineering Laboratory, CRREL Research Report 272, 24 p.
- Brown, Jerry, Dingman, S.L., and Lewellen, R.I., 1968, Hydrology of a drainage basin on the Alaskan Coastal Plain: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Research Report 240, 18 p.
- Brown, Jerry, Everett, K.R., Webber, P.J., MacLean, S.F., and Murray, D.F., 1980, The coastal tundra at Barrow, in Brown, Jerry, and others, eds., An arctic ecosystem, the coastal tundra at Barrow, Alaska: Stroudsburg, Pa., Dowden, Hutchinson, and Ross, p. 1-29.
- Brown, Jerry, Grant, C.L., Ugolini, F.C., and Tedrow, J.C.F., 1962, Mineral composition of some drainage waters from arctic Alaska: Journal of Geophysical Research, v. 67, no. 6, p. 2447-2454.
- Brown, Jerry, and Johnson, P.L., 1965, Peco-ecological investigations, Barrow, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Technical Report 159, 32 p.
- Brown, Jerry, and Sellmann, P.V., 1966, Radiocarbon dating of coastal peat, Barrow, Alaska: Science, v. 153, no. 3733, p. 299-300.

- Brown, Jerry, and Sellmann, P.V., 1973, Permafrost and coastal plain history of arctic Alaska: Arctic Institute of North America Technical Paper 25, p. 31-47.
- Carlson, P.R., Roy, C.J., Hussey, K.M., Davidson, D.T., and Handy, R.L., 1959, Geology and mechanical stabilization of Cenozoic sediments near Point Barrow, in Davidson, D.T., and others, The geology and engineering characteristics of some Alaskan soils: Ames, Iowa State University, Engineering Experiment Station Bulletin 186, p. 101-128.
- Carson, C.E., 1968, Radiocarbon dating of lacustrine strands in Arctic Alaska: Arctic, v. 21, no. 1, p. 12-26.
- Carson, C.E., and Hussey, K.M., 1959, The method of multiple working hypotheses applied to the oriented lakes of northern Alaska: Iowa Academy of Sciences, Proceedings, v. 66, p. 334-349.
- , 1960, Hydrodynamics in three arctic lakes: Journal of Geology, v. 68, no. 6, p. 585-600.
- , 1962, The oriented lakes of arctic Alaska: Journal of Geology, v. 70, no. 4, p. 417-439.
- , 1963, The oriented lakes of arctic Alaska, a reply: Journal of Geology, v. 71, no. 4, p. 532-533.
- Carter, L.D., 1981a, A Pleistocene sand sea on the Alaskan Arctic Coastal Plain: Science, v. 211, no. 4480, p. 381-383.
- , 1981b, Middle Wisconsinan through Holocene climate in the Ikpiuk River region, Alaska: in Annual Arctic Workshop, 10th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1981, p. 5-9.
- , 1982, Late Wisconsin desertification in northern Alaska: Geological Society of America, Abstracts with Programs, v. 14, no. 7, p. 461.
- , 1983a, Engineering-geologic maps of northern Alaska: Teshekpuk quadrangle: U.S. Geological Survey Open-File Report 83-634, scale 1:250,000.
- , 1983b, Fossil sand wedges on the Alaskan arctic coastal plain and their paleoenvironmental significance, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 109-114.
- , 1983c, A Pleistocene sand desert in arctic Alaska (abs.): U.S. Geological Survey Circular 911, p. 36.
- , 1983d, Cenozoic glacial and glaciomarine deposits of the central North Slope, Alaska, in Thorson, R.M., and Hamilton, T.D., eds., Glaciation in Alaska, extended abstracts from a workshop: Fairbanks, University of Alaska Museum Occasional Paper No. 2, p. 17-21.

Carter, L.D., and Brigham-Grette, J.K., and Hopkins, D.M., 1986, Late Cenozoic marine transgressions of the Alaskan Arctic Coastal Plain, in, Heginbottom, J. A., and Vincent, J. S., eds., Correlation of Quaternary deposits and events in the area around the Beaufort Sea: abstracts of the Joint Canadian-American Workshop: Geological Survey of Canada Open-File Report 1237, p. 21-26.

Carter, L.D., Ferrians, O.J., Jr., and Galloway, J.P., 1986, Engineering-geologic maps of northern Alaska, coastal plain and foothills of the Arctic National Wildlife Refuge: U.S. Geological Survey Open-File Report 86-334, 10 p., scale 1:250,000, 2 sheets.

Carter, L.D., Forester, R.M., and Nelson, R.E., 1984, Mid Wisconsin through early Holocene changes in seasonal climate in northern Alaska: American Quaternary Association, Eighth Biennial Meeting, Boulder, University of Colorado, Program with Abstracts, 1984, p. 20-22.

Carter, L.D., and Galloway, J.P., 1979a, Arctic Coastal Plain pingos in National Petroleum Reserve in Alaska, in Blean, K.M. and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, B33-B35.

-----, 1979b, Southward-progressing stabilization of Holocene eolian sand on the western Arctic Coastal Plain, in Blean, K.M. and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, B37-B39.

-----, 1981, Earth flows along Henry Creek, northern Alaska: Arctic v. 34 no. 4, p. 325-328.

-----, 1982, Terraces of the Colville River delta region, Alaska, in Coonrad, W.L., ed., The United States Geological Survey in Alaska - Accomplishments during 1980: U.S. Geological Survey Circular 884, p. 49-51.

-----, 1985, Engineering-geologic maps of northern Alaska, Harrison Bay quadrangle: U.S. Geological Survey Open-File Report 85-256, 48 p., scale 1:250,000, 2 sheets.

Carter, L.D., and Hopkins, D.M., 1982, Late Wisconsinan winter snow cover and sand-moving winds on the Arctic Coastal Plain of Alaska, in Annual Arctic Workshop, 11th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1982, p. 8-10.

Carter, L.D., Nelson, R.E., and Galloway, J.P., 1984, Evidence for latest Wisconsin - early Holocene increased precipitation and summer warmth in arctic Alaska: Geological Society of America, Abstracts with Programs, v. 16, no. 5, p. 274.

Carter, L.D., Marincovich, Louie, Jr., Brouwers, E.M., and Forester, R.M., 1979, Paleogeography of a Pleistocene coastline, Alaskan Arctic Coastal Plain, in Blean, K. M. and Williams, J. R., eds., The United State Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B39-B41.

- Carter, L.D., Repenning, C.A., Marincovich, L.N., Hazel, J.E., Hopkins, D.M., McDougall, Kristin, and Naeser, C.W., 1977, Gubik and pre-Gubik Cenozoic deposits along the Colville River near Ocean Point, North Slope, Alaska, in Blean, K.M., ed., The United State Geological Survey in Alaska - Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B12-B14.
- Carter, L.D., and Robinson, S.W., 1978, Eolian sand and interbedded organic horizons at Keolok Creek on the Arctic Coastal Plain of Alaska: possible regional implications: U.S. Geological Survey Open-File Report 78-320, 26 p.
- 1981, Minimum age of beach deposits north of Teshekpuk Lake, Arctic Coastal Plain, in Albert, N.R.D., and Hudson, Travis, eds., The United State Geological Survey in Alaska - Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B8-B9.
- Carter, R.D., Mull, C.G., Bird, K.J., and Powers, R.B., 1977, The petroleum geology and hydrocarbon potential of Naval Petroleum Reserve No. 4, North Slope, Alaska: U.S. Geological Survey Open-File Report 77-475, 61 p.
- Childers, J.M., Kernodle, D.R., and Loeffler, R.M., 1979, Hydrologic reconnaissance of western arctic Alaska, 1976 and 1977: U.S. Geological Survey Open-File Report 79-699, 70 p.
- Cory, F.E., Berg, R.L., Burns, C.D., and Kachadoorian, Reuben, 1979, Design considerations for airfields in NPRA, in American Society of Civil Engineers, Conference on applied techniques for cold environments, Anchorage, Alaska, 1978, Proceedings, p. 441-458.
- Coulter, H.W., Hussey, K.M., and O'Sullivan, J.B., 1960, Radiocarbon dates relating to the Gubik Formation, northern Alaska: U.S. Geological Survey Professional Paper 400-B, p. B350-B351.
- Craig, J.D., and Thrasher, G.P., 1982, Environmental geology of Harrison Bay, northern Alaska: U.S. Geological Survey Open-File Report 82-35, 25 p., 6 pls.
- Dauson, A., 1977, The nature and distribution of lake types in the Colville River delta, Alaska: Edinburgh, University of Edinburgh, Great Britain, Department of Geography Research Discussion Paper 11.
- Detterman, R.L., 1978, The arctic lowland region, potential landform and lifeform natural landmarks: U.S. Geological Survey Open-File Report 78-329, 411 p., 26 figs.
- Detterman, R.L., Bickel, R.S., and Gryc, George, 1963, Geology of the Chandler region Alaska: U.S. Geological Survey Professional Paper 303-E, p. 223-324.
- Detterman, R.L., Reiser, H.N., Brosge, W.P., and Dutro, T.J., Jr., 1975, Post-Carboniferous stratigraphy, northeast Alaska: U.S. Geological Survey Professional Paper 886, 46 p.

- Douglas, L.A., and Tedrow, J.C.F., 1959, Organic matter decomposition rates in arctic soils: *Soil Science*, v. 88, no. 6, p. 305-312.
- , 1960, Tundra soils of arctic Alaska: *International Congress of Soil Science*, 7th, Repr. Trans., v. IV, p. 291-304.
- Drage, B., Gilman, J.F., Hoch, D., and Griffiths, L., 1983, Hydrology of north slope coastal plain streams, in *International Conference on Permafrost*, 4th, Fairbanks, Alaska, Proceedings: Washington, D.C., National Academy Press, p. 249-254.
- Drew, J.V., 1957, A pedologic study of Arctic Coastal Plain soils near Point Barrow, Alaska: New Brunswick, Rutgers University, N.J., Ph.D. thesis, 117 p.
- Drew, J.V., and Tedrow, J.C.F., 1962, Arctic soil classification and patterned ground: *Arctic*, v. 15, no. 2, p. 109-116.
- Drew, J.V., Tedrow, J.C.F., Shanks, R.E., and Koranda, J.J., 1958, Rate and depth of thaw in arctic soils: *Eos (American Geophysical Union Transactions)*, v. 39, no. 4, p. 697-701.
- Esch, D.C., 1984, Design and performance of road and railway embankments on permafrost, in *International Conference on Permafrost*, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 25-30.
- Everett, K.R., 1979, Evolution of the soil landscape of the Arctic Coastal Plain as exemplified at Atkasook, Alaska: *Arctic*, v. 32, p. 207-223.
- Ferrians, O.J., Jr., compiler, 1965, Permafrost map of Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-445, scale 1:2,500,000.
- Fredericksen, N.O., Ager, T.A., Oftedahl, O.G., and Edwards, L.E., 1985, Palynological samples near the Cretaceous-Tertiary boundary, North Slope of Alaska (abs.), in *Society of Economic Paleontologists and Mineralogist Mid-year Annual Meeting*, Golden, Colo., 1986, v. 2, p. 31.
- Furbringer, W., and Walker, H.J., 1973, Structure and mineralogy of a sediment core from the Colville River delta, Alaska: *Polarforschung*, v. 43, no. 1/2, p. 5-54.
- Galloway, J.P., 1982, Grain-size analyses of 20 eolian sand samples from northern Alaska, in Coonrad, W., ed., *The United State Geological Survey in Alaska - Accomplishments during 1980*: U.S. Geological Survey Circular 884, p. 51-53.
- Galloway, J.P., and Carter, L.D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 78-795, scale 1:500,000.

- Glude, W.J., and Sloan, C.E., 1980, Reconnaissance snow survey of the National Petroleum Reserve in Alaska, April-May, 1979: U.S. Geological Survey Water-Resources Investigations 80-49, NTIS no. PB-80 225 006, 13 p.
- Gold, L.W., and Lachenbruch, A.H., 1973, Thermal conditions in permafrost a review of North American literature, in International Conference on Permafrost, North American Contribution, 2nd, Yakutsk, U.S.S.R.: Washington, D.C., National Academy of Sciences, p. 3-25.
- Gryc, George, Patton, W.W., Jr., and Payne, T.G., 1951, Present Cretaceous stratigraphic nomenclature of northern Alaska: Washington Academy of Sciences Journal, v. 41, p. 159-167.
- Gryc, George, Tailleux, I.L., and Brosge, W.P., 1969, Geologic framework of the "North Slope" petroleum province: U.S. Geological Survey Open-File Report 69-115, 15 p.
- Hamilton, T.D., 1967, Alaskan temperature fluctuations and trends: an analysis of recorded data: Arctic, v. 18, no. 2, p. 105-117.
- , 1979, Surficial geology, Chandler Lake quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF 1121, scale 1:250,000.
- , 1981, Multiple moisture sources in the Brooks Range glacial record, in Annual Arctic Workshop, 10th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1981, p. 16-18.
- Hamilton, T.D., and Bauer, D.P., 1984, Engineering-geologic maps of northern Alaska: Howard Pass quadrangle: U.S. Geological Survey Open-File Report 84-401, scale 1:250,000.
- Hanna, G.D., 1963, Oil seepages on the Arctic Coastal Plain, Alaska: San Francisco, California Academy of Sciences, Occasional Papers, no. 38, 18 p., 1 fig., 1 pl.
- Haugen, R.K., and Brown, Jerry, 1980, Coastal-inland distribution of summer air temperature and precipitation in northern Alaska, in Batzli, G.O., ed., Patterns of vegetation and herbivory in arctic tundra, results from the research on Arctic tundra environments (RATE) program: Arctic and Alpine Research, v. 12, no. 4, p. 403-412.
- Hittelman, A.M., 1982, Catalog of geological and geophysical data for the National Petroleum Reserve in Alaska: Boulder, Colo., N.O.A.A., National Geophysical and Solar-Terrestrial Data Center.
- Hussey, K.M., and Michelson, R.W., 1966, Tundra relief features near Point Barrow, Alaska: Arctic, v. 19, p. 162-184.
- Johnson, K.M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-File Report 78-206, scale 1:500,000.

- Kachadoorian, Reuben, Crory, F.E., and Berg, R.L., 1979, Design of airfields in National Petroleum Reserve in Alaska, in Blean, K.M. and Williams, J.R., eds., The United State Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B51-B52.
- Kaiser Engineers, Inc., 1977, Technical and economic feasibility of surface mining coal deposits, North Slope of Alaska, Final report: U.S. Bureau of Mines Open-File Report 153-77, 158 p.
- Kirschner, C.E., 1983, The Arctic Platform in the National Petroleum Reserve in Alaska - deposition, deformation, and petroleum potential (abs.): U.S. Geological Survey Circular 911, p. 24-27.
- Komarkova, V., 1983, Recovery of plant communities and summer thaw at the 1949 Fish Creek Test Well I, arctic Alaska, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 645-650.
- Lachenbruch, A.H., 1957, Three dimensional heat conduction beneath heated buildings: U.S. Geological Survey Bulletin 1052-B, 69 p.
- , 1959, Periodic heat flow in a stratified medium with application to permafrost problems: U.S. Geological Survey Bulletin 1083-A, 34 p.
- , 1962, Mechanics of thermal contraction cracks and ice-wedge polygons in permafrost: Geological Society of America Special Paper 70, 69 p.
- Lachenbruch, A.H., Brewer, M.C., Greene, G.W., and Marshall, B.V., 1962, Temperatures in permafrost, in Temperature -its measurement and control in science and industry, v. 3, pt. 1: New York, N.Y., Reinhold, p. 791-803.
- Lachenbruch, A.H., and Marshall, B.V., 1969, Heat flow in the Arctic: Arctic, v. 22, no. 3, p. 300-311.
- Lachenbruch, A.H., Sass, J.H., Lawver, L.A., Brewer, M.C., and Moses, T.H., Jr., 1982, Depth and temperature on the Alaskan Arctic Slope; preliminary results: U.S. Geological Survey Open-File Report 82-1039, 30 p.
- Lathram, E.H., 1965, Preliminary geologic map of northern Alaska: U.S. Geological Survey Open-File Report 254, scale 1:1,000,000, 2 sheets.
- Lawson, D.E., 1982, Long-term modifications of perennially frozen sediment and terrain at East Oumalik, northern Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Report 82-36, 33 p.
- , 1983, Ground ice in perennially frozen sediments, northern Alaska: in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 695-700.

- Lawson, D.E., Brown, J., Everett, K.R., Johnson, A.W., Komarkova, V., Murray, B.M., Murray, D.F., and Webber, P.J., 1978, Tundra disturbance and recovery following the 1949 exploratory drilling, Fish Creek, northern Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Report 78-28, 91 p.
- Livingstone, D.A., 1954, On the orientation of lake basins: American Journal of Science, v. 252, p. 547-554.
- Livingstone, D.A., Bryan, Kirk, Jr., and Leahy, R.G., 1958, Effects of an arctic environment on the origin and development of freshwater lakes: Limnology and Oceanography, v. 3, p. 194-214.
- McKenzie, L.S., and Walker, H.J., 1974, Morphology of an arctic river bar: Baton Rouge, Louisiana State University, Coastal Studies Institute Technical Report.
- McVee, C.V., and Tileston, J.V., 1984, Regulatory responsibilities in permafrost environments of Alaska from the perspective of a federal land manager, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 125-128.
- Marincovich, Louie, Jr., Brouwers, Elisabeth, and Carter, L. D., 1985, Early Tertiary marine fossils from northern Alaska: implications for Arctic Ocean paleogeography and faunal evolution: Geology, v. 13, p. 770-773.
- Martin, G.C., and Callahan, J.E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 78-1033, 23 p., scale 1:500,000, 2 plates.
- Mather, J.R., and Thornthwaite, C.W., 1958, Microclimate investigations at Point Barrow, Alaska, 1957-58: Centerton, N.J., Drexel Institute of Technology, Laboratory of Climatology, Publications in Climatology, v. 9, no. 2.
- Metz, M.C., 1984, Pipeline workpads in Alaska, in International Conference on Permafrost, 4th, Fairbanks, Alaska, Final Proceedings: Washington, D.C., National Academy Press, p. 106-108.
- Miller, R.D., 1984, Thermally induced regelation: a qualitative discussion, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 61-63.
- Molenaar, C.M., 1981, Depositional history and seismic stratigraphy of Lower Cretaceous rocks, National Petroleum Reserve in Alaska and adjacent areas: U.S. Geological Survey Open-File Report 81-1084, 42 p.
- Morrissey, L.A., 1979, Succession of plant communities in response to thaw-lake activity on the Arctic coastal Plain, Alaska: San Jose, San Jose State University, Calif., M.Sc. thesis, 71 p.

- Morrissey, L.A., and Ennis, R.A., 1981, Vegetation mapping of the National Petroleum Reserve in Alaska using LANDSAT digital data: U.S. Geological Survey Open-File Report 81-315, 25 p.
- Mowatt, T.C., Naidu, A.S., and Veach, Nomok, 1974, Clay mineralogy of the lower Colville River and Colville delta, north arctic Alaska: Fairbanks, Alaska Division of Geological and Geophysical Surveys Open File Report AOF-45, 39 p.
- Nelson, R. E., and Carter, L. D., 1985, Pollen analysis of a part of the Gubik Formation, Arctic Coastal Plain, Alaska: Quaternary Research, v. 24, no. 3, p. 295-306.
- Olhoeft, G.R., 1978, Electrical properties of permafrost, in International Conference on Permafrost, 3rd. Proceedings: Ottawa, National Research Council of Canada, p. 127-131.
- Olhoeft, G.R., Watts, Ray, Frischknecht, Franck, Bradley, F., and Dansereau, D., 1978, Electromagnetic geophysical exploration in the National Petroleum Reserve in Alaska: Symposium on Permafrost Field Methods, Saskatoon, Saskatchewan, 1977, Proceedings: Ottawa, National Research Council of Canada, Technical Memorandum.
- Osterkamp, T.E., 1972, Properties of ice in the Colville River area, in Kinney, P.J., and others, Baseline data study of the Alaskan arctic aquatic environment: Fairbanks, University of Alaska, Institute of Marine Sciences Report R72-3, p. 49-58.
- , 1984, Response of Alaskan permafrost to climate, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 145-152.
- Osterkamp, T.E., and Payne, M.W., 1981, Estimates of permafrost thickness from well logs in northern Alaska: Cold Regions Science and Technology, v. 5, p. 13-27.
- O'Sullivan, J.B., 1961, Quaternary geology of the Arctic Coastal Plain, northern Alaska: Ames, Iowa State University of Science and Technology, Ph.D. thesis, 191 p.
- , 1966, Geochemistry of permafrost, Barrow, Alaska, in International Conference on Permafrost, Lafayette, Ind., 1963, Proceedings: National Academy of Sciences, National Research Council Publication 1287, p. 30-37.
- O'Sullivan, J.B., Davidson, D.T., Roy, C.J., Handy, R.L., and Hussey, K.M., 1959, Crude oil for stabilization of soil materials at Point Barrow, in Davidson, D.T., and others, The geology and engineering characteristics of some Alaskan soils: Ames, Iowa State University, Engineering Experiment Station Bulletin 186, p. 129-149.
- O'Sullivan, J.B., and Hussey, K.M., 1957, Problems associated with soil stabilization in the vicinity of Point Barrow, Alaska: Ames, Iowa Academy of Sciences Proceedings, v. 64, p. 429-442.

- Payne, T.G., and others, 1951, Geology of the arctic slope of Alaska: U.S. Geological Survey Oil and Gas Investigations Map OM-126, scale 1:1,000,000, 3 sheets.
- Price, W.A., 1963, The oriented lakes of arctic Alaska; a discussion: *Journal of Geology*, v. 71, no. 4, p. 530-532.
- Reed, J.C., 1958, Exploration of Naval Petroleum Reserve No. 4 and adjacent areas, northern Alaska, 1944-1953, part 1, History of the exploration: U.S. Geological Survey Professional Paper 301, 192 p.
- Repenning, C.A., 1983, New evidence for the age of the Gubik Formation, Alaskan North Slope: *Quaternary Research*, v. 19, no.3, p. 356-372.
- Rex, R.W., 1961, Hydrodynamic analyses of circulation and orientation of lakes in northern Alaska, in Raasch, G.O., ed., *Geology of the Arctic*: Toronto, Canada, University of Toronto Press, p. 1021-1043.
- Rickert, D.A., and Tedrow, J.C.F., 1967, Pedologic investigations of some eolian deposits of northern Alaska: *Soil Science*, v. 104, p. 250-262.
- Robinson, F.M., and Collins, F.R., 1959, Core test, Sentinel Hill area and test well, Fish Creek area, Alaska: U.S. Geological Survey Professional Paper 305-I, p. 485-521.
- Rosenfeld, G.A., and Hussey, K.M., 1958, A consideration of the problem of oriented lakes: Ames, Iowa Academy of Sciences, *Proceedings*, v. 65, p. 279-287.
- Schell, D., and Hall, G., 1972, Water chemistry and nutrient regeneration process studies, in Kinney, P.J., and others, *Baseline data study of the Alaskan arctic aquatic environment*: Fairbanks, University of Alaska, Institute of Marine Sciences Report R72-3, p. 3-28.
- Schindler, J., and Walker, H.J., 1975, Nearshore environments of the North Slope and the petroleum industry: *Geoscience and Man*, v. 13, p. 67-76.
- Schrader, F.C., 1904, A reconnaissance in northern Alaska across the Rocky Mountains, along the Koyukuk, John, Anaktuvuk, and Colville Rivers and the arctic coast to Cape Lisburne in 1901: U.S. Geological Survey Professional Paper 20, 139 p.
- Sellmann, P.V., and Brown, Jerry, 1965, Coring of frozen ground, Barrow, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 82, 8 p.
- Sellman, P.V., and Brown, Jerry, 1973, Stratigraphy and diagenesis of perennially frozen sediments in the Barrow, Alaska region, in *International Conference on Permafrost, North American Contribution*, 2nd, Yakutsk, U.S.S.R.: National Academy of Sciences, p. 171-181.

- Sellmann, P.V., Brown, Jerry, Lewellen, R.I., McKim, H., and Merry, Carolyn, 1975, The classification and geomorphic implications of thaw lakes on the arctic coastal plain, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Research Report 344, 21 p.
- Sellmann, P.V., Carey, K.L., Keeler, Charles, and Hartwell, A.D., 1972, Terrain and coastal conditions on the Arctic Alaskan Coastal Plain: Hanover N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 165, 74 p.
- Sellmann, P.V., Weeks, W.F., and Campbell, W.J., 1975, Use of side-looking airborne radar to determine lake depth in the Alaskan North Slope: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 230, 6 p.
- Slaughter, C.W., Mellor, Malcolm, Sellmann, P.V., Brown, Jerry, and Brown, L., 1975, Accumulating snow to augment the fresh water supply at Barrow, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 217, 21 p.
- Sloan, C.E., 1983, Hydrology of the North Slope, Alaska (abs.): U.S. Geological Survey Circular 911, p. 44.
- Sloan, C.E., and Snyder, F.F., 1978, Hydrologic and reconnaissance of lakes in NPRA, in Johnson, K.E., ed., The United States Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B28-B29.
- Sloan, Charles, Trabant, Dennis, and Glude, William, 1979, Reconnaissance snow surveys of the National Petroleum Reserve in Alaska, April 1977 and April-May 1978: U.S. Geological Survey Water-Resources Investigations Open-File Report 79-1342, 31 p.
- Smith, M., 1984, Climate change and other effects on permafrost, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 153-155.
- Smith, P.S., and Mertie, J.B., Jr., 1930, Geology and mineral resources of northwestern Alaska: U.S. Geological Survey Bulletin 815, 351, p.
- Stefansson, Vilhjalmur, 1980, Underground ice sheets of the arctic tundra: American Geographical Society Bulletin, v. 40, p. 176-177.
- , 1910, Ground ice in northern Alaska: American Geographical Society Bulletin, v. 42, p. 337-345.
- Taber, Stephen, 1943, Perennially frozen ground in Alaska: its origin and history: Geological Society of America Bulletin, v. 54, p. 1433-1548.
- Tailleux, I.L., and Engwicht, S.E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928B, scale 1:500,000.

- Tedrow, J.C.F., 1965, Concerning genesis of the buried organic matter in tundra soil: Soil Science Society of America, Proceedings, v. 29, p. 89-90.
- , 1969, Thaw lakes, thaw sinks, and soils in northern Alaska: Biuletyn Peryglacjalny, no. 20, p. 337-344.
- , 1977, Soils of the polar landscapes: New Brunswick, N.J., Rutgers University Press, 638 p.
- Tedrow, J.C.F., and Cantlon, J.E., 1958, Concepts of soil formation and classification in arctic regions: Arctic, v. 11, no. 3, p. 166-179.
- Tedrow, J.C.F., Drew, J.V., Hill, D.E., and Douglas, J.A., 1958, Major genetic soils of the Arctic Slope of Alaska: Journal of Soil Science, v. 9, p. 33-45.
- Tedrow, J.C.F., and Hill, D.E., 1955, Arctic brown soil: Soil Science, v. 80, p. 265-275.
- U.S. Geological Survey, 1979, An environmental evaluation of potential petroleum development on the National Petroleum Reserve in Alaska: prepared by the U.S. Geological Survey, under Section 105(b) of the Naval Petroleum Reserve, Production Act of 1976, 238 p.
- Wahrhaftig, Clyde, 1965, Physiographic divisions of Alaska: U.S. Geological Survey Professional Paper 482, 52 p., 6 pls.
- Walker, H.J., 1966, Permafrost and ice-wedge effect on river bank erosion, in International Conference on Permafrost, Lafayette, Ind., 1963, Proceedings: National Academy of Sciences, National Research Council Publication 1287, p. 164-171.
- , 1973 Morphology of the North Slope, in Britton, M. E., ed., Alaskan arctic tundra: Washington, D.C., Arctic Institute of North America Technical Paper 25, p. 49-92.
- , 1975, Intermittent arctic streams and their influence on landforms: Catena, v. 2, p. 181-192.
- Webber, P.J., 1984, Terrain sensitivity and recovery in Arctic regions, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 135-136.
- Williams, J.R., 1965, Ground water in permafrost regions, with emphasis on Alaska - an annotated bibliography, including a glossary of terms: U.S. Geological Survey Water-Supply Paper 1792, 297 p.
- , 1970, A review of water resources of the Umiat area, northern Alaska: U.S. Geological Survey Circular 636, 8 p.
- _____, 1983a, Engineering-geologic maps of northern Alaska, Meade River quadrangle: U.S. Geological Survey Open-File Report 83-294, 29 p., scale 1:250,000.

- Williams, J.R., 1983b, Engineering-geologic maps of northern Alaska, Wainwright Quadrangle: U.S. Geological Survey Open-File Report 83-457, 28 p., scale 1:250,000.
- Williams, J. R., and Carter, L.D., 1984, Engineering-geologic maps of northern Alaska: Barrow quadrangle: U.S. Geological Survey Open-File Report 84-124, 39 p., scale 1:250,000, 2 sheets.
- Williams, J.R., Carter, L.D., and Yeend, W., 1978, Coastal plain deposits of NPRA, in Johnson, K.M., ed., The United State Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.
- Williams, J.R., Yeend, W., Carter, L.D., and Hamilton, T.D., 1977, Preliminary surficial deposits map of National Petroleum Reserve - Alaska: U.S. Geological Survey Open-File Report 77-868, scale 1:500,000, 2 sheets.
- Williams, P.J., 1984, Moisture in frozen soils, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 64-66.
- Witmer, R.J., Haga, Hideyo, and Mickey, M.B., 1981, Biostratigraphic report of thirty-three wells drilled from 1975 to 1981 in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 81-1166, 47 p.
- Witmer, R.J., Mickey, M.B., and Haga, Hideyo, 1981, Biostratigraphic correlations of selected test wells of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 81-1165, 89 p., 6 pl.
- Yeend, Warren, 1983, Engineering-geologic maps of northern Alaska, Lookout Ridge quadrangle: U.S. Geological Survey Open-File Report 83-279, scale 1:250,000, 2 sheets.
- , 1984, Engineering-geologic maps of northern Alaska: Utukok River quadrangle: U.S. Geological Survey Open-File Report 84-682, scale 1:250,000, 2 sheets.