



| | | | | |
|---|---|--|---|---|
| Job No : 0185-1032 Final Penetration : 1146.0' Date Completed : March 6, 1985 †Water Depth Measured : at 0900 hrs on Feb. 18, 1985 | *SAMPLER TYPE SS - 3.00-in split-barrel TW - 3.00-in. thick-wall TT - 2.25-in. thin-wall TS - 3.00-in. thin-wall LY - Longyear system CD - Christensen system | †Number of blows of a 175-lb weight dropped approx 5-ft required to produce a 12-in. penetration, except where noted, of a 3.00-in.-OD, 2.50-in.-ID taper tube sampler | $\% \text{ Rec.} = \frac{\text{Total Sample Recovered}}{\text{Total Interval Drilled}}$ $\% \text{ Rec.} = \frac{\text{Total Sample Recovered}}{\text{Total Interval Sampled}}$ (Solid line indicates total interval drilled) | †The drilling rate is expressed by a solid line and the weight on bit by a dashed line. No line is given for drilling rate when the core barrel spun through the formation. |
|---|---|--|---|---|

**LOG AND TEST RESULTS
BORING KAR-1, KOA CRATER
ENEWETAK ATOLL, MARSHALL ISLANDS**

PLATE 3F

1H37