

DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

Publications of the U.S. Geological Survey Geothermal Research Program, 1972-1981

Open-File Report 87-438

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards.

1987

PUBLICATIONS OF THE GEOTHERMAL RESEARCH PROGRAM
U.S. Geological Survey
1972-1981

- (A) Abstract
- (O) Open-file reports
- (P) Published reports, maps, etc.

- (O) Ackermann, H. D., 1975, Velocity sections in Raft River, Idaho, geothermal area from seismic refraction: U.S. Geol. Survey Open-file rept. 75-106, 1 p., scale 1:48,000.
- (P) Ackermann, H. D., 1979, Seismic refraction study of the Raft River geothermal area, Idaho: Geophysics, v. 44, no. 2, p. 216-225.
- (O) Adam, D. P., 1977, A preliminary bibliography for the Clear Lake-Geysers area: U.S. Geol. Survey Open-file rept. 77-489, 36 p.
- (P) Albee, H. F., Prostka, H. J., Jobin, D. A., and Love, J. D., 1975, Field-trip guide to the Idaho-Wyoming thrust fault zone: Geol. Soc. America, Rocky Mtn. Section 285th Annual Meeting, Boise, Idaho, May 26, 1975, 22 p.
- (A) Anderson, L. A., and Johnson, G. R., 1973, The application of the self-potential method in the search for geothermal energy: Geophysics, v. 38, no. 6, p. 1190.
- (P) Anderson, L. A., and Johnson, G. R., 1976, Application of the self-potential method to geothermal exploration in Long Valley, California: Jour. of Geophys. Res., v. 81, no. 8, p. 1527-1532.
- (P) Anderson, L. A., and Johnson, G. R., 1978, Some observations of the self-potential effort in geothermal areas in Hawaii and Nevada: Geothermal Resources Council Trans., v. 2, p. 9-12.
- (A) Anderson, L. A., Zablocki, C. T., and Flanigan, V. J., 1977, Mapping lateral boundaries of a cooling basaltic lava lake using ELF and VLF induction techniques, Kilauea Iki, Hawaii: Am. Geophys. Union Trans., v. 58, no. 5, p. 311.
- (P) Anderson, W. L., 1976, An optimal method for evaluating a class of convolution integrals with related kernels: U.S. Geol. Survey NTIS rept. PB 251 156, 14 p.
- (O) Anderson, W. L., 1977, Interpretation of electromagnetic soundings in the Raft River geothermal area, Idaho: U.S. Geol. Survey Open-file rept. 77-557.
- (O) Anderson, W. L., 1977, Marquardt inversion of vertical magnetic field measurements from a grounded wire source: U.S. Geol. Survey NTIS rept. PB 263 924, 76 p.
- (O) Anderson, W. L., 1978, Interpretation of electromagnetic extra-low-frequency soundings in the Randsburg, California KGRA: U.S. Geol. Survey Open-file rept. 78-562, 22 p.
- (P) Anderson, W. L., 1979, Numerical integration of related Hankel transforms of orders 0 and 1 by adaptive digital filtering: Geophysics, v. 44, no. 7, p. 1287-1305.
- (O) Anderson, W. L., 1979, Program IMSLPW: Marquardt inversion of plane-wave frequency soundings: USGS Open-file rept. 79-586, 7 p.
- (O) Anderson, W. L., 1979, Program MARQDCLAG: Marquardt inversion of DC-Schlumberger soundings by lagged-convolution: U.S. Geol. Survey Open-file rept. 79-1432, 58 p.
- (O) Anderson, W. L., 1979, Program MARQLOOPS: Marquardt inversion of loop-loop frequency soundings: U.S. Geol. Survey Open-file rept. 79-240, 75 p.
- (O) Anderson, W. L., 1979, Programs TRANS-HCLOOP and TRANS-HZWIRE: Calculations of transient horizontal coplaner loop soundings and transient wire-loop soundings over layered models: U.S. Geol. Survey Open-file rept. 79-590.
- (O) Anderson, W. L., 1980, Program IMSLEXY: Marquardt inversion of Ex and Ey frequency soundings from a grounded wire source: U.S. Geol. Survey Open-file rept. 80-1073.
- (O) Anderson, W. L., 1980, Program MARQHXY: Marquardt inversion of Hx and Hy frequency soundings from a grounded wire source: U.S. Geol. Survey Open-file rept. 80-901, 110 p.

- (P) Anderson, W. L., Hohman, G. W., and Smith, B. D., 1976, Electromagnetic scattering by multiple conductors in the earth due to plane wave source: NTIS rept. PB-261 183/AS, 78 p.
- (O) Anderson, W. L., and Kauahikaua, J., 1979, Program MARQ-TRANS-HCLOOP: Marquardt inversion of transient horizontal coplaner loop soundings: U.S. Geol. Survey Open-file rept. 79-773, 75 p.
- (O) Armstrong, R. L., Smith, J. F., Covington, H. R., and Williams, P. L., 1978, Preliminary geologic map of the west half of the Pocatello 1° x 2° quadrangle, Idaho: U.S. Geol. Survey Open-file rept. 78-533, 1:250,000.
- (A) Bacon, C. R., 1978, A 2.4-m.y.-old garnet-bearing rhyolite from the southern Sierra Nevada, California: EOS, v. 59, p. 1212.
- (P) Bacon, C. R., 1980, Goals are set for research in the Cascades: Geotimes, v. 25, no. 8, p. 16-18.
- (A) Bacon, C. R., 1980, Quaternary volcanism in the Cascades: EOS, v. 61, p. 1150.
- (A) Bacon, C. R., and Duffield, W. A., 1976, Phenocryst mineralogy of Pleistocene rhyolites and heat content of the Coso Range geothermal system, California: Geol. Soc. America Abstracts with Programs, v. 8, no. 6, p. 761-762.
- (A) Bacon, C. R., and Duffield, W. A., 1978, Soft-sediment deformation near the margin of a basalt sill in the Pliocene Coso formation, Inyo County, California: Geol. Soc. Am. Abs. with Prog., v. 10, no. 3, p. 94.
- (A) Bacon, C. R., and Duffield, W. A., 1979, Late Cenozoic rhyolites from the Kern Plateau, southern Sierra Nevada, California: Geol. Soc. Am. Abs. with Prog., v. 11, no. 3, p. 67.
- (P) Bacon, C. R., and Duffield, W. A., 1981, Late Cenozoic rhyolites from the Kern Plateau, southern Sierra Nevada, California: Am. Jour. Science, v. 281, p. 1-34.
- (P) Bacon, C. R., Duffield, W. A., and Nakamura, K., 1980, Distribution of Quaternary rhyolite domes of the Coso Range, California: implications for extent of the geothermal anomaly: Jour. Geophysical Res., v. 85, no. 5, p. 2425-2433.
- (A) Bacon, C. R., Giovannetti, D. M., Duffield, W. A., and Dalrymple, G. B., 1979, New constraints on the age of the Coso Formation, Inyo County, California: Geol. Soc. Amer. Abstr. with Prog., v. 11, no. 3, p. 67.
- (P) Bacon, C. R., Macdonald, Ray, Smith, R. L., Baedeker, P. A., 1981, Pleistocene high-silica rhyolites of the Coso volcanic field, Inyo County, CA: J. Geophys. Res., v. 86, no. B11, p. 10223-10241.
- (A) Bailey, R. A., 1973, Post-subsidence volcanism and structure of Long Valley caldera, California: Geol. Soc. America Abstracts with Programs, v. 5, no. 1, p. 7.
- (O) Bailey, R. A., 1974, Preliminary geologic map and cross section of the Casa Diablo geothermal area, Long Valley caldera, Mono County, California: U.S. Geol. Survey Open-file rept., scale 1:20,000.
- (A) Bailey, R. A., 1976, On the mechanisms of post-subsidence central doming and volcanism in resurgent cauldrons: Geol. Soc. America, Abstracts with Programs, v. 8, no. 5, p. 567.
- (A) Bailey, R. A., 1980, Structural and petrologic evolution of the Long Valley, Mono Craters, and Mono Lake volcanic complexes, eastern California: EOS, v. 61, p. 1149.
- (P) Bailey, R. A., Dalrymple, G. B., and Lanphere, M. A., 1976, Volcanism, structure, and geochronology of Long Valley caldera, Mono County, California: Jour. Geophys. Res., v. 81, no. 5, p. 725-744.
- (O) Bailey, R. A., and Koeppen, R. P., 1977, Preliminary geologic map of Long Valley caldera, Mono County, California: U.S. Geol. Survey Open-file rept. 77-468, 20 p.
- (P) Bailey, R. A., and Smith, R. L., 1978, Guide to the volcanic geology of the Jemez Mountains, New Mexico in Guidebook to Rio Grande rift in New Mexico and Colorado: New Mexico Bur. Mines and Mineral Res., Circular 163, p. 184-196.

- (P) Ball, J. W., Jenne, E. A., and Buchard, J. M., 1975, Sampling and preservation techniques for waters in geysers and hot springs (with a section on gas sampling by Alfred Truesdell): Proceedings of Workshop on Sampling Geothermal Fluids, Las Vegas, Nevada, Oct. 19-21, 1975.
- (P) Ball, J. W., Thompson, J. M., and Jenne, E. A., 1978, Determination of dissolved boron in fresh, estuarine, and geothermal waters by D.C. argon-plasma emission spectrometry: *Analyt. Chim. Acta.*, v. 98, p. 67-75.
- (O) Bankey, Vicki, Paton, Jody, and Kleinkopf, M. D., 1980, Principal facts for gravity stations, Ennis geothermal areas, Montana: U.S. Geol. Survey Open-file rept. 80-1084, 14 p.
- (P) Bargar, K. E., 1978, Geology and thermal history of Mammoth Hot Springs, Yellowstone National Park, Wyoming: U.S. Geol. Survey Bull. 1444, 55 p.
- (O) Bargar, K. E., 1980, Lithologic log of drill cuttings for DOGAMI heat flow hole CR-SB, Mount Hood, Oregon: U.S. Geol. Survey Open-file rept. 80-521, 10 p.
- (O) Bargar, K. E., 1980, Lithologic log of drill cuttings for Northwest Geothermal Corp. drill hole at Lost Creek near Mt. Hood, Oregon: U.S. Geol. Survey Open-file rept. 80-1166, 19 p.
- (P) Bargar, K. E., and Beeson, M. H., 1981, Hydrothermal alteration in research drill hole Y-2, Lower Geyser Basin, Yellowstone National Park, Wyoming: *American Mineralogist*, v. 66, p. 473-490.
- (P) Bargar, K. E., Beeson, M. H., Fournier, R. O., and Muffler, L. J. P., 1973, Present day deposition of lepidolite from thermal waters in Yellowstone National Park: *Amer. Mineralogist*, v. 58, p. 901-904.
- (P) Bargar, K. E., Beeson, M. H., and Keith, T. E. C., 1981, Zeolites in Yellowstone National Park: *Mineralogical Record*, v. 12, no. 1, p. 29-38.
- (P) Bargar, K. E., and Muffler, L. J. P., 1975, Geologic map of the Travertine deposits, Mammoth Hot Springs, Yellowstone National Park, Wyoming: U.S. Geol. Survey Miscellaneous field studies map, MF-659, 2 sheets.
- (P) Barnes, Ivan, Downs, C. J., and Hulston, J. R., 1978, Warm Springs, South Island, New Zealand, and their potential to yield laumontite: *Am. Jour. Science*, v. 278, p. 1412-1427.
- (P) Barnes, Ivan, and Hem, J. D., 1973, Chemistry of subsurface waters in Annual Review of Earth and Planetary Sciences, v. 1, edited by F. A. Donath: Palo Alto, California, Annual Review, Inc., p. 157-181.
- (P) Barnes, Ivan, Hinkle, M. E., Rapp, J. B., Heropoulos, Chris, and Vaughn, W. W., 1973, Chemical composition of naturally occurring fluids in relation to mercury deposits in part of north-central California: U.S. Geol. Survey Bull. 1382-A, 19 p.
- (O) Barnes, Ivan, Irwin, W. P., and Gibson, H. A., 1975, Geologic map showing springs rich in carbon dioxide or chloride in California: U.S. Geol. Survey Open-file map, Water Resources Investigations.
- (P) Barnes, Ivan, Irwin, W. P., and White, D. E., 1978, Global distribution of carbon dioxide discharges and major zones of seismicity: U.S. Geol. Survey Water-Resources Investigations 78-39, 12 p.
- (P) Barnes, I., Johnston, D. A., Evans, W. C., Presser, T. S., Mariner, R. H., and White, L. D., Properties of gasses and waters of deep origin near Mount St. Helens: U.S. Geological Survey Prof. Paper 1250, p. 233-237.
- (P) Barnes, Ivan, and McCoy, G. A., 1979, Possible role of mantle-derived CO₂ in causing two "phreatic" explosions in Alaska: *Geology*, v. 7, p. 434-435.
- (A) Barnes, Ivan, and Miller, T. P., 1974, Geothermal studies in Alaska: *Geol. Soc. America, Abstracts with Programs*, v. 6, no. 7, p. 645-646.
- (P) Barnes, Ivan, and O'Neil, J. R., 1976, Metamorphic reactions in flysch rocks: Proc. International symposium on water-rock interaction, Czechoslovakia 1974, p. 309-316.

- (P) Barnes, Ivan, O'Neil, J. R., Rapp, J. B., and White, D. E., 1973, Silica-carbonate alteration of serpentinite: wall rock alteration in mercury deposits of the California Coast Ranges: *Econ. Geol.*, v. 68, p. 388-398.
- (P) Barnes, Ivan, Rapp, J. B., and O'Neil, J. R., 1972, Metamorphic assemblages and the direction of flow of metamorphic fluids in four instances of serpentinization: *Contributions to Mineral. and Petrol.*, v. 55, p. 263-276.
- (P) Bassett, R. L., Kharaka, Y. K., and Langmuir, D., 1979, Critical review of the equilibrium constants for kaolinite and sepiolite in Jenne, E. A., ed., *Chemical Modeling in Aqueous Systems*: ACS Symposium Series 93, American Chemical Society, Washington, D.C., p. 389-400.
- (O) Batzle, M. L., Hammond, S. E., Christopherson, K. R., 1976, Telluric location map and profile for Breitenbush KGRA, Oregon, USGS U.S. Geol. Survey Open-file rept. 76-701-D.
- (O) Batzle, M. L., Hammond, S. E., and Christopherson, K. R., 1976, Telluric traverse location map and profiles for Wendel-Amedee KGRA, California, U.S. Geol. Survey Open-file rept. 76-701-C.
- (O) Batzle, M. L., Hammond, S. E., and Farkash, V. N., 1976, Telluric traverse location map and profiles for Pinto Hot Springs KGRA, Nevada: U.S. Geol. Survey Open-file rept. 76-701A, 2 p.
- (O) Batzle, M. L., Hammond, S. E., and Farkash, V. N., 1976, Telluric traverse location map and profiles for Ruby Valley Known Geothermal Resource Area, Nevada: U.S. Geol. Survey Open-file rept. 76-701B, 2 p.
- (P) Bedinger, M. S., Pearson, F. J., Jr., Reed, J. E., Sniegocki, R. T., and Stone, C. G., 1979, The waters of Hot Springs National Park, Arkansas: U.S. Geol. Survey Prof. Paper 1044-C, p. C1-C33.
- (A) Beeson, M. H., Keith, T. E. C., and Bargar, K. E., 1980, Secondary mineralization in the Mt. Hood area, Oregon: *Geol. Soc. Am. Abstracts with Programs*, v. 12, no. 3, p. 96.
- (A) Bethke, P. M., 1980, The Creede mining district, Colorado: studies of the evolution of a hydrothermal system: *EOS*, v. 61, p. 1145.
- (P) Bethke, P. M., and Rye, R. O., 1979, Environment of ore deposition in the Creede Mining District, San Juan Mountains, Colorado: Part IV. Source of fluids from oxygen, hydrogen, and carbon isotope studies: *Economic Geology*, v. 74, no. 8, p. 1832-1851.
- (A) Bethke, P. M., and Steven, T. A., 1979, Base-and precious-metal deposits in the San Juan Mountains, Colorado: *Abs. with Prog., Geol. Soc. Am.*, v. 11, no. 7, p. 388.
- (P) Bhattacharyya, B. K., and Chan, K. C., 1977, Computation of gravity and magnetic anomalies due to inhomogeneous distribution of magnetization and density in a localized region: *Geophysics*, v. 42, no. 3, p. 602.
- (P) Bhattacharyya, B. K., and Leu, Lei-Kuang, 1975, Analysis of magnetic anomalies over Yellowstone National Park: mapping at Curie Point isothermal surface for geothermal reconnaissance: *Jour. of Geophys. Research*, v. 80, no. 32, p. 4461-4465.
- (O) Bhattacharyya, B. K., and Mabey, D. R., 1980, Interpretation of magnetic anomalies over southern Idaho using generalized multibody models: U.S. Geol. Survey Open-file rept. 80-457, 59 p.
- (P) Bhattacharyya, B. K., Sweeney, R. E., and Godson, R. H., 1979, Integration of aeromagnetic data acquired at different times with varying elevations and line spacings: *Geophysics*, v. 44, no. 4, 801-819.
- (O) Bisdorf, R. J., and Smith, B. D., 1976, Schlumberger soundings in Clayton Valley, Nevada: U.S. Geol. Survey Open-file rept. 76-17, 19 p.
- (P) Blakely, R. J., and Christiansen, R. L., 1978, The magnetization of Mt. Shasta and implications for virtual geomagnetic poles determined from seamounts: *Jour. Geop. Res.*, v. 83, no. B12, p. 5971-5978.

- (O) Blank, H. R., and Gettings, M. E., 1974, Complete Bouguer gravity map, Yellowstone-Island Park region, Idaho-Montana-Wyoming: U.S. Geol. Survey Open-file rept. 1:125,000.
- (A) Briggs, N. D., and Naeser, C. W., 1979, Thermal history of sedimentary basins by fission-track dating: Abs. with Prog., Geol. Soc. Am., v. 11, no. 7, p. 394.
- (P) Brook, C. A., 1981, Variability and sources of hydrogen sulfide and other gases in steam at The Geysers, U.S. Geological Survey Professional Paper 1141, p. 193-203.
- (P) Brook, C. A., Mariner, R. H., Mabey, D. R., Swanson, J. R., Guffanti, Marianne, and Muffler, L. J. P., 1979, Hydrothermal convection systems with reservoir temperatures $\geq 90^{\circ}\text{C}$, in Muffler, L. J. P., ed., Assessment of Geothermal Resources of the United States--1978: U.S. Geol. Survey Circular 790, p. 18-85.
- (P) Brott, C. A., Blackwell, D. D., and Ziagos, J. P., 1981, Thermal and tectonic implications of heat flow in the Eastern Snake River Plain, Idaho: Jour. Geophys. Res., v. 86, no. B12, p. 11,709-11,734.
- (O) Brown, D. L., and Potter, R. W., II, 1977, The volumetric properties of vapor saturated aqueous H_2SO_4 from 0° to 100°C , vapor saturated aqueous FeSO_4 at 20° , vapor saturated aqueous NaHSO_4 from 0°C to 30°C , vapor saturated aqueous NaHSO_4 from 0°C to 40°C , based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 77-294, 14 p.
- (O) Brown, D. L., and Potter, R. W., II, 1977, The volumetric properties of vapor saturated aqueous HCL solutions from 0°C to 100°C , vapor saturated FeCl_2 solutions at 15° to 18°C , and vapor saturated aqueous FeCl_3 from 0° and 35°C based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 77-215, 9 p.
- (O) Brown, D. L., and Potter, R. W., II, 1977, The volumetric properties of vapor saturated aqueous potassium hydroxide solutions from 0° to 400° and vapor saturated aqueous sodium hydroxide solutions from 0° to 350° based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 77-214, 11 p.
- (O) Brown, D. L., and Potter, R. W., II, 1977, The volumetric properties of vapor saturated aqueous Na_2CO_3 solutions from 0°C to 100°C , vapor saturated aqueous KHCO_3 solutions from 0°C to 50°C , and vapor-saturated aqueous NaHCO_3 solutions from 18°C to 60°C based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 77-321, 15 p.
- (A) Bufe, C. G., and Lester, F. W., 1975, Seismicity of The Geysers-Clear Lake region, California: EOS, v. 56, no. 12, p. 1020.
- (A) Bufe, C. G., Marks, S., Lester, F., Louie, K., and Briscoe, S., 1978, Seismicity of The Geysers/Clear Lake geothermal area, California: Earthquake Notes, v. 49, no. 1, p. 32-33.
- (P) Bufe, C. G., Marks, S. M., Lester, F. W., Ludwin, R. S., and Stickney, M. C., 1981, Seismicity of The Geysers-Clear Lake region, California: U.S. Geological Survey Professional Paper 1141, p. 129-137.
- (O) Bufe, C. G., Pfluke, J. H., Lester, F. W., and Marks, S. M., 1976, Map showing preliminary hypocenters of earthquakes in the Healdsburg (1:1,000,000) quadrangle, Lake Berryessa to Clear Lake, California--January 1969 to June 1976: U.S. Geol. Survey Open-file map 76-802.
- (O) Bunker, C. M., Bush, C. A., Munroe, R. J., and Sass, J. H., 1975, Abundances of uranium, thorium, and potassium for some Australian crystalline rocks: U.S. Geol. Survey Open-file rept. 75-393, 39 p.
- (O) Byerlee, J. D., and Johnston, M. S., 1974, A magnetic method for determining the geometry of hydraulic fractures: U.S. Geol. Survey Open-file rept., 16 p.
- (A) Byerlee, J. D., and Lockner, D., 1975, The use of acoustic emission techniques to locate fracture planes produced during hydraulic fracture: EOS, v. 56, no. 12, p. 1060.

- (A) Byerlee, J. D., Lockner, D., and Weeks, J., 1975, Tension fractures and shear fractures produced during hydraulic fracture: EOS, v. 56, no. 12, p. 1060.
- (A) Byerlee, J. D., and Winkler, K., 1975, Acoustic emission during fluid flow through hot granite: EOS, v. 56, no. 12, p. 1020.
- (P) Carothers, W. W., and Kharaka, Y. K., 1978, Aliphatic acid anions in oil-field waters - implications for origin of natural gas: Am. Assoc. Petroleum Geol. Bull., v. 62, no. 12, p. 2441-2453.
- (P) Carothers, W. W., and Kharaka, Y. K., 1980, Stable carbon isotopes of HCO_3^- in oil field waters - implications for the origin of CO_2 : *Geochimica et Cosmochimica Acta*, v. 44, p. 323-332.
- (A) Casadevall, T. J., and Hazlett, R. W., 1979, Inventory of active steam vents and fumaroles on Hawaiian volcanoes: Intraplate Volcanism Conference, Hilo, Hawaii, July 1979.
- (P) Casadevall, T. J., Johnston, D. A., Harris, D. M., Rose, W. I. Jr., Malinconico, L. L., Stoiber, R. E., Bornhorst, T. J., Williams, S. N., Woodruff, Laurel, and Thompson, J. M., 1981, SO_2 emission rates at Mount St. Helens from March 29 through December, 1980: U.S. Geol. Survey Prof. Paper 1250, p. 193-200.
- (A) Casadevall, T. J., Stoiber, R. E., and Dzurisin, D., 1979, Terrestrial volcanic outgassing: A review of mechanisms and magnitudes: NASA Conference Publication 2072, Second International Colloquium on Mars, Pasadena, California, Jan. 15-18, 1979, p. 12-13.
- (A) Cataldi, R., Lazzarotto, A., Muffler, P., Squarci, P., and Stefani, G., 1977, Test of geothermal assessment methodology in Tuscany: Geol. Soc. America Abstracts with Programs, v. 9, no. 7, p. 923.
- (O) Chadwick, R. A., and Leonard R. B., 1979, Structural controls of hot-spring systems in southwestern Montana: U.S. Geol. Survey Open-file rept., 79-1333, 25 p.
- (O) Champion, D. E., 1980, Holocene geomagnetic secular variation in the western United States: implications for the global geomagnetic field: U.S. Geol. Survey Open-file rept. 80-824, 326 p.
- (P) Champion, D. E., Dalrymple, G. B., Kuntz, M. A., 1981, Radiometric and paleomagnetic evidence for the emperor reversed polarity event at 0.46 ± 0.05 m.y. in basalt lava flows from the eastern Snake River Plain, Idaho: *Geophys. Res. Ltrs.*, v. 8, no. 10, p. 1055-1058.
- (A) Christiansen, R. L., 1974, Quarternary volcanism of the Yellowstone rhyolite plateau region, Wyoming-Idaho-Montana: EOS, v. 56, no. 12, p. 1189.
- (P) Christiansen, R. L., 1974, Volcanology (1973): *Geotimes*, v. 19, no. 1, p. 33.
- (A) Christiansen, R. L., 1975, Origin and geothermal potential of Island Park, Eastern Idaho: Geol. Soc. America, Abs. with Programs, v. 7, no. 5, p. 595-596.
- (P) Christiansen, R. L., 1975, Volcanology (1974): *Geotimes*, v. 20, no. 1, p. 37.
- (A) Christiansen, R. L., 1976, Cooling units and composite sheets in relation to caldera structure: Geol. Soc. America, Abs. with Prog., v. 8, no. 5, p. 575-576.
- (A) Christiansen, R. L., 1976, Volcanic evolution of Mt. Shasta, California: Geol. Soc. America, Abs. with Programs, v. 8, no. 3, p. 360-361.
- (P) Christiansen, R. L., 1980, Eruption of Mt. St. Helens: *Volcanology: Nature*, v. 285, p. 531-533.
- (A) Christiansen, R. L., 1981, Yellowstone magmatic evolution: its bearing on understanding large-volume explosive volcanism: EOS, v. 62, no. 45, p. 1079.
- (O) Christiansen, R. L., Kleinhampl, F. J., Blakely, R. J., Tuckey, E. T., Johnson, F. L., and Conyoc, M. D., 1977, Resource appraisal of the Mt. Shasta Wilderness Study Area, Siskiyou County, California: U.S. Geol. Survey Open-file rept. 77-250, 53 p.
- (P) Christiansen, R. L., and Love, J. D., 1978, The Pliocene Conant Creek Tuff in the northern part of the Teton Range and Jackson Hole, Wyoming: U.S. Geol. Survey Bull. 1435-C, C1-C9.

- (P) Christiansen, R. L., and McKee, E. H., 1978, Late Cenozoic volcanic and tectonic evolution of the Great Basin and Columbia Intermontane Regions in Smith, R. B., and Easton, G. P., eds., Cenozoic tectonics and regional Geophysics of the Western Cordillera: Geol. Soc. Amer. Mem. 152, p. 283-311.
- (P) Christiansen, R. L., and Peterson, D. W., 1981, Chronology of the 1980 eruptive activity (Mt. St. Helens, Washington): U.S. Geol. Survey Prof. Paper 1250, p. 17-30.
- (P) Christopherson, K. R., 1979, The Steamboat springs, Colorado, geothermal systems: geophysical and geological investigations: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 113-116.
- (P) Christopherson, K. R., 1980, Geophysical studies of the Lassen KGRA, California: Geothermal Resources Council, Transactions, v. 4, p. 25-28.
- (O) Christopherson, K. R., Hoover, D. B., and Cesario, D. J., 1977, Telluric traverse location map and profile for Gerlach Northwest KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-66-E, 2 p.
- (O) Christopherson, K. R., Hoover, D. B., Lewis, V., Radtke, B., and Senterfit, R. M., 1980, Lassen Known Geothermal Resource Area, California: Audio-magneto-telluric data sheets, station location map, and contour maps at 7.5 and 27 hertz; telluric and self-potential profiles and location maps: U.S. Geol. Survey Open-file rept. 80-313.
- (O) Christopherson, K. R., Hoover, D. B., and Senterfit, M. R., 1977, Telluric traverse location map and profiles for Fly Ranch Northeast KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-66-D, 2 p.
- (P) Christopherson, K. R., Long, C. L., Hoover, D. B., 1980, Airborne electromagnetic surveys as a reconnaissance technique for geothermal exploration: Geothermal Resources Council, Transactions, v. 4, p. 29-31.
- (O) Christopherson, K. R., Senterfit, R. M., and Dolati, M., 1980, Telluric profiles and location map for Vulcan Hot Springs Known Geothermal Resource Area, Idaho: U.S. Geol. Survey Open-file rept. 80-518, 4 p.
- (O) Christopherson, K. R., Senterfit, R., Lewis, V., and Dolati, M., 1979, Telluric profile and location map for the Broadwater Hot Springs area, Montana: U.S. Geol. Survey Open-file rept. 79-1670.
- (O) Christopherson, K. R., Senterfit, R., Lewis, V., and Dolati, M., 1979, Telluric profile and location map for the Ennis Hot Springs area, Montana: U.S. Geol. Survey Open-file rept. 79-1671.
- (O) Christopherson, Karen, 1981, Total field aeromagnetic anomaly map of the Long Valley KGRA, CA: U.S. Geol. Survey Open-file rept. 81-994, 1 sheet.
- (O) Christopherson, Karen, 1981, Total field aeromagnetic anomaly map of the Raft River KGRA, Idaho: U.S. Geol. Survey Open-file rept. 81-998, 1 sheet.
- (O) Christopherson, Karen, 1981, Total field aeromagnetic anomaly map of the Steamboat Hills KGRA, Nevada: U.S. Geol. Survey Open-file rept. 81-996, 1 sheet.
- (O) Christopherson, Karen, 1981, Total field aeromagnetic anomaly map, Surprise Valley KGRA, CA: U.S. Geol. Survey Open-file rept. 81-997, 1 sheet.
- (O) Christopherson, Karen, 1981, Total field aeromagnetic anomaly map of the Wahuska KGRA, Nevada: U.S. Geol. Survey Open-file rept. 81-995, 1 sheet.
- (O) Christopherson, Karen, Nervick, Kevin, Heran, W., and Pringle, L., 1981, Audiomagnetotelluric profiling studies in the Shaw Warm Springs Region, CO: U.S. Geol. Survey Open-file rept. 81-958, 16 p.
- (O) Christopherson, Karen, and Pringle, Laurel, 1981, Additional audiomagnetotelluric soundings in the Lassen KGRA, Plumas and Tehama Counties, CA: U.S. Geol. Survey Open-file rept. 81-959, 18 p.
- (A) Clynne, M. A., and Potter, R. W., II, 1977, Freezing point depression of synthetic brines: Geol. Soc. America, Abs. with Prog., v. 9, no. 7, p. 930.
- (P) Combs, Jim, and Muffler, L. J. P., 1973, Exploration for geothermal resources, in Kruger, Paul, and Otte, Carel (eds.): Geothermal Energy: Resources, Stimulation, Production: Stanford, Calif., Stanford University Press, p. 95-128.

- (O) Cordell, Lindrith, 1972, Complete Bouguer anomaly gravity map of the Jemez area, New Mexico: U.S. Geol. Survey Open-file map., scale 1:250,000.
- (A) Corwin, R. F., and Fitterman, D. V., 1979, Interpretation of self-potential data from the Cerro Prieto geothermal field: Program and abstracts, Second Symposium on the Cerro Prieto Geothermal Field, Baja California.
- (P) Corwin, R. F., and Hoover, D. B., 1979, The self-potential method in geothermal exploration: Geophysics, v. 44, p. 226-245.
- (P) Couch, R. W., Gemperle, M., McLain W. H., Connard, G. G., 1981, Total field aeromagnetic anomaly map, Cascade Mountain Range, Southern Oregon: State of Oregon Geological Map Series GMS - 17.
- (P) Couch, R. W., Pitts, G. S., Braman, D. E., Gemperle, M., 1980, Free-air gravity anomaly map, Cascade Mountain Range, Northern Oregon: State of Oregon Geological Map Series GMS - 15.
- (P) Couch, R. W., Pitts, G. S., Veen, C. A., Gemperle, M., 1980, Free-air gravity anomaly map, Cascade Mountain Range, Southern Oregon: State of Oregon Geological Map Series GMS - 16.
- (O) Covington, H. R., 1977, Deep drilling data, Raft River geothermal area, Idaho-Raft River geothermal exploration well no. 1: U.S. Geol. Survey Open-file rept. 77-226.
- (O) Covington, H. R., 1977, Deep drilling data, Raft River geothermal area, Idaho-Raft River geothermal exploration well no. 2: U.S. Geol. Survey Open-file rept. 77-243.
- (O) Covington, H. R., 1977, Deep drilling data, Raft River geothermal area, Idaho-Raft River geothermal exploration well no. 3: U.S. Geol. Survey Open-file rept. 77-616.
- (O) Covington, H. R., 1977, Deep drilling data, Raft River geothermal area, Idaho, Raft River geothermal exploration Well #3, Sidetrack-C: U.S. Geol. Survey Open-file rept. 77-883.
- (O) Covington, H. R., 1978, Deep drilling data, Raft River geothermal area, Idaho, Raft River geothermal exploration well #4: U.S. Geol. Survey Open-file rept. 78-91.
- (O) Covington, H. R., 1979, Deep drilling data, Raft River geothermal area, Idaho, Raft River geothermal production well #4: U.S. Geol. Survey Open-file rept. 79-662.
- (O) Covington, H. R., 1979, Deep drilling data, Raft River geothermal area, Idaho, Raft River geothermal exploration well #5: U.S. Geol. Survey Open-file rept. 79-382.
- (O) Covington, H. R., 1979, Deep drilling data, Raft River geothermal area, Idaho; Raft River geothermal injection well no. 6: U.S. Geol. Survey Open-file rept. 79-1129.
- (O) Covington, H. R., 1979, Deep drilling data, Raft River geothermal injection well no. 7: U. S. Geol. Survey Open-file rept. 79-1365.
- (P) Covington, H. R., 1980, Subsurface geology of the Raft River geothermal area, Idaho: Geothermal Resources Council, Transactions, v. 4, p. 113-115.
- (O) Crosthwaite, E. G., 1976, Basic data from five core holes in the Raft River geothermal area, Cassia County, Idaho: U.S. Geol. Survey Open-file rept. 76-665, 12 p.
- (O) Crosthwaite, E. G., 1979, Chemical analyses of ground water related to geothermal investigations in the Teton River area, eastern Idaho: U.S. Geol. Survey Open-file rept. 79-687.
- (P) D'Amore, Franco, and Truesdell, A. H., 1980, Models for steam chemistry at Larderello and The Geysers: Proc., 5th Workshop on Geothermal Reservoir Engineering, Stanford University, Dec. 1979, p. 283-297.
- (O) Dalrymple, G. B., and Lanphere, M. A., 1974, Preliminary potassium-argon age data on volcanic rocks of Long Valley caldera and vicinity Mono County, California: U.S. Geol. Survey Open-file rept., map scale 1:65,000.

- (P) Davis, P. M., Stacey, F. D., Zablocki, C. J., and Olson, J. V., 1979, Improved signal discrimination in tecto-magnetism: Discovery of a volcanomagnetic effect at Kilauea, Hawaii: *Physics of Earth and Plan. Inter.* v. 19, p. 331-336.
- (A) Decker, R. W., 1980, Drilling into magma-hydrothermal systems: why?: *EOS*, v. 61, p. 1144.
- (A) Decker, R. W., and Christiansen, R. L., 1981, Explosive eruptions of Kilauea volcano, Hawaii: *EOS*, v. 62, no. 45, p. 1081.
- (A) Delaney, P. T., 1980, Expansion and pressurization of groundwater during heating from igneous intrusion: a mechanism for brecciation of host rocks: *EOS*, v. 61, p. 1146.
- (A) Delaney, P. T., and Pollard, D. D., 1976, Mechanism for development of plug-like intrusions from dikes: *Geol. Soc. Amer. Abs. with Prog.*, v. 8, no. 6, p. 833.
- (A) Delaney, P. T., and Pollard, D. D., 1978, Basaltic subvolcanic conduits near Shiprock, New Mexico: Magma flow, heat transport and brecciation of host rocks: *EOS, American Geophysical Union Transactions*, v. 59, no. 12, p. 1212.
- (P) Delaney, P. T., and Pollard, D. D., 1981, Deformation of host rocks and flow of magma during growth of minette dikes and breccia-bearing intrusions near Ship Rock, New Mexico: *U.S. Geol. Survey Prof. Paper* 1202, 61 p.
- (A) Delaney, Paul, Fletcher, Raymond, and Pollard, D. D., 1979, Physical aspects of magma ascent, accumulation, and eruption for Hawaiian volcanoes: *Hawaii Symposium on Intraplate Volcanism and Submarine Volcanism, Hilo, Hawaii, Abstract Volume*, p. 38.
- (P) Denlinger, R. P., Isherwood, W. F., and Kovach, R. L., 1979, An analysis of gravity and geodetic changes due to reservoir depletion at The Geysers, northern California: *Trans., Geothermal Resources Council Annual Meeting*, 24-27 Sept. 1979, Reno, Nevada, p. 153-156.
- (P) Denlinger, R. P. and Kovach, R. L., 1981, Seismic-reflection investigations at Castle Rock Springs in the Geysers geothermal area, *U.S. Geological Survey Professional Paper* 1141, p. 117-128.
- (O) Denton, E. H., 1976, Helium sniffer field test: Newcastle, Utah, 10-26 March 1976: *U.S. Geol. Survey Open-file rept.* 76-421, 1 p.
- (O) Denton, E. H., 1977, Helium sniffer field test: Roosevelt Hot Springs, Utah, October 1975 and March 1976: *U.S. Geol. Survey Open-file rept.* 77-606, 6 p.
- (P) Diment, W. H., 1975, Heat flow and shallow thermal regime, in *U.S. National Report 1971-1975*, Bell, P. M., ed., *Rev. Geophysics and Space Physics*, *Amer. Geophys. Union*, v. 13, p. 340-344 and 372-379.
- (P) Diment, W. H., 1980, Geology and geophysics of geothermal areas in Kestin, J., ed., *Source book on the production of electricity from geothermal energy*: U.S. Gov't. Printing Office.
- (P) Diment, W. H., and Urban, T. C., 1981, Average elevation map of the conterminous United States (Gilluly averaging method): *USGS Geophys. Invest. Map* 933.
- (P) Diment, W. H., Urban, T. C., and Nathenson, Manuel, 1980, Notes on the shallow thermal regime of the Long Valley caldera, Mono County, California: *Geothermal Resources Council, Transactions*, v. 4, p. 37-40.
- (A) Diment, W. H., Urban, T. C., Nathenson, Manuel, and Mathias, K. E., 1977, East Mesa geothermal anomaly, Imperial County, California: Effects of canal leakage on shallow thermal regime: *EOS*, v. 58, p. 1241.
- (P) Diment, W. H., Urban, T. C., and Revetta, F. A., 1972, Some geophysical anomalies in the eastern United States, in Robertson, E. C., ed., *The Nature of the Solid Earth*: McGraw-Hill, New York, N.Y., p. 544-572.
- (P) Diment, W. H., Urban, T. C., Sass, J. H., Marshall, B. W., Munroe, R. J., and Lachenbruch, A. H., 1975, Temperatures and heat contents based on conductive transport of heat in White, D. E., and Williams, D. L., eds., *Assessment of Geothermal Resources of the United States--1975*: *U.S. Geol. Survey Circular* 726, p. 84-103.

- (O) Doherty, D. J., 1979, Drilling data from exploration well I, NE 1/4, sec 22, T2N, R32E., Bigham County, Idaho: U.S. Geol. Survey Open-file rept. 79-1225.
- (O) Doherty, D. J., 1979, Drilling data from exploration well 2-2A, (NW 1/4 sec. 15, T. 5 N., R. 31 E.), Idaho National Engineering Laboratory, Butte county, Idaho, U.S. Geol. Survey Open-file rept. 79-851.
- (O) Doherty, D. J., McBroome, L. A., and Kuntz, M. S., 1979, Preliminary geological interpretation and lithologic log of the Exploratory Geothermal Test Well (INEL-1) Idaho National Engineering Laboratories, Eastern Snake River Plain, Idaho, U.S. Geol. Survey Open-file rept. 79-1248.
- (P) Donnelly, J. M., Goff, F. E., and Nehring, N. L., 1979, Geothermal potential northeast of Clear Lake, California in Tucker, F. L., and Tanner, L. R., Proceedings of Geothermal Environmental Seminar-78, May 9-11, 1978, Sacramento, Calif., p. 345-350.
- (P) Donnelly, J. M., Goff, F. E. Thompson, J. M., and Hearn, B. C., Jr., 1976, Implications of thermal water chemistry in The Geysers-Clear Lake area: Geothermal Environment Seminar-76, Lake County, California, Oct. 27-29, 1976, 6 p.
- (A) Donnelly, J. M., and Hearn, B. C., Jr., 1978, Geochronology and evolution of the Clear Lake volcanics, northern California: Geol. Soc. America Abs. with Prog., v. 10, no. 3, p. 103.
- (A) Donnelly, J. M., and Hearn, B. C., Jr., 1979, The Clear Lake volcanics and The Geysers geothermal system, California: Geol. Soc. Am. Abs. with Prog., v. 11, no. 3, p. 75-76.
- (P) Donnelly, J. M., and Hearn, B. C., Jr., Curtis, G. H., and Drake, R. E., 1981, Geochronology and evolution of the Clear Lake Volcanics, U.S. Geological Survey Professional Paper 1141, p. 47-60.
- (P) Donnelly, J. M., Hearn, B. C., Jr., and Goff, F. E., 1977, The Clear Lake volcanics, California: Geology and field trip guide, in Field trip guide to The Geysers-Clear Lake area: Geol. Soc. America, Cordilleran Section 73rd annual meeting, Sacramento, California, April 5-7, 1977, p. 3-24.
- (A) Donnelly, J. M., McLaughlin, R. J., Goff, F. E., and Hearn, B. C., Jr., 1976, Active faulting in The Geysers-Clear Lake area, Northern California: Geol. Soc. America, Abs. with Programs, v. 8, no. 3, p. 369-370.
- (A) Donnelly-Nolan, J. M., 1980, Tectonic influences on hydrothermal and magmatic systems in The Geysers-Clear Lake region, California: EOS, v. 61, p. 1149.
- (P) Duffield, W. A., 1975, Late Cenozoic ring faulting in volcanism in the Coso Range area of California: Geology, v. 3, no. 6, p. 335-338.
- (A) Duffield, W. A., 1979, Geologic and geothermal studies of La Reunion: comparison with some features of Hawaiian volcanoes, in Hawaii Symposium on Volcanism, Hilo, Hawaii, July 16-22, 1979, p. 11.
- (P) Duffield, W. A., 1981, Geothermal reservoir engineering: the role of the U.S. Geological Survey: Proceedings, Seventh Workshop on Geothermal Reservoir Engineering, December 15-17, 1981, Stanford University, Stanford Geothermal Program Technical Report 55, p. 11-12.
- (P) Duffield, W. A., and Bacon, C. R., 1981, Geologic map of the Coso volcanic field and adjacent areas, Inyo County, California: U.S. Geol. Survey Misc. Invest. Series Map I-1200, 1:50,000.
- (A) Duffield, W. A., Bacon, C. R., and Dalrymple, G. B., 1976, Late Cenozoic volcanism and structure of the Coso Range geothermal area, California: Geol. Soc. America Abstracts with Programs, v. 8, no. 6, p. 845.
- (P) Duffield, W. A., Bacon, C. R., and Dalrymple, G. B., 1980, Late Cenozoic volcanism, geochronology, and structure of the Coso Range, Inyo County, California: Jour of Geophysical Res., v. 85, p. 2381-2404.
- (P) Duffield, W. A., Bacon, C. R., and Roquemore, G. R., 1979, Origin of reverse-graded bedding in the air-fall pumice, Coso Range, California: J. Volcanology Geoth. Res., v. 5, p. 35-48.

- (O) Duffield, W. A., and Fournier, R. O., 1974, Reconnaissance study of the geothermal resources of Modoc County, California: U.S. Geol. Survey Open-file rept., 20 p.
- (P) Duffield, W. A., and Smith, G. I., 1978, Pleistocene history of volcanism and the Owens River near Little Lake, California: Jour. Research U.S. Geol. Survey, v. 6, p. 395-408.
- (P) Duffield, W. A., and Smith, G. I., 1978, Pleistocene river erosion and intracanyon lava flows near Little Lake, Inyo County, California: California Geology, v. 31, no. 4, p. 81-89.
- (A) Dungan, M. A., Lipman P. W., and Pronold, T. G., 1978, A geochemical reconnaissance of the Taos Plateau volcanic field: International symposium on the Rio Grande rift, Prog. and Abs., Santa Fe, New Mexico, p. 30-31.
- (P) Dutcher, L. C., Hardt, W. F., and Moyle, W. R., Jr., 1972, Preliminary appraisal of ground water in storage with reference to geothermal resources in the Imperial Valley area, California: U.S. Geol. Survey Circular 649, 57 p.
- (A) Dzurisin, D., Casadevall, T. J., and Stoiber, R. E., 1979, Terrestrial volcanic outgassing: Implications for Martian evolution and surface geology: NASA Conference Publication 2072, Second International Colloquium on Mars, Pasadena, California, Jan. 15-18, 1979, p. 25.
- (A) Eaton, G. P., 1974, Role of the U.S. Geological Survey in assessing the nation's geothermal resources: Conference on research for the development of geothermal energy resources, September 23-25, 1974, Pasadena, California (NSF grant #AG-545), p. 6.
- (A) Eaton, G. P., 1975, Characteristics of a transverse crustal boundary in the Basin and Range province of southern Nevada: Geol. Soc. America, Abs. with programs, v. 7, no. 7, p. 1062-1063.
- (A) Eaton, G. P., 1975, Geophysics applied to the search for geothermal energy resources: Geol. Soc. America, Abs. with Programs, v. 7, no. 5, p. 606.
- (P) Eaton, G. P., Christiansen, R. L., Iyer, H. M., Pitt, A. M., Mabey, D. R., Blank, H. R., Jr., Zietz, Isidore, and Gettings, M. E., 1975, Magma beneath Yellowstone National Park: Science, v. 188, no. 4190, p. 787-796.
- (A) Eaton, G. P., and Klick, D. W., 1974, The U.S. Geological Survey's Program in Geothermal Energy Research and Development: Conference on research for the development of geothermal energy resources, September 23-25, 1974, Pasadena, California. (NSF grant #AG-545), p. 4.
- (P) Eaton, G. P., Wahl, R. R., Prostka, H. J., Mabey, D. R., and Kleinkopf, M. D., 1978, Regional gravity and tectonic patterns: Their relation to late Cenozoic epeirogeny and lateral spreading of the western Cordillera in Cenozoic tectonics and regional geophysics in the western Cordillera: Geol. Soc. America Mem. 152, p. 51-91.
- (A) Eberhart-Phillips, D. M., 1981, Induced seismicity in The Geysers geothermal area, CA: EOS, v. 62, no. 45, p. 969.
- (A) Ekren, E. B., 1978, Welded ash-flow sheets that reverted to high viscosity liquids, Owyhee County, Idaho: Geol. Soc. Am. Abs. with Prog., v. 10, no. 5, p. 215.
- (O) Ekren, E. B., McIntyre, D. H., and Bennett, E. H., 1978, Preliminary geologic map of the west half of Owyhee County, Idaho: U.S. Geol. Survey Open-file rept. 78-341.
- (O) Embree, G. F., Lowell, M. D., and Doherty, D. J., 1978, Drilling data from Sugar City exploration well, Madison County, Idaho: U.S. Geol. Survey Open-file rept. 78-1095, 12 p.
- (P) England, A. W., 1974, Thermal microwave emission from a halfspace containing scatterers: Radio Science, v. 9, no. 4, p. 447-454.
- (P) England, A. W., 1975, Thermal microwave emission from a scattering layer: Jour. of Geophys. Research, v. 80, no 32, p. 4484-4496.

- (P) England, A. W., 1976, Relative influence upon microwave emissivity of fine-scale stratigraphy, internal scattering, and dielectric properties, *Pageoph*, v. 114, p. 287-299.
- (P) England, A. W., and Johnson, G. R., 1976, Thermal microwave detection of near-surface thermal anomalies: *Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources*, San Francisco, California, May 20-29, 1975, p. 971-977.
- (P) England, A. W., and Johnson, G. R., 1977, Microwave brightness spectra of layered media: *Geophysics*, v. 42, no. 3, p. 514.
- (A) Evans, J. R., and Iyer, H. M., 1975, Deep low-velocity anomaly under the Yellowstone caldera: *Abstracts 70th Annual Meeting of the Seismological Society of America*, p. 13.
- (A) Evans, J. R., and Iyer, H. M., 1979, Deep structure under Yellowstone and the Snake River Plain from teleseismic P-wave delays: *EOS*, v. 60, p. 942.
- (A) Evans, J., Iyer, H. M., Criley, E., and Roloff, J., 1978, Teleseismic P-delay study of the eastern Snake River Plain: *Earthquake Notes*, v. 49, p. 12.
- (P) Faust, C. R., and Mercer, J. W., 1976, An analysis of finite-difference and finite-element techniques for geothermal reservoir simulation: *Proceedings of Fourth Society of Petroleum Engineers Symposium on Numerical Simulation of Reservoir Performance*, Los Angeles, California, February 19-20, 1976.
- (P) Faust, C. R., and Mercer, J. W., 1976, Mathematical modeling of geothermal systems: *Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources*, San Francisco, CA., May 20-29, 1975, p. 1635-1641.
- (O) Faust, C. R., and Mercer, J. W., 1977, Finite-difference model of two-dimensional single- and two-phase heat transport in a porous medium--version 1: *U.S. Geol. Survey Open-file rept.* 77-234, 84 p.
- (O) Faust, C. R., and Mercer, J. W., 1977, Theoretical analysis of fluid flow and energy transport in hydrothermal systems: *U.S. Geol. Survey Open-file rept.* 77-60, 85 p.
- (P) Faust, C. R., and Mercer, J. W., 1979, Geothermal reservoir simulation 1. Mathematical models for liquid- and vapor-dominated hydrothermal systems: *Water Resources Res.*, v. 15, no. 1, p. 23-30.
- (P) Faust, C. R., and Mercer, J. W., 1979, Geothermal reservoir simulation 2. Numerical solution techniques for liquid- and vapor-dominated hydrothermal systems: *Water Resources Res.*, v. 15, no. 1, p. 31-46.
- (O) Feth, J. H. and Barnes, Ivan, 1979, Map showing occurrences of spring-deposited travertine in the conterminous western United States: *U. S. Geol. Survey Water-Resources Investigations* 79-35 Open-file report.
- (O) Finn, C. A., 1981, Complete Bouguer gravity map of the Medicine Lake quadrangle, California: *U.S. Geol. Survey Open-file rept.* 81-0098.
- (O) Finn, C. A., 1981, Principal facts for gravity stations near Medicine Lake and Mt. Shasta, California: *U.S. Geol. Survey Open-file rept.* 81-427.
- (A) Finn, C. A., and Williams, D. L., 1981, Gravity evidence for a shallow, subvolcanic intrusion under the Medicine Lake volcano in northern CA: *EOS*, v. 62, no. 45, p. 1085-1086.
- (A) Fisher, J. R., Haas, J. R., and Barton, P. B., Jr., 1975, Nitrogen as an oxidant in hydrothermal systems: *Geol. Soc. America, Abs. with programs*, v. 7, no. 7, p. 1074.
- (O) Fitterman, D. V., 1976, Calculation of self-potential anomalies generated by Eh potential gradients: *U.S. Geol. Survey Open-file rept.*, 76-98, 32 p.
- (A) Fitterman, D. V., 1978, Calculation of magneto-metric resistivity anomalies: *Modelling of Electrical and Electromagnetic Methods Workshop*, Berkeley Laboratory, Berkeley, Calif., May 17-19, 1978.
- (P) Fitterman, D. V., 1978, Electrokinetic and magnetic anomalies associated with dilatant regions in a layered earth: *J. Geophys. Res.*, v. 83, p. 5923-28.

- (A) Fitterman, D. V., 1978, Electrokinetic-magnetic anomalies and tectonically induced fluid motion near faults: EOS, v. 59, p. 812.
- (P) Fitterman, D. V., 1979, Calculations of self-potential anomalies near vertical contacts: Geophysics, v. 44, no. 2, p. 195-205.
- (O) Fitterman, D. V., 1979, On-line operation of disc backup utility program: DSKUP, U.S. Geol. Survey Open-file rept. 79-1607, 13 p.
- (P) Fitterman, D. V., 1979, Relationship of the self-potential Green's function to solutions of controlled-source direct-current potential problems: Geophysics, v. 44, p. 1879-1881.
- (P) Fitterman, D. V., 1979, Theory of electrokinetic-magnetic anomalies in a faulted half-space: Jour. Geophys. Res., v. 84, p. 6031-6060.
- (P) Fitterman, D. V., and Stearns, C. O., 1978, Transcription of Gould 6100 Data Logger Cartridges using the HP-9640A system: USGS NTIS rept. PB-278944, 56 p.
- (O) Flanagan, V. J., and Zablocki, C. J., 1977, Mapping the lateral boundaries of a cooling basaltic lava lake, Kilauea Iki, Hawaii: U.S. Geol. Survey Open-file rept. 77-94, 21 p.
- (A) Fletcher, R. C., and Pollard, D. D., 1980, Anticrack model for solution surfaces in pressure solution: EOS, v. 61, p. 1113.
- (O) Fournier, R. B., 1973, An X-ray and optical study of cuttings from the U.S. Bureau of Reclamation Mesa 6-1 drillhole, Imperial County, California: U.S. Geol. Survey Open-file rept., 35 p.
- (O) Fournier, R. B., 1976, A study of the mineralogy and lithology of cuttings from the U.S. Bureau of Reclamation Mesa 6-2 drillhole, Imperial County, California, including comparisons with the Mesa 6-1 drillhole: U.S. Geol. Survey Open-file rept. 76-88, 57 p.
- (P) Fournier, R. O., 1973, Silica in thermal waters: laboratory and field investigations: Proc. of the International Symp. on Hydrogeochemistry and Biogeochemistry, Tokyo, 1970, volume 1-Hydrogeochemistry, p. 122-129, Clark, Washington, D.C.
- (P) Fournier, R. O., 1973, Thermal gradient measurements in sediments beneath the Red Sea hot brine pools in February 1971: U.S. Geol. Survey NTIS rept. PB223-395.
- (P) Fournier, R. O., 1974, The nature and utilization of geothermal energy in, Report of the Conference on Thermodynamics and National Energy Problems, June 10-12, 1974, National Academy of Sciences, Washington, D. C., p. 235-252.
- (P) Fournier, R. O., 1976, The solubility of amorphous silica at high temperatures and high pressures: in Conference on scale management in geothermal energy development, University of California, San Diego, Aug. 2-4, 1976, p. 19-23.
- (P) Fournier, R. O., 1977, Chemical geothermometers and mixing models for geothermal systems: Geothermics, v. 5, p. 41-50.
- (A) Fournier, R. O., 1977, Constraints on the circulation of meteoric water in hydrothermal systems imposed by the solubility of quartz: Geol. Soc. America, Abs. with Prog., v. 9, no. 7, p. 979.
- (P) Fournier, R. O., 1979, Geochemical and hydrologic considerations and the use of enthalpy-chloride diagrams in the prediction of underground conditions in hot-spring systems: Jour. Volcanology and Geothermal Research, v. 5, p. 1-16.
- (P) Fournier, R. O., 1979, A revised equation for the Na/K geothermometer: Trans., Geothermal Resources Council Transactions, v. 3, p. 221-224.
- (P) Fournier, R. O., 1981, Application of water geochemistry to geothermal exploration and reservoir engineering, in Rybach, L., and Muffler, L. J. P., eds., Geothermal systems: principles and case histories, John Wiley and Sons, Ltd., p. 109-143.
- (P) Fournier, R. O., and Potter, R. W., II, 1979, Magnesium correction to the Na-K-Ca geothermometer: Geochimica et Cosmochimica Acta, v. 43, p. 1543-1550.
- (P) Fournier, R. O., and Rowe, J. J., 1977, The solubility of amorphous silica in water at high temperatures and high pressures: Am. Mineralogist, v. 62, p. 1052-1056.

- (P) Fournier, R. O., Sorey, M. L., Mariner, R. H., and Truesdell, A. H., 1979, Chemical and isotopic prediction of aquifer temperatures in the geothermal system at Long Valley, California: *Jour. Volcanology and Geothermal Research*, v. 5, p. 17-34.
- (P) Fournier, R. O., and Thompson, J. M., 1978, Geothermal downhole sampling instrumentation in *Proceedings, 2d Workshop on Sampling Geothermal Effluents*, Las Vegas, 1977: Environmental Protection Agency Report EPA-600/7-78-121, p. 141-172.
- (O) Fournier, R. O., and Thompson, J. M., 1980, The recharge area for the Coso, California, geothermal system deduced from δD and $\delta^{18}O$ in thermal and non-thermal waters in the region: U.S. Geol. Survey Open-file rept. 80-454, 27 p.
- (O) Fournier, R. O., Thompson, J. M., and Austin, C. F., 1978, Chemical analyses and preliminary interpretation of waters collected from CGEH no. 1 geothermal well at Coso, California: U.S. Geol. Survey Open-file rept. 78-434, 10 p.
- (P) Fournier, R. O., Thompson, J. M., and Austin, C. F., 1980, Interpretation of Chemical Analyses of Waters Collected from two geothermal wells at Coso, California: *Jour. Geophysical Res.*, v. 85, no. 5, p. 2405-2410.
- (P) Fournier, R. O., and Truesdell, A. H., 1973, An empirical Na-K-Ca geothermometer for natural waters: *Geochim. et Cosmochim. Acta*, v. 37, p. 1255-1275.
- (A) Fournier, R. O., and Truesdell, A. H., 1974, Estimating subsurface temperatures where warm springs result from mixing hot and cold waters: *International Symposium on Water-Rock Interaction, Czechoslovakia*, Abstract volume, p. 59.
- (P) Fournier, R. O., and Truesdell, A. H., 1974, Geochemical indicators of subsurface temperature-Part 2, Estimation of temperature and fraction of hot water mixed with cold water: *Jour. of Research, USGS*, v. 2, no. 3, p. 263-270.
- (A) Fournier, R. O., and Truesdell, A. H., 1974, Geochemistry applied to exploration for geothermal energy: *Geol. Soc. America, Abstracts with Programs*, v. 6, no. 7, p. 742-743.
- (P) Fournier, R. O., White, D. E., and Truesdell, A. H., 1974, Geochemical indicators of subsurface temperature-Part 1, Basic Assumptions: *Jour. of Research, USGS*, v. 2, no. 3, p. 259-262.
- (P) Fournier, R. O., White, D. E., and Truesdell, A. H., 1976, Convective heat flow at Yellowstone National Park, Wyoming: *Proceedings of the Second United Nations Symposium on the Development and Use of Geothermal Resources*, p. 731-740.
- (P) Friedman, Irving, Lipman, P. W., Obradovich, J. D., Gleason, J. D., and Christiansen, R. L., 1974, Meteoric water in magmas: *Science*, v. 184, p. 1069-1072.
- (P) Friedman, Irving, and Norton, D. R., 1981, Ground Temperatures in and near Yellowstone National Park, in *Ground temperature measurements*: U.S. Geol. Survey Prof. Paper 1203, p. 23-39.
- (P) Friedman, Irving, and O'Neil, J. R., 1978, Hydrogen in Wedepohl, K. H. (ed.), *Handbook of Geochemistry*, 1-B to 1-F, 1-I and 1-L: Springer-Verlag, Berlin.
- (O) Friedman, J. D., and Frank, David, 1977, Structural and heat-flow implications of infrared anomalies at Mt. Hood, Oregon: U.S. Geol. Survey Open-file rept. 77-599, 29 p. 6 figs.
- (P) Friedman, J. D., and Frank, David, 1978, Thermal surveillance of active volcanoes using the Landsat-1 Data Collection System: Part 3. Heat discharge from Mt. St. Helens, Washington, NTIS rept. N-78-22435/LL.
- (P) Friedman, J. D., and Frank, David, 1978, Thermal surveillance of active volcanoes using the Landsat-1 Data Collection System: Part 4. Lassen volcanic region: National Technical Information Service rept. N-78-23499/LL.
- (P) Friedman, J. D., Olhoeft, G. R., Johnson, G. R., and Frank, David, 1981, Heat content and thermal energy of the June dacite dome in relation to total energy yield, May-October 1980: U.S. Geological Survey Prof. Paper 1250, p. 557-567.

- (O) Fuis, G. S., Johnson, C. E., and Jenkins, D. J., 1977, Preliminary catalog of earthquakes in northern Imperial Valley, California, July 1977-September 1977: U.S. Geol. Survey Open-file rept. 77-869, 22 p.
- (O) Fuis, G. S., Johnson, C. E., and Jenkins, D. J., 1978, Preliminary catalog of earthquakes in northern Imperial Valley, California, October 1977-December 1977: U.S. Geol. Survey Open-file rept. 78-673, 43 p.
- (O) Fuis, G. S., Johnson, C. E., and Jenkins, D. J., 1978, Preliminary catalog of earthquakes in northern Imperial Valley, California, January 1978-March 1978: U.S. Geol. Survey Open-file rept. 78-671, 23 p.
- (O) Fuis, G. S., Johnson, C. E., and Richter, K. J., 1980, Preliminary catalog of earthquakes in northern Imperial Valley, California, April 1978 - June 1978: U.S. Geol. Survey Open-file rept. 80-1167, 21 p.
- (A) Fuis, G. S., Mooney, W. D., Healy, J. H., Lutter, W. J., and McMechan, G. A., 1980, Seismic-refraction results in the Imperial Valley region, California, and implications for plate tectonics: EOS, v. 61, p. 1025.
- (O) Fuis, G. S., Mooney, W. D., Healy, J. H., McMechan, G. A., and Lutter, W. J., 1981, Seismic refraction studies of the Imperial Valley region - profile models, a traveltime contour map, and a gravity model: U.S. Geol. Survey Open-file rept. 81-270, 83 p.
- (P) Fuis, G. S., and Schnapp, M., 1977, The November-December 1978 earthquake swarms in the northern Imperial Valley, California: seismicity on the Brawley fault and related structures: EOS, v. 58, p. 1188.
- (A) Furlong, K. P., Chapman, D. S., and Alfeld, P. W., 1980, Geometry of subduction - a thermal model: EOS, V. 61, no. 46, p. 1107.
- (P) Futa, Kiyoto, Hedge, C. E., Hearn, B. C. Jr., and Donnelly-Nolan, J. M., 1981, Strontium isotopes in the Clear Lake Volcanics, U.S. Geological Survey Professional Paper 1141, p. 61-66.
- (O) Galyardt, G. L., and Rush, F. E., 1979, Geologic map of the Crater Springs, KGRA and vicinity, Juab and Millard Counties, Utah: U. S. Geol. Survey Open-file rept. 79-1158.
- (O) Gardner, Susan, Williams, J. M., and Brougham, G. W., 1976, Audiomagnetotelluric data log and station location map for Monroe-Joseph KGRA, Utah: U.S. Geol. Survey Open-file rept. 76-411, 4 p.
- (O) Gardner, Susan, Williams, J. M., and Hoover, D. B., 1976, Audio-magnetotelluric data log and station location map for Lund KGRA, Utah: U.S. Geol. Survey Open-file rept. 76-410, 4 p.
- (O) Gardner, Susan, Williams, J. M., and Long, C. L., 1976, Audio-magnetotelluric data log and station location map for Thermo Hot Springs KGRA, Utah: U.S. Geol. Survey Open-file rept. 76-412, 5 p.
- (A) Gastil, G., and Bertine, K. K., 1981, Thermal water provinciality in southern and Baja California, USA and Mexico: GSA Abstracts with Programs, v. 13, no. 2, p. 57.
- (A) Goff, F. E., and Donnelly, J. M., 1977, Applications of thermal water chemistry in The Geysers/Clear Lake geothermal area, California: Geol. Soc. America, Abs. with Prog., v. 9, no. 7, p. 992.
- (P) Goff, F. E., and Donnelly, J. M., 1978, The influence of P CO₂, salinity, and bedrock type on the Na-K-Ca geothermometer as applied in the Clear Lake region, California: Geothermal Resources Council, Trans., v. 2, p. 211-213.
- (A) Goff, F. E., Donnelly, J. M., Thompson, J. M., and Hearn B. C., 1976, The Konocti Bay fault zone, California: Potential area for geothermal exploration: Geol. Soc. America, Abs. with Programs, v. 8, no. 3, p. 375-376.
- (P) Goff, F. E., Donnelly, J. M., Thompson, J. M., and Hearn B. C., 1977, Geothermal prospecting in The Geysers-Clear Lake area, northern California: Geology, v. 5, no. 8, p. 509-515.

- (O) Goff, F. E., and McLaughlin, R. J., 1976, Geology of the Cobb Mountain-Ford Flat geothermal area, Lake County, California: U.S. Geol. Survey Open-file map, 76-221, scale 1:24,000.
- (P) Goncalves, F. A., and Kestin, J., 1981, The viscosity of Na_2CO_3 and K_2CO_3 aqueous solutions in the range 20-60°C: Intl. Jour. Thermophysics, v. 2, no. 4, p. 315-322.
- (P) Goyal, K. P., and Kassoy, D. R., 1980, Fault zone controlled charging of a liquid dominated geothermal reservoir: Jour. Geophys. Res., v. 85, no. B4, p. 1867-1875.
- (P) Grant, M. A., and Sorey, M. L., 1979, The compressibility and hydraulic diffusivity of a water-steam flow: Water Resources Research, v. 15, no. 3, p. 684-686.
- (O) Green, S. M., Weaver, C. S., and Iyer, H. M., 1979, Seismic studies at the Mt. Hood volcano, northern Cascade Range, Oregon: U.S. Geol. Survey Open-file rept. 79-1691, 40 p.
- (O) Gregory, D. I., and Martinez, R. J., 1975, Audio-magnetotelluric apparent resistivity maps, southern Warner Valley, Lake County, Oregon: U.S. Geol. Survey Open-file rept. 75-652, scale 1:62,500.
- (P) Grim, P. J., Nichols, C. R., Wright, P. M., Berry, G. W., and Swanson, James, 1978, State maps of the low temperature geothermal resources: Geothermal Resources Council, Trans., v. 2, p. 233-234.
- (O) Griscom, Andrew, and Conradi, Arthur, Jr., 1975, Principal facts and preliminary interpretation for gravity profiles and continuous truck-mounted magnetometer profiles in the Alvord Valley, Oregon: U.S. Geol. Survey Open-file rept. 75-293, 20 p.
- (O) Griscom, Andrew, and Conradi, Arthur, Jr., 1976, Principal facts and preliminary interpretation for gravity profiles and continuous magnetometer profiles in Surprise Valley, California: U.S. Geol. Survey Open-file rept. 76-260, 21 p.
- (P) Guffanti, Marianne, and Nathenson, Manuel, 1980, Preliminary map of temperature gradients in the conterminous United States: Geothermal Resources Council, Transactions, v. 4, p. 53-56.
- (O) Guffanti, Marianne, and Nathenson, Manuel, 1981, Temperature-depth data for selected deep drill holes in the United States obtained using maximum thermometers: U.S. Geol. Survey Open-file rept. 81-555, 100 p.
- (P) Haas, J. L., Jr., 1976, Physical properties of the coexisting phases and thermochemical properties of the H_2O component in boiling NaCl solutions: U.S. Geol. Survey Bull. 1421A, p. A1-A73.
- (P) Haas, J. L., Jr., 1976, Physical properties of the coexisting phases and thermochemical properties of the NaCl component in boiling NaCl solutions: U.S. Geol. Survey Bull. 1421B, p. B1-B71.
- (O) Haas, J. L., Jr., 1978, An empirical equation with tables of smoothed solubilities of methane in water and aqueous sodium chloride solutions up to 25 weight percent, 360°C, and 138 MPa: U.S. Geol. Survey Open-file rept. 78-1004, 41 p.
- (P) Haas, J. L., Jr., and Fisher, J. R., 1976, Simultaneous evaluation and correlation of thermodynamic data: Am. Journal of Science, v. 276, p. 525-545.
- (P) Haas, J. L., Jr., and Potter, R. W., II, 1977, The measurement and evaluation of PVTX properties of geothermal brines and the derived thermodynamic properties: Proc. of the Seventh Symposium of Thermophysical Properties, American Society of Mechanical Engineers, New York, 1977, p. 604-614.
- (O) Haas, J. L. Jr., Robinson, G. R., Jr. and Hemingway, B. S., 1980, Thermodynamic tabulations for selected phases in the system $\text{CaO} - \text{Al}_2\text{O}_3 - \text{SiO}_2 - \text{H}_2\text{O}$: U.S. Geol. Survey Open-file rept. 80-908, 135 p.
- (O) Hardt, W. F., and French, J. J., 1976, Selected data on water wells, geothermal wells, and oil tests in Imperial Valley, California: U.S. Geol. Survey Open-file rept., 251 p.

- (P) Hardt, W. F., Olmsted, F. H., and Trainer, F. W., 1976, Susanville-Honey Lake geothermal reconnaissance, southern Lassen County, California: U.S. Geol. Survey Admin. rept., 49 p.
- (O) Hassemer, J. H., and Peterson, D. L., 1977, Principal facts for a gravity survey of Breitenbush KGRA, Oregon: U.S. Geol. Survey Open-file rept. 77-67A, 2 p.
- (P) Hearn, B. C., Jr., Donnelly, J. M., and Goff, F. E., 1976, Geology and geochronology of the Clear Lake Volcanics, California: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, San Francisco, Calif., May 20-29, 1975, p. 423-428.
- (O) Hearn, B. C., Jr., Donnelly, J. M., and Goff, F. E., 1976, Preliminary geologic map and cross-section of the Clear Lake volcanic field, Lake County, California: U.S. Geol. Survey Open-file rept. 76-751, scale 1:24,000.
- (A) Hearn, B. C., Jr., Donnelly, J. M., and Goff, F. E., 1978, Continental-edge volcanism at Clear Lake, California: hot spot, leaky transform, or heated oceanic slab?: Geol. Soc. America Abs. with Prog., v. 10, n. 7, p. 418.
- (P) Hearn, B. C., Jr., Donnelly-Nolan, J. M., and Goff, F. E., 1981, The Clear Lake Volcanics: Tectonic setting and magma sources, U.S. Geological Survey Professional Paper 1141, p. 25-45.
- (P) Herkelrath, W. N., 1978, The Heat-Pipe Effect in Vapor-Dominated Geothermal Systems: Proceedings of the Third Workshop of Geothermal Reservoir Engineering, Stanford, California, Dec. 14-16, 1977, p. 43-47.
- (P) Herkelrath, W. N., and Moench, A. F., 1979, Laboratory investigations of steam pressure transient behavior in porous materials in Kruger, Paul, and Ramey, H. J., Jr., eds., Proceedings, Fourth Workshop on Geothermal Reservoir Engineering, Dec. 13-15, 1978: Stanford University, Stanford, Calif., p. 54-56.
- (P) Hildreth, E. W., 1980, Review of Volcanology by Howel Williams and Alexander R. McBirney: EOS, v. 61, p. 559-560.
- (A) Hildreth, E. W., Drake, R. E., and Sharp, W. D., 1981, Voluminous late Pleistocene ash-flow and caldera complex in the Andes of central Chile: Geol. Soc. Am. Abstr. with Prog. v. 13, no. 2, p. 61.
- (P) Hildreth, Wes, 1981, Gradients in silicic magma chambers: implications for lithospheric magmatism: J. Geophys. Res., v. 86, no. B11, p. 10153-10192.
- (P) Hill, D. P., 1976, Structure of Long Valley caldera, California, from a seismic refraction experiment: Jour. Geophys. Res., v. 81, no. 5, p. 745-753.
- (P) Hill, D. P., 1978, Seismic evidence for the structure and Cenozoic tectonics of the Pacific coast states, in Smith, R. B., and Eaton, G. P., eds., Cenozoic tectonics and regional geophysics of the western Cordillera: Geological Soc. Am. Memoir 152, p. 145-174.
- (A) Hill, D. P., 1979, A framework for block tectonics in California and Nevada: Earthquake Notes, v. 49, p. 96.
- (A) Hill, D. P., Fisher, F. G., Lahr, K. M., and Coakley, J. M., 1975, Earthquake sounds generated by body waves from local earthquakes: EOS, v. 56, no. 12, p. 1023.
- (A) Hill, D. P., Mowinckel, Penelope, and Hileman, J. A., 1974, Seismicity of the Imperial Valley, California, 1973: EOS, v. 55, no. 4, p. 346.
- (O) Hill, D. P., Mowinckel, Penelope, and Lahr, K. M., 1975, Catalog of earthquakes in the Imperial Valley, California, June 1973-May 1974: U.S. Geol. Survey Open-file rept. 75-401, 29 p.
- (P) Hill, D. P., Mowinckel, Penelope, and Peake, L. G., 1975, Earthquakes, active faults, and geothermal areas in Imperial Valley, California: Science, v. 188, p. 1306-1308.
- (O) Hill, D. P., and McHugh, Stuart, 1975, A compilation of data from the 1973 Long Valley, California, seismic-refraction experiment: U.S. Geol. Survey Open-file rept. 75-581, 35 p.

- (O) Hinkle, M. E., 1978, Helium, mercury, sulfur compounds, and carbon dioxide in soil gases of the Puhimau thermal area, Hawaii Volcanoes National Park, Hawaii: U.S. Geol. Survey Open-file rept. 78-246.
- (O) Hinkle, M. E., 1980, Survey of helium in soils and soil gases and mercury in soils at Roosevelt Hot Springs Known Geothermal Resource Area, Utah: U.S. Geol. Survey Open-file rept. 80-613, 34 p.
- (P) Hinkle, M. E., Denton, E. H., Bigelow, R. C., and Turner, R. L., 1978, Helium in soil gases of the Roosevelt Hot Springs KGRA, Beaver County, Utah: Jour. Research U.S. Geol. Survey, v. 6, no. 5, p. 563-570.
- (P) Hinkle, M. E., and Harms, T. F., 1978, CS₂ and COS in soil gases of the Roosevelt Hot Springs KGRA, Beaver County, Utah: Jour. Research U.S. Geol. Survey, v. 6, no. 6, p. 571-578.
- (O) Hinkle, M. E. and Kilburn, J. E., 1980, Survey of helium soil gases of Long Valley, California: U.S. Geol. Survey Open-file rept. 80-612, 21 p.
- (O) Hobba, W. A., Jr., Chemerys, J. C., Fisher, D. W., and Pearson, F. J., Jr., 1976, Geochemical and hydrologic data for wells and springs in thermal-spring areas of the Appalachians: U.S. Geol. Survey Open-file rept. 76-550, 34 p.
- (P) Hobba, W. A., Jr., Fisher, D. W., Pearson, F. J., Jr. and Chemerys, J. C., 1979, Hydrology and geochemistry of thermal springs in the Appalachians: U.S. Geol. Survey Prof. Paper 1044-E, p. E1-E36.
- (O) Holecek, T. J., 1979, The relationship of morphology, structure, and lithology to the emplacement of the Hot Creek rhyolite flow, Long Valley, California: U.S. Geol. Survey Open-file rept. 79-668.
- (O) Hoover, D. B., 1974, Audio-magnetotelluric apparent resistivity maps, southern Raft River area, Cassia County, Idaho: U.S. Geol. Survey Open-file rept., scale 1:24,000.
- (O) Hoover, D. B., 1975, Capillary pressure potential--a significant source of error in self-potential measurements: 45th Annual International Meeting Soc. of Explor. Geophysicists, Denver.
- (O) Hoover, D. B., and Batzle, M., 1977, Audio-magnetotelluric data log and station location map for Pinto Hot Springs KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-65A, 4 p.
- (O) Hoover, D. B., Batzle, Michael, and Rodriguez, Rudy, 1975, Self-potential map, Steamboat Hills, Nevada: U.S. Geol. Survey Open-file rept. 75-446.
- (O) Hoover, D. B., Brougham, Gary, and Clark, John, 1976, Audio-magnetotelluric data log, station location map, and telluric profile data for the Elko Hot Springs KGRA, Nevada, U.S. Geol. Survey Open-file rept. 76-152, 7 p.
- (O) Hoover, D. B., Brougham, G. W., and Clark, J. C., 1976, Station and traverse location map, audio-magnetotelluric data log and telluric profiles for Crane Creek KGRA, Idaho: U.S. Geol. Survey Open-file rept. 76-409.
- (O) Hoover, D. B., Fisher, D. L., and Radtke, Bruce, 1978, Telluric profile location map and telluric data for the Saline Valley KGRA, California: U.S. Geol. Survey Open-file rept. 78-106B, 3 p.
- (P) Hoover, D. B., Frischknecht, F. C., and Tippens, C. L., 1976, Audio-magnetotelluric sounding as a reconnaissance exploration technique in Long Valley, California: Jour. Geophys. Res., v. 81, no. 5, p. 801-809.
- (O) Hoover, D. B., Gardner, Susan, and Williams, J. M., 1975, Audio-magnetotelluric apparent resistivity maps, Cedarville, California, 15-minute quadrangle: U.S. Geol. Survey Open-file rept. 75-102, scale 1:62,500.
- (P) Hoover, D. B., and Long, C. L., 1976, Audio-magnetotelluric methods in reconnaissance geothermal exploration: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 2, p. 1059-1064.
- (P) Hoover, D. B., Long, C. L., and Senterfit, R., 1978, Some results from audio-magnetotelluric investigations in geothermal areas: Geophysics, v. 43, p. 1501-1514.

- (O) Hoover, D. B., Manydeeds, S., and Martinez, Robert, 1975, Audio-magnetotelluric data log station location map and telluric profile for San Emidio KGRA, Nevada: U.S. Geol. Survey Open-file rept. 75-670.
- (O) Hoover, D. B., O'Donnell, James, Batzle, Michael, and Rodriguez, Rudy, 1975, Telluric profiles, Steamboat Hills, Nevada: U.S. Geol. Survey Open-file rept. 75-445.
- (O) Hoover, D. B., Peterson, D. L., and Farkash, Vladimir, 1977, Telluric profile location map and telluric data for the Baltazor KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-66-C, 2 p.
- (O) Hoover, D. B., Radtke, Bruce, and Moeller, D. D., 1978, Telluric profile location map and telluric data for the Glamis KGRA, California: U.S. Geol. Survey Open-file rept. 78-106-C, 3 p.
- (O) Hoover, D. B., Senterfit, R. M., Fisher, D., and Radtke, Bruce, 1977, Telluric profile location map and telluric data for the Salt Wells KGRA, Nevada; U.S. Geol. Survey Open-file rept. 77-66F, 3 p.
- (O) Hoover, D. B., Tippens, C. L., and Brougham, G. W., 1976, Telluric profile data and traverse location map for the Randsburg KGRA, California: U.S. Geol. Survey Open-file rept. 76-315, 3 p.
- (P) Hoover, D. B., and Tippens, C. L., 1976, A reconnaissance audio-magnetotelluric survey of Kilbourne Hole, New Mexico: New Mexico Geol. Soc. guidebook, 26th field conf., Las Cruces.
- (O) Hose, R. K., and Taylor, B. E., 1974, Geothermal systems of northern Nevada: U.S. Geol. Survey Open-file rept. 74-271, 27 p.
- (P) Huebner, Mark, 1981, Carbon-13 isotope values for carbon dioxide gas and dissolved carbon species in springs and wells in the Geysers-Clear Lake region, U.S. Geological Survey Professional Paper 1141, p. 211-213.
- (P) Hummer-Miller, S., 1981, Estimation of surface temperature variations due to changes in sky and solar flux with elevation: Geophys. Res. Ltrs., v. 8, no. 6, p. 595-598.
- (P) Hunt, G. R., Johnson, G. R., Olhoeft, G. R., Watson, D. R., and Watson, Kenneth, 1979, Initial report of the petrophysics laboratory: U.S. Geological Survey Circular 789, 74 p.
- (P) Huyakorn, P. S., Pinder, G. F., Faust, C. R., and Mercer, J. W., 1978, Finite element simulation on two-phase flows in porous media in Computational Techniques for Interface Problems: ASME, AME, vol. 30, p. 19-43.
- (P) Irwin, W. P., and Barnes, Ivan, 1975, Effect of geologic structure and metamorphic fluids on seismic behavior of the San Andreas fault system in central and northern California: Geology, v. 3, no. 12, p. 713-716.
- (A) Isherwood, W. F., 1975, Precision gravity at The Geysers, California: Geol. Soc. America, Abs. with programs, v. 7, no. 7, p. 1128.
- (O) Isherwood, W. F., 1976, Complete Bouguer gravity map of the Geysers area, California, scale 1:62,500: U.S. Geol. Survey Open-file rept. 76-357.
- (P) Isherwood, W. F., 1976, Gravity and magnetic studies of The Geysers-Clear Lake geothermal region, California, USA: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 2, p. 1065-1073.
- (O) Isherwood, W. F., 1976, Residual gravity map of The Geysers area, California, scale 1:62,000: U.S. Geol. Survey Open-file rept. 76-356.
- (A) Isherwood, W. F., 1977, Reservoir depletion at The Geysers, California: Geothermal Resources Council Trans., v. 1, p. 149.
- (P) Isherwood, W. F., 1978, Geothermal reservoir interpretation from change in gravity: Proceedings of the Third Workshop on Geothermal Reservoir Engineering, Stanford, California, Dec. 14-16, 1977, p. 18-23.
- (P) Isherwood, W. F., 1981, Geophysical overview of the Geysers, 1981, U.S. Geological Survey Professional Paper 1141, p. 83-95.

- (O) Isherwood, W. F., and Chapman, R. H., 1975, Principal facts for gravity stations in The Geysers/Clear Lake region, California: U.S. Geol. Survey Open-file rept. 75-107, 15 p.
- (P) Isherwood, W. F., and Mabey, D. R., 1978, Evaluation of Baltazor KGRA, Nevada: Geothermics, v. 7, p. 221-229.
- (O) Isherwood, W. F., and Plouff, Donald, 1978, Principal facts for gravity observations in the Coso Hot Springs area, California: U.S. Geol. Survey Open-file rept. 78-298.
- (O) Iyer, H. M., 1972, Analysis of seismic noise at The Geysers geothermal area, California: U.S. Geol. Survey Open-file rept., 17 p.
- (A) Iyer, H. M., 1972, Seismic noise in geothermal areas: Geophysics, v. 38, p. 185-186.
- (A) Iyer, H. M., 1972, A technique for determining the properties of seismic noise in geothermal areas: Abstracts with Programs, 67th Annual Meeting of the Seismological Society of America, p. 177.
- (O) Iyer, H. M., 1974, Search for geothermal seismic noise in the East Mesa area, Imperial Valley, California: U.S. Geol. Survey Open-file rept. 74-96, 52 p.
- (P) Iyer, H. M., 1975, Anomalous delays of teleseismic P waves in Yellowstone National Park: Nature, v. 253, p. 425-427.
- (P) Iyer, H. M., 1975, Search for geothermal seismic noise in the East Mesa area, Imperial Valley, California: Geophysics, v. 40, no. 6, p. 1066-1072.
- (P) Iyer, H. M., 1976, Reply to author to discussion by L. J. Katz and W. D. Wagner, Geophysics, v. 41, no. 3, p. 542-543.
- (P) Iyer, H. M., 1979, Deep structure under Yellowstone National Park, U.S.A.: A Continental "hot spot": Tectonophysics, v. 56, p. 165-197.
- (A) Iyer, H. M., 1980, Magma chambers and geothermal energy: Technical Program, Abstracts, and Biographies, Fiftieth Annual International Meeting and Exposition, Society of Exploration Geophysicists, p. 111.
- (A) Iyer, H. M., 1980, Seismic constraints on detection and delineation of magmatic systems: EOS, Transactions, Amer. Geophys. Union, v. 61, p. 1145.
- (A) Iyer, H. M., and Evans, J. R., 1975, Evidence for the presence of deep low-velocity material under the Yellowstone caldera using teleseismic data: Papers presented at the Interdisciplinary Symposia, International Union of Geodesy and Geophysics, XVI General Assembly, Grenoble, Aug. 25-Sept. 6, 1975, p. 109.
- (A) Iyer, H. M., Evans, J. R., and Coakley, John, 1974, Teleseismic evidence for the existence of low-velocity material deep into the upper mantle under the Yellowstone caldera: EOS, v. 56, no. 12, p. 1190.
- (A) Iyer, H. M., Evans, J. R., and Zandt, G., 1976, Delineation and interpretation of a deep low-velocity anomaly under the Yellowstone caldera: Earthquake Notes, v. 47, no. 2, p. 6.
- (P) Iyer, H. M., Evans, J. R., Zandt, G., Stewart, R. M., Coakley, J. M., Roloff, J. N., 1981, A deep low-velocity body under the Yellowstone caldera, Wyoming: delineation using teleseismic P-wave residuals and tectonic interpretation: summary: Geol. Soc. of Amer. Bull., Part I, v. 92, p. 792-798.
- (P) Iyer, H. M., Evans, J. R., Zandt, G., Stewart, R. M., Coakley, J. M., Roloff, J. N., 1981, A deep low-velocity body under the Yellowstone caldera, Wyoming: delineation using teleseismic P-wave residuals and tectonic interpretation: Geol. Soc. of Amer. Bull., Part II, v. 92, p. 1471-1646.
- (A) Iyer, H. M., and Hitchcock, Tim, 1973, Geothermal noise measurements in Yellowstone National Park: Program with Abstracts, 68th Annual Meeting of the Seismological Society of America, p. 48.
- (A) Iyer, H. M., and Hitchcock, Tim, 1973, A seismic noise survey in Long Valley, California: EOS, v. 54, no. 11, p. 1212.
- (P) Iyer, H. M., and Hitchcock, Tim, 1974, Seismic noise measurements in Yellowstone National Park: Geophysics, v. 39, no. 4, p. 389-400.

- (A) Iyer, H. M., and Hitchcock, Tim, 1975, Teleseismic residuals at The Geysers geothermal area: EOS, v. 56, no. 12, p. 1020.
- (P) Iyer, H. M., and Hitchcock, Tim, 1976, Seismic noise as a geothermal exploration tool: techniques and results: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 2, p. 1075-1083.
- (P) Iyer, H. M., and Hitchcock, Tim, 1976, Seismic noise in Long Valley, California: Jour. Geophys. Res., v. 81, no. 5, p. 821-840.
- (P) Iyer, H. M., Oppenheimer, D. H., and Hitchcock, Tim, 1978, Teleseismic P-delays at The Geysers-Clear Lake, California Geothermal Region: Geothermal Resources Council Trans., v. 2, p. 317-319.
- (P) Iyer, H. M., Oppenheimer, D. H., and Hitchcock, Tim, 1979, Abnormal P-wave delays in The Geysers-Clear Lake geothermal area, California: Science, v. 204, no. 4392, p. 495-497.
- (P) Iyer, H. M., Oppenheimer, D. H., Hitchcock, Tim, Roloff, J. N., and Coakley, J. M., 1981, Large teleseismic P-wave delays in The Geysers-Clear Lake Geothermal area, U.S. Geological Survey Professional Paper 1141, p. 97-116.
- (O) Iyer, H. M., and Rite, Alan, 1981, Teleseismic P-wave delays in the Oregon Cascades: EOS, v. 62, no. 45, p. 1089.
- (O) Jackson, D. B., 1973, Map showing percent lateral effect of total field apparent resistivity, Marysville area, Lewis and Clark County, Montana: U.S. Geol. Survey Open-file rept., scale 1:62,500.
- (P) Jackson, D. B., and Bisdorf, R. J., 1975, Direct-current soundings on the La Mesa surface near Kilbourne and Hunts Holes, New Mexico: New Mexico Geol. Soc. Guidebook, 26th Field Conf., Las Cruces County, p. 273-275.
- (O) Jackson, D. B., Gregory, D. I., and Kucks, R. P., 1977, Station location map and audio-magnetotelluric data log for the area around Coso Hot Springs, California: U.S. Geol. Survey Open-file rept. 77-677.
- (P) Jackson, D. B., and Keller, G. V., 1972, An electromagnetic sounding survey of the summit of Kilauea Volcano, Hawaii: Jour. Geophys. Res., v. 77, no. 26, p. 4957-4965.
- (P) Jackson, D. B., and O'Donnell, J. E., 1980, Reconnaissance electrical surveys in the Coso Range, California: Jour. Geophysical Res., v. 85, no. 5, p. 2502-2516.
- (O) Jackson, D. B., O'Donnell, J. E., and Gregory, D. I., 1977, Schlumberger soundings, audio-magnetotelluric soundings and telluric mapping in and around the Coso Range, California: U.S. Geol. Survey Open-file rept. 77-120, 50 p., 6 plates.
- (O) Jackson, D. B., Senterfit, R. M., and Gregory, D. I., 1976, Principal facts for gravity stations in the Pullman-Washington-Moscow, Idaho area: U.S. Geol. Survey Open-file rept. 76-189, 8 p.
- (A) Jackson, D. B., Stanley, W. D., and Zohdy, A. A. R., 1973, Direct current and electromagnetic soundings in Long Valley, California: EOS, v. 54, no. 11, p. 1212.
- (O) Jenkins, Donna, and Fuis, Gary, 1977, Preliminary catalog of earthquakes in northern Imperial Valley, California, April 1977-June 1977, U.S. Geol. Survey Open-file rept. 77-694, 13 p.
- (O) Jenne, E. A., and Truesdell, A. H., 1972, Identification of recharge sources and an evaluation of possible water quality effects of artificial recharge as indicated by mineral equilibria calculations: U.S. Geol. Survey Open-file rept., 30 p.
- (A) Johnson, C. E., 1978, A deterministic model for earthquake swarm sequences in the Imperial Valley, California: EOS, v. 59, p. 1205.
- (P) Johnson, C. E., 1979, II. Seismotectonics of the Imperial Valley of southern California: Ph.D. Thesis, California Institute of Technology, 334 p.
- (P) Johnston, D. A., 1980, Volcanic contribution of chlorine to the stratosphere: more significant to ozone than previously estimated?: Science, v. 209, p. 491-493.

- (P) Jones, D. L., Blake M. C., Jr., Bailey, E. H., and McLaughlin, R. J., 1978, Distribution and character of Upper Mesozoic subduction complexes along the west coast of North America: *Tectonophysics*, v. 47, p. 207-222.
- (A) Jones, P. H., 1974, Energy resources and geothermal regime, northern Gulf of Mexico Basin: *Am. Assoc. of Petroleum Geol. Annual Meeting Abstracts*, v. 1, April 1974, p. 50-51.
- (P) Jones, P. H., 1975, Geothermal and hydrocarbon regimes, northern Gulf of Mexico Basin: *Proceedings of the first geopressured geothermal energy conference*, University of Texas at Austin, June 3-4, 1975, p. 15-89.
- (O) Jones, P. H., Stevens, P. R., Wesselman, J. B., and Wallace, R. H., Jr., 1976, Regional appraisal of the Wilcox group in Texas for subsurface storage of fluid wastes: Part I - Geology: *U.S. Geol. Survey Open-file rept.* 76-394, 107 p.
- (A) Jones, P. H., and Wallace, R. H., Jr., 1972, Hydrogeologic aspects of structural deformation in the northern Gulf of Mexico basin: *Proceedings of the XXIV International Geological Congress*, Section 11, Hydrology, p. 72.
- (P) Jones, P. H., and Wallace, R. H., Jr., 1973, Hydrogeologic aspects of structural deformation in the northern Gulf of Mexico basin: *in* *Structure of the Gulf Basin*, Part I, New Orleans Geological Society, p. 89-115.
- (P) Jones, P. H., and Wallace, R. H., Jr., 1974, Hydrogeologic aspects of structural deformation in the northern Gulf of Mexico basin: *Jour. Research U.S. Geol. Survey*, v. 2, no. 5, p. 511-517.
- (A) Kane, M. F., and Mabey, D. R., 1973, Gravity and magnetic anomalies in Long Valley, California: *EOS*, v. 54, no. 11, p. 1211.
- (P) Kane, M. F., Mabey, D. R., and Brace, Rosa-Lee, 1976, A gravity and magnetic investigation of the Long Valley caldera, Mono County, California: *Jour. Geophys. Res.*, v. 81, no. 5 p. 754-762.
- (P) Kauahikaua, J., 1978, Electromagnetic fields about a horizontal electric wire source of arbitrary length: *Geophysics*, v. 43, no. 5, p. 1019-1022.
- (O) Kauahikaua, J. P., 1980, Program MQLVTHXYZ: Inversion of three-component, time domain magnetic-field sounding data generated using an electric-wire source: *U.S. Geol. Survey Open-file rept.* 80-1159, 109 p.
- (O) Kauahikaua, J., 1981, Interpretation of time-domain electromagnetic soundings in the East Rift geothermal area of Kilauea Volcano, HI: *U.S. Geol. Survey Open-file rept.* 81-979, 20 p.
- (O) Kauahikaua, J., and Anderson, W. L., 1979, Computation of electromagnetic coupling on a layered halfspace with complex conductivities: *U.S. Geol. Survey Open-file rept.* 79-1430.
- (O) Kauahikaua, J. P., and Anderson, W. L., 1980, Program MQLVEMCPL: Marquardt inversion of electromagnetic coupling data for a layered halfspace model with complex conductivities: *U.S. Geol. Survey Open-file rept.* 80-1158, 86 p.
- (O) Kauahikaua, J., and Mattice, M., 1981, Geophysical reconnaissance of prospective geothermal areas on the island of Hawaii using electrical methods: *U.S. Geol. Survey Open-file rept.* 81-1044, 61 p.
- (P) Kauahikaua, J., Mattice, M., and Jackson, D. B., 1980, Mise-a-la-masse mapping of the HGP-A geothermal reservoir, Hawaii: *Geothermal Resources Council, Transactions*, v. 4, p. 65-68.
- (P) Kauahikaua, J., Mattice, M., and Jackson, D. B., 1980, Mise-a-la-masse mapping of the HGP-a geothermal reservoir, Hawaii: *HIG Contribution No.* 1053, 4 p.
- (O) Kauahikaua, James, 1979, Interpretation of time-domain electromagnetic soundings in the Randsburg, California KGRA: *U.S. Geol. Survey Open-file rept.* 79-244.
- (O) Kauahikaua, James, and Anderson, W. L., 1977, Calculation of standard transient and frequency sounding curves for a horizontal wire source of arbitrary length: *NTIS rept.* PB-274-119, 63 p.
- (A) Kauahikaua, James, and Klein, D., 1978, Results of electrical surveys in the area of Hawaii geothermal test well HGP-A: *Trans., Geothermal Resource Council*, v. 2, p. 363-366.

- (O) Kaufmann, Harold, 1976, Telluric profiles across the Darrough KGRA, Nevada: U.S. Geol. Survey Open-file rept. 76-286, 4 p.
- (A) Keith, T. E. C., Beeson, M. H., and White, D. E., 1978, Hydrothermal minerals in U.S. Geological Survey research drill hole Y-13, Yellowstone National Park, Wyoming: Geol. Soc. America, Abs. with Prog., v. 10, no. 7, p. 423-433.
- (O) Keith, T. E. C., and Boden, J. R., 1980, Volcanic stratigraphy and alteration mineralogy of drill cuttings from EWEB3 drill hole, Clackamas County, Oregon: U.S. Geol. Survey Open-file rept. 80-877, 16 p.
- (O) Keith, T. E. C., and Boden, J. R., 1980, Volcanic stratigraphy and alteration mineralogy of drill cuttings from EWEB4 drill hole, Clackamas County, Oregon: U.S. Geol. Survey Open-file rept. 80-891, 9 p.
- (O) Keith, T. E. C., and Boden, J. R., 1981, Volcanic stratigraphy and alteration mineralogy of drill cuttings from EWEB1 drill hole, Linn County, Oregon: U.S. Geol. Survey Open-file rept. 81-250.
- (O) Keith, T. E. C., and Boden, J. R., 1981, Volcanic stratigraphy and alteration mineralogy of drill cuttings from EWEB2 drill hole, Oregon: U.S. Geol. Survey Open-file rept. 81-267.
- (O) Keith, T. E. C., and Boden, J. R., 1981, Volcanic stratigraphy and alteration mineralogy of drill cuttings from EWEB5 drill hole, Oregon: U.S. Geol. Survey Open-file rept. 81-91, 19 p.
- (O) Keith, T. E. C., and Boden, J. R., 1981, Volcanic stratigraphy and alteration mineralogy of drill cuttings from EWEB6 drill hole, Clackamas County, Oregon: U.S. Geol. Survey Open-file rept. 81-168, 15 p.
- (P) Keith, T. E. C., Casadevall, T. J., and Johnston, D. A., 1981, Fumarole encrustations: Occurrence, mineralogy, and chemistry: U.S. Geol. Survey Prof. Paper 1250, p. 239-250.
- (P) Keith, T. E. C., and Muffler, L. J. P., 1978, Minerals produced during cooling and hydrothermal alteration of ash flow tuff from Yellowstone drill hole Y-5: Jour. of Volcanology and Geothermal Res., v. 3, p. 373-402.
- (P) Keith, T. E. C., White, D. E., and Beeson, M. H., 1978, Hydrothermal alteration and self-sealing in Y-7 and Y-8 drill holes in northern part of Upper Geyser Basin Yellowstone National Park, Wyoming: U.S. Geol. Survey Prof. Paper 1054-A, A1-A26.
- (P) Kestin, J., 1981, Experimental determination of the viscosity and thermal conductivity of fluids in Chemistry and Geochemistry of Solutions at High Temperatures and Pressures, edited by D. T. Rickard and F. E. Wickman: Proc., Nobel Symposium, Royal Academy of Sci., Karlskoga, Sweden, 17-21 Sept., 1979 p. 295-319.
- (P) Kestin, Joseph, Khalifa, H. E., and Correia, R. J., 1981, Tables of the dynamic and kinematic viscosity of aqueous KCl solutions in the temperature range 25-150°C and the pressure range 0.1-35 MPa: Jour. of Physical and Chemical Reference Data, v. 10, no. 1, p. 57-70.
- (P) Kestin, Joseph, Khalifa, H. E., and Correia, R. J., 1981, Tables of the dynamic and kinematic viscosity of aqueous NaCl solutions in the temperature range 20-150°C and the pressure range 0.1-35 MPa: Jour. of Physical and Chemical Reference Data, v. 10, no. 1, p. 71-87.
- (P) Kestin, J., Shankland, I. R., and Paul, R., 1981, The viscosity of aqueous KCl solutions in the temperature range 25-200°C and the pressure range 0.1-30 MPa: Intl. Jour. Thermophysics, v. 2, no. 4, p. 301-314.
- (P) Keys, W. S., 1976, Borehole geophysics in geothermal areas--problems and progress: Proceedings, Second Workshop in Geothermal Reservoir Engineering, Stanford, University, Stanford, Calif., p. 66-74.
- (A) Keys, W. S., 1978, Borehole geophysics delineates fractures in geothermal wells: Abstract, 48th Annual International Society of Exploration Geophysics, San Francisco, Calif.

- (P) Keys, W. S., 1979, Borehole geophysics in igneous and metamorphic rocks: Society of Professional Well Log Analysts, 20th Annual Logging Symposium, Tulsa, Okla., p. 1-26.
- (P) Keys, W. S., 1980, The application of the acoustic televiewer to the characterization of hydraulic fractures in geothermal wells: Proceedings of the Geothermal Reservoir Well Stimulation Symposium, San Francisco, CA, Feb. 7, 1980, p. 176-202.
- (P) Keys, W. S., and Sullivan, J. K., 1979, Role of borehole geophysics in defining the physical characteristics of the Raft River geothermal reservoir, Idaho: Geophysics, v. 44, no. 6, p. 1116-1141.
- (A) Kharaka, Y. K., 1975, Transport of water and solutes through geological membranes: Transactions Am. Geophys. Union, v. 56, p. 981.
- (P) Kharaka, Y. K., and Barnes, Ivan, 1973, SOLMNEQ: Solution-mineral equilibrium computations: U.S. Geol. Survey Computer Contribution, NTIS PB 215-899, 81 p.
- (A) Kharaka, Y. K., and Bassett, R. L., 1975, The utility and limitations of solution-mineral equilibrium models: Abstract of paper presented at the International Symposium of the Geochemistry of Natural Waters, Burlington, Ontario, Canada.
- (P) Kharaka, Y. K., and Berry, F. A. F., 1977, The influence of geological membranes on the geochemistry of subsurface waters from Eocene sediments at Kettleman North Dome, California--An example of effluent-type waters: Proc. International Symposium on Water-Rock Interaction, Prague, Czechoslovakia, September, 1974.
- (P) Kharaka, Y. K., and Berry, F. A. F., 1980, Geochemistry of geopressured geothermal waters from the northern Gulf of Mexico and California basins: Proc., Third International Symposium on Water Rock Interaction, Edmonton, Canada, July, 1980, p. 95-96.
- (P) Kharaka, Y. K., Brown, P. M., and Carothers, W. W., 1978, Chemistry of waters in the geopressured zone from coastal Louisiana--implications for geothermal development: Geothermal Resources Council Trans. v. 2, p. 371-374.
- (P) Kharaka, Y. K., Brown, P. M., and Lico, M. S., 1979, Corrosion and scale-formation properties of geopressured geothermal waters from the northern Gulf of Mexico basin: Proc., Soc. of Pet. Eng. of AIME, Houston, Texas, Jan. 22-24, 1979, SPE7866, p. 55-60.
- (P) Kharaka, Y. K., Callendar, Edward, and Carothers, W. W., 1977, Geochemistry of geopressured geothermal waters of the northern Gulf of Mexico basin, 1. Brazoria and Galveston Counties, Texas: Proc., The Second International Symposium on Water-Rock Interaction, Strasbourg, France, August, 1977, v. II, p. 32-41.
- (P) Kharaka, Y. K., Callendar, Edward, and Carothers, W. W., 1977, Geochemistry of geopressured geothermal waters from the Texas Gulf Coast: Proc., Third-Geothermal Energy Conference, University of Southwestern Louisiana, Lafayette, Louisiana, Nov. 16-18, 1977, v. I, p. GI-121 to GI-165.
- (P) Kharaka, Y. K., Callender, E., Chemerys, J. C., Lico, M. S., 1979, Potential problems arising from the disposal of spent geopressured-geothermal waters from coastal Texas and Louisiana: Proceedings, Marine Technology Society Annual Meeting, New Orleans, Oct. 1979, p. II-47 to II-55.
- (P) Kharaka, Y. K., Callender, E., and Wallace, R. H., Jr., 1977, Geochemistry of geopressured geothermal waters from the Frio Clay in the Gulf Coast region of Texas: Geology, v. 5, April, p. 241-244.
- (P) Kharaka, Y. K., Carothers, W. W., and Brown, P. M., 1978, Origins of water and solutes in the geopressured zones of the northern Gulf of Mexico basin: Proc., Soc. of Pet. Eng. of AIME, Houston, Texas, SPE7505, 8 p.
- (P) Kharaka, Y. K., Lico, M. S., Carothers, W. W., 1980, Predicted corrosion and scale-formation properties of geopressured geothermal waters from the northern Gulf of Mexico basin: Jour. of Petroleum Technology, Feb. 1980, p. 319-324.

- (P) Kharaka, Y. K., Lico, M. S., Wright, V. A., and Carothers, W. W., 1980, Geochemistry of geopressed waters from Pleasant Bayou no. 2 well and adjacent areas in coastal Texas: Proc. Fourth United States Gulf Coast Geopressed-Geothermal Energy Conference: Research and Development, Austin, Texas, Oct. 1979, p. 168-193.
- (P) Kharaka, Y. K., and Mariner, R. H., 1977, Solution-mineral equilibrium in natural water-rock systems: Proc., The Second International Symposium on Water-Rock Interaction, Strasbourg, France, August, 1977, v. IV, p. 66-75.
- (P) Kharaka, Y. K., and Smalley, W. C., 1976, Flow of water and solutes through compacted clays: Bull. Am. Assoc. of Petroleum Geologists, v. 60, no. 6, p. 973-980.
- (A) Kieffer, S. W., 1979, The Ngauruhoe "Flashing Arc" eruptions of 1974 and 1975: a multiphase fluid flow model: EOS, v. 60, p. 413.
- (A) Kieffer, S. W., 1979, The speed of sound of multiphase mixtures: a parameter of importance in dynamic volcanism: Hawaii Symposium on Intraplate Volcanism and Submarine Volcanism, Hilo, Hawaii, Abstract Volume, p. 167.
- (A) Kieffer, S. W., 1980, The May 18 lateral "blast" at Mt. St. Helens: preliminary mapping of effects in the devastated area and a model for multiphase fluid flow: Geological Society of America, Abstracts with Programs, v. 12, no. 7, p. 462.
- (P) Kieffer, S. W., 1981, Blast dynamics at Mount St. Helens on 18 May 1980: Nature, v. 291, no. 5816, p. 568-570.
- (P) Kieffer, S. W., 1981, Fluid dynamics of the May 18 blast at Mount St. Helens: U.S. Geological Survey Prof. Paper 1250, p. 379-400.
- (A) Kilty, K. T., 1980, Deformation of the western United States and its thermal consequences: EOS, v. 61, no 46, p. 1124.
- (O) Klein, D., Long, C., Christopherson, K., and Boler, F., 1980, Reconnaissance geophysics in the Clifton and Gillard geothermal areas, SE Arizona: U.S. Geol. Survey Open-file rept. 80-325.
- (O) Klein, F. W., 1978, Hypocenter location program HYPOINVERSE: U.S. Geol. Survey Open-file rept. 78-694.
- (O) Klein, F. W., 1978, Program HPLT: An interactive hypocenter locating program for the Eclipse computer: U.S. Geol. Survey Open-file rept. 78-726.
- (A) Klein, F. W., and Koyanagi, R. Y., 1981, Earthquakes at Loihi submarine volcano, Hawaii: EOS, v. 62, no. 45, p. 1082.
- (P) Koch, F. G., Johnson, A. M., and Pollard, D. D., 1981, Monoclinial bending of strata over laccolithic intrusions: Tectonophysics, v. 74, p. 21-31.
- (A) Kohler, W. M., Healy, J. H., and Wegener, S. S., 1979, Upper crustal structure of the Mount Hood, Oregon, region as revealed by time-term analysis: Earthquake Notes, v. 49, p. 10.
- (A) Kohout, F. A., and Munson, R. C., 1974, Geothermal spring off Florida west coast: Geol. Soc. America, Abs. with Prog., v. 6, no. 7, p. 829.
- (P) Kraemer, T. F., 1981, ^{234}U and ^{238}U concentration in brine from geopressed aquifers of the northern Gulf of Mexico basin: Earth and Planetary Science Letters, v. 56, December, p. 210-216.
- (P) Kraemer, T. F., 1981, Radium and radon from Gulf Coast geopressed aquifers: in Geopressed-Geothermal Energy Conference, U.S. Gulf Coast, 5th, October 13-15, Louisiana State University, Baton Rouge, Proceedings, p. 201-204.
- (O) Kuntz, M. A., Lefevre, R. H., Champion, D. E., McBroome, L. A., Mabey, D. R., Stanley, W. D., Covington, H. R., Ridenour, James, and Stotelmeyer, R. B., 1980, Geological and geophysical investigations, and mineral resources potential of the proposed Great Rift Wilderness area, Idaho: U.S. Geol. Survey Open-file rept. 80-475, 54 p.
- (P) Kuntz, M. A., 1979, Geologic map of the Juniper Buttes area, Eastern Snake River Plain, Idaho: U.S. Geol. Survey Misc. Investigation Map I-1115, 1:48,000.

- (O) Leonard, R. B., and Wood, W. A., 1980, Supplemental data from the Ennis and other thermal-spring areas, southwestern Montana, 1978-80: U.S. Geol. Survey Open-file rept. 80-1182, 79 p.
- (P) Leonard, R. B., and Wood, W. A., 1980, Geothermal gradients in the Missoula and Bitterroot valleys, west-central Montana: U.S. Geol. Survey Water-Resources Investigation 80-89, 15 p.
- (O) Lewis, R. E., 1974, Data on wells, springs, and thermal springs in Long Valley, Mono County, California: U.S. Geol. Survey Open-file rept., 68 p.
- (O) Lewis, R. E., 1975, Data from 1,000-foot (305 meter) core hole in the Long Valley Caldera, Mono County, California: U.S. Geol. Survey Open-file rept., 16 p.
- (O) Lewis, R. E., and Young, H. W., 1980, Thermal springs in the Payette River basin, west-central Idaho: U.S. Geol. Survey Open-file rept. 80-1020, 28 p.
- (O) Lewis, R. E., and Young, H. W., 1980, Geothermal resources in the Banbury Hot Springs area, Twin Falls County, Idaho: U.S. Geol. Survey Water Resources Investigations 80-563, 35 p.
- (P) Li, T. M. C., Mercer, J. W., Faust, C. R., and Greenfield, R. J., 1979, Simulation of geothermal reservoirs including changes in porosity and permeability due to silica-water reactions in Kruger, Paul, and Ramey, H. J., Jr., eds., Proceedings, Fourth Workshop on Geothermal Reservoir Engineering, Dec. 13-15, 1978: Stanford University, Stanford, Calif., p. 275-279.
- (P) Lipman, P. W., 1978, Antonito, Colorado, to Rio Grande gorge, New Mexico, in Guidebook to Rio Grande rift in New Mexico and Colorado, compiled by J. W. Hawley: N.M. Bur. Mines and Mineral Resources Circ. 163, p. 36-42.
- (P) Lipman, P. W., 1979, Cenozoic volcanism in the western United States: Implications for continental tectonics: in B. C. Burchfield, J. E. Oliver, and L. T. Silver, eds., Continental Tectonics, National Research Council.
- (A) Lipman, P. W., 1979, Emplacement of high-level granitic batholiths: Evidence from the San Juan volcanic field of Colorado and the Boulder batholith of Montana; Abs. with Programs, Geol. Soc. Am., v. 11, no. 7, p. 467.
- (P) Lipman, P. W., and Mehnert, H. H., 1979, The Taos Plateau volcanic field, northern Rio Grande rift, New Mexico in Riecker, R. E. (ed.), Rio Grande Rift: Tectonics and Magmatism: Am. Geophys. Union, Washington, D. C., p. 289-311.
- (P) Lipman, P. W., Moore, J. G., and Swanson, D. A., 1981, Bulging of the north flank before the May 18 eruption - geodetic data (Mt. St. Helens, Washington): U.S. Geol. Survey Prof. Paper 1250, p. 143-155.
- (P) Lipman, P. W., Rowley, P. D., Mehnert, H. H., Evans, S. H., Nash, W. P., and Brown, F. H., 1978, Pleistocene rhyolite of the Mineral Mountains, Utah: geothermal and archeological significance: Jour. Research U.S. Geol. Survey, v. 6, p. 133-147.
- (A) Lipman, P. W., Rowley, P. D., and Pallister, J. S., 1975, Pleistocene rhyolite of the mineral range, Utah--geothermal and archeological significance: Geol. Soc. America, Abs. with Prog. v. 7, no. 7, p. 1173.
- (P) Lockner, D., and Byerlee, J. D., 1977, Hydrofracture in Weber sandstone at high confining pressure and differential stress: Jour. Geophys. Res., v. 82, no. 14, p. 2018-2026.
- (P) Lofgren, B. E., 1973, Monitoring ground movement in geothermal areas: Hydraulic Engineering and the Environment, Proceedings of the Hydraulic Division Specialty Conference, Bozeman, Montana, August 15-17, 1973.
- (P) Lofgren, B. E., 1974, Measuring ground movement in geothermal areas of Imperial valley, California: Conference on research for the development of geothermal energy resources, Sept. 23-25, 1974, Pasadena, California (NSF grant #AG-545), p. 128-138.
- (O) Lofgren, B. E., 1975, Land subsidence and tectonism, Raft River Valley, Idaho: U.S. Geol. Survey Open-file rept. 75-585, p. 21.

- (O) Kuntz, M. A., and Dalrymple, G. B., 1979, Geology, geochronology, and potential volcanic hazards in the Lava Ridge-Hells Half Acre area eastern Snake River Plain, Idaho: U.S. Geol. Survey Open-file rept. 79-1657.
- (O) Kuntz, M. A., Scott, W. E., Skipp, Betty, Hait, M. S., Jr., Embree, G. F., Hoggan, R. D., and Williams, E. J., 1979, Geologic map of the Lava Ridge-Hells Half Acre area, eastern Snake River Plain, Idaho: U.S. Geol. Survey Open-file rept. 79-669.
- (P) Lachenbruch, A. H., 1976, Dynamics of a passive spreading center: Jour. Geophys. Res., v. 81, no. 11, p. 1883-1902.
- (P) Lachenbruch, A. H., 1978, Heat flow in the Basin and Range province and thermal effects of tectonic extension in Rybach, Ladislaus, and Stegena, Lajos, eds., Geothermics and Geothermal Energy: Pure and Applied Geophysics, v. 117, p. 34-50.
- (A) Lachenbruch, A. H., 1980, Regional thermal structure in the western U.S.: EOS, v. 61, p. 1144.
- (A) Lachenbruch, A. H., Lewis, R. E., and Sass, J. H., 1974, Prospecting for heat in Long Valley: EOS, v. 54, no. 11, p. 1211.
- (O) Lachenbruch, A. H., and Marshall, B. V., 1977, Sub-sea temperatures and a simple tentative model for offshore permafrost at Prudhoe Bay, Alaska: U.S. Geol. Survey Open-file rept. 77-395, 54 p.
- (O) Lachenbruch, A. H., and Nathenson, 1976, Rise of a variable-viscosity fluid in a steadily spreading wedge-shaped conduit with accreting walls: U.S. Geol. Survey Jour. Research, v. 4, no. 2, p. 181-188.
- (A) Lachenbruch, A. H., and Sass, J. H., 1973, Thermo-mechanical aspects of the San Andreas Fault system: Proc. Conference on Tectonic Problems of the San Andreas Fault system, Stanford University Publication, v. 13, p. 192-205.
- (P) Lachenbruch, A. H., and Sass, J. H., 1977, Heat flow in the United States and thermal regime of the crust, in Heacock, J. G., ed., The Earth's Crust - its nature and physical properties: American Geophysical Union Geophys. Monogr. Ser., v. 20, p. 626-675.
- (P) Lachenbruch, A. H., and Sass, J. H., 1978, Models of an extending lithosphere and heat flow in the Basin and Range province: Geol. Soc. Am. Mem. 152, p. 209-350.
- (P) Lachenbruch, A. H., Sass, J. H., Munroe, R. J., and Moses, T. H., Jr., 1976, Geothermal setting and simple heat conduction models of the Long Valley caldera: Jour. Geophys. Res., v. 81, no. 5, p. 769-784.
- (P) Lachenbruch, A. H., Sorey, M. L., Lewis, R. E., and Sass, J. H., 1976, The near-surface hydrothermal regime of Long Valley caldera: Jour. Geophys. Res., v. 81, no. 5, p. 763-768.
- (O) Lamanuzzi, V., Johnson, C. E., 1979, Preliminary catalog of earthquakes in northern Imperial Valley, California, July 1978-Sept. 1978: USGS Open-file rept. 79-931.
- (O) Lamanuzzi, V., Johnson, C. E., and German, P. T., 1979, Preliminary catalog of earthquakes in northern Imperial Valley, California, Oct. 1978-Dec. 1978: USGS Open-file rept. 79-930.
- (P) Lanphere, M. A., Dalrymple, G. B., and Smith, R. L., 1975, K-Ar ages Pleistocene rhyolite volcanism in the Coso Range, California: Geology, v. 3, no. 6, p. 339-341.
- (O) Leonard, R. B., Brosten, T. M., and Midtlyng, N. A., 1978, Selected data from thermal-spring areas, southwestern Montana: U.S. Geol. Survey Open-file rept. 78-438.
- (P) Leonard, R. B., and Janzer, V. J., 1978, Natural radioactivity in geothermal waters, Alhambra Hot Springs and nearby areas, Jefferson County, Montana: U.S. Geol. Survey Jour. Research, v. 6, no. 4, p. 529-540.
- (O) Leonard, R. B., Shields, R. R., and Midtlyng, N. A., 1978, Water-quality investigation near the Chico and Hunters geothermal lease-application areas, Park and Sweet Grass Counties, Montana: U.S. Geol. Survey Open-file rept. 78-199, 23 p.

- (O) Lofgren, B. E., 1977, Background studies for appraising subsidence in the Texas Gulf Coast region: U.S. Geol. Survey Open-file rept. 77-412, 28 p.
- (O) Lofgren, B. E., 1978, Measured crustal deformation in Imperial Valley, California: U.S. Geol. Survey Open-file rept. 78-910, 7 p.
- (P) Lofgren, B. E., 1981, Monitoring crustal deformation in The Geysers-Clear Lake geothermal area, California: U.S. Geological Survey Professional Paper 1141, p. 139-148.
- (O) Long, C. L., and Batzle, M. L., 1976, Station location map and audio-magnetotelluric data log for Monte Neva KGRA, Nevada: U.S. Geol. Survey Open-file rept. 76-700A, 5 p.
- (O) Long, C. L., and Batzle, M. L., 1976, Station location map and audio-magnetotelluric data log for Ruby Valley KGRA, Nevada: U.S. Geol. Survey Open-file rept. 76-700B, 4 p.
- (O) Long, C. L., and Batzle, M. L., 1976, Station location map and audio-magnetotelluric data log for Rye Patch KGRA, Nevada: U.S. Geol. Survey Open-file rept. 76-700C, 3 p.
- (O) Long, C. L., and Brigham, R. H., 1975, Audio-magnetotelluric data and station location map, Steamboat Hills, Nevada: U.S. Geol. Survey Open-file rept. 75-447, 7 p.
- (O) Long, C. L., and Brigham, R. H., 1975, Audio-magnetotelluric data and station location map, Wabuska, Nevada: U.S. Geol. Survey Open-file rept. 75-444, 6 p.
- (O) Long, C. L., and Gregory, D. I., 1975, Audio-magnetotelluric apparent resistivity maps for part of Harney County, Oregon, U.S. Geol. Survey Open-file rept.
- (O) Long, C. L., Hoover, D. B., and Bramsoe, Erik, 1975, Audio-magnetotelluric apparent resistivity maps, Weiser, Idaho-Vale, Oregon, U.S. Geol. Survey Open-file rept. 75-103, scale 1:250,000.
- (O) Long, C. L., Hoover, D. B., and Tippens, C. T., 1976, Station location map and audio-magnetotelluric data log for Island Park KGRA, Idaho: U.S. Geol. Survey Open-file rept. 76-700E.
- (A) Long, C. L., and Kaufmann, H., 1975, Reconnaissance geophysics of a KGRA, Weiser, Idaho, and Vale, Oregon: Society of Exploration Geophysicist.
- (O) Long, C. L., and Lewis, Vernon, 1979, Audio-magnetotelluric data log and station-location map for Vulcan Hot Springs, KGRA, Idaho: U.S. Geol. Survey Open-file rept. 79-1616.
- (A) Long, C. L., O'Donnell, J. E., and Smith, B. D., 1975, Geophysical studies in the Island Park caldera, Idaho: Geol. Soc. America Abs. with Programs, v. 7, no. 5, p. 623.
- (O) Long, C. L., and Senterfit, R. M., 1976, Audio-magnetotelluric data log and station location map for the Randsburg KGRA, California: U.S. Geol. Survey Open-file rept. 76-309, 6 p.
- (O) Long, C. L., and Senterfit, R. M., 1976, Audio-magnetotelluric station location map Geysers-Calistoga KGRA, California: U.S. Geol. Survey Open-file rept. 76-700D.
- (O) Long, C. L., and Senterfit, R. M., 1977, Audio-magnetotelluric data log and station location map for Baltazor KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-65-B, 5 p.
- (O) Long, C. L., and Senterfit, R. M., 1977, Audio-magnetotelluric data log and station location map for Fly Ranch Northeast KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-65-C, 5 p.
- (O) Long, C. L., and Senterfit, R. M., 1977, Audio-magnetotelluric data log and station location map for Gerlach Northwest KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-65-D, 6 p.
- (O) Long, C. L., and Senterfit, R. M., 1979, Audio-magnetotelluric data log and station-location map for the Ennis Hot Springs area, Montana: U.S. Geol. Survey Open-file rept. 79-1308, 8 p.

- (O) Long, C. L., and Senterfit, R. M., 1979, Audio-magnetotelluric data log and station-location map for the Silver Star Hot Springs area, Montana: U.S. Geol. Survey Open-file rept. 79-1307, 9 p.
- (O) Long, C. L., Senterfit, R. M., and Kaufman, Harold, 1975, Audio-magnetotelluric log data and station location map for Darrough KGRA, Nevada: U.S. Geol. Survey Open-file rept. 76-285, 10 p.
- (O) Long, C. L., Senterfit, Mike, and Kaufman, Harold, 1975, Audio-magnetotelluric log data and station location map for Gerlach KGRA, Nevada: U.S. Geol. Survey Open-file rept. 75-669, 6 p.
- (O) Ludwin, R. S., and Bufe, C. G., 1980, Continued seismic monitoring of The Geysers, California geothermal area: U.S. Geol. Survey Open-file rept. 80-1060, 53 p.
- (P) Luedke, R. G., and Smith, R. L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Arizona and New Mexico: U.S. Geol. Survey Misc. Invest. Map I-1091-A.
- (P) Luedke, R. G., and Smith, R. L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming: U.S. Geol. Survey Misc. Invest. Map I-1091-B.
- (P) Luedke, R. G., and Smith, R. L., 1981, Map showing distribution, composition, and age of Late Cenozoic volcanic centers in California and Nevada: U.S. Geol. Survey Misc. Invest. Map I-1091-C.
- (O) Mabey D. R., 1973, Principal facts for gravity stations in the Raft River Valley, Idaho: U.S. Geol. Survey Open-file rept., 5 p.
- (O) Mabey D. R., 1973, Regional gravity and magnetic surveys in the Albion Mountains area of southern Idaho: U.S. Geol. Survey Open-file rept.
- (P) Mabey, D. R., 1976, Interpretation of a gravity profile across the western Snake River Plain, Idaho: *Geology*, v. 4, no. 1. p. 53-55.
- (O) Mabey, D. R., 1978, Gravity and aeromagnetic anomalies in the Rexburg area of eastern Idaho: U.S. Geol. Survey Open-file rept. 78-382, 19 p.
- (P) Mabey, D. R., 1978, Regional gravity and magnetic anomalies in the eastern Snake River Plain, Idaho: *USGS Jour. Res.*, v. 6, no. 5, p. 553-562.
- (P) Mabey, D. R., 1980, The geothermal resources of southern Idaho: *Geothermal Resources Council, Transactions*, v. 4, p. 77-80.
- (A) Mabey, D. R., Ackermann, Hans, Zohdy, A. A. R., Hoover, D. B., Jackson, D. B., and O'Donnell, J. E., 1975, Geophysical studies of a geothermal area in the Southern Raft River Valley, Idaho: *Geol. Soc. America, Abs. with Programs*, v. 7, no. 5, p. 624.
- (P) Mabey, D. R., Hoover, D. B., O'Donnell, J. R., and Wilson, C. W., 1978, Reconnaissance geophysical studies of the geothermal system in southern Raft River Valley, Idaho: *Geophysics*, v. 43, no. 7, p. 1470-1484.
- (P) Mabey, D. R., Kleinkopf, M. D., Eaton, G. P., and Zeitz, Isidore, 1978, Regional magnetic patterns in part of the Cordillera in the western United States in Smith, R. B., and Eaton, G. P., eds., *Cenozoic Tectonics and Regional Geophysics of the Western Cordillera*: *Geol. Soc. Am. Mem.* 152, p. 93-106.
- (A) Mabey, D. R., Peterson, D. L., and Wilson, C. W., 1975, Regional gravity and magnetic studies of the Snake River Plain: *Geol. Soc. America, Abs. with Programs*, v. 7, no. 5, p. 624-625.
- (O) Mabey, D. R., and Wilson, C. W., 1974, Bouguer gravity anomaly map of the southern Raft River area, Cassia County, Idaho U.S. Geol. Survey Open-file rept., scale 1:24,000.
- (A) MacLeod, M. S., 1978, Newberry Volcano, Oregon: Preliminary results of the new field investigation: *Geol. Soc. Am. Abs. with Prog.*, v. 10, no. 3, p. 115.
- (P) MacLeod, M. S., Walker, G. W., and McKee, E. H., 1975, Geothermal significance of the eastward increase in age of Upper Cenozoic rhyolitic domes in southeastern Oregon: *Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources*, May 20-29, 1975, San Francisco, Calif., v. 11, p. 465-474.

- (P) Mahood, G. A., and Hildreth, W., 1980, Pantelleria: A new interpretation: *Am. Geophys. Union Trans. (EOS)*, v. 61, p. 1141.
- (P) Malone, S. D., Endo, E. T., Weaver, C. S., and Ramey, J. W., 1981, Seismic monitoring for eruption prediction: U.S. Geological Survey Prof. Paper 1250, p. 803-813
- (P) Mankinen, E. A., Donnelly, J. M., and Grommé, C. S., 1978, Geomagnetic polarity event recorded at 1.1 m.y. B.P. on Cobb Mountain, Clear Lake volcanic field, California: *Geology*, v. 6, no. 11, p. 653-656.
- (P) Mankinen, E. A., Donnelly-Nolan, J. M., Grommé, C. S., and Hearn, B. C. Jr., 1981, Paleomagnetism of the Clear Lake Volcanics and new limits on the age of the Jaramillo normal-polarity event, U.S. Geological Survey Professional Paper 1141, p. 67-82.
- (O) Mariner, R. H., Brook, C. A., Swanson, J. R., Mabey, D. R., 1978, Selected data for hydrothermal convection systems in the United States with estimated temperatures $\geq 90^{\circ}\text{C}$: U.S. Geol. Survey Open-file rept. 78-858.
- (O) Mariner, R. H., Presser, T. S., and Evans, W. C., 1976, Chemical characteristics of the major thermal springs of Montana: U.S. Geol. Survey Open-file rept. 76-480, 31 p.
- (O) Mariner, R. H., Presser, T. S., and Evans, W. C., 1976, Chemical composition data and calculated aquifer temperature for selected wells and springs of Honey Lake Valley, California: U.S. Geol. Survey Open-file rept. 76-783, 10 p.
- (O) Mariner, R. H., Presser, T. S., and Evans, W. C., 1976, Chemical data for eight springs in northwestern Nevada: U.S. Geol. Survey Open-file rept., 13 p.
- (O) Mariner, R. H., Presser, T. S., and Evans, W. C., 1977, Chemical, isotopic, and gas compositions of selected thermal springs in Arizona, New Mexico, and Utah: U.S. Geol. Survey Open-file rept. 77-654, 42 p.
- (O) Mariner, R. H., Presser, T. S., and Evans, W. C., 1977, Hot Springs of the central Sierra Nevada, California: U.S. Geol. Survey Open-file rept. 77-559.
- (A) Mariner, R. H., Presser, T. S., Rapp, J. B., and Willey, L. M., 1974, The chemical properties of some of the major hot springs of northern Nevada: *Geol. Soc. America, Abstracts with Programs*, V. 6, no. 3, p. 214-215.
- (O) Mariner, R. H., Presser, T. S., Rapp, J. B., and Willey, L. M., 1975, The minor and trace elements, gas, and isotope compositions of the principal hot springs of Nevada and Oregon: U.S. Geol. Survey Open-file rept., 27 p.
- (O) Mariner, R. H., Rapp, J. B., Willey, L. M., and Presser, T. S., 1974, The chemical composition and estimated minimum thermal reservoir temperatures of selected hot springs in Oregon: U.S. Geol. Survey Open-file rept., 27 p.
- (O) Mariner, R. H., Rapp, J. B., Willey, L. M., and Presser, T. S., 1974, The chemical composition and estimated minimum thermal reservoir temperatures of the principal hot springs of northern and central Nevada: U.S. Geol. Survey Open-file rept., 32 p.
- (P) Mariner, R. H., and Willey, L. M., 1976, Geochemistry of thermal waters in Long Valley, Mono County, California: *Jour. Geophys. Res.*, v. 81, no. 5, p. 792-800.
- (O) Marks, S. M., and Bufe, C. G., 1978, Preliminary hypocenters of earthquakes in the Healdsburg quadrangle, Lake Berryessa to Clear Lake, California, October 1969-December 1976: U.S. Geol. Survey Open-file rept. 78-953, 33 p., 1 pl., 1 fig.
- (O) Marks, S. M., and Bufe, C. G., 1978, Preliminary hypocenters of earthquakes in the Ukiah and Santa Rosa (1:250,000) quadrangles, Napa and Trinity County, California - Jan. 1969-June 1977: USGS Open-file Map 78-126.
- (O) Marks, S. M., Ludwin, R. S., Lonie, K. B., and Bufe, C. G., with principal contributions by Harsh, P. W., Lester, F. W., Briscoe, S. M., Hearn, B. C., and McLaughlin R. J., 1978, Seismic monitoring at The Geysers geothermal field, California: U.S. Geol. Survey Open-file rept. 78-798, 26 p.

- (P) Marler, G. D., and White, D. E., 1975, Seismic Geyser and its bearing on the origin and evolution of geysers and hot springs of Yellowstone National Park: U.S. Geol. Survey Bull., v. 86, p. 749-759.
- (O) Mase, C. W., Galanis, S. P., Jr., and Munroe, R. J., 1979, Near-surface heat flow in Saline Valley, California: U.S. Geol. Survey Open-file rept. 79-1136.
- (O) Mase, C. W., and Sass, J. H., 1980, Heat flow from the western arm of the Black Rock Desert, Nevada: U.S. Geol. Survey Open-file rept. 80-1238, 38 p.
- (A) Mase, C. W., and Sass, J. H., 1980, Preliminary heat-flow investigation of the California Cascades: EOS, v. 61, p. 1150.
- (O) Mase, C. W., Sass, J. H., Brook, C. A., and Munroe, R. J., 1981, Shallow hydrothermal regime of the East Brawley and Glamis KGRA, Salton Trough, California: U.S. Geol. Survey Open-file rept. 80-0834, 59 p.
- (O) Mase, C. W., Sass, J. H., and Lachenbruch, A. H., 1980, Near-surface hydrothermal regime of the Lassen KGRA, California: U.S. Geol. Survey Open-file rept. 80-1230, 31 p.
- (O) Massey, B. L., 1978, Regional and local networks of horizontal control, Cerro Prieto, Mexico: U.S. Geol. Survey Open-file rept. 78-979, 9 p.
- (A) Massey, B. L., 1979, Measured Crustal strain, Cerro Prieto geothermal field, Baja California, Mexico: Program and abstracts, Second Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Oct. 17-19, 1979, p. 36.
- (P) May, R. J., 1977, Thermoluminescence dating of Hawaiian alkalic basalts: Jour. of Geophys. Res., v. 82, no. 20, p. 3023-3029.
- (P) May, R. J., 1979, Thermoluminescence dating of Hawaiian basalts: USGS Prof. Paper 1095., 47 p.
- (P) Mazar, E., Levitte, D., Truesdell, A. H., Healy, J., and Nissenbaum, A., 1980, Mixing models and ionic geothermometers applied to warm (up to 60°C) springs: Jordan Rift Valley, Israel: Jour. of Hydrology, v. 45, p. 1-19.
- (P) Mazar, Emanuel, 1978, Noble gases in a section across the vapor-dominated geothermal field of Larderello, Italy in Rybach, Ladislaus, and Stegena, Lajos, eds., Geothermics and Geothermal Energy: Pure and Applied Geophysics, v. 117, p. 262-275.
- (P) Mazar, Emanuel, and Fournier, R. O., 1973, More on noble gases in Yellowstone National Park hot waters: Geochim. et Cosmochim. Acta, v. 37, p. 515-525.
- (P) Mazar, E., and Truesdell, A. H., 1981, Dynamics of a geothermal field traced by noble gases: Cerro Prieto, Mexico: Proceedings of the 3rd Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, March 1981, Lawrence Berkeley Laboratory Report 11967, p. 163-173.
- (O) McIntyre, D. H., 1976, Photogeologic map of the Cambridge Quadrangle and western half of Council Quadrangle, Western Idaho: U.S. Geol. Survey Open-file rept. 76-857.
- (P) McIntyre, D. H., 1976, Reconnaissance geologic map of the Weiser geothermal area, Washington County, Idaho: U.S. Geol. Survey Misc. Field Studies Map. MF-745, scale 1:62,500.
- (O) McIntyre, D. H., 1979, Preliminary description of Anschutz Federal no. 1 drill hole, Owyhee County, Idaho: U.S. Geol. Survey Open-file rept. 79-651, 15 p.
- (A) McKee, E. H., and Christiansen, R. L., 1977, Correlation of late Cenozoic volcanic and tectonic events in the Great Basin and Columbia Intermontane region: EOS, v. 58, p. 1246.
- (P) McKee, E. H., MacLeod, N. S., and Walker, G. W., 1976, Potassium-argon ages of late Cenozoic silicic volcanic rocks, S.E. Oregon: Isochron/West, no. 15, p. 37-41.
- (A) McKee, E. H., Smith, R. L., and Shaw, H. R., 1974, Preliminary geothermal exploration, San Francisco volcanic field, northern Arizona: Geol. Soc. America, Abs. with Programs, v. 6, p. 458.

- (P) McKenzie, W. F., and Truesdell, A. H., 1977, Geothermal reservoir temperatures estimated from the oxygen isotope compositions of dissolved sulfate and water from hot springs and shallow drillholes, *Geothermics*, v. 5, p. 51-61.
- (A) McLain, W. H., Couch, R. W., Connard, G., Gemperle, M., 1981, Geothermal and structural implications of magnetic anomalies observed over south-central Oregon: AGU Fall Mtg, San Francisco, CA, Dec. 7-11, 1981.
- (P) McLaughlin, R. J., 1977, The Franciscan assemblage and Great Valley sequence in The Geysers-Clear Lake region of northern California, in *Field Trip Guide to The Geysers-Clear Lake area*: Geol. Soc. America, Cordilleran Section 73rd annual meeting, Sacramento, California, April 5-7, p. 25-26.
- (A) McLaughlin, R. J., 1977, Late Mesozoic-Quaternary plate tectonics and The Geysers-Clear Lake geothermal anomaly, northern coast ranges, California: *Geol. Soc. America, Abs. with Prog.*, v. 9, no. 4, p. 464.
- (O) McLaughlin, R. J., 1978, Preliminary geologic map and structural sections of the central Mayacmas Mountains and The Geysers steam field, Sonoma, Lake and Mendocino Counties, California: U.S. Geol. Survey Open-file rept. 78-389, 2 sheets.
- (P) McLaughlin, R. J., 1981, Tectonic setting of pre-Tertiary rocks and its relation to geothermal resources in the Geysers-Clear Lake area, U.S. Geol. Survey Prof. Paper 1141, p. 3-23.
- (P) McLaughlin, R. J., and Donnelly-Nolan, J. M., 1981, Introduction in Research in The Geysers-Clear Lake geothermal area, northern California: U.S. Geol. Survey Prof. Paper 1141, p. 1-2.
- (P) McLaughlin, R. J., and Donnelly-Nolan, J. M., eds., 1981, Research in The Geysers-Clear Lake geothermal area, northern California: U.S. Geol. Survey Prof. Paper 1141, 259 p.
- (P) McLaughlin, R. J., and Pessagno, E. A., Jr., 1978, Significance of age relations of rocks above and below Upper Jurassic ophiolite in The Geysers-Clear Lake region, California: *Jour. Research U.S. Geol. Survey*, v. 6, no. 6, p. 715-726.
- (P) McLaughlin, R. J., and Stanley, W. D., 1976, Pre-Tertiary geology and structural control of geothermal resources, The Geysers Steam Field, California: *Proc. Second United Nations Symposium on the Development and Use of geothermal Resources*, May 20-29, 1975, San Francisco, Calif., v. 1, P. 475-485.
- (P) McMechan, G. A., and Mooney, W. D., 1980, Asymptotic ray theory and synthetic seismograms for laterally varying structures: Theory and application of the Imperial Valley, CA: *Seismological Society of America*, v. 70, no. 6, p. 2021-2035.
- (P) Mehnert, H. H., Rowley, P. D., and Lipman, P. W., 1978, K-Ar ages and geothermal implications of young rhyolites in west-central Utah: *Isochron/West*, no. 21, p. 3-7.
- (P) Mercer, J. W., 1973, Finite element approach to the modeling of hydrothermal systems: Ph.D. thesis, University of Illinois, 106 p.
- (P) Mercer, J. W., and Faust, C. R., 1975, Simulation of Water- and Vapor-dominated hydrothermal reservoirs: America Institute of Mining metallurgical and petroleum engineers, Inc., prepared for 50th Annual Fall Meeting of the Society of Petroleum Engineers of AIME, Dallas, Texas, Sept. 28-Oct.1, 1975, 16 p.
- (P) Mercer, J. W., and Faust, C. R., 1976, The application of finite-element techniques to immiscible flow in porous media: prepared for International Conference of Finite Elements in Water Resources, Princeton, New Jersey, July 12-16, 1976, 37 p.
- (P) Mercer, J. W., and Faust, C. R., 1978, Progress report on multiphase geothermal modeling: *Proceedings of the Third Workshop on Geothermal Reservoir Engineering*, Stanford, California, Dec. 14-16, 1977, p. 185-187.
- (P) Mercer, J. W., and Faust, C. R., 1979, Geothermal Reservoir Simulation 3. Application of liquid and vapor dominated hydrothermal modeling techniques to Wairakei, New Zealand: *Water Resources Research*, v. 15, no. 3, p. 653-671.

- (P) Mercer, J. W., and Faust, C. R., and Pinder, G. F., 1974, Geothermal reservoir simulation: Proc. of National Science Foundation conference on research for the development of geothermal energy resources, Pasadena, California, P. 256-267.
- (A) Mercer, J. W., and Pinder, G. F., 1973, Finite element approach to the modeling of hydrothermal systems: EOS, v. 54 p. 263.
- (P) Mercer, J. W., and Pinder, G. F., 1973, Galerkin finite-element simulation of a geothermal reservoir: Geothermics, v. 2, Nos. 3-4, p. 81-89.
- (P) Mercer, J. W., and Pinder, G. F., 1974, Finite element analysis of hydrothermal systems in Finite element methods in flow problem: Edited by J. T. Oden, O. C. Zienkiewica, R. H. Gallagher, and C. Taylor: Published by The University of Alabama in Huntsville Press, p. 401-414.
- (O) Mercer, J. W., and Pinder, G. F., 1975, A finite-element model of a two dimensional single-phase transport in a porous medium. U.S. Geol. Survey Open-File rept. 75-574, 115 p.
- (P) Mercer, J. W., Pinder, G. F., and Donaldson, I. G., 1975, A galerkin-finite element analysis of the hydrothermal systems at Wairakei, New Zealand: Jour. Geophys. Res., v. 80, no. 17, p. 2608-2621.
- (P) Miller, R. E., 1977, A galerkin, finite-element analysis of steady-state flow and heat transport in the shallow hydrothermal system in the East Mesa area, Imperial Valley, California: U.S. Geol. Survey Jour. Research, v. 5, no. 4, p. 497-508.
- (O) Miller, S. H., Nelms, C. A., and Watson, Kenneth, 1980, Reflectance and thermo-infrared aircraft scanner images of Newberry Caldera, Oregon: U.S. Geol. Survey Open-file rept. 80-234.
- (P) Miller, S. H., and Watson, Kenneth, 1977, Evaluation of algorithms for geologic thermal inertia mapping: Proceedings of 11th International Symposium on Remote Sensing of Environment, v. 2, p. 1147-1160.
- (P) Miller, S. H., and Watson, Kenneth, 1979, The use of thermal data to extend geologic reconnaissance from satellites (Summary): 13th International Symposium on Remote Sensing of Environment, Univ. of Michigan, p. 108-109.
- (O) Miller, S. H. and Watson, Kenneth, 1980, Ground support data for the aircraft multispectral reflectance and thermal scanner mission November-December 1977, on the Island of Hawaii: U.S. Geol. Survey Open-file rept. 80-470, 41 p.
- (O) Miller, T. P., 1973, Distribution and chemical analyses of thermal springs in Alaska: U.S. Geol. Survey Open-file rept., 5 p.
- (A) Miller, T. P., 1975, Ash flows on the Alaskan peninsula: Geol. Soc. America Abstracts with Programs, v. 7, no. 7, p. 1201.
- (P) Miller, T. P., and Barnes, Ivan, 1976, Potential for geothermal energy development in Alaska--summary: Circum-Pacific Energy and Mineral Resources Memoir No. 25, p. 149-153.
- (P) Miller, T. P., Barnes, Ivan, and Patton, W. W., Jr., 1975, Geologic setting and chemical characteristics of hot springs in west-central Alaska: Jour. of Research, USGS, v. 3, no. 2, p. 149-162.
- (A) Miller, T. P., Hoover, D. B., Smith, R. L., and Long, Carl, 1978, A case history of geothermal exploration on Adak Island, Alaska: Abs., Circum-Pacific Energy and Mineral Resources Conference.
- (P) Miller, T. P., and Smith, R. L., 1977, Spectacular mobility of ash flows around Aniakchak and Fisher calderas, Alaska: Geology, v. 5, p. 173-176.
- (A) Mimura, Koji, and MacLeod, N. S., 1978, Source directions of pumice and ash-deposits near Bend, Oregon: Geol. Soc. Am. Abs. with Prog, v. 10, no. 3, p. 137.
- (O) Moench, A. F., 1976, Simulation of steam transport in vapor-dominated geothermal reservoirs: U.S. Geol. Survey Open-file rept. 76-607, 43 p.

- (P) Moench, A. F., 1979, The effect of thermal conduction upon pressure drawdown and buildup in fissured, vapor-dominated geothermal reservoirs in Kruger, Paul and Ramey, H. J., Jr., eds., Proceedings, Fourth Workshop on Geothermal Reservoir Engineering, Dec. 13-15, 1978: Stanford University, Stanford, Calif., P. 112-117.
- (P) Moench, A. F., and Atkinson, P. G., 1977, Transient pressure analysis in geothermal steam reservoirs with an immobile vaporizing liquid phase--summary report: Proceedings of the Third Workshop on Geothermal Reservoir Engineering, Stanford, California, Dec. 14-16, 1977, p. 64.
- (P) Moench, A. F., and Atkinson, P. G., 1978, Transient pressure analysis in geothermal steam reservoirs with an immobile vaporizing liquid phase: Geothermics, v. 7, p. 253-264.
- (P) Moench, A. F., and Herkelrath, W. N., 1978, The effect of vapor-pressure lowering upon pressure drawdown and buildup on geothermal steam wells: Geothermal Resources Council, Trans., v. 2, p. 465-467.
- (A) Monfort, M. E., 1980, P-wave residuals in the Mt. Lassen volcanic area: EOS, Transactions, Amer. Geophys. Union, v. 61, p. 1025.
- (P) Moore, J. G., Lipman, P. W., Swanson, D. A., and Tau Rho Alpha, 1981, Growth of lava domes in the crater, June 1980-January 1981 (Mount St. Helens, Washington); U.S. Geological Survey Professional Paper 1250, p. 541-547.
- (P) Moore, R. B., and Wolfe, E. H., 1976, Geologic map of the eastern San Francisco volcanic field: Arizona: U.S. Geol. Survey Misc. Invest. Series, I-953.
- (O) Moses, T. H., Jr., and Sass, J. H., 1979, Drilling techniques presently in use by the geothermal studies project, USGS: U.S. Geol. Survey Open-file rept. 79-763
- (O) Moyle, W. R., Jr., 1972, Temperature and chemical data for selected thermal wells and springs in southern California: U.S. Geol. Survey Open-file rept., 28 p.
- (P) Moyle, W. R., Jr., 1974, Temperature and chemical data for selected wells and springs in southeastern California: U.S. Geol. Survey Water-Resources Investigations 33-73, 12 p.
- (O) Moyle, W. R., Jr., 1977, Summary of basic hydrologic data collected at Coso Hot Springs, Inyo County, California: U.S. Geol. Survey Open-file rept. 77-485.
- (P) Muffler, L. J. P., 1972, U. S. Geological Survey research in geothermal resources: Compendium of First Day Papers, First Conference of the Geothermal Resource Council, El Centro, California, p. 11-18.
- (A) Muffler, L. J. P., 1973, Geothermal research in the U.S. Geol. Survey: Geophysics, v. 38, p. 185-186.
- (A) Muffler, L. J. P., 1973, Geothermal resources and their utilization: Geol. Soc. America, Abstracts with Programs, v. 5, no. 1, p. 83-84.
- (P) Muffler, L. J. P., 1973, Geothermal resources, in Brobst, D. A., and Pratt, W. P., (eds.), United States Mineral Resources: U. S. Geol. Survey Prof. Paper 820, p. 251-261.
- (P) Muffler, L. J. P., 1974, Review of "Geothermal Energy - review of Research and Development", H. C. H. Armstead (ed.): Engineering Geol., v. 7, p. 409-410.
- (P) Muffler, L. J. P., 1975, Current worldwide utilization and ultimate potential of geothermal energy systems: in Morgenthaler, G. W., and Silver, A. N., (eds): Energy Delta, Supply vs. Demand, AAS 74-028, v. 35, Science and Technology, p. 433-442.
- (A) Muffler, L. J. P., 1975, Geothermal resources of the northern Rocky Mountains: Geol. Soc. America, Abs. with Programs, v. 7, no. 5, p. 632.
- (P) Muffler, L. J. P., 1975, Review of "Geothermal Energy (E. W. Berman)": American Scientist, v. 63, no. 6, p. 701.
- (P) Muffler, L. J. P., 1976, Summary of Section I: Present status of resources development: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 1, p. xxxiii-xliv.

- (P) Muffler, L. J. P., 1976, Summary of Section II: Geology, hydrology, and geothermal systems: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif. v. 1, p. xlv-lll.
- (P) Muffler, L. J. P., 1976, Tectonic and hydrologic control of the nature and distribution of geothermal resources: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 1. p. 499-507.
- (P) Muffler, L. J. P., 1977, Technical analysis of geothermal resources in Sato, Sho, and Crocker, T. D., Property rights to geothermal resources: Ecology Law Quarterly (School of Law, University of California, Berkeley), v. 6, no. 2, p. 253-270.
- (P) Muffler, L. J. P., 1978, 1978 Geothermal Resource Assessment: Proceedings of the Third Workshop on Geothermal Reservoir Engineering, Stanford, California, Dec. 14-16, 1977, p. 3-8.
- (P) Muffler, L. J. P., ed., 1979, Assessment of Geothermal Resources of the United States--1978: U.S. Geol. Survey Circular 790, 163 p. 3 maps.
- (P) Muffler, L. J. P., 1981, Geothermal resource assessment, in Rybach, L., and Muffler, L. J. P., eds., Geothermal systems: principles and case histories: John Wiley, p. 181-198.
- (A) Muffler, L. J. P., and Bargar, K. E., 1973, Hydrothermal alteration of rhyolitic ash-flow tuff in the vapor-dominated system at Mud Volcano, Yellowstone National Park, USA: International Symposium on Water Rock Interaction, Prague, Czechoslovakia, Abstract Volume, p. 52.
- (P) Muffler, L. J. P., and Cataldi, R., 1978, Methods of regional assessment of geothermal resources: Geothermics, v. 7, p. 53-90.
- (P) Muffler, L. J. P., and Christiansen, R. L., 1978, Geothermal resource assessment of the United States in Rybach, Ladislaus and Stegena, Lajos, eds., Geothermics and Geothermal Energy: Pure and Applied Geophysics, v. 117, p. 160-171.
- (O) Muffler, L. J. P., and Hofeling, C. L., 1979, Inventory of drilling activities of the U.S. Geological Survey in the United States, fiscal years 1979-1980: U.S. Geol. Survey Open-file rept. 79-1567, 48 p.
- (P) Muffler, L. J. P., and White, D. E., 1972, Geothermal energy: The Science Teacher, v. 39, no. 3, p. 1-4.
- (P) Muffler, L. J. P., and Williams, D. L., 1976, Geothermal investigations of the U.S. Geol. Survey in Long Valley, California, 1972-1973: Journal. Geophy. Res., v. 81, no. 5, p. 721-724.
- (P) Muller, D. H., and Pollard, D. D., 1977, The stress state near Spanish Peaks, Colorado, determined from a dike pattern: Pure and Applied Geophysics, v. 115, p. 69-86.
- (A) Muller, D. H., and Pollard, D. D., 1980, Changes in profile and fluid transmission for a lengthening crack subject to a constant gradient in driving pressure: EOS, v. 61, no. 46, p. 1112.
- (O) Munroe, R. J., Sass, J. H., Bunker, C. M., and Bush, C. A., 1975, Abundances of uranium, thorium, and potassium from some plutonic rocks in northern Washington: U.S. Geol. Survey Open-file rept. 75-221.
- (O) Munroe, R. J., Sass, J. H., Milburn, G. T., Jaeger, J. C., and Tammemagi, H. Y., 1975, Basic Data from some recent Australian heat-flow measurements: U.S. Geol. Survey Open-file rept. 75-567, 90 p.
- (A) Naeser, C. W., Cunningham, C. G., Marvin, R. F., and Obradovich, J. D., 1979, Pliocene intrusion and mineralization: Rico, Colorado: Abs. with programs, Geol. Soc. Am., v. 11, no. 7, p. 485.
- (P) Nathenson, Manuel, 1974, Flashing flow in hot water geothermal wells: Jour. of Research, U.S. Geol. Survey, v. 2, no. 6, p. 743-751.
- (O) Nathenson, Manuel, 1975, Physical factors determining the fraction of stored energy recoverable from hydrothermal convection systems and conduction-dominated areas: U.S. Geol. Survey Open-file rept. 75-525, 38 p.

- (O) Nathenson, Manuel, 1975, Some reservoir engineering calculations for the vapor dominated systems at Larderello, Italy: U.S. Geol. Survey Open-file rept. 75-142, 35 p.
- (P) Nathenson, Manuel, 1976, The effects of a step change in water flow on an initially linear profile of temperature: Proceedings of the Second Workshop on Geothermal Reservoir Engineering, Stanford, California, Dec, 1976, p. 40-45.
- (P) Nathenson, Manuel, 1976, Session IV-Well stimulation, in Kruger, Paul, and Ramey, H. J., Jr., eds., Geothermal reservoir engineering: Stanford, Calif. Stanford Geothermal Program, SGP-TR-12, p. 9-12
- (P) Nathenson, Manuel, 1976, Summary of Section VI: Drilling technology: Proc., Second United Nations Symposium on the Development and Use of Geothermal Resources, San Francisco, Calif., May 20-29, 1975, v. 1, p. xcv-xcv.
- (P) Nathenson, Manuel, 1976, Summary of Section VII: Production of technology, reservoir engineering, and field management: Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 1, p. xcvi-c.
- (O) Nathenson, Manuel, 1978, Methodology of determining the uncertainty in the accessible geothermal resource base of identified hydrothermal convection systems: U.S. Geol. Survey Open-file rept. 78-1003, 51 p. 3 figs.
- (P) Nathenson, Manuel, 1981, The relation between geothermometer, reservoir, and spring temperatures for low- and intermediate-temperature (<150°C) hydrothermal systems in southwestern Montana: GRC Bull. v. 10, no. 7, p. 3-7.
- (P) Nathenson, Manuel, and Muffler, L. J. P., 1975, Geothermal resources in hydrothermal convection systems and conduction-dominated areas in White, D. E., and Williams, D. L., eds., Assessment of Geothermal Resources of the United States--1975: U.S. Geol. Survey Circular 726, p. 104-121.
- (P) Nathenson, Manuel, Urban, T. C., and Diment, W. H., 1979, Approximate solution for the temperature distribution caused by flow up a fault and its application to temperatures measured in a drillhole at Raft River geothermal area, Cassia County, Idaho: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 477-480.
- (O) Nathenson, Manuel, Urban, T. C., and Diment, W. H., Nehring, N. L., 1980, Temperatures, heat flow, and water chemistry from drill holes in the Raft River geothermal system, Cassia County, Idaho: U.S. Geol. Survey Open-file rept. 80-2001, 30 p.
- (P) Nehring, N. L., 1979, Reservoir temperature, flow and recharge at Steamboat Springs, Nevada: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 481-484.
- (O) Nehring, N. L., 1980, Geochemistry of Steamboat Springs, Nevada: U.S. Geol. Survey Open-file rept. 80-887, 66 p.
- (P) Nehring, N. L., 1981, Gases from springs and wells in the Geysers-Clear Lake area, U.S. Geological Survey Professional Paper 1141, p. 205-209.
- (P) Nehring, N. L., Bowen, P. A., and Truesdell, A. H., 1977, Techniques for the conversion to carbon dioxide of oxygen from dissolved sulfate in thermal waters: Geothermics, v. 5, p. 63-66.
- (P) Nehring, N. L., and D'Amore, F., 1981, Gas chemistry and thermometry of the Cerro Prieto Geothermal Field: Proceedings of the 3rd Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, March 1981, Lawrence Berkeley Laboratory Report 11967, p. 178-184.
- (P) Nehring, N. L., and Fausto, J., 1979, Gases in steam from Cerro Prieto, Mexico geothermal wells with a discussion of steam/gas ratios: Proceedings of the 1st Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, LBL Report 7098, p. 127-129.
- (P) Nehring, N. L. and Johnston, D. A., 1981, Use of ash leachates to monitor gas emissions: U.S. Geological Survey Prof. Paper 1250, p. 251-254.

- (P) Nehring, N. L., and Mariner, R. H., 1979, Sulfate-water isotopic equilibrium temperatures for thermal springs and wells of the Great Basin: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 485-488.
- (O) Nehring, N. L., Mariner, R. H., White, L. D., Heubener, M. A., Roberts, E. D., Harmon, Karen, Bowen, P. S., and Tanner, L. R., 1979, Sulfate geothermometry of thermal waters in the western United States: U.S. Geol. Survey Open-file rept. 79-1135, 11 p.
- (P) Nehring, N. L., and Truesdell, A. H., 1978, Collection of chemical, isotope, and gas samples from geothermal wells: Proceedings, Second Workshop on Sampling Geothermal Effluents, Las Vegas, 1977, Environmental Protection Agency rept., EPA-600/17-78-121, p. 130-140.
- (P) Nehring, N. L., and Truesdell, A. H., 1978, Hydrocarbon gases in some volcanic geothermal systems: Geothermal Resources Council, Trans., v. 2, p. 483-486.
- (O) Nehring, N. L., and Wollenburg, H. A., 1981, Gas analyses of Mt. Hood fumaroles, Oregon: U.S. Geol. Survey Open-file rept. 81-236, 9 p.
- (O) Nelms, C. A., Miller, S. H., and Watson, Kenneth, 1980, Multispectral reflectance and thermal infrared aerial survey of Mt. Hood, Oregon, September 1977: U.S. Geol. Survey Open-file rept. 80-882.
- (P) Nichols, W. D., 1979, Simulation analysis of the unconfined aquifer, Raft River geothermal area, Idaho-Utah: U. S. Geol. Survey Water-Supply Paper 2060, 46 p.
- (P) Nordstrom, D. K., and Jenne, E. A., 1975, Fluorite solubility equilibria in selected waters: Geochim. et Cosmochim. Acta, v. 41, P. 175-188.
- (P) Norton, D. R., and Friedman, Irving, 1981, Pallman Technique, in Ground temperature measurements: U.S. Geol. Survey Prof. Paper 1203, p. 1-11.
- (O) O'Donnell, J. E., 1976, Magnetotelluric soundings in the Darrough Hot Springs area, Nevada: U.S. Geol. Survey Open-file rept. 76-288 3 p.
- (O) O'Donnell, J. E., Brougham, G. W., Martinez, R., Christopherson, K. R., 1977, Telluric survey data for Breitenbush KGRA, Oregon,: U.S. Geol. Survey Open-file rept. 77-66B, 2 p.
- (O) O'Donnell, J. E., Brougham, G. W., Martinez, R., Christopherson, K. R., 1977, Telluric survey data for Pinto Hot Springs KGRA, Nevada,: U.S. Geol. Survey Open-file rept. 77-66A, 2 p.
- (O) O'Donnell, J. E., Long, C. L., Senterfit, R. M., Brougham, G. W., Martinez, R., and Christopherson, K. R., 1976, Station location map and audio-magnetotelluric and telluric data for Wendel-Amedee KGRA, California: U.S. Geol. Survey Open-file rept. 76-700G, 4 p.
- (A) Okamura, A., 1975, The precision of recent tilt measurements at the Hawaiian Volcano Observatory: EOS, v. 56, no. 12, p. 1071.
- (A) Olhoeft, G. R., 1976, Electrical properties of basalt: EOS Trans. AGU, v. 57, p. 236.
- (A) Olhoeft, G. R., 1976, Electrical properties of rocks: data acquisition, evaluation and analysis: CODATA Bull., no. 18, p. 9.
- (A) Olhoeft, G. R., 1976, Water related mechanisms of electrical properties: EOS Trans. AGU, v. 57, p. 1017.
- (O) Olhoeft, G. R., 1977, Electrical properties of water saturated basalt: preliminary results of 506K (233°C), U.S. Geol. Survey Open-file rept. 77-688. 8 p.
- (P) Olhoeft, G. R., 1977, Nonlinear complex resistivity: Geophysics, v. 42, p. 1530.
- (O) Olhoeft, G. R., 1978, Algorithm and BASIC program for ordinary least squares regression in two and three dimensions, U.S. Geol. Survey Open-file rept. 78-876, 8 p.
- (A) Olhoeft, G. R., 1978, Surficial mapping in situ electrical measurements by impulse radar: EOS Trans. AGU, v. 59, p. 1055.
- (O) Olhoeft, G. R., 1979, Electrical conductivity from 200 to 1000°C for 264 rocks and minerals from data in Parkhomenko and Bondarenko, 1972: U.S. Geol. Survey Open-file rept. 79-846.

- (A) Olhoeft, G. R., 1979, Impulse radar studies of near surface geological structure (extended abs.) Lunar and Planetary Science X, p. 943-945, Houston: Lunar and Planetary Science Inst.
- (A) Olhoeft, G. R., 1979, Nonlinear complex resistivity in clays: Geophysics, v. 44, p. 409.
- (P) Olhoeft, G. R., 1979, Nonlinear electrical properties, in Nonlinear behavior of molecules, atoms and ions in electric, magnetic or electromagnetic fields, L. N-el, ed., Elsevier, Amsterdam.
- (O) Olhoeft, G. R., 1979, Tables of room temperature electrical properties for selected rocks and minerals and dielectric permittivity statistics, U.S. Geol. Survey Open-file rept. 79-993.
- (A) Olhoeft, G. R., 1980, Electrical properties of the crust: EOS, v. 61, p. 1150.
- (P) Olhoeft, G. R., 1981, Electrical properties of granite with implications for the lower crust: Jour. of Geop. Res., v. 86, p. 931-936.
- (P) Olhoeft, G. R., 1981, Electrical properties in Touloukian, Y. S., Judd, W. R., and Roy, R. F., eds., Physical properties of rocks and minerals: New York, McGraw-Hill, Chapt. 9, p. 257-330.
- (P) Olhoeft, G. R., 1981, Parametric considerations, in Touloukian, Y. S., Judd, W. R., and Roy, R. F., eds., Physical properties of rocks and minerals: New York, McGraw-Hill, Chapt. 2, p. 21-28.
- (P) Olhoeft, G. R., Elliot, C., Fuller, B. D., Keller, G. V., Scott, W. J., and Strangway, D. W., 1978, Proposed Standards for the Presentation of Electrical Standards, Tulsa: Society of Exploration Geophysicists, 13 p.,
- (P) Olhoeft, G. R., Reynolds, R. L., Friedman, J. D., Johnson, G. R., and Hunt, G. R., 1981, Physical properties of the June 1980 dacite dome: U.S. Geological Survey Professional Paper 1250, p. 549-556.
- (A) Olhoeft, G. R., and Ucock, H., 1977, Electrical resistivity of water saturated basalt: EOS Trans. AGU, v. 58, p. 1235.
- (A) Olmsted, F. H., 1974, Hydrologic reconnaissance of geothermal areas in Black Rock Desert and Carson Desert, Nevada: Geol. Soc. America Cordilleran Section, 70th Annual Meeting, v. 6, no. 3, p. 232.
- (P) Olmsted, F. H., 1977, Use of temperature surveys at a depth of 1 meter in geothermal exploration in Nevada: U.S. Geol. Survey Prof. Paper 1044-B, 25 p.
- (P) Olmsted, F. H., Friedman, Irving, and Norton, D. R., 1981, Evaluation of the Pallman Technique in Two Geothermal Areas of West-Central Nevada, in Ground temperature measurements: U.S. Geol. Survey Prof. Paper 1203, p. 13-21.
- (P) Olmsted, F. H., Glancy, P. A., Harrill, J. R., Rush, F. E., and Van Denburgh, A. S., 1973, Sources of data for evaluation of selected geothermal areas in northern and central Nevada: U.S. Geol. Survey Water Resources Investigations 44-73, 77 p.
- (O) Olmsted, F. H., Glancy, P. A., Harrill, J. R., Rush, F. E., and Van Denburgh, A. S., 1975, Preliminary hydrogeologic appraisal of selected hydrothermal systems in northern and central Nevada: U.S. Geol. Survey Open-file rept. 75-56, 267 p.
- (A) Olmsted, F. H., and Van Denburgh, A. S., 1974, Leach Hot Springs, geothermal area, Nevada: Geol. Soc. America, Abs. with Programs, v. 6, no. 7, p. 899-900.
- (P) O'Neil, J. R., 1979, Stable isotope geochemistry of rocks and minerals in Jager, E., and Hunziken, J. C., (eds.), Lectures in Isotope Geology: Springer-Verlag, Heidelberg P. 235-263.
- (P) O'Neil, J. R., and Kharaka, Y. K., 1976, Hydrogen and oxygen isotope exchange reactions between clay minerals and water: Geochim. et Cosmochim. Acta, v. 40, p. 241-246.
- (A) O'Neil, J. R., and Truesdell, A. H., 1974, Stable isotope geochemistry of Shoshone Geyser Basin, Yellowstone, USA: 50th National Symposium on Stable Isotope Geochemistry, Moscow, p. 92.

- (P) O'Neill, M. E., and Hill, D. P., 1979, Causal absorption: Its effect on synthetic seismograms computed by the reflectivity method: *Seismological Society of America Bull.*, v. 69, p. 17-25.
- (A) Oppenheimer, D. H., and Herkenhoff, K., 1980, 3-D inversion of teleseismic data for velocity structure beneath The Geysers, CA: Annual Meeting of the Seismological Society of America, 1980, *Earthquake Notes*, v. 50, p. 13.
- (P) Oppenheimer, D. H., and Iyer, H. M., 1979, Microseism analysis at Norris geyser basin, Yellowstone National Park, Wyoming: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 523-526.
- (P) Oppenheimer, D. H., and Iyer, H. M., 1980, Frequency-wave number analysis of geothermal microseisms at the Norris Geyser Basin, Yellowstone National Park: *Geophysics*, v. 45, p. 952-963.
- (O) Oriel, S. S., Williams, P. L., Covington, H. R., Keys, W. S., and Shaver, K. C., 1978, Deep drilling data, Raft River geothermal area, Idaho: U.S. Geol. Survey Open-file rept. 78-361.
- (P) Paillet, F. L., 1980, Acoustic propagation in the vicinity of fractures which intersect a fluid-filled borehole: SPWLA 21st Annual Logging Symposium, Lafayette, LA, July 8-11, 1980, p. 1-33.
- (P) Papadopoulos, S. S., Wallace, R. H., Jr., Wesselman, J. B., and Taylor, R. E., 1975, Assessment of onshore geopressed- geothermal resources in the northern Gulf of Mexico basin in White, D. E., and Williams, D. L., eds., *Assessment of Geothermal Resources of the United States--1975*: U.S. Geol. Survey Circular 726, p. 125-140.
- (O) Pearson, F. J., Jr., and Truesdell, A. H., 1978, Tritium in the waters of Yellowstone National Park: Short Papers of the 4th International Conference, Geochronology, Cosmochronology, Isotope Geology, 1978: U.S. Geol. Survey Open-file rept. 78-701, p. 327-329.
- (P) Peck, D. L., 1975, Recoverability of geothermal energy directly from molten igneous systems in White, D. E., and Williams, D. L., eds., *Assessment of Geothermal Resources of the United States--1975*: U.S. Geol. Survey Circular 726, p. 122-124.
- (P) Peppin, W. A., and Bufe, C. G., 1980, Induced versus natural earthquakes - search for a seismic discriminant: *Seis. Soc. Am. Bull.*, v. 70, no. 1, p. 269-282.
- (P) Peselnick, Louis, Lockwood, J. P., and Stewart, R. M., 1977, Anisotropic elastic velocities of some upper mantle xenoliths underlying the Sierra Nevada Batholith, *J. Geophys. Res.*, 82, p. 2005-2010.
- (P) Peselnick, L., and Nicolas, A., 1978, Seismic anisotropy in an ophiolite peridotite: application to oceanic upper mantle: *Jour. Geophys. Res.*, v. 83, p. 1227-1235.
- (A) Peselnick, Louis, and Stewart, R. M., 1974, Ultrasonic velocities at elevated temperature and pressure, and a proposed ultrasonic standard: *Trans. Am. Geophys. Union*, v. 56, p. 1189.
- (P) Peselnick, Louis, and Stewart, R. M., 1975, A sample assembly for velocity measurements of rocks at elevated temperatures and pressures: *Jour. of Geophys. Research*, v. 80, no. 26, p. 3765-3768.
- (O) Peterson, D. L., 1975, Principal facts for gravity stations in Steamboat Hills and Wabuska, Nevada: U.S. Geol. Survey Open-file rept. 75-443, 7 p.
- (O) Peterson, D. L., 1977, Principal facts for a gravity survey of Battle Creek-Squaw Hot Springs and vicinity, northern Cache Valley, Idaho: U.S. Geol. Survey Open-file rept. 77-670.
- (O) Peterson, D. L., and Dansereau, D. A., 1975, Principal facts for gravity stations in the Gerlach and San Emidio KGRAs, Nevada, U.S. Geol. Survey Open-file rept. 75-668, 6 p.
- (O) Peterson, D. L., and Dansereau, D. A., 1976, Principal facts for gravity stations in the Darrough KGRA, Nevada, U.S. Geol. Survey Open-file rept. 76-289, 4 p.

- (O) Peterson, D. L., and Dansereau, D. A., 1976, Principal facts for gravity stations in the Elko Hot Springs KGRA, Nevada, U.S. Geol. Survey Open-file rept. 76-151, 3 p.
- (O) Peterson, D. L., and Hassemer, J. H., 1976, Principal facts for a gravity survey of Wendel-Amedee KGRA, California: U.S. Geol. Survey Open-file rept. 76-702B, 3 p.
- (O) Peterson, D. L., and Hassemer, J. H., 1977, Principal facts for a gravity survey of Pinto Hot Springs KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-67B, 3 p.
- (O) Peterson, D. L., and Hoover, D. B., 1977, Principal facts for a gravity survey of Baltazor KGRA, Nevada: U.S. Geol. Survey Open-file rept. 77-67-C, 4 p.
- (O) Peterson, D. L., and Kaufmann, H. E., 1977, Principal facts for a gravity survey of Salt Wells Basin, Churchill County, Nevada: U.S. Geol. Survey Open-file rept. 77-67-D, 5 p.
- (O) Peterson, D. L., and Kaufmann, H. E., 1978, Principal facts for a gravity survey of the Double Hot Springs KGRA, Humboldt County, Nevada: U.S. Geol. Survey Open-file rept. 78-107-A, 5 p.
- (O) Peterson, D. L., and Kaufmann, H. E., 1978, Principal facts for a gravity survey of the Fly Ranch extension KGRA, Pershing County, Nevada: U.S. Geol. Survey Open-file rept. 78-107-C, 5 p.
- (O) Peterson, D. L., and Kaufmann, H. E., 1978, Principal facts for a gravity survey of the Gerlach extension KGRA, Pershing County, Nevada: U.S. Geol. Survey Open-file rept. 78-107-B, 5 p.
- (O) Peterson, D. L., and Wilson, C. W., 1976, Principal facts for gravity stations in the Bruneau-Grandview area, Owyhee and Elmore Counties, Idaho, and Elko County, Nevada: U.S. Geol. Survey Open-file rept. 76-233, 4 p.
- (P) Peterson, E. A., and Reed, M. J., 1981, Direct use of geothermal energy - an international review: in Stambolis, C., ed., Renewable Energy Sources for Developing Countries: Heliotechnic Press, London, p. 91-114.
- (A) Pitt, A. M., 1974, Evidence from local earthquakes for the existence of a region of seismic body wave attenuation in the upper crust under the Yellowstone caldera: EOS, v. 56, no. 12, p. 1190.
- (A) Pitt, A. M., 1979, Preliminary map of earthquake epicenters in Yellowstone National Park and vicinity 1973-1978: U.S. Geol. Survey Open-file rept. 79-717.
- (O) Pitt, A. M., 1980, Catalog of earthquakes in the Yellowstone Park - Hebgen Lake region from Nov. 1972 to Dec. 1975: U.S. Geol. Survey Open-file rept. 80-2006, 32 p.
- (A) Pitt, A. M., and Weaver, C. S., 1978, Apparent velocities in the crust and upper mantle beneath the yellowstone caldera: Earthquake Notes v. 49, No. 4, p. 11.
- (O) Pitt, A. M., Weaver, C. S., and Spence, William, 1979, The Yellowstone Park Earthquake of June 30, 1975: Bull. Seis. Soc. Am., v. 69, no. 1, p. 187-205.
- (P) Plouff, Donald, 1975, Gravity data in Crump Geyser area, Oregon: NTIS-PB-245 246, 16 p. National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.
- (P) Plouff, Donald, and Isherwood, W. F., 1980, Aeromagnetic and gravity surveys in the Coso range, California: Jour. Geophysical Res., v. 85, no. 5, p. 2491-2501.
- (O) Plouff, Donald, Isherwood, W. F., Bacon, C. R., Duffield, W. A., and Van Buren, H. M., 1980, Bulk density and magnetization measurements of samples from the Coso Range, California: U.S. Geol. Survey Open-file rept. 80-61.
- (P) Plummer, L. N., Jones, B. F., and Truesdell, A. H., 1976, WATEQF: A FORTRAN IV version of WATEQ, a computer program for calculating chemical equilibrium of natural waters: NTIS rept. PB-261 027, 66 p.
- (A) Pollard, D. D., 1975, Initiation of parallel hydraulic fractures or dike swarms: EOS, Am. Geophysical Union Transactions, v. 56, no. 6, p. 444.
- (A) Pollard, D. D., 1975, On the interaction between the ground surface and hydraulic fractures: EOS, v. 56, no. 12, p. 1060.

- (A) Pollard, D. D., 1976, Mechanism for development of plug-like intrusions from dikes: Geol. Soc. America Abstracts with Programs, v. 8, no. 6, p. 833.
- (P) Pollard, D. D., 1976, On the form and stability of open hydraulic fractures in the earth's crust: Geophys. Res. Letters, v. 3, no. 9, p. 513-516.
- (A) Pollard, D. D., 1977, The mechanics of dike emplacement: A review of field observations and theory: Second Inter-team Meeting Basaltic Volcanism Study Project, Lunar Science Institute, Houston, Texas, BV: Newsletter Number 4, p. 17-18.
- (A) Pollard, D. D., 1978, Forms of hydraulic fractures as deduced from field studies of sheet intrusions: in Elsner, D. B., ed., Proceedings of the Hot Dry Rock Geothermal Workshop, Los Alamos Scientific Laboratory, LA-7470-C, p. 17.
- (P) Pollard, D. D., 1978, Forms of hydraulic fractures as deduced from field studies of sheet intrusions in Kim, Y. S., ed., 19th U.S. Symposium on Rock Mechanics Proceedings, Univ. of Nevada, Reno, p. 1-9.
- (P) Pollard, D. D., and Aki, K., 1981, A new source mechanism for volcanic tremor: EOS, v. 62, no. 17, p. 400.
- (A) Pollard, D. D., and Delaney, P. T., 1976, On the form and growth of large en echelon fractures in rock: EOS, v. 57, no. 12, p. 1006.
- (A) Pollard, D. D., and Delaney, P. T., 1978, Basaltic subvolcanic conduits near Shiprock, New Mexico: Dike propagation and dilation: EOS, v. 59, no. 12, p. 1212.
- (A) Pollard, D. D., Endo, E., and Delaney, P. T., 1977, En echelon fissures and ground-surface deformation in volcanic rift zones: EOS, v. 58, no. 12, p. 1228.
- (O) Pollard, D. D., and Holzhausen, G. R., 1978, FORTRAN computer program for calculation of stress-intensity factors, stresses, and displacements associated with a fluid-pressurized fracture near the earth's surface: U.S. Geol. Survey Open-file rept. 78-160, 26 p.
- (P) Pollard, D. D., and Holzhausen, Gary, 1979, On the mechanical interaction between a fluid-filled fracture and the earth's surface: Tectonophysics, v. 53, p. 27-57.
- (A) Pollard, D. D., and Muller, O. H., 1976, The effect of gradients in regional stress and magma pressure on the form of sheet intrusions in cross section: Jour. Geophys. Res., v. 81, no. 5, p. 975-984.
- (P) Pollard, D. D., Muller, O. H., and Dockstader, D. R., 1975, The form and growth of fingered sheet intrusions: Geological Society of Am. Bull., v. 86, p. 351-363.
- (A) Pollard, D. D., and Segall, Paul, 1980, Observations of joints in granite: EOS, v. 61, p. 1111.
- (P) Potter, R. W. II, 1976, An assessment of the status of the available data on the PVT properties for the major components in geothermal brines: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 1, p. 827-829.
- (P) Potter, R. W., II, 1977, Pressure corrections for fluid-inclusion homogenization temperatures based on the volumetric properties of the system of NaCl-H₂O: U.S. Geol. Survey Jour. Research, v. 5, p. 603-607.
- (O) Potter, R. W., II, 1978, Bibliography of the PVTX properties of the binary system H₂O-NaCl: U.S. Geol. Survey Open-file rept. 78-549, 34 p.
- (P) Potter, R. W., II, 1978, Viscosity of geothermal brines: Geothermal Resources Council, Trans., v. 2, p. 543-544.
- (A) Potter, R. W., II, Babcock, R. S., and Brown, D. L., 1975, Solubility relationships in the NaCl-KCl-H₂O system: EOS, v. 56, no. 12, p. 1075.
- (P) Potter, R. W., II, Babcock, R. S., and Brown, D. L., 1977, A new method for determining the solubility of salts in aqueous solutions at elevated temperatures: U.S. Geol. Survey Jour. Research, v. 5, no. 3, p. 389-395.
- (P) Potter, R. W., II, Babcock, R. S., and Czamanske, G. K., 1976, An investigation of the critical liquid-vapor properties of dilute KCl solutions: Journal of Solution Chemistry, v. 5, no. 3, p. 223-230.

- (O) Potter, R. W., II, and Brown, D. L., 1976, The volumetric properties of vapor saturated aqueous potassium chloride solutions from 0° to 400°C based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 76-243. 5 p.
- (O) Potter, R. W., II, and Brown, D. L., 1976, The volumetric properties of vapor saturated aqueous sodium sulfate solutions from 0° to 325° based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 76-255, 6 p.
- (P) Potter, R. W., II, and Brown, D. L., 1977, The volumetric properties of aqueous sodium chloride solutions from 0° to 500°C at pressures up to 2000 bars based on a regression of available data in the literature: U.S. Geol. Survey Bull. 1421C, C1-C36.
- (O) Potter, R. W. II, and Brown, D. L., 1977, The volumetric properties of vapor saturated aqueous potassium sulfate solutions from 0° to 200°C based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 76-501, 7 p.
- (O) Potter, R. W., II, and Clynne, M. A., 1976, The volumetric properties of vapor saturated aqueous calcium chloride solutions from 0° to 300°C based on a regression of the available literature data: U.S. Geol. Survey Open-file rept. 76-365, 6 p.
- (A) Potter, R. W., II, and Clynne, M. A., 1978, Pressure correction for fluid-inclusion homogenization temperatures: Program and Abstracts, 5th IAGOD Symposium, p. 146.
- (P) Potter, R. W., II, and Clynne, M. A., 1978, Solubility of highly soluble salts in aqueous media - Part 1, NaCl, KCl, CaCl₂, Na₂SO₄, and K₂SO₄ solubilities to 100°C: U.S. Geol. Survey Jour. of Research, v. 6, no. 6, p. 701-705.
- (P) Potter, R. W., II, and Clynne, M. A., 1978, The solubility of the noble gases He, Ne, Ar, Kr, and Xe in water up to the critical point: Jour. Solution Chem., v. 7, p. 837-844.
- (P) Potter, R. W., II, Clynne, M. A., and Brown, D. L., 1977, Freezing point depression of aqueous sodium chloride solutions: Econ. Geol., v. 73, p. 284-285.
- (P) Potter, R. W., II, and Haas, J. L., Jr., 1976, A calculation model for the P-V-T-X properties of geothermal brines: Proceedings Second Workshop on geothermal reservoir engineering, Stanford, Calif., 1976, p. 247-250.
- (P) Potter, R. W., II, and Haas, J. L., Jr., 1977, A model for the calculation of the bulk thermodynamic properties of geothermal fluids: Geothermal Resources Council Trans., v. 1, p. 243-244.
- (P) Potter, R. W., II, and Haas, J. L., Jr., 1978, Models for the calculation density and vapor pressure of geothermal brines: U.S. Geol. Survey Jour. of Research, v. 6, no. 2, p. 247-257.
- (O) Potter, R. W., II, Marshall, W. L., Fournier, R. O., and Martynova, O. I., 1978, Bibliography of the available data on the solubility of silica in water substance: U.S. Geol. Survey Open-file rept. 78-731, 7 p.
- (A) Potter, R. W., II, Mazor, Emanuel, and Clynne, M. A., 1977, Noble gas partition coefficients applied to the conditions of geothermal steam formation: Geol. Soc. America, Abs. with Prog., v. 9, no. 7, p. 1132-1133.
- (P) Potter, R. W., II, Shaw, D. R., and Haas, J. L., Jr., 1975, Annotated bibliography of studies on the density and other volumetric properties for major components in geothermal waters 1928-1974: U.S. Geol. Survey Bull. 1417, 78 p.
- (P) Potter, R. W., II, Truesdell, A. H., and Mazor, Emanuel, 1978, The use of noble gases and stable isotopes to indicate temperature and mechanisms of subsurface boiling and less certainly reservoir depletion in geothermal systems: Proceedings of the Third Workshop on Geothermal Reservoir Engineering, Stanford, California, Dec. 14-16, 1977, p. 55-60.

- (P) Preble, D. M., Friedman, J. D., and Frank, David, 1978, Thermal surveillance of active volcanoes using the Landsat-1 Data Collection System: Part 5. Electronic thermal sensor and data collection platform technology. NTIS rept. N-78-23500/LLL.
- (P) Presser, T. S., and Barnes, Ivan, 1974, Special techniques for determining chemical properties of geothermal water: U. S. Geol. Survey Water Resources Investigations, 22-74, 11 p.
- (A) Prostka, H. J., 1975, Structure and origin of the Snake River Plain, Idaho: Geol. Soc. America, Abs. with Programs, v. 7, no. 5, p. 637.
- (O) Prostka, H. J., and Embree, G. F., 1978, Geology and geothermal resources of the Rexburg area, eastern Idaho: U.S. Geol. Survey Open-file rept. 78-1009, 14 p., 2 pl.
- (A) Prostka, H. J., Embree, G. F., and Doherty, D. J., 1979, The Pliocene Rexburg caldera complex, southeastern Idaho: Abs. with programs, Geol. Soc. Am., v. 11, No. 7, p. 499.
- (O) Prostka, H. J., and Hackman, R. J., 1974, Preliminary geologic map of the NW 1/4 Driggs 1° by 2° quadrangle, southeastern Idaho: U.S. Geol. Survey Open-file rept. 74-105.
- (A) Prostka, H. J., and Oriel, S. S., 1975, Genetic models for Snake River Plain, Idaho: Geol. Soc. America, Abs. with Programs, v. 7, no. 7, p. 1236.
- (A) Rai, C. S., Manghnani, M. H., and Katahara, K. W., 1980, Compressional wave velocity and attenuation in a basalt melt: EOS, v. 6, p. 1042.
- (O) Raleigh, C. B., 1977, Potential for triggering of earthquakes by stimulation of dry rock geothermal fields: U.S. Geol. Survey Open-file rept. 77-249. 4 p.
- (A) Raleigh, C. B., Witherspoon, P., Gringarten, A., and Ohnishi, Y., 1974, Multiple hydraulic fracturing for the recovery of geothermal energy: EOS, v. 55, no. 4, p. 426.
- (A) Reasenber, P. A., Ellsworth, W. L., and Walter, A. W., 1979, Teleseismic evidence for a low-velocity body under the Coso Geothermal area: Earthquake Notes, v. 49, no. 4, p. 8.
- (P) Reasenber, P. A., Ellsworth, W. L., and Walter, A. W., 1980, Teleseismic evidence for a low-velocity body under the Coso geothermal area: Jour. Geophysical Res., v. 85, no. 5, p. 2471-2483.
- (P) Reed, M. J., 1976, Environmental impact of development in The Geysers geothermal field, USA: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, San Francisco, California, May 20-29, 1975, v. 2, p. 1399-1410.
- (P) Reed, M. J., 1976, Geology and hydrothermal metamorphism in the Cerro Prieto geothermal field, Mexico: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29 1975, San Francisco, Calif., v. 1, p. 539-547.
- (P) Reed, M. J., 1979, Geothermal Energy: Geotimes, v. 24, no. 1, p. 30.
- (P) Reed, M. J., 1980, Geothermal Energy: Geotimes, v. 25, no. 2, p. 26-27.
- (P) Reed, M. J., 1981, Geothermal Energy: Geotimes, v. 26, no. 2, p. 34-35.
- (P) Reed, M. J., and Sorey, M. L., 1981, Low-temperature geothermal resource assessment of the United States - a progress report: Geothermal Resources Council, Bull., v. 10, no. 6, p. 11-14.
- (P) Renner, J. L., and others, 1976, Hydrothermal convection systems in the states of Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming: NTIS rept. no. PB 250-377, 352 p.
- (P) Renner, J. L., White, D. E., and Williams, D. L., 1975, Hydrothermal convection systems, in White, D. E., and Williams, D. L., eds., Assessment of Geothermal Resources of the United States--1975: U.S. Geol. Survey Circular 726, p. 5-57.
- (A) Rightmire, C. T., and Truesdell, A. H., 1974, Carbon isotope composition of soil gases as an indicator of geothermal areas: Geol. Soc. America, Abstracts with Programs, v. 6, no. 7, p. 927.

- (P) Rightmire, C. T., Young, H. W., and Whitehead, R. L., 1976, Geothermal investigations in Idaho; Part 4, Isotopic and geochemical analyses of water from the Bruneau, Grand View and Weiser Areas, Southwest Idaho: Idaho Dept. of Water Resources, Water Information Bull. 30, 28 p.
- (O) Rite, A. C., and Iyer, H. M., 1981, July 1980 Mt. Hood earthquake swarm: U.S. Geol. Survey Open-file rept. 81-0048, 21 p.
- (A) Rite, A. C., Iyer, H. M., Rojas, Veronica, 1980, July 1980 Mt. Hood earthquake swarm: EOS, v. 61, p. 1042.
- (O) Roberts, A. A., 1975, Helium surveys over known geothermal resource areas in the Imperial Valley, California: U.S. Geol. Survey Open-file rept. 75-427. 6 p.
- (P) Roberts, A. A., Friedman, Irving, Donovan, T. J., and Denton, E. H., 1975, Helium survey, a possible technique for locating geothermal reservoirs: Geophysical Research Letters, v. 2, no. 6, p. 209-210.
- (P) Robertson, E. C., Fournier, R. O., and Strong, C. P., 1976, Hydrothermal activity in Southwestern Montana: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, San Francisco, California, May 20-29, 1975, v. 1, p. 553-561.
- (P) Robinson, P. T., Elders, W. A., and Muffler, L. J. P., 1976, Quaternary volcanism in the Salton Sea geothermal field, Imperial Valley, California: Geol. Soc. America Bull., v. 87, no. 3, p. 347-360.
- (P) Robinson, R., and Iyer, H. M., 1979, Evidence from teleseismic P-wave observations for a low velocity body under the Roosevelt Hot Springs geothermal area, Utah: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 585.
- (P) Robinson, Russell, and Iyer, H. M., 1981, Delineation of a low-velocity body under the Roosevelt Hot Springs geothermal area, Utah, using teleseismic P-wave data: Geophysics, v. 46, no. 10, 1456-1466.
- (O) Robison, J. H., 1981, Data from geothermal gradient wells near Oasis, Lower Coachella Valley, California: U.S. Geol. Survey Open-file rept. 81-0411, 29 p.
- (O) Robison, J. H., Forcella, L. S., and Gannett, M. W., 1981, Data from geothermal test wells near Mount Hood, Oregon: U.S. Geol. Survey Open-file rept. 81-1002, 24 p.
- (O) Rohret, D. H., Lescelius, R. H., and Frischknecht, F. C., 1975, Schematic diagrams and parts list for portable telluric current profiler: U.S. Geol. Survey Open-file rept. 75-641, 7 p.
- (O) Ross, P. P. and Farrar, C. D., 1980, Map showing potential geothermal-resource areas, as indicated by the chemical character of ground water, in Verde Valley, Yavapai County, Arizona: U.S. Geol. Survey Open-file rept. 80-13.
- (P) Rowe, J. J., Fournier, R. O., and Morey, G. W., 1973, Chemical analysis of thermal waters in Yellowstone National Park, Wyoming, 1960-1965: U.S. Geol. Survey Bull. 1303, 31 p.
- (P) Rowley, P. D., Lipman, P. W., Mehnert, H. H., Lindsey, D. A., and Anderson, J. J., 1978, Blue Ribbon Lineament, and east-trending structural zone within the Pioche mineral belt of southwestern Utah and eastern Nevada: Jour. Research U.S. Geol. Survey, v. 6, no. 2, p. 175-192.
- (O) Rush, F. E., 1977, Subsurface-temperature data for some wells in western Utah: U.S. Geol. Survey Open-file rept. 77-132, 36 p.
- (P) Ryan, M. P., and Sammis, C. G., 1981, The glass transition in basalt: Jour. Geophys. Res., v. 86, no. B10, p. 9519-9535.
- (P) Rybach, L., and Muffler, L. J. P., eds., 1981, Geothermal systems: principles and case histories, John Wiley and Sons, New York, 359 p.
- (O) Sammel, E. A., 1976, Hydrologic reconnaissance of the geothermal area near Klamath Falls, Oregon with a section on preliminary interpretation of geophysical data by D. L. Peterson: U.S. Geol. Survey Open-file rept. WRI 76-127, 129 p.

- (P) Sammel, E. A., 1979, Occurrence of low-temperature geothermal waters in the United States in Muffler, L. J. P., ed., Assessment of Geothermal Resources of the United States--1978: U.S. Geol. Survey Circular 790, p. 86-131.
- (P) Sammel, E. A., 1980, Hydrogeologic appraisal of the Klamath Falls geothermal area, Oregon: U.S. Geol. Survey Prof. Paper 1044-G, 45 p.
- (P) Sammel, E. A., 1981, Results of test drilling at Newberry Volcano, Oregon: GRC Bull., Dec. 81, p. 3-8.
- (P) Sass, J. H., Blackwell, D. D., Chapman, D. S., Costain, J. K., Decker, E. R., Lawver, L. A., and Swanberg, C. A., 1981, Heat flow from the crust of the Earth, in Touloukian, Y. S., Judd, W. R., and Roy, R. F., eds. Physical Properties of Rocks and Minerals, McGraw-Hill, New York, p. 503-548.
- (O) Sass, J. H., Diment, W. H., Lachenbruch, A. H., Marshall, B. V., Munroe, R. J., Moses, T. H., Jr., and Urban, T. C., 1976, A new heat-flow contour map of the conterminous United States: U.S. Geol. Survey Open-file rept. 76-756, 24 p.
- (O) Sass, J. H., Glanis, S. P., Jr., Marshall, B. V., Lachenbruch, A. L., Munroe, R. J., and Moses, T. H., Jr., 1978, Conductive heat flow in the Randsburg area, California: U.S. Geol. Survey Open-file rept. 78-756, 45 p.
- (O) Sass, J. H., Glanis, S. P., Jr., Munroe, R. J., and Urban, T. C., 1976, Heat-flow data from southeastern Oregon: U.S. Geol. Survey Open-file rept. 76-217, 52 p.
- (O) Sass, J. H., Jaeger, J. C., and Munroe, R. J., 1976, Heat flow and near-surface radioactivity in the Australian continental crust: U.S. Geol. Survey Open-file rept. 76-250, 91 p.
- (P) Sass, J. H., Kennelly, J. P., Jr., Wendt, W. E., Moses, T. H., Jr., and Ziagos, J. P., 1979, In situ determination of heat flow in unconsolidated sediments: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 617-620.
- (P) Sass, J. H., Kennelly, J. P., Jr., Wendt, W. E., Moses, T. H., Jr., and Ziagos, J. P., 1981, In-situ determination of heat flow in unconsolidated sediments: Geophysics, v. 46, p. 76-83.
- (P) Sass, J. H., and Lachenbruch, A. H., 1979, Heat flow and conduction-dominated thermal regimes in Muffler, L. J. P., ed., Assessment of Geothermal Resources of the United States--1978: U.S. Geol. Survey Circular 790, p. 8-11.
- (A) Sass, J. H., Lachenbruch, A. H., and Bunker, C. M., 1973, Tectonic significance of geothermal data from central California and Nevada: Geol. Soc. America, Cordilleran Sec. Ann. Mtg., 69th, Portland, Oregon, 1973, Abstracts with Programs, v. 5, no. 1, p. 99.
- (O) Sass, J. H., Lachenbruch, A. H., and Mase, C. W., 1980, Analysis of thermal data from drill holes UE25a-3 and UE25a-1, Calico Hills and Yucca Mountain, Nevada Test Site: U.S. Geol. Survey Open-file rept. 80-826, 25 p.
- (A) Sass, J. H., Lachenbruch, A. H., and Munroe, R. J., 1974, Regional heat flow as an indicator of geothermal resources: Geol. Soc. America, Abstracts with Programs, v. 6, no. 3, p. 247.
- (O) Sass, J. H., Lachenbruch, A. H., and Munroe, R. J., 1974, Thermal data from heat-flow test wells near Long Valley, California: U.S. Geol. Survey Open-file rept., 46 p.
- (O) Sass, J. H., Munroe, R. J., 1973, Temperature gradients in Harney County, Oregon: U.S. Geol. Survey Open-file rept., 11 p.
- (O) Sass, J. H., and Munroe, R. J., 1974, Basic heat-flow data from the United States: U.S. Geol. Survey Open-file rept., 363 p.
- (O) Sass, J. H., Munroe, R. J., and Stone, Claudia, 1981, Heat flow from uranium test holes in west-central Arizona: U.S. Geol. Survey Open-file rept. 81-1089, 42 p.
- (O) Sass, J. H., Olmsted, F. H., Sorey, M. L., Wollenberg, H. A., Lachenbruch, A. H., Munroe, R. J., and Galanis, S. P., Jr., 1976, Geothermal data from test wells drilled in Grass Valley and Buffalo Valley, Nevada: U.S. Geol. Survey Open-file rept. 76-85, 43 p.

- (O) Sass, J. H., and Sammel, E. A., 1976, Heat flow data and their relation to observed geothermal phenomena near Klamath Falls, Oregon: Jour. Geophys. Res., v. 81, no. 26, p. 4863-4868.
- (O) Sass, J. H., Wollenberg, H. A., Di Somma, D. E., and Ziagos, J. P., 1976, Heat flow near Kyle Hot Springs, Buena Vista Valley, Nevada: U.S. Geol. Survey Open-file rept. 76-862, 8 p.
- (O) Sass, J. H., and Ziagos, J. P., 1977, Heat flow from a corehole near Charleston, South Carolina, U.S. Geol. Survey Prof. Paper 1028-H, p. 115-117.
- (O) Sass, J. H., Ziagos, J. P., Wollenberg, H. A., Munroe, R. J., Di Somma, D. E., Lachenbruch, A. H., 1977, Application of heat-flow techniques to geothermal energy exploration, Leach Hot Springs area, Grass Valley, Nevada: U.S. Geol. Survey Open-file rept. 77-762, 124 p.
- (O) Sass, J. H., Zoback, M. L., Galanis, S. P., Jr., 1979, Heat flow in relation to hydrothermal activity in the southern Black Rock Desert, Nevada: U.S. Geol. Survey Open-File Rept. 79-1467, 39 p.
- (A) Sawkins, F. J., O'Neil, J. R., and Thompson, J. M., 1977, Geochemical evidence relating ore deposition to current geothermal convective activity, Baguio Gold District, Luzon, Philippines: Geol. Soc. America, Abs. with Prog. v. 9, p. 1157-1158.
- (O) Schaefer, D. H., and Maurer, D. K., 1980, Principal facts for gravity stations in the western arm of the Black Rock Desert, Nevada: U.S. Geol. Survey Open-file rept. 80-577, 18 p.
- (P) Schimschal, Ulrich, 1981, Flowmeter analysis at Raft River, Idaho: Ground Water, v. 19, no. 1, p. 93-97.
- (O) Schnapp, Madeline, and Fuis, Gary, 1977, Preliminary catalog of earthquakes in the northern Imperial Valley, California, October 1, 1976-December 31, 1976, U.S. Geol. Survey Open-file rept. 77-431.
- (O) Schnapp, Madeline, and Fuis, Gary, 1978, Preliminary catalog of earthquakes in northern Imperial Valley, California, January 1, 1977 to March 31, 1977: U.S. Geol. Survey Open-file rept. 78-74.
- (P) Schoen, R. W., White, D. E., and Hemley, J. J., 1974, Argillization by descending acid at Steamboat Springs, Nevada: Clay and Clay Minerals, v. 22, no. 1, p. 1-22.
- (P) Scott, G. R., 1975, Reconnaissance geologic map of the Buena Vista quadrangle, Chaffee and Park Counties, Colorado: U.S. Geol. Survey Misc. Invest. Map, MF-657, scale 1:62,500.
- (P) Scott, G. R., Van Alstine, R. E., and Sharp, W. N., 1975, Geologic map of the Poncha Springs quadrangle, Chaffee County, Colorado: U.S. Geol. Survey Misc. Invest. map, MF-658, scale 1:62,500.
- (A) Secor, D. T., Jr., and Pollard, D. D., 1975, Stability of open hydraulic fractures in the earth's crust: EOS, Am. Geophysical Union Transactions, v. 56, no. 12, p. 1060.
- (P) Secor, D. T., Jr., and Pollard, D. D., 1975, On the stability of open hydraulic fractures in the earth's crust: Geophys. Res. Letters, v. 2, no. 11, p. 510-513.
- (A) Segall, Paul, and Pollard, D. D., 1980, Development of joint sets: EOS, v. 61, p. 1111.
- (O) Senterfit, R. M., 1979, Principal facts for a gravity survey of the Broadwater, Montana geothermal area: U.S. Geol. Survey Open-file rept. 79-1624.
- (O) Senterfit, R. M., 1980, Principal facts for a gravity survey of the Ennis, Montana, geothermal area: U.S. Geol. Survey Open-file rept. 80-98, 8 p.
- (O) Senterfit, R. M., and Bedlinger, G. M., 1976, Audio-magnetotelluric data log, station location map for the Klamath Falls KGRA, Oregon: U.S. Geol. Survey Open-file rept. 76-320, 6 p.
- (O) Senterfit, R. M., and Bedlinger, G. M., 1976, Audio-magnetotelluric data log station location map and skin depth pseudo-sections, Crater Hot Springs KGRA, Utah: U.S. Geol. Survey Open-file rept. 76-245, 3 p.

- (O) Senterfit, R. M., and Dansereau, D. A., 1976, Audio-magnetotelluric data log and station location map for the Summer Lake KGRA, Oregon: U.S. Geol. Survey Open-file rept. 76-514.
- (O) Senterfit, R. M., and Heran, W. D., 1978, Audio-magnetotelluric data log and station location map for the Glamis KGRA, California: U.S. Geol. Survey Open-file rept. 78-105-C, 7 p.
- (O) Senterfit, R. M., Hoover, D. B., Christopherson, K. R., 1978, Telluric traverse location map and profiles for Double Hot Springs KGRA, Nevada, U.S. Geol. Survey Open-file rept. 78-106A.
- (O) Senterfit, R. M., Hoover, Donald, and Tippens, Charles, 1976, Audio-magnetotelluric data log and station location map for the Dixie Valley KGRA, Nevada: U.S. Geol. Survey Open-file rept. 76-292, 11 p.
- (O) Senterfit, R. M., and Huff, W., 1977, Audio-magnetotelluric station location map and data log for Charleston, South Carolina: U.S. Geol. Survey Open-file rept. 77-342.
- (O) Senterfit, R. M., and Long, C. L., 1976, Audio-magnetotelluric station location map, Breitenbush KGRA, Oregon: U.S. Geol. Survey Open-file rept. 76-700F, 5 p.
- (O) Senterfit, R. M., and Long, C. L., 1978, Audio-magnetotelluric station location mapped data log, Double Hot Springs KGRA, Nevada: U.S. Geol. Survey Open-file rept. 78-105A.
- (O) Senterfit, R. M., and Moeller, D. D., 1976, Audio-magnetotelluric data log and station map for the Saline Valley KGRA, California: U.S. Geol. Survey Open-file rept. 78-105-D, 4 p.
- (A) Sherrod, D. R., and MacLeod, N. S., 1979, The last eruptions at Newberry volcano, central Oregon: Geol. Soc. Am. Abs. with Prog., v. 11, no. 3, p. 127.
- (P) Silberman, M. L., White, D. E., Keith, T. E. C., and Dockter, R. D., 1979, Duration of hydrothermal activity at Steamboat Springs, Nevada, from ages of spatially associated volcanic rocks: U.S. Geol. Survey Prof. Paper 458-D, 14 p.
- (A) Smith, B. D., Zablocki, C. J., Frischknecht, F. C., and Flanigan, V. J., 1977, The geoelectric structure of Kilauea Iki lava lake, Hawaii: Am. Geophys. Union Trans., v. 58, no. 5, p. 311.
- (O) Smith, B. D., Zablocki, C. J., Frischknecht, F. C., and Flanigan, V. J. 1977, Summary of results from electromagnetic and galvanic soundings on Kilauea Iki lava lake, Hawaii: U.S. Geol. Survey Open-file rept. 77-59, 27 p.
- (A) Smith, R. L. 1980, The Valles Caldera, Jemez Mountains, New Mexico: EOS, v. 61, p. 1150.
- (A) Smith, R. L., and Luedke, R. G., 1981, Potentially active volcanic lineaments and loci in the western conterminous United States: EOS, v. 62, no. 45., p. 1079.
- (A) Smith, R. L., and MacDonald, Ray, 1979, Rhyolitic volcanism and its relationship to granitic plutonism: Abs. with Programs, Geol. Soc. Am., v. 11, no. 7, p. 520.
- (A) Smith, R. L., and Shaw, H. R., 1973, Volcanic rocks as geologic guides to geothermal exploration and evaluation: EOS, v. 54, no. 11, p. 1213.
- (P) Smith, R. L., and Shaw, H. R., 1975, Igneous-related geothermal systems in White, D. E., and Williams, D. L., eds., Assessment of Geothermal Resources of the United States--1975: U.S. Geol. Survey Circular 726, p. 58-83.
- (P) Smith, R. L., and Shaw, H. R., 1979, Igneous-related geothermal systems in Muffler, L. J. P., ed., Assessment of Geothermal Resources of the United States: U.S. Geol. Survey Circular 790, p. 12-17.
- (O) Smith, R. L., Shaw, H. R., Luedke, R. G., and Russell, S. L., 1978, Comprehensive tables giving physical data and thermal energy estimates for young igneous systems of the United States: U.S. Geol. Survey Open-file rept. 78-925.
- (P) Sorey, M. L., 1971, Measurement of vertical groundwater velocity from temperature profiles in wells: Water Resources Research, v. 7, no. 4, p. 963-970.
- (O) Sorey, M. L., 1975, Potential effects of geothermal development on springs at the Hot Creek Fish Hatchery in Long Valley, California: U.S. Geol. Survey Open-file rept. 75-637, 8 p.

- (P) Sorey, M. L., 1978, Numerical modeling of liquid geothermal systems: U.S. Geol. Survey Prof. Paper 1044-D.
- (P) Sorey, M. L., 1980, Numerical code comparison project—a necessary step towards confidence in geothermal simulators: Stanford University Proceedings of Sixth Workshop Geothermal Reservoir Engineering, p. 253-257.
- (O) Sorey, M. L., and Clark, M. D., 1981, Changes in the discharge characteristics of thermal springs and fumaroles in the Long Valley caldera, California, resulting from earthquakes on May 25-27, 1980: U.S. Geol. Survey Open-file rept. 81-203, 22 p.
- (P) Sorey, M. L., and Fradkin, L. J., 1979, Validation and comparison of different models of the Wairakei geothermal reservoir: Stanford University Proceedings Fifth Workshop Geothermal Reservoir Engineering, p. 215-220.
- (P) Sorey, M. L., and Grant, M. A., 1979, Nonlinear effects in two-phase flow to wells in geothermal reservoirs: Geothermal Resources Council Transactions, v. 3, Reno, Nevada, p. 671-674.
- (P) Sorey, M. L., Grant, M. A., and Bradford, E., 1980, Nonlinear effects in two-phase flow to wells in geothermal reservoirs: Water Resources Research, v. 16, p. 767-777.
- (P) Sorey, M. L., and Lewis, R. E., 1976, Convective heat flow from hot springs in the Long Valley caldera, Mono County, California: Jour. Geophys. Res., v. 81, no. 5, p. 785-791.
- (O) Sorey, M. L., Lewis, R. E., and Olmsted, F. H., 1978, The hydrothermal system of Long Valley caldera, California: U.S. Geol. Survey Prof. Paper 1044-A, 60 p.
- (P) Sorey, M. L., and Reed, M. J., 1981, Low-temperature geothermal resource assessment of the United States: in Kruger, P., and Ramey, H. J., Jr., eds., Proceedings, Seventh Workshop Geothermal Reservoir Engineering, December 15-17, 1981: Stanford University, Stanford Geothermal Program, Technical Report 55, p. 109-113.
- (O) Stanley, W. D., 1979, U.S. Geol. Survey real-time MT system: U.S. Geol. Survey Open-file rept. 79-527.
- (P) Stanley, W. D., Buehl, J. E., Bostick, F. X., and Smith H. W., 1977, Geothermal significance of magnetotelluric sounding in the eastern Snake River Plain--Yellowstone region: Jour. Geoph. Res., v. 82, no. 2, p. 2501-2514.
- (A) Stanley, W. D., and Jackson, D. B., 1973, Geoelectrical investigations near The Geysers geothermal area, California: Geophysics, v. 38, no. 6, p. 1222.
- (O) Stanley, W. D., Jackson, D. B., and Hearn, B. C., Jr., 1973, Preliminary results of geoelectrical investigations near Clear Lake, California: U.S. Geol. Survey Open-file rept., 20 p.
- (A) Stanley, W. D., Jackson, D. B., and Zohdy, A. A. R., 1973, A total-field resistivity map of Long Valley, California: EOS, v. 54, no. 11, p. 1212.
- (P) Stanley, W. D., Jackson, D. B., and Zohdy, A. A. R., 1976, Deep electrical investigations in the Long Valley geothermal area, California: Jour. Geophys. Res., v. 81, no. 5, p. 810-820.
- (O) Stanley, W. D., Wahl, R. R., and Rosenbaum, J. G., 1976, A magnetotelluric study of the Stillwater-Soda Lakes, Nevada, geothermal area: U.S. Geol. Survey Open-file rept. 76-80. 38 p.
- (A) Stauber, D. A., 1980, Short period teleseismic P-residual study of San Francisco volcanic field, Arizona: EOS, v. 61, p. 1025.
- (P) Stauffer, R. E., 1977, Measuring total antimony in geothermal waters by flame-atomic absorption spectrometry: U.S. Geol. Survey Jour. Res., v. 5, p. 807-809.
- (P) Stauffer, R. E., Jenne, E. A., Ball, J. W., 1980, Chemical studies of selected trace elements in hot-spring drainages of Yellowstone National Park: U.S. Geol. Survey Prof. Paper 1044-F, 20 p.

- (P) Stauffer, R. E., and Thompson, J. M., 1978, Phosphorus in hydrothermal waters of Yellowstone National Park, Wyoming: U.S. Geol. Survey Jour. of Research, v. 6, no. 6, p. 755-763.
- (A) Steeples, D. W., 1975, Heat anomaly estimation from teleseismic P-delays: EOS, v. 56, no. 12, p. 1020.
- (P) Steeples, D. W., and Iyer, H. M., 1976, Low-velocity zone under Long Valley as determined from teleseismic events: Jour. Geophys. Res., V. 81, no. 5, p. 849-860.
- (P) Steeples, D. W., and Iyer, H. M., 1976, Teleseismic P-wave delays in geothermal exploration: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif. v. 2, p. 1199-1206.
- (P) Steeples, D. W., and Pitt, A. M., 1976, Microearthquakes in and near Long Valley: Jour. Geophys. Res., v. 81, no. 5, p. 841-847.
- (P) Steven, T. A., Cunningham, C. G., Naeser, C. W., and Mehnert, H. H., 1979, Revised stratigraphy and radiometric ages of volcanic rocks and mineral deposits in the Marysville area, west-central Utah: U.S. Geol. Survey Bull. 1469, 40 p.
- (A) Stevens, P. R., 1972, Depositional systems, water-salinity distribution and hydrogeologic processes, Wilcox Group (Eocene), western Gulf of Mexico basin, Texas: Proceedings of the XXIV International Geological Congress, Section 11, Hydrology, p. 240.
- (A) Stewart, R. M., and Peselnick, Louis, 1976, Compressional and shear velocity in westerly granite at high pressure and temperature: Am. Geophys. Union Trans., v. 57, p. 1000.
- (P) Stewart, R. M., and Peselnick, Louis, 1977, Velocity of compressional waves in dry Franciscan rocks to 8 kbar and 300°C: Jour. Geophys. Res., v. 82, p. 2027-2039.
- (P) Stewart, R. M., and Peselnick, L., 1978, Systematic behavior of compressional velocity in Franciscan rocks at high pressure and temperature: Jour. Geophys. Res., v. 83, p. 831-839.
- (A) Stoiber, R. E., Malinconico, L. L., Jr., and Casadevall, T. J., 1979, SO₂ monitoring by remote sensing at Kilauea Volcano, Hawaii: Intraplate Volcanism Conference, Hilo, Hawaii, July 1979.
- (A) Summers, R., Winkler, K., and Byerlee, J., 1975, Permeability changes during fluid flow through hot granite: EOS, v. 56, no. 12, p. 1060.
- (A) Swanson, J. R., 1977, GEOTHERM data file: Geothermal Resources Council Trans., v. 1, p. 285.
- (O) Swanson, J. R., 1977, GEOTHERM user guide: U.S. Geol. Survey Open-file rept. 77-504, 53 p.
- (P) Teshin, V. N., Swanson, J. R., and Orris, G. J., 1979, GEOTHERM - geothermal resources file: Trans., Geothermal Resources Council Annual Meeting, 24-27 Sept. 1979, Reno, Nevada, p. 721-724.
- (O) Thompson, J. M., 1975, Selecting and collecting thermal springs for chemical analyses: A method for field personnel: U.S. Geol. Survey Open-file rept. 75-68.
- (P) Thompson, J. M., 1979, Arsenic and fluoride in the upper Madison River system: Firehole and Gibbon Rivers and their tributaries, Yellowstone National Park, Wyoming and southeast Montana: Environmental Geology, v. 3, p. 13-21.
- (P) Thompson, J. M., Goff, F. E., and Donnelly, J. M., 1981, Chemical analyses of waters from springs and wells from the Clear Lake volcanic area, northern California: U.S. Geol. Survey Prof. Paper 1141, p. 183-191.
- (P) Thompson, J. M., and Hutchinson, R. A., 1980, Boundary Creek thermal areas of Yellowstone National Park: II. thermal water analyses: Geothermal Resources Council, Transactions, v. 4, p. 189-192.
- (O) Thompson, J. M., and Hutchinson, R. A., 1981, Chemical analyses of waters from the Boundary Creek thermal area, Yellowstone National Park, WY: U.S. Geol. Survey Open-file rept. 81-1310, 15 p.

- (O) Thompson, J. M., Presser, T. S., Barnes, R. B., and Bird, D. B., 1975, Chemical analyses of the waters of Yellowstone National Park, Wyoming from 1965-1973: U.S. Geol. Survey Open-file rept. 75-25.
- (P) Thompson, J. M., Sims, J. D., Yadav, Sandhya, and Rymer, M. J., 1981, Chemical composition of water and gas from five nearshore subaqueous springs in Clear Lake, northern California: U.S. Geol. Survey Prof. Paper 1141, p. 215-218.
- (O) Thompson, J. M., and Yadav, Sandya, 1979, Chemical analyses of waters from geysers, hot springs and pools in Yellowstone National Park, Wyoming from 1974 to 1978: U.S. Geol. Survey Open-file rept. 79-704.
- (P) Towle, J. N., 1980, Observations of a direct concentration on the Eastern Sierran front: evidence for shallow crustal conductors on the Eastern Sierran front and beneath the Coso range: Jour. Geophysical Res., v. 85, no. 5, p. 2484-2490.
- (O) Towle, J. N., 1980, Polarization of bay type geomagnetic disturbances in the Rio Grande Rift, New Mexico: U.S. Geol. Survey Open-file rept. 80-377, 69 p.
- (P) Towle, J. N., and Fitterman, D. V., 1975, Geomagnetic variations at Kilbourne hole, New Mexico: New Mexico Geol. Soc. Guidebook, 26th Field Conference, Las Cruces Country, p. 281.
- (P) Trainer, F. W., 1974, Ground water in the southwestern part of the Jemez volcanic region, New Mexico: New Mexico Geol. Soc. Guidebook, 25th Field Conference, Ghost Ranch, p. 337-345.
- (P) Trainer, F. W., 1975, Mixing of thermal and nonthermal waters in the margin of the Rio Grande Rift, Jemez Mountains, New Mexico: New Mexico Geol. Soc. Guidebook, 26th Field Conf., Las Cruces County, p. 213-318.
- (P) Trainer, F. W., 1978, Geohydrologic data from the Jemez Mountains and vicinity, north-central New Mexico: U.S. Geol. Survey Water-Resources Investigations 77-131, 146 p.
- (P) Truesdell, A. H., 1972, Ion exchange (p. 591-594): in Fairbridge, R. W., ed., Encyclopedia of Geochemistry and Environmental Sciences, Van Nostrand and Reinhold, New York 1321 p.
- (P) Truesdell, A. H., 1973, ENTHALP, a computer program for calculation of aquifer chemistry in hot water geothermal systems: U.S. Geol. Survey NTIS rept. PB 219-376.
- (P) Truesdell, A. H., 1974, Natural systems, part IV of a recommended research program in geothermal chemistry: USAEC report, WASH-1344, 48 p.
- (P) Truesdell, A. H., 1974, Oxygen isotope activities and concentrations in aqueous salt solutions at elevated temperatures: consequences for isotope geochemistry: Earth and Planet. Sci. Lett. 23, p. 387-396.
- (A) Truesdell, A. H., 1974, Reservoir temperatures of Yellowstone thermal systems: EOS, v. 56, no. 12, p. 1190.
- (A) Truesdell, A. H., 1975, Chemical tools for geothermal exploration: Geol. Soc. America, Abs. with Programs, v. 7, no. 5, p. 647-648.
- (P) Truesdell, A. H., 1976, Chemical evidence for subsurface structure and fluid flow in a geothermal system: Proc. Inf. Symposium on Water-Rock Interaction, 1974, p. 250-7.
- (P) Truesdell, A. H., 1976, GEOTHERM, a geothermometer computer program for hot spring systems: Proceedings of the Second United Nations Symposium on the Development and Use of Geothermal Resources, p. 831-836.
- (P) Truesdell, A. H., 1976, Summary of Section III: Geochemical techniques in exploration: Proceedings of the Second United Nations Symposium on the Development and Use of Geothermal Resources, San Francisco, Calif., May 20-29, 1975, v. 1, p. liii-lxxix.
- (P) Truesdell, A. H., 1979, The use of fluid geochemistry to indicate processes at Cerro Prieto, Mexico in Kruger, Paul and Ramey, H. J., Jr., eds., Proceedings, Fourth Workshop on Geothermal Reservoir Engineering, Dec. 13-15, 1978: Stanford University, Stanford, Calif., p. 239-242.

- (P) Truesdell, A. H., 1980, Aquifer boiling may be normal in exploited high-temperature geothermal systems: Proc., 5th Workshop on Geothermal Reservoir Engineering, Stanford University, Dec. 1979, p. 299-303.
- (P) Truesdell, A. H., and Fournier, R. O., 1976, Calculation of deep temperatures in geothermal systems from the chemistry of boiling spring waters of mixed origin: Proceedings of the Second United Nations Symposium on the Development and Use of Geothermal Resources, p. 837-844.
- (O) Truesdell, A. H., and Fournier, R. O., 1976, Conditions in the deeper parts of the hot spring systems of Yellowstone National Park, Wyoming: U.S. Geol. Survey Open-file rept. 76-428, 22 p.
- (P) Truesdell, A. H., and Fournier, R. O., 1977, Procedure for estimating the temperature of a hot water component in a mixed water using a plot of dissolved silica vs. enthalpy: U.S. Geol. Survey Jour. Research, v. 5, no. 1, p. 49-52.
- (P) Truesdell, A. H., Fournier, R. O., and Thompson, J. M., 1973, MIXTURE, a computer program for the calculation of hot water temperatures and mixing fractions of large volume warm springs of mixed water origin: U.S. Geol. Survey NTIS rept. PB 220-732.
- (P) Truesdell, A. H., Frye, G. A., and Nathenson, Manuel, 1979, Downhole measurements and fluid chemistry of a Castle Rock steam well, The Geysers, Lake County, California in Kruger, Paul and Ramey, H. J., Jr., eds., Proceedings, Fourth Workshop on Geothermal Reservoir Engineering, Dec. 13-15, 1978: Stanford University, Stanford, Calif., p. 96-105.
- (P) Truesdell, A. H., and Jones, B. F., 1973, WATEQ, A computer program for calculating chemical equilibria of natural waters: Jour of Research, U.S. Geol. Survey, v. 2, no. 2, p. 233-248.
- (P) Truesdell, A. H., Manon, A., Jimenez, M., Sanchez, A., and Fausto, J., 1979, Geochemical evidence of drawdown in the Cerro Prieto, Mexico, geothermal field, Proc. 1st Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, September, 1978, Lawrence Berkeley Laboratory Report 7089, p. 130-138.
- (P) Truesdell, A. H., Nathenson, Manuel, and Frye, G. A., 1981, Downhole measurements and fluid chemistry of a castle rock steam well, The Geysers, Lake County, CA: Geothermics, v. 10, no. 2, p. 103-114.
- (P) Truesdell, A. H., Nathenson, Manuel, and Rye, R. O., 1977, The effects of subsurface boiling and dilution of the isotopic compositions of Yellowstone thermal waters: Jour. of Geophys. Res., v. 82, no. 26, p. 3694-3704.
- (P) Truesdell, A. H., and Nehring, N. L., 1978, Gases and water isotopes in a section across the Larderello, Italy, geothermal field in Rybach, Ladislaus, and Stegena, Lajos, eds., Geothermics and Geothermal Energy: Pure and Applied Geophysics, v. 117, p. 276-289.
- (A) Truesdell, A. H., Nehring, N. L., Thompson, J. M., Coplen, T. B., DesMarais, D. J., Janik, C. J., and Mehl, D. C., 1979, Geochemical studies of the Cerro Prieto reservoir fluid: Program and abstract, Second Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Oct. 17-19, 1979, p. 28-31.
- (O) Truesdell, A. H., and Perring, K. L., 1974, Gas collection and analysis from geothermal systems: U.S. Geol. Survey Open-file rept.
- (O) Truesdell, A. H., and Perring, K. L., 1974, Geothermal gas sampling methods: U.S. Geol. Survey Open-file rept. 74-361, 4 p.
- (A) Truesdell, A. H., Rye, R. O., Pearson, F. J., Olson, E. R., Huebner, M. A., and Coplen, T. B., 1978, Preliminary isotopic studies of fluids from the Cerro Prieto geothermal field, Baja California, Mexico: Abstract volume, First Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, San Diego, 1978, p. 10-11.
- (P) Truesdell, A. H., Rye, R. O., Pearson, F. J., Jr., Olson, R. R., Nehring, N. L., Huebner, M. A., Coplen, T. B., II, 1979, Preliminary isotopic studies of fluids from the Cerro Prieto Geothermal Field, Baja California, Mexico LBL report 7098, p. 95-101.

- (O) Truesdell, A. H., Rye, R. O., Whelan, J. F., and Thompson, J. N., 1978, Sulfate chemical and isotopic patterns in thermal waters of Yellowstone Park, Wyoming: Short papers of the 4th International Conference, Geochronology, Cosmochronology, Isotope Geology, 1978: U.S. Geol. Survey Open-file rept. 78-701, p. 435-436.
- (P) Truesdell, A. H., and Singers, Wendy, 1974, The calculation of aquifer chemistry in hot-water geothermal systems: Jour. of Research, U.S. Geol. Survey, v. 2, no. 3, p. 271-278.
- (P) Truesdell, A. H., Thompson, J. M., Coplen, T. B., Nehring, M. L., and Janik, C. J., 1979, The origin of the Cerro Prieto geothermal brine: Proceedings of the 2nd Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, October 17-19, 1979, Mexicali, p. 224-240.
- (P) Truesdell, A. H., and White D. E., 1973, Production of superheated steam from vapor-dominated geothermal reservoirs: Geothermics, v. 2, nos. 3-4, p. 145-164.
- (O) U.S. Geol. Survey, 1972, Aeromagnetic map of the Jemez area, New Mexico: scale 1:250,000, Open-file rept.
- (O) U.S. Geol. Survey, 1972, Aeromagnetic map of the Klamath Falls and part of the Crescent 1° by 2° quadrangles, Oregon: scale 1:250,000: Open-file rept.
- (O) U.S. Geol. Survey, 1973, Aeromagnetic map of southeastern Idaho and part of southwestern Montana: scale 1:500,000: Open-file rept.
- (O) U.S. Geol. Survey, 1973, Aeromagnetic map of Yellowstone National Park and vicinity, Wyoming-Montana-Idaho: scale 1:125,000, U.S. Geol. Survey Open-file rept.
- (O) U.S. Geol. Survey, 1974, Preliminary data for 33 test-wells augered in the Raft River Valley, Feb. 13 - Mar. 8, 1974: U.S. Geol. Survey Open-file rept., 17 p.
- (O) U.S. Geol. Survey, 1974, Residual magnetic intensity map, Bruneau, Idaho, scale 1:62,500: U.S. Geol. Survey Open-file rept.
- (O) U.S. Geol. Survey, 1974, Residual magnetic intensity map of the southern Raft River area, Cassia County, Idaho: scale 1:24,000: U.S. Geol. Survey Open-file rept.
- (P) U.S. Geol. Survey, 1975, Gravity data for Yellowstone-Island Park region, Idaho-Montana-Wyoming, NTIS #PB241637/AS, 66 p.
- (O) U.S. Geol. Survey, 1976, Residual magnetic intensity map, Coso Hot Springs, California: U.S. Geol. Survey Open-file rept. 76-698.
- (O) U.S. Geol. Survey, 1977, Aeromagnetic map of Breitenbush Hot Springs and vicinity, Oregon: U.S. Geol. Survey Open-file rept. 77-820.
- (P) Ucock, H., Olhoeft, G. R., and Ershaghi, I., 1979, Electrical resistivity of geothermal brines, SPE 7878, p. 163-171 in Symposium on Oilfield and Geothermal Brines, Dallas: Soc. Petr. Eng. of AIME.
- (O) Ulrich, G. E., Hereford, R., Nealey, L. D., and Wolfe, E. W., 1979, Preliminary geologic map of the Flagstaff 1°X2° quadrangle, Arizona: U.S. Geol. Survey Open-file rept. 79-294.
- (A) Ulrich, G. E., and McKee, E. H., 1978, Silicic and basaltic volcanism at Bill Williams Mountain, Arizona: Geol. Soc. America, Abs. with Prog., v. 10, no. 3, p. 151.
- (A) Urban, T. C., and Diment, W. H., 1975, Heat flow on the south flank of the Snake River Rift: Geol. Soc. America, Abs. with Prog., v. 7, no. 5, p. 648.
- (A) Urban, T. C., and Diment, W. H., 1980, Thermal convection in cased, waterfilled drill holes: Observations over a wide range of conditions: EOS, v. 61, p. 1130.
- (A) Urban, T. C., Diment, W. H., and Nathenson, Manuel, 1977, East Mesa geothermal anomaly, Imperial County, California: Observations based on temperatures in a deep hole near thermal equilibrium: EOS, v. 58, p. 1241.
- (P) Urban, T. C., Diment, W. H., and Nathenson, Manuel, 1978, East Mesa geothermal anomaly, Imperial County, California: significance of temperatures in a deep drill hole near thermal equilibrium: Geothermal Resources Council, Trans., v. 2, p. 667-670.

- (P) Urban, T. C., Diment, W. H., Sass, J. H., and Jamieson, I. M., 1976, Heat flow at The Geysers, California, USA: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 2, p. 1241-1245.
- (P) Valette-Silver, J. M., Thompson, J. M., and Ball, J. W., 1981, Relationship between water chemistry and sediment mineralogy in the Cerro Prieto Geothermal Field: A Preliminary Report: Proceedings of the 3rd Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Lawrence Berkeley Laboratory Report 11967, p. 263-273.
- (A) Wagner, J. J., Oppenheimer, O. H., and Iyer, H. M., 1979, Attenuation of P-waves from regional earthquakes in The Geysers-Clear Lake geothermal field, California in Abstracts for the Conference on seismic wave attenuation: Stanford University Publications, v. XVII, p. 32.
- (O) Wahl, R. R., and Peterson, D. L., 1976, Principal facts for gravity stations in the Carson Sink region, Nevada: U.S. Geol. Survey Open-file rept. 76-344, 17 p.
- (P) Walker, G. W., 1973, Preliminary geologic and tectonic map of Oregon east of the 121st meridian: U.S. Geol. Survey Misc. Field Inv. MF-495, scale 1:500,000.
- (A) Walker, G. W., 1973, Tectonism and silicic volcanism of eastern Oregon: Geol. Soc. America, Abs. with Prog., v. 5, no. 1, p. 119.
- (P) Walker, G. W., 1974, Some implications of the late Cenozoic volcanism to geothermal potential in the high lava plains of south-central Oregon: The Ore Bin, v. 36, no. 7, p. 109-119.
- (P) Walker, G. W., Dalrymple, G. B., and Lanphere, M. A., 1974, Index to potassium argon ages of Cenozoic volcanic rocks of Oregon: U.S. Geol. Survey Misc. Field Inv. MF-569, scale 1:1,000,000.
- (A) Walker, G. W., and MacLeod, N. S., 1977, Rhyolite volcanism in southeastern Oregon and the Snake River Plain, Idaho; similarities and contrasts: Geol. Soc. Am. Abs. with Prog., v. 9, no. 7, p. 215.
- (A) Walker, G. W., and MacLeod, N. S., and McKee, E. H., 1974, Transgressive age of late Cenozoic silicic volcanic rocks across southeastern Oregon: Implications for geothermal potential: Geol. Soc. America, Abs. with Prog., v. 6, no. 3, p. 272.
- (P) Walker, Kenneth, 1973, Periodic heating of a layer over a semi-infinite solid: Jour. Geophys. Res., v. 78, no. 26, p. 5904-5910.
- (P) Wallace, R. H., Jr., 1970, Abnormal pressures and potential geothermal resources in the Rio Grande embayment, Texas: Second Symposium on Abnormal Subsurface Pressure, Louisiana State University Proc., p. 87-116.
- (P) Wallace, R. H., Jr., 1978, An assessment of gas dissolved in sandbed reservoirs in southern Louisiana and adjacent continental shelf; submitted as part of the Report to Supply-Technical Advisory Task Force--Nonconventional Natural Gas Resources by Sub-Task Force I: Gas Dissolved in Water; Gas Policy Advisory Council, Federal Energy Regulatory Commission, U. S. Department of Energy, Washington, D. C., p. 5-50.
- (P) Wallace, R. H., Jr., 1979, Distribution of geopressed-geothermal energy in reservoir fluids of the northern Gulf of Mexico basin: in Proceedings of the Fourth United States Gulf Coast Geopressed-Geothermal Energy Conference: Research and Development, October 29-31, 1979, The University of Texas at Austin, v. 3, p. 1087-1136.
- (P) Wallace, R. H., Jr., 1981, The design well site selection process: in Geopressed-Geothermal Energy Conference, U.S. Gulf Coast, 5th, October 13-15, Louisiana State University, Baton Rouge, Proceedings, p. 223-225.
- (P) Wallace, R. H., Jr., Kraemer, T. F., Taylor, R. E., and Wesselman, J. B., 1979, Assessment of geopressed-geothermal resources in the northern Gulf of Mexico Basin in Muffler, L. J. P., ed., Assessment of Geothermal Resources of the United States--1978: U.S. Geol. Survey Circular 790, p. 132-155.

- (P) Wallace, R. H., Jr., Taylor, R. E., and Wesselman, 1977, Use of hydrogeologic mapping techniques in identifying potential geopressed-geothermal reservoirs in the lower Rio Grande embayment, Texas, in Proceedings, Third Geopressed-geothermal Energy Conference: Univ. Southwestern Louisiana, Lafayette, LA, v. 1, p. GI-1-88.
- (P) Wallace, R. H., Jr., Wesselman, J. B., Kraemer, T. F., 1981, Occurrence of geopressure in the northern Gulf of Mexico basin: in Geopressed-Geothermal Energy Conference, U.S. Gulf Coast, 5th, October 13-15, Louisiana State University, Baton Rouge, Proceedings, Map, Scale 1:1,000,000, Contour interval 1000 ft.
- (A) Walter, A. W., and Weaver, C. S., 1978, Seismicity in the Coso Range, California: Earthquake Notes, v. 49, no. 4, p. 88.
- (O) Walter, A. W. and Weaver, C. S., 1980, Catalog of earthquakes in the Coso Range and vicinity, southern California - September 27, 1975 - September 30, 1977: U.S. Geol. Survey Open-file rept. 80-85, 101 p.
- (O) Walter, A. W. and Weaver, C. S., 1980, Seismic refraction data for shots recorded in the Coso Range, California, October 1976: U.S. Geol. Survey Open-file rept. 80-186, 12 p.
- (P) Walter, A. W., and Weaver, C. S., 1980, Seismicity of the Coso Range, California: Jour. Geophysical Res., v. 85, no. 5, p. 2441-2458.
- (O) Ware, R. H., and O'Donnell, J. E., 1980, A magnetotelluric survey of the San Francisco volcanic field, Arizona: U.S. Geol. Survey Open-file rept. 80-1163.
- (P) Warren, D. H., 1981, Seismic-refraction measurements of crustal structure near Santa Rosa and Ukiah, California, U.S. Geological Survey Professional Paper 1141, p. 167-181.
- (P) Watson, Kenneth, 1971, Geophysical aspects of remote sensing: International Workshop on the Earth Resources Survey Systems, May 3-14, 1971, v. II, p. 409-428.
- (P) Watson, Kenneth, 1974, Geothermal reconnaissance from quantitative analysis of thermal infrared images: Proc. of the 9th Symposium on Remote Sensing of Environment, Apr. 15-19, p. 1919-1932.
- (P) Watson, Kenneth, 1975, Geologic applications of thermal infrared images: Proc. IEEE, v. 63, no. 1, p. 128-137.
- (P) Watson, Kenneth, 1975, The interpretation of thermal infrared data acquired for geothermal exploration: Case History Research Conference in Remote Sensing, Univ. of Kansas, Feb. 18-20, 1975.
- (P) Watson, Kenneth, 1975, Reconnaissance geothermal exploration at Raft River, Idaho, for thermal infrared scanning: Society of Exploration Geophysicists Mtg., Oct. 16-20, 1975, Denver.
- (P) Watson, Kenneth, 1975, Review of computer techniques available for representation and display of large quantities of data: 16th General Assembly of IUGG, Grenoble, France, Aug. 25-Sept. 6, 1975.
- (P) Watson, Kenneth, 1979, Regional thermal-inertia mapping to discriminate geologic materials (Summary): 13th International Symposium on Remote Sensing of Environment, Univ. of Michigan, p. 11-12.
- (P) Watson, Kenneth, 1980, Direct computation of the sensible heat flux: Geophysical Res Ltrs., v. 7, no. 8, p. 616-618.
- (O) Watson, Kenneth, Hummer-Miller, Susanne, and Offield, T. W., 1981, Geologic applications of thermal-inertia mapping from satellites: U.S. Geol. Survey Open-file rept. 81-1352, 72 p.
- (A) Weaver, C. S., Evans, John, and Coakley, John, 1976, Waveform and traveltime anomalies observed for NTS shots recorded near Yellowstone National Park: Prog. with Abs., 71st Annual Meeting of the Seismological Society of America, p. 7.
- (P) Weaver, C. S., Grant, W. C., Malone, S. D., and Endo, E. T., 1981, Post-May 18 seismicity: volcanic and tectonic implications, (Mt. St. Helens, Washington): U.S. Geol. Survey Prof. Paper 1250, p. 109-121.

- (A) Weaver, C. S., Green, S. M., and Iyer, H. M., 1978, Seismic studies in the northern Oregon Cascades, Mt. Hood area: List of Abstracts, Annual Mtg. Pacific Northwest Region, American Geophysical Union, Tacoma, Washington, 1978, p. 2.
- (P) Weaver, C. S., and Hill, D. P., 1978, Earthquake swarms and local crustal spreading along major strike-slip faults in California in Rybach, Ladislaus, and Stegena, Lajos, eds., Geothermics and Geothermal Energy: Pure and Applied Geophysics, v. 117, p. 51-64.
- (A) Weaver, C. S., and Pitt, A. M., 1978, Travel time curves and apparent velocities across the Yellowstone caldera: Earthquake Notes, v. 49, no. 1, p. 70.
- (A) Weaver, C. S., Pitt, A. M., and Hill, D. P., 1979, Crustal spreading direction of the Snake River Plain - Yellowstone system: EOS, v. 60, p. 946.
- (A) Weaver, C. S., Walter, A. W., Criley, E. E., Coakley, J. M. and Vaughn, A., 1978, Seismic velocity study of the upper crust beneath the Coso Range, California: Earthquake Notes, v. 49, no. 4, p. 8.
- (A) Wesselman, J. B., 1974, Geothermal energy resources of the Texas Coastal Plain: Texas Civil Engineer, March 1974, p. 5.
- (P) Wesselman, J. B., 1977, Geopressure in the Carrizo-Wilcox aquifer system of Texas in Proceedings, Third Geopressured-Geothermal Energy Conference, University of Southwestern Louisiana, Lafayette, Louisiana, Nov. 16-18, 1977, p. GI 425-438.
- (P) Wesselman, J. B., and Heath, John, 1977, Computer techniques to aid in the interpretation of subsurface fluid-pressure gradients: U.S. Geol. Survey Computer Contribution, NTIS PB268603/AS, 34 p.
- (A) Wetlaufer, P. H., 1978, Chemical similarities of hydrothermal fluids from diverse sources, Creede Ag - Pb - Zm - Cu district, San Juan Mountains, Colorado: Abs. with Programs, Geol. Soc. Am., v. 10, no. 7, p. 515.
- (P) Wetlaufer, P. H., Bethke, P. M., Barton, P. B., Jr., and Rye, R. O., 1978, The Creede Ag - Pb - Zm - Cu - Au district, Central San Juan Mountains, Colorado: A fossil geothermal system: Proceedings, 5th IAGOD Quadrennial Symposium, Snowbird, Alta, Utah, 1978, p. 203.
- (P) White, D. E., 1973, Characteristics of geothermal resources in Paul Kruger and Carel Otte: Geothermal Energy: Resources, Production, Stimulation, Stanford Univ. Press, Stanford, Calif., p. 69-94.
- (P) White, D. E., 1974, Diverse origins of hydrothermal ore fluids: Econ. Geology, v. 69, p. 954-973.
- (P) White, D. E. 1974, Geothermal energy p. 55-58, in Finkel, A. J., ed., Energy, The Environment and Human Health: Publishing Sciences Group Inc., Action, Mass., 288 p.
- (P) White, D. E., 1976, Thermal and mineral waters of different origins: Proceedings International Symposium on Water-Rock Interaction, Czechoslovakia 1974, J. Cadek and T. Paces, eds., Pub. by the Geological Survey, Prague, p. 38-41.
- (P) White, D. E., 1978, Conductive heat flows in research drill holes in thermal areas of Yellowstone National Park, Wyoming: Jour. Research, U.S. Geol. Survey, v. 6, no. 6, p. 765-774.
- (P) White, D. E., 1979, Geothermal resources of Circum-Pacific region: From M. T. Halbouty, ed., 1981, Energy resources of the Pacific Region, AAPG Studies in Geology, No. 12, p. 557-571.
- (P) White, D. E., 1981, Active geothermal systems and hydrothermal ore deposits: Economic Geology, 75th Anniversary Volume, p. 392-423.
- (P) White, D. E., Barnes, Ivan, and O'Neil, J. R., 1973, Thermal and mineral water of non-meteoritic origin, California Coast Ranges: Geol. Soc. America Bull., v. 84, p. 547-560.
- (P) White D. E., Fournier, R. O., Muffler, L. J. P., and Truesdell, A. H., 1975, Physical results from research drilling in thermal areas of Yellowstone Park, Wyoming: U.S. Geol. Survey Prof. Paper 892, 77 p.

- (P) White, D. E., and Guffanti, Marianne, 1979, Geothermal systems and their energy resources: Reviews of Geophysics and Space Physics, v. 17, no. 4, p. 877-902.
- (P) White, D. E., and Marler, G. D., 1972, Discussion of paper by John S. Rinehart "Fluctuations in geyser activity caused by earth tidal forces, barometric pressure, and tectonic stresses": Jour. Geophys. Res., v. 77, p. 5825-5829.
- (O) White, D. E., and Williams, D. L., 1975, Assessment of Geothermal Resources of the United States - 1975: U.S. Geol. Survey Circular 726, 155 p.
- (P) Willey, L. M., Kharaka, Y. K., Presser, T. S., Rapp, J. B., and Barnes, Ivan, 1975, Short chain aliphatic acid anions in oil field waters and their contribution to the measured alkalinity: Geochim. Cosmochim. Acta., v. 39, p. 1707-1711.
- (O) Willey, L. M., O'Neil, J. R., and Rapp, J. B., 1974, Chemistry of thermal water in Long Valley, Mono County, California: U.S. Geol. Survey Open-file rept., 19 p.
- (A) Willey, L. M., Rapp, J. B., and Barnes, Ivan, 1973, Geochemistry of thermal waters in Long Valley, California: EOS, v. 54, no. 11, p. 1212.
- (P) Williams, D. L., Berkman, F., Mankinen, E. A., 1977, Implications of a magnetic model of the Long Valley caldera, California: Jour. of Geophys. Res., v. 82, no. 20, p. 3030-3038.
- (P) Williams, P. L., Mabey, D. R., Zohdy, A. A. R., Ackermann, Hans, Hoover, D. B., Pierce, K. L., and Oriel, S. S., 1976, Geology and geophysics of the southern Raft River Valley geothermal area, Idaho, USA: Proc. Second United Nations Symposium on the Development and Use of Geothermal Resources, May 20-29, 1975, San Francisco, Calif., v. 2, p. 1273-1282.
- (A) Williams, P. L., Pierce, K. L., McIntyre, D. H., Covington, H. R., and Schmidt, P. W., 1975, Geologic setting of the Raft River geothermal area, Idaho: Geol. Soc. America, Abs. with Prog., v. 7, no. 5, p. 652.
- (O) Williams, P. L., Pierce, K. L., McIntyre, D. H., and Schmidt, P. W., 1974, Preliminary geologic map of the southern Raft River area, Cassia County, Idaho: U.S. Geol. Survey Open-file rept., scale 1:24,000.
- (O) Wilson, C. W., and Mabey, D. R., 1974, Principal facts for gravity stations in the southern Raft River area, Cassia County, Idaho: U.S. Geol. Survey Open-file rept., 8 p.
- (O) Wilson, C. W., and Peterson, D. L., 1977, Principal facts for gravity stations in Clayton Valley, Nevada: U.S. Geol. Survey Open-file rept. 77-256, 3 p.
- (P) Wilson, F. A., 1981, Preliminary investigation of accessory zircons from volcanic and sedimentary rocks from Clear Lake, U.S. Geological Survey Professional Paper 1141, p. 251-259.
- (P) Young, C., and Ward, R. W., 1980, Three-dimensional Q^{-1} model of the Coso Hot Springs Known Geothermal Resource Area: Jour. Geophysical Res., v. 85, no. 5, p. 2459-2470.
- (P) Young, Chi Yuh, and Ward, Ronald W., 1981, Attenuation of teleseismic P waves in the Geysers-Clear Lake region, U.S. Geological Survey Professional Paper 1141, p. 149-160.
- (O) Young, E. J., and Olhoeft, G. R., 1976, Relations between specific gravity and chemical composition for a suite of igneous and metamorphic rocks, U.S. Geol. Survey Open-file rept. 76-809, 14 p. 2 pls.
- (O) Young, H. W., and Lewis, R. E., 1980, Hydrology and geochemistry of thermal ground water in southwestern Idaho and north-central Nevada: U.S. Geol. Survey Open-file rept. 80-2043, 40 p.
- (O) Young, H. W., Lewis, R. E., and Backsen, R. L., 1979, Thermal ground-water discharge and associated convective heat flux, Bruneau-Grand View area, southwest Idaho: USGS Water-Resources Investigations WRI 79-62.
- (P) Young, H. W., and Mitchell, J. C., 1973, Geothermal investigations in Idaho: Part 1, Geochemistry and Geologic setting of selected thermal waters: Idaho Dept. Water Administration, Water Information Bull., no. 30, Boise, Idaho, 43 p.

- (P) Young, H. W., and Whitehead, R. L., 1975, Geothermal investigations in Idaho, Part 2, An evaluation of thermal water in the Bruneau-Grand View area, southwest Idaho; with a section on a reconnaissance audio-magnetotelluric survey by D. B. Hoover and C. L. Tippens: Idaho Dept. Water Resources, Water Information Bull., no. 30, 126 p.
- (P) Young, H. W., and Whitehead, R. L., 1975, Geothermal investigations in Idaho, Part 3: an evaluation of thermal water in the Weiser area, Idaho: Idaho Dept. Water Resources, Water Information Bull. 30, 35 p.
- (A) Zablocki, C. J., 1975, Inferences of the configuration of some recent magma intrusions in Kilauea volcano from VLF induction measurements: EOS, v. 56, no. 12, p. 1070.
- (P) Zablocki, C. J., 1976, Mapping thermal anomalies on an active volcano by the self-potential method, Kilauea, Hawaii: Proc. of Second United Nations Symposium on the Development and Use of Geothermal Resources, San Francisco, California, May 20-29, 1975, v. 2, p. 1299-1309.
- (O) Zablocki, C. J., 1976, Some electrical and magnetic studies of Kilauea Iki lava lake, Hawaii: U.S. Geol. Survey Open-file rept. 76-304, 19 p.
- (P) Zablocki, C. J., 1977, Self-potential studies in East Puna: in Geoelectric studies on the east rift, Kilauea volcano, Hawaii Island: Hawaiiian Inst. Geophys., Univ. of Hawaii Tech. rept. HIG-77-15, p. 175-195.
- (P) Zablocki, C. J., 1978, Applications of the VLF induction methods for studying some volcanic processes of Kilauea Volcano, Hawaii: Jour. Vol. and Geothermal Res., v. 3, p. 155-195.
- (P) Zablocki, C. J., 1978, Streaming potentials resulting from the descent of meteoric water--a possible source mechanism for Kilauean self-potential anomalies: Geothermal Resources Council Trans., v. 2, p. 747-748.
- (O) Zablocki, C. J., 1980, Observations from self-potential monitoring studies on Kilauea volcano, Hawaii (1973-1975): U.S. Geol. Survey Open-file rept. 80-99, 35 p.
- (A) Zablocki, C. J., and Koyanagi, R. Y., 1979, An anomalous structure in the lower east rift zone of Kilauea Volcano, Hawaii, inferred from geophysical data: Hawaii Symposium on Intraplate Volcanism and Submarine Volcanism, Hilo, Hawaii, Abstract Volume, p. 117.
- (P) Zablocki, C. J., and Tilling, R. I., 1976, Field measurements of apparent Curie temperature in a cooling basaltic lava lake, Kilauea Iki, Hawaii: Geophys. Res. Letters, v. 3, no. 8, p. 487-490.
- (P) Zablocki, C. J., Tilling, R. I., Peterson, D. W., Christiansen, R. L., and Keller, G. V., 1976, A deep research drill hole at Kilauea Volcano, Hawaii: U.S. Geol. Survey Open-file rept. 76-538, 35 p.
- (P) Zablocki, C. J., Tilling, R. I., Peterson, D. W., Christiansen, R. L., Keller, G. V., and Murray, J. C., 1974, A deep research drill hole at the summit of an active volcano, Kilauea, Hawaii: Geophys. Res. Letters, v. 1, no. 7, p. 323-326.
- (P) Zoback, M. D., and Pollard, D. D., 1978, Hydraulic fracture propagation and the interpretation of pressure-time records in-situ stress determinations, in Kim, Y. S., ed., 19th U. S. Symposium on Rock Mechanics, Proceedings, Univ. of Nevada, Reno, p. 14-22.
- (A) Zohdy, A. A. R., 1973, Total field resistivity mapping: Geophysics, v. 38, no. 6, p. 1230.
- (P) Zohdy, A. A. R., 1975, Reply of author to discussion by Amalendu Roy on "Resistivity, self-potential, and induced-polarization surveys of vapor-dominated geothermal system": Geophysics, v. 40, no. 3, p. 538-539.
- (O) Zohdy, A. A. R., 1978, Field procedure and data reduction methods (with Hewlett-Packard 97-67 programs) for total field resistivity surveys: U.S. Geol. Survey Open-file rept. 78-424, 35 p.

- (O) Zohdy, A. A. R., 1978, Total field resistivity mapping and sounding over horizontally layered media: *Geophysics*, v. 43, no. 4, p. 748-766.
- (P) Zohdy, A. A. R., Anderson, L. A., and Muffler, L. J. P., 1973, Resistivity, self-potential, and inducted-polarization surveys of vapor-dominated geothermal system: *Geophysics*, v. 38, p. 1130-1144.
- (O) Zohdy, A. A. R., and Bisdorf, R. J., 1976, Schlumberger soundings in the upper Raft River, and Raft River valleys, Idaho and Utah: U.S. Geol. Survey Open-file rept. 76-92, 6 p.
- (A) Zohdy, A. A. R., and Bisdorf, R. J., 1979, Deep Schlumberger soundings for geothermal exploration at INEL, Snake River Plain, Idaho: 49th Annual International Meeting of the SEG, Abstracts and Biographies, p. 101-102.
- (O) Zohdy, A. A. R., Bisdorf, R. J., and Glancy, P. A., 1976, Schlumberger soundings near Fallon, Nevada: U.S. Geol. Survey Open-file rept. 76-18, 39 p.
- (O) Zohdy, A. A. R., Bisdorf, R. J., and Jackson, D. B., 1978, Simple total field and Schlumberger soundings near Sugar City, Idaho: U.S. Geol. Survey Open-file rept. 78-109, 101 p.
- (O) Zohdy, A. A. R., Jackson, D. B., and Bisdorf, R. J., 1975, Schlumberger soundings and total field measurements in the Raft River geothermal area, Idaho: U.S. Geol. Survey Open-file rept. 75-130, 87 p.
- (O) Zohdy, A. A. R., and Stanley, W. D., 1973, Preliminary interpretation of electrical sounding curves obtained across the Snake River Plain from Blackfoot to Arco, Idaho: U.S. Geol. Survey Open-file rept., 5 p.
- (P) Zucca, J. J., 1981, The crustal structure of Kilauea and Mauna Loa Volcanoes, Hawaii, from seismic refraction and gravity data: Ph.D. Thesis, Stanford University, Stanford, California, 127 p.
- (O) Zucca, J. J. and Hill, D. P., 1980, Compilation of data from the 1978 Hawaii seismic refraction experiment on the west flank of Mauna Loa: U.S. Geol. Survey Open-file rept. 80-451, 39 p.
- (P) Zucca, J. J. and Hill, D. P., 1980, Crustal structure of the southeast flank of Kilauea Volcano, Hawaii, from seismic refraction measurements: *Bull. of Seismological Soc. of Am.*, v. 70, p. 1149-1159.
- (O) Zucca, J. J., Hill, D. P., and Duennebie, F. K., 1979, A compilation of the data from the 1976 Hawaii seismic refraction experiment: U.S. Geol. Survey Open-file rept. 79-771, 80 p.
- (A) Zucca, J. J., Hill, D. P., and Kovach, R. L., 1980, Structure of the west flank of Moana Loa, Hawaii, from a seismic profile of gravity data: *EOS*, v. 61, p. 1026.
- (A) Zucca, J. J., Catchings, R. D., Fuis, G. S., and Mooney, W. D., 1981, Preliminary report on a seismic refraction study in the Mt. Shasta region of northern California: *EOS*, v. 62, no. 45, p. 1089.