

DEPARTMENT OF THE INTERIOR  
UNITED STATES GEOLOGICAL SURVEY

A bibliography of selected geologic and engineering-geologic literature  
of northern Alaska (Arctic Coastal Plain and Northern Foothills)

by

John P. Galloway<sup>1</sup>

Open-File Report  
88-395

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards and stratigraphic nomenclature. Any use of trade names used in this report is for descriptive purposes only and does not imply endorsement by the United States Geological Survey.

Although these files have been extensively tested, the U.S. Geological Survey cannot guarantee that they will give accurate results for all applications or that they will work on all computer systems.

<sup>1</sup> U.S. Geological Survey, 345 Middlefield Road Menlo Park, California 94025

## INTRODUCTION


This bibliography includes all of the references listed in the series of U.S. Geological Survey Open-File Reports entitled, "Engineering-Geologic Maps of Northern Alaska: xxx Quadrangle." The reports are listed below and the location of the maps is shown on the index map on page 2. In addition to basic geology these references cover numerous topics such as climate, permafrost, pingos, ground ice, soil development, vegetation, floods and storm surges, economic geology, and water resources, all of which are pertinent to land management considerations.

### List of Reports used to Compile this bibliography.

- Carter, L.D., 1983, Engineering-geologic maps of northern Alaska: Teshekpuk quadrangle: U.S. Geological Survey Open-File Report 83-634, scale 1:250,000, 2 sheets.
- Carter, L.D., Ferrians, O.J., Jr., and Galloway, J.P., 1986, Engineering-geologic maps of northern Alaska, coastal plain and foothills of the Arctic National Wildlife Refuge: U.S. Geological Survey Open-File Report 86-334, 10 p., scale 1:250,000, 2 sheets.
- Carter, L.D., and Galloway, J.P., 1985, Engineering-geologic maps of northern Alaska, Harrison Bay quadrangle: U.S. Geological Survey Open-File Report 85-256, 48 p., scale 1:250,000, 2 sheets.
- Carter, L.D., and Galloway, J.P., 1986, Engineering-geologic maps of northern Alaska, Umiat quadrangle: U.S. Geological Survey Open-File Report 86-335, 17 p., scale 1:250,000, 2 sheets.
- Carter, L.D., and Galloway, J.P., 1988, Engineering-geologic maps of northern Alaska, Ikpiupuk River quadrangle: U.S. Geological Survey Open-File Report 88-375, 19 p., scale 1:250,000, 2 sheets.
- Hamilton, T.D., and Bauer, D.P., 1984, Engineering-geologic maps of northern Alaska: Howard Pass quadrangle: U.S. Geological Survey Open-File Report 84-401, scale 1:250,000.
- Williams, J.R., 1983, Engineering-geologic maps of northern Alaska, Meade River quadrangle: U.S. Geological Survey Open-File Report 83-294, 29 p., scale 1:250,000.
- Williams, J.R., 1983, Engineering-geologic maps of northern Alaska, Wainwright quadrangle: U.S. Geological Survey Open-File Report 83-457, 28 p., scale 1:250,000.
- Williams, J. R., and Carter, L.D., 1984, Engineering-geologic maps of northern Alaska: Barrow quadrangle: U.S. Geological Survey Open-File Report 84-124, 39 p., scale 1:250,000, 2 sheets.
- Yeend, Warren, 1983, Engineering-geologic maps of northern Alaska, Lookout Ridge quadrangle: U.S. Geological Survey Open-File Report 83-279, scale 1:250,000, 2 sheets.

Yeend, Warren, 1984, Engineering-geologic maps of northern Alaska: Utukok River quadrangle: U.S. Geological Survey Open-File Report 84-682, scale 1:250,000, 2 sheets.

Available as a companion to this paper report is a 5 1/4" diskette formatted for IBM PCs using DOS 2.0. There are two files on the diskette 1) readme.doc, and 2) eng.asc. The first file, readme.doc, contains the information presented on pages 1 and 2, excluding the index map. The second file, eng.asc, is in standard ASCII format and is a complete listing of all the references. To view the file type "a:type eng.asc." To print the file type "a: copy eng.asc lpt1." Although these files have been extensively tested, the U.S. Geological Survey cannot guarantee that they will give accurate results for all applications or that they will work on all computer systems.



Index map of northern Alaska showing published 1:250,000 scale engineering-geologic maps, which are identified by the U.S. Geological Survey Open-File Report number in parentheses.

## BIBLIOGRAPHY

- Acevedo, William, Walder, Donald, Gaydos, Leonard, and Wray, James, 1982, Vegetation and land cover, Arctic National Wildlife Refuge coastal plain, Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1443, scale 1:250,000.
- Ahlbrandt, T.S., ed., 1979, Preliminary geologic, petrologic and paleontologic results of the study of Nanushuk Group rocks, North Slope, Alaska: U.S. Geological Survey Circular 794, 163 p.
- Aitken, G.W., 1965, Ground temperature observations, Barrow, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Technical Report 105, 15 p.
- Albert, N.R.D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928-V, scale 1:500,000, 3 sheets.
- Alpha, T.R., and Gerin, Marybeth, 1980, Oblique map of the Beaufort Sea and the Brooks Range of Alaska: U.S. Geological Survey Open-File Report 80-455.
- Anderson, D.M., Reynolds, R.C., and Brown, Jerry, 1975, Bentonite debris flows in northern Alaska: Science, v. 164, no. 3876, p. 173-174.
- Arctic Institute of North America, 1974, The Alaskan arctic coast, a background study of available knowledge: prepared for Department of the Army, Corps of Engineers, Alaska District, contract DACW-85-74-C-0020, 551 p.
- Are, F.E., 1973, Development of thermokarst lakes in Central Yakutia: International Conference on Permafrost, 2nd, Yakutsk, U.S.S.R.: Field trip guidebook, 29 p.
- Armstrong, A.K., and Mamet, B.L., 1975, Carboniferous biostratigraphy, northeastern Brooks Range, arctic Alaska: U.S. Geological Survey Professional Paper 884, 29 p.
- Arnborg, Lennart, Walter, H.J., and Peippo, Johan, 1966, Water discharge in the Colville River, 1962: Geografiska Annaler, v. 48A, no. 4, p. 195-210.
- Arnborg, Lennart, Walter, H.J., and Peippo, Johan, 1967, Suspended load in the Colville River, Alaska, 1962: Geografiska Annaler, v. 49A, no. 2-4, p. 133-144.
- Arnold, C.A., 1959, Some paleobotanical aspects of tundra development: Ecology, v. 40, no. 1, p. 146-148.
- Barnes, F.F., 1967, Coal resources of Alaska: U.S. Geological Survey Bulletin 1242-B, p. B1-B36.

- Barnes, F.F., 1967, Coal resources of the Cape Lisburne-Colville River region, Alaska: U.S. Geological Survey Bulletin 1242-E, p. E1-E37.
- Barnes, D.F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-File Report 77-166-A, scale 1:1,000,000.
- Barnes, D.F., Kososki, B.A., Mayfield, C.F., Ruppel, B.D., Robbins, S.L., and TAILLEUR, I.L., 1976, Gravity data from Mt. Michelson, Flaxman Island, Demarcation Point, and Barter Island quadrangles, Alaska: U.S. Geological Survey Open-File Report 76-258, scale 1:250,000, 4 sheets.
- Bartsch-Winkler, Susan, 1979, Textural and mineralogical study of some surface and subsurface sandstone from the Nanushuk Group, western North Slope, Alaska, in Ahlbrandt, T.S., ed., Preliminary geologic, petrologic and paleontologic results of the study of Nanushuk Group rocks, North Slope, Alaska: U.S. Geological Survey Circular 794, p. 61-76.
- Batzil, G.O., and Brown, Jerry, 1976, RATE - the influence of grazing on arctic tundra ecosystems: Arctic Bulletin, Interagency Arctic Research Coordinating Committee, v. 2, p. 153-160.
- Beal, M.A., 1957, Barrow sea valley study and tide gage installations: Arctic Institute of North America contract ONR-165 to Scripps Institute of Oceanography, University of California, Final Report, 22 p.
- Beechey, F.W., 1831, Narrative of a voyage to the Pacific and Beering's Strait: London, H. Colburn and R. Bentley, v. 1, pt. 1 of 2 parts, 742 p.
- Beikman, H.M., and Lathram, E.H., 1976, Preliminary geologic map of northern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-789, scale 1:1,000,000, 2 sheets.
- Benson, C.S., 1969, The seasonal snow cover of arctic Alaska: Arctic Institute of North America Research Paper 51, 85 p.
- Benson, C.S., 1982, Reassessment of winter precipitation on Alaska's Arctic Slope and measurements on the flux of windblown snow: Fairbanks, University of Alaska, Geophysical Institute Report UAG R-288, 26 p.
- Berg, T.E., 1984, Status of numerical models for heat and mass transfer in frost-susceptible soils, in International Conference on Permafrost, 4th, Fairbank, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 67-92.
- Bird, K.J., 1981, Petroleum exploration of the North Slope in Alaska, U.S.A.: U.S. Geological Survey Open-File Report 81-227, 43 p.

- Bird, K.J., 1981, Machine-generated displays of well logs and lithology from selected wells on the North Slope of Alaska: 11 wells from the northeastern part of the National Petroleum Reserve in Alaska (NPRA): U.S. Geological Survey Open-File Report 81-1034, 6 p., 11 sheets.
- Bird, K.J., 1982, Rock-unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 106 p.
- Bird, K.J., 1983, Oil and gas resources of the North Slope, Alaska [abs.], in U.S. Geological Survey Polar Research Symposium, abstracts with programs: U.S. Geological Survey Circular 911, p. 27-30.
- Bird, K.J., 1985, The framework geology of the North Slope of Alaska as related to oil-source rock correlations, in Magoon, L.B., and Claypool, G.E. eds., Alaska North Slope Oil-rock correlation study; Analysis of North Slope crude: Tulsa, Okla., American Association of Petroleum Geologists Studies in Geology 20, p. 3-29.
- Black, R.F., 1951, Eolian deposits of Alaska: Arctic, v. 4, no. 2, p. 89-111.
- Black, R.F., 1952, Growth of ice-wedge polygons in permafrost near Barrow, Alaska [abs]: Geological Society of America Bulletin, v. 63, no. 12, pt. 2, p. 1235-1236.
- Black, R.F., 1954, Precipitation at Barrow, Alaska, greater than recorded: Eos [American Geophysical Union Transactions], v. 35, no. 2, p. 203-207.
- Black, R.F., 1954, Permafrost - a review: Geological Society of America Bulletin, v. 65, no. 9, p. 839-856.
- Black, R.F., 1957, Gubik Formation of Quaternary age in northern Alaska [abs.]: Geological Society of America Bulletin, v. 68, p. 1701.
- Black, R.F., 1957, Some problems in engineering geology caused by permafrost in the Arctic Coastal Plain, northern Alaska: Arctic, v. 10, no. 4, p. 230-240.
- Black, R.F., 1963, Les coins de glace et le gel permanent dans le Nord de l'Alaska (Ice wedges and permafrost in northern Alaska): Annales de Géographie, v. 72, p. 257-271.
- Black, R.F., 1964, Gubik Formation of Quaternary age in northern Alaska: U.S. Geological Survey Professional Paper 302-C, p. 59-91.
- Black, R.F., 1969, Thaw depressions and thaw lakes, a review: Biuletyn Peryglacjalny, v. 19, p. 131-150.
- Black, R.F., 1974, Ice-wedge polygons of northern Alaska, in Coates, D. R., ed., Glacial geomorphology, Annual Geomorphology Series, 5th, Binghamton, N.Y., 1974, Proceedings: Binghamton, State University of New York, p. 247-275.
- Black, R.F., 1976, Periglacial features indicative of permafrost: Ice and soil wedges: Quaternary Research, v. 6, no. 1, p. 3-26.

- Black, R.F., 1983, Ice-wedge diapirs, northern Alaska, are produced mainly by horizontal compression [abs.]: Geological Society of America, Abstracts with Programs, v. 15, no. 6, p. 527.
- Black, R.F., 1983, Three superposed systems of ice wedges at McLeod Point, northern Alaska, may span most of the Wisconsinan stage and Holocene, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 68-73.
- Black, R.F., and Barksdale, W.L., 1949, Oriented lakes of northern Alaska: Journal of Geology, v. 57, no. 2, p. 105-118.
- Bowsher, A.L., Tailleux, I.L., and Gibson, H.A., 1981, Availability of petrographic thin-sections from thirty-five wells from National Petroleum Reserve in Alaska, North Slope, Alaska: U.S. Geological Survey Open-File Report 81-1307, 8 p.
- Boyd, W.L., 1959, Limnology of selected arctic lakes in relation to water-supply problems: Ecology, v. 40, no. 1, p. 49-54.
- Brewer, M.C., 1958, The thermal regime of an arctic lake: Eos [American Geophysical Union Transactions], v. 39, p. 278-284.
- Brewer, M.C., 1958, Some results of geothermal investigations of permafrost in northern Alaska: Eos [American Geophysical Union Transactions], v. 39, p. 19-26.
- Brewer, M.C., 1984, Petroleum exploration and protection of the environment on the National Petroleum Reserve in Alaska, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 133-134.
- Brigham, J.K., 1981, Amino-acid geochronology of Late Pliocene and Pleistocene marine transgressions on the Arctic Coastal Plain, northern Alaska [abs.]: Geological Society of America, Abstracts with Programs, v. 12, no. 7, p. 417.
- Brigham, J.K., 1983, Correlation of late Cenozoic marine transgressions of the Arctic Coastal Plain with those in western Alaska and northeastern Russia [abs.], in U.S. Geological Survey Polar Research Symposium, abstracts with programs: U.S. Geological Survey Circular 911, p. 47-52.
- Brigham, J.K., 1984, Marine stratigraphy and amino acid geochronology of the Gubik Formation, western Arctic Coastal Plain, Alaska: U.S. Geological Survey Circular 934, p. 5-9.
- Brigham, J.K., 1985, Marine stratigraphy and amino acid geochronology of the Gubik Formation, western Arctic Coastal Plain, Alaska: Boulder, University of Colorado, Ph.D. thesis, 316 p.

- Brigham, J.K., 1985, Petroleum exploration and environmental protection on the Alaskan National Petroleum Reserve, in Gerwick B.C., ed., Arctic Ocean engineering for the 21st century, Spilhaus Symposium, 1st, Williamsburg, Va., 1984, Proceedings: Marine Technology Society, p. 203-205.
- Brigham, J.K., 1985, Marine stratigraphy and amino-acid geochronology of the Gubik Formation, western Arctic Coastal Plain, Alaska: U.S. Geological Survey Open-File Report 85-381, 218 p.
- Brigham, J.K., Hopkins, D.M., Carter, L.D., and Miller, G.H., 1980, Application of amino-acid geochronology to deposits of the Arctic Coastal Plain, Alaska; preliminary results and implications, in Annual Arctic Workshop, 9th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1980, p. 34-35.
- Brigham, J.K., and Miller, G.H., 1982, Late Cenozoic history of high seal level stands and Pleistocene temperature estimates, northwestern Alaska [abs.]: Geological Society of America, Abstracts with Programs, v. 14, no. 7, p. 451.
- Brigham, J.K., and Miller, G.H., 1983, Paleotemperature estimates of the Alaskan Arctic Coastal Plain during the last 125,000 years, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 80-85.
- Britton, M.E., 1957, Vegetation of the arctic tundra, in Arctic Biology, Annual Biology Colloquium, 18th, Corvallis, Oregon State University, p. 26-61.
- Britton, M.E., 1967, Vegetation of the Arctic tundra, in Hansen, H. P., ed., Arctic biology: Corvallis, Oregon State University, p. 67-130.
- Brooks, A.H., 1916, The Alaska mining industry in 1915: U.S. Geological Survey Bulletin 642-A, 71 p.
- Brosgé, W.P., Brabb, E.E., and King, E.R., 1970, Geologic interpretation of reconnaissance aeromagnetic survey of northeastern Alaska: U.S. Geological Survey Bulletin 1271-F, p. 1-14.
- Brosgé, W.P., Dutro, J.T., Jr., Mangus, M.D., and Reiser, H.N., 1960, Geologic map of the eastern Brooks Range, Alaska: U.S. Geological Survey Open-File Report 60-20, scale 1:250,000, 7 sheets.
- Brosgé, W.P., and Reiser, H.N., 1976, Preliminary geologic and mineral resources maps (excluding petroleum), Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-File Report 76-539, 4 p., 4 maps, scale 1:500,000.
- Brosgé, W.P., Reiser, H.N., and Estlund, M.B., 1970, Chemical analyses of stream sediment samples from the Sadlerochit-Jago Rivers area, Mt. Michelson and Demarcation Point quadrangles, Alaska: U.S. Geological Survey Open-File Report 70-41, 6 p.



- Brosgé, W.P., and TAILLEUR, I.L., 1969, Isopach maps of upper Paleozoic and Mesozoic rocks, northern Alaska: U.S. Geological Survey Open-File Report 69-26, 10 p.
- Brosgé, W.P., and Whittington, C.L., 1966, Geology of the Umiat-Maybe Creek region, Alaska: U.S. Geological Survey Professional Paper 303-H, p. 501-638.
- Brown, Jerry, 1965, Radiocarbon dating, Barrow, Alaska: Arctic, v. 18, no. 1, p. 36-48.
- Brown, Jerry, 1966, Ice-wedge chemistry and related frozen-ground processes, Barrow, Alaska, in International Conference on Permafrost, Lafayette, Ind., 1963, Proceedings: Washington, D.C., National Academy of Sciences, National Research Council Publication 1287, p. 94-98.
- Brown, Jerry, 1966, Soils of the Okpilak River region, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Research Report No. 188, 49 p.
- Brown, Jerry, 1967, Tundra soils formed over ice wedges, northern Alaska: Soil Science Society of America, Proceedings, v. 31, p. 686-691.
- Brown, Jerry, 1969, Buried soils associated with permafrost, in Pedology and Quaternary Research, Edmonton, University of Alberta, Canada, 1969, Symposium: National Research Council of Canada, p. 115-127.
- Brown, Jerry, 1969, Soil properties developed on the complex tundra relief of northern Alaska: Biuletyn Peryglacjalny, no. 18, p. 153-167.
- Brown, Jerry 1969, Ionic concentration gradients in permafrost, Barrow, Alaska: Hanover, N.H., U.S. Army Corps of Engineers Cold Regions Research and Engineering Laboratory, CRREL Research Report 272, 25 p.
- Brown, Jerry, 1969, Soils of the Okpilak River region, Alaska, in T.L. Péwé, ed., The periglacial environment -- Past and present: Montreal, Canada, McGill-Queen's Press, p. 93-128.
- Brown, Jerry, Dingman, S.L., and Lewellen, R.I., 1968, Hydrology of a drainage basin on the Alaskan Coastal Plain: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Research Report 240, 18 p.
- Brown, Jerry, Everett, K.R., Webber, P.J., MacLean, S.F., and Murray, D.F., 1980, The coastal tundra at Barrow, in Brown, Jerry, and others, eds., An arctic ecosystem, the coastal tundra at Barrow, Alaska: Stroudsburg, Pa., Dowden, Hutchinson, and Ross, p. 1-29.
- Brown, Jerry, Grant, C.L., Ugolini, F.C., and Tedrow, J.C.F., 1962, Mineral composition of some drainage waters from arctic Alaska: Journal of Geophysical Research, v. 67, no. 6, p. 2447-2454.
- Brown, Jerry, and Johnson, P.L., 1965, Pede-ecological investigations, Barrow, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Technical Report 159, 32 p.

- Brown, Jerry, and Johnson, P.L., 1966, U.S. Army CRREL topographic map, Barrow, Alaska (1:25,000): Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 101.
- Brown, Jerry, and Sellmann, P.V., 1966, Radiocarbon dating of coastal peat, Barrow, Alaska: *Science*, v. 153, no. 3733, p. 299-300.
- Brown, Jerry, and Sellmann, P.V., 1973, Permafrost and coastal plain history of arctic Alaska: Arctic Institute of North America Technical Paper 25, p. 31-47.
- Buckingham, M.L., 1985, Stratigraphy, petrology, and depositional environments of Upper Cretaceous and Lower Tertiary Sabbath Creek section, Arctic National Wildlife Refuge (ANWR), Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 659.
- Cabot, E.C., 1947, The northern Alaskan coastal plain interpreted from aerial photographs: *Geographical Review*, v. 37, no. 4, p. 639-648.
- Carlson, P.R., Roy, C.J., Hussey, K.M., Davidson, D.T., and Handy, R.L., 1959, Geology and mechanical stabilization of Cenozoic sediments near Point Barrow, in Davidson, D.T., and others, The geology and engineering characteristics of some Alaskan soils: Ames, Iowa State University, Engineering Experiment Station Bulletin 186, p. 101-128.
- Carson, C.E., 1968, Radiocarbon dating of lacustrine strands in arctic Alaska: *Arctic*, v. 21, no. 1, p. 12-26.
- Carson, C.E., and Hussey, K.M., 1959, The method of multiple working hypotheses applied to the oriented lakes of northern Alaska: Iowa Academy of Sciences, Proceedings, v. 66, p. 334-349.
- Carson, C.E., and Hussey, K.M., 1960, Hydrodynamics in three arctic lakes: *Journal of Geology*, v. 68, no. 6, p. 585-600.
- Carson, C.E., and Hussey, K.M., 1962, The oriented lakes of arctic Alaska: *Journal of Geology*, v. 70, no. 4, p. 417-439.
- Carson, C.E., and Hussey, K.M., 1963, The oriented lakes of arctic Alaska, a reply: *Journal of Geology*, v. 71, no. 4, p. 532-533.
- Carter, L.D., 1981, A Pleistocene sand sea on the Alaskan Arctic Coastal Plain: *Science*, v. 211, no. 4480, p. 381-383.
- Carter, L.D., 1981, Middle Wisconsinan through Holocene climate in the Ikpiuk River region, Alaska: in Annual Arctic Workshop, 10th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1981, p. 5-9.
- Carter, L.D., 1982, Late Wisconsin desertification in northern Alaska [abs.]: Geological Society of America, Abstracts with Programs, v. 14, no. 7, p. 461.

- Carter, L.D., 1983, Engineering-geologic maps of northern Alaska: Teshekpuk quadrangle: U.S. Geological Survey Open-File Report 83-634, scale 1:250,000.
- Carter, L.D., 1983, Fossil sand wedges on the Alaskan arctic coastal plain and their paleoenvironmental significance, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 109-114.
- Carter, L.D., 1983, A Pleistocene sand desert in arctic Alaska [abs.], in U.S. Geological Survey Polar Research Symposium, abstracts with program: U.S. Geological Survey Circular 911, p. 36.
- Carter, L.D., 1983, Cenozoic glacial and glaciomarine deposits of the central North Slope, Alaska, in Thorson, R.M., and Hamilton, T.D., eds., Glaciation in Alaska, extended abstracts from a workshop: Fairbanks, University of Alaska Museum Occasional Paper No. 2, p. 17-21.
- Carter, L.D., 1988 Loess and deep thermokarst basins in arctic Alaska, in International Conference on Permafrost, 5th, Trondheim, Norway, 1988, Proceedings (in press).
- Carter, L.D., and Brigham-Grette, J.K., and Hopkins, D.M., 1986, Late Cenozoic marine transgressions of the Alaskan Arctic Coastal Plain, in, Heginbottom, J. A., and Vincent, J. S., eds., Correlation of Quaternary deposits and events in the area around the Beaufort Sea, abstracts of the Joint Canadian-American Workshop: Geological Survey of Canada Open-File Report 1237, p. 21-26.
- Carter, L.D., Ferrians, O.J., Jr., and Galloway, J.P., 1986, Engineering-geologic maps of northern Alaska, coastal plain and foothills of the Arctic National Wildlife Refuge: U.S. Geological Survey Open-File Report 86-334, 10 p., scale 1:250,000, 2 sheets.
- Carter, L.D., Forester, R.M., and Nelson, R.E., 1984, Mid Wisconsin through early Holocene changes in seasonal climate in northern Alaska: American Quaternary Association, Eighth Biennial Meeting, Boulder, University of Colorado, Program with Abstracts, 1984, p. 20-22.
- Carter, L.D., and Galloway, J.P., 1979, Arctic Coastal Plain pingos in National Petroleum Reserve in Alaska, in Johnson, K.M. and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, B33-B35.
- Carter, L.D., and Galloway, J.P., 1979, Southward-progressing stabilization of Holocene eolian sand on the western Arctic Coastal Plain, in Johnson, K.M. and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, B37-B39.
- Carter, L.D., and Galloway, J.P., 1981, Earth flows along Henry Creek, northern Alaska: Arctic v. 34, no. 4, p. 325-328.

- Carter, L.D., and Galloway, J.P., 1982, Terraces of the Colville River delta region, Alaska, in Coonrad, W.L., ed., The United States Geological Survey in Alaska - Accomplishments during 1980: U.S. Geological Survey Circular 884, p. 49-51.
- Carter, L.D., and Galloway, J.P., 1985, Engineering-geologic maps of northern Alaska, Harrison Bay quadrangle: U.S. Geological Survey Open-File Report 85-256, 48 p., scale 1:250,000, 2 sheets.
- Carter, L.D., and Galloway, J.P., 1986, Engineering-geologic maps of northern Alaska, Umiat quadrangle: U.S. Geological Survey Open-File Report 86-335, 17 p., scale 1:250,000, 2 sheets.
- Carter, L.D., and Galloway, J.P., 1988, Engineering-geologic maps of northern Alaska, Ikpihpuk River quadrangle: U.S. Geological Survey Open-File Report 88-375, 19 p., scale 1:250,000, 2 sheets.
- Carter, L.D., and Hopkins, D.M., 1982, Late Wisconsinan winter snow cover and sand-moving winds on the Arctic Coastal Plain of Alaska, in Annual Arctic Workshop, 11th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1982, p. 8-10.
- Carter, L.D., Nelson, R.E., and Galloway, J.P., 1984, Evidence for latest Wisconsin - early Holocene increased precipitation and summer warmth in arctic Alaska [abs.]: Geological Society of America, Abstracts with Programs, v. 16, no. 5, p. 274.
- Carter, L.D., Marincovich, Louie, Jr., Brouwers, E.M., and Forester, R.M., 1979, Paleogeography of a Pleistocene coastline, Alaskan Arctic Coastal Plain, in Johnson, K. M. and Williams, J. R., eds., The United State Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B39-B41.
- Carter, L.D., Repenning, C.A., Marincovich, L.N., Hazel, J.E., Hopkins, D.M., McDougall, Kristin, and Naeser, C.W., 1977, Gubik and pre-Gubik Cenozoic deposits along the Colville River near Ocean Point, North Slope, Alaska, in Blean, K.M., ed., The United State Geological Survey in Alaska - Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B12-B14.
- Carter, L.D., and Robinson, S.W., 1978, Eolian sand and interbedded organic horizons at Keolok Creek on the Arctic Coastal Plain of Alaska, possible regional implications: U.S. Geological Survey Open-File Report 78-320, 26 p.
- Carter, L.D., and Robinson, S.W., 1981, Minimum age of beach deposits north of Teshekpuk Lake, Arctic Coastal Plain, in Albert, N.R.D., and Hudson, Travis, eds., The United State Geological Survey in Alaska - Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B8-B9.
- Carter, R.D., Mull, C.G., Bird, K.J., and Powers, R.B., 1977, The petroleum geology and hydrocarbon potential of Naval Petroleum Reserve No. 4, North Slope, Alaska: U.S. Geological Survey Open-File Report 77-475, 61 p.

- Chapman, R.M., Detterman, R.L., and Mangus, M.D., 1964, Geology of the Killik-Etiviluk rivers region, Alaska: U.S. Geological Survey Professional Paper 303-F, p. 325-407.
- Chapman, R.M., and Sable, E.G., 1960, Geology of the Utukok-Corwin region, northwestern Alaska: U.S. Geological Survey Professional Paper 303-C, p. 47-167.
- Childers, J.M., Kernodle, D.R., and Loeffler, R.M., 1978, Hydrology of arctic Alaska, in Johnson, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B33-B34.
- Childers, J.M., Kernodle, D.R., and Loeffler, R.M., 1979, Hydrologic reconnaissance of western arctic Alaska, 1976 and 1977: U.S. Geological Survey Open-File Report 79-699, 70 p.
- Childers, J.M., Sloan, C.E., and Meckel, J.P., 1973, Hydrologic reconnaissance of streams and springs in eastern Brooks Range, Alaska - July 1972: U.S. Geological Survey, Water Resources Division Basic Data Report 579, 25 p.
- Childers, J.M., Sloan, C.E., Meckel, J.P., and Nauman, J.W., 1977, Hydrologic reconnaissance of the eastern North Slope, Alaska, 1975: U.S. Geological Survey Open-File Report 77-492, 65 p.
- Colinvaux, P.A., 1964, Origin of Ice Ages, pollen evidence from arctic Alaska: Science, v. 145, no. 3633, p. 707-708.
- Collins, F.R., 1958, Test wells, Meade and Kaolak areas, Alaska, with micropaleontology of Meade Test Well 1 and Kaolak Test Well 1, northern Alaska, by H.R. Bergquist: U.S. Geological Survey Professional Paper 305-F, p. 341-376.
- Collins, F.R., 1958, Test wells, Topagoruk area, Alaska, with micropaleontologic study of the Topagoruk test wells, northern Alaska by H.R. Bergquist: U.S. Geological Survey Professional Paper 305-D, p. 265-316.
- Collins, F.R., 1961, Core test and test wells, Barrow area, Alaska, with section on temperature measurement studies by M.C. Brewer: Exploration of Naval Petroleum Reserve No. 4 and adjacent areas, Northern Alaska, 1944-53, part 5 subsurface geology and engineering data: U.S. Geological Survey Professional Paper 305-K, p. 569-644.
- Crory, F.E., Berg, R.L., Burns, C.D., and Kachadoorian, Reuben, 1979, Design considerations for airfields in NPRA, in American Society of Civil Engineers, Conference on applied techniques for cold environments, Anchorage, Alaska, 1978, Proceedings, p. 441-458.
- Coulter, H.W., Hussey, K.M., and O'Sullivan, J.B., 1960, Radiocarbon dates relating to the Gubik Formation, northern Alaska: U.S. Geological Survey Professional Paper 400-B, p. B350-B351.

- Craig, J.D., and Thrasher, G.P., 1982, Environmental geology of Harrison Bay, northern Alaska: U.S. Geological Survey Open-File Report 82-35, 25 p., 6 pls.
- Dall, W.H., 1921, Pliocene and Pleistocene fossils from the arctic coast of Alaska and the auriferous beaches of Nome, Norton Sound, Alaska: U.S. Geological Survey Professional Paper 125, p. 23-37.
- Dauson, A., 1977, The nature and distribution of lake types in the Colville River delta, Alaska: Edinburgh, University of Edinburgh, Great Britain, Department of Geography Research Discussion Paper 11.
- Decker John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-File Report 77-166-E, scale 1:1,000,000.
- Detterman, R.L., 1974, Fence diagram showing lithologic facies of the Sadlerochit Formation (Permian and lower Triassic) northeastern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-584.
- Detterman, R.L., 1976, Lithofacies fence diagram of Sadlerochit Group for Philip Smith Mountains quadrangle and adjacent areas, northeastern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-744.
- Detterman, R.L., 1978, The arctic lowland region, potential landform and lifeform natural landmarks: U.S. Geological Survey Open-File Report 78-329, 411 p., 26 figs.
- Detterman, R.L., 1984, Measured sections of upper Paleozoic to early Tertiary rocks, Demarcation Point quadrangle, Alaska: U.S. Geological Survey Open-File Report 84-370, scale 1:250,000.
- Detterman, R.L., Bickel, R.S., and Gryc, George, 1963, Geology of the Chandler River region Alaska: U.S. Geological Survey Professional Paper 303-E, p. 223-324.
- Detterman, R.L., Reiser, H.N., Brosgé, W.P., and Dutro, T.J., Jr., 1975, Post-Carboniferous stratigraphy, northeast Alaska: U.S. Geological Survey Professional Paper 886, 46 p.
- Dingman, S.L., Barry, R.G., Welle;r, Gunter, Benson, C.S., LeDrew, E.F., and Goodwin, C.W., 1980, Climate, snow cover, microclimate, and hydrology, in Brown, Jerry, and others, eds., An arctic ecosystem: the coastal tundra at Barrow, Alaska: Stroudsburg, Pa., Dowden, Hutchinson, and Ross, p. 30-65.
- Dinter, D.A., 1982, Holocene marine sediments on the middle and outer continental shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.
- Douglas, L.A., and Tedrow, J.C.F., 1959, Organic matter decomposition rates in arctic soils: Soil Science, v. 88, no. 6, p. 305-312.

- Douglas, L.A., and Tedrow, J.C.F., 1960, Tundra soils of arctic Alaska, in International Congress of Soil Science, 7th, Madison, Wisc., Transactions: v. IV, p. 291-304.
- Drage, B., Gilman, J.F., Hoch, D., and Griffiths, L., 1983, Hydrology of north slope coastal plain streams, in International Conference on Permafrost, 4th, Fairbanks, Alaska, Proceedings: Washington, D.C., National Academy Press, p. 249-254.
- Drew, J.V., 1957, A pedologic study of Arctic Coastal Plain soils near Point Barrow, Alaska: New Brunswick, Rutgers University, N.J., Ph.D. thesis, 117 p.
- Drew, J.V., and Tedrow, J.C.F., 1962, Arctic soil classification and patterned ground: Arctic, v. 15, no. 2, p. 109-116.
- Drew, J.V., Tedrow, J.C.F., Shanks, R.E., and Koranda, J.J., 1958, Rate and depth of thaw in arctic soils: Eos [American Geophysical Union Transactions], v. 39, no. 4, p. 697-701.
- Duguid, J.O., 1971, Thin gravel deposits on wave-eroded cliffs near Barrow, Alaska: Arctic, v. 24, no. 4, p. 304-306.
- Dutcher, R.R., Trotter, C.L., and Spackman, William, 1957, Petrography and palynology of certain coals of the arctic Slope of Alaska: University Park, Pennsylvania State University, Results of research July 1, 1956 to June 30, 1957, submitted to Arctic Institute of North America, 37 p., 6 appendices.
- Emmel, K.S., 1982, Geologic literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geologic and Geophysical Surveys Special Report 29, 127 p.
- Esch, D.C., 1984, Design and performance of road and railway embankments on permafrost, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 25-30.
- Everett, K.R., 1979, Evolution of the soil landscape of the Arctic Coastal Plain as exemplified at Atkasook, Alaska: Arctic, v. 32, p. 207-223.
- Everett, K.R., 1980, Distribution and variability of soils near Atkasook, Alaska, in Batzli, G.O., ed., Patterns of vegetation and herbivory in arctic tundra, results from the research on Arctic tundra environments (RATE) program: Arctic and Alpine Research, v. 12, no. 4, p. 433-446.
- Everett, K.R., Webber, P.J., Walker, D.A., Parkinson, R.J., and Brown, Jerry, 1978, Geobotanical mapping scheme for Alaskan coastal tundra, in International Conference on Permafrost, 3rd, Proceedings: Ottawa, National Research Council of Canada, p. 359-365.
- Fairbridge, R.W., 1960, The changing level of the sea: Scientific American, v. 202, no. 5, p. 70-79.

- Faas, R.W., 1962, Micropaleontology of some Quaternary sediments from the Barrow area, northern Alaska: Ames, Iowa State University of Science and Technology, M.Sc. thesis, 38 p.
- Fass, R.W., 1964, A study of some late Pleistocene estuarine sediments from Barrow, Alaska: Ames, Iowa State University of Science and Technology, Ph.D. thesis 190 p.
- Fass, R.W., 1966, Paleoecology of an arctic estuary: *Arctic*, v. 19, no. 4, p. 343-348.
- Ferrians, O.J., Jr., compiler, 1965, Permafrost map of Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-445, scale 1:2,500,000.
- Ferrians, O.J., Jr., and Kachadoorian, R., and Green, G.W., 1969, Permafrost and related engineering problems in Alaska: U.S. Geological Survey Professional Paper 678, 37 p.
- Fredericksen, N.O., Ager, T.A., Oftedahl, O.G., and Edwards, L.E., 1985, Palynological samples near the Cretaceous-Tertiary boundary, North Slope of Alaska [abs.], in Society of Economic Paleontologists and Mineralogist Mid-year Annual Meeting, 1986: Golden, Colo., v. 2, p. 31.
- Furbringer, W., and Walker, H.J., 1973, Structure and mineralogy of a sediment core from the Colville River delta, Alaska: *Polarforschung*, v. 43, no. 1/2, p. 5-54.
- Galloway, J.P., 1982, Grain-size analyses of 20 eolian sand samples from northern Alaska, in Coonrad, W., ed., The United State Geological Survey in Alaska - Accomplishments during 1980: U.S. Geological Survey Circular 884, p. 51-53.
- Galloway, J.P., and Carter, L.D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 78-795, scale 1:500,000.
- Geist, O.W., 1962, Short itinerary and summary, scientific work carried on in arctic Alaska under grants ONR-247 and ONR-254: Arctic Institute of North America, 145 p.
- Glude, W.J., and Sloan, C.E., 1980, Reconnaissance snow survey of the National Petroleum Reserve in Alaska, April-May, 1979: U.S. Geological Survey Water-Resources Investigations 80-49, NTIS no. PB-80 225 006, 13 p.
- Gold, L.W., and Lachenbruch, A.H., 1973, Thermal conditions in permafrost - A review of North American literature, in Permafrost, North American Contribution, International Conference on Permafrost, 2nd, Yakutsk, U.S.S.R.: Washington, D.C., National Academy of Sciences, p. 3-25.
- Grantz, Arthur, Holmes, M.L., and Kososki, B.A., 1976, Geologic framework of the Alaskan continental terrace in the Chukchi and Beaufort Seas, in Canada's continental margins: Canadian Society of Petroleum Geologists, Memoir 4, p. 669-700.



- Grantz, Arthur, McHendrie, A.G., Nilsen, T.H., and Yorath, C.J., 1974, Seismic reflection profiles on the continental shelf and slope between Bering Strait and Barrow, Alaska, and Mackenzie Bay, Canada: U.S. Geological Survey Open-File Report 74-1042, 51 p.
- Gray, J.T., 1984, Reconstruction and future predictions of the effects of climate change, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 156-160.
- Grybeck, Donald, Beikman, H.M., Brosgé, W.P., TAILLEUR, I.L., and Mull, C.G., 1977, Geologic map of the Brooks Range, Alaska: U.S. Geological Survey Open-File Report 77-166B, scale 1:1,000,000, 2 sheets.
- Gryc, George, Patton, W.W., Jr., and Payne, T.G., 1951, Present Cretaceous stratigraphic nomenclature of northern Alaska: Washington Academy of Sciences Journal, v. 41, p. 159-167.
- Gryc, George, TAILLEUR, I.L., and Brosgé, W.P., 1969, Geologic framework of the "North Slope" petroleum province: U.S. Geological Survey Open-File Report 69-115, 15 p.
- Hamilton, T.D., 1967, Alaskan temperature fluctuations and trends: an analysis of recorded data: Arctic, v. 18, no. 2, p. 105-117.
- Hamilton, T.D., 1979, Surficial geology, Chandler Lake quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF 1121, scale 1:250,000.
- Hamilton, T.D., 1981, Multiple moisture sources in the Brooks Range glacial record, in Annual Arctic Workshop, 10th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1981, p. 16-18.
- Hamilton, T.D., and Ashley, G.M., 1983, Glacial Lake Noatak, northwestern Alaska - paleogeography, history and environmental implications [abs.]: Geological Society of America, Abstracts with Programs, v. 15, p. 590.
- Hamilton, T.D., and Bauer, D.P., 1984, Engineering-geologic maps of northern Alaska: Howard Pass quadrangle: U.S. Geological Survey Open-File Report 84-401, scale 1:250,000.
- Hanna, G.D., 1963, Oil seepages on the Arctic Coastal Plain, Alaska: San Francisco, California Academy of Sciences, Occasional Papers, no. 38, 18 p., 1 fig., 1 pl.
- Hardin, Deborah, Barnes, Peter, and Reimnitz, Erk, 1977, Distribution and character of nales in northeastern Alaska: U.S. Geological Survey Open-File Report 77-91, 28 p.
- Harrington, C.R., 1980, Radiocarbon dates on some Quaternary mammals and artifacts from northern North America: Arctic, v. 33, no. 4, p. 815-832.

- Harrington, C.R., 1981, Pleistocene saiga antelope in North America with their paleoenvironmental implications, in Mahaney, W.C., ed., Quaternary paleoclimates: Norwich, England, Geo Abstracts, p. 193-225.
- Hartman, D.C., 1973, Geology and mineral evaluation of the Arctic Wildlife Range, northeast Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-22, 14 p.
- Hartz, R.W., 1978, Erosional hazards map of the arctic coast of the National Petroleum Reserve, Alaska: U.S. Geological Survey Open-File Report 79-406, 7 p., approx. scale 1:817,300.
- Hartz, R.W., 1978, High spindrift and storm surge limits, Icy Cape to the Colville River, in Hopkins, D.M., and Hartz, R.W., Shoreline history of Chukchi and Beaufort Seas as an aid to predicting offshore permafrost conditions: U.S. Department of Commerce, NOAA, OCSEAP, Environmental Assessment of the Alaskan Continental Shelf: Annual Report, Appendix IV, 1 p., 4 maps.
- Haugen, R.K., and Brown, Jerry, 1980, Coastal-inland distribution of summer air temperature and precipitation in northern Alaska, in Batzli, G.O., ed., Patterns of vegetation and herbivory in arctic tundra, results from the research on arctic tundra environments (RATE) program: Arctic and Alpine Research, v. 12, no. 4, p. 403-412.
- Hittelman, A.M., 1982, Catalog of geological and geophysical data for the National Petroleum Reserve in Alaska: Boulder, Colo., N.O.A.A., National Geophysical and Solar-Terrestrial Data Center.
- Hopkins, D.M., ed., 1967, The Bering Land Bridge: Stanford, Calif., Stanford University Press, 445 p.
- Hopkins, D.M., 1967, Quaternary marine transgressions in Alaska, in Hopkins, D.M., ed., The Bering Land Bridge, Stanford, Calif., Stanford University Press, p. 47-90.
- Hopkins, D.M., 1973, Sea level history in Beringia during the past 250,000 years: Quaternary Research, v. 3, p. 520-540.
- Hopkins, D.M., 1979 The Flaxman Formation of northern Alaska: record of early Wisconsinan shelf glaciation in the high Arctic [abs.], in Pacific Science Conference, 14th, Khabarovsk, U.S.S.R., Proceedings: additional volume, p. 15-16.
- Hopkins, D.M., and Carter, L.D., 1980, Discrepancy in correlation of transgressive marine deposits of Alaska and the eastern Arctic: Annual Arctic Workshop, 9th, Boulder, University of Colorado, Institute of Arctic and Alpine Research, p. 12-13.
- Hopkins, D.M., and Hartz, R.M., 1978, Shoreline history of Chukchi and Beaufort Seas as an aid to predicting offshore permafrost conditions, in U.S. Department of Commerce, NOAA, OCSEAP, Environmental Assessment of the Alaska Continental Shelf: Annual Report, 3 p., 5 appended reports.

- Hopkins, D.M., and Hartz, R.M., 1978, Coastal morphology, coastal erosion, and barrier island of the Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 78-1063, 54 p.
- Hopkins, D.M., Hartz, R.W., and Robinson, S.W., 1979, Record of a prehistoric storm surge in the Wainwright Inlet - Kuk River area, in Johnson, K.M., and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B29-B31.
- Hopkins, D.M., and Robinson, S.W., 1979, Radiocarbon dates from the Beaufort and Chukchi Sea coasts, in Johnson, K.M., and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B44-B46.
- Hume, J.D., 1964, Shoreline changes near Barrow, Alaska, caused by the storm of October 3, 1963, in Science in Alaska, Alaskan Science Conference, 15th, College, Alaska, Proceedings: p. 96.
- Hume, J.D., 1965, Sea level changes during the last 2,000 years at Point Barrow, Alaska: Science, v. 150, no. 3700, p. 1165-1166.
- Hume, J.D., and Schalk, Marshall, 1963, The effects of beach borrowing in the Arctic [abs.]: Eos [American Geophysical Union Transactions], v. 44, no. 1, p. 67.
- Hume, J.D., and Schalk, Marshall, 1964, The effects of ice push on arctic beaches: American Journal of Science, v. 262, no. 2, p. 267-273.
- Hume, J.D., and Schalk, Marshall, 1964, The effects of beach borrow in the Arctic: Shore and Beach, April issue.
- Hume, J.D., and Schalk, Marshall, 1967, Shoreline processes near Barrow, Alaska, a comparison of the normal and the catastrophic: Arctic, v. 20, no. 2, p. 86-103.
- Hume, J.D., Schalk, Marshall, and Hume, H.W., 1972, Short-term climate changes and coastal erosion, Barrow, Alaska: Arctic, v. 25, no. 4, p. 272-278.
- Hussey, K.M., and Anderson, G.S., 1963, Environment and distribution of thermal relief features in the northern foothills section, Alaska: Ames, Iowa State University of Science and Technology, Department of Geology, unpublished report.
- Hussey, K.M., and Michelson, R.W., 1966, Tundra relief features near Point Barrow, Alaska: Arctic, v. 19, p. 162-184.
- Hussey, K.M., and Reckendorf, F.F., 1963, Drainage phenomena as related to a tundra regime in northern Alaska: Ames, Iowa State University, Department of Geology, 75 p.
- Jahns, H.O., 1984, Pipeline thermal considerations, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 101-105.

- Johnson, K.M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-File Report 78-206, scale 1:500,000.
- Johnson, P.L., and Kistner, F.B., 1967, Breakup of ice, Meade River, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 118, 12 p.
- Jones, S.H., 1978, Streamflow in NPRA, 1977, in Johnson, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B29.
- Kachadoorian, Reuben, Crory, F.E., and Berg, R.L., 1978, Studies of proposed airfields at Inigok and Tunalik well sites, NPRA, in Johnson, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B22-B24.
- Kachadoorian, Reuben, Crory, F.E., and Berg, R.L., 1979, Design of airfields in National Petroleum Reserve in Alaska, in Johnson, K.M. and Williams, J.R., eds., The United State Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B51-B52.
- Kaiser Engineers, Inc., 1977, Technical and economic feasibility of surface mining coal deposits, North Slope of Alaska, Final report: U.S. Bureau of Mines Open-File Report 153-77, 158 p.
- Keller, A.S., Morris, R.H., and Detterman, R.L., 1961, Geology of the Shaviovik and Sagavanirktok Rivers region, Alaska: U.S. Geological Survey Professional Paper 303-D, p. 169-222.
- Kirschner, C.E., 1983, The Arctic Platform in the National Petroleum Reserve in Alaska - deposition, deformation, and petroleum potential [abs.], in U.S. Geological Survey Polar Research Symposium, abstracts with programs: U.S. Geological Survey Circluar 911, p. 24-27.
- Komarkova, Vera, 1983, Recovery of plant communities and summer thaw at the 1949 Fish Creek Test Well 1, arctic Alaska, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 645-650.
- Komarkova, Vera, and Webber, P.J., 1977, Annotated list of vascular plants from the Meade River area near Atkasook, Alaska: U.S. Arctic Research Program, Division of Polar Programs, National Science Foundation, 18 p.
- Komarkova, Vera, and Webber, P.J., 1980, Two low arctic vegetation maps near Atkasook, Alaska, in Batzli, G.O., ed., Patterns of vegetation and herbivory in arctic tundra, results from the research on Arctic tundra environments (RATE) program: Arctic and Alpine Research, v. 12, no. 4, p. 447-472.
- Kososki, B.A., Reiser, H.N., Cavit, C.D., and Detterman, R.L., 1978, A gravity study of the northern part of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Bulletin 1440, 21 p.

- LaBelle, J.C., 1973, Fill materials and aggregate near Barrow, Naval Petroleum Reserve No. 4, Alaska: Arctic Institute of North America, Contract N0d-9915 (72-2), Office of Naval Petroleum and Oil Shale Reserves, 147 p.
- Lachenbruch, A.H., 1957, Three dimensional heat conduction beneath heated buildings: U.S. Geological Survey Bulletin 1052-B, 69 p.
- Lachenbruch, A.H., 1959, Periodic heat flow in a stratified medium with application to permafrost problems: U.S. Geological Survey Bulletin 1083-A, 34 p.
- Lachenbruch, A.H., 1962, Mechanics of thermal contraction cracks and ice-wedge polygons in permafrost: Geological Society of America Special Paper 70, 69 p.
- Lachenbruch, A.H., Brewer, M.C., Greene, G.W., and Marshall, B.V., 1962, Temperatures in permafrost, in Temperature -its measurement and control in science and industry, v. 3, pt. 1: New York, N.Y., Reinhold, p. 791-803.
- Lachenbruch, A.H., and Marshall, B.V., 1969, Heat flow in the Arctic: Arctic, v. 22, no. 3, p. 300-311.
- Lachenbruch, A.H., and Marshall, B.V., 1986, Changing climate: Geothermal evidence from permafrost in the Alaskan Arctic: Science, v. 234, no. 4777, p. 689-696.
- Lachenbruch, A.H., Sass, J.H., Lawver, L.A., Brewer, M.C., and Moses, T.H., Jr., 1982, Depth and temperature on the Alaskan Arctic Slope; preliminary results: U.S. Geological Survey Open-File Report 82-1039, 30 p.
- Langenheim, R.L., Jr., Smiley, C.J., and Gray, Jane, 1960, Cretaceous amber from the Arctic Coastal Plain of Alaska: Geological Society of America Bulletin, v. 71, p. 1345-1356.
- Lantz, R.L., 1981, Barrow gas fields - N. Slope, Alaska: Oil and Gas Journal, v. 79, no. 10, p. 197-200.
- Latham, E.H., 1965, Preliminary geologic map of northern Alaska: U.S. Geological Survey Open-File Report 65-96, scale 1:1,000,000, 2 sheets.
- Lawson, D.E., 1982, Long-term modifications of perennially frozen sediment and terrain at East Oumalik, northern Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Report 82-36, 33 p.
- Lawson, D.E., 1983 Ground ice in perennially frozen sediments, northern Alaska, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Proceedings: Washington, D.C., National Academy Press, p. 695-700.
- Lawson, D.E., 1986, Response of permafrost terrain to disturbance: A synthesis of observations from northern Alaska, U.S.A.: Arctic and Alpine Research, v. 18, p. 1-17.

- Lawson, D.E., Brown, Jerry, Everett, K.R., Johnson, A.W., Komarkova, V., Murray, B.M., Murray, D.F., and Webber, P.J., 1978, Tundra disturbance and recovery following the 1949 exploratory drilling, Fish Creek, northern Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Report 78-28, 91 p.
- Leffingwell, E. de K., 1908, Flaxman Island, a glacial remnant: *Journal of Geology*, v. 16, no. 1, p. 56-64.
- Leffingwell, E. de K., 1915, Ground-ice wedges; the dominant form of ground ice on the north coast of Alaska: *Journal of Geology*, v. 23, p. 635-654.
- Leffingwell, E. de K., 1919, The Canning River region, northern Alaska: U.S. Geological Survey Professional Paper 109, 251 p.
- Lewellen, R.I., 1965, Characteristics and rates of thermal erosion, Barrow, Alaska: Denver, Colo., University of Denver, M.Sc. thesis, 181 p.
- Lewellen, R.I., 1972, The occurrence and characteristics of nearshore permafrost, northern Alaska: Arctic Institute of North America, contract N00014-70-A-0219-001, subcontract ONR-433, Progress Report dated November 1, 77 p.
- Lewellen, R.I., 1972, Studies on the fluvial environment, Arctic Coastal Plain Province, northern Alaska: Littleton, Colo., 2 v., 282 p., (Published privately).
- Lewellen, R.I., 1973, The occurrence and characteristics of nearshore permafrost, northern Alaska, in International Conference on Permafrost, North American Contribution, 2nd, Yakutsk, U.S.S.R.: Washington, D.C., National Academy of Sciences, p. 131-136.
- Lewellen, R.I., 1974, Offshore permafrost of the Beaufort Sea, Alaska, in Reed, J.C., and Sater, J.E., eds., The coast and shelf of the Beaufort Sea: proceedings of a symposium on Beaufort Sea Coast and shelf Research: Arctic Institute of North America, p. 417-426.
- Lewellen, R.I., 1977, A study of Beaufort Sea coastal erosion, northern Alaska, in U.S. Department of Commerce, NOAA, OCSEAP, Environmental Assessment of the Alaskan Continental Shelf: Final Reports of Principal Investigators, v. 15, p. 491-527.
- Lewellen, R.I., 1977, Subsea permafrost research techniques: *Geoscience and Man*, v. 18, p. 29-34.
- Lewis, C.R., 1959, Geology of Barter Island and the Alaska arctic coast, p. 61-83, in U.S. Geological Survey, Military Geology Branch, preliminary report of the Mt. Chamberlin-Barter Island project, Alaska, 1958: Progress report for Air Force Cambridge Research Center, Bedford, Mass., 83 p.
- Lewis, C.R., 1962, Icing mounds on Sadlerochit River, Alaska: *Arctic*, v. 15, no. 2, p. 145-150.

- Livingstone, D.A., 1954, On the orientation of lake basins: American Journal of Science, v. 252, p. 547-554.
- Livingstone, D.A., 1955, Some pollen profiles from arctic Alaska: Ecology, v. 36, no. 4, p. 587-600.
- Livingstone, D.A., Bryan, Kirk, Jr., and Leahy, R.G., 1958, Effects of an arctic environment on the origin and development of freshwater lakes: Limnology and Oceanography, v. 3, p. 194-214.
- Lyle, W.M., Palmer, I.F., Bolm, J.C., and Maxey, L.R., 1980, Post-Early Triassic formations in northeastern Alaska and their petroleum reservoir and source-rock potential: Alaska Division of Geological and Geophysical Surveys Geologic Report 76, 100 p., 14 pls.
- MacCarthy, G.R., 1952, Geothermal investigations on the Arctic Slope of Alaska: Eos [American Geophysical Union Transactions], v. 33, no. 4, p. 589-593.
- MacCarthy, G.R., 1953, Recent changes in the shoreline near Point Barrow, Alaska: Arctic, v. 6, no. 1, p. 44-51.
- MacCarthy, G.R., 1958, Glacial boulders on the arctic coast of Alaska: Arctic, v. 11, no. 2, p. 71-85.
- MacGinitie, G.E., 1955, Distribution and ecology of the marine invertebrates of Point Barrow, Alaska: Smithsonian Miscellaneous Collections, v. 128, no. 9, 201 p.
- MacKay, J.R., 1971, The origin of massive icy beds in permafrost, western arctic coast, Canada: Canadian Journal of Earth Sciences, v. 8, no. 4, p. 397-422.
- MacNamara, E.E., and Tedrow, J.C.F., 1966, An arctic equivalent of the grumusol: Arctic, v. 19, no. 2, p. 145-152.
- MacNeil, F.S., 1957, Cenozoic megafossils of northern Alaska: U.S. Geological Survey Professional Paper 294-C, p. 99-125.
- Mamet, B.L., and Armstrong, A.K., 1972, Lisburne Group, Franklin and Romanzof Mountains, northeastern Alaska, in Geologic Survey Research 1972, U.S. Geological Survey Professional Paper 800-C, p. 127-144.
- Marincovich, Louie, Jr., Brouwers, Elisabeth, and Carter, L. D., 1985, Early Tertiary marine fossils from northern Alaska: implications for Arctic Ocean paleogeography and faunal evolution: Geology, v. 13, p. 770-773.
- Martin, G.C., and Callahan, J.E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 78-1033, 23 p., scale 1:500,000, 2 plates.

- Mast, R.F., and McMullin, R.H., Bird, K.J., and Brosgé, W.P., 1980, Resource appraisal of undiscovered oil and gas resources in the William O. Douglas Arctic Wildlife Range: U.S. Geological Survey Open-File Report 80-916, 62 p.
- Mather, J.R., and Thornthwaite, C.W., 1958, Microclimate investigations at Point Barrow, Alaska, 1957-58: Centerton, N.J., Drexel Institute of Technology, Laboratory of Climatology, Publications in Climatology, v. 9, no. 2.
- Mayfield, C.F., Tailleux, I.L., Mull, C.G., and Sable, E.G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 78-70B, scale 1:500,000, 2 sheets.
- McCulloch, D.S., 1967, Quaternary geology of the Alaskan shore of Chukchi Sea, in Hopkins, D.M., ed., The Bering Land Bridge: Stanford, Calif., Stanford University Press, p. 91-120.
- McDougall, Kristin, 1983, Quaternary microfossils on the Arctic shelf [abs.], in U.S. Geological Survey Polar Research Symposium, abstracts with programs: U.S. Geological Survey Circular 911, p. 39-40.
- McKenzie, L.S., and Walker, H.J., 1974, Morphology of an arctic river bar: Baton Rouge, Louisiana State University, Coastal Studies Institute Technical Report.
- McVee, C.V., and Tileston, J.V., 1984, Regulatory responsibilities in permafrost environments of Alaska from the perspective of a federal land manager, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 125-128.
- Meek, C.E., 1923, Notes on the stratigraphy and Pleistocene fauna from Peard Bay, arctic Alaska: Berkeley, University of California, Department of Geological Sciences Bulletin, v. 14, p. 409-422.
- Mellor, J.C., 1987, A statistical analysis and summary of radar-interpreted arctic lake depths: An addendum to 12 map products: U.S. Bureau of Land Management Technical Report 11, 34 p.
- Metz, M.C., 1984, Pipeline workpads in Alaska, in International Conference on Permafrost, 4th, Fairbanks, Alaska, Final Proceedings: Washington, D.C., National Academy Press, p. 106-108.
- Miller, R.D., 1984, Thermally induced regelation: a qualitative discussion, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 61-63.
- Mohr, J.L., Reish, D.J., Barnard, J.L., Lewis, R.W., and Geiger, S.R., 1961, The marine nature of Nuwuk Lake and small ponds of the peninsula at Point Barrow, Alaska: Arctic, v. 14, no. 4, p. 211-223.



- Molenaar, C.M., 1981, Depositional history and seismic stratigraphy of Lower Cretaceous rocks, National Petroleum Reserve in Alaska and adjacent areas: U.S. Geological Survey Open-File Report 81-1084, 42 p.
- Molenaar, C.M., 1983, Depositional relations of Cretaceous and lower Tertiary rocks, northeastern Alaska: American Association of Petroleum Geologists Bulletin, v. 67, no. 7, p. 1066-1080.
- Morrissey, L.A., 1979, Succession of plant communities in response to thaw-lake activity on the Arctic Coastal Plain, Alaska: San Jose, San Jose State University, Calif., M.Sc. thesis, 71 p.
- Morrissey, L.A., and Ennis, R.A., 1981, Vegetation mapping of the National Petroleum Reserve in Alaska using LANDSAT digital data: U.S. Geological Survey Open-File Report 81-315, 25 p.
- Mowatt, T.C., Naidu, A.S., and Veach, Nomok, 1974, Clay mineralogy of the lower Colville River and Colville delta, north arctic Alaska: Fairbanks, Alaska Division of Geological and Geophysical Surveys Open File Report AOF-45, 39 p.
- Mull, C.G., and Kososki, B.A., 1977, Hydrocarbon assessment of the Arctic National Wildlife Range, eastern Arctic Slope, Alaska, in Blean, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B20-B22.
- Nelson, G.L., 1977, North Slope water resources studies, in Blean, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B31.
- Nelson, R.E., 1978, Modern pollen rain on the Chukchi and Beaufort Sea coasts, Alaska, in Hopkins, D.M., and Hartz, R.W., Shoreline history of Chukchi and Beaufort Seas as an aid to predicting offshore permafrost conditions: U.S. Department of Commerce, NOAA, OCSEAP, Environmental Assessment of the Alaskan Continental Shelf: Annual Report, Appendix III, 8 p.
- Nelson, R.E., 1982, Late Quaternary environments of the western Arctic Slope, Alaska: Seattle, University of Washington, Ph.D. thesis, 90 p.
- Nelson, R. E., and Carter, L. D., 1985, Pollen analysis of a part of the Gubik Formation, Arctic Coastal Plain, Alaska: Quaternary Research, v. 24, no. 3, p. 295-306.
- Nelson, R.E., and Carter, L.D., 1987, Paleoenvironmental analysis of insects and extralimital Populus from an early Holocene site on the Arctic Slope of Alaska, U.S.A.: Arctic and Alpine Research, v. 19, p. 230-241.
- Nelson, R.E., Carter, L.D., and Robinson, S.W., 1988, Anomalous radiocarbon ages from a Holocene detrital organic deposit in Alaska, and their implications for radiocarbon dating and paleoenvironmental reconstructions in the Arctic: Quaternary Research, v. 29, p. 66-71.

- Nelson, S.W., and Nelson, W.H., 1982, Geology of Siniktanneyak Mountain ophiolite, Howard Pass quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1441, scale 1:63,360.
- Olhoeft, G.R., 1978, Electrical properties of permafrost, in International Conference on Permafrost, 3rd, Proceedings: Ottawa, National Research Council of Canada, p. 127-131.
- Olhoeft, G.R., Watts, Ray, Frischknecht, Franck, Bradley, F., and Dansereau, D., 1978, Electromagnetic geophysical exploration in the National Petroleum Reserve in Alaska, in Symposium on Permafrost Field Methods, Saskatoon, Saskatchewan, 1977, Proceedings: Ottawa, National Research Council of Canada, Technical Memorandum.
- Osterkamp, T.E., 1976, A conceptual model of offshore permafrost: the Northern Engineer, v. 7, no. 4, p. 5-10.
- Osterkamp, T.E., 1972, Properties of ice in the Colville River area, in Kinney, P.J., and others, Baseline data study of the Alaskan arctic aquatic environment: Fairbanks, University of Alaska, Institute of Marine Sciences Report R72-3, p. 49-58.
- Osterkamp, T.E., 1984, Response of Alaskan permafrost to climate, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 145-152.
- Osterkamp, T.E., and Payne, M.W., 1981, Estimates of permafrost thickness from well logs in northern Alaska: Cold Regions Science and Technology, v. 5, p. 13-27.
- O'Sullivan, J.B., 1961, Quaternary geology of the Arctic Coastal Plain, northern Alaska: Ames, Iowa State University of Science and Technology, Ph.D. thesis, 191 p.
- O'Sullivan, J.B., 1966, Geochemistry of permafrost, Barrow, Alaska, in International Conference on Permafrost, Lafayette, Ind., 1963, Proceedings: National Academy of Sciences, National Research Council Publication 1287, p. 30-37.
- O'Sullivan, J.B., Davidson, D.T., Roy, C.J., Handy, R.L., and Hussey, K.M., 1959, Crude oil for stabilization of soil materials at Point Barrow, in Davidson, D.T., and others, The geology and engineering characteristics of some Alaskan soils: Ames, Iowa State University, Engineering Experiment Station Bulletin 186, p. 129-149.
- O'Sullivan, J.B., and Hussey, K.M., 1957, Problems associated with soil stabilization in the vicinity of Point Barrow, Alaska: Ames, Iowa Academy of Sciences, Proceedings, v. 64, p. 429-442.
- O'Sullivan, J.B., and Hussey, K.M., 1960, Noneolian origin for silts of the Arctic Slope, Alaska [abs.]: Geological Society of America Bulletin, v. 71, no. 12, pt. 2, p. 1940.

- Paige, Sidney, Foran, W.T., and Gilluly, James, 1925, Reconnaissance of the Point Barrow region, Alaska: U.S. Geological Survey Bulletin 772, 32 p.
- Palmer, I.F., Jr., Bolm, J.G., Maxey, L.R., and Lyle, W.M., 1979, Petroleum source rock and reservoir quality data from outcrop samples, onshore North Slope of Alaska east of Prudhoe Bay: U.S. Geological Survey Open-File Report 79-1634, 52 p., 14 pls.
- Payne, T.G., and others, 1951, Geology of the arctic slope of Alaska: U.S. Geological Survey Oil and Gas Investigations Map OM-126, scale 1:1,000,000, 3 sheets.
- Peterson, K.M., and Billings, W.D., 1978, Geomorphic processes and vegetation change along the Meade River sand bluffs in northern Alaska: *Arctic*, v. 31, no. 1, p. 7-23.
- Peterson, K.M., and Billings, W.D., 1980, Tundra vegetational patterns and successions in relation to microtopography near Atkasook, Alaska, in Batzli, G.O., ed., *Patterns of vegetation and herbivory in arctic tundra, results from the research on Arctic tundra environments (RATE) program: Arctic and Alpine Research*, v. 12, no. 4, p. 473-482.
- Péwé, T.L., and Church, R.E., 1962, Age of the spit at Barrow, Alaska: *Geological Society of America Bulletin*, v. 73, no. 10, p. 1287-1292.
- Potter, L.D., 1972, Plant ecology of the Walakpa Bay area, Alaska: *Arctic*, v. 25, no. 2, p. 115-130.
- Price, W.A., 1963, The oriented lakes of arctic Alaska; a discussion: *Journal of Geology*, v. 71, no. 4, p. 530-532.
- Quaide, William, 1955, Enquiry into the paleontologic and geologic history of the Naval Petroleum Reserve No. 4 and adjoining areas: Report prepared for Arctic Institute of North America under Office of Naval Research Project ONR-118, 26 p., 12 pl., unpublished.
- Rampton, V.N., 1982, Quaternary geology of the Yukon coastal plain: *Geological Survey of Canada Bulletin* 317, 49 p., with map.
- Ray, P.H., 1885, International polar expedition to Point Barrow: 48th Congress, 2nd session, House Executive Document 44.
- Reed, J.C., 1958, Exploration of Naval Petroleum Reserve No. 4 and adjacent areas, northern Alaska, 1944-1953, part 1, History of the exploration: U.S. Geological Survey Professional Paper 301, 192 p.
- Reimnitz, Erik, Barnes, P.W., Rearic, D.M., Minkler, P.W., Kempema, E.W., and Reiss, T.E., 1982, Marine geologic investigations in the Beaufort Sea 1981 and preliminary interpretations for regions from the Canning River to the Canadian border: U.S. Geological Survey Open-File Report 82-974, 67 p.
- Reimnitz, Erk, Kempema, Edward, Ross, Robin, and Minkler, Peter, 1980, Overconsolidated surficial deposits on the Beaufort Sea shelf: U.S. Geological Survey Open-File Report 80-2010, 37 p.

- Reimnitz, Erk, Maurer, D.K., 1978, Storm surges in the Alaskan Beaufort Sea: U.S. Geological Survey Open-File Report 78-593, 26 p.
- Reimnitz, Erk, Graves, S.M., and Barnes, P.W., 1985, Beaufort Sea coastal erosion, shoreline evolution, and sediment flux: U.S. Geological Survey Open-File Report 85-380.
- Reiser, H.N., Brosgé, W.P., Dutro, J.T., Jr., and Detterman, R.L., 1974, Preliminary geologic map of the Demarcation Point quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-610, scale 1:200,000.
- Reiser, H.N., Brosgé, W.P., Dutro, J.T., Jr., and Detterman, R.L., 1980, Geologic map of the Demarcation Point quadrangle, Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1133, scale 1:250,000.
- Reiser, H.N., Brosgé, W.P., Dutro, J.T., Jr., and Detterman, R.L., 1971, Preliminary geologic map, Mt. Michelson quadrangle, Alaska: U.S. Geological Survey Open-File Report 71-237, scale 1:200,000.
- Reiser, H.N., Brosgé, W.P., Detterman, R.L., and Dutro, J.T., Jr., 1978, Geologic map of the Demarcation Point quadrangle, Alaska: U.S. Geological Survey Open-File Report 78-526, scale 1:250,000.
- Reiser, H.N., Dutro, J.T., Jr., Brosgé, W.P., Armstrong, A.K., and Detterman, R.L., 1970, Progress map, geology of the Sadlerochit and Shublik Mountains, Mt. Michelson C-1, C-2, C-3, and C-4 quadrangles, Alaska: U.S. Geological Survey Open-File Report 440, scale 1:63,360, 5 sheets.
- Repenning, C.A., 1983, New evidence for the age of the Gubik Formation, Alaskan North Slope: Quaternary Research, v. 19, no.3, p. 356-372.
- Rex, R.W., 1961, Hydrodynamic analyses of circulation and orientation of lakes in northern Alaska, in Raasch, G.O., ed., Geology of the Arctic: Toronto, Canada, University of Toronto Press, v. 2, p. 1021-1043.
- Rex, R.W., 1964, Arctic beaches, Barrow, Alaska, in Miller, R.L., ed., Papers in marine geology (Shepard Commemorative volume): New York, Macmillan, p. 384-400.
- Rex, R.W., and Taylor, E.J., 1953, Uplifted beach ridges and first generation lakes in the Barrow area, Alaska: unpublished final report to NONR Contract NONR 225(09), Palo Alto, Calif., Department of Geology, Stanford University.
- Rickert, D.A., and Tedrow, J.C.F., 1967, Pedologic investigations of some eolian deposits of northern Alaska: Soil Science, v. 104, p. 250-262.
- Robinson, F.M., 1959, Test wells, Simpson area, Alaska, with a section on core analyses by S.T. Yuster: U.S. Geological Survey Professional Paper 305-J, p. 523-568.

- Robinson, F.M., 1964, Core tests, Simpson area, Alaska, with a section on temperature measurement studies by M.C. Brewer: U.S. Geological Survey Professional Paper 305-L, p. 645-730.
- Robinson, F.M., and Collins, F.R., 1959, Core test, Sentinel Hill area and test well, Fish Creek area, Alaska: U.S. Geological Survey Professional Paper 305-I, p. 485-521.
- Rodeick, C.A., 1975, The origin, distribution, and depositional history of gravel deposits on the Beaufort Sea continental shelf, Alaska: San Jose, San Jose State University, Calif., M.Sc. thesis, 87 p.
- Rodeick, C.A., 1979, The origin, distribution, and depositional history of gravel deposits on the Beaufort Sea continental shelf, Alaska: U.S. Geological Survey Open-File Report 79-234, 87 p.
- Rosenfeld, G.A., and Hussey, K.M., 1958, A consideration of the problem of oriented lakes: Ames, Iowa Academy of Sciences, Proceedings, v. 65, p. 279-287.
- Sable, E.G., 1965, Geology of the Romanzof Mountains, Brooks Range, northeastern Alaska: U.S. Geological Survey Open-File Report 65-141, 218 p.
- Sable, E.G., 1977, Geology of the western Romanzof Mountains, Brooks Range, Alaska: U.S. Geological Survey Professional Paper 897, 84 p.
- Sanford, R.S., and Pierce, H.C., 1946, Exploration of coal deposits of the Point Barrow and Wainwright areas, northern Alaska: U.S. Bureau of Mines, Report of Investigations 3934, 17 p.
- Schell, D., and Hall, G., 1972, Water chemistry and nutrient regeneration process studies, in Kinney, P.J., and others, Baseline data study of the Alaskan arctic aquatic environment: Fairbanks, University of Alaska, Institute of Marine Sciences Report R72-3, p. 3-28.
- Schindler, J.F., and Walker, H.J., 1975, Nearshore environments of the North Slope and the petroleum industry: Geoscience and Man, v. 13, p. 67-76.
- Schmidt, R.A.M., 1967, New generic assignments for some Pleistocene Ostracoda from Alaska: Journal of Paleontology, v. 41, p. 487-488.
- Schmidt, R.A.M., and Sellmann, P.V., 1966, Mummified Pleistocene ostracods in Alaska: Science, v. 153, no. 3732, p. 167-168.
- Schrader, F.C., 1904, A reconnaissance in northern Alaska across the Rocky Mountains, along the Koyukuk, John, Anaktuvuk, and Colville Rivers and the arctic coast to Cape Lisburne in 1901: U.S. Geological Survey Professional Paper 20, 139 p.
- Sellmann, P.V., and Brown, Jerry, 1965, Coring of frozen ground, Barrow, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 82, 8 p.

- Sellman, P.V., and Brown, Jerry, 1973, Stratigraphy and diagenesis of perennially frozen sediments in the Barrow, Alaska region, in International Conference on Permafrost, North American Contribution, 2nd, Yakutsk, U.S.S.R.: National Academy of Sciences, p. 171-181.
- Sellmann, P.V., Brown, Jerry, Lewellen, R.I., McKim, H., and Merry, Carolyn, 1975, The classification and geomorphic implications of thaw lakes on the arctic coastal plain, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Research Report 344, 21 p.
- Sellmann, P.V., Carey, K.L., Keeler, Charles, and Hartwell, A.D., 1972, Terrain and coastal conditions on the Arctic Alaskan Coastal Plain: Hanover N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 165, 74 p.
- Sellmann, P.V., Weeks, W.F., and Campbell, W.J., 1975, Use of side-looking airborne radar to determine lake depth in the Alaskan North Slope: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 230, 6 p.
- Short, A.D., and Wiseman, W.J., Jr., 1973, Freezing effects on arctic beaches: Louisiana State University Coastal Studies Bulletin 7, Technical Report 128, p. 23-32.
- Short, A.D., and Wiseman, W.J., Jr., 1974, Freezeup processes on arctic beaches: Arctic, v. 27, p. 215-224.
- Short, A.D., and Wiseman, W.J., Jr., 1975, Coastal breakup in the Alaskan Arctic: Geological Society of America Bulletin, v. 86, no. 2, p. 199-202.
- Short, A.D., and Wright, L.D., 1974, Lineaments and coastal geomorphic patterns in the Alaskan Arctic: Geological Society of America Bulletin, v. 85, p. 931-936.
- Slaughter, C.W., Mellor, Malcolm, Sellmann, P.V., Brown, Jerry, and Brown, L., 1975, Accumulating snow to augment the fresh water supply at Barrow, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Special Report 217, 21 p.
- Sloan, C.E., 1977, Arctic hydrology studies, in Blean, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B30-B31.
- Sloan, C.E., 1983, Hydrology of the North Slope, Alaska [abs.], in U.S. Geological Survey Polar Research Symposium, abstracts with programs: U.S. Geological Survey Circular 911, p. 44.
- Sloan, C.E., and Snyder, F.F., 1978, Hydrologic and reconnaissance of lakes in NPRA, in Johnson, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B28-B29.

- Sloan, Charles, Trabant, Dennis, and Glude, William, 1979, Reconnaissance snow surveys of the National Petroleum Reserve in Alaska, April 1977 and April-May 1978: U.S. Geological Survey Water-Resources Investigations Open-File Report 79-1342, 31 p.
- Smiley, C.J., 1966, Cretaceous floras from Kuk River area, Alaska: stratigraphic and climatic interpretations: Geological Society of America Bulletin, v. 77, no. 1, p. 1-14.
- Smiley, C.J., 1969, Floral zones and correlations of Cretaceous Kukpowruk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.
- Smiley, C.J., 1979, Some Cretaceous plant megafossils and microfossils from the Nanushuk Group, northern Alaska: a preliminary report, in Ahlbrandt, T.S., ed., Preliminary geologic, petrologic, and paleontologic results of the study of Nanushuk Group rocks, North Slope, Alaska: U.S. Geological Survey Circular 794, p. 89-111.
- Smith, M.W., 1984, Climate change and other effects on permafrost, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 153-155.
- Smith, P.S., and Mertie, J.B., Jr., 1930, Geology and mineral resources of northwestern Alaska: U.S. Geological Survey Bulletin 815, 351, p.
- Spetzman, L.A., 1959, Vegetation of the Arctic Slope of Alaska: U.S. Geological Survey Professional Paper 302-B, p. 19-58.
- Stanley, E.A., 1967, Cretaceous pollen and spore assemblages from northern Alaska: Review of Paleobotany and Palynology, v. 1, p. 229-234.
- Stefansson, Karl, and Mangus, M.D., 1949, Stratigraphy and structure of the area of the Avalik and Ketik Rivers: U.S. Geological Survey Investigations of Naval Petroleum Reserve No. 4, Regular Report 28, published as U.S. Geological Survey Open-File Report 54-293.
- Stefansson, Vilhjalmur, 1908, Underground ice sheets of the arctic tundra: American Geographical Society Bulletin, v. 40, p. 176-177.
- Stefansson, Vilhjalmur, 1910, Underground ice in northern Alaska: American Geographical Society Bulletin, v. 42, p. 337-345.
- Still, P.J., 1980, Index of streamflow and water-quality records to September 30, 1978, Arctic Slope Alaska: U.S. Geological Survey Open-File Report 80-554, 18 p.
- Swain, F.M., 1961, Ostracoda from the Pleistocene Gubik Formation, Arctic Coastal Plain, Alaska, in Raasch, G.O., ed., Geology of the Arctic: Toronto, Canada, University of Toronto Press, v. 1, p. 600-606.
- Taber, Stephen, 1943, Perennially frozen ground in Alaska: its origin and history: Geological Society of America Bulletin, v. 54, p. 1433-1548.

- Tailleur, I.L., and Engwicht, S.E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928-B, scale 1:500,000.
- Tailleur, I.L., Kent, B.H., Jr., and Reiser, H.W., 1966, Outcrop/geologic maps of the Nuka-Etiviluk region, northern Alaska: U.S. Geological Survey Open-File Report 66-128, scale 1:63,360, 7 sheets.
- Tappan, Helen, 1961, Foraminifera from Pleistocene Gubik Formation of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 45, no. 1, p. 132.
- Tedrow, J.C.F., 1965, Concerning genesis of the buried organic matter in tundra soil: Soil Science Society of America, Proceedings, v. 29, p. 89-90.
- Tedrow, J.C.F., 1969, Thaw lakes, thaw sinks, and soils in northern Alaska: Biuletyn Peryglacjalny, no. 20, p. 337-344.
- Tedrow, J.C.F., 1977, Soils of the polar landscapes: New Brunswick, N.J., Rutgers University Press, 638 p.
- Tedrow, J.C.F., and Cantlon, J.E., 1958, Concepts of soil formation and classification in arctic regions: Arctic, v. 11, no. 3, p. 166-179.
- Tedrow, J.C.F., Drew, J.V., Hill, D.E., and Douglas, J.A., 1958, Major genetic soils of the Arctic Slope of Alaska: Journal of Soil Science, v. 9, p. 33-45.
- Tedrow, J.C.F., and Hill, D.E., 1955, Arctic brown soil: Soil Science, v. 80, p. 265-275.
- Toenges, A.L., and Jolley, T.R., 1947, Investigation of coal deposits for local use in the arctic regions of Alaska and proposed mine development: U.S. Bureau of Mines Report of Investigations 4150, 19 p.
- U.S. Department of the Interior, 1976, Alaska Natural Gas Transportation System, final Environmental Impact Statement, Part II, Alaska: Washington, D.C., 2 v., 778 p.
- U.S. Fish and Wildlife Service, 1983, Proposed oil and gas exploration within the coastal plain of the Arctic National Wildlife Refuge, Alaska, final Environmental Impact Statement and preliminary final regulations: Washington, D.C., 147 p., with appendices.
- U.S. Geological Survey, 1979, An environmental evaluation of potential petroleum development on the National Petroleum Reserve in Alaska: prepared by the U.S. Geological Survey, under Section 105(b) of the Naval Petroleum Reserve, Production Act of 1976, 238 p.
- Wahrhaftig, Clyde, 1965, Physiographic divisions of Alaska: U.S. Geological Survey Professional Paper 482, 52 p., 6 pls.



- Walker, D.A., Acevedo, William, Everett, K.R., Gaydos, L.J., and Brown, Jerry, 1982, Landsat assisted environmental mapping in the Arctic National Wildlife Refuge, Alaska: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Report 82-37.
- Walker, D.A., Cate, D., Brown, Jerry, and Racine, E., 1987, Disturbance and recovery of arctic Alaskan tundra terrain: Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, CRREL Report 87-11, 63 p.
- Walker, D.A., Walker, M.D., Everett, K.R., and Webber, P.J., 1985, Pingos of the Prudhoe Bay region, Alaska, USA: Arctic and Alpine Research, v. 17, no. 3, p. 321-336.
- Walker, D.A., Webber, P.J., Binnian, E.F., Everett, K.R., Lederer, N.D., Nordsfrand, E.A., and Walker, M.D., 1987, Cumulative impacts of oil fields on northern Alaskan landscapes: Science, v. 238, p. 757-761.
- Walker, H.J., 1966, Permafrost and ice-wedge effect on river bank erosion, in International Conference on Permafrost, Lafayette, Ind., 1963, Proceedings: National Academy of Sciences, National Research Council Publication 1287, p. 164-171.
- Walker, H.J., 1973 Morphology of the North Slope, in Britton, M. E., ed., Alaskan arctic tundra: Washington, D.C., Arctic Institute of North America Technical Paper 25, p. 49-92.
- Walker, H.J., 1975, Intermittent arctic streams and their influence on landforms: Catena, v. 2, p. 181-192.
- Water Resources Division, Alaska District, 1969, Water resources of the Arctic Slope region, Alaska: U.S. Geological Survey Open-File Report WRD 393, 31 p.
- Webber, E.J., 1947, Stratigraphy and structure of the area of the Meade and Kuk Rivers and Point Barrow, Alaska: U.S. Geological Survey Investigations of Naval Petroleum Reserve No. 4, Regular Report 6, 14 p., published as U.S. Geological Survey Open-File Report 54-329.
- Webber, P.J., 1984, Terrain sensitivity and recovery in Arctic regions, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 135-136.
- Weller, M.W., and Derksen, D.V., 1970, The geomorphology of Teshekpuk Lake in relation to coastline configuration of Alaska's coastal plain: Arctic, v. 32, no. 2, p. 152-160.
- Williams, J.R., 1965, Ground water in permafrost regions, with emphasis on Alaska - an annotated bibliography, including a glossary of terms: U.S. Geological Survey Water-Supply Paper 1792, 297 p.
- Williams, J.R., 1970, A review of water resources of the Umiat area, northern Alaska: U.S. Geological Survey Circular 636, 8 p.

- Williams, J.R., 1979, Stratigraphy of the Gubik Formation at Skull Cliff, northern Alaska, in Johnson, K.M., and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B31-B33.
- Williams, J.R., 1983, Engineering-geologic maps of northern Alaska, Meade River quadrangle: U.S. Geological Survey Open-File Report 83-294, 29 p., scale 1:250,000.
- Williams, J.R., 1983, Engineering-geologic maps of northern Alaska, Wainwright quadrangle: U.S. Geological Survey Open-File Report 83-457, 28 p., scale 1:250,000.
- Williams, J. R., and Carter, L.D., 1984, Engineering-geologic maps of northern Alaska: Barrow quadrangle: U.S. Geological Survey Open-File Report 84-124, 39 p., scale 1:250,000, 2 sheets.
- Williams, J.R., Carter, L.D., and Yeend, Warren, 1978, Coastal plain deposits of NPRA, in Johnson, K.M., ed., The United State Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.
- Williams, J.R., and Yeend, Warren, 1979, Deep thaw lake basins of the inner Arctic Coastal Plain, Alaska, in Johnson, K.M., and Williams, J.R., eds., The United States Geological Survey in Alaska - Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B35-B37.
- Williams, J.R., Yeend, Warren, Carter, L.D., and Hamilton, T.D., 1977, Preliminary surficial deposits map of National Petroleum Reserve - Alaska: U.S. Geological Survey Open-File Report 77-868, scale 1:500,000, 2 sheets.
- Williams, P.J., 1984, Moisture in frozen soils, in International Conference on Permafrost, 4th, Fairbanks, Alaska, 1983, Final Proceedings: Washington, D.C., National Academy Press, p. 64-66.
- Wiseman, W.J., Jr., Coleman, J.M., Gregory, A., Hus, S.A., Short, A.D., Suhayda, J.N., Walters, C.D., Jr., and Wright, L.D., 1973, Alaskan arctic coastal processes and morphology: Baton Rouge, Louisiana State University Coastal Studies Institute, Technical Report 149, 171 p.
- Witmer, R.J., Haga, Hideyo, and Mickey, M.B., 1981, Biostratigraphic report of thirty-three wells drilled from 1975 to 1981 in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 81-1166, 47 p.
- Witmer, R.J., Mickey, M.B., and Haga, Hideyo, 1981, Biostratigraphic correlations of selected test wells of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 81-1165, 89 p., 6 pl.
- Wolf, Stephen, Reimnitz, Erk, Barnes, Peter, 1985, Pleistocene and Holocene seismic stratigraphy between the Canning River and Prudhoe Bay, Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 85-549, 50 p.

Yeend, Warren, 1973, Preliminary geologic map of a prospective transportation route from Prudhoe Bay, Alaska to Canadian border, Part 2, Mt. Michelson quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-494, scale 1:125,000.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K.M., ed., The United States Geological Survey in Alaska - Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Yeend, Warren, 1983, Engineering-geologic maps of northern Alaska, Lookout Ridge quadrangle: U.S. Geological Survey Open-File Report 83-279, scale 1:250,000, 2 sheets.

Yeend, Warren, 1984, Engineering-geologic maps of northern Alaska, Utukok River quadrangle: U.S. Geological Survey Open-File Report 84-682, scale 1:250,000, 2 sheets.