

Department of the Interior

U.S. Geological Survey

# Supplement to the Comprehensive Bibliography on Komatiites

*Compiled by*

*Eero Hanski<sup>1</sup>  
and  
Gerald K. Czamanske<sup>2</sup>*

***Open-File Report 90-11-A***

*This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards. Any use of trade, firm, or product names is for descriptive purpose only and does not imply endorsement by the U.S. Government.*

<sup>1</sup>Geological Survey of Finland, Rovaniemi, Finland

<sup>2</sup>U.S. Geological Survey, Menlo Park, California 94025

1990

# **Supplement to the Comprehensive Bibliography on Komatiites**

by

**Eero Hanski**  
Geological Survey of Finland

and

**Gerald K. Czamanske**  
U.S. Geological Survey

This bibliography is both a complement and a supplement to U.S. Geological Survey Open-File Report 86-434, "Comprehensive Bibliography on Komatiites," which was considered complete through 1985.

This bibliography was compiled by Eero Hanski and underwent minor editing in the hands of Gerald Czamanske. In addition to listing an embarrassing number of papers omitted from Open-File Report 86-434, this bibliography is considered complete through mid-1989.

The style of this bibliography less formal than that of Open-File Report 86-434 and does not conform with current USGS bibliographic standards. Information given is adequate for article retrieval, but users are cautioned to completely verify citations prior to incorporation into derivative reference lists.

This report is being issued in two forms, representing slightly differing versions. Version A, issued as paper copy, incorporates all special diacritics. Version B, issued as a 5.25" IBM-compatible diskette, affords users the great benefit of an online bibliography but is formatted in the standard ASCII character set because of anticipated hardware and software problems associated with foreign alphabets.

Agee, C.B., Walker, D. (1986) Experimental static compression and olivine flotation in ultrabasic silicate liquid. *Eos*, 67, 409.

Agee, C.B., Walker, D. (1988) Static compression and olivine flotation in ultrabasic silicate liquid. *J. Geophys. Res.*, 93, 3437-3449.

Agee, C.B., Walker, D. (1988) Mass balance and phase density constraints on early differentiation of chondritic mantle. *Earth Planet. Sci. Lett.*, 90, 144-156.

Ahmed, T., Rajamani, V. (1986) Petrogenesis of Aravalli komatiitic rocks near Nathdwara, Rajasthan. In: Seminar on evolution of the Precambrian crust in the Aravalli mountain belt, Abstracts of papers, Univ. Rajasthan, Dept. Geol., Udaipur, India.

Arestova, N.A., Lobach-Zhuchenko, S.B., Kuznetsov, R.A. (1988) Raschet petrogeneticheskikh modelei obrazovaniya komatiitovykh i bazaltovykh rasplavov po redkozemelnym elementam. In: S.B. Lobach-Zhuchenko (Ed-in-chief), *Zelenokamennye Poyasa Fundamenta Vostochno-Evropeiskoi Platformy (Geologiya i Petrologiya Vulkanitov)*, p. 148-162. Nauka, Leningrad.

Arndt, N.T. (1981) Chemical mobility during the alteration of komatiites. *Terra Cognita*, 1, 137.

Arndt, N.T. (1985) Layering in komatiite flows. *Terra Cognita*, 5, 211.

Arndt, N.T. (1986) Komatiites: A dirty window to the Archean mantle. *Terra Cognita*, 6, 59-66.

Arndt, N.T. (1986) Spinifex and swirling olivines in a komatiite lava lake, Munro Township, Canada. *Precambrian Res.*, 34, 139-155.

Arndt, N.T. (1986) Thermal erosion by komatiites at Kambalda. *Nature*, 324, 600.

Arndt, N.T., Bickle, M.J., Jenner, G.A., Nisbet, E.G., Zindler, A. (1986) The nature and composition of the Archean mantle. *Eos*, 67, 172-174.

Arndt, N.T., Brugmann, G.E., Lehnert, K., Chauvel, C., Chappell, B.W. (1987) Geochemistry, petrogenesis and tectonic environment of Circum-Superior Belt basalts, Canada. In: T.C. Pharaoh, R.D. Beckinsale, D. Rickard (Eds.), *Geochemistry and Mineralization of the Proterozoic Volcanic Suites*. *Geol. Soc. Spec. Publ.* 33, 133-145.

Arndt, N.T., Jenner, G.A. (1985) Kambalda komatiites and basalts: Evidence for subduction sediments in the Archaean mantle. *Terra Cognita*, 5, 206.

Arndt, N.T., Jenner, G.A. (1986) Crustally contaminated komatiites and basalts from Kambalda, Western Australia. *Chem. Geol.*, 56, 229-255.

Arndt, N.T., Naldrett, A.J. (1987) Komatiites in Munro Township, Ontario. In: D.C. Roy (Ed.) *Northeastern section; Centennial field guide.*, 5, p. 317-322, Geological Society of America, Boulder, Colorado.

Arndt, N.T., Nesbitt, R.W. (1987) Smeshenie magm v komatiitovykh lavakh iz raiona Munro, Ontario. In: A. Kröner, G.N. Hanson, A.M. Goodwin (Eds.) *Geokhimiya Arkheya*, p. 130-146. Mir, Moscow.

Arndt, N.T., Nisbet, E.G., Cameron, W.G. (1988) Geochemistry of extremely fresh komatiites from the Belingwe belt, Zimbabwe. *Chem. Geol.*, 70, 140.

Arndt, N.T., Teixeira, N.A., White, W.M. (1989) Bizarre geochemistry of komatiites from the Crixas greenstone belt, Brazil. *Contrib. Mineral. Petrol.*, 101, 187-197.

Asanova, N.I., Krestin, E.M. (1985) Polidimitovaya mineralizatsiya v peridotitovykh komatiitakh KMA. *Izv. vuzov. Geol. i Razv.*, No. 5, 127-130.

Balakrishnan, S., Hanson, G.N., Rajamani, V. (1986) Nd and Pb isotopic constraints on the petrogenesis of komatiitic rocks from the Kolar Schist Belt, S. India. *Eos*, 67, 1266.

Balakrishnan, S., Hanson, G.N., Rajamani, V. (1987) Pb isotope evidence for multiple sources for komatiites and tholeiites in the Kolar Schist Belt, S. India. *Eos*, 68, 437.

Balakrishnan, S., Hanson, G.N., Rajamani, V. (1988) Geochemistry of amphibolites from the Kolar Schist Belt. *J. Geol. Soc. India Spec. Vol.*, The Deep Continental Crust of South India, p. 9-11.

Baragar, W.R.A., Piche, M. (1982) The Circum-Ungawa Belt of eastern Hudson Bay: the geology of the Ottawa Islands and the Cape Smith region. *Geol. Surv. of Canada Paper* 82-1A, p. 11-15.

Baragar, W.R.A., Scoates, R.F.J. (1987) Volcanic geochemistry of the northern segments of the Circum-Superior Belt of the Canadian Shield. In: T.C. Pharaoh, R.D. Beckinsale, D. Rickard (Eds.), *Geochemistry and Mineralization of the Proterozoic Volcanic Suites*. *Geol. Soc. London Spec. Publ.* 33, 113-131.

Barbey, P., Martin, H. (1987) The role of komatiites in plate tectonics. Evidence from the Archaean and Early Proterozoic crust in the eastern Baltic Shield. *Precambrian Res.*, 35, 1-14.

Barnes, S.J., Hill, R.E.T., Gole, M.J. (1988) The Perseverance ultramafic complex, Western Australia: The product of a komatiite lava river. *J. Petrol.*, 29, 305-332.

Barnes, S.J., Hill, R.E.T., Gole, M.J. (1988) The Agnew nickel deposit, Western Australia, I. Structure and stratigraphy. *Econ. Geol.*, 83, 524-536.

Barnes, S.J., Hill, R.E.T., Gole, M.J. (1988) The Agnew nickel deposit, Western Australia, II. Sulfide geochemistry, with emphasis on the platinum group elements. *Econ. Geol.*, 83, 537-550.

Barnes, S.-J. (1985) The petrography and geochemistry of komatiite flows from the Abitibi Greenstone Belt and a model for their formation. *Lithos*, 18, 241-270.

Barnes, S.-J. (1987) The petrography and geochemistry of komatiite flows from the Abitibi Greenstone Belt and a model for their formation - Reply. *Lithos*, 20, 182-185.

Barnes, S.-J., Giovenazzo, D. (1989) Platinum-group elements in the Bravo intrusion, Cape Smith Fold Belt, northern Quebec. 5th Internat. Platinum Symp., Abstracts, *Bull. Geol. Soc. Finland*, 61, p. 22.

Barnes, S.-J., Naldrett, A.J. (1986) Variations in platinum group element concentrations in the Alexo mine komatiite, Abitibi Greenstone Belt, northern Ontario. *Geol. Mag.*, 123, 515-524.

Barnes, S.-J., Naldrett, A.J. (1987) Fractionation of the platinum-group elements and gold in some komatiites of the Abitibi Greenstone Belt, northern Ontario. *Econ. Geol.*, 82, 165-183.

Barnes, S.-J., Often, M. (1987) The geochemistry of komatiites from northern Norway. IGCP 217 Symposium on Proterozoic Geochemistry, June 3-6, 1987, Lund, Abstracts, p. 5.

Barnes, S.-J., Often, M. (1988) Are aluminum-depleted/Group II type komatiites formed by contamination rather than by garnet segregation. *Chem. Geol.*, 70, 140.

Barnes, S.-J., Often, M. (1989) Noble metal concentrations in Karasjok komatiites. *Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts*, 14, A47.

Barnes, S.-J., Boyd, R., Korneliussen, A., Nilsson, L.-P., Often, M., Pedersen, R.B., Robins, B. (1988) The use of mantle normalization and metal ratios in discriminating between the effects of partial melting, crystal fractionation and sulphide segregation on platinum-group elements, gold, nickel and copper: Examples from Norway. In: H.M. Prichard, P.J. Potts, J.F.W. Bowles, S.J. Cribb (Eds.) *Geo-platinum 87*, p. 113-143. Elsevier, London.

Basaltic Volcanism Study Project (BVSP) (1981) *Basaltic Volcanism on the Terrestrial Planets*. Pergamon Press, Inc., New York, 1286 p.

- Bedard, J.H.J. (1987) The development of compositional and textural layering in Archaean komatiites and in Proterozoic komatiitic basalts from Cape Smith, Quebec, Canada. In: I. Parsons (Ed.), *Origins of Igneous Layering*, p. 399-418. D. Reidel Publishing Company, Dordrecht, Holland.
- Bickle, M.J. (1986) Implications of melting for stabilization of the lithosphere and heat loss in the Archaean. *Earth Planet. Sci. Lett.*, 80, 314-324.
- Bickle, M.J., Sparks, R.S.J. (1989) Speculations on the genesis of komatiites and their significance for the Archaean thermal regimes. 28th Internat. Geol. Congress, Abstracts, 1, 150.
- Bingwen, J., Anchao, Z. (1989) The study of metakomatiite in the Archean Group in western Shandong Province, China. *Terra Abstracts*, 1, 273.
- Birkett, T. (1987) The petrography and geochemistry of komatiite flows from the Abitibi Greenstone Belt and a model for their formation - Comments. *Lithos*, 20, 181-182.
- Blackburn, W.H., Vance, R.K. (1989) Early Proterozoic high-Mg and komatiitic volcanics, Gunnison County, Colorado. *Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Abstracts with Prog.*, 14, A95.
- Blais, S., Auvray, B. (1984) Les coulees komatiitiques archeennes: varietes des processus de fractionnement. 10eme Reunion annuelle des sciences de la terre, Bourdeaux, France. p. 60.
- Blais, S., Auvray, B. (1987) Origine de l'olivine et du clinopyroxene dans les roches ultrabasiques komatiitiques de la ceinture archeenne de roches vertes de Kuhmo, Finlande orientale. *Bull. Mineral.*, 110, 73-92.
- Blais, S., Auvray, B., Jahn, B.-M., Taipale, K. (1987) Processus de fractionnement dans les coulees komatiitiques Archennes: cas des laves a spinifex de la ceinture de roches vertes de Tipasjarvi (Finlande Orientale). *Can. J. Earth Sci.*, 24, 953-966.
- Bocharov, V.L., Plaksenko, A.N., Frolov, S.M., Kasatov, A.S. (1987) O pervichno-komatiitovom istochnike nikelovykh sulfidnykh rud v norit-dioritovykh intruziyakh Voronezhskogo kristallicheskogo massiva. *Geokhimiya*, No. 3, 430-437.
- Bocharov, V.L., Plaksenko, A.N., Frolov, S.M., Kasatov, A.S. (1987) A primary komatiite source for the nickel sulfide ores in norite-diorite intrusion, in the Voronezh crystalline massif. *Geochem. Internat.*, 24, 100-108.
- Bogatikov, O.A. (Ed-in-chief) (1988) Komatiity i vysokomagnesiialnye vulkaniity rannego dokembriya Baltiiskogo shchita. Nauka, Leningrad, 192 p.

- Brevart, O., Dupre, B., Allegre, C.J. (1986) Lead-lead age of komatiitic lavas and limitations on the structure and evolution of the Precambrian mantle. *Earth Planet. Sci. Lett.*, 77, 293-302.
- Brey, G.P., Falloon, T.J., Green, D.H., Nickel, K.G. (1986) Partielles Schmelzen von Peridotit unter trockenen Bedingungen bei 50 kb. *Fortschritte Mineral.*, Beihefte 64(1), p. 22.
- Browning, P., Cowden, A., Groves, D.I. (1988) Lead isotopic composition of komatiite-hosted nickel ores at Kambalda: Evidence for metamorphic disturbances. *Chem. Geol.*, 70, 141.
- Brugmann, G.E., Arndt, N.T., Hofmann, A.W. (1985) Platinum group element abundances in komatiitic basalts and komatiites. *Terra Cognita*, 5, 288-289.
- Brugmann, G.E., Arndt, N.T., Hofmann, A.W., Tobschall, H.J. (1987) Noble metal abundances in komatiite suites from Alexo, Ontario, and Gorgona Island, Colombia. *Geochim. Cosmochim. Acta*, 51, 2159-2170.
- Brugmann, G.E., Naldrett, A.J., Duke, J.M. (1989) Platinum-group element distribution in the komatiitic Dumont sill, northwestern Quebec, Canada. 5th Internat. Platinum Symp., Abstracts, *Bull. Geol. Soc. Finland*, 61, p. 23.
- Budahn, J.R. (1986) Evidence for equilibrium conditions during the partitioning of nickel between olivine and komatiite liquid. *Am. Mineral.*, 71, 1337-1342.
- Butler, J.C. (1986) The role of spurious correlation in the development of a komatiite alteration model. *Proc. 17th Lunar Planet. Sci. Conf.*, Part 1, *J. Geophys. Res.*, 91, (B13), E275-E280.
- Byerly, G.R., Lowe, D.R. (1985) Late-stage komatiitic and dacitic volcanism in the early Archean Barberton greenstone belt, South Africa. *Lunar Planet. Sci.*, XVI, 101-102.
- Cameron, W.E., Nisbet, E.G. (1987) Composition and origin of olivine in a fresh komatiite flow, Zimbabwe. *Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts*, 12, 28.
- Campbell, I.H., Griffiths, R.W., Hill, R.I. (1989) Melting in an Archaean mantle plume: Heads it's basalts, tails it's komatiites. *Nature*, 339, 697-699.
- Campbell, I.H., Naldrett, A.J., Nolan, J., Suddaby, P. (1980) Chemical and thermal modelling of sulphide saturated and unsaturated komatiite melts. *Internat. Archaean Symp., Abstracts with Prog.*, Perth, Western Australia.

Canepa, J.A., Moore, C.B. (1984) Fluorine, chlorine and sulfur variations in an Archean basalt suite. *Lunar Planet. Sci.*, XV, 125-126.

Canil, D. (1987) The geochemistry of komatiites and basalts from the Deadman Hill area, Munro Township, Ontario, Canada. *Can. J. Earth Sci.*, 24, 998-1008.

Carnegie Inst. Wash. Year Book 86, (1987) RIMS mass spectrometry of the Re-Os system, p. 92-97.

Cattell, A. (1987) Enriched komatiitic basalts from Newton Township, Ontario: Their genesis by crustal contamination of depleted komatiite magma. *Geol. Mag.*, 124, 303-309.

Cattell, A., Arndt, N.T. (1987) Low- and high-alumina komatiites from a Late Archean sequence, Newton Township, Ontario. *Contrib. Mineral. Petrol.*, 97, 218-227.

Chalokwu, C.I. (1983) Komatiites from southern India. *Bull. Indian Geol. Assoc.*, 16, 1-11.

Charan, S.N. et al. (1988) Geology and geochemistry of spinifex-textured peridotitic komatiite from Mayasandra Schist Belt, Karnataka. *J. Geol. Soc. India*, 32, 343-350.

Chauvel, C., Arndt, N.T., Gruau, G., Hofmann, A.W. (1987) Composition of the Archean mantle: Evidence from Nd isotopes. *Terra Cognita*, 7, 272.

Chauvel, C., Dupre, B., Arndt, N.T., Jenner, G.A. (1985) Isotopic heterogeneities in Archean greenstone belts. *Terra Cognita*, 5, 206.

Chauvel, C., Dupre, B., Arndt, N.T., Hofmann, A.W. (1987) Composition of the Archean mantle: Evidence from Pb and Nd isotopes. *Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts*, 12, 31.

Cowden, A. (1988) Emplacement of komatiite lava flows and associated nickel sulfides at Kambalda, Western Australia. *Econ. Geol.*, 83, 436-442.

Cowden, A., Archibald, N.J. (1987) Massive-sulfide fabrics at Kambalda and their relevance to the inferred stability of monosulfide solid-solution. *Can. Mineral.*, 25, 37-50.

Cowden, A., Donaldson, M.J., Naldrett, A.J., Campbell, I.H. (1986) Platinum-group elements and gold in the komatiite hosted Fe-Ni-Cu sulfide deposits at Kambalda, Western Australia. *Econ. Geol.*, 81, 1226-1235.

Cowden, A., Woolrich, P. (1987) Geochemistry of the Kambalda iron-nickel sulfides: Implications for models of sulfide-silicate partitioning. *Can. Mineral.*, 25, 21-36.



Crocket, J.H., MacRae, W.E. (1986) Platinum-group element distribution in komatiitic and tholeiitic volcanic rocks from Munro Township, Ontario. *Econ. Geol.*, 81, 1242-1251.

Cui Xiushi (1984) The spinifex texture of komatiite in the Mesozoic plate subduction zone in the Natanhata Mountains. *Regional Geol. China*, 8, 131-133. (in Chinese)

Das, M., Acharya, A. (1989) Possible komatiitic affinity of Samal Precambrian Formation, Orissa, India. 28th Internat. Geol. Congress, Abstracts, 1, 368.

Delano, J.W., Stone, K. (1985) Siderophile elements in the Earth's upper mantle: Secular variations and possible cause for their overabundances. *Lunar Planet. Sci.*, XVI, 181-182.

Dillon-Leitch, H.C.H., Watkinson, D.H., Coats, C.J.A. (1986) Distribution of platinum-group elements in the Donaldson West deposit, Cape Smith Belt, Quebec. *Econ. Geol.*, 81, 1147-1158.

Dobretsov, N.L., Dobretsov, N.N., Popov, N.V., Dobretsova, L.V., Smelov, A.P. (1986) Mineralogiya i geokhimiya komatiitovoy serii iz Olondinskoy struktury Aldanskogo shchita. In: L.V. Tauson (Ed.) *Geokhimiya vulkanitov razlichnykh geodynamicheskikh obstanovok*, p. 34-49. Izd. Nauka, Sib. Otd., Novosibirsk.

Dobrzhinestskaya, L.F. (1986) Petrochemistry and geochemistry of the volcanic and plutonic basite-hyperbasite rocks in the early Proterozoic Baykal-Vitim greenstone belt. *Geochem. Internat.*, 23 (1), 15-28.

Donaldson, J.A., Dekemp, E. (1987) Komatiite-quartz arenite association in Precambrian terranes: An example from the Superior Province. *Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts*, 12, 37.

Donaldson, M.J., Leshner, C.M., Groves, D.I., Gresham, J.J. (1986) Comparison of Archean dunites and komatiites associated with nickel mineralization in Western Australia: Implications for dunite genesis. *Mineralium Deposita*, 21, 296-305.

Dowling, S.E., Hill, R.E.T., Sheppy, N.R. (1989) Komatiites and the Mt. Keith nickel deposit in the Mt. Keith region, Agnew-Wiluna greenstone belt, Western Australia. 5th Internat. Platinum Symp., Abstracts, *Bull. Geol. Soc. Finland*, 61, 24-25.

Duchac, K.C., Hanor, J.S. (1987) Origin and timing of the metasomatic silicification of an early Archean komatiite sequence, Barberton Mountain Land, South Africa. *Precambrian Res.*, 37, 125-146.

Duke, J.M. (1986) Petrology and economic geology of the Dumont sill: an Archean intrusion of komatiitic affinity in northwestern Quebec. *Geol. Surv. Can. Econ. Geol. Rept.* 35, 56 p.

Duke, J.M. (1986) The Dumont nickel deposit: A genetic model for disseminated magmatic sulphide deposits of komatiitic affinity. In: M.J. Gallacher, R.A. Ixer, C.R. Neary, H.M. Prichard (Eds.), *Metallogeny of Basic and Ultrabasic Rocks*, p. 151-160. Inst. Mining and Metallurgy, London.

Dupre, B., Arndt, N.T. (1987) Pb isotopes in Archean komatiites, basalts and sulfides. *Terra Cognita*, 7, 272-273.

Dupre, B., Arndt, N.T. (1987) Komatiites: Temoins precieus pour retracer l'evolution du manteau. *Bull. Soc. Geol. France*, 8, 1125-1132.

Economou-Eliopoulos, M., Paraskevopoulos, G.M. (1989) Platinum-group elements and gold in komatiitic rocks of the Agrilia Formation, Othrys ophiolite, Greece. *Chem. Geol.*, 77, 149-158.

Edwards, G.R., Nisbet, E.G. (1986) Archaean geology: Hungry komatiites and indigestible zircons. *Nature*, 322, 771.

Ein, A.S. (1988) Petrokhimicheskie variatsii sostavov komatiitov i verkhnei mantii zemli. *Izv. Akad. Nauk SSSR, Ser. Geol.* No. 3, 132-138.

Elthon, D. (1986) Komatiite genesis in the Archean mantle, with implications for the tectonics of Archean greenstone belts. In: M.J. de Wit, L.D. Ashwal (Eds.), *Workshop on Tectonic Evolution of Greenstone Belts. Lunar Planet. Inst., Houston, L.P.I. Tech. Rpt.* 86-10, 97-99.

Elthon, D. (1987) Composition and petrogenesis of parental komatiite liquids. *Lunar Planet. Sci.*, XVIII, 256-257.

Elthon, D. (1987) Partitioning of Ni between olivine and high-MgO basaltic liquids. *Lunar Planet. Sci.*, XVIII, 258-259.

Ernst, W.G. (1987) Mafic meta-igneous arc rocks of apparent komatiitic affinities, Sawyers Bar area, central Klamath Mountains, northern California. In: B.O. Mysen (Ed.) *Magmatic Processes: Physicochemical Principles. Geochem. Soc. Spec. Publ.* 1, 191-208.

Evans, D.M., Buchanan, D.L. (1989) PGE and trace element indicators of contamination in komatiite-hosted nickel sulphide ores of the Foster Shoot, Kambalda. 5th Internat. Platinum Symp., Abstracts, *Bull. Geol. Soc. Finland*, 61, p. 24.

Evans, D.M., Cowden, A., Barrett, R.M. (1989) Deformation and thermal erosion at the Foster nickel deposit, Kambalda - St. Ives, Western Australia. In: M.D. Prendergast and M.J. Jones (Eds.), *Magmatic sulphides - the Zimbabwe Volume*, p. 215-219. Inst. Mining Metallurgy, London.

Flinn, D., Moffat, D.T. (1985) A peridotitic komatiite from the Daldarian of Shetland. *Geol. J.*, 20, 287-292.

Flinn, D., Moffat, D.T. (1986) A peridotitic komatiite from the Daldarian of Shetland; a reply to comments. *Geol. J.*, 21, 207-209.

Frolova, T.I., Kotorgin, N.F. (1986) Classification of picrites and komatiites. *Moscow Univ. Geol. Bull.*, 41 (1), 1-15.

Frost, K.M., Groves, D.I. (1989) Ocellar units at Kambalda: Evidence for sediment assimilation by komatiite lavas. In: M.D. Prendergast and M.J. Jones (Eds.), *Magmatic Sulphides - the Zimbabwe Volume*, p. 207-214. Inst. Mining Metallurgy, London.

Fujii, T., Tachikara, M., Kurita, K. (1989) Melting experiments in the system  $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$  to 8 GPa: Constraints to the origin of komatiites. *Eos*, 70, 483.

Girardi, V.A.V., Rivalenti, G. (1989) Precambrian mafic-ultramafic associations of Goias State, Brazil. 28th Internat. Geol. Congress, Abstracts, 1, 556.

Girnis, A.V. (1985) Eksperimentalnoe izuchenie uslovii generatsii komatiitovykh magm Vostochnoi Karelii. In: *Magmatizm i rudobrazovaniya. Materialy vses. konf. mol. ochenykh In-ta geol. rud. mestorozhd., petrogr. mineral. i geokhimiya AN SSSR, Moskva*, 29-30 noyab., 1984, p. 13-14. Del. VINITI.

Girnis, A.V., Ryabchikov, I.D. (1988) Eksperimentanaya petrologiya i genezis komatiitov. In: O.A. Bogatikov (Ed-in-chief), *Komatiity i vysokomagnesiialnye vulkanity rannego dokembriya Baltiiskogo shchita*. p. 162-180. Nauka, Leningrad.

Girnis, A.V., Ryabchikov, I.D., Bogatikov, O.A. (1987) Genezis komatiitov i komatiitovykh bazaltov. "Nauka", Leningrad. 120 p.

Girnis, A.V., Suddaby, P., Ryabchikov, I.D., Bocharov, V.L., Plaksenko, A.N. (1989) Geokhimiya elementov-primesei komatiitov Voronezhskogo kristallicheskogo massiva. *Geokhimiya*, No. 8, 1145-1152.

Gole, M.J., Barnes, S.J., Hill, E.T. (1987) The role of fluids in the metamorphism of komatiites, Agnew nickel deposit, Western Australia. *Contrib. Mineral. Petrol.*, 96, 151-162.

Gole, M.J., Hill, R.E.T. (1989) The Walter Williams Formation: The result of a regionally extensive single komatiite eruptive event, Yilgarn Block, Western Australia. 5th Internat. Platinum Symp., Abstracts, *Bull. Geol. Soc. Finland*, 61, p. 24.

Gole, M.J., Hill, R.E.T., Barnes, S.J. (1986) Komatiite flows and lava lakes - environments of formation of spinifex and adcumulate textures. Internat. Volcanol. Congress, New Zealand, Abstracts, p. 352.

Gorkovets, V.Ya., Raevskaya, M.B. (1983) Effuzivny ultraosnovnogo sostava raiona Kostomukshskogo zhelenorudnogo mestorozhdeniya. In: Magmatizm i metallogeniya dokembriiskikh obrazovaniy Karelii. Operativno-Inform. Materialy, p. 34-37. Petrozavodsk.

Gorkovets, V.Ya., Raevskaya, M.B. (1988) Rekonstruktsiya tsentrov ultraosnovnogo vulkanizma (raion Kostomukshskogo zhelenorudnogo mestorozhdeniya). In: S.I. Rybakov and V.N. Kozhevnikov (Eds.), Geologiya i Metamorfizm Arkheiskikh Zelenokamennykh Poyasov, p. 57-66. Karelskii Filial AN SSSR, Petrozavodsk.

Gorkovets, V.Ya., Raevskaya, M.B. (1988) Gimolsko-Kostomukshskii zelenokamennyi poyas. In: O.A. Bogatkov (Ed-in-chief), Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita. p. 136-148. Nauka, Leningrad.

Green, D.H., Falloon, T.J., Brey, G.P., Nickel, K.G. (1986) Peridotite melting to 6 GPa and genesis of primary mantle-derived magmas. Fourth Internat. Kimberlite Conf., Extended Abstracts, Geol. Soc. Austr. Abstract Series, 16, 181-183.

Gresham, J.J. (1986) Depositional environments of volcanic peridotite-associated nickel sulphide deposits with special reference to the Kambalda dome. In: G.H. Friedrich et al. (Eds.) Geology and Metallogeny of Copper Deposits, p. 63-90. Springer-Verlag, Berlin Heidelberg.

Grinenko, L.N., Bocharov, V.L., Kotorgin, N.F. (1986) Soderzhaniya i izotopnyi sostav sery v porodakh komatiitovykh serii. Geokhimiya, No. 9, 1245-1253.

Grinenko, L.N., Bocharov, V.L., Kotorgin, N.F. (1987) Sulfur content and  $\delta^{34}\text{S}$  for komatiite-series rocks. Geochem. Internat., 24, No. 4, 23-30.

Groves, D.I., Leshner, C.M., Gee, R.D. (1984) Tectonic setting of the sulphide nickel deposits of the Western Australian Shield. In: D.L. Buchanan and M.J. Jones (Eds.) Sulphide Deposits in Mafic and Ultramafic Rocks, p. 1-13. Inst. Mining Metallurgy, London.

Gruau, G., Arndt, N.T., Chauvel, B.M., Jahn, B.-M. (1986) Large scale compositional heterogeneity of the early Archean mantle: Hf isotopic evidence. Terra Cognita, 6, 245.

Gruau, G., Jahn, B.-M., Glikson, A.Y., Davy, R., Hickman, A.H., Chauvel, C. (1987) Age of the Archean Talga-Talga Subgroup, Pilbara Block, Western Australia, and early evolution of the mantle: New Sm-Nd isotopic evidence. Earth Planet. Sci. Lett., 85, 105-116.

Gruau, G., Tourpin, S., Jahn, B.-M., Anhaeusser, C.R. (1988) New geochemical and isotopic data for komatiites from the Onverwacht Group, Southern Africa. Chem. Geol., 70, 144.

Grunsky, E.C., Easton, R.M., Thurston, P.C., Jensen, L.S. (1987) Geochemical classification of Archean volcanic rocks; komatiites. In: P.C. Thurston (Ed.) Summary of field work and other activities, 1986. Ontario Geol. Surv. Misc. Paper 132, 152-162.

Grunsky, E.C., Easton, R.M., Thurston, P.C., Jensen, L.S., Howe, J. (1987) A multivariate investigation of the variability of Archean volcanic rocks: The komatiite suite. Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts, 12, 50.

Gupta, A., Basu, A., Ghosh, P.K. (1980) The Proterozoic ultramafic and mafic lavas and tuffs of the Dalma greenstone belt, Singhbhum, eastern India. Can. J. Earth Sci., 17, 210- 231.

Hale, C.J. (1987) The intensity of the geomagnetic field at 3.5 Ga: Paleointensity results from the Komati Formation, Barberton Mountain Land, South Africa. Earth Planet. Sci. Lett., 86, 354-364.

Hale, C.J., Dunlop, D.J. (1980) Paleointensity and magnetic property measurements of type locality samples from the Komati Fm. Eos, 61, 223.

Hale, C.J., Dunlop, D.J. (1984) Evidence for an early Archean geomagnetic field: A paleomagnetic study of the Komati Formation, Barberton greenstone belt, South Africa. Geophys. Res. Lett., 11, 97-100.

Hanor, J.S., Duchac, K.C. (1985) Geochemical consequences of the metasomatic conversion of an early Archean komatiite sequence into chert. Geol. Soc. Am. Abstracts with Prog., 17, 603.

Hanski, E. (1988) Major element geochemistry of Archaean metavolcanic rocks in the eastern part of the Baltic Shield: Role of secondary alteration. Geol. Surv. Finland Spec. Paper 4, 53-70.

Hanski, E.J., Smolkin, V.F. (1989) Pechanga ferropicrites and other Early Proterozoic picrites in the eastern part of the Baltic Shield. Precambrian Res., 45, 63-82.

Hanson, G.N., Langmuir, C.H. (1978) Modelling of major elements in mantle-melt systems using trace element approaches. Geochim. Cosmochim. Acta, 42, 725-741.

Hargraves, R.B., Spera, F.J. (1982) Peridotitic komatiites; predominant lava in the Hadean? Eos, 63, 366.

Hegner, E., Kyser, T.K., Nisbet, E.G. (1987) Chemical and Sr-Nd-O isotopic compositions of a komatiite lava flow from the 2.7 Ga Belingwe greenstone belt. Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts, 12, 55.

- Heiken, G. (1979) Archean ultramafic pyroclastic deposits: The use of lunar deposits to resolve some terrestrial problems. *Lunar Planet. Sci.*, X, 528-530.
- Herzberg, C.T., Hasabe, K., Sawamoto, H. (1986) Origin of high Mg komatiites: Constraints from melting experiments to 8 GPa. *Eos*, 67, 408.
- Herzberg, C.T., O'Hara, M.J. (1985) Origin of mantle peridotite and komatiite by partial melting. *Geophys. Res. Lett.*, 12, 541-544.
- Herzberg, C.T., Ohtani, E. (1988) Origin of komatiite at high pressures. *Earth Planet. Sci. Lett.*, 88, 321-329.
- Hill, R.E.T., Gole, M.J., Barnes, S.J. (1988) Physical volcanology of komatiites: A field guide to komatiites between Kalgoorlie and Wiluna, Eastern Goldfield Province, Yilgarn Block, Western Australia. *Geol. Soc. Australia*, Perth, 74 p.
- Hill, R.E.T., Gole, M.J., Barnes, S.J. (1989) Olivine adcumulates in the Norseman-Wiluna greenstone belt, Western Australia: Implications for the volcanology of komatiites. In: M.D. Prendergast and M.J. Jones (Eds.), *Magmatic Sulphides - the Zimbabwe Volume*, p. 189-206. *Inst. Mining Metallurgy*, London.
- Hudson, D.R., Donaldson, M.J. (1984) Mineralogy of platinum group elements in the Kambalda nickel deposits, Western Australia. In: D.L. Buchanan and M.J. Jones (Eds.), *Sulphide Deposits in Mafic and Ultramafic rocks*, p. 55-61. *Inst. Mining Metallurgy*, London.
- Jahn, B.-M., Gruau, G. (1989) Geochemistry and isotopic characteristics of Archean basalts and komatiites and their inference on early crust-mantle differentiation. 28th Internat. Geol. Congress, Abstracts, 2, 112.
- Jin Wenshan (1984) On diagnostic criteria of principal elements of komatiites. *Bull. Tianjin Inst. Geol. Min. Res.*, 11, 155- 172. (in Chinese)
- Jochum, K.P., Hofmann, A.W., Arndt, N.T. (1987) Nb/Th in Precambrian and modern komatiites and basalts. *Terra Cognita*, 7, 396.
- Juteau, M., Pagel, M., Michard, A., Albaredé, F. (1988) Assimilation of continental crust by komatiites in the Precambrian basement of the Carswell structure (Saskatchewan, Canada). *Contrib. Mineral. Petrol.*, 99, 219-225.
- Kataria, P., Chaudhari, M.W., Upadhyaya, R., Althaus, E. (1989) Mafic and ultramafic rocks of Archaean and significance of Proterozoic komatiite in Precambrian of southern Rajasthan, India. 28th Internat. Geol. Congress, Abstracts, 2, 159-160.

Kato, T., Irifune, I., Ringwood, A.E. (1987) Experimental constraints on the early differentiation of the Earth's mantle. Lunar Planet. Sci., XVIII, 483-484.

Kato, T., Ringwood, A.E., Irifune, T. (1988) Experimental determination of element partitioning between silicate perovskites, garnets and liquids: Constraints on early differentiation of the mantle. Earth Planet. Sci. Lett., 89, 123-145.

Kauniskangas, E. (1987) Petrography and geochemistry of Archean schists in the northeastern part of Savukoski. Research Project of Archean Areas, Report No. 25, Univ. of Oulu, 90 p. (in Finnish)

Kepezhinskas, V.V., Dobredov, N.L. (1983) Tri tipa ultraosnovnykh magm kak istochnik informatsii o sostave drevnei mantii Zemli. In: Yu.R. Vasilev (Ed-in-chief), Mantiinye Ksenolity i problema ultraosnovnykh magm, p. 113. Nauka, Novosibirsk.

Kochnev-Pervukhov, V.I., Zaskind, E.S., Proskuryakov, V.V. (1986) Peridotitic komatiites and the origin of ores (southeastern part of the Baltic Shield). In: G.H. Friedrich et al. (Eds.) Geology and Metallogeny of Copper Deposits, p. 171-178. Springer-Verlag, Berlin Heidelberg.

Korkiakoski, E. (1986) The nature of spinifex-textured Fe-Ni-Cu sulphide ores at Kambalda, Western Australia. Lic. Thesis, Univ. of Oulu, Finland, 112 p.

Korkiakoski, E. (1987) Mineralogical and geochemical alteration of the komatiite-associated Pahtavaara gold prospect, northern Finland. Gold Symposium, May 12-13, 1987, Turku Univ. p. 4.

Korkiakoski, E.A., Karvinen, A., Pulkkinen, E. (1989) Geochemistry and hydrothermal alteration of the komatiite-hosted Pahtavaara gold mineralization, Finnish Lapland. In: S. Autio (Ed.), Current Research 1988, Geol. Surv. Finland, Spec. Paper 10, 83-89.

Korkiakoski, E., Pulkkinen, E., Hulkki, H., Manner, R. (1987) Mineralogical and geochemical alteration associated with the gold prospect in the Early Proterozoic Sattasvaara komatiite complex, northern Finland. IGCP 217 Symposium on Proterozoic Geochemistry, June 3-6, 1987, Lund, Abstracts, p. 52-53.

Korkiakoski, E.A., Pulkkinen, E., Ward, P. (1988) Geochemical alteration, regional setting and structural control of the lower Proterozoic Pahtavaara Au-prospect. Bicentennial Gold 88, Melbourne, May, 1988, Extended Poster Programme, 1, Geol. Soc. Aust., Abstracts, 23, 190-192.

Kotorgin, N.F. (1987) Sravnitelnyi analiz komatiitov Voronezhskogo kristallicheskogo massiva i perspektivy ikh rudonosnosti. Byull. Mosk. Ispyt. Prid. Otd. Geol., Tom 62, Vyp. 2, 89-93.

Kozhevnikov, V.N., Melyantsev, N.V., Belousov, E.F., Derbasova, A.L. (1988) Geologo-geokhimicheskaya tipizatsiya komatiitov severnoi Karelii. In: S.I. Rybakov and V.N. Kozhevnikov (Eds.), Geologiya i Metamorfizm Arkheiskikh Zelenokamennykh Poyasov, p. 40-56. Karelskii Filial AN SSSR, Petrozavodsk.

Kozlov, N.E., Ivanov, A.A., Predovskii, A.A. (1988) O sostave i serialnoi prinadlezhnosti nikelenosnykh metabazitov raiona Lovno (Kolskii Poluostrov). Dokl. Akad. Nauk SSSR, 302, 394-396.

Krestin, E.M., Kulikov, V.S., Malyuk, B.I., Sidoronov, A.A. (1985) Klassifikatsiya, petrologiya i metallogeniya komatiitov. In: Formatsionnoe raschlenenie, genezis i metallogeniya ultrabazitov, p. 135-136. Sverdlovsk. (symposium abstract)

Krestin, E.M., Yudina, V.V. (1988) Ultraosnovnye vulkanity verkhne arkheiskikh i nizhneproterozoiskikh poyasov KMA. Byul. Mosk. Obshch. Ispyt. Prid. 3, 89-103.

Krill, A.G., Bergh, S., Linndahl, I., Mearns, E.W., Often, M., Olerud, S., Olesen, O., Sandstad, J.S., Siedlecka, A., Solli, A. (1985) Rb-Sr, U-Pb and Sm-Nd isotopic dates from Precambrian rocks of Finnmark. Norges geol. Unders. Bull., 403, 37-54.

Krylov, I.N., Lobach-Zhuchenko, S.B., Arestova, N.A. (1979) Komatit-toleitovaya seriya Fenno-Karelskoi granit-zelenokamennoi oblasti arkheya - geologiya i petrokhimiya. In: Petrologiya i korrelyatsiya krist. kompleksov Vost.-Europ. platf., p. 37-38. Naukoba dumka, Kiev.

Kulikov, V.S. (1984) Early Proterozoic komatiites. 27th Internat. Geol. Congress, Abstracts, 5, 367-368.

Kulikov, V.S. (1988) O sistematike i nomenklature porod komatiitovoi serii. In: O.A. Bogatikov (Ed-in-chief), Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita. p. 7-13. Nauka, Leningrad.

Kulikov, V.S. (1988) Geologicheskoe polozhenie komatiitov i vysokomagnesialnykh vulkanitov. In: O.A. Bogatikov (Ed-in-chief), Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita. p. 14-19. Nauka, Leningrad.

Kulikov, V.S. (1988) Vysokomagnesialnyi vulkanizm rannego proterozoya (Kareliya). In: O.A. Bogatikov (Ed-in-chief), Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita. p. 20-88. Nauka, Leningrad.

Kulikov, V.S. (1988) O raschlenenii vysokomagnesialnykh vulkanitov dokembriya Karelii po dannym petrokhimii i khromspinelidam. In: Mineralogiya dokembriya Karelii, p. 141-146. Karelskii Filial AN SSSR, Petrozavodsk.



Kulikov, V.S., Gorkovets, V.Ya., Kulikova, V.V., Raevskaya, M.B., Svetova, A.I., Kharin, V.N. (1988) Vysokomagnesialnye vulkanity Lopiiskikh zelenokamennykh poyasov i Karelskikh riftogennykh struktur (sravnitelnyi analiz). In: S.I. Rybakov and V.N. Kozhevnikov (Eds.), Geologiya i Metamorfizm Arkheiskikh Zelenokamennykh Poyasov, p. 29-40. Karelskii Filial AN SSSR, Petrozavodsk.

Kulikov, V.S., Kulikova, V.V. (1979) K vydeleniyu SumozerskoKenozerskogo zelenokamennogo poyasa arkheya na vostochnoi okraine Baltiiskogo shchita. In: V.I. Robonen (Ed.) Geologiya rannego dokembriya Karelii, p. 70-76.

Kulikov, V.S., Kulikova, V.V. (1983) Glavnye osobennosti komatiitovoi serii na Baltiiskom shchite. In: Ultraosnovnye magmy i ikh metallogeniya, p. 79-80. Vladivostok. (symposium abstract)

Kulikov, V.S., Vyakhirev, S.A. (1988) Zelenokamennye poyasa Suomussalmi-Kuhmo. In: O.A. Bogatikov (Ed-in-chief), Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita. p. 148-152. Nauka, Leningrad.

Kulikova, V.V. (1988) Sumozerskogo-Kenozerskogo zelenokamennyi poyas. In: O.A. Bogatikov (Ed-in-chief), Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita. p. 89-114. Nauka, Leningrad.

Kulikova, V.V. (1988) Zelenokamennye poyasa Kolskogo poluostrova. In: O.A. Bogatikov (Ed-in-chief), Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita. p. 152-159. Nauka, Leningrad.

Kuyumijian, R.M., Teixeira, N.A. (1982) Um novo tipo de estrutura em lavas ultramaficas: Greenstone belt de Crixas, GO. Rev. Bras. Geociencias, 12, 572-577.

Kyser, T.K., Nisbet, E.G. (1986) Stable isotope composition of Archean komatiites. Terra Cognita, 6, 185.

Kyser, T.K., Nisbet, E.G. (1987) Stable isotope systematics of Archean komatiites and basalts. Terra Cognita, 7, 271.

Kyser, T.K., Nisbet, E.G., Cameron, W.E., Gansser, A., Dietrich, V.J. (1987) Stable isotope geochemistry and alteration of Cretaceous komatiitic and associated rocks from Gorgona Island, Colombia. Geochem. J., 21, 253-260.

Landa, E.A., Markovskii, B.A. (1983) Geokhimicheskie osobennosti ultramaficheskie vulkanitov i problema sostava verkhnei mantii Zemli. Sovetskaya Geologiya, no. 2, 85-95.

Leshner, C.M., Groves, D.I. (1986) Controls on the formation of komatiite-associated nickel-copper sulfide deposits. In: G.H. Friedrich et al. (Eds.) Geology and Metallogeny of Copper Deposits, p. 43-62. Springer-Verlag, Berlin Heidelberg.

Leshner, C.M., Keays, R.R. (1984) Metamorphically and hydrothermally mobilized Fe-Ni-Cu sulphides at Kambalda, Western Australia. In: D.L. Buchanan and M.J. Jones (Eds.), Sulphide Deposits in Mafic and Ultramafic Rocks, p. 62-69. Inst. Mining Metallurgy, London.

Longhi, J., Wooden, J.L., Coppinger, K.D. (1983) The petrology of high-Mg dikes from the Beartooth Mountains, Montana: A search for the parent magma of the Stillwater Complex. Proc. Lunar Planet. Sci. Conf. 14th, J. Geophys. Res., 88, Suppl., B53-B69.

Luck, J.-M., Arndt, N.T. (1985) Re/Os isochron for Archean komatiite from Alexo, Ontario. Terra Cognita, 5, 323.

MacRae, N.D., Russell, M.R. (1987) Quantitative REE SIMS analyses of komatiite pyroxenes, Munro Township, Ontario. Chem. Geol., 64, 307-318.

Malpas, J., Langdon, G. (1984) Petrology of the Upper Pillow Lava suite, Troodos ophiolite, Cyprus. In: J.G. Gass, S.J. Lippard, A.W. Shelton (Eds.) Ophiolites and Oceanic Lithosphere, p. 155-167. Alden Press Ltd., Oxford.

Malyuk, B.I. (1985) Genezis komatiitovykh magm: Petrokhimicheskaya proverka modeley. Geokhimiya, No. 6, 785-795.

Malyuk, B.I. (1985) The origin of komatiite magmas: Petrochemical tests of models. Internat. Geol. Rev., 27, 770-780.

Malyuk, B.I. (1986) K voprosu o geneticheskoi vzaimosvyazi komatiitovykh i toleitovykh bazaltov dokembriiskikh zelenokamennykh poyasov. Geokhimiya, no. 7, 905-914.

Malyuk, B.I. (1986) K voprosu ob almazohosnosti komatiitov. Zapiski Vsesoyuznogo Mineralogicheskogo Obshchestva, 4, 509-511.

Malyuk, B.I. (1987) The genetic relationship between komatiitic and tholeiitic basalts in Precambrian greenstone belts. Geochem. Internat., 24, No. 2, 6-14.

Malyuk, B.I. (1988) Petrogeneticheskie modeli formirovaniya komatiitovykh magm. In: S.B. Lobach-Zhuchenko (Ed-in-chief), Zelenokamennye Poyasa Fundamenta Vostochno-Evropeiskoi Platformy (Geologiya i Petrologiya Vulkanitov), p. 85-91. Nauka, Leningrad.

Malyuk, B.I. (1989) K probleme evolyutsii bazaltovykh magm dokembriiskikh zelenokamennykh poyasov. Geokhimiya, 5, 652-664.

Malyuk, B.I., Lobach-Zhuchenko, S.B., Arestova, N.A., Krestin, E.M., Kulikov, V.S. (1988) Petrokhimiya komatiitov. In: S.B. Lobach-Zhuchenko (Ed-in-chief), Zelenokamennye Poyasa Fundamenta Vostochno-Evropeiskoi Platformy (Geologiya i Petrologiya Vulkanitov), p. 130-144. Nauka, Leningrad.

Malyuk, B.I., Zolotukhin, V.V. (1987) Role of fractionation in petrogenesis of komatiitic magmas. 1. Near-surface differentiation. Soviet Geol. Geophys., 28, No.5, 21-29.

Malyuk, B.I., Zolotukhin, V.V. (1988) Role of fractionation in the petrogenesis of komatiite magmas. 2. Fractionation under deep conditions. Sov. Geol. Geophys., 29, No. 1, 41-49.

Markovskii, B.A., Rotman, V.K. (1984) Rudonosnost ultramaficheskikh vulkanitov. Dokl. Akad. Nauk SSSR, 278, 430-433.

McNaughton, N.J., Frost, K.M., Groves, D.I. (1988) Ground melting and ocellar komatiites: A lead isotopic study at Kambalda, Western Australia. Geol. Mag., 125, 285-295.

McNaughton, N.J., Groves, D.I., Browning, P., Bickle, M.J. (1987) Disturbance of komatiite-sulphide-sediment U-Pb systems by contamination and metamorphism?: Evidence from Kambalda, Western Australia. Terra Cognita, 7, 273.

Mekhonoshin, A.S., Sezko, A.I. (1988) First occurrence of komatiite in the Eastern Sayan. Dokl. Akad. Nauk SSSR, 302, 1458-1462.

Montalvao, R.M.G., Lopez, L.M., Pereira, L.G. da M. (1981) Petrologia dos komatiitos de Crixas-Goias. Soc. Bras. Geol., Boletim Informativo, Nucleo Centro-Oeste, Goiania, 9, 73-147.

Murck, B.W., Campbell, I.H. (1985) Chromium solubility in mafic liquids. Eos, 66, 404.

Murck, B.W., Campbell, I.H. (1986) The effects of temperature, oxygen fugacity and melt composition on the behaviour of chromium in basic and ultrabasic melts. Geochim. Cosmochim. Acta, 50, 1871-1888.

Naldrett, A.J., Barnes, S.-J. (1986) The behaviour of platinum group elements during fractional crystallization and partial melting with special reference to the composition of magmatic sulfide ores. Fortschritte Mineral., 64, 113-134.

Nesbitt, R.W. (1986) Ultrabasic liquids: The komatiite - nickel sulphide connection. In: R.W. Nesbitt (Ed.) Geology in the real world: Kingsley Dunham volume, p. 307-317. Inst. Mining Metallurgy, London.

Nesbitt, R.W. (1986) Comments on "A peridotitic komatiite from the Daldarian of Shetland" by D. Flinn and D.T. Moffat. Geol. J., 21, 201-205.

Nielsen, P. (1986) Are komatiites Archean mantle plume products? Hot spot origin and evolution; Archean and Phanerozoic compared. Proc. Annual Meeting Lake Superior Geol., 32, 59-60.

Nisbet, E.G. (1987) *The Young Earth. An Introduction to Archaean Geology*. Allen and Unwin, Inc., 402 p.

Nisbet, E.G., Arndt, N.T., Bickle, M.J., Jenner, G., Zindler, A. (1986) The debate about the Archaean mantle report on the Nato/Max Planck workshop. *Terra Cognita*, 6 (4), 627-629.

Nisbet, E.G., Arndt, N.T., Bickle, M.J., Cameron, W.E., Chauvel, C., Cheadle, M., Hegner, E., Kyser, T.K., Martin, A., Renner, R., Roedder, E. (1987) Uniquely fresh 2.7 Ga komatiites from the Belingwe greenstone belt, Zimbabwe. *Geology*, 15, 1147-1150.

Nisbet, E.G., Martin, A., Arndt, N.T., Cameron, W.E., Bickle, M.J., Renner, R., Cheadle, M. (1987) Near-pristine 2.7 Ga komatiites from the Belingwe greenstone belt, Zimbabwe. *Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts*, 12, 77.

Often, M. (1984) Tidevannsflater og eksplosiv komatiittisk vulkanisme i Karasjok grønnsteinsbelte, Finnmark, Norge. In: G. Armands & S. Schager (Eds.) 16e Nordiska Geologiska Vintermötet, Stockholm, 9-13, January, 1984, Abstracts, *Medd. Stockholm Univ. Geol. Inst.* 255, p. 156.

Often, M. (1985) The Early Proterozoic Karasjok Greenstone Belt, Norway; a preliminary description of lithology, stratigraphy and mineralization. *Norges geol. Unders. Bull.*, 403, 75-88.

Often, M. (1988) Gull i det tidlig-proterozoiske Karasjok grønnsteinbelte, Finnmark, Norge. 18. Nordiske Geologiske Vintermote, 1988, Kobenhavn, Abstracts, p. 326. *Danmarks Geologiske Undersokelse*.

Ohtani, E. (in press) Majorite garnet fractionation and genesis of komatiites in the deep mantle. (submitted to *Precambrian Res.*)

Ohtani, E., Moriyama, J., Kawabe, I. (1988) Majorite garnet stability and its implications for the genesis of komatiite magmas. *Chem. Geol.*, 70, 147.

Padilha, A.V., da Silva, J.C., Jr., Domingos de Oliveira, S. (1985) A unidade metavulcanica do Grupo Nova Lima no Corrego dos Boiadeiros; uma sequencia ultramafica-mafica komatiitica na base do Supergrupo Rio das Velhas, na area central do Quadrilatero Ferrifero; Minas Gerais. *Rev. Bras. Geosciencias*, 15, 74-84.

Paraskevopoulos, G.M., Economou, M.I. (1986) Komatiite-type ultramafic lavas from the Agrilia Formation, Othrys ophiolite complex, Greece. *Ofioliti*, 11, 293-304.

Peltoniemi, H. (1984) Proterozoic rocks in the northeastern part of Savukoski. Research Project of Archean Areas, Report No. 17, Univ. of Oulu, 52 p. (in Finnish)

Picard, C., Giovenazzo, D., Barnes, S.-J. (1989) Magmatic controls on the platinum group elements in volcanic and plutonic rocks of the Cape Smith Belt (New Quebec, Canada). 5th Internat. Platinum Symp., Abstracts, Bull. Geol. Soc. Finland, 61, p. 29.

Pihlaja, P., Manninen, T. (1988) The metavolcanic rocks of the Peurasuvanto area, northern Finland. Geol. Surv. Finland Spec. Paper 4, 201-213.

Plaksenko, A.N. (1989) Typomorphism of chromites in connection with problem of genesis and ore-bearing of komatiitic series. 28th Internat. Geol. Congress, Abstracts, 2, 614-615.

Plaksenko, A.N., Bocharov, V.L., Frolov, S.M., Ploezhayeva, L.I. (1985) Ahtsessornye khromshpinelidy arkheiskikh komatiitov KMA. Geol. Rud. Mestorozh., 27, No. 6, 85-90.

Plaksenko, A.N., Bocharov, V.L., Polezhaeva, L.I. (1986) Zonalnye Zn- i Mn-zoderzhashchie khromshpinelidy iz arkheiskikh komatiitov KMA. Dokl. Akad. Nauk SSSR, 289, 952-954.

Plaksenko, A.N., Bocharov, V.L., Polezhaeva, L.I. (1986) Zoned zinc- and manganese-bearing chrome spinellids from Archean komatiites of the Kursk magnetic anomaly. Trans. Earth Sci. Sec., 289, 143-145.

Plaksenko, A.N., Bocharov, V.L., Polezhaeva, L.I. (1987) Khimicheskii sostav ahtsessornykh khromshpinelidov komatiitovykh serii v svyazi s problemoi ikh genezisa. Izv. Akad. Nauk SSSR, Ser. Geol., No. 5, 52-69.

Prasad, M.N., Crocket, J.H. (1985) Eu-Sm and other refractory trace element systematics for komatiitic volcanics and related rock types: implications for planetary bulk compositions. Lunar Planet. Sci., XVI, 675-676.

Puchtel, I.S., Zhuralev, D.Z. (1989) Petrology and geochemistry of early and late Archean komatiites from Olekma granite greenstone terrain. 28th Internat. Geol. Congress, Abstracts, 2, 643-644.

Pukhtel, I.S., Simon, A.K. (1988) Ultrabazity zelenokamennykh poyuasov. In: O.A. Bogatkov (Ed-in-chief), Magmaticheskie Gornye Porody, p. 230-248. Nauka, Moscow.

Pulkkinen, E., Ollila, J., Manner, R., Koljonen, T. (1986) Geochemical exploration for gold in the Sattasvaara komatiite complex, Finnish Lapland. In: Prospecting in areas of glaciated terrain, 1986. Inst. Mining Metallurgy, London, p. 129-137.

Räsänen, J., Hanski, E., Lehtonen, M. (1986) Komatiites and tholeiites in the Möykkelmä area, northern Finland. 17e Nordiska Geologmötet, Helsingfors Universitet, 12-15, May, 1986, Abstracts, p. 167.

Räsänen, J., Hanski, E., Lehtonen, M. (1989) Komatiites, low-Ti basalts and andesites in the Möykkelmä area, central Finnish Lapland. Report of Invest. 88, Geol. Surv. of Finland, Espoo, 41 p.

Raevskaya, M.B., Gorkovets, V.Ya. (1986) Arkheiskii ultraosnovnoi vulkanizm Zapadnoi Karelii. Izv. Vyssh. Ucheb. Zaved. Geol. i Razv., No. 5, 20-28.

Renner, R., Arndt, N.T. (in prep.) Grain size variation in the cumulate layers of fresh basaltic komatiite.

Renner, R., Arndt, N.T., Nisbet, E.G., Martin, A. (1987) Olivine accumulation in a komatiite flow from the Belingwe greenstone belt, Zimbabwe. Terra Cognita, 7, 369.

Renner, R., Arndt, N.T., Nisbet, E.G., Martin, A. (1987) Dynamic crystallization of a fresh komatiite flow from the Belingwe greenstone belt, Zimbabwe. Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts, 12, 84.

Ringwood, A.E., Seifert, S., Wänke, H. (1987) A komatiitic component in Apollo 16 highland breccias: Implications for the nickel-cobalt systematics and bulk composition of the Moon. Earth Planet. Sci. Lett., 81, 105-117.

Rivalenti, G., Girardi, V.A.V., Coltorti, M., Correia, C.T., Mazzucchelli, M. (1989) Geochemical models for the petrogenesis of komatiites from the Hidrolina greenstone belt, Central Goias, Brazil. J. Petrol., 30, 175-197.

Rollinson, H.R., Roberts, C.R. (1986) Ratio correlations and major element mobility in altered basalts and komatiites. Contrib. Mineral. Petrol., 93, 89-97.

Ryabchikov, I.D., Bogatkov, O.A., Suddaby, P., Girnis, A.V., Kulikov, V.S., Kulikova, V.V. (1985) Evolyuciya dokembriiskikh komatiitovykh magm na primere vostochnoi chasti Baltiiskogo shchita. Dokl. Akad. Nauk SSSR, 284, 973-975.

Ryabchikov, I.D., Suddaby, P., Girnis, A.V., Kulikov, V.S., Kulikova, V.V., Bogatkov, O.A. (1988) Trace-element geochemistry of Archaean and Proterozoic rocks from eastern Karelia, U.S.S.R. Lithos, 21, 183-194.

Rybakov, S.I., Melyantsev, N.V. (1986) Stroenie razreza komatiitov raiona st. Khautavaara (Khautavaarskaya struktura). In: Geologiya dokembriya Tsentralnoi i Yuzhnoi Karelii. Operat.-Inform. Materialy, p. 9-11. Petrozavodsk.

Rybakov, S.I., Svetova, A.I. (1982) Bazalt-komatiitovoi vulkanizm Paloselginskoi struktury (Tsentralnoi Karelii). Operativno-Inform. Materialy, p. 25-28. Petrozavodsk.

St. Seymour, K., Francis, D. (1988) Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt, New Quebec. Can. J. Earth Sci., 25, 691-700.

Salmanov, A.P. (1987) Bazaltovye komatiity yugo-zapadnogo Taimyra. Izv. Akad. Nauk SSSR, Ser. Geol., No. 11, 132-136.

Saverikko, M. (1984) Rautamuodostumien suhde Kummitsoivan komatiiteihin Pohjois-Suomessa. Summary: Comment on relation of banded iron formations to basaltic komatiites at Kummitsoiva in northern Finland. Geologi, 35, 84-86.

Saverikko, M. (1989) Komatiitic explosive volcanism - special evidence for an Archaean craton. 28th Internat. Geol. Congress, Abstracts, 3, 33.

Savochkina, Ye.N. (1982) Ultramafity zelenokamennykh poyasov rannego dokembriya severo-zapadnoi chasti Karelii. In: I.V. Luchitskii (Ed.) Zelenokamennyye poyasa drevnikh shchitov, p. 98-115. "Nauka", Leningrad.

Savochkina, Ye.N., Kudyarov, I.S. (1989) Magnesite spheroids in ultramafic rocks of Lake Apajjarvi, Murmansk Oblast. Internat. Geol. Rev., 31, 496-501.

Savochkina, Ye.N., Pletnev, A.G. (1985) Mineralization in ultrabasic volcanic rocks in the Kuolajarvi Zone, southwest Murmansk Oblast. In: Mineralization in Ultramafites, p. 20-28. Moscow.

Scarfe, C.M., Takahashi, E. (1985) Melting of garnet peridotite to 13 GPa: Implications for the early history of the upper mantle. Eos, 66, 1130.

Scarfe, C.M., Takahashi, E. (1985) Melting of garnet peridotite to 13 GPa and the early history of the upper mantle. Nature, 322, 354-356.

Shen Huati, Li Zhizhen, Ruan Zhongyi (1984) The main features and geological significance of late Archaean komatiites in Huadian District, Jilin Province. Bull. Chin. Acad. Geol. Sci., Series V, 9, 70-83. (in Chinese, English summary)

Sidoronov, A.A., Malyuk, B.I. (1983) Mantiinyi magmatizm ranne-dokembriiskikh zelenokamennykh poyasov i nekotorye aspekty formirvaniya ultraosnovnykh rasplavov. In: Yu.R. Vasilev (Ed-in-chief), Mantiinye Ksenolity i problema ultraosnovnykh magm, p. 130-137. Nauka, Novosibirsk.

Sidoronov, A.A., Malyuk, B.I., Smogolyuk, A.G., Bobrov, A.B. (1989) Komatiity zelenokamennykh poyasov Srednego Pridneprovya. Statya 2. Petrokhimicheskie osobennosti. Byul. Mosk. O-va Ispyt. Prir., 64 (1), 101-115.

Sidoronov, A.A., Smogolyuk, A.G., Malyuk, B.I., Bobrov, A.B. (1988) Komatiity zelenokamennykh poyasov Srednego Pridneprovya. Statya 1. Petrografiya. Byul. Mosk. O-va Ispyt. Prir., 63 (5), 88-97.

Smith, H.S., O'Neil, J.R., Erlank, A.J. (1987) Izotopnyi sostav kisloroda mineralov i gornykh porod i kharakter khimicheskogo izmeneniya podushechnykh lav zelenokamennogo poyasa Barberton, Yuzhnaya Afrika. In: A. Kröner, G.N. Hanson, A.M. Goodwin (Eds.) Geokhimiya Arkheya, p. 147-172. Mir, Moscow.

Smith, H.S., Anhaeusser, C.R., Kimber, B., Jardine, R., Harris, C., Erlank, A.J. (1988) Komatiite flows, Barberton Greenstone Belt: geochemical comparison of GI and GII types. Chem. Geol., 70, 148.

Smolkin, V.F., Borisova, V.V. (in press) Komatiitovaya assotsiatsiya arkheiskogo poyasa Kolmozero-Voronya. (submitted to Izvest. Akad. Nauk SSSR, Ser. Geol.)

Smolkin, V.F., Vrevskii, A.B., Hanski, E. (1987) Evolyutsiya vysokomagnesialnykh magm severo-vostoka Baltiiskogo shchita. Dokl. Akad. Nauk SSSR, 296, 210-214.

Sobolev, A.V., Tsameryan, O.P., Dmitriev, L.V., Kononkova, N.N. (1986) Vodosoderzhashchie komatiity kak novyi tip komatiitovykh rasplavov i proiskhozhdenie ultraosnovnykh lav massiva Troodos, o. Kipr. Dokl. Akad. Nauk SSSR, 286, 422-425.

Sokolov, V.A. (Ed-in-chief) (1981) Vulkanism arkheiskikh zelenokamennykh poyasov Karelii. "Nauka", Leningrad, 154 p.

Sparks, R.S.J. (1985) Komatiites; exceptionally hot lavas from the Archean. Trans. Leicester Lit. Phil. Soc., 79, 57-58.

Sparks, R.S.J. (1986) The role of crustal contamination in magma evolution through geological time. Earth Planet. Sci. Lett., 78, 211-223.

Srikantia, S.V., Venkataramana, P. (1989) The Archaean komatiites of Nagamangala supracrustal belt, Karnataka. J. Geol. Soc. India, 33, 210-217.

Stone, W.E., Church, W.R. (1987) The REE geochemistry of the Boston Creek flow Fe-rich basaltic komatiite, Abitibi Greenstone Belt. Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts, 12, 92.

Stone, W.E., Jensen, L.S., Church, W.R. (1987) Petrography and geochemistry of an unusually Fe-rich basaltic komatiite from Boston Township, northeastern Ontario. Can. J. Earth Sci., 24, 2537-2550.

Struyeva, O.M. (1988) Resultaty obsuzhdeniya problemy komatiitov v Srednem Pridneprovye. Geokhimiya i Rudooobr., 16, 47-57.



Sun, S.-S. (1987) Chemical composition of Archean komatiites: implications for early history of the Earth and mantle evolution. *J. Volcanol. Geotherm. Res.*, 32, 67-82.

Sun, S.-S. (1987) Geokhimicheskaya kharakteristika arkheiskikh ultraosnovnykh i osnovnykh vulkanicheskikh porod i ee znachenie dlya obosnovaniya sostava i razvitiya mantii. In: A. Kröner, G.N. Hanson, A.M. Goodwin (Eds.) *Geokhimiya Arkheya*, p. 42-67. Mir, Moscow.

Sun, S.-S. (1989) Chemical and isotopic composition of Archaean komatiites and siliceous high magnesian basalts: Constraints on early history of Earth and formation of continental crust. 28th Internat. Geol. Congress, Abstracts, 3, 196.

Sun, S.-S., Nesbitt, R.W., McCulloch, M.T. (1989) Geochemistry and petrogenesis of Archaean and early Proterozoic siliceous high-magnesian basalts. In: A.J. Crawford (Ed.), *Boninites*, p. 148-173. Unwin Hyman, London.

Suslova, S.N. (1985) Komatiity nizhnego proterozoya KareloKolskogo regiona i ikh stratigraficheskoe znachenie. In: L.I. Salop (Ed.) *Stratigrafiya nizhnego dokembriya Karelo-Kolskogo regiona*, p. 113-125. M-vo geologii SSSR. Vsesoyuz. ordena Lenina nauch.-issled. geol. in-t im. A.P. Karpinskogo, Leningrad.

Suslova, S.N. (1988) Nomenclature and classification of ultrabasic volcanogenic rocks. *Sov. Geol. Geophys.*, 29(4), 42-48.

Svetova, A.I. (1982) Lavy i tufy komatiitov v Koikarskoi i Paloselginskoi strukturakh Tsentralnoi Karelii. In: *Geologiya i stratigrafiya dokembriiskikh obrazovaniy Karelii*. Operativno-Inform. Materialy, p. 7-11. Petrozavodsk.

Svetova, A.I. (1988) Arkheiskii Vulkanizm Vedlozersko-Segozerskogo Zelenokamennogo Poyasa Karelii. *Karelskii Filial AN SSSR, Petrozavodsk*, 147 p.

Svetova, A.I., Raevskaya, M.B., Gorkovets, V.Ya. (1988) Vedlozersko-Segozerskii zelenokamennyy poyas. In: O.A. Bogatikov (Ed-in-chief), *Komatiity i vysokomagnesialnye vulkanity rannego dokembriya Baltiiskogo shchita*. p. 114-116. Nauka, Leningrad.

Taipale, K. (1988) Volcanism in the Archaean Kuhmo greenstone belt, eastern Finland. *Geol. Surv. Finland Spec. Paper* 4, 151-160.

Takahashi, E. (1986) Melting of a dry peridotite KLB-1 up to 14 GPa: Implications on the origin of peridotitic upper mantle. *J. Geophys. Res.*, 91, 9367-9382.

Takahashi, E. (1989) Melting phase relations of mantle peridotites up to 25 GPa: Implications on magmatism and tectonics in the Archean. *Eos*, 70, 483.

Takahashi, E., Scarfe, C.M. (1985) Melting of peridotite to 14 GPa and the genesis of komatiite. Technical Report of ISEI, Series A, 1, 13 p.

Thomson, B. (1989) Petrology and stratigraphy of some well preserved thin komatiites from Kambalda, Western Australia. Geol. Mag., 126 (3), 249-261.

Thomson, B. (1989) B<sub>1</sub> subdivision in thin komatiites at Kambalda, Western Australia. Geol. Mag., 126 (3), 262-270.

Tremblay, C., Barnes, S.-J. (1989) Platinum-group elements in Mequillon dyke, Ungava trough, New Quebec. Geol. Assoc. Can. and Min. Assoc. Can. Joint Annual Meeting, Prog. with Abstracts, 14, A79.

Väänänen, J. (1987) Geochemistry and the stratigraphic position of Proterozoic komatiitic and tholeiitic volcanics in the Kolari area, Finnish Lapland. IGCP 217 Symposium on Proterozoic Geochemistry, June 3-6, 1987, Lund, Abstracts, p. 88.

Väänänen, J. (1989) Kolarin alueen vulkaniitit. Lapin vulkaniittiprojektin raportti. Summary: Volcanic rocks of the Kolari area, western Finnish Lapland. Report of the Lapland Volcanite Project. Report of Invest. 86, Geol. Surv. Finland, Espoo, 79 p.

Vrevskii, A.B. (1985) Petrologiya i geodinamicheskie usloviya formirovaniya komatiit-toleitovoi serii zelenokamennogo poyasa Polmos-Poros. In: T.N. Ivanova (Ed-in-chief) Petrologiya i kriterii ocenki rudonosnosti dokembriiskikh bazitgiperbazitovykh formacii Karelo-Kolskogo regiona, p. 64-73. Kolskii Filial AN SSSR, Apatity.

Walker, D., Jurewicz, S., Watson, E.B. (1985) Experimental observation of a isothermal transition from orthocumulus to adcumulus texture. Eos, 66, 362.

Walker, D., Jurewicz, S., Watson, E.B. (1988) Adcumulus dunite growth in a laboratory thermal gradient. Contrib. Mineral. Petrol., 99, 306-319.

Walker, R.J. (1988) Low-blank chemical separation of rhenium and osmium from gram quantities of silicate rock for measurement by resonance ionization mass spectrometry. Anal. Chem., 60, 1231-1234.

Walker, R.J., Fasset, J.D., Shirey, S.B., (1986) The use of resonance ionization spectrometry for examination the Re-Os isotopic systematics of Archean mantle-derived rocks. Eos, 67, 414.

Walker, R.J., Shirey, S.B., Stecher, O. (1988) Comparative Re-Os, Sm-Nd and Rb-Sr isotope and trace element systematics for Archean komatiite flows from Munro Township, Abitibi Belt, Ontario. Earth Planet. Sci. Lett., 87, 1-12.

Wang Bingxi, Liang Rixuan (1987) Analogues of komatiitic basalts; ultramafic lavas of Cyprus. *Acta Mineral. Petrol.*, 6(1(21)), 29-37. (Chinese, English summary)

Warren, P.H. (1983) Implications of early outgassing of the Earth for thickening of the Archean lithosphere and the origin of komatiites. *Eos*, 64, 882.

Wei, K., Tronnes, R.G., Scarfe, C.M. (1989) Phase relations of Al-undepleted and Al-depleted komatiites at 4 to 12 GPa. *Eos*, 70, 484.

Wilson, A.H., Versfeld, J.A., Hunter, D.R. (1989) Emplacement, crystallization and alteration of spinifex-textured komatiitic basalt flows in the Archaean Nondweni greenstone belt, southern Kaapvaal Craton, South Africa. *Contrib. Mineral. Petrol.*, 101, 301-317.

Yurimoto, H., Ohtani, E. (in press) Trace element partitioning between majorite garnet and ultrabasic liquid: A secondary ion mass spectrometric study. (submitted to *Nature*)

Xiao Xidi (1988) On the occurrence of spinifex texture in Proterozoic komatiites at Yiyang, Hunan. *Kexue Tongbao*, 33(16), 1375-1378.