

**RECORDS OF WELLS, DRILLERS' LOGS, WATER-LEVEL
MEASUREMENTS, AND CHEMICAL ANALYSES OF
GROUND WATER IN HARRIS AND GALVESTON
COUNTIES, TEXAS, 1984-89**

By L.S. Coplin and Al Campodonico

**U.S. GEOLOGICAL SURVEY
Open-File Report 90-598**

**Prepared in cooperation with the
CITY OF HOUSTON
and the
HARRIS-GALVESTON COASTAL SUBSIDENCE DISTRICT**

**Austin, Texas
1991**

U.S. DEPARTMENT OF THE INTERIOR

MANUEL LUJAN, JR., Secretary

U.S. GEOLOGICAL SURVEY

Dallas L. Peck, Director

For additional information write to:

District Chief
U.S. Geological Survey
8011 Cameron Rd.
Austin, TX 78753

Copies of this report may be
purchased from:

U.S. Geological Survey
Books and Open-File Reports Section
Federal Center, Bldg. 810
Box 25425
Denver, CO 80225

CONTENTS

	Page
Abstract-----	1
Introduction-----	2
Well-numbering system -----	3
Selected references -----	4

ILLUSTRATIONS

[Plates in pocket]

Plate	1. Map showing location of wells in Harris County
	2. Map showing location of wells in Galveston County

TABLES

Table	1. Records of wells in Harris County -----	5
	2. Drillers' logs of wells in Harris County-----	19
	3. Water levels in wells in Harris County-----	88
	4. Chemical analyses of water from wells in Harris County-----	137
	5. Chemical analyses for nutrient species in water from wells in Harris County -----	154
	6. Chemical analyses for minor elements in water from wells in Harris County -----	155
	7. Records of wells in Galveston County -----	157
	8. Drillers' logs of wells in Galveston County-----	158
	9. Water levels in wells in Galveston County-----	159
	10. Chemical analyses of water from wells in Galveston County-----	167

CONVERSION FACTORS

Multiply	By	To obtain
foot (ft)	0.3048	meter
gallons per minute (gal/min)	0.06309	liter per second
inch	25.4	millimeter
mile (mi)	1.609	kilometer

Sea level: In this report "sea level" refers to the National Geodetic Vertical Datum of 1929 (NGVD of 1929)--a geodetic datum derived from a general adjustment of the first-order level nets of both the United States and Canada, formerly called Sea Level Datum of 1929.

RECORDS OF WELLS, DRILLERS' LOGS, WATER-LEVEL MEASUREMENTS,
AND CHEMICAL ANALYSES OF GROUND WATER IN HARRIS AND
GALVESTON COUNTIES, TEXAS, 1984-89

By

L.S. Coplin and Al Campodonico

ABSTRACT

Data for water wells and ground water in Harris and Galveston Counties were collected during 1984-89 by the U.S. Geological Survey. This report presents a compilation of records for 243 wells in Harris and Galveston Counties and drillers' logs for 174 of these wells. Water-level data and chemical-quality data of water for new and previously inventoried wells were also collected. Water levels in 521 wells and chemical analyses of water from 249 wells are presented in this report.

INTRODUCTION

The collection of hydrologic data was begun by the U.S. Geological Survey in Harris County in 1929 and in Galveston County in 1938. The current data-collection program is conducted in cooperation with the City of Houston and the Harris-Galveston Coastal Subsidence District.

The data-collection program consists of an inventory of new large-capacity wells (greater than 4-inch diameter) and other selected wells, the collection of water samples from wells for chemical analyses, and inventory of ground-water pumpage, water-level measurements in observation wells, and a compilation of information on land-surface subsidence.

This report presents records of wells, drillers' logs, water-level measurements, and chemical analyses of ground water collected in Harris and Galveston Counties during 1984-89 (tables 1-10), at the end of the report. These water-well data are supplementary to similar data on older wells in these counties and to descriptive evaluations of the ground-water resources that have been published previously. Additional information on the geology and hydrology of the area may be found in publications listed in "Selected References."

Records of 238 wells were inventoried in Harris County (table 1) and 5 wells were inventoried in Galveston County (table 7). Drillers' logs of 174 of these wells are included in tables 2 and 8, respectively.

This report presents water-level measurements from 451 wells in Harris County (table 3) and 70 wells in Galveston County (table 9). The water levels in these wells either were measured by or reported to the Geological Survey during 1984-89.

Chemical-quality data of water from 228 wells, some with more than one analysis, in Harris County (tables 4-6) and 21 wells in Galveston County (table 10) are presented in this report. Most of the chemical analyses were determined in the laboratories of the Geological Survey, but data from 61 newly-inventoried wells in Harris County were obtained from commercial laboratories. Hardness (Ca, Mg), alkalinity (CaCO_3), and dissolved solids (sum of constituents) from commercial laboratories were recalculated to correspond to Geological Survey reporting methods. Specific conductance, pH, temperature, and alkalinity of water from wells sampled by the Geological Survey are determined in the field. Chemical analyses of water from the 249 wells tabulated in this report have values rounded according to Geological Survey significant figure requirements. Tables 5 and 6 contain analyses from 39 wells included in a land-use study conducted by J.L. Strause, U.S. Geological Survey (written commun., 1990).

WELL-NUMBERING SYSTEM

The well-numbering system in Texas was devised by the Texas Water Development Board for use throughout the State. Under this system, each 1-degree quadrangle is given a number consisting of two digits. These are the first two digits in the well number. Each 1-degree quadrangle is divided into 7-1/2-minute quadrangles that are given a two-digit number from 01 to 64. These are the third and fourth digits of the well number. Each 7-1/2-minute quadrangle is divided into 2-1/2-minute quadrangles that are given a single-digit number from 1 to 9. This is the fifth digit of the well number. Finally, each well within a 2-1/2-minute quadrangle is given a two-digit number in the order in which the well was inventoried, starting with 01. These are the last two digits of the well number.

Only the last three digits of the well number are shown at each well location (plates 1 and 2) ; the second two digits are shown in the northwest corner of each 7-1/2-minute quadrangle; and the first two digits are shown by the large block numerals in each 1-degree quadrangle.

In addition to the seven-digit well number, a two-letter prefix is used to identify the county. The prefix for Harris County is LJ and for Galveston County, KH.

SELECTED REFERENCES

- Gabrysch, R.K., 1984, Ground-water withdrawals and changes in water levels in the Houston district, Texas, 1975-79: Texas Department of Water Resources Report 286, 42 p.
- 1984, Ground-water withdrawals and land-surface subsidence in the Houston-Galveston region, Texas, 1906-80: Texas Department of Water Resources Report 287, 64 p.
- Gabrysch, R.K. and Coplin, L.S., in press, Land-surface subsidence resulting from ground-water withdrawals in the Houston-Galveston region, Texas, through 1987: Harris-Galveston Coastal Subsidence District Report.
- Gabrysch, R.K., McAdoo, G.D., and Bonnet, C.W., 1973, Ground-water data for Harris County, Texas, v. 1, drillers' logs of wells, 1905-71: Texas Water Development Board Report 178, 421 p.
- 1970, Records of water-level measurements in wells in Galveston County, Texas, 1894-1969: Texas Water Development Board Report 123, 101 p.
- Gabrysch, R.K., McAdoo, G.D., and Naftel, W.L., 1970, Records of wells, drillers' logs, and chemical analyses of ground water in Galveston County, Texas, 1952-70: Texas Water Development Board Report 139, 53 p.
- Gabrysch, R.K., Bonnet, C.W., and Naftel, W.L., 1970, Records of water-level measurements in wells in Harris County, Texas, 1966-69: Texas Water Development Board Report 122, 65 p.
- Gabrysch, R.K., Naftel, W.L., and McAdoo, G.D., 1974, Ground-water data for Harris County, Texas, chemical analyses of water from wells, 1922-71: Texas Water Development Board Report 178, v. 3, 87 p.
- Gabrysch, R.K., Naftel, W.L., McAdoo, G.D., and Bonnet, C.W., 1974, Ground-water data for Harris County, Texas, records of wells, 1892-1972: Texas Water Development Board Report 178, v. 2, 181 p.
- Naftel, W.L., Vaught, Kenneth, and Fleming, Bobbie, 1976, Records of wells, drillers' logs, water-level measurements, and chemical analyses of ground water in Harris and Galveston Counties, Texas, 1970-74: Texas Water Development Board Report 203, 171 p.
- Ratzlaff, K.W., 1982, Land-surface subsidence in the Texas coastal region: Texas Department of Water Resources Report 272, 26 p.
- Ratzlaff, K.W., Bonnet, C.W., and Coplin, L.S., 1984, Records of wells, drillers' logs, water-level measurements, and chemical analyses of ground water in Harris and Galveston Counties, Texas, 1975-79: Texas Department of Water Resources Report 285, 221 p.
- Williams, J.F., III, Coplin, L.S., Ranzau, C.E., Jr., Lind, W.B., Bonnet, C.W., and Locke, G.L., 1987, Records of wells, drillers' logs, water-level measurements, and chemical analyses of ground water in Harris and Galveston Counties, Texas, 1980-84: U.S. Geological Survey Open-File Report 87-378, 245 p.

Table 1.--Records of wells in Harris County

Owner : W.C.I.D., Water Control and Improvement District; U.D., Utility District; M.U.D., Municipal Utility District; P.U.D., Public Utility District; F.W.S.D., Fresh Water Supply District

Water-bearing unit : EVGL, Evangeline aquifer; CHCT, Chicot aquifer; CHCTL, lower unit of the Chicot aquifer; CHCTM, middle unit of the Chicot aquifer; CHCTU, upper unit of the Chicot aquifer; CEVG, Chicot and Evangeline aquifers

Altitude of land surface : Referenced to sea level

Water level : A water level reported by a driller is shown to the nearest foot; a water level measured by the U.S. Geological Survey is shown to the nearest foot tenth or hundredth of a foot

Use of water : H, domestic; I, irrigation; P, public supply; U, unused; C, commercial; N, industrial; T, institution; J, industrial (cooling); R, recreational

Type of data available : D, drillers' log (see table 2); Q, chemical analysis (see tables 4-6); C, caliper log; E, electric log; J, gamma-ray log; L, lateral log; N, neutron log; U, gamma-gamma logs; W, water-level measurements (see table 3); I, induction log

Symbol : --, no data

Well	Owner	Driller	Date completed	Depth of well (feet)	Diameter of well (inches)	Well screen length (feet)	Water-bearing unit	Altitude of land surface (feet)	Below land surface (feet)	Water level Date of measurement	Use of water	Discharge per minute	Drawdown (feet)	Type of data available
LJ-60-58-509	Foyt, A.J., Jr.	Waller County Wells	1985	360	5.3	20	340-360	EVGL	234	80	04-08-85	H	100	30 D
LJ-60-58-710	U.S. Post Office, Hockley	R & R Water Wells	1982	230	4.2	10	220-230	CHCT	221	140	11-11-82	I	--	D, Q
LJ-60-58-904	McNulty, G.B.	--	--	168	--	--	--	CHCT	192	--	--	H	--	Q
LJ-60-59-211	J & S General Contractors	Johnston's Water Well Service	1988	297	4.2	10	287-297	CHCT	210	94	03-20-88	H	--	D
LJ-60-59-324	City of Tomball, Baker Street Well	Layne-Western Co., Inc.	1986	825	16.10	110	652-808	EVGL	195	217	07-08-86	P	1,200	D
LJ-60-59-325	Harris-Galveston Coastal Subsidence District, Tomball, Well No. 1	Texas Water Development Board	1989	198	4	10	188-198	CHCTL	190	62.5	09-28-89	U	--	C, D, E, J, L, N, U, W
LJ-60-59-326	Harris-Galveston Coastal Subsidence District, Tomball, Well No. 2	Texas Water Development Board	1989	107	4	10	97-107	CHCTM	190	49.0	09-27-89	U	--	U, W
LJ-60-59-327	Harris-Galveston Coastal Subsidence District, Tomball, Well No. 3	Texas Water Development Board	1989	47	4	10	37-47	CHCTU	190	--	09-28-89	U	--	U
LJ-60-59-504	Gates, John W.	--	1964	250	--	--	--	CHCT	223	--	--	H	--	Q
LJ-60-59-505	Gates, John W.	Doyle's Water Well Service	1971	260	4	10	250-260	CHCT	223	102	12-30-71	H	--	D, Q
LJ-60-59-803	H & J Water Co.	--	--	350	--	--	--	EVGL	165	--	--	P	--	Q
LJ-60-59-804	Harris County, A.E. Dyess Park	--	--	327	--	--	--	CHCT	165	--	--	P	--	Q

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Diameter of well (inches)	Well screen Total length (feet)	Depth interval (feet)	Water-bearing unit	Altitude of land surface (feet)	Water Level Below land surface measurement	Date of measurement	Use of water	Discharge (gallons per minute)	Draw-down (feet)	Type of data available
LJ-60-60-110	City of Tomball, Well No. 2A	Alsay Inc.	1984	415	24,16	144	237-395	EVGL	182	102	12-03-84	P	800	71	D, Q
LJ-60-60-205	Kleimann Meat Co.	Hildebrandt Well Service	1983	193	4,2	10	183-193	CHCT	144	78	03-07-83	C	--	--	D, Q
LJ-60-60-405	Houston Polybag	Weisinger Water Well, Inc.	1986	350	6,4	40	310-350	EVGL	165	112	05-20-86	N	250	--	D
LJ-60-60-505	Stop n Go, District 37, Store No. 1678	Raymond Water Wells	1985	407	5,2	20	387-407	EVGL	148	150	01-11-85	P	10	5	D
LJ-60-60-506	Pinewood Place	Robinson Water Well Service, Inc.	1983	550	6,4	20	530-550	EVGL	152	150	07-26-83	H	300	--	D
LJ-60-60-507	Pinewood Place	Robinson Water Well Service, Inc.	1983	366	6,4	40	326-366	EVGL	152	115	08-01-83	H	400	--	D
LJ-60-60-604	Burke, Johnnie	Raymond Water Wells	1985	200	5,2	10	190-200	CHCT	135	57	07-16-85	N	15	10	D
LJ-60-60-605	Bridgewood Development	O'Day Drilling Co., Inc.	1986	702	8,6	89	541-676	EVGL	145	192	09-13-86	P	250	119	D
LJ-60-60-606	Trinity Lutheran Church, Cemetery Well	Schoppa Water Well Service	1979	200	4,2	10	190-200	CHCT	131	50	12-10-79	H	--	--	D, Q
LJ-60-60-607	Harris County W.C.I.D. 119, Sewer Plant	--	1974	215	--	20	195-215	CHCT	136	--	--	N	--	--	Q
LJ-60-60-811	Trinity Lutheran Church and School	--	--	480	--	--	--	CHCT	136	--	--	T	--	--	Q
LJ-60-60-916	Bammel U.D. 2	Alsay Inc.	1986	1,065	20,14	258	491-1,045	EVGL	125	284	06-26-86	P	1,500	62	D, Q
LJ-60-60-917	Terranova West M.U.D., Well No. 1	--	1986	1,120	20,14	213	660-1,105	EVGL	115	317	04-30-86	P	1,510	100	E
LJ-60-61-527	Spring West M.U.D.	Alsay Inc.	1984	1,048	24,18,14	258	500-1,028	EVGL	129	280	03-05-85	P	3,000	150	D
LJ-60-61-614	Timber Lane U.D., Well No. 3	Layne-Western Co., Inc.	1985	1,174	20,14,12	206	842-1,154	EVGL	104	296	09--85	P	--	--	D
LJ-60-61-615	Harris County M.U.D. 82, Well No. 2	Layne-Western Co., Inc.	1984	560	24,18	134	362-544	EVGL, CHCT	109	188	09-20-84	P	1,020	57	D
LJ-60-61-616	Spring Independent School District, Bus Shed	E.L. Bode Drilling Co.	1980	380	--	20	360-380	CHCT	109	176	11-21-80	C	--	--	--
LJ-60-61-617	Northwest 45 Sports Association	E.L. Bode Drilling Co.	--	219	--	15	204-219	CHCT	115	71	--	P	--	--	Q

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen Total length (feet)	Water- bearing unit	Altitude of land surface (feet)	Water level Below land surface (feet)	Date of measurement	Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data available
LJ-60-61-618	Bayer Lumber Co. Well No. 3	--	--	185	--	--	CHCT	122	--	--	--	--	--	--
LJ-60-61-619	Harris County W.C.I.D. 92, Well No. 3	Layne Texas Co.	1987	999	24,18,14	270	409- 999	EVGL	108	202	09-11-87	P	--	D, Q
LJ-60-61-722	Harris County M.U.D. 58	Bussell & Son, Inc.	1986	665	10,6	168	666-1,018	EVGL	117	310	05-18-86	P	--	D
LJ-60-61-838	Harris County M.U.D. 189, Well No. 2	Layne Texas Co.	1986	850	24,18	195	520- 830	CHCT	113	280	07-20-86	P	1,510	E
LJ-60-61-916	Missouri Pacific Railroad	Bussell & Son, Inc.	1984	511	6,4	30	481- 511	EVGL	110	220	04-12-84	N	--	D
LJ-60-61-917	Entex Inc., Well No. 1	E.L. Bode Drilling Co., Inc.	1987	290	5,2	15	275- 290	CHCT	105	120	05-26-87	N	--	D
LJ-60-62-501	Gonzales, Joe	Raymond Water Wells	1985	375	5,2	20	355- 375	CHCT	93	105	08-28-85	H	70	D
LJ-60-62-713	Northwood M.U.D., Well No. 1	Layne Texas Co.	1985	760	24,18	275	310- 760	EVGL	87	231	08-29-85	P	2,010	D, E, Q
LJ-60-62-714	Cornelius, Inc., Turkey Creek Farms	Raymond Water Wells	1984	507	5,3,2	30	207- 237	CHCT	86	95	12-19-84	I	50	D
LJ-60-62-715	Cornelius, Inc., Turkey Creek Farms, Greenhouse Well	Lowry Water Wells	1974	417	4	10	390- 400	CHCT	87	--	--	I	--	Q
LJ-60-62-804	Cypresswood Golf Course	B.J. Swinehart Co., Inc.	1987	637	12	236	399- 635	EVGL	65	181	05-20-87	I	900	D
LJ-60-62-805	Harris County M.U.D. 26, Well No. 2	Alsay-Texas Corp.	1984	1,040	24,12	282	438-1,018	EVGL	94	172	06-06-84	P	1,500	D, I, Q
LJ-60-63-713	City of Houston, Belleau Woods, Well No. 2	Layne-Western Co., Inc.	1975	355	16,10	89	185- 343	CHCT	50	--	--	P	--	D, Q
LJ-60-63-906	Harris County M.U.D. 151, Well No. 1	Layne Texas Co.	1984	1,050	18,12	195	650-1,040	EVGL	70	178	06-02-84	P	1,700	D, E, Q
LJ-65-02-310	U.S. Geological Survey, Hockley fault, upside	U.S. Geological Survey	1978	57	2	4	51- 55	CHCT	185	27.97	09-15-78	U	--	W
LJ-65-02-311	U.S. Geological Survey, Hockley fault, downside	U.S. Geological Survey	1978	32	2	3	27- 30	CHCT	170	22.69	09-15-78	U	--	W
LJ-65-02-312	Harris-Galveston Coastal Subsidence District, Fairfield, Well No. 1	Texas Water Development Board	1989	247	4	10	237- 247	CHCTL	194	238	10-10-89	U	--	C, D, E, L, N, U, W

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Dia- meter of well (feet)	Well screen		Water- bearing unit	Altitude of land surface (feet)	Water level		Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data avail- able
					Total length (feet)	Depth interval (feet)			Below land surface (feet)	Date of measure- ment				
LJ-65-02-313	Harris-Galveston Coastal Subsidence District, Fairfield, Well No. 2	Texas Water Development Board	1989	4	10	137- 147	CHCTM	194	67.2	10-09-89	U	--	--	W
LJ-65-02-314	Harris-Galveston Coastal Subsidence District, Fairfield, Well No. 3	Texas Water Development Board	1989	4	10	41- 51	CHCTU	194	--	--	U	--	--	D
LJ-65-03-308	Percic, Mark	Bufkin Water Well	1982	4,2	10	170- 180	CHCT	135	--	--	H	--	--	D, Q
LJ-65-03-309	Jehovah Kingdom Hall	Holmes Water Well Service	1976	4	10	145- 155	CHCT	138	30	04-15-76	P	--	--	D, Q
LJ-65-03-510	Harris County M.U.D. 196	Layne-Western Co., Inc.	1984	20,12	201	570-1,038	EVGL	145	249	05-30-84	P	1,550	97	D
LJ-65-03-511	Tinsley, Talmage	Busnell & Son, Inc.	1986	5,2	20	280- 300	CHCT	146	127	07-25-86	H	--	--	D
LJ-65-03-618	Harris County M.U.D. 113, Well No. 2	Layne Texas Co.	1984	16,10	116	800-1,007	EVGL	131	244	07-23-84	P	1,000	135	D, E, Q
LJ-65-03-619	Kukral, Frank	--	--	230	--	--	CHCT	135	--	--	H	--	--	Q
LJ-65-03-620	Cypress Tabernacle United Pentecostal Church	--	--	78	10	68- 78	CHCT	138	--	--	P	--	--	Q
LJ-65-03-813	Harris County M.U.D. 264, Well No. 1	Layne Texas Co.	1985	20,14	166	890-1,230	EVGL	136	294	05-13-85	P	1,200	47	D, Q
LJ-65-03-814	Cypress Independent School District	Bufkin Water Well Service	1984	5,2	18	390- 408	CHCT	131	200	03-22-84	P	65	--	D
LJ-65-03-912	Harris County M.U.D. 163, Well No. 2	Alsay Inc.	1984	24,18,12	246	520- 982	EVGL	133	285	09-26-84	P	1,300	74	D, E
LJ-65-03-913	Harris County M.U.D. 250	Alsay-Texas Corp.	1984	24,18	112	446- 602	CHCT	126	293	04-18-84	P	1,150	138	D, E, Q
LJ-65-03-914	Harris County M.U.D. 155	Layne-Western Co., Inc.	1984	24,18	236	544- 780	EVGL	131	285	10- -84	P	1,700	173	D
LJ-65-03-915	City of Houston, Jersey Village, Well No. 7	Alsay Inc.	1989	20,14	208	808-1,344	EVGL	124	416	11-21-89	P	1,260	107	Q
LJ-65-03-916	City of Houston, Jersey Village, Well No. 8	Alsay Inc.	1989	20,14	245	769-1,354	EVGL	128	--	--	P	--	--	D
LJ-65-04-111	Harris County M.U.D. 286	Alsay Inc.	1986	20,14	150	834-1,218	EVGL	120	282	02-02-87	P	1,000	71	D, Q
LJ-65-04-217	Cypress Forest P.U.D.	Alsay Inc.	1985	24,18	290	480-1,040	EVGL	115	245	01-27-86	P	1,500	48	D, Q
LJ-65-04-218	Harris County M.U.D. 254	Alsay Inc.	1984	24,18	212	380- 804	EVGL	125	264	05-30-84	P	1,500	67	D, I, Q

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen Total length (feet)	Water- bearing unit	Altitude of land surface (feet)	Water level Below land surface (feet)	Date of measurement	Use of water	Dis- charge of (gallons per minute)	Draw- down (feet)	Type of data available
LJ-65-04-219	Compaq Computer Corp.	Robinson Water Well Service, Inc.	1985	350	5,2	50	300-350	CHCT	126	150	06-16-86	P	--	D
LJ-65-04-220	Compaq Computer Corp.	Robinson Water Well Service, Inc.	1986	380	5,2	40	317-380	CHCT	126	125	11-01-85	P	84	D
LJ-65-04-526	Harris County M.U.D. 237, Well No. 1	Layne-Western Co., Inc.	1984	730	20,14	200	440-720	EVGL CHCT	124	320	07-30-84	P	1,200	D
LJ-65-04-527	Mills Road M.U.D., Well No. 1	Layne Texas Co.	1986	640	24,18	180	410-640	EVGL, CHCT	132	260	01-30-86	P	1,200	--
LJ-65-04-528	West Harris County M.U.D. 10	Alsay Inc.	1984	1,170	24,16,12	344	472-1,152	EVGL	126	287	04-04-84	P	1,300	96 D, I, Q
LJ-65-04-727	City of Houston, Jersey Village, Well No. 4	Alsay Inc.	1985	1,440	24,18	310	846-1,424	EVGL	122	379	05-01-85	P	1,600	88 D, I, Q, W
LJ-65-04-728	City of Houston, Jersey Village, Well No. 5	Alsay Inc.	1985	1,440	24,18	322	825-1,418	EVGL	123	406	09-22-85	P	1,800	128 D, Q, W
LJ-65-04-729	City of Houston, Jersey Village, Well No. 6	Layne-Western Co., Inc.	1986	1,068	24,18,14	233	568-1,054	EVGL	124	341	08-18-86	P	1,810	138 D, Q, W
LJ-65-04-730	Chimney Hill M.U.D., Well No. 2	Layne-Western Co., Inc.	1984	1,410	20,14	196	816-1,392	EVGL	122	374	12-17-84	P	1,240	63 D
LJ-65-04-731	Northwest Harris County M.U.D. 29, Well No. 1	Layne Texas Co.	1984	1,315	24,18	228	870-1,300	EVGL	120	330	06-14-87	P	2,010	101 D, I, Q
LJ-65-04-732	Spencer Road P.U.D., Well No. 2	Layne Texas Co.	1986	1,040	14,8	74	914-1,024	EVGL	127	318	03-06-87	P	554	249 D, Q
LJ-65-04-914	Rolling Fork M.U.D.	H & H Water Well Drilling	1984	620	8,6	49	570-619	EVGL	102	305	12-13-84	P	450	70 D
LJ-65-05-123	Harris County M.U.D. 304, Well No. 1	Layne Texas Co.	1985	1,110	20,14	295	560-1,090	EVGL	108	289	04-30-85	P	1,200	46 D, E, Q
LJ-65-05-220	Harris County M.U.D. 215	Alsay Inc.	1985	924	20,14	310	516-924	EVGL	102	--	--	P	--	D
LJ-65-05-221	Harris County M.U.D. 200, Well No. 2	Layne Texas Co.	1985	1,355	20,14	295	810-1,340	EVGL	105	325	07-15-85	P	1,510	-- D, E
LJ-65-05-222	Rankin Road West M.U.D., Well No. 1	Layne Texas Co.	1984	1,302	20,14,8	250	910-1,290	EVGL	104	308	03-04-85	P	1,210	91 D, E, Q
LJ-65-05-223	Harris County M.U.D. 200, Well No. 1	Layne-Western Co., Inc.	1981	1,214	18,12	248	714-1,194	EVGL	104	275	08-22-81	P	1,613	85 D, Q

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen		Water- bearing unit	Altitude of land surface (feet)	Water level		Use of water	Dis- charge of (gallons per minute)	Draw- down (feet)	Type of data available
						Total length (feet)	Depth interval (feet)			Below land surface (feet)	Date of measure- ment				
LJ-65-05-316	North Green M.U.D., Well No. 2	Alsay Inc.	1985	1,108	20,14	218	646-1,088	EVGL	87	--	--	P	1,500	75	D
LJ-65-05-409	Harris County U.D. 14, Well No. 1	Alsay Inc.	1984	1,014	24,18,14	303	550- 994	EVGL	112	311	08-01-84	P	2,500	102	D, Q
LJ-65-05-410	Youngblood, C.	Robinson Water Well Service, Inc.	1983	430	5,2	50	380- 430	CHCT	101	200	10-11-83	H	--	--	D
LJ-65-05-411	Diamond Car Wash, Inc.	Raymond Water Wells	1985	297	5,3	20	277- 297	CHCT	107	160	07-03-85	N	--	--	D
LJ-65-05-412	Wild Flower Tropical	Raymond Water Wells	1986	362	5,3	20	342- 362	CHCT	103	210	10-13-86	I	63	16	D
LJ-65-05-518	Friendswood Development	Bussell & Son, Inc.	1986	360	6,4	20	340- 360	CHCT	96	202	03-31-86	P	150	35	D
LJ-65-05-519	Harris County M.U.D. 33, Well No. 1	Alsay Inc.	1984	1,060	24,18,14	252	585-1,036	EVGL	102	316	11-13-84	P	2,000	101	D, I, Q
LJ-65-05-520	Northborough M.U.D., Well No. 3	Layne-Western Co., Inc.	1985	800	24,18	216	544- 800	EVGL	95	293	03-18-85	P	1,510	47	D
LJ-65-05-626	U.S. Metals	Raymond Water Wells	1985	280	5,3	20	280- 300	CHCT	78	130	05-16-85	N	26	15	D
LJ-65-05-627	Metal Building Components	Almeda Water Well Service	1988	398	5,3	20	368- 388	CHCT	78	200	06-10-88	N	30	--	D
LJ-65-05-730	Harris County M.U.D. 119	Alsay Inc.	1985	1,464	20,14	284	842-1,384	EVGL	100	370	11-09-85	P	1,200	72	D
LJ-65-05-731	Stop n Go	Raymond Water Wells	1986	142	5,4	10	132- 142	CHCT	106	75	03-20-86	P	16	12	D
LJ-65-05-732	Campbell, Larry	--	--	130	--	--	--	CHCT	100	--	--	C	--	--	Q
LJ-65-05-733	Leroy's Auto Parts	--	--	165	--	10	155- 165	CHCT	95	--	--	H	--	--	Q
LJ-65-05-826	West Montgomery Utilities Well No. 2	M & M Well Service	1984	349	6,4	40	309- 349	CHCT	92	150	08-23-84	P	--	--	D
LJ-65-05-947	Gullo-Haas Toyota, Inc.	Raymond Water Wells	1985	410	5,3	20	390- 410	CHCT	86	240	03-25-85	P	30	20	D
LJ-65-05-948	Northline Terrace, Well No. 4	B.J. Swinehart Co., Inc.	1984	729	10,8	95	475- 727	EVGL	86	259	09- -84	P	550	32	D
LJ-65-05-949	Southern Water Co. Well No. 4	Layne Texas Co.	1984	715	20,14	165	410- 700	EVGL	88	261	02-13-85	P	1,000	139	D, Q
LJ-65-05-950	McDonald's Restaurant	Raymond Water Wells	1985	355	5,3	20	328- 355	CHCT	87	225	12-05-85	P	12	2	D
LJ-65-05-951	Long, Charles	Raymond Water Wells	1986	352	5,2	20	332- 352	CHCT	79	260	06-23-86	H	15	5	D
LJ-65-05-952	Beautymaker	Raymond Water Wells	1986	336	5,3	10	326- 336	CHCT	82	210	03-12-86	H	12	2	D

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Diameter of well (inches)	Well screen Total length (feet)	Water-bearing unit	Altitude of land surface (feet)	Water Level Below land surface (feet)	Date of measurement	Use of water	Discharge of (gallons per minute)	Drawdown (feet)	Type of data available
LJ-65-05-953	Going, Ron	--	--	--	--	--	--	--	--	--	H	--	--	Q
LJ-65-06-419	Harris County M.U.D. 182, Well No. 1	Layne-Western Co., Inc.	1984	560	8,6	60 404-	548 EVGL, CHCT	71	215	11-11-84	P	150	28	D
LJ-65-06-420	Southwest Utilities	Alameda Water Well Service	1988	300	5,3	20 278-	298 CHCT	82	192	06-17-88	P	70	--	D
LJ-65-06-421	Greens Parkway M.U.D. 1	Alsay Inc.	1984	1,220	16,10	254 616-1,200	EVGL	84	277	07-16-84	P	1,000	49	D, Q
LJ-65-06-530	Harris County M.U.D. 266	Alsay Inc.	1985	1,108	20,14	230 546-1,088	EVGL	78	280	06-14-85	P	1,000	--	D
LJ-65-06-531	American Utility Co.	Alameda Water Well Service	1988	357	5,2	15 341-	356 CHCTM	73	230	02-04-88	P	50	--	D
LJ-65-06-620	El Dorado U.D., Well No. 2	Layne Texas Co.	1985	1,250	20,14	270 540-1,235	EVGL	70	250	11-18-85	P	1,000	58	--
LJ-65-06-621	El Dorado Country Club	--	--	230	--	--	CHCT	68	--	--	P	--	--	Q
LJ-65-06-725	Aldine Independent School District	H & H Water Well Drilling	1984	489	8,4	62 399-	489 CHCT	75	235	06-12-84	P	170	--	D
LJ-65-06-726	Galaxy Steel	Raymond Water Wells	1986	357	5,2	20 337-	357 CHCT	73	240	03-10-86	P	10	2	D
LJ-65-06-727	City of Houston, Melrose Park, Well No. 2	--	--	--	--	--	--	--	--	--	P	--	--	Q
LJ-65-06-831	Taylor, Herman B., Trailer Park	L.F. Hull	1985	372	5,3	20 342-	370 CHCT	69	233	01-27-85	P	50	25	D
LJ-65-06-832	Sunbelt Utilities, Plant 2, Well No. 3	B.J. Swinehart Co., Inc.	1985	700	10,8	104 462-	694 EVGL	72	244	10- -85	P	450	49	D
LJ-65-07-203	Landco Continental Plaza	Busnell & Son, Inc.	1985	325	4,2	20 305-	325 CHCT	71	160	11-19-85	J	20	15	D
LJ-65-07-204	Harris County M.U.D. 278, Well No. 1	Layne Texas Co.	1985	1,095	20,14	250 520-1,080	EVGL	69	205	07-17-85	P	1,020	58	D, Q
LJ-65-07-802	Texas Highway Department	Walker Water Well Service, Inc.	1987	340	5,3	20 320-	340 CHCT	48	130	03-27-87	N	80	--	D
LJ-65-07-910	Sheldon Road M.U.D., Well No. 3	B.J. Swinehart Co., Inc.	1985	708	10,8	99 500-	680 CHCT	50	207	03-13-85	U	578	50	D
LJ-65-08-301	Shumann Grass Farms, Inc.	B.J. Swinehart Co., Inc.	1984	519	8,6	54 347-	519 CHCT	56	125	05- -84	I	350	55	D
LJ-65-10-218	Higginbotham, H.C.	--	1981	216	--	18 198-	216 CHCT	158	--	--	H	--	--	Q
LJ-65-10-313	Katy Country Estates	Busnell & Son, Inc.	1985	440	6,4	35 405-	440 EVGL	144	200	10-25-85	P	150	25	D

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen		Water- bearing unit	Altitude of land surface (feet)	Water level		Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data available
						Total length (feet)	Depth interval (feet)			Below surface (feet)	Date of measure- ment				
LJ-65-10-517	Harris County, Katy Park	Busnell & Son, Inc.	1985	350	6,4	30	320- 350	CHCT	146	133	04-10-85	R	--	--	D
LJ-65-10-518	Harris-Galveston Coastal Subside District, Katy, Well No. 1	Texas Water Development Board	1989	240	4	20	220- 240	CHCTL	146	116	09-19-89	U	--	--	C,E,J,L,N,U,W
LJ-65-10-519	Harris-Galveston Coastal Subside District, Katy, Well No. 2	Texas Water Development Board	1989	119	4	10	109- 119	CHCTU	146	--	09-14-89	U	--	--	D
LJ-65-10-520	Harris-Galveston Coastal Subside District, Katy, Well No. 3	Texas Water Development Board	1989	80	4	10	70- 80	CHCTU	146	--	09-14-89	U	--	--	D
LJ-65-10-521	Monroe, Morton	--	--	210	--	10	200- 210	CHCT	148	--	--	H	--	--	Q
LJ-65-10-614	First Christian Church	Almeda Water Well Service	1987	330	5,3	40	290- 330	CHCT	134	131	10-29-87	P	100	--	D
LJ-65-10-615	Houston Lighting and Power, Franz Substation	--	--	245	--	--	--	CHCT	133	--	--	N	--	--	Q
LJ-65-11-111	Harris County M.U.D. 167, Well No. 1	Alsay Inc.	1984	958	20,14	266	518- 938	EVGL	136	255	09-19-84	P	1,300	91	D,Q
LJ-65-11-112	Harris County M.U.D. 284, Well No. 1	Layne Texas Co.	1985	720	20,14	195	440- 705	CHCT, EVGL	132	244	11-25-85	P	1,610	--	--
LJ-65-11-113	Northwest Harris County M.U.D. 12	--	--	300	--	--	--	CHCT	137	--	--	P	--	--	Q
LJ-65-11-210	Rolling Creek M.U.D. 1	Alsay Inc.	1984	1,040	20,14	204	620-1,020	EVGL	123	272	06-19-84	P	1,200	49	D,Q
LJ-65-11-312	Dwyer, Chuck Well No. 1	E.L. Bode Drilling Co., Inc.	1988	340	5,2	20	320- 340	CHCT	114	--	--	H	--	--	D
LJ-65-11-313	Friesenhahn, J.	--	1978	203	--	20	193- 203	CHCT	123	--	--	H	--	--	Q
LJ-65-11-412	West Harris County M.U.D. 7, Well No. 1	Alsay Inc.	1984	1,258	20,14	334	580-1,238	EVGL	126	228	02-26-84	P	1,500	79	D,Q
LJ-65-11-413	Ricewood M.U.D., Well No. 1	Layne Texas Co.	1984	775	24,18,14	195	350- 760	EVGL, CHCT	122	214	03-15-84	P	1,510	80	D,Q
LJ-65-11-414	First Christian Church	--	1981	209	--	10	199- 209	CHCT	129	--	--	P	--	--	Q
LJ-65-11-511	Pine Forest Country Club	Busnell & Son, Inc.	1984	775	10	--	--	EVGL	117	275	06-27-84	I	--	--	D
LJ-65-11-512	Pine Forest Country Club	Busnell & Son, Inc.	1974	225	--	16	209- 225	CHCT	114	88	04-07-74	P	--	--	Q
LJ-65-11-513	Carlton, Glen	--	1973	190	--	10	180- 190	CHCT	109	--	--	H	--	--	Q

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen		Water- bearing unit	Altitude of land surface (feet)	Water level		Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data available
						Total length (feet)	Depth interval (feet)			Below surface (feet)	Date of measurement				
LJ-65-11-709	Mason Creek U.D., Well No. 2	Layne-Western Co., Inc.	1986	1,090	16,10	220	646-1,080	EVGL	116	245	02-06-86	P	1,000	108	Q
LJ-65-11-713	Interstate M.U.D.	Alsay-Texas Corp.	1984	1,316	16,10	306	634-1,296	EVGL	124	247	05-16-84	P	1,210	58	D,Q
LJ-65-11-714	Weston M.U.D., Plant 2, Well No. 1	Layne Texas Co.	1984	1,230	24,16	289	600-1,212	EVGL	120	264	04-25-84	P	2,010	138	D,I,Q
LJ-65-11-715	Weston M.U.D., Plant 1, Well No. 2	Layne Texas Co.	1984	1,199	24,16	292	659-1,180	EVGL	125	258	06-04-84	P	2,020	103	D,Q
LJ-65-11-919	City of Houston, Barker's Landing, Well No. 1	Layne Texas Co.	1971	716	8,4	60	580- 706	EVGL	86	150	07-09-71	P	183	41	Q
LJ-65-12-110	Horsepen Bayou M.U.D., Well No. 2	Alsay Inc.	1986	1,394	16,10	254	840-1,374	EVGL	114	385	10-15-86	P	1,100	68	D,Q
LJ-65-12-214	--	--	--	48	--	--	--	CHCT	112	--	--	--	--	--	Q
LJ-65-12-627	Blalock Nursing Home	Robinson Water Well Service, Inc.	1983	592	5,2	52	520- 592	CHCT	88	230	06-30-83	P	--	--	D
LJ-65-12-628	City of Houston, Spring Branch, Well No. 1SB, Test Hole 1	Layne-Western Co., Inc.	1988	--	--	30	679- 709	EVGL	93	325	10-06-88	U	--	--	C,I,J
LJ-65-12-629	City of Houston, Spring Branch, Well No. 1SB, Test Hole 2	Layne-Western Co., Inc.	1988	--	--	28	611- 639	EVGL	93	313	10-11-88	U	--	--	C,I,J
LJ-65-12-630	City of Houston, Spring Branch, Well No. 1SB, Test Hole 3	Layne-Western Co., Inc.	1988	--	--	36	521- 557	CEVG	93	268	10-13-88	U	--	--	C,I,J
LJ-65-12-631	City of Houston, Spring Branch, Well No. 1SB, Test Hole 4	Layne-Western Co., Inc.	1988	--	--	52	447- 499	CHCT	93	256	10-14-88	U	--	--	C,I,J
LJ-65-12-632	City of Houston, Spring Branch, Well No. 1SB, Test Hole 5	Layne-Western Co., Inc.	1988	--	--	20	373- 393	CHCT	93	228	10-17-88	U	--	--	C,I,J
LJ-65-12-633	City of Houston, Spring Branch, Well No. 1SB	Layne-Western Co., Inc.	1988	734	24,18	168	372- 710	CHCT, EVGL	93	272	02-04-89	P	1,882	92	C,D,I,J,Q
LJ-65-12-634	City of Houston, Spring Branch, Well No. 3A	Layne-Western Co., Inc.	1979	1,300	24,18,14	393	708-1,288	EVGL	94	422	04-01-89	P	2,587	96	D,Q
LJ-65-12-732	Crowell, David	Geophysical Drilling, Inc.	1987	320	5,2	20	300- 320	CHCT	90	150	07-03-87	H	100	--	D

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Diameter of well (inches)	Well screen Total length (feet)	Water-bearing unit	Altitude of land surface (feet)	Water level Below land surface (feet)	Date of measurement	Use of water	Discharge (gallons per minute)	Drawdown (feet)	Type data available
LJ-65-12-733	Neeley, Sam	--	1971	180	--	10	170-180	CHCT	82	--	H	--	--	Q
LJ-65-12-734	Yates, Charley	--	--	33	--	--	--	CHCT	85	--	H	--	--	Q
LJ-65-12-818	U.S. Geological Survey, Longpoint fault, upside	U.S. Geological Survey	1978	47	2	3	41-44	CHCT	85	09-21-78	U	--	--	W
LJ-65-12-819	U.S. Geological Survey, Longpoint fault, downside	U.S. Geological Survey	1978	44	2	3	36-39	CHCT	84	09-18-78	U	--	--	W
LJ-65-12-940	Y.M.C.A.	Bussell & Son, Inc.	1984	430	5,2	20	410-430	CHCT	70	03-26-84	P	--	--	D
LJ-65-13-221	City of Houston, Acres Homes, Well No. 2SB	Alsay Inc.	1984	620	24,18	171	322-600	CHCT, EVGL	91	12-12-84	P	1,500	75	D,E,Q
LJ-65-13-323	City of Houston, Heights, Well No. 15SB	Layne Texas Co.	1984	650	24,18	253	330-634	CHCT	78	--	P	--	--	D,E,Q
LJ-65-13-324	City of Houston, Heights, Well No. 11A	Layne-Western Co., Inc.	1979	1,290	24,18,14	393	708-1,288	EVGL	74	10-21-79	P	2,204	89	D,Q,W
LJ-65-13-750	Rowland, Robert A., Well No. 2	Wellco Water Well Drilling Co.	1988	334	5,3	20	314-334	CHCT	63	04-26-88	H	--	--	D
LJ-65-13-837	Lestos Co.	Almeda Water Well Service	1985	321	5,2	13	308-321	CHCT	55	08-29-85	H	20	--	D
LJ-65-13-838	U.S. Geological Survey, Eureka Heights fault, upside	U.S. Geological Survey	1978	36	2	2	32-34	CHCT	65	09-18-78	U	--	--	W
LJ-65-13-839	U.S. Geological Survey, Eureka Heights fault, downside	U.S. Geological Survey	1978	55	2	2	51-53	CHCT	65	09-19-78	U	--	--	W
LJ-65-13-840	Holmes, Harry	Almeda Water Well Service	1987	471	5,2	--	--	CHCT	55	05-16-87	I	80	--	D
LJ-65-14-440	Goodwill Industries, Well No. 1	Layne Texas Co.	1984	561	5,3	51	509-560	CHCT	52	--	P	100	--	D,Q
LJ-65-14-823	National Vinegar Co.	Raymond Water Wells	1987	506	5,3	30	468-506	CHCT	38	04-06-87	N	76	26	D
LJ-65-15-311	North Star Steel	Almeda Water Well Service	1988	365	6,4	20	344-364	CHCTM	44	03-16-88	N	200	--	D
LJ-65-15-606	Harris County M.U.D. 53, Plant 2	Layne-Western Co., Inc.	1985	1,558	18,12	674	870-1,544	EVGL	34	08-20-85	P	2,250	50	D
LJ-65-15-841	Harris County W.C.I.D. 36, Well No. 5	Layne Texas Co.	1985	1,210	18,12,10	292	651-1,193	EVGL	30	04-24-85	P	1,360	28	D,E,Q

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen		Water- bearing unit	Altitude of land surface (feet)	Water level		Use of water	Dis- charge of (gallons per minute)	Draw- down (feet)	Type of data available
						Total length (feet)	Depth interval (feet)			Below land surface (feet)	Date of measurement				
LJ-65-15-921	Port of Houston Authority, Bulk Materials Handling Plant, Well No. 3	B.J. Swinehart Co., Inc.	1988	925	14,8	60	773- 875	EVGL	20	248	09-08-88	N	300	46	Q
LJ-65-16-725	Stop n Go	Bussell & Son, Inc.	1985	461	5,2	30	431- 461	CHCT	32	157	09-15-85	C	85	25	D
LJ-65-16-726	Harris County F.W.S.D. 6	Layne Texas Co.	1985	940	16,10	150	590- 925	EVGL	24	268	09-03-85	P	--	--	D,Q
LJ-65-16-727	Chamelview Missionary Baptist Church	Raymond Water Wells	1984	300	5,3	20	220- 240	CHCT	31	140	04-25-84	P	36	4	D
LJ-65-19-320	City of Houston, West Houston, Well No. 2	Layne-Western Co., Inc.	1985	1,314	24,18,14	678	636-1,314	EVGL	90	302	05-30-85	P	2,510	104	W
LJ-65-19-321	Mission Bend M.U.D. 2	Alsay Inc.	1986	884	18,14	228	490- 864	EVGL, CHCT	90	190	04-14-86	P	1,500	60	C,I,J,Q
LJ-65-19-607	Mission Bend M.U.D. 2, Well No. 2	Layne Texas Co.	1986	1,372	24,18,14	438	560-1,352	EVGL	89	280	12-17-86	P	2,410	74	D,Q
LJ-65-19-608	Braes Utility District, Well No. 2	Alsay Inc.	1984	880	20,14	282	502- 860	EVGL	88	232	08-16-84	P	1,000	38	D,I,Q
LJ-65-20-128	City of Houston, Ashford Point, Well No. 2	Alsay Inc.	1985	1,122	20,12	280	692-1,102	EVGL	81	270	07-05-85	P	1,200	--	D,Q,W
LJ-65-20-324	City of Houston, Southwest, Well No. 6A	Layne Texas Co.	1988	1,196	24,18,14	240	758-1,176	EVGL	71	371	04-21-88	P	2,010	97	D,Q
LJ-65-20-416	City of Houston, Brookfield, Well No. 1	Katy Drilling Co.	1971	872	16,10	160	584- 866	EVGL, CHCT	86	--	--	P	--	--	W
LJ-65-20-417	City of Houston, Keegan's Glen, Well No. 2	Layne-Western Co., Inc.	1981	1,012	16,10	202	720- 992	EVGL	86	--	--	P	--	--	D
LJ-65-20-418	City of Houston, Bellaire Independent, Well No. 1	Alsay-Texas Corp.	1982	1,394	24,18,14	417	692-1,374	EVGL	85	321	09-08-82	P	--	--	D,W
LJ-65-20-419	City of Houston, Bellaire Independent, Well No. 3	Layne Texas Co.	1985	1,320	24,18,14	379	599-1,300	EVGL, CHCT	84	301	05-20-85	P	2,020	92	D,E,Q,W
LJ-65-20-420	Beechnut M.U.D.	Layne-Western Co. Inc.	1982	1,580	20,14	586	994-1,580	EVGL	90	359	11-10-82	P	2,500	91	D
LJ-65-20-517	City of Houston, Boone Road, Well No. 1	Katy Drilling Co.	1971	900	12,6	120	705- 890	EVGL	75	--	--	P	--	--	--
LJ-65-20-518	City of Houston, Con- course, Well No. 1	Layne-Western Co., Inc.	1982	1,475	20,12	376	725-1,460	EVGL	76	365	07-25-85	P	--	--	D,Q,W

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen Total length (feet)	Water- bearing unit	Altitude of land surface (feet)	Water level Below land surface (feet)	Date of measurement	Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data available
LJ-65-20-519	City of Houston, Manning, Well No. 2	Layne-Western Co., Inc.	1979	1,450	16,10	1721,146-1,440	EVGL	78	--	--	P	--	--	D
LJ-65-20-520	Westwood Country Club	Raymond Water Wells	1984	785	8,4	110 565- 675	CHCT	68	260	04-12-84	I	310	84	D
LJ-65-20-808	City of Houston, Parkglan, Well No. 2	Layne Texas Co.	1977	1,142	16,10	218 805-1,125	EVGL	78	311	11-05-85	P	--	--	W
LJ-65-20-811	City of Houston, Parkglan, Well No. 1	Layne Texas Co.	1967	1,030	16,10	148 739- 998	EVGL	83	--	--	P	--	--	W
LJ-65-20-913	City of Houston, Glenshire, Well No. 2	Katy Drilling Co.	1972	888	14,8	150 658- 878	EVGL, CHCT	72	--	--	P	--	--	W
LJ-65-20-915	Harris County W.C.I.D. Fondren Road, Well No. 3	Layne Texas Co.	1987	1,015	18,12,10	196 640- 970	EVGL, CHCT	69	299	04-27-87	P	994	48	D, Q
LJ-65-21-151	City of Houston, Fairdale, Well No. 1SB	Layne-Western Co., Inc.	1986	610	24,18	140 350- 576	CHCT	70	273	03-11-86	P	1,530	100	D
LJ-65-21-152	City of Houston, Fairdale, Well No. 1A	Layne-Western Co., Inc.	1985	1,960	24,18,14	484 649-1,942	EVGL	70	398	12-16-85	P	1,530	54	D
LJ-65-21-153	Houston Steel Service	Raymond Water Wells	1986	460	5,3	30 430- 460	CHCT	62	266	06-27-86	N	10	--	D
LJ-65-21-233	City of West University Place, Well No. 9	Layne Texas Co.	1984	1,400	20,14,12	265 810-1,380	EVGL	57	371	02-21-85	P	1,530	83	D, E, Q
LJ-65-21-332	Admiral Linen Service	O'Day Drilling Co., Inc.	1984	660	8,6	60 489- 650	CHCT, EVGL	57	280	01-21-84	N	300	--	D
LJ-65-21-417	City of Houston, Meyerland, Well No. 1A	Alsay Inc.	1985	1,492	24,8	300 704-1,483	EVGL	56	350	01-24-86	P	850	55	Q
LJ-65-21-625	Thermal Energy Corp., Well No. 1	Layne Texas Co.	1984	702	18,12	98 568- 690	CHCT	45	284	12-19-84	P	1,000	107	D, E, Q
LJ-65-21-626	Labbco, Inc.	B.J. Swinehart Co., Inc.	1987	306	8,6	31 273- 304	CHCT	49	148	06-25-87	N	200	28	D
LJ-65-21-712	City of Houston, Westbury, Well No. 3A	Layne-Western Co., Inc.	1978	1,645	24,12	325 650-1,645	EVGL	66	292	01-20-78	P	2,510	108	D, Q
LJ-65-22-624	Neeley, H.T.	Almeda Water Well Service	1986	286	5,3	10 276- 286	CHCT	35	157	12-16-86	H	75	--	D
LJ-65-23-154	ARCO Petroleum Products	O'Day Drilling Co., Inc.	1984	590	5,3	32 544- 590	CHCT	30	210	07-15-84	P	50	50	D
LJ-65-23-330	Shell Oil/Shell Chemical Co., Well No. MW-3T	McClelland Engineers	1988	40	10,4	15 24- 39	CHCT	30	15	07-01-88	U	--	--	D

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen		Water- bearing unit	Altitude of land surface (feet)	Water level		Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data available
						Total length (feet)	Depth interval (feet)			Below land surface (feet)	Date of measurement				
LJ-65-23-331	Shell Oil/Shell Chemical Co., Well No. MW-4T	McClelland Engineers	1988	33	10,4	10	22-	32	CHCT	30	8	07-01-88	U	--	D
LJ-65-23-332	Shell Oil/Shell Chemical Co., Well No. MW-5T	McClelland Engineers	1988	33	10,4	5	28-	33	CHCT	30	18	07-01-88	U	--	D
LJ-65-23-333	Shell Oil/Shell Chemical Co., Well No. MW-14T	McClelland Engineers	1988	45	10,4	10	35-	45	CHCT	10	3	07-01-88	U	--	D
LJ-65-23-334	Shell Oil/Shell Chemical Co., Well No. MW-15T	McClelland Engineers	1988	28	10,4	10	18-	28	CHCT	5	2	07-01-88	U	--	D
LJ-65-23-335	Shell Oil/Shell Chemical Co., Well No. MW-16T	McClelland Engineers	1988	47	10,4	20	27-	47	CHCT	20	3	07-01-88	U	--	D
LJ-65-23-336	Shell Oil/Shell Chemical Co., Well No. MW-11D	McClelland Engineers	1988	118	10,4	30	88-	118	CHCT	28	6	07-01-88	U	--	D
LJ-65-23-337	Shell Oil/Shell Chemical Co., Well No. MW-10D	McClelland Engineers	1988	110	10,4	40	64-	104	CHCT	23	7	07-01-88	U	--	D
LJ-65-23-338	Shell Oil/Shell Chemical Co., Well No. MW-12D	McClelland Engineers	1988	115	10,4	30	85-	115	CHCT	23	6	07-01-88	U	--	D
LJ-65-23-339	Shell Oil/Shell Chemical Co., Well No. MW-20-D	McClelland Engineers	1988	105	10,4	30	75-	105	CHCT	19	2	07-01-88	U	--	D
LJ-65-23-340	Shell Oil/Shell Chemical Co., Well No. MW-22D	McClelland Engineers	1988	102	10,4	45	57-	102	CHCT	16	3	07-01-88	U	--	D
LJ-65-23-341	Shell Oil/Shell Chemical Co., Well No. MW-19D	McClelland Engineers	1988	79	10,4	25	54-	79	CHCT	6	2	07-01-88	U	--	D
LJ-65-23-728	Fuhrmann Energy, Geneva Superfund Site, Well No. 1	U.S. Environmental Protection Agency	1984	112	2	52	60-	112	CHCT	35	--	--	U	85	Q
LJ-65-23-729	Fuhrmann Energy, Geneva Superfund Site, Well No. 2	U.S. Environmental Protection Agency	1984	292	2	42	250-	292	CHCT	35	--	--	U	--	Q
LJ-65-23-730	Fuhrmann Energy, Geneva Superfund Site, Well No. 3	U.S. Environmental Protection Agency	1984	675	2	102	573-	675	CHCT	35	--	--	U	--	Q
LJ-65-23-731	Fuhrmann Energy, Geneva Superfund Site, Well No. 4	U.S. Environmental Protection Agency	1984	805	2	70	699-	805	EVGL	35	10	05-19-82	U	--	Q
LJ-65-24-152	Rollins Environmental Services, Inc.	Professional Service, Inc.	1985	120	14,4	25	95-	120	CHCT	27	39	11-25-86	N	--	D

Table 1.--Records of wells in Harris County--Continued

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen		Water- bearing unit	Altitude of land surface (feet)	Water level		Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data available
						Total length (feet)	Depth interval (feet)			Below land surface (feet)	Date of measurement				
LJ-65-24-153 Pak Tank		Robinson Water Well Service, Inc.	1987	460	6,4	40	420-	460	CHCT	24	180	01-20-87	N	--	D
LJ-65-24-154 Shell Oil/Shell Chemical Co., Well No. MM-9T		McClelland Engineers	1988	50	10,4	15	35-	50	CHCT	11	9	06-29-88	U	--	D
LJ-65-24-155 Shell Oil/Shell Chemical Co., Well No. MM-10T		McClelland Engineers	1988	59	10,4	15	44-	59	CHCT	7	9	06-29-88	U	--	D
LJ-65-24-156 Shell Oil/Shell Chemical Co., Well No. MM-13T		McClelland Engineers	1988	37	10,4	15	20-	35	CHCT	24	13	06-29-88	U	--	D
LJ-65-24-619 Heller Construction Co.		Bussell & Son, Inc.	1984	491	5,3	20	481-	491	CHCT	26	230	01-27-84	N	110	30
LJ-65-29-108 City of Houston, Chasewood, Well No. 3		Layne Texas Co.	1982	1,190	18,12	300	750-1,170	EVGL	70	321	10-04-82	P	1,800	50	Q,W
LJ-65-29-111 Dentler, P.A.		Wellco Water Well Drilling Co.	1985	311	6,4	10	301-	311	CHCT	65	140	10-15-85	H	--	D
LJ-65-30-104 Houston Crushed Concrete		O'Day Drilling Co., Inc.	1988	110	6	30	60-	90	CHCT	54	21	04-23-88	N	125	D
LJ-65-30-105 Harris County W.C.I.D. 89, Well No. 1		Layne Texas Co.	1984	1,020	16,10	265	610-1,005	EVGL	55	255	01-31-84	P	1,220	65	D,E,I, L,q
LJ-65-31-221 U.S. Geological Survey, Ellington South fault, upside		U.S. Geological Survey	1978	33	2	3	27-	30	CHCT	30	3	09-13-78	U	--	W

a/ Well destroyed.

Table 2.--Drillers' Logs of wells in Harris County

Well LJ-60-58-509
Owner: A.J. Foyt, Jr.
Driller: Waller County Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red	35	35
Sand, white	14	49
Clay, brown	13	62
Sand, red	18	80
Clay, brown	49	129
Sand	9	138
Clay, brown	47	185
Sand, white	25	210
Shale and rock	123	333
Sand, brown	27	360

Well LJ-60-58-710
Owner: U.S. Post Office, Hockley
Driller: R & R Water Wells

Description	Thickness (feet)	Depth (feet)
Clay	64	64
Sand and gravel	39	103
Clay, red	32	135
Sand	16	151
Shale	47	198
Rock	13	211
Sand	19	230

Well LJ-60-59-211
Owner: J & S General Contractors
Driller: Johnston's Water Well Service

Description	Thickness (feet)	Depth (feet)
Sand	3	3
Clay, red	7	10
Sand and gravel with clay streaks	20	30
Clay, red and gray	10	40
Sand with clay streaks	20	60
Clay, gray with sand streaks	25	85
Sand	35	120
Sand with clay streaks	40	160
Clay, gray	10	170
Sand	30	200
Clay, gray	10	210

Well LJ-60-59-211--Continued

Sand	10	220
Clay, gray	10	230
Sand	9	239
Clay, red and gray	31	270
Sand	27	297

Well LJ-60-59-324
Owner: City of Tomball, Baker Street Well
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay, red	30	30
Clay and sand	30	60
Clay	34	94
Clay and sand	33	127
Sand	60	187
Clay	23	210
Sand	20	230
Clay	37	267
Sand	5	272
Clay	67	339
Sand	79	418
Clay	37	455
Sand	5	460
Clay	10	470
Sandstone	42	512
Sand	3	515
Clay	7	522
Sand and sandstone	8	530
Clay	16	546
Sand	40	586
Clay	14	600
Clay and sand	90	690
Clay, sandy	93	783
Sand	32	815
Clay	29	844
Clay and sand	32	876
Clay	31	907
Sand	31	938
Clay, sandy	31	969
Clay	31	1,000

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-59-325

Owner: Harris-Galveston Coastal Subsidence District,
Tomball, Well No. 1

Driller: Texas Water Development Board

Description	Thickness (feet)	Depth (feet)
Clay with some sand	35	35
Sand	105	140
Clay with some sand	40	180
Sand and clay	20	200

Well LJ-60-59-505

Owner: John W. Gates

Driller: Doyle's Water Well Service

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Sand	10	30
Clay	20	50
Sand	15	65
Clay	25	90
Sand	10	100
Clay	50	150
Sand	10	160
Clay	30	190
Sand, broken	70	260

Well LJ-60-60-110

Owner: City of Tomball, Well No. 2A

Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	2	2
Clay, sandy brown	24	26
Clay, brown	17	43
Sand and gravel	36	79
Clay, tan	6	85
Sand	50	135
Clay, tan, sandy	10	145
Sand	10	155
Clay, white-tannish	20	175
Sand	44	219
Clay, tan	10	229
Sand	56	285
Clay, brown, sandy	6	291
Sand with clay streaks	20	311

Well LJ-60-60-110--Continued

Clay, bluish-white, sandy	16	327
Sand	28	355
Clay, bluish-white	8	363
Sand	30	393
Clay, brown	26	419
Sand	16	435
Clay, brownish-gray	8	443
Sand	26	469
Clay, gray	10	479
Sand	6	485
Clay, gray	11	496

Well LJ-60-60-205

Owner: Kleimann Meat Co.

Driller: Hildebrandt Well Service

Description	Thickness (feet)	Depth (feet)
Clay	80	80
Sand and gravel	20	100
Clay	13	113
Rock	1	114
Clay	62	176
Rock	1	177
Clay	4	181
Rock	3	184
Sand, coarse	9	193

Well LJ-60-60-405

Owner: Houston Polybag

Driller: Weisinger Water Well, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Sand	135	155
Clay	28	183
Sand	29	212
Rock	8	220
Clay and rock	20	240
Clay	5	245
Sand	30	275
Clay	5	280
Sand	70	350

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-60-505

Owner: Stop n Go, District 37, Store No. 1678

Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red and gray	20	20
Clay, white	20	40
Clay, red	20	60
Sand, red and white	20	80
Sand	20	100
Sand and gravel	20	120
Sand	20	140
Clay, white	20	160
Clay and sand	20	180
Sand and stone	20	200
Sand and rock	20	220
Sand, rock and clay	20	240
Sand and rock	20	260
Clay and sand	20	280
Sand and clay	20	300
Clay and sand	20	320
Sand	20	340
Sand and clay	20	360
Sand	47	407

Well LJ-60-60-506

Owner: Pinewood Place

Driller: Robinson Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	12	12
Sand	14	26
Clay	47	73
Sand	55	128
Clay	65	193
Sand	53	246
Clay	39	285
Sand	65	350
Clay	60	410
Sand	60	470
Clay	54	524
Sand	26	550

Well LJ-60-60-507

Owner: Pinewood Place

Driller: Robinson Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	10	10
Sand	10	20
Clay	50	70
Sand	296	366

Well LJ-60-60-604

Owner: Johnnie Burke

Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, yellow and gray	20	20
Sand	10	30
Clay, yellow and gray	8	38
Sand and clay streaks	20	58
Sand	40	98
Clay	20	118
Clay and sand streaks	20	138
Sand	62	200

Well LJ-60-60-605

Owner: Bridgewood Development

Driller: O'Day Drilling Co., Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay	35	38
Sand	14	52
Clay	4	56
Sand	18	74
Clay	4	78
Sand	6	84
Clay	22	106
Sand	14	120
Clay with sand streaks	100	220
Sand	106	326
Shale	24	350
Sand	38	388
Clay	12	400
Sand	34	434
Shale	19	453

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-60-605--Continued

Sand	63	516
Shale	25	541
Sand	29	570
Shale	40	610
Sand	33	643
Shale	6	649
Sand	27	676
Shale	26	702

Well LJ-60-60-606

Owner: Trinity Lutheran Church, Cemetery Well
Driller: Schoppa Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Sand	90	95
Clay	10	105
Sand	8	113
Clay	7	120
Sand	10	130
Clay	39	169
Sand	31	200

Well LJ-60-60-916

Owner: Bammel Utility District 2
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Sand	3	3
Clay, red	2	5
Sand	13	18
Clay, tan	21	39
Sand and clay	11	50
Sand	28	78
Clay	37	115
Sand, fine	55	170
Sand streaks and gravel	85	255
Sand with streaks of clay	28	283
Clay	12	295
Sand	20	315
Clay	50	365
Sand	30	395
Shale	10	405

Well LJ-60-60-916--Continued

Sand	80	485
Sand with shale breaks	40	525
Gravel	15	540
Clay, brown	43	583
Sand	40	623
Clay, brown	10	633
Sand	10	643
Shale, gray	51	694
Sand	18	712
Shale, gray	63	775
Shale with small sand breaks	147	922
Sand	46	968
Shale, gray	17	985
Sand	60	1,045
Sand with small shale breaks	25	1,070
Sand	85	1,155
Clay	40	1,195

Well LJ-60-61-527

Owner: Spring West Municipal Utility District
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Clay, brown	10	10
Sand	9	19
Clay, brown	66	85
Sand with clay stringers	70	155
Clay, brown	44	199
Sand	21	220
Clay, brown and white	71	291
Sand with clay stringers	129	420
Clay, brown and white	75	495
Sand	25	520
Clay, brown	59	579
Sand, tan	20	599
Clay, blue and tan	18	617
Sand, tan	32	649
Shale, gray	161	810
Sand with ratie shale	143	953
Shale, gray	30	983

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-61-527--Continued

Sand with shale	44	1,027
Shale, dense with little sand	268	1,295

Well LJ-60-61-614

Owner: Timber Lane Utility District, Well No. 3
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	90	90
Clay and sand	65	155
Sand	30	185
Clay and sand	30	215
Sand	32	247
Sand and clay	31	278
Clay and sand	31	309
Shell and sand	91	400
Clay and sand	30	430
Shell	65	495
Shell and clay	33	528
Clay and shell	20	548
Clay	63	611
Clay and little sand	29	640
Clay	60	700
Clay and little sand	98	798
Clay and shell	53	851
Shell and sand	32	883
Sand and shell	51	934
Clay	23	957
Sand and shell	12	969
Clay	18	987
Sand and clay	22	1,009
Sand	30	1,039
Clay	91	1,130
Shell and sand	21	1,151
Clay and sand	42	1,193

Well LJ-60-61-615

Owner: Harris County Municipal Utility District 82,
Well No. 2
Driller: Layne-Western Co., Inc

Description	Thickness (feet)	Depth (feet)
Sand	35	35
Clay	16	51
Sand	7	58
Clay	18	76
Sand	2	78
Clay	16	94
Sand	4	98
Clay	12	110
Sand	36	146
Clay	44	190
Sand	30	220
Clay	22	242
Sand	24	266
Clay	22	288
Sand	80	368
Clay	40	408
Sand	32	440
Clay	30	470
Sand	17	487
Clay	18	505
Sand	25	530
Clay	10	540
Sand	164	704
Clay	12	716
Sand	54	770
Clay	20	790
Sand	158	948
Clay	10	958
Sand	50	1,008
Clay	12	1,020
Sand	30	1,050
Clay	20	1,070
Sand	21	1,091
Clay	9	1,100
Sand	40	1,140

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-61-615--Continued

Clay	13	1,153
Sand	29	1,182
Clay	6	1,188
Sand	33	1,221
Clay	11	1,232
Sand	188	1,420
Shale	24	1,444

Well LJ-60-61-619

Owner: Harris County Water Control and Improvement
District 92, Well No. 3
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Surface	2	2
Clay	9	11
Sand	5	16
Clay	6	22
Sand	5	27
Clay	10	37
Clay with sand and sandy clay streaks	10	47
Clay	7	54
Sand	4	58
Clay	14	72
Sand and clay streaks	6	78
Clay	17	95
Sand	11	106
Clay	13	119
Sand	18	137
Clay	18	155
Sand	15	170
Lime with sand and gravel streaks	4	174
Clay	12	186
Sand and gravel streaks	3	189
Sand	18	207
Clay and lime	3	210
Clay	17	227
Sand and sandy clay	4	231
Clay	4	235
Sand and clay streaks	18	253
Lime	1	254

Well LJ-60-61-619--Continued

Clay and lime streaks	29	283
Clay and sand	2	285
Clay and sandy clay	38	323
Sand and lime streaks	21	344
Sand, sandy clay and clay streaks	11	355
Lime	3	358
Sand and clay streaks	12	370
Clay and sandy clay	14	384
Sand and sandy clay streaks	17	401
Clay and lime	5	406
Clay	34	440
Clay and sand streaks	20	460
Sand and clay streaks	51	511
Clay	41	552
Clay and sand streaks	12	564
Clay	17	581
Clay and sand streaks	8	589
Clay	62	651
Clay and sandy clay streaks	5	656
Clay	10	666
Clay, lime and sandy clay streaks	5	671
Sand and clay streaks	19	690
Clay	19	709
Lime	1	710
Clay and lime streaks	90	800
Clay, sandy clay and lime streaks	4	804
Clay and sand streaks	12	816
Clay, sandy clay and lime streaks	28	844
Clay	34	878
Sand	3	881
Clay	9	890
Sand with clay and lime streaks	10	900
Sand and clay streaks.	21	921
Lime and clay	3	924
Sand and clay streaks	32	956
Sand, sandy clay and clay streaks	41	997
Clay and lime	4	1,001
Clay and shale streaks	12	1,013

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-61-619--Continued

Sand and sandy clay streaks	17	1,030
Sand and clay streaks	12	1,042
Sand, sandy clay and clay streaks	23	1,065
Clay and lime streaks	4	1,069
Sand and sandy clay	11	1,080
Clay and sandy clay streaks	6	1,086
Shale and clay streaks	9	1,095
Shale	204	1,299
Clay with few lime streaks	180	1,479
Clay, sandy clay and sand streaks	8	1,487
Clay, sandy clay and lime streaks	8	1,495
Clay and lime streaks	19	1,514
Clay and sand	10	1,524
Clay	2	1,526
Sand and clay streaks	37	1,563
Clay	18	1,581
Clay and lime	19	1,600

Well LJ-60-61-722

Owner: Harris County Municipal Utility District 58
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Sand and shale streaks	330	330
Sand	51	381
Rock, sandy	13	394
Sand	30	424
Clay	10	434
Sand	10	444
Clay, sandy	20	464
Sand	5	469
Shale, sandy	8	477
Sand	8	485
Sand and broken shale	20	505
Sand	10	515
Rock	1	516
Sand	14	530
Shale, sandy	16	546
Sand	20	566
Shale, sandy	20	586

Well LJ-60-61-722--Continued

Sand	60	646
Clay	12	658
Sand	8	666
Clay	10	676
Sand	10	686
Shale	90	776
Sand	10	786
Shale, sandy and hard streaks	19	805
Sand	40	845
Sand with hard streaks	20	865
Sand	6	871
Sand streaks	7	878
Sand	34	912
Shale	6	918
Sand	12	930
Shale	8	938
Rock	1	939
Sand	63	1,002
Shale	4	1,006
Sand	6	1,012
Shale	28	1,040
Sand	25	1,065

Well LJ-60-61-916

Owner: Missouri Pacific Railroad
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	27	27
Sand, surface	28	55
Clay, sandy	65	120
Clay, red	57	177
Clay, sandy and white shale	193	370
Sand	7	377
Rock	2	379
Clay	35	414
Clay, sandy	61	475
Sand, broken	36	511

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-61-917

Owner: Entex Inc., Well No. 1

Driller: E.L. Bode Drilling Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	22	22
Sand	8	30
Clay	11	41
Sand	24	65
Clay	39	104
Sand	61	165
Clay	25	190
Sand	24	214
Clay and broken rock	46	260
Sand	10	270
Rock	4	274
Sand	16	290

Well LJ-60-62-501

Owner: Joe Gonzales

Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Clay, white	20	40
Clay, white and sand	20	60
Sand	40	100
Sand and fine clay	20	120
Clay and gravel	20	140
Clay	40	180
Clay and sand	20	200
Sand and clay	60	260
Clay and sand	60	320
Sand	55	375

Well LJ-60-62-713

Owner: Northwood Municipal Utility District,
Well No. 1

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	1	1
Clay with few sand streaks	149	150
Lime	6	156
Sand	20	176

Well LJ-60-62-713--Continued

Clay	16	192
Sand and clay streaks	32	224
Clay	66	290
Sand and clay streaks	77	367
Lime	5	372
Clay	28	400
Sand and clay streaks	25	425
Lime, hard and sand breaks	10	435
Shale	73	508
Sand and few shale breaks	42	550
Shale	12	562
Sand and sandy shale	89	651
Shale	11	662
Sand and shale streaks	38	700
Shale	20	720
Sand and shale streaks	45	765
Shale	55	820
Sand	10	830
Shale	184	1,014
Shale and sand breaks	49	1,063
Shale and lime breaks	5	1,068
Sand	26	1,094
Shale	8	1,102
Sand	3	1,105
Shale with few sand streaks	215	1,320
Sand	28	1,348
Shale	157	1,505

Well LJ-60-62-714

Owner: Cornelius, Inc., Turkey Creek Farms

Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red, yellow, and gray	40	40
Sand and clay	20	60
Sand and clay breaks	40	100
Clay and sandstone	20	120
Sand and clay streaks	79	199
Sand	38	237
Sand and clay streaks	39	276

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-62-714--Continued

Sandstone and rock	39	315
Sand and clay streaks	57	372
Clay	20	392
Clay, sandstone and very fine sand	20	412
Clay	95	507

Well LJ-60-62-804

Owner: Cypresswood Golf Course
Driller: B.J. Swinehart Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	55	55
Sand	65	120
Rock	3	123
Sand	9	132
Clay	48	180
Sand	32	212
Clay	30	242
Sand	21	263
Clay	38	301
Sand	9	310
Rock	6	316
Sand	60	376
Clay	23	399
Sand	10	409
Clay	9	418
Sand	13	431
Clay	29	460
Sand	17	477
Clay	18	495
Sand	43	538
Rock	5	543
Sand	8	551
Clay	16	567
Sand	15	582
Clay	14	596
Sand	35	631
Rock	6	637
Sand	50	687

Well LJ-60-62-805

Owner: Harris County Municipal Utility District 26,
Well No. 2
Driller: Alsay-Texas Corp.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Clay, red	28	33
Sand, white	34	67
Clay, red	7	74
Sand, white	31	105
Clay, red	18	123
Sand, white	52	175
Clay with sand stringers	62	237
Sand, white	253	490
Clay, brown	15	505
Sand, tan	18	523
Clay, white and gray	122	645
Sand, tan	62	707
Shale, gray	46	753
Sand, tan	42	795
Shale, gray	50	845
Sand, tan	88	933
Shale, gray	22	955
Sand, tan	60	1,015
Shale, gray	433	1,448
Sand, gray	22	1,470
Shale, gray	25	1,495

Well LJ-60-63-713

Owner: City of Houston, Belleau Woods, Well No. 2
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay and sand	9	9
Clay	6	15
Sand and gravel	13	28
Clay, hard	11	39
Clay	16	55
Sand	27	82
Clay	15	97
Sand strips and hard clay	25	122
Clay streaks, blue and sand	23	145

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-60-63-713--Continued

Sand and soft clay	12	157
Shale, blue	28	185
Sand and wood	28	213
Shale	49	262
Sand	9	271
Rock	2	273
Sand	12	285
Shale	20	305
Rock and sand streaks	7	312
Sand	15	327
Shale	3	330
Sand	11	341
Shale	12	353
Unrecorded	2	355

Well LJ-60-63-906

Owner: Harris County Municipal Utility District 151,
Well No. 1

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	21	21
Sand	10	31
Clay	7	38
Sand, white, coarse, salt and pepper	27	65
Clay	29	94
Sand	35	129
Clay	23	152
Sand and clay streaks	338	490
Shale	21	511
Sand	11	522
Shale	11	533
Sand	5	538
Shale	39	577
Sand	26	603
Shale	22	625
Sand	18	643
Shale	11	654
Sand	29	683
Shale	38	721
Sand	2	723

Well LJ-60-63-906--Continued

Shale	57	780
Sand, broken and shale	10	790
Sand	41	831
Shale	4	835
Sand	20	855
Shale	3	858
Sand	4	862
Shale	18	880
Sand, broken and shale	31	911
Shale	40	951
Sand	16	967
Shale	10	977
Sand	69	1,046
Shale	74	1,120
Sand	69	1,189
Shale	21	1,210
Sand	72	1,282
Shale	76	1,358

Well LJ-65-02-312

Owner: Harris-Galveston Coastal Subsidence District,
Fairfield, Well No. 1

Driller: Texas Water Development Board

Description	Thickness (feet)	Depth (feet)
Clay and gravel	30	30
Clay and cobbles	18	48
Clay with some sand	27	75
Sand	18	93
Clay with some sand	32	125
Clay	10	135
Sand and gravel	5	140
Sand and clay	10	150
Sand	15	165
Clay with some sand	30	195
Clay	8	203
Clay with some sand	17	220
Sand and clay	10	230
Sand	20	250

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-02-314

Owner: Harris-Galveston Coastal Subsidence District,
Fairfield, Well No. 3

Driller: Texas Water Development Board

Description	Thickness (feet)	Depth (feet)
Sand and clay	18	18
Clay	4	22
Clay and gravel	18	40
Sand and gravel	17	57

Well LJ-65-03-308

Owner: Mark Percic

Driller: Bufkin Water Well

Description	Thickness (feet)	Depth (feet)
Clay, white	30	30
Clay, red	96	126
Sand and gravel	12	138
Clay and hard formation	11	149
Sand	31	180

Well LJ-65-03-309

Owner: Jehovah Kingdom Hall

Driller: Holmes Water Well Service

Description	Thickness (feet)	Depth (feet)
Clay	25	25
Sand	52	77
Clay	8	85
Rock	46	131
Sand	24	155

Well LJ-65-03-510

Owner: Harris County Municipal Utility District 196

Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay, surface	9	9
Sand	23	32
Gravel and sand	7	39
Clay	41	80
Sand	26	106
Clay	13	119
Sand	38	157
Clay	13	170
Sand	16	186

Well LJ-65-03-510--Continued

Clay	10	196
Sand	84	280
Clay	3	283
Sand	59	342
Clay	32	374
Sand	9	383
Clay	19	402
Sand	54	456
Clay	10	466
Sand	57	523
Clay	49	572
Sand	19	591
Clay	3	594
Sand	24	618
Clay	5	623
Shale	17	640
Sand	12	652
Shale	18	670
Sand	12	682
Clay	64	746
Sand	9	755
Clay	63	818
Sand	6	824
Clay	27	851
Sand and rock	40	891
Clay	78	969
Sand and rock	71	1,040
Clay	38	1,078
Sand and rock	27	1,105
Shale	31	1,136
Sand	4	1,140
Shale	13	1,153
Sand	14	1,167
Shale	3	1,170
Sand and rock	3	1,173
Shale	18	1,191
Sand	12	1,203
Shale	60	1,263

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-03-510--Continued

Sand	4	1,267
Shale	16	1,283
Sand	13	1,296
Shale	115	1,411
Sand	25	1,436
Shale	29	1,465
Sand	14	1,479
Shale	10	1,489

Well LJ-65-03-511

Owner: Talmage Tinsley

Driller: Buswell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	16	16
Sand, surface	6	22
Clay	18	40
Sand	10	50
Clay	6	56
Sand	21	77
Clay	18	95
Sand and rock	45	140
Clay, sandy	22	162
Sand	8	170
Clay, sandy	40	210
Sand and gravel	10	220
Clay	20	240
Sand	6	246
Clay, sandy	35	281
Sand	19	300

Well LJ-65-03-618

Owner: Harris County Municipal Utility District 113,
Well No. 2

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	1	1
Clay and sand layers	26	27
Sand and red clay streaks	44	71
Clay, sandy	22	93
Sand, coarse	8	101
Clay	9	110

Well LJ-65-03-618--Continued

Sand and fine gravel with shale streaks	40	150
Shale, lime and sand streaks	20	170
Sand, shale and lime streaks	26	196
Sand	20	216
Shale and lime	11	227
Sand	7	234
Lime, gravel and sand	32	266
Clay and few sand streaks	117	383
Sand and shale layers	31	414
Shale	12	426
Sand and shale	18	444
Lime and shale	8	452
Sand and shale layers	13	465
Sand, coarse and fine gravel with shale layers	29	494
Sand and shale streaks	10	504
Shale and red clay	22	526
Sand	5	531
Shale and sand streaks	12	543
Shale	13	556
Sand and lime streaks	12	568
Shale and sand streaks	5	573
Sand	15	588
Shale	10	598
Sand	3	601
Shale and clay	34	635
Shale	102	737
Shale and lime streaks	24	761
Sand	6	767
Shale, sandy	16	783
Lime and shale	13	796
Sand with shale and lime layers	31	827
Shale and lime layers	22	849
Shale	19	868
Sand and hard lime	3	871
Clay	45	916
Sand and lime streaks	7	923
Shale	17	940
Sand and shale streaks	25	965

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-03-618--Continued

Sand	35	1,000
Shale	75	1,075
Sand	20	1,095
Shale	15	1,110
Sand and lime	17	1,127
Shale	7	1,134
Sand	3	1,137
Shale	18	1,155
Shale, sandy with sand layers	25	1,180
Lime and shale	4	1,184
Shale, sandy with sand layers	55	1,239
Shale with sand layers	43	1,282
Sand and broken shale	21	1,303
Shale	5	1,308

Well LJ-65-03-813

Owner: Harris County Municipal Utility District 264,
Well No. 1

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	2	2
Clay, sandy	13	15
Sand	20	35
Sand and clay streaks	11	46
Clay	19	65
Clay, sandy	12	77
Sand	38	115
Clay	15	130
Sand	7	137
Clay	7	144
Sand and clay streaks	47	191
Clay and sand streaks	13	204
Sand and shale streaks	76	280
Shale, sandy	17	297
Shale	13	310
Sand	4	314
Shale	51	365
Shale, sandy	15	380
Shale and a few lime streaks	34	414
Shale and sand streaks	7	421

Well LJ-65-03-813--Continued

Lime	2	423
Shale	7	430
Sand and shale streaks	41	471
Shale	17	488
Sand and shale streaks	24	512
Shale	33	545
Sand and shale streaks	57	602
Shale	25	627
Sand and shale streaks	44	671
Shale and sand streaks	12	683
Sand, fine	72	755
Shale, sandy	14	769
Lime	2	771
Sand	41	812
Shale, sandy	6	818
Shale	20	838
Shale and sand streaks	31	869
Shale	33	902
Sand and shale streaks	42	944
Shale	23	967
Shale and sand streaks	67	1,034
Sand and shale streaks	22	1,056
Shale	17	1,073
Shale and sand streaks	7	1,080
Shale	12	1,092
Sand and shale streaks	30	1,122
Shale	19	1,141
Shale and sand streaks	34	1,175
Shale	40	1,215
Shale and sand streaks	16	1,231
Shale	9	1,240
Shale and sand streaks	31	1,271
Shale	31	1,302

Well LJ-65-03-814

Owner: Cypress Independent School District
Driller: Bufkin Water Well Service

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Rock	3	23

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-03-814--Continued

Clay with sand streaks	17	40
Clay	40	80
Sand and gravel	30	110
Clay	70	180
Sand, fine	60	240
Sand and gravel	48	288
Clay	22	310
Clay and sand	38	348
Clay	38	386
Sand	22	408

Well LJ-65-03-912

Owner: Harris County Municipal Utility District 163,
Well No. 2
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Clay, red and sand streaks	70	75
Sand and white clay	30	105
Clay, red and gravel streaks	38	143
Sand, yellowish-white	62	205
Clay, white	20	225
Sand and white clay	100	325
Clay, gray	70	395
Sand	20	415
Clay, gray	50	465
Sand and some gravel	26	491
Clay, gray	24	515
Sand	27	542
Clay, red	21	563
Sand and small clay streaks	42	605
Clay, red	10	615
Sand	10	625
Clay, gray	10	635
Sand	64	699
Clay, white	14	713
Sand	27	740
Clay, tan	131	871
Sand	14	885
Clay, tan	14	899

Well LJ-65-03-912--Continued

Sand	11	910
Clay, tan	18	928
Sand	47	975
Clay, blue and gray	110	1,085
Sand	30	1,115
Clay, gray	22	1,137
Sand	24	1,161
Shale, gray and small sand streaks	334	1,495

Well LJ-65-03-913

Owner: Harris County Municipal Utility District 250
Driller: Alsay-Texas Corp.

Description	Thickness (feet)	Depth (feet)
Clay, red	7	7
Sand, white	13	20
Clay, red	13	33
Clay, sandy	14	47
Clay, red	24	71
Sand with red clay	89	160
Clay, white	30	190
Sand, white	19	209
Clay, white	11	220
Sand with gravel	23	243
Clay, red	12	255
Sand, tan	12	267
Clay, tan	13	280
Sand with clay stringers	73	353
Clay, red and white	92	445
Sand, white	46	491
Clay, white and tan	46	537
Sand with clay stringers	63	600
Clay, red	29	629
Sand with clay	90	719
Shale, gray	16	735
Sand, tan	30	765
Shale, gray	40	805
Sand, tan	55	860
Shale, gray	97	957
Sand, white	18	975

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-03-913--Continued

Shale with sand stringers	140	1,115
Sand, tan	25	1,140
Shale, gray	55	1,195

Well LJ-65-03-914

Owner: Harris County Municipal Utility District 155
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay and sand	3	3
Sand and gravel	54	57
Clay and sand	49	106
Sand and gravel	91	197
Sand and shell	29	226
Shale and sand	63	289
Shale and clay	32	321
Sand and clay	61	382
Clay and little sand	30	412
Sand and clay	32	444
Clay	30	474
Sand and rock	46	520
Clay	6	526
Sand	47	573
Clay	15	588
Sand	7	595
Clay	28	623
Sand	4	627
Clay	31	658
Sand	9	667
Clay	11	678
Sand	12	690
Clay	23	713
Sand	7	720
Clay	3	723
Sand	3	726
Clay	8	734
Sand	8	742
Clay	136	878
Clay and shell	31	909
Clay	13	922

Well LJ-65-03-914--Continued

Shell	19	941
Clay and shale	63	1,004
Clay and little sand	31	1,035
Clay and sand	90	1,125
Clay	31	1,156
Shale, sandy	24	1,180
Shale	6	1,186
Shale and sand	124	1,310
Clay and sand	160	1,470
Clay	32	1,502
Clay and sand	31	1,533
Clay	32	1,565
Clay and sand	30	1,595
Sand	2	1,597
Shale	4	1,601
Sand	16	1,617
Rock	10	1,627
Sand	1	1,628
Shale	2	1,630
Sand	8	1,638
Shale	2	1,640

Well LJ-65-03-916

Owner: City of Houston, Jersey Village, Well No. 8
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Clay, brown	5	5
Clay, white	15	20
Sand	12	32
Clay, brown	6	38
Sand	15	53
Clay, red	12	65
Sand and gravel	82	147
Clay, white	29	176
Sand	44	220
Gravel	10	230
Clay, brown	39	269
Sand	23	292
Clay, white	6	298

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-03-916--Continued

Sand	24	322
Clay, brown	117	439
Clay, sandy	36	475
Clay, gray	11	486
Sand	11	497
Clay, white	31	528
Sand	10	538
Clay, white	22	560
Sand	16	576
Clay, gray	15	591
Sand	35	626
Clay, gray	20	646
Sand	40	686
Clay, gray	23	709
Sand	45	754
Clay, gray	7	761
Sand	30	791
Clay, gray	109	900
Sand	33	933
Clay, gray	111	1,044
Sand	7	1,051
Clay	49	1,100
Sand	25	1,125
Clay, gray	27	1,152
Sand with little gravel	23	1,175
Clay, blue	36	1,211
Sand	27	1,238
Clay, blue	50	1,288
Sand	64	1,352
Clay	55	1,407

Well LJ-65-04-111

Owner: Harris County Municipal Utility District 286
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	6	6
Sand	6	12
Clay, white	7	19
Sand	5	24

Well LJ-65-04-111--Continued

Clay, red	20	44
Sand, coarse	22	66
Clay, brown	30	96
Sand	10	106
Clay, gray	43	149
Sand with white and gray clay	35	184
Clay, tan	6	190
Sand	114	304
Clay, tan	6	310
Sand	26	336
Clay, gray	34	370
Sand	28	398
Clay, gray	28	426
Sand	10	436
Clay, reddish-brown	42	478
Sand	40	518
Clay, tan	10	528
Sand	12	540
Clay, gray	16	556
Sand	32	588
Clay, gray	16	604
Sand	10	614
Clay, gray	44	658
Sand	26	684
Clay, gray	32	716
Sand	52	768
Clay, gray	16	784
Sand	12	796
Clay, bluish-gray	30	826
Sand	28	854
Clay, gray	40	894
Sand	44	938
Clay, bluish-gray	31	969
Sand	41	1,010
Clay, bluish-gray	58	1,068
Sand, hard	12	1,080
Clay, gray	28	1,108
Sand, hard	20	1,128

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-111--Continued

Clay, tan	12	1,140
Sand, hard	20	1,160
Clay, gray	30	1,190
Sand, hard	24	1,214
Clay, gray	80	1,294
Sand	10	1,304
Clay, gray	70	1,374

Well LJ-65-04-217

Owner: Cypress Forest Public Utility District
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Sand, coarse	30	30
Clay, red	10	40
Clay, brown	5	45
Sand and red clay	75	120
Clay, white	10	130
Sand, tan	27	157
Clay, white and red	18	175
Sand, tan, coarse	45	220
Clay, red	69	289
Sand, tan	38	327
Clay, white and blue	18	345
Sand, tan	50	395
Clay, white	10	405
Sand, tan	20	425
Clay, tan	20	445
Sand and tan clay	162	607
Clay, white-to-tan	60	667
Sand, tan	68	735
Clay, tan	90	825
Sand, gray	20	845
Shale, gray	92	937
Sand, tan	102	1,039
Shale, gray	96	1,135
Sand with shale stringers	92	1,227
Shale, gray	188	1,415
Sand and gray shale	60	1,475
Shale, gray	30	1,505

Well LJ-65-04-218

Owner: Harris County Municipal Utility District 254
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Clay, red and white	10	10
Sand, white	5	15
Clay, white	33	48
Sand, white	7	55
Clay, red	10	65
Sand, white	30	95
Clay, brown	48	143
Sand, tan	52	195
Clay with sand stringers	28	223
Sand, tan	37	260
Clay, brown	77	337
Sand, tan	28	365
Clay, brown	10	375
Sand with clay stringers	85	460
Shale, gray	35	495
Sand, tan	30	525
Shale, gray	10	535
Sand, tan	115	650
Shale, gray	63	713
Sand, tan	87	800
Shale, gray	195	995

Well LJ-65-04-219

Owner: Compaq Computer Corp.
Driller: Robinson Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	25	25
Sand	30	55
Clay	27	82
Sand	33	115
Rock	5	120
Sand	15	135
Clay	25	160
Rock	3	163
Sand	27	190
Rock	5	195
Sand	35	230

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-219--Continued

Rock	3	233
Sand	17	250
Shale	15	265
Rock	5	270
Shale	25	295
Sand	55	350
Shale	22	372
Rock and sand	6	378
Shale	12	390
Rock	10	400

Well LJ-65-04-220

Owner: Compaq Computer Corp.

Driller: Robinson Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	25	25
Sand	30	55
Clay	34	89
Sand	42	131
Clay	16	147
Sand	13	160
Shale	13	173
Sand	16	189
Clay	4	193
Sand	28	221
Sand and rock	14	235
Sand	15	250
Shale	30	280
Shale and rock	15	295
Sand	15	310
Clay	7	317
Sand	10	327
Clay	10	337
Sand	20	357
Clay	13	370
Sand	10	380

Well LJ-65-04-526

Owner: Harris County Municipal Utility District 237,
Well No. 1

Driller: Layne-Western Company, Inc.

Description	Thickness (feet)	Depth (feet)
Sand	70	70
Clay	41	111
Sand	27	138
Clay	7	145
Sand	7	152
Clay	38	190
Sand	7	197
Clay	9	206
Sand	9	215
Clay	15	230
Sand	30	260
Clay	7	267
Sand	19	286
Clay	7	293
Shale, sandy	89	382
Sand, hard	132	514
Clay	36	550
Sand and rock	31	581
Clay	17	598
Sand and rock	4	602
Sand	17	619
Shale	7	626
Clay	31	657
Sand and shale	148	805
Sand and rock	15	820
Shale and rock	22	842
Sand and rock	8	850
Shale and rock	5	855
Sand	63	918
Sand and rock	55	973
Shale	27	1,000

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-528

Owner: West Harris County Municipal Utility
District 10

Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, tan	5	8
Clay, red and yellow	57	65
Sand, white	83	148
Gravel	7	155
Sand, tan-to-white	45	200
Sand with gravel	40	240
Sand, white and tan	15	255
Gravel	15	270
Sand and white clay	35	305
Clay, white and tan	14	319
Sand with clay stringers	36	355
Clay, tan	45	410
Sand with gravel	45	455
Clay, tan	12	467
Sand with clay stringers	143	610
Clay, brown	17	627
Sand, tan	18	645
Lignite	32	677
Sand with clay stringers	98	775
Shale, gray	70	845
Sand, tan	40	885
Shale, gray	30	915
Sand, tan	34	949
Shale, gray	28	977
Sand, tan	18	995
Shale with shale stringers	50	1,045
Sand with small shale stringers	230	1,275
Shale, gray	20	1,295

Well LJ-65-04-727

Owner: City of Houston, Jersey Village, Well No. 4
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Sand and topsoil	5	5
Clay, white	7	12
Sand	5	17

Well LJ-65-04-727--Continued

Clay, white, sandy	3	20
Clay, red	2	22
Sand and red clay	2	24
Clay, white and sand streaks	4	28
Clay, red	6	34
Sand and gravel	61	95
Clay, brown	10	105
Sand	20	125
Clay, tan	25	150
Clay, sandy, tan	45	195
Sand	30	225
Shale	20	245
Sand	15	260
Clay, white	9	269
Sand	56	325
Shale	35	360
Clay, white	55	415
Sand, coarse	14	429
Sand	30	459
Clay, gray	36	495
Sand	20	515
Clay	42	557
Sand and clay streaks	8	565
Clay and sand streaks	10	575
Sand	20	595
Clay, white	12	607
Clay, blue	34	641
Sand, heavy and clay	5	646
Sand and clay streaks	80	726
Clay	14	740
Sand and clay streaks	18	758
Sand	52	810
Clay, brown	18	828
Sand	4	832
Clay, brown	11	843
Sand	8	851
Clay	149	1,000
Sand	12	1,012
Clay	20	1,032

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-727--Continued

Sand	17	1,049
Clay streaks and sand	20	1,069
Clay, gray and sand streaks	77	1,146
Sand	17	1,163
Clay, gray	15	1,178
Sand and clay streaks	9	1,187
Clay, gray	46	1,233
Sand, gray	62	1,295
Clay, blue	10	1,305
Sand	30	1,335
Clay, blue	20	1,355
Sand	37	1,392
Clay	11	1,403
Sand	22	1,425
Clay	25	1,450

Well LJ-65-04-728

Owner: City of Houston, Jersey Village, Well No. 5

Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Sand	18	23
Clay, red-to-white	12	35
Clay, red	54	89
Sand	74	163
Clay, blue-to-white	29	192
Sand with gravel	54	246
Clay, white	25	271
Sand	40	311
Clay, white	52	363
Sand with clay stringers	39	402
Sand with white clay	11	413
Clay	13	426
Sand	22	448
Clay	28	476
Sand with brown clay	33	509
Clay, brown	46	555
Sand with red and gray clay	28	583
Sand	10	593

Well LJ-65-04-728--Continued

Clay, gray and red	51	644
Sand	33	677
Sand with white clay	29	706
Sand with blue clay	17	726
Clay, blue	6	729
Sand with blue and white clay	65	794
Clay, brown	51	845
Clay, sandy, brown	7	852
Clay, brown and white	117	969
Sand with gravel	29	998
Clay, green	22	1,020
Sand with gravel	42	1,062
Clay, gray	30	1,092
Sand with gray clay	9	1,101
Sand	10	1,111
Sand with gray clay	10	1,121
Sand	29	1,150
Clay, gray	8	1,158
Sand	5	1,163
Clay, gray	19	1,182
Sand	5	1,187
Clay	4	1,191
Sand with clay stringers	13	1,204
Clay, gray	10	1,214
Sand	12	1,226
Sand, coarse	32	1,258
Sand with brown clay	10	1,268
Clay, red	32	1,300
Sand	7	1,307
Clay, blue and white	44	1,351
Sand with shale stringers	31	1,382
Clay, blue with sand	21	1,403
Sand	10	1,413
Shale, gray	42	1,455

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-729

Owner: City of Houston, Jersey Village, Well No. 6
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Unrecorded	33	33
Clay and sand	132	165
Sand	5	170
Clay	7	177
Sand	53	230
Clay	4	234
Sand	21	255
Clay	24	279
Sand	85	364
Sand and clay	20	384
Clay	5	389
Sand	12	401
Clay	33	434
Sand	14	448
Clay	26	474
Sand	59	533
Clay	44	577
Sand	19	596
Clay	44	640
Sand	50	690
Clay	70	760
Sand	23	783
Clay	43	826
Sand	40	866
Clay	74	940
Sand	145	1,085
Clay	63	1,148
Sand and clay	87	1,235
Clay and sand	70	1,305
Sand and clay	106	1,411
Sand	21	1,432
Clay streaks	12	1,444
Clay	28	1,472

Well LJ-65-04-730

Owner: Chimney Hill Municipal Utility District,
Well No. 2
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Unrecorded	2	2
Sand	66	68
Clay, sandy	12	80
Clay	60	140
Sand and gravel	30	170
Clay	30	200
Clay and sand	35	235
Sand and clay	31	266
Gravel and sand	63	329
Clay	61	390
Sand	41	431
Clay	6	437
Sand with clay streak	3	440
Sand	5	445
Clay	15	460
Sand and clay	20	480
Clay	36	516
Clay and sand	13	529
Sand with clay streaks	111	640
Sand	31	671
Clay with sand streaks	57	728
Unrecorded	847	1,575
Sand	31	1,606

Well LJ-65-04-731

Owner: Northwest Harris County Municipal Utility
District 29, Well No. 1
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay	12	15
Sand	15	30
Clay and sand streaks	5	35
Clay	52	87
Sand and gravel	36	123
Sand and clay streaks	9	132
Clay	13	145

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-731--Continued

Shale and clay	12	157
Sand and gravel	7	164
Rocks, white	2	166
Shale and sand streaks	11	177
Sand	9	186
Limestone with sand and shale streaks	6	192
Sand and shale	8	200
Lime and shale	2	202
Sand and shale	14	216
Shale	31	247
Sand	19	266
Shale and lime streaks	11	277
Sand and shale streaks	11	288
Shale and lime streaks	20	308
Sand	4	312
Lime	2	314
Sand and sandy streaks	13	327
Shale and sand streaks	16	343
Sand and shale streaks	8	351
Shale	4	355
Sand and shale streaks	28	383
Shale and sand streaks	52	435
Shale, sandy	11	446
Sand and shale streaks	56	502
Shale	46	548
Sand and shale streaks	82	630
Shale	11	641
Sand and shale streaks	31	672
Shale	30	702
Shale, sandy	32	734
Shale	28	762
Shale and few sandy shale streaks	20	782
Shale and sandy shale	51	833
Shale, sandy	10	843
Shale and sandy layers	28	871
Rock and shale streaks	5	876
Sand with sandy shale and hard streaks	11	887
Sand	6	893

Well LJ-65-04-731--Continued

Rock	1	894
Shale, sandy	9	903
Rock	1	904
Shale, sandy and sand streaks	19	923
Rock streaks and sandy shale	4	927
Shale and sandy shale	10	937
Sand, rock and shale	7	944
Sand	21	965
Shale, sandy	9	974
Sand and sandy shale	20	994
Shale, sandy	15	1,009
Sand and hard streaks	12	1,021
Shale, sandy	22	1,043
Sand and sandy shale	10	1,053
Shale, sandy	6	1,059
Sand and sandy shale	10	1,069
Sand and shale streaks	80	1,149
Shale and sand streaks	24	1,173
Sand and shale streaks	26	1,199
Shale and sand streaks	30	1,229
Sand and shale streaks	30	1,259
Shale	13	1,272
Shale, sandy	41	1,313
Shale	34	1,347
Shale, sandy	13	1,360
Shale	41	1,401

Well LJ-65-04-732

Owner: Spencer Road Public Utility District,
Well No. 2
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	2	2
Clay and sandy clay	3	5
Clay with sandy clay streaks	4	9
Caliche	1	10
Clay	7	17
Sand	5	22
Clay	1	23
Sand	7	30

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-732--Continued

Clay	7	37
Clay with sandy clay streaks	3	40
Clay	16	56
Sand and clay streaks	29	85
Clay and sand	2	87
Sand with fine gravel streaks	34	121
Clay and sand	5	126
Sand and sandy clay	28	154
Clay and sandy clay	3	157
Clay	6	163
Sand and clay streaks	30	193
Clay	4	197
Sand, gravel and clay streaks	22	219
Clay and lime streaks	3	222
Sand	21	243
Clay	4	247
Sand	8	255
Clay	12	267
Sand	7	274
Clay'	11	285
Sand and gravel with few clay streaks	30	315
Shale	8	323
Sand and gravel	26	349
Shale	87	436
Clay and lime	24	460
Clay with sand and lime streaks	12	472
Clay and shale with sandy clay streaks	27	499
Sand and clay with lime streaks	13	512
Sand, fine and clay streaks	12	524
Clay, sandy and shale streaks	6	530
Clay and shale streaks	11	541
Clay and shale with lime streaks	19	560
Shale and clay streaks	12	572
Clay and shale	30	602
Sand, fine	4	606
Lime	1	607
Sand streaks, clay and shale	3	610
Clay and shale with sandy clay streaks	10	620

Well LJ-65-04-732--Continued

Sand and clay	5	625
Clay and shale streaks	13	638
Sand and clay streaks	4	642
Clay	7	649
Sand and clay with lime streaks	5	654
Clay and sand	16	670
Clay and sandy clay	12	682
Clay, sand streaks, and sandy clay	12	694
Sand and clay	6	700
Clay and shale	9	709
Clay	3	712
Shale and lime	1	713
Clay	15	728
Clay, sandy	31	759
Clay and shale	24	783
Sand and clay	6	789
Clay, sandy	20	809
Shale	124	933
Lime	2	935
Clay and sandy clay with shale streaks	17	952
Lime	1	953
Clay and shale with lime streaks	24	977
Lime	2	979
Clay, shale and cemented sand	11	990
Lime	1	991
Clay, shale and cemented sand	4	995
Clay, sandy and shale streaks	16	1,011
Sand and clay streaks	9	1,020
Shale and lime with sandy clay streaks	12	1,032
Clay and shale with lime streaks	14	1,046
Lime	1	1,047
Clay and shale streaks	30	1,077
Clay	16	1,093
Sand, fine and clay with lime streaks	38	1,131
Clay and sand	8	1,139
Shale and clay	35	1,174
Sand and clay streaks	13	1,187
Clay	20	1,207

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-04-732--Continued

Sand	31	1,238
Shale	13	1,251
Sand and shale streaks	37	1,288
Shale	4	1,292
Shale and sand streaks	30	1,322
Shale	78	1,400
Sand	8	1,408
Sand and shale streaks	24	1,432
Shale	18	1,450

Well LJ-65-04-914

Owner: Rolling Fork Municipal Utility District
Driller: H & H Water Well Drilling

Description	Thickness (feet)	Depth (feet)
Clay	26	26
Sand	20	46
Clay	24	70
Sand	56	126
Clay	82	208
Sand	32	240
Clay	10	250
Rock	10	260
Clay	13	273
Sand	19	292
Clay	35	327
Sand	20	347
Clay	6	353
Sand	16	369
Rock	9	378
Sand	14	392
Rock	8	400
Clay	72	472
Rock	36	508
Sand	47	555
Clay	15	570
Sand	49	619
Clay	1	620

Well LJ-65-05-123

Owner: Harris County Municipal Utility District 304,
Well No. 1
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Mud, stiny	5	5
Sand and clay	21	26
Clay, red	148	174
Clay	7	181
Sand and clay	87	268
Sand, coarse	31	299
Sand and clay	51	350
Sand and white rock streaks	72	422
Shale	92	514
Sand and clay streaks	10	524
Sand and lime streaks	29	553
Shale	13	566
Sand and shale streaks	57	623
Shale with lime and sand streaks	34	657
Sand with lime and shale streaks	81	738
Sand	59	797
Shale	89	886
Lime, hard	8	894
Shale and lime streaks	23	917
Sand and lime streaks	10	927
Shale	48	975
Sand and lime streaks	35	1,010
Shale	5	1,015
Sand and layers of shale and lime	18	1,033
Shale	33	1,066
Sand and shale streaks	15	1,081
Sand	21	1,102
Shale and sand streaks	71	1,173
Shale	30	1,203
Shale, sandy	99	1,302
Sand with few shale streaks	30	1,332
Shale, sandy	73	1,405

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-220

Owner: Harris County Municipal Utility District 215
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, red	15	18
Sand, tan	10	28
Sand and clay	67	95
Sand, tan	50	145
Clay, red	20	165
Sand, tan-to-white	38	203
Clay, tan	17	220
Sand with gravel	65	285
Clay, white	25	310
Sand, white	27	337
Clay, tan	10	347
Sand with clay stringers	113	460
Clay, tan	55	515
Sand, tan	52	567
Clay, tan	13	580
Sand, tan and white	187	767
Shale, gray	53	820
Sand, gray	83	903
Shale, blue	192	1,095
Sand with shale stringers	132	1,227
Shale, gray	31	1,258
Sand, tan	27	1,285
Shale, gray	10	1,295

Well LJ-65-05-221

Owner: Harris County Municipal Utility District 200,
Well No. 2
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	8	8
Clay, red	44	52
Sand	10	62
Clay	21	83
Sand	57	140
Sand and clay streaks	6	146
Clay	11	157

Well LJ-65-05-221--Continued

Sand and clay streaks	81	238
Sand	58	296
Shale	6	302
Sand and few shale streaks	6	308
Shale	12	320
Shale and sand streaks	12	332
Shale	26	358
Shale, sandy	11	369
Sand	6	375
Shale, sandy	31	406
Sand	8	414
Shale	80	494
Sand	32	526
Shale, sandy	10	536
Lime	2	538
Shale	13	551
Lime	5	556
Shale	4	560
Sand	11	571
Shale	31	602
Sand	14	616
Sand and shale streaks	13	629
Shale	27	656
Sand	11	667
Shale and sand streaks	22	689
Shale	22	711
Shale, sandy	24	735
Shale	17	752
Sand and some shale streaks	45	797
Shale	15	812
Sand	37	849
Shale	63	912
Shale, sandy	7	919
Lime	2	921
Sand	8	929
Shale	17	946
Shale, sandy and lime streaks	19	965
Sand and shale streaks	24	989

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-221--Continued

Shale	42	1,031
Shale, sandy	8	1,039
Shale	23	1,062
Sand	12	1,074
Shale, sandy	15	1,089
Shale	48	1,137
Sand	34	1,171
Shale	11	1,182
Sand	20	1,202
Shale	23	1,225
Sand	62	1,287
Shale	11	1,298
Lime	3	1,301
Sand	8	1,309
Lime	3	1,312
Sand	36	1,348
Shale	15	1,363

Well LJ-65-05-222

Owner: Rankin Road West Municipal Utility
District, Well No. 1
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Clay	24	24
Sand and clay streaks	16	40
Clay	20	60
Sand and clay streaks	116	176
Clay	14	190
Sand and clay	100	290
Clay	18	308
Sand and clay streaks	21	329
Clay	8	337
Sand and clay streaks	46	383
Lime, hard	4	387
Sand and lime streaks	27	414
Shale	16	430
Sand and shale layers	31	461
Shale	58	519
Sand	18	537
Shale	10	547

Well LJ-65-05-222--Continued

Sand	9	556
Shale	12	568
Sand with shale streaks	41	609
Shale with sand streaks	38	647
Sand with few shale streaks	56	703
Shale	26	729
Sand	21	750
Sand and shale streaks	20	770
Shale	14	784
Sand and shale streaks	26	810
Shale	60	870
Sand and shale layers	55	925
Shale	35	960
Sand and shale streaks	57	1,017
Shale	31	1,048
Sand and shale streaks	49	1,097
Shale	35	1,132
Sand and shale layers	31	1,163
Shale	8	1,171
Sand and shale streaks	121	1,292
Shale	8	1,300
Unrecorded	2	1,302

Well LJ-65-05-223

Owner: Harris County Municipal Utility District 200,
Well No. 1
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Sand	15	15
Clay	11	26
Sand	32	58
Clay and sand	58	116
Sand	14	130
Sand with clay streaks	30	160
Rock	200	360
Clay	10	370
Sand	10	380
Clay	50	430
Rock and sand	91	521
Clay and sand	39	560

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-223--Continued

Shale	40	600
Sand	68	668
Clay	26	694
Shale, sandy	9	703
Shale	227	930
Sand	176	1,106
Rock	34	1,140
Sand	5	1,145
Shale	49	1,194
Sand	35	1,229
Shale	77	1,306
Sand	4	1,310
Shale	40	1,350

Well LJ-65-05-316

Owner: North Green Municipal Utility District,
Well No. 2
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, red	6	9
Sand and yellow clay	7	16
Sand, tan	10	26
Clay, gray	5	31
Sand	20	51
Clay, gray	26	77
Sand, tan	26	103
Clay, gray	78	181
Sand, white	39	220
Clay, blue and sand	25	245
Sand, white	20	265
Clay, gray	30	295
Sand, tan	65	360
Clay, white	15	375
Sand and clay stringers	202	577
Clay, brown and gray	66	643
Sand, white-to-tan	35	678
Clay, white	37	715
Sand and clay stringers	80	795
Shale, gray	18	813

Well LJ-65-05-316--Continued

Sand, gray	32	845
Shale, gray	98	943
Sand, gray	22	965
Shale, gray	50	1,015
Sand, gray	32	1,047
Shale, gray	11	1,058
Sand and shale stringers	27	1,085
Shale, gray	10	1,095
Unrecorded	13	1,108

Well LJ-65-05-409

Owner: Harris County Utility District 14, Well No. 1
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Unrecorded	50	50
Gravel with sand and red clay	40	90
Sand and gravel	53	143
Gravel	36	179
Clay, white and red	411	590
Sand	127	717
Gravel	904	1,621
Sand and white clay	59	1,680
Gravel	60	1,740
Shale and gravel	60	1,800

Well LJ-65-05-410

Owner: C. Youngblood
Driller: Robinson Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	13	13
Sand	58	71
Clay	169	240
Sand	63	303
Clay	55	358
Sand	72	430

Well LJ-65-05-411

Owner: Diamond Car Wash, Inc.
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red and gray	20	20
Clay, red	20	40

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-411--Continued

Clay and sand streaks	20	60
Clay, red and gray	20	80
Clay and sand streaks	20	100
Sand and rock	7	107
Sand and clay	13	120
Sand and small gravel	14	134
Clay	6	140
Sand	15	155
Clay	5	160
Sand	16	176
Clay	4	180
Sand	4	184
Clay	15	199
Sand	17	216
Clay	2	218
Sand	79	297

Well LJ-65-05-412

Owner: Wild Flower Tropical
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Sand	22	42
Sand and clay	18	60
Sand	18	78
Clay	12	90
Sand	16	106
Sand and clay	39	145
Sand	23	168
Clay	15	183
Sand	8	191
Clay	22	213
Sand	47	260
Clay	5	265
Sand	15	280
Clay	9	289
Sand	11	300
Clay	2	302
Sand, rock and clay	18	320
Sand break	10	330

Well LJ-65-05-412--Continued

Sand	10	340
Sand break and rock	10	350
Sand	12	362
Rock and clay	2	364

Well LJ-65-05-518

Owner: Friendswood Development
Driller: Buswell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	25	25
Sand, surface	12	37
Clay	28	65
Sand	13	78
Clay	37	115
Sand	43	158
Clay	57	215
Sand	10	225
Clay	28	253
Sand	7	260
Clay	15	275
Sand	13	288
Clay	8	296
Sand	23	319
Clay, sandy	6	325
Clay	15	340
Sand	20	360

Well LJ-65-05-519

Owner: Harris County Municipal Utility District 33,
Well No. 1
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Clay, white	13	18
Sand	11	29
Clay, red	9	38
Sand	18	56
Clay, tan and red	39	95
Clay and sand streaks	60	155
Sand and clay streaks	39	194
Sand	36	230

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-519--Continued

Sand, very hard	10	240
Gravel	33	273
Clay, white	5	278
Sand	50	328
Clay, gray	9	337
Sand	8	345
Sand, very hard	28	373
Shale, hard	52	425
Sand and clay streaks	33	458
Shale	9	467
Sand	1	468
Clay, white	14	482
Sand	21	503
Clay	74	577
Sand and clay streaks	5	582
Sand	46	628
Shale, gray	3	631
Sand	34	665
Clay, gray and sand streaks	21	686
Sand	4	690
Clay, brown	12	702
Sand	28	730
Clay, brown	32	762
Sand	14	776
Shale, white	9	785
Sand and clay streaks	20	805
Clay, blue	10	815
Sand	34	849
Clay, white	6	855
Sand	32	887
Clay and shale	78	965
Sand	4	969
Sand and clay streaks	36	1,005
Shale with sand streaks	40	1,045
Shale	34	1,079
Sand with clay streaks	64	1,143
Sand	25	1,168
Sand with shale streaks	67	1,235
Shale	104	1,339

Well LJ-65-05-519--Continued

Sand	6	1,345
Clay, gray and sand streaks	10	1,355
Clay, white	37	1,392
Sand	23	1,415
Sand and clay streaks	38	1,453
Shale and hard sand	15	1,468
Sand	7	1,475

Well LJ-65-05-520

Owner: Northborough Municipal Utility District,
Well No. 3
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	42	42
Sand	18	60
Clay	32	92
Sand	42	134
Clay	29	163
Sand	9	172
Clay	30	202
Sand	29	231
Clay	57	288
Sand	6	294
Clay	48	342
Sand	58	400
Clay	10	410
Sand	14	424
Clay	11	435
Sand	19	454
Clay	16	470
Sand	12	482
Clay	27	509
Sand	40	549
Clay	37	586
Sand	6	592
Clay	50	642
Sand	7	649
Clay	21	670
Sand	9	679
Clay	55	734

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-520--Continued

Sand	19	753
Clay	87	840
Sand	20	860
Clay	12	872
Sand	30	902
Clay	21	923
Sand	40	963
Clay	27	990
Sand and sandstone	134	1,124
Clay	6	1,130
Sand	24	1,154
Clay	80	1,234
Sand	5	1,239
Clay	111	1,350

Well LJ-65-05-626

Owner: U.S. Metals

Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Surface	2	2
Clay, yellow	8	10
Clay, red and yellow	133	143
Sand	39	182
Clay, red and yellow	15	197
Clay, red and gray	54	251
Sand	15	266
Clay, red and gray	3	269
Sand	2	271
Clay, red and gray	6	277
Sand	23	300

Well LJ-65-05-627

Owner: Metal Building Components

Driller: Alameda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, red	17	20
Sand, red	5	25
Rock	1	26
Clay, red	6	32
Rock	1	33

Well LJ-65-05-627--Continued

Clay, red	87	120
Sand, tan	35	155
Clay, red	47	202
Sand, tan	53	255
Clay, brown	5	260
Sand, tan	80	340
Clay, red	3	343
Sand and clay, broken	7	350
Sand, white	10	360
Sand and clay, broken	4	364
Sand, white	24	388
Shale	10	398

Well LJ-65-05-730

Owner: Harris County Municipal Utility District 119

Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Sand	4	9
Clay, white	18	27
Sand	2	29
Clay, red	17	46
Sand	19	65
Gravel	70	135
Clay	5	140
Gravel	27	167
Clay, white with gravel	40	207
Gravel	10	217
Clay, red with a trace of white	21	238
Sand	33	271
Gravel	8	279
Sand	4	283
Clay	19	302
Sand with small clay break	92	394
Clay	36	430
Sand	35	465
Clay, brown with a trace of gray	75	540
Sand with small clay break	31	571
Clay, gray and tan streaks	15	586
Sand, coral	6	592

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-730--Continued

Clay, gray	22	614
Sand	20	634
Clay	5	639
Sand	17	656
Clay	10	666
Sand with clay streaks	69	735
Shale	20	755
Sand	23	778
Sand with clay streaks	17	795
Shale	40	835
Sand	23	858
Shale	17	875
Sand with clay streaks	5	880
Clay, gray	55	935
Sand, fine	10	945
Shale	3	948
Sand, fine	47	995
Shale	25	1,020
Shale with clay streaks	5	1,025
Sand	20	1,045
Clay, blue	30	1,075
Shale, blue, orange, and gray	85	1,160
Shale, sandy	5	1,165
Sand	3	1,168
Shale	13	1,181
Sand	19	1,200
Shale	3	1,203
Sand	3	1,206
Shale	16	1,222
Sand	4	1,226
Shale	6	1,232
Sand	18	1,250
Shale	37	1,287
Sand	46	1,333
Shale	27	1,360
Sand	7	1,367
Shale	28	1,395
Unrecorded	9	1,404

Well LJ-65-05-731

Owner: Stop n Go
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red	20	20
Clay, red and white	26	46
Sand, red	7	53
Clay, red and white	27	80
Sand and clay	20	100
Sand	42	142
Clay	8	150

Well LJ-65-05-826

Owner: West Montgomery Utilities, Well No. 2
Driller: M & M Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	40	40
Sand	15	55
Clay	85	140
Sand	14	154
Clay	146	300
Sand	49	349

Well LJ-65-05-947

Owner: Gullo-Haas Toyota, Inc.
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red and gray	20	20
Clay, red	40	60
Clay, red and gray	50	110
Sand	30	140
Sand with red and blue clay	20	160
Clay, red and gray	19	179
Clay and rock	10	189
Clay, gray and red	28	217
Sand and clay	21	238
Sand and rock	4	242
Rocks and shale	15	257
Clay, red and gray	19	276
Clay, red and gray with rock	17	293
Clay and rock	2	295
Clay, red and gray	19	314

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-947--Continued

Sand	38	352
Clay	8	360
Unrecorded	50	410

Well LJ-65-05-948

Owner: Northline Terrace, Well No. 4
Driller: B.J. Swinehart Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	44	44
Clay and red sand	11	55
Clay	35	90
Sand	10	100
Clay	28	128
Sand	52	180
Clay	30	210
Sand	32	242
Clay	41	283
Sand	10	293
Clay	9	302
Sand	38	340
Clay	9	349
Sand	16	365
Rock	12	377
Sand	35	412
Clay	11	423
Sand	25	448
Clay	3	451
Sand	54	505
Clay	13	518
Sand and rock	35	553
Clay	21	574
Sand	12	586
Clay	36	622
Sand	6	628
Clay	9	637
Sand	10	647
Clay	17	664
Sand	8	672
Clay	7	679
Rock	4	683

Well LJ-65-05-948--Continued

Sand	13	696
Clay	5	701
Sand	27	728
Clay	1	729

Well LJ-65-05-949

Owner: Southern Water Co., Well No. 4
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	2	2
Clay, red, sandy	6	8
Sand, white	15	23
Clay, red	19	42
Sand, red	10	52
Clay, red	20	72
Sand with shale layers	40	112
Shale	13	125
Sand with shale layers	46	171
Shale, sandy with sand layers	27	198
Sand and shale	10	208
Sand and shale streaks	57	265
Shale	9	274
Sand, shale, and hard lime streaks	27	301
Sand and shale	4	305
Sand and gravel	35	340
Sand and clay	26	366
Sand, shale, and clay	18	384
Shale	46	430
Sand and lime gravel	59	489
Sand and shale	26	515
Shale	36	551
Sand and gravel	27	578
Shale and gravel	26	604
Sand, shale, and gravel	92	696
Lime, hard with shale	12	708
Sand, shale, and lime, broken	16	724
Shale	15	739
Sand, fine	10	749
Shale, sandy with sand layers	10	759

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-05-950
Owner: McDonald's Restaurant
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red and gray	20	20
Sand	30	50
Sand and clay	10	60
Clay	40	100
Clay, red and gray	20	120
Sand and clay	20	140
Sand	20	160
Sand and clay	20	180
Clay	5	185
Sand	25	210
Clay, red and gray	10	220
Clay, red, blue and gray	40	260
Sand and sandstone	10	270
Rock	1	271
Clay	9	280
Clay and sandstone	20	300
Sand	55	355

Well LJ-65-05-951
Owner: Charles Long
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red and gray	150	150
Sand	10	160
Clay, red and gray	68	228
Rocks	9	237
Sand and clay	19	256
Sand	10	266
Clay, red and gray	28	294
Sand and sandstone	10	304
Rock	2	306
Clay	8	314
Sand	38	352

Well LJ-65-05-952
Owner: Beautymaker
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Surface	2	2
Clay, yellow	13	15
Clay, red and gray	10	25
Sand, red	7	32
Clay, red and yellow	6	38
Sand	10	48
Clay, red and gray	98	146
Sand	13	159
Clay, red	3	162
Sand	6	168
Clay, red and yellow	95	263
Sand	5	268
Rock	1	269
Clay, red	2	271
Sand	5	276
Clay, red and gray	30	306
Sand	30	336
Clay	14	350

Well LJ-65-06-419
Owner: Harris County Municipal Utility District 182,
Well No. 1
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	24	24
Sand	9	33
Clay and sand streaks	61	94
Sand	21	115
Clay	41	156
Sand	8	164
Clay	78	242
Sand	14	256
Rock	2	258
Clay	7	265
Sand	53	318
Clay	26	344
Sand	49	393

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-06-419--Continued

Sand streaks	5	398
Sand	27	425
Clay	1	426
Sand	10	436
Clay	4	440
Sand	7	447
Clay	8	455
Sand	10	465
Clay	6	471
Sand, loose	22	493
Sand	13	506
Clay and sand streaks	29	535
Sand	15	550
Clay	11	561

Well LJ-65-06-420

Owner: Southwest Utilities
Driller: Almeda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	4	4
Clay, white	10	14
Sand, white, fine	4	18
Clay, white	17	35
Clay, red	45	80
Rock	1	81
Sand, white	5	86
Clay, red	38	124
Sand, white	5	129
Clay, red	96	225
Sand, tan	9	234
Clay, red	34	268
Sand, tan	30	298
Clay, red	2	300

Well LJ-65-06-421

Owner: Greens Parkway Municipal Utility District 1
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, white	4	7
Sand, white	15	22

Well LJ-65-06-421--Continued

Clay, red	11	33
Clay, sandy	2	35
Clay, red	10	45
Clay with sand stringers	62	107
Sand, white	58	165
Clay, red	22	187
Sand with blue clay	86	273
Clay, brown	17	290
Sand, white	83	373
Clay, brown	22	395
Sand, white	20	415
Clay, red	13	428
Sand, white	72	500
Clay, blue	15	515
Sand, tan	24	539
Clay, gray	26	565
Sand, white	20	585
Clay, white	28	613
Sand with gray clay	186	799
Shale	161	960
Sand, tan	20	980
Shale	61	1,041
Sand, tan	24	1,065
Shale	110	1,175
Sand, tan	24	1,199
Shale	58	1,257
Sand with shale stringers	203	1,460
Shale	47	1,507
Sand, tan	23	1,530
Shale	5	1,535
Sand, tan	70	1,605
Shale with sand stringers	190	1,795

Well LJ-65-06-530

Owner: Harris County Municipal Utility District 266
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Clay, white	14	14
Sand, tan	6	20
Clay, red	57	77

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-06-530--Continued

Clay, white	51	128
Sand, tan	62	190
Clay, white with sand	40	230
Sand, tan	4	234
Clay, white	22	256
Sand	7	263
Clay, red	20	283
Clay with gravel	24	307
Sand, tan with gravel	28	335
Clay, white	25	360
Sand, white	33	393
Clay, tan	22	415
Sand, tan-to-white	22	437
Clay, white	28	465
Sand, white	44	509
Clay, white	36	545
Sand with clay stringers	140	685
Shale, gray	58	743
Sand, tan	97	840
Shale, blue-to-gray	45	885
Sand, gray	82	967
Shale, gray	18	985
Sand, gray	24	1,009
Shale, gray	54	1,063
Sand, gray	22	1,085
Shale, gray	310	1,395

Well LJ-65-06-531

Owner: American Utility Co.
Driller: Almeda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, white	7	10
Clay, red	30	40
Rock	1	41
Clay, red	4	45
Rock	1	46
Sand, red	5	51
Clay, red	74	125
Clay, blue	9	134

Well LJ-65-06-531--Continued

Sand, white	30	164
Clay, blue	21	185
Sand, white	22	207
Clay, red	53	260
Sand, tan	31	291
Sand and clay, broken	21	312
Sand, tan	14	326
Clay, brown	10	336
Sand, tan	20	356
Clay, red	1	357

Well LJ-65-06-725

Owner: Aldine Independent School District
Driller: H & H Water Well Drilling

Description	Thickness (feet)	Depth (feet)
Clay	82	82
Sand	14	96
Clay	74	170
Sand	11	181
Clay	24	205
Sand	25	230
Clay	19	249
Sand	13	262
Clay	25	287
Sand	13	300
Clay	5	305
Sand	18	323
Clay	20	343
Sand	19	362
Clay	37	399
Sand	16	415
Clay	10	425
Sand	17	442
Clay	5	447
Sand	13	460
Clay	13	473
Sand	16	489
Clay	2	491

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-06-726

Owner: Galaxy Steel

Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, red and gray	20	20
Clay, red	20	40
Sand and clay	20	60
Clay, red	40	100
Clay, red and gray	54	154
Sand	5	159
Clay, red and gray	38	197
Rock streaks, sandstone and clay	20	217
Sand and rocks	19	236
Sand and clay	38	274
Sand and clay streaks	19	293
Clay and sandstone	19	312
Clay	11	323
Sand	34	357

Well LJ-65-06-831

Owner: Herman B. Taylor, Trailer Park

Driller: L.F. Hull

Description	Thickness (feet)	Depth (feet)
Clay, red	50	50
Clay, red, sandy	25	75
Sand, red	15	90
Clay	66	156
Sand	14	170
Clay	60	230
Sand	30	260
Clay	18	278
Sand	12	290
Clay	40	330
Sand	22	352
Clay	5	357
Sand	14	371
Clay	1	372

Well LJ-65-06-832

Owner: Sunbelt Utilities, Plant 2, Well No. 3

Driller: B.J. Swinehart Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	40	40
Sand, red	13	53
Clay	115	168
Sand	22	190
Clay	58	248
Sand	60	308
Clay	12	320
Sand	25	345
Clay	35	380
Sand	40	420
Clay	27	447
Sand	4	451
Clay	104	555
Sand	20	575
Clay	8	583
Sand	17	600
Clay and rock	11	611
Sand	22	633
Clay	7	640
Sand	18	658
Clay	11	669
Sand	26	695
Clay	5	700

Well LJ-65-07-203

Owner: Landco Continental Plaza

Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	15	15
Sand, surface	8	23
Clay	32	55
Sand and small clay breaks	125	180
Clay	15	195
Sand	30	225
Clay	50	275
Clay, sandy	30	305
Sand	20	325

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-07-204

Owner: Harris County Municipal Utility District 278,
Well No. 1

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	4	4
Clay, red	32	36
Sand	109	145
Clay	125	270
Sand	25	295
Clay	13	308
Sand and clay streaks	82	390
Sand, coarse	12	402
Sand with shale streaks	78	480
Sand and hard lime streaks	34	514
Sand, coarse with gravel	16	530
Sand, coarse with hard lime streaks	57	587
Shale	26	613
Sand	18	631
Shale	29	660
Shale, sandy	16	676
Shale	84	760
Sand	42	802
Sand with lime	26	828
Clay	20	848
Shale, sandy with lime streaks	26	874
Sand and shale streaks	71	945
Shale and hard lime streaks	71	1,016
Sand and shale streaks	62	1,078
Shale	37	1,115
Sand and shale streaks	20	1,135
Shale	69	1,204
Shale with few sand breaks	176	1,380
Sand	20	1,400
Shale	5	1,405

Well LJ-65-07-802

Owner: Texas Highway Department

Driller: Walker Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	4	4
Clay	13	17

Well LJ-65-07-802--Continued

Sand	5	22
Clay	19	41
Sand, salt and pepper	26	67
Clay	70	137
Clay, sandy	24	161
Sand, tan	24	185
Clay	48	233
Sand, salt and pepper	9	242
Clay and sand streaks	67	309
Sand	31	340

Well LJ-65-07-910

Owner: Sheldon Road Municipal Utility District,
Well No. 3

Driller: B.J. Swinehart Co., Inc.

Description	Thickness (feet)	Depth (feet)
Unrecorded	5	5
Clay	120	125
Sand	10	135
Clay	13	148
Sand	10	158
Clay	32	190
Sand	56	246
Clay	60	306
Sand	23	329
Clay	30	359
Sand	37	396
Clay	31	427
Sand	10	437
Clay	11	448
Sand	15	463
Clay	40	503
Sand	11	514
Clay	1	515
Sand	11	526
Clay	1	527
Sand	51	578
Clay	64	642
Sand	22	664
Clay	2	666

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-07-910--Continued

Sand	18	684
Clay	24	708

Well LJ-65-08-301

Owner: Shumann Grass Farms, Inc.
Driller: B.J. Swinehart Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	57	57
Sand	19	76
Clay	185	261
Sand	15	276
Clay	5	281
Sand	20	301
Clay	2	303
Sand	2	305
Clay	41	346
Sand	20	366
Clay	40	406
Sand	14	420
Clay and sand streaks	19	439
Sand	15	454
Clay	52	506
Sand	15	521
Clay	2	523

Well LJ-65-10-313

Owner: Katy Country Estates
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	25	25
Sand, surface and gravel	235	260
Clay	24	284
Rock and clay	87	371
Clay, sandy	19	390
Sand	50	440

Well LJ-65-10-517

Owner: Harris County, Katy Park
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	25	25
Sand and gravel	257	282

Well LJ-65-10-517--Continued

Clay	13	295
Sand	22	317
Clay	1	318
Sand	12	330
Sand and clay streaks	12	342
Sand	8	350

Well LJ-65-10-519

Owner: Harris-Galveston Coastal Subsidence District,
Katy, Well No. 2
Driller: Texas Water Development Board

Description	Thickness (feet)	Depth (feet)
Clay and gravel	35	35
Clay	30	65
Sand with some clay	20	85
Sand	10	95
Sand and clay	10	105
Sand	15	120

Well LJ-65-10-520

Owner: Harris-Galveston Coastal Subsidence District,
Katy, Well No. 3
Driller: Texas Water Development Board

Description	Thickness (feet)	Depth (feet)
Clay and gravel	18	18
Sand	2	20
Clay	33	53
Clay with some sand	18	71
Sand	9	80

Well LJ-65-10-614

Owner: First Christian Church
Driller: Almeda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	2	2
Clay, white	10	12
Clay, brown	6	18
Sand, tan	7	25
Clay, white	9	34
Sand, tan	56	90
Gravel	25	115
Clay, red	20	135
Sand, tan	9	144

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-10-614--Continued

Rock	2	146
Sand, tan	24	170
Gravel	16	186
Sand and clay, broken	96	282
Rock	6	288
Sand, white	15	303
Rock	1	304
Sand, white	26	330

Well LJ-65-11-111

Owner: Harris County Municipal Utility District 167,
Well No. 1
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	2	2
Clay, sandy, red	10	12
Sand, tan	26	38
Clay, red	42	80
Sand, tan	30	110
Clay, red	42	152
Sand, white	73	225
Clay, blue	9	234
Sand with gravel	56	290
Clay, tan	32	322
Sand with gravel	88	410
Clay, white and blue	18	428
Sand, white	57	485
Clay, tan	35	520
Sand, tan	70	590
Clay, blue and white	40	630
Sand, tan	52	682
Shale, gray	43	725
Sand, tan	45	770
Shale, gray	40	810
Sand, tan	44	854
Shale, gray	31	885
Sand, tan	55	940
Shale, gray	360	1,300

Well LJ-65-11-210

Owner: Rolling Creek Municipal Utility District 1
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Clay, tan	6	6
Clay, sandy	5	11
Sand	20	31
Clay, tan-to-red	104	135
Sand with gravel	85	220
Clay with sand stringers	55	275
Sand with clay stringers	68	343
Clay, tan	10	353
Sand, tan	12	365
Clay, brown-to-tan	70	435
Sand, tan	162	597
Clay, red	18	615
Sand, tan	15	630
Clay, tan	30	660
Sand, tan	160	820
Shale, gray	77	897
Sand, tan	58	955
Shale, gray	40	995
Sand, tan	20	1,015
Shale, gray	108	1,123
Sand with shale streaks	27	1,150
Shale, gray	45	1,195

Well LJ-65-11-312

Owner: Chuck Dwyer, Well No. 1
Driller: E.L. Bode Drilling Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	40	40
Sand	21	61
Clay	19	80
Sand	31	111
Clay	17	128
Sand	23	151
Rock and clay	45	196
Sand	18	214
Clay	20	234
Sand	19	253

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-11-312--Continued

Clay with broken rock	13	266
Sand	7	273
Clay with broken rock	35	308
Sand	32	340

Well LJ-65-11-412

Owner: West Harris County Municipal Utility
District 7, Well No. 1
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Clay, tan	18	18
Sand, white	23	41
Clay, red	15	56
Sand, white	54	110
Sand with gravel	17	127
Clay, tan	28	155
Sand, white	13	168
Clay, red	30	198
Sand, white	42	240
Sand	65	305
Clay, tan	15	320
Sand, white	10	330
Clay, tan and white	18	348
Sand, white	92	440
Clay with sand stringers	72	512
Sand, tan	33	545
Clay, white	35	580
Sand with shale stringers	170	750
Shale, gray	25	775
Sand, tan	23	798
Shale, gray	22	820
Sand, tan	45	865
Shale, gray	95	960
Sand, tan	30	990
Shale, gray	10	1,000
Sand, tan	28	1,028
Shale, gray	76	1,104
Sand, tan	41	1,145
Shale, gray	17	1,162
Sand, tan	38	1,200

Well LJ-65-11-412--Continued

Shale, gray	20	1,220
Sand, tan	22	1,242
Shale, gray	58	1,300

Well LJ-65-11-413

Owner: Ricewood Municipal Utility District, Well No. 1
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Clay and sand streaks	50	50
Clay	27	77
Sand and clay streaks	53	130
Clay	25	155
Sand and clay streaks	105	260
Clay	20	280
Sand and clay streaks	30	310
Clay and lime streaks	40	350
Sand and clay streaks	65	415
Clay	10	425
Sand and clay streaks	55	480
Clay	30	510
Sand	35	545
Clay	145	690
Sand	70	760
Shale	85	845
Sand	15	860
Shale	52	912
Sand	23	935
Shale	60	995
Sand	15	1,010
Shale	45	1,055
Sand	35	1,090
Shale	10	1,100

Well LJ-65-11-511

Owner: Pine Forest Country Club
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Sands, unconsolidated and mixed clays	373	373
Sand	29	402
Rock	1	403
Sand	10	413

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-11-511--Continued

Clay, sandy	100	513
Sand	47	560
Clay, soft	17	577
Sand	60	637
Clay	21	658
Sand	5	663
Clay	12	675
Sand	8	683
Clay, very sandy	9	692
Sand	71	763
Clay	4	767
Clay, very sandy	24	791
Sand	13	804

Well LJ-65-11-713

Owner: Interstate Municipal Utility District
Driller: Alsay-Texas Corp.

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Sand	28	48
Clay, red	11	59
Sand	12	71
Clay, red	10	81
Sand with trace of red	74	155
Clay, red and brown	20	175
Sand	43	218
Gravel	62	280
Clay, white with trace of gravel	63	343
Clay, white and sand	55	398
Clay, white, hard	12	410
Sand	32	442
Clay, white	24	466
Clay, white, sandy	14	480
Clay, white, hard	62	542
Sand streaks	9	551
Clay, white	5	556
Clay, white and coarse sand	4	560
Sand, coarse and fine	12	572
Clay, tan with trace of sand	8	580
Sand, coarse	16	596

Well LJ-65-11-713--Continued

Clay, tan and sand	32	628
Clay, gray, sandy	36	664
Sand with trace of tan and gray clay	31	695
Clay, white and tan	20	715
Clay, tan and sand	20	735
Clay, tan and white with rock	20	755
Clay, blue, sandy	79	834
Clay, blue and tan	37	871
Clay, blue, sandy	7	878
Clay, tan	40	918
Clay, tan and sandy streaks	21	939
Sand	6	945
Clay, blue and tan	8	953
Sand	15	968
Clay, blue and tan	6	974
Clay, tan and brown	26	1,000
Clay, brown	19	1,019
Clay, gray, sandy	50	1,069
Clay, gray with a trace of red	67	1,136
Clay, brown, hard and sand	10	1,146
Clay, blue, soft	43	1,189
Clay, blue and brown with trace of sand	36	1,225
Sand and trace of brown clay	17	1,242
Clay, brown, sandy	9	1,251
Sand	10	1,261
Clay, red	16	1,277
Sand, fine	18	1,295
Clay, blue, sandy	55	1,350
Clay, blue and red with trace of sand	30	1,380
Clay, brown and tan with trace of sand	60	1,440
Clay, blue with sand	30	1,470
Clay, hard	5	1,475
Clay, blue	25	1,500

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-11-714

Owner: Weston Municipal Utility District, Plant 2,
Well No. 1

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Clay, fill	6	6
Clay	9	15
Sand, fine	13	28
Clay	5	33
Sand and clay streaks	30	63
Clay, sandy	29	92
Sand	18	110
Gravel, large and sand streaks	46	156
Shale	38	194
Sand and shale streaks	136	330
Shale, sandy	31	361
Sand, coarse and few shale streaks	84	445
Shale and sand streaks	15	460
Sand, gravel and shale streaks	11	471
Shale and sand streaks	44	515
Sand and shale streaks	20	535
Shale	31	566
Shale, sandy	20	586
Sand	7	593
Shale	7	600
Sand with shale streaks	12	612
Shale	24	636
Sand, fine	31	667
Shale	8	675
Sand, coarse and shale streaks	57	732
Shale	123	855
Rock	1	856
Shale, sandy	33	889
Shale	100	989
Sand with shale and lime streaks	57	1,046
Shale	129	1,175
Sand	15	1,190
Shale	55	1,245
Shale, sandy	8	1,253
Shale	8	1,261

Well LJ-65-11-715

Owner: Weston Municipal Utility District, Plant 1,
Well No. 2

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	9	9
Clay	10	19
Sand	17	36
Clay	49	85
Sand with clay streaks	35	120
Clay	14	134
Clay, sandy	22	156
Sand, coarse	74	230
Rock	1	231
Sand, coarse	20	251
Rock	4	255
Sand, coarse	7	262
Sand, coarse with white rock	51	313
Sand and white rock streaks	73	386
Rock	1	387
Sand and rock	6	393
Sand, gravel and lime streaks	13	406
Sand and lime streaks	49	455
Shale and sand streaks	10	465
Shale	5	470
Sand and shale streaks	65	535
Shale and sand streaks	7	542
Sand	53	595
Sand and lignite	93	688
Shale, sandy and lignite	10	698
Sand, shale and lignite streaks	145	843
Rock	1	844
Sand with shale and lignite streaks	6	850
Shale, sandy	5	855
Shale	28	883
Sand	7	890
Shale, sandy and lignite	106	996
Sand with shale and lignite streaks	23	1,019
Shale, lime and few sand streaks	105	1,124
Sand with shale streaks	82	1,206

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-11-715--Continued

Sand	9	1,215
Shale with sand streaks	66	1,281

Well LJ-65-12-110

Owner: Horsepen Bayou Municipal Utility District,
Well No. 2
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Dirt, surface	10	10
Clay, brown	7	17
Clay, sandy, white	11	28
Clay, red	20	48
Sand and small gravel	27	75
Clay, red	18	93
Sand	45	138
Clay, gray	5	143
Sand	75	218
Shale, black	25	243
Sand and coarse gravel	31	274
Clay	4	278
Sand, white	92	370
Clay, white and red	42	412
Sand	11	423
Clay	22	445
Sand, coarse	4	449
Clay, white with trace of gravel	39	488
Sand, coarse with gravel	38	526
Clay, brown	8	534
Sand	5	539
Clay, red and white	42	581
Sand	3	584
Clay, brown	22	606
Sand	21	627
Clay, brown and gray	22	649
Sand	28	677
Clay, blue and red	7	684
Sand	5	689
Clay, red	24	713
Sand	59	772
Clay, red	9	781

Well LJ-65-12-110--Continued

Sand	9	790
Clay, gray	6	796
Clay, white, sandy with gravel	6	802
Sand	6	808
Clay, gray	15	823
Sand	6	829
Clay, gray, gravelly	10	839
Sand	51	890
Clay and gravel, gray and tan	12	902
Sand and gravel	6	908
Clay, gray, soft	9	917
Clay, brown, soft	5	922
Sand	29	951
Gravel with gray clay streaks	30	981
Clay, gray	8	989
Sand, coarse	11	1,010
Clay, gray, soft	5	1,015
Sand, hard, fine	45	1,060
Clay, brown and gray, very sticky	24	1,084
Gravel, gray and white	22	1,106
Sand, coarse	11	1,117
Clay, tan, gravelly	23	1,140
Sand	15	1,155
Clay, brown	8	1,163
Sand	22	1,185
Clay, brown	10	1,195
Sand	9	1,204
Clay, gray	9	1,213
Sand	6	1,219
Clay, gray	14	1,233
Sand	29	1,262
Clay, brown	15	1,277
Sand	23	1,300
Clay with small sand breaks	35	1,335
Sand	40	1,375
Clay, brown	50	1,425

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-12-627

Owner: Blalock Nursing Home

Driller: Robinson Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	17	17
Sand	46	63
Clay	82	145
Sand	87	232
Clay	69	301
Sand	162	463
Clay	52	515
Sand	25	540
Clay	20	560
Sand	32	592

Well LJ-65-12-633

Owner: City of Houston, Spring Branch, Well No. 1SB

Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay, surface	46	46
Sand	54	100
Clay	32	132
Sand	5	137
Clay with sand streaks	42	179
Sand	5	184
Clay	3	187
Clay, sandy	2	189
Sand	19	208
Clay, sandy	12	220
Sand	22	242
Clay with sand streaks	39	281
Sand with clay streaks	24	305
Sand	39	344
Gravel	14	358
Clay	20	378
Sand	20	398
Clay, sandy	20	418
Clay, white	25	443
Sand	83	526
Clay with sand streaks	8	534
Sand	37	571

Well LJ-65-12-633--Continued

Clay, sandy	79	650
Clay with sand streaks	20	670
Sand with clay streaks	10	680
Clay with sand streaks	3	683
Sand	28	711
Clay	9	720
Sand	3	723
Clay, sandy	40	763

Well LJ-65-12-634

Owner: City of Houston, Spring Branch, Well No. 3A

Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	40	40
Sand	10	50
Clay	68	118
Sand	32	150
Clay	20	170
Sand	70	240
Clay	45	285
Clay and sand streaks	170	455
Sand	2	457
Clay	3	460
Sand	6	466
Clay	44	510
Clay and sand streaks	9	519
Shale with sand streaks	83	602
Sand	7	609
Clay	10	619
Sand and sand strips	13	632
Clay	83	715
Clay, soft	23	738
Shale	50	788
Shale, sandy with limestone	52	840
Sand and clay streaks	79	919
Sand	5	924
Shale with sand streaks	172	1,096
Shale, hard	147	1,243
Clay streaks	27	1,270
Clay and hard streaks	35	1,305

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-12-634--Continued

Sand	3	1,308
Shale and sand	100	1,408
Shale, hard	4	1,411
Sand and clay	30	1,441
Shale, sandy	159	1,600

Well LJ-65-12-732

Owner: David Crowell
Driller: Geophysical Drilling, Inc.

Description	Thickness (feet)	Depth (feet)
Clay, white and red sand	20	20
Rock, sand, and red clay	20	40
Clay, red	20	60
Clay and sand	20	80
Sand and clay	20	100
Clay	20	120
Clay and sand	60	180
Clay, sand, and rock	20	200
Rock, sand, and clay	20	220
Clay	20	240
Clay and sand	20	260
Sand, rock and clay	20	280
Sand	20	300
Sand and clay	20	320

Well LJ-65-12-940

Owner: Y.M.C.A.
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	16	16
Sand, surface	19	35
Clay	61	96
Sand	34	130
Clay	72	202
Sand	58	260
Clay	35	295
Sand	31	326
Clay	69	395
Sand	35	430

Well LJ-65-13-221

Owner: City of Houston, Acres Homes, Well No. 2SB
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Sand, tan	5	10
Clay, yellow	4	14
Clay, red	13	27
Clay, brown	19	46
Clay, red with sand stringers	40	86
Clay, yellow	35	121
Sand, tan-to-white	33	154
Clay, tan	82	236
Sand with clay stringers	65	301
Clay, white-to-tan	19	320
Sand, tan	61	381
Clay, brown-to-white	45	426
Sand, gray	30	456
Clay, gray	30	486
Sand, gray	115	601
Clay, gray	20	621
Sand, gray	45	666
Clay, brown-to-tan	45	711
Sand, gray	23	734
Clay with sand stringers	42	776

Well LJ-65-13-323

Owner: City of Houston, Heights, Well No. 15SB
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay	15	18
Clay and sandy clay streaks	6	24
Clay	20	44
Clay, sand and gravel streaks	2	46
Sand	3	49
Sand and gravel	8	57
Clay	6	63
Clay, sandy with sand streaks	2	65
Sand and clay streaks, broken	2	67
Clay	1	68

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-13-323--Continued

Sand, sandy clay and clay streaks	7	75
Sand and clay streaks	7	82
Clay and sandy clay	12	94
Clay and sandy clay with lime streaks	4	98
Clay and sand streaks	36	134
Clay and sandy clay	15	149
Clay and sand streaks	41	190
Clay with lime streaks and sand	2	192
Sand and clay streaks	84	276
Clay	7	283
Clay and sand streaks	39	322
Clay	41	363
Clay and sand streaks	32	395
Clay	63	458
Clay and sand streaks	7	465
Sand and sandy clay	12	477
Clay	2	479
Sand and sandy clay streaks	8	487
Clay and sand clay streaks	12	499
Clay, sandy with clay	7	506
Clay and sand streaks	16	522
Clay and sandy clay with sand streaks	10	532
Sand and clay streaks	4	536
Clay, sandy clay, and sand streaks	21	557
Clay, sandy with clay streaks	5	562
Lime	2	564
Clay and lime streaks	4	568
Sand, clay and lime streaks	12	580
Clay and lime	2	582
Sand and few clay streaks	12	594
Clay and lime streaks	2	596
Clay, sandy and clay streaks	10	606
Clay and lime streaks	5	611
Sand and clay streaks	9	620
Clay	2	622
Sand and clay	4	626
Clay and sand streaks	3	629
Clay and sandy clay streaks	4	633

Well LJ-65-13-323--Continued

Clay streaks and sand	4	637
Clay	15	652

Well LJ-65-13-324

Owner: City of Houston, Heights, Well No. 11A
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay, surface	35	35
Sand	10	45
Clay	19	64
Sand with clay strips	27	91
Sand	91	182
Clay and sand strips	32	214
Sand and rock break	136	350
Clay and sand	50	400
Shale and clay	50	450
Sand	85	535
Clay	30	565
Sand and clay	35	600
Shale and clay	155	755
Sand	23	778
Shale and clay	32	810
Sand and shale	32	842
Sand and clay	39	881
Sand and shale	139	1,020
Shale and clay	270	1,290
Sand	105	1,395
Shale and clay	40	1,435
Sand and shale	90	1,525

Well LJ-65-13-750

Owner: Robert A. Rowland, Well No. 2
Driller: Wellco Water Well Drilling Co.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	19	19
Sand, medium-fine	13	32
Clay, gray	49	81
Sand, fine	12	93
Shale and clay	72	165
Sand, fine	10	175
Clay, shale and sand	63	238

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-13-750--Continued

Sand, medium	25	263
Shale	7	270
Sand	20	290
Shale and sand	19	309
Sand, medium-sharp, water sand	25	334

Well LJ-65-13-837

Owner: Lestos Co.

Driller: Almeda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, white	33	36
Sand, tan	14	50
Clay, red	10	60
Shale	99	159
Sand, white	14	173
Clay, red	38	211
Sand, white	33	244
Clay, white	51	295
Sand, salt and pepper	26	321
Clay	1	322

Well LJ-65-13-840

Owner: Harry Holmes

Driller: Almeda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	2	2
Clay	25	27
Sand	41	68
Clay	95	163
Sand	43	206
Clay	10	216
Sand	26	242
Clay	16	258
Sand	14	272
Clay	4	276
Sand	22	298
Clay	20	318
Sand	12	330
Clay	25	355
Sand	43	398

Well LJ-65-13-840--Continued

Clay	32	430
Sand with clay streaks	7	437
Sand	33	470
Clay	1	471

Well LJ-65-14-440

Owner: Goodwill Industries, Well No. 1

Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	10	10
Clay	140	150
Sand	48	198
Clay	22	220
Sand	8	228
Clay	2	230
Sand	22	252
Clay	4	256
Sand	14	270
Clay	45	315
Sand	7	322
Clay	57	379
Sand	25	404
Clay	20	424
Sand	13	437
Clay	7	444
Clay, sandy	9	453
Sand	27	480
Clay	10	490
Sand	7	497
Clay	3	500
Sand	61	561

Well LJ-65-14-823

Owner: National Vinegar Co.

Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Topsoil	6	6
Clay, yellow and gray	16	22
Sand	4	26
Clay, red and yellow	14	40
Clay, red and gray	58	98

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-14-823--Continued

Sand	12	110
Clay, red and gray	125	235
Sand	20	255
Clay, red, gray, and yellow	60	315
Sand	55	370
Clay	18	388
Sand	24	412
Clay	6	418
Sand	20	438
Clay	22	460
Sand	18	478
Clay	5	483
Sand	23	506

Well LJ-65-15-311

Owner: North Star Steel

Driller: Alameda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, brown	4	7
Clay, red	33	40
Sand, tan	15	55
Clay, brown	41	96
Sand, tan	8	104
Clay, brown	57	161
Sand, tan	53	214
Clay, brown	1	215
Sand, tan	21	236
Clay, brown	16	252
Sand, tan	11	263
Clay, brown	7	270
Sand, tan	12	282
Sand, broken and clay	30	312
Clay, red	14	326
Sand, white	38	364
Clay, red	1	365

Well LJ-65-15-606

Owner: Harris County Municipal Utility District 53,
Plant 2

Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	50	50
Sand	5	55
Clay	8	63
Sand	23	86
Clay	27	113
Sand	5	118
Clay	11	129
Sand	4	133
Clay	25	158
Sand	22	180
Clay	4	184
Sand	47	231
Clay	12	243
Sand	7	250
Clay	8	258
Sand	23	281
Clay	12	293
Sand	25	318
Clay	4	322
Sand	23	345
Clay	4	349
Sand	15	364
Clay	4	368
Sand	8	376
Clay	4	380
Sand	31	411
Sand and clay	83	494
Clay and sand trace	60	554
Clay and sand	80	634
Sand	22	656
Clay	24	680
Sand	18	698
Clay	8	706
Sand	17	723
Clay	40	763
Sand	26	789

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-15-606--Continued

Clay	23	812
Sand	9	821
Clay	51	872
Sand	20	892
Clay and sand	20	912
Clay and sand trace	20	932
Clay and sand	245	1,177
Sand	12	1,189
Clay	11	1,200
Sand	28	1,228
Rock	2	1,230
Sand	3	1,233
Clay	37	1,270
Unrecorded	288	1,558

Well LJ-65-15-841

Owner: Harris County Water Control and Improvement
District 36, Well No. 5
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Surface	1	1
Clay and sand streaks	19	20
Sand	6	26
Clay	32	58
Clay, sandy	17	75
Clay	10	85
Sand	2	87
Clay	8	95
Clay and sand streaks	10	105
Clay	5	110
Clay and sand streaks	3	113
Sand	6	119
Clay	12	131
Clay and sand streaks	23	154
Sand and clay streaks	11	165
Clay and sand streaks	9	174
Sand	3	177
Clay and sand streaks	9	186
Sand and clay streaks	12	198
Sand	10	208

Well LJ-65-15-841--Continued

Sand and clay streaks	19	227
Clay	23	250
Sand and clay streaks	10	260
Clay and sand streaks	19	279
Sand and clay streaks	15	294
Clay	33	327
Sand and clay streaks	19	346
Clay and lime	2	348
Sand and clay streaks	12	360
Clay and sandy clay streaks	10	370
Sand and broken clay streaks	11	381
Sand, clay and gravel streaks	9	390
Sand, clay and few lime streaks	28	418
Clay and rock streaks	15	433
Clay and sand streaks	4	437
Clay and lime streaks	6	443
Clay and sandy streaks	3	446
Clay and shale streaks	39	485
Shale and sand streaks	9	494
Lime and clay	2	496
Clay and shale streaks	13	509
Clay and sandy clay streaks	12	521
Clay	3	524
Sand and sandy clay streaks	4	528
Clay	2	530
Clay and sandy clay streaks	3	533
Sand and clay streaks	7	540
Clay and sandy clay	10	550
Sand and sandy clay streaks	8	558
Clay	12	570
Clay and sandy clay streaks	3	573
Clay	6	579
Sand	15	594
Clay	3	597
Sand	2	599
Clay	17	616
Sand and few clay streaks	9	625
Clay	1	626
Sand and clay	4	630

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-15-841--Continued

Clay	11	641
Sand and sandy clay	2	643
Sand, clay and sandstone streaks	37	680
Clay and sandy clay	10	690
Sand and clay streaks	18	708
Sand and clay	8	716
Clay	61	777
Clay and sand streaks	8	785
Clay and sand	6	791
Clay	9	800
Clay and sand	12	812
Sand	6	818
Clay	4	822
Clay and sand streaks	11	833
Shale	3	836
Clay	7	843
Sand and clay	20	863
Sand and few clay streaks	33	896
Clay and sand	25	921
Clay	10	931
Clay, sandy with shale and limestone streaks	28	959
Sand, clay and shale streaks	29	988
Sand, sandy clay and lime	12	1,000
Shale, clay and lime streaks	12	1,012
Clay (tough)	33	1,045
Clay and sand streaks	11	1,056
Clay and sandy clay streaks	15	1,071
Clay	10	1,081
Clay and lime streak	9	1,090
Clay, sandy streaks and clay	2	1,092
Clay and lime streaks	8	1,100
Sand and sandstone streaks	22	1,122
Clay and lime streaks	14	1,136
Sand and lime	1	1,137
Sand, sandstone and lime streaks	6	1,143
Sand	42	1,185
Sand and clay streaks	8	1,193
Clay	2	1,195

Well LJ-65-15-841--Continued

Sand and clay	4	1,199
Clay	4	1,203
Sand with lime and clay streaks	8	1,211
Sand	2	1,213
Sand and lime streaks	44	1,257
Clay and lime streaks	39	1,296
Clay and sand	26	1,322
Clay	5	1,327
Clay and sandy clay streaks	11	1,338
Clay	6	1,344
Clay and lime streaks	7	1,351
Clay and sandy clay streaks	13	1,364
Clay, sandy and lime streaks	9	1,373
Clay, sandy and clay streaks	5	1,378
Clay, sandy and lime streaks	12	1,390
Clay and sand streaks	30	1,420
Clay and sandy clay	6	1,426
Clay and few sand streaks	19	1,445
Clay and lime, hard	3	1,448

Well LJ-65-16-725
Owner: Stop n Go
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	27	27
Sand	88	115
Clay	72	187
Sand, very fine	28	215
Clay	180	395
Sand, production	66	461

Well LJ-65-16-726
Owner: Harris County Fresh Water Supply District 6
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	1	1
Clay	3	4
Sand	1	5
Clay and sand streak	24	29
Clay and sandy clay streaks	6	35
Sand and sandy clay	2	37

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-16-726--Continued

Clay and sandy clay	31	68
Clay and sand streaks	4	72
Sand and clay streaks	44	116
Clay	11	127
Sand and clay	5	132
Clay	8	140
Clay, sandy clay and sand	28	168
Clay	8	176
Clay and sandy clay	5	181
Sand and clay	43	224
Clay and sand streaks	15	239
Clay	12	251
Sand, gravel and few clay streaks	43	294
Clay	4	298
Clay, sandy and sand streaks	15	313
Clay and few sand streaks	32	345
Clay and sandy clay	4	349
Clay, sandy and sandy streaks	7	356
Sand and clay streaks	41	397
Sand and few sandy clay streaks	17	414
Sand and few clay streaks	34	448
Sand and sandy clay	5	453
Clay	13	466
Clay and sandy clay	2	468
Sand	21	489
Clay	5	494
Clay and sandy clay	2	496
Sand and clay streaks	9	505
Clay and sandy clay streaks	10	515
Clay	2	517
Clay and sandy clay	5	522
Clay	7	529
Clay and sandy clay streaks	8	537
Clay, sandy clay and sand breaks	6	543
Sand and clay streaks	22	565
Sand and clay	3	568
Clay	7	575
Sand and clay streaks	31	606
Sand	19	625

Well LJ-65-16-726--Continued

Clay, shale and sandy clay streaks	6	631
Sand and clay streaks	9	640
Clay and sand streaks	3	643
Sand and clay streaks	9	652
Clay and sand	2	654
Clay	28	682
Clay and sandy clay	3	685
Sand, few clay streaks, and sea shells	27	712
Clay and lime streaks	6	718
Clay, sandy clay, and sand breaks	7	725
Sand and clay streaks	15	740
Clay and sand streaks	18	758
Clay	19	777
Sand and clay streaks	39	816
Clay	52	868
Clay and sand streaks	5	873
Sand and clay streaks	14	887
Clay	11	898
Sand and clay streaks	53	951
Clay	15	966
Sand and clay	3	969
Clay	81	1,050

Well LJ-65-16-727

Owner: Channelview Missionary Baptist Church
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Clay and sand	20	40
Clay	40	80
Clay, red and white	20	100
Clay, brown and sand	20	120
Sand and clay	40	160
Clay	15	175
Sand	5	180
Clay, blue and gray	20	200
Clay	5	205
Sand	32	237
Clay	21	258

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-16-727--Continued

Sand	22	280
Clay	20	300

Well LJ-65-19-607

Owner: Mission Bend Municipal Utility District 2,
Well No. 2
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Clay, gray and yellow	28	28
Rock and lime	8	36
Sand and lime	15	51
Shale and sand streaks	45	96
Sand	19	115
Shale	10	125
Clay	3	128
Clay streaks and sand	20	148
Clay and sand	13	161
Clay and sand streaks	5	166
Clay	3	169
Clay and sand streaks	4	173
Clay	14	187
Clay and sandy clay streaks	5	192
Sand and gravel with clay streaks	18	210
Clay	12	222
Sand	3	225
Clay	5	230
Clay and sandy clay	8	238
Clay	11	249
Sand with few clay streaks	25	274
Clay with sandy clay streaks	7	281
Sand	10	291
Sand and gravel with clay streaks	5	296
Clay	2	298
Sand with clay streaks	12	310
Clay	23	333
Sand	28	361
Clay	6	367
Clay, sandy	29	396
Clay	4	400
Sand with few shale streaks	74	474

Well LJ-65-19-607--Continued

Lime and gravel	16	490
Sand	8	498
Shale, sandy with sand streaks	23	521
Sand	5	526
Lime and shale	3	529
Sand with sandy shale streaks	13	542
Shale, sandy	8	550
Sand and sandy shale	10	560
Sand, fine	6	566
Clay	2	568
Sand, fine with clay streaks	7	575
Clay with sandy clay streaks	4	579
Sand, fine with clay streaks	21	600
Sand, fine and clay	11	611
Sand, coarse with clay streaks	33	644
Clay	2	646
Sand with clay streaks	36	682
Clay	20	702
Sand	7	709
Clay	17	726
Lime	1	727
Clay and lime streaks	9	736
Sand	8	744
Lime	2	746
Sand	22	768
Sand and shale streaks	21	789
Shale	5	794
Sand with lime streaks	38	832
Shale	21	853
Sand	5	858
Shale	29	887
Sand	5	892
Shale, sandy	5	897
Sand and sandy shale	13	910
Shale, sandy	57	967
Clay	29	996
Clay with lime and sandy clay streaks	9	1,005
Sand and sandy clay with lime streaks	24	1,029
Clay with lime streaks	47	1,076

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-19-607--Continued			Well LJ-65-19-607--Continued		
Clay with sandy clay streaks	2	1,078	Sand	2	1,640
Sand	2	1,080	Lime and sandy shale	21	1,661
Clay with sandy clay streaks	7	1,087	Sand and sandy shale	5	1,666
Clay and sandy clay with sand streaks	6	1,093	Lime and shale	5	1,671
Clay with sandy clay streaks	18	1,111	Sand	4	1,675
Sand with clay streaks	14	1,125	Shale and lime	30	1,705
Sand and sandy clay with lime streaks	5	1,130	Sand with lime streaks	4	1,709
Sand with clay streaks	29	1,159	Shale, sandy with lime streaks	7	1,716
Clay	2	1,161	Sand with lime streaks	2	1,718
Clay and sandy clay	6	1,167	Shale with hard streaks	3	1,721
Sand with clay and lignite streaks	15	1,182	Sand and sandy shale	25	1,746
Clay	19	1,201	Shale	3	1,749
Clay with sandy clay streaks	9	1,210	Clay	11	1,760
Clay, sandy	2	1,212	Clay with sandy clay streaks	12	1,772
Clay	18	1,230	Sand with clay streaks	16	1,788
Clay with sandy clay streaks	8	1,238	Sand and clay with lime streaks	11	1,799
Sandy clay streaks	10	1,248	Clay	6	1,805
Sand with shale streaks	46	1,294	Well LJ-65-19-608 Owner: Braes Utility District, Well No. 2 Driller: Alsay Inc.		
Shale with sand streaks	20	1,314			
Shale, sandy	39	1,353			
Shale	12	1,365			
Sand with shale streaks	12	1,377			
Shale	4	1,381			
Sand with shale streaks	21	1,402			
Shale	3	1,405			
Shale, sandy	9	1,414			
Sand	17	1,431			
Shale	21	1,452			
Sand	5	1,457			
Rock	1	1,458			
Sand with sandy shale streaks	16	1,474			
Rock	1	1,475			
Shale, sandy	28	1,503			
Shale	20	1,523			
Lime	4	1,527			
Shale	24	1,551			
Shale, sandy	7	1,558			
Lime	6	1,564			
Shale, sandy and shale	74	1,638			

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, sandy	12	15
Sand, white	35	50
Clay, red	30	80
Clay, red and gray	30	110
Gravel	35	145
Clay, red with gravel	28	173
Clay, white	41	214
Sand, white	82	296
Clay, white and blue	96	392
Sand with gravel	40	432
Clay, white and blue	8	440
Sand with gravel	88	528
Clay, gray	14	542
Sand, tan	115	657
Clay, white and blue	34	691
Sand, tan	20	711
Sand with clay	20	731

Table 2.--Drillers' Logs of wells in Harris County--Continued

Well LJ-65-19-608--Continued

Sand, tan	31	762
Clay with sand	51	813
Sand, tan	35	848
Clay, white	52	900

Well LJ-65-20-128

Owner: City of Houston, Ashford Point, Well No. 2
Driller: Alsay Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	4	4
Clay, white	39	43
Sand, tan	9	52
Clay, red	14	66
Clay, white and red	90	156
Sand, white	31	187
Clay, white and blue	61	248
Sand with blue clay	122	370
Clay with gravel	15	385
Sand, tan	70	455
Clay with sand stringers	35	490
Clay, white	17	507
Sand, tan	160	667
Clay, red	20	687
Sand with clay stringers	133	820
Clay, white	11	831
Sand, tan	34	865
Clay, white and red	60	925
Sand, tan	44	969
Clay, red	31	1,000
Sand with gray clay	100	1,100
Shale, gray	109	1,209
Sand with shale stringers	161	1,370
Shale, gray	125	1,495

Well LJ-65-20-324

Owner: City of Houston, Southwest, Well No. 6A
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Surface	1	1
Clay	40	41
Sand	10	51

Well LJ-65-20-324--Continued

Clay	13	64
Clay	5	69
Sand	2	71
Clay	2	73
Clay and sand streaks	2	75
Sand	32	107
Sand with clay streaks	10	117
Clay	14	131
Clay and sandy clay	2	133
Sand	3	136
Clay	43	179
Clay and sandy clay	10	189
Sand	20	209
Sand with clay streaks	27	236
Clay	6	242
Clay with sandy clay streaks	10	252
Clay	10	262
Sand	14	276
Clay	26	302
Sand with clay streaks	11	313
Clay, hard	41	354
Clay, soft	24	378
Clay, hard	14	392
Clay, soft	18	410
Sand, coarse with lime and gravel	51	461
Shale	19	480
Sand with little shale	13	493
Clay	29	522
Clay with sand streaks	12	534
Sand with clay and lime streaks	52	586
Clay	62	648
Clay with sand streaks	13	661
Clay	51	712
Sand with clay streaks	15	727
Clay	15	742
Clay with few sand streaks	19	761
Sand with clay streaks	19	780
Lime, hard	1	781
Sand	7	788

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-20-324--Continued

Sand with clay and lime streaks	13	801
Clay	8	809
Sand with clay streaks	6	815
Clay	26	841
Clay with sandy clay streaks	4	845
Sand streaks and clay with sandy clay streaks	22	867
Sand	20	887
Sand with clay streaks	3	890
Clay and sandy clay streaks	17	907
Clay and sandy clay with sand streaks	11	918
Clay	29	947
Clay with sandy clay and few sand streaks	15	962
Sand	4	966
Clay	29	995
Sand	6	1,001
Sand and sandy clay with clay breaks	20	1,021
Clay, sandy	18	1,039
Clay	17	1,056
Sand, fine	33	1,089
Clay	213	1,302
Sand with shale streaks	19	1,321
Shale	13	1,334
Shale with sand streaks	24	1,358
Shale	102	1,460

Well LJ-65-20-417

Owner: City of Houston, Keegan's Glen, Well No. 2
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay, sandy and shale	40	40
Shale	75	115
Sand	15	130
Shale	20	150
Sand	80	230
Shale	20	250
Sand	70	320
Shale	30	350
Sand	100	450
Shale	35	485

Well LJ-65-20-417--Continued

Sand	75	560
Shale	20	580
Sand	115	695
Shale	25	720
Sand	45	765
Shale, sandy	45	810
Shale	25	835
Sand	165	1,000
Shale	25	1,025
Sand	20	1,045
Shale	30	1,075
Shale, sandy	75	1,150

Well LJ-65-20-418

Owner: City of Houston, Bellaire Independent,
Well No. 1
Driller: Alsay-Texas Corp.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Gumbo, black	3	6
Clay, tan	23	29
Sand and gravel	13	42
Clay, red	44	86
Clay, tan	32	118
Clay, white sandy	14	132
Clay, brown sandy	121	253
Sand	5	258
Clay, brown and sandy clay	9	267
Clay, tan and shale	29	296
Sand and pea gravel	27	323
Clay, tan	6	329
Clay, hard, red and shale	6	335
Clay, soft, red	18	353
Sand and pea gravel	35	388
Clay, soft, red	18	406
Sand, coarse with small gravel	50	456
Clay, soft, tan	4	460
Sand, coarse and gravel	24	484
Shale, blue with sand stringers	27	511
Sand, medium and coarse gravel	20	531

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-20-418--Continued

Sand and gravel	10	541
Clay, tan and sand stringers	16	557
Sand and little gravel	49	606
Clay, tan and white	17	623
Sand and little gravel	26	649
Clay, white and shale with sandstone	19	668
Clay, red	23	691
Sand and gravel	22	713
Clay, white	9	722
Sand and gravel	42	764
Clay, sandy, white with gravel and sandstone	29	793
Clay, white	2	795
Sand and gravel with layers of white clay	77	872
Shale, blue-green	17	889
Sand	10	899
Clay, soft, reddish-brown	33	932
Sand	8	940
Sand, soft, blue, shaley, silty	15	955
Sand, fine	16	971
Shale, soft, brown and blue	15	986
Sand, fine	22	1,008
Sand with soft blue shale stringers	30	1,038
Clay, soft and sand	74	1,112
Sand	12	1,124
Shale and tan clay	25	1,149
Sand, coarse	20	1,169
Sand and clay stringers	61	1,230
Clay, tan	15	1,245
Sand, coarse	24	1,269
Shale, sandy, blue	24	1,293
Sand, medium-to-coarse	79	1,372
Sand with blue, sandy shale stringers	58	1,430
Shale, blue-to-brown	7	1,437
Sand, fine-to-medium	29	1,466
Shale, soft, brown	21	1,487
Sandstone	95	1,582
Clay, brown	48	1,630

Well LJ-65-20-418--Continued

Clay, sandy	13	1,643
Clay, brown	7	1,650
Well LJ-65-20-419 Owner: City of Houston, Bellaire Independent, Well No. 3 Driller: Layne Texas Co.		
Description	Thickness (feet)	Depth (feet)
Gumbo, black	10	10
Clay, red	15	25
Clay, sandy	29	54
Clay, hard	14	68
Shale, soft	36	104
Clay, red	28	132
Shale, sandy	67	199
Clay, white	39	238
Shale	27	265
Sand with little shale	36	301
Shale	27	328
Sand layers and lime streaks	13	341
Sand and sandy shale layers	26	367
Shale and sandy layers	31	398
Sand and sandy shale streaks	54	452
Shale, sandy and lime streaks	34	486
Sand	20	506
Sand and lime streaks	34	540
Sand, fine	9	549
Sand and lime streaks	18	567
Sand	7	574
Shale	23	597
Sand and shale streaks	60	657
Shale	12	669
Sand	5	674
Shale	16	690
Sand	42	732
Sand with lime	14	746
Shale	16	762
Sand	24	786
Shale, sandy and broken sand layers	25	811
Sand and sandy shale	35	846

Table 2.--Drillers' Logs of wells in Harris County--Continued

Well LJ-65-20-419--Continued

Shale, sandy	4	850
Sand and fine sandy shale layers	22	872
Shale, sandy	8	880
Sand	4	884
Shale	69	953
Sand	10	963
Shale, sandy	52	1,015
Sand, fine	29	1,044
Shale	69	1,113
Sand, fine	60	1,173
Sand with shale streaks	10	1,183
Shale	21	1,204
Sand and sandy shale	53	1,257
Sand	43	1,300
Shale and sandy streaks	45	1,345
Shale	37	1,382
Clay, hard	7	1,389
Sand and shale streaks	18	1,407
Shale	47	1,454
Lime and sand streaks	12	1,466
Shale and sandy shale	73	1,539
Sand	5	1,544
Shale and lime	3	1,547
Sand and sandy shale	7	1,554
Shale, sandy	8	1,562
Rock	1	1,563
Shale, sandy and lime streaks	91	1,654

Well LJ-65-20-420

Owner: Beechnut Municipal Utility District
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Sand and gravel	90	90
Sand	110	200
Clay	75	275
Sand	65	340
Clay	20	360
Sand	20	380
Clay	50	430
Sand	30	460

Well LJ-65-20-420--Continued

Clay with little sand	30	490
Sand	30	520
Sand and clay	150	670
Clay	20	690
Sand and little clay	220	910
Clay	70	980
Sand with little clay	125	1,105
Sand	45	1,150
Clay	30	1,180
Sand	50	1,230
Clay	60	1,290
Sand	40	1,330
Clay with little sand streaks	50	1,380
Sand	30	1,410
Clay	60	1,470
Sand	30	1,500
Clay	40	1,540
Sand	30	1,570
Clay	40	1,610
Sand and clay	30	1,640
Clay	130	1,770
Sand with little clay	50	1,820

Well LJ-65-20-518

Owner: City of Houston, Concourse, Well No. 1
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Clay	37	42
Sand and gravel	16	58
Clay	3	61
Sand	7	68
Clay	36	104
Sand	4	108
Clay	32	140
Sand	33	173
Clay	47	220
Sand	20	240
Clay	10	250
Sand	30	280

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-20-518--Continued

Clay	23	303
Sand	17	320
Clay	40	360
Sand	15	375
Clay	4	379
Sand	34	413
Clay	4	417
Sand	47	464
Shale	15	479
Sand	26	505
Shale	12	517
Sand	24	541
Clay	31	572
Sand	24	596
Clay	61	657
Sand	24	681
Clay	16	697
Sand	10	707
Clay	7	714
Sand	22	736
Shale	9	745
Sand	12	757
Clay	5	762
Sand	25	787
Clay	73	860
Sand	20	880
Clay	14	894
Sand	21	915
Clay	6	921
Sand	19	940
Clay	120	1,060
Rock	12	1,072
Clay	8	1,080
Sand	17	1,097
Clay	62	1,159
Sand	8	1,167
Shale	17	1,184
Sand	10	1,194
Shale	16	1,210

Well LJ-65-20-518--Continued

Sand	35	1,245
Shale	32	1,277
Sand	8	1,285
Shale	16	1,301
Sand	8	1,309
Shale	18	1,327
Sand and shale	105	1,432
Shale	24	1,456
Shale, sandy	16	1,472
Sand	11	1,483
Shale	37	1,520
Sand	16	1,536
Shale	59	1,595
Sand	10	1,605
Shale	145	1,750

Well LJ-65-20-519

Owner: City of Houston, Manning, Well No. 2
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Unrecorded	40	40
Clay, reddish-brown	15	55
Clay, sandy, brown	27	82
Clay, reddish-brown	11	93
Clay, sandy	62	155
Clay	5	160
Clay, sandy	40	200
Clay	40	240
Clay, sandy with sand streaks	35	275
Sand with clay	80	355
Shale, sandy and sand streaks	31	386
Sand with shale streaks	126	512
Shale, sandy and sand streaks	18	530
Sand with shale streaks	28	558
Limestone and sand	12	570
Shale, sandy	16	586
Sand and limestone	23	609
Shale, sandy and sand	23	632
Sand and shale	13	645
Shale, sandy and sand	83	728

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-20-519--Continued

Shale and limestone	62	790
Shale and sand	20	810
Shale and limestone	20	830
Sand and some shale	10	840
Shale and limestone	8	848
Sand and limestone with some shale	32	880
Limestone and sand streaks	61	941
Limestone with gravel and few sand streaks	16	957
Sandy streaks and limestone shale	23	980
Shale, sandy with sandy streaks	28	1,008
Sand and shale with limestone streaks	25	1,033
Limestone	2	1,035
Shale with sandy limestone streaks	75	1,110
Shale, sandy	40	1,150
Limestone	5	1,155
Shale and limestone	17	1,172
Shale and sand streaks	28	1,200
Sand with sandy streaks	22	1,222
Sand and limestone streaks	16	1,238
Limestone	3	1,241
Sand and limestone streaks	11	1,252
Limestone and sandy streaks	23	1,275
Clay, sandy	55	1,330
Sand and sandy shale	20	1,350
Sand and some gravel	50	1,400
Clay and sand	50	1,450
Shale, sandy	95	1,545
Sand	20	1,565
Shale, sandy	15	1,580
Sand	25	1,605
Shale with limestone	7	1,612
Shale, sandy	15	1,627
Sand, shaly	58	1,685
Shale with limestone and sand	15	1,700

Well LJ-65-20-520

Owner: Westwood Country Club
Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay, yellow and gray	20	20
Clay, red and gray	30	50
Clay, red and gray with sand streak and rock	20	70
Clay, red and gray	20	90
Sand and clay	20	110
Sand	20	130
Sand with clay streaks	20	150
Sand	100	250
Sand and clay	20	270
Sand	80	350
Sand with clay streaks	20	370
Sand	10	380
Rock	1	381
Sand	49	430
Clay with sand streaks	20	450
Sand and clay	20	470
Unrecorded	315	785

Well LJ-65-20-915

Owner: Harris County Water Control and Improvement
District, Fondren Road, Well No. 3
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay	4	7
Clay, brown and sand streaks	9	16
Clay, yellow and brown	21	37
Sand	5	42
Sand and red clay	71	113
Sand	4	117
Sand and sandy clay	6	123
Sand	9	132
Sand and sand streaks	25	157
Clay and sandy clay	16	173
Clay, sandy	5	178
Sand and gravel streaks	13	191
Clay	8	199

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-20-915--Continued

Clay and sandy clay	7	206
Sand	15	221
Clay and sandy clay	6	227
Sand and gravel streaks	8	235
Clay	6	241
Sand, gravel and clay	38	279
Clay and lime streaks	10	289
Sand and gravel	36	325
Clay	5	330
Sand and gravel streaks	12	342
Sand, gravel and clay streaks	3	345
Clay and lime streaks	35	380
Sand	20	400
Clay, sandy	3	403
Clay	5	408
Sand	8	416
Clay	5	421
Sand	3	424
Clay and lime	42	466
Shale	7	473
Sand and sandy shale	13	486
Shale	15	501
Sand	3	504
Sand and sandy shale	33	537
Sand and shale	83	620
Shale, sandy	8	628
Sand	15	643
Sand and clay streaks	22	665
Clay, sandy	9	674
Sand and clay	4	678
Sand and clay streaks	37	715
Clay, sandy	3	718
Sand	29	747
Clay	41	788
Sand	6	794
Clay and sand streaks	6	800
Sand	22	822
Clay, sandy	9	831
Sand	4	835

Well LJ-65-20-915--Continued

Sand and clay streaks	34	869
Sand and clay	99	968
Sand and lime	5	973
Sand and sandy shale	15	988
Sand and clay	11	999
Sand, fine	32	1,031
Sand and clay streaks	11	1,042
Sand and sandy shale	27	1,069
Shale	4	1,073
Shale, sandy	75	1,148
Shale	28	1,176

Well LJ-65-21-151

Owner: City of Houston, Fairdale, Well No. 1SB
Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	43	43
Sand	14	57
Clay	30	87
Sand	10	97
Clay	6	103
Sand	17	120
Clay	25	145
Sand	47	192
Clay	12	204
Sand	26	230
Clay	34	264
Shale	36	300
Sand	17	317
Shale	26	343
Sand	38	381
Shale	9	390
Sand	30	420
Shale	17	437
Sand	8	445
Shale	25	470
Sand	15	485
Shale	30	515
Sand	57	572
Shale	48	620

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-21-151--Continued

Sand	92	712
Shale	18	730
Sand	60	790
Shale	13	803

Well LJ-65-21-152

Owner: City of Houston, Fairdale, Well No. 1A
 Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Gumbo and clay	30	30
Sand	20	50
Clay	10	60
Sand	13	73
Gumbo	14	87
Clay	33	120
Sand	41	161
Clay	19	180
Sand with shale streaks	31	211
Clay and shale	16	227
Sand	12	239
Clay	28	267
Sand	6	273
Clay	45	318
Sand with shale streaks	76	394
Shale	9	403
Sand	9	412
Clay	6	418
Sand	57	475
Clay	7	482
Sand	53	535
Clay	191	726
Sand	30	756
Clay	79	835
Sand	26	861
Clay with sand streaks	55	916
Gravel, pea	32	948
Shale	43	991
Sand	18	1,009
Clay	33	1,042
Sand	59	1,101

Well LJ-65-21-152--Continued

Clay	10	1,111
Sand	52	1,163
Gravel, hard	34	1,197
Sand	11	1,208
Sand and shale	120	1,328
Sand	52	1,380
Clay	9	1,389
Shale and lime	31	1,420
Clay and lime	73	1,493
Sand	31	1,524
Sand and clay	53	1,577
Clay	151	1,728
Sand	15	1,743
Clay, sandy	23	1,766
Sand	26	1,792
Clay and shale	45	1,837
Sand	10	1,847
Clay with sand streaks	153	2,000

Well LJ-65-21-153

Owner: Houston Steel Service
 Driller: Raymond Water Wells

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Clay and sand	20	40
Sand	18	58
Clay	22	80
Sand and clay	20	100
Sand	16	116
Clay	44	160
Sand and clay	20	180
Clay and sand	20	200
Sand	20	220
Clay and sand	20	240
Sand and clay	20	260
Clay	60	320
Clay and sand	20	340
Sand	60	400
Sand, rock and clay	20	420

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-21-153--Continued

Clay and sand	20	440
Sand	20	460

Well LJ-65-21-233

Owner: City of West University Place, Well No. 9
 Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Fill and topsoil	3	3
Clay	1	4
Clay, sandy and sand streaks	4	8
Sand and clay streaks	6	14
Clay and sand streaks	5	19
Sand	3	22
Clay	6	28
Clay, sandy	2	30
Clay	30	60
Clay and sandy clay streaks	42	102
Clay	31	133
Clay and sandy clay streaks	54	187
Sand and sandy clay	3	190
Clay and lime streaks	20	210
Clay and sandy clay	9	219
Clay and lime streaks	14	233
Sand and clay streaks	7	240
Sand with lime and clay streaks	57	297
Clay and lime streaks	6	303
Clay and sandy streaks	19	322
Clay, sandy and lime streaks	16	338
Sand and gravel streaks	47	385
Clay	53	438
Sand	3	441
Clay and sandy clay	10	451
Clay and sandy clay streaks	35	486
Sand and lime streaks	9	495
Clay, sandy	3	498
Sand	22	520
Clay	20	540
Sand	20	560
Clay	15	575
Sand and gravel	6	581

Well LJ-65-21-233--Continued

Lime and sand streaks	4	585
Lime, sand and clay	23	608
Clay and lime	2	610
Sand, lime and clay	22	632
Clay, sandy clay and lime	18	650
Sand	24	674
Lime, sandy clay and sand	75	749
Clay and lime streaks	22	771
Clay, sandy clay and lime streaks	25	796
Sand and clay streaks	10	806
Clay and lime streaks	9	815
Sand, clay and lime streaks	24	839
Lime, hard	1	840
Sand and lime streaks	4	844
Clay and lime streaks	17	861
Clay and sandy clay	8	869
Sand, clay and lime streaks	11	880
Clay and sandy clay	11	891
Sand and clay streaks	9	900
Clay and sandy clay	21	921
Clay, sandy and clay streaks	5	926
Sand and clay streaks	15	941
Clay and sandy clay	15	956
Sand	20	976
Clay	2	978
Clay, sandy clay and sand streaks	6	984
Sand and clay streaks	18	1,002
Sand	11	1,013
Clay and lime streaks	3	1,016
Clay	33	1,049
Sand and lime streaks	12	1,061
Clay	16	1,077
Clay and sandy clay	4	1,081
Sand	25	1,106
Clay	79	1,185
Sand and lime streaks	43	1,228
Clay, sandy and lime streaks	14	1,242
Clay and few sand streaks	20	1,262
Clay, sandy and sand streaks	5	1,267

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-21-233--Continued

Sand, clay streaks and lime	18	1,285
Clay	36	1,321
Clay, sandy and sand streaks	10	1,331
Sand, lime and clay	19	1,350
Clay	10	1,360
Sand and clay streaks	30	1,390
Clay and sandy clay	7	1,397
Unrecorded	3	1,400

Well LJ-65-21-332

Owner: Admiral Linen Service
Driller: O'Day Drilling Co., Inc.

Description	Thickness (feet)	Depth (feet)
Fill	3	3
Clay	9	12
Sand	65	77
Clay	262	339
Sand	14	353
Clay	29	382
Sand	13	395
Clay	11	406
Sand	12	418
Clay	7	425
Sand	13	438
Clay	16	454
Sand	18	472
Clay	4	476
Sand	34	510
Clay	20	530
Sand	32	562
Clay	58	620
Sand	40	660

Well LJ-65-21-625

Owner: Thermal Energy Corp., Well No. 1
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Unrecorded	14	14
Clay	10	24
Sand	3	27
Clay, sandy	6	33

Well LJ-65-21-625--Continued

Clay	5	38
Clay and sandy clay	2	40
Sand	15	55
Clay and sand streaks	3	58
Clay	11	69
Sand	5	74
Clay and few sand streaks	17	91
Clay, sandy with sand and lime	25	116
Clay and lime	11	127
Clay and sandy clay	18	145
Clay, tough	14	159
Clay, sandy and clay	8	167
Clay and sand streaks	20	187
Clay	33	220
Clay and sandy clay streaks	2	222
Clay	14	236
Clay, sandy and clay	5	241
Clay, sandy streaks and sand	19	260
Clay	2	262
Sand	8	270
Clay	83	353
Clay and sandy clay	2	355
Clay, sandy streaks	31	386
Clay	1	387
Clay, sandy streaks	18	405
Clay	1	406
Sand and clay streaks	5	411
Sand and sandy clay streaks	13	424
Sand and clay streaks	4	428
Clay	9	437
Sand and clay streaks	38	475
Clay, sandy clay and sand	127	602
Clay	16	618
Clay, sandy and sand	16	634
Clay and sandy clay	36	670
Clay, sandy and sand	16	686
Clay	15	701
Clay and lime	10	711
Clay and sandy clay	5	716

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-21-625--Continued

Sand and clay streaks	17	733
Clay and sandy streaks	6	739
Sand and clay streaks	14	753
Clay	4	757
Sand and clay streaks	33	790
Clay and sandy clay	11	801
Sand and sandy clay	3	804
Clay and sandy clay streaks	12	816
Clay and sand streaks	8	824
Clay and sandy clay	9	833
Clay, sandy and clay	4	837
Sand, clay and lime streaks	12	849
Lime and clay	2	851
Sand, lime and clay streaks	9	860
Clay and lime	7	867
Clay and sandy clay	16	883
Sand and clay streaks	12	895
Clay, sandy streaks	7	902
Clay	2	904
Clay, sandy clay and sand streaks	7	911
Clay and lime streaks	2	913
Clay, sandy clay and sand	3	916
Lime streaks, sandy clay and sand	6	922
Sand	15	937
Clay	2	939
Sand with few lime and clay streaks	11	950
Clay and lime streaks	4	954
Clay and sand streaks	6	960
Clay	13	973
Sand and clay streaks	24	997
Clay	4	1,001

Well LJ-65-21-626

Owner: Labbco, Inc.

Driller: B.J. Swinehart Co., Inc.

Description	Thickness (feet)	Depth (feet)
Clay	25	25
Sand	15	40
Clay	8	48
Sand	20	68

Well LJ-65-21-626--Continued

Clay	98	166
Sand	24	190
Clay	58	248
Sand	57	305
Clay	1	306

Well LJ-65-21-712

Owner: City of Houston, Westbury, Well No. 3A

Driller: Layne-Western Co., Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil and clay	174	174
Clay with sand strips	21	195
Sand, gravel, and rock	37	232
Clay	6	238
Sand and small clay strips	15	253
Clay	29	282
Sand	9	291
Clay	11	302
Sand	8	310
Clay	12	322
Sand and gravel	83	405
Clay	20	425
Sand	33	458
Clay	5	463
Sand	9	472
Clay	14	486
Sand and gravel	48	534
Rock, hard	2	536
Sand and lime rock	75	611
Clay and lime rock	11	622
Sand and rock	119	741
Clay	23	764
Sand	52	816
Clay	8	824
Sand	55	879
Clay	35	914
Sand	38	952
Rock	2	954
Sand	33	987
Clay	12	999

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-21-712--Continued

Sand and short clay breaks	62	1,061
Clay	7	1,068
Sand, rocky	37	1,105
Clay	109	1,214
Sand	12	1,226
Clay	37	1,263
Sand	43	1,306
Clay	30	1,336
Sand	29	1,365
Unrecorded	280	1,645

Well LJ-65-22-624

Owner: H.T. Neeley

Driller: Almeda Water Well Service

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay, red and blue	47	50
Sand and gravel	31	81
Clay, blue	99	180
Sand, white	22	202
Clay, red and blue	72	274
Sand, white	12	286

Well LJ-65-23-154

Owner: ARCO Petroleum Products

Driller: O'Day Drilling Co., Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	5	5
Clay	71	76
Sand	9	85
Clay	195	280
Sand and clay	20	300
Clay	20	320
Sand	10	330
Clay	70	400
Sand	15	415
Clay	15	430
Sand	10	440
Clay	104	544
Sand	16	560
Clay	10	570

Well LJ-65-23-154--Continued

Sand	10	580
Clay	4	584
Sand	6	590
Clay	9	599

Well LJ-65-23-330

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-3T

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty, brown, fill	2	2
Clay, brown and silty, light gray clay	20	22
Sand, red and silty, tan sand	16	38
Clay, red	2	40

Well LJ-65-23-331

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-4T

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, sandy, brown, fill	7	7
Sand, light, gray	5	12
Clay, tan	5	17
Clay, sandy, light gray	5	22
Sand, clayey, light brown	4	26
Sand, silty, red	6	32
Clay, red	1	33

Well LJ-65-23-332

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-5T

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty, fill	8	8
Clay, sandy	14	22
Clay	4	26
Clay, silty	4	30
Sand, silty	3	33

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-23-333

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-14T

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty with red and gray clay	8	8
Clay, brown and gray	27	35
Clay, sandy, light gray	5	40
Sand, clayey, tan	4	44
Clay, red	1	45

Well LJ-65-23-334

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-15T

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, yellow	8	8
Clay, dark gray	5	13
Clay, sandy, gray	5	18
Sand	6	24
Clay, sandy, tan	4	28

Well LJ-65-23-335

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-16T

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, sandy, tan	2	2
Clay, silty, dark gray	1	3
Sand, silty, olive gray	3	6
Clay, gray	21	27
Sand, silty	20	47

Well LJ-65-23-336

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-11D

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, sandy, brown	7	7
Sand, light gray	5	12
Clay and sandy, tan clay	10	22
Sand, clayey, light brown and silty, red sand	10	32
Clay and red, sandy clay	36	68
Sand, clayey, tan	4	72

Well LJ-65-23-336--Continued

Clay, silty and light brown, sandy clay	14	86
Sand, light brown	30	116
Unrecorded	2	118

Well LJ-65-23-337

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-10D

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty, brown	2	2
Clay, brown with silty, red clay and sandy, light gray clay	18	20
Sand, red and silty, tan sand	28	48
Clay, red	15	63
Sand, silty, tan	5	68
Clay, sandy, light gray	2	70
Sand, clayey, tan	10	80
Unrecorded	30	110

Well LJ-65-23-338

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-12D

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty, tan	8	8
Clay, sandy, gray	14	22
Clay, tan and light gray	4	26
Clay, silty, tan and light gray	4	30
Sand, silty, red	3	33
Clay, red	22	55
Sand, silty, tan	1	56
Clay and sandy, tan clay	31	87
Sand and silty, tan sand	26	113
Unrecorded	2	115

Well LJ-65-23-339

Owner: Shell Oil/Shell Chemical Co.

Well No. MW-20D

Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, sandy, tan	2	2
Clay, silty, dark gray	2	4
Sand, silty, olive gray	2	6
Clay, gray	21	27

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-23-339--Continued

Sand, silty	38	65
Sand	6	71
Clay	5	76
Sand	19	95
Clay	3	98
Sand	7	105

Well LJ-65-23-340
Owner: Shell Oil/Shell Chemical Co.
Well No. MW-22D
Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty, red	21	21
Clay, silty, dark gray	7	28
Clay, sandy, gray	8	36
Sand, silty, gray	4	40
Sand, clayey, tan	8	48
Sand, silty, light gray	22	70
Clay, sandy, gray	2	72
Sand, tan	30	102

Well LJ-65-23-341
Owner: Shell Oil/Shell Chemical Co.
Well No. MW-19D
Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, yellow	8	8
Clay and sandy, gray clay	10	18
Sand	6	24
Clay, sandy, tan	31	55
Sand	21	76
Clay	3	79

Well LJ-65-24-152
Owner: Rollins Environmental Services, Inc.
Driller: Professional Service, Inc.

Description	Thickness (feet)	Depth (feet)
Clay, silty with sand pockets	14	14
Clay with sand seams	30	44
Clay with silt seams	19	63
Clay, gray with silty, sand pockets and calcareous nodules	23	86
Clay, gray and tan with sand and silt	9	95

Well LJ-65-24-152--Continued

Sand, dense, gray and tan, fine-to-medium	25	120
Clay	3	123

Well LJ-65-24-153
Owner: Pak Tank
Driller: Robinson Water Well Service, Inc.

Description	Thickness (feet)	Depth (feet)
Gumbo, black	5	5
Clay, red	25	30
Sand, red	20	50
Shale, red	29	79
Clay, blue	56	135
Sand, red	55	190
Shale, blue	40	230
Sand, white	145	375
Shale, blue	25	400
Sand, white	60	460

Well LJ-65-24-154
Owner: Shell Oil/Shell Chemical Co.
Well No. MW-9T
Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty, red and brown	8	8
Clay, brown and gray with silty clay	26	34
Sand, light, brown	14	48
Clay, brown	2	50

Well LJ-65-24-155
Owner: Shell Oil/Shell Chemical Co.
Well No. MW-10T
Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Clay, silty, brown, fill	9	9
Clay	2	11
Sand	4	15
Clay, gray	20	35
Sand	2	37
Clay	7	44
Sand	14	58
Clay, brown	1	59

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-24-156
Owner: Shell Oil/Shell Chemical Co.
Well No. MW-13T
Driller: McClelland Engineers

Description	Thickness (feet)	Depth (feet)
Gravel, fill	2	2
Sand, light brown	3	5
Clay	11	16
Clay, brown, sandy	6	22
Sand, gray	13	35
Clay, light gray	2	37

Well LJ-65-24-619
Owner: Heller Construction Co.
Driller: Bussell & Son, Inc.

Description	Thickness (feet)	Depth (feet)
Clay	25	25
Sand	15	40
Clay	75	115
Sand	18	133
Clay	287	420
Sand, production	71	491

Well LJ-65-29-111
Owner: P.A. Dentler
Driller: Wellco Water Well Drilling Co.

Description	Thickness (feet)	Depth (feet)
Clay	18	18
Sand, strippy	6	24
Clay	14	38
Sand, fine	10	48
Clay	37	85
Sand, medium coarse	18	103
Clay	65	168
Sand, strippy	15	183
Clay	7	190
Sand, medium	18	208
Clay	81	289
Sand, medium coarse water	22	311

Well LJ-65-30-104
Owner: Houston Crushed Concrete
Driller: O'Day Drilling Co., Inc.

Description	Thickness (feet)	Depth (feet)
Topsoil	3	3
Clay	13	16
Sand	9	25
Clay	40	65
Sand	25	90
Clay	10	100
Unrecorded	10	110

Well LJ-65-30-105
Owner: Harris County Water Control and Improvement
District 89, Well No. 1
Driller: Layne Texas Co.

Description	Thickness (feet)	Depth (feet)
Clay	20	20
Sand	40	60
Clay	3	63
Clay and sand streaks	20	83
Clay	38	121
Clay and sand streaks	9	130
Clay and lime streaks	16	146
Clay and sand streaks	95	241
Sand streaks and clay	41	282
Clay	16	298
Sand streaks and clay	28	326
Clay	10	336
Sand	23	359
Clay	111	470
Sand	45	515
Clay	7	522
Sand	37	559
Shale	31	590
Sand	142	732
Shale and limestone	12	744
Sand and shale layers	107	851
Shale	40	891
Sand and shale layers	27	918
Shale	6	924
Sand and shale layers	53	977

Table 2.--Drillers' logs of wells in Harris County--Continued

Well LJ-65-30-105--Continued

Shale	17	994
Sand	16	1,010
Shale	100	1,110
Sand	62	1,172
Shale	5	1,177
Shale, sandy	23	1,200
Sand and broken shale	18	1,218
Shale	3	1,221

Table 3.--Water levels in wells in Harris County

Owner : P.U.D., Public Utility District; M.U.D., Municipal Utility District; W.C.I.D., Water Control and Improvement District; U.D., Utility District; F.W.S.D., Fresh Water Supply District
 Depth : Depth of well
 Screen: Top and bottom of screened interval below land surface
 Altitude: Altitude of land surface above sea level
 Water level: Feet below land surface except where preceded by "+", which indicates feet above land surface; a, reported by San Jacinto River Authority; b, previous measurements not published; c, reported by owner; d, computed from vacuum measurement

Well LJ-60-58-501
 Owner: Hegar Bros.,
 Well No. 2
 Depth: 1,160 feet
 Altitude: 244 feet

Date	Water level
01-09-85	98.00
02-10-86	98.58
01-05-87	97.79
01-05-88	100.70
01-30-89	98.42

Well LJ-60-58-704
 Owner: S.P. Victor
 Screen: 246-289 feet
 Altitude: 227 feet

Date	Water level
01-07-85	88.73
01-06-86	76.54
01-05-87	73.78
01-05-88	74.86
01-25-89	80.60

Well LJ-60-58-705
 Owner: Ira Southard
 Depth: 497 feet
 Altitude: 218 feet

Date	Water level
01-09-85	58.82

Well LJ-60-58-802
 Owner: H.J. Yoakum
 Screen: 80-550 feet
 Altitude: 208 feet

Date	Water level
01-09-85	100.46

Well LJ-60-58-901
 Owner: W. Walsh Estate
 Screen: 94-547 feet
 Altitude: 197 feet

Date	Water level
01-09-85	103.76

Well LJ-60-59-325
 Owner: Harris-Galveston
 Coastal Subsidence
 District, Tomball,
 Well No. 1
 Screen: 188-198 feet
 Altitude: 190 feet

Date	Water level
10-19-89	62.70
12-27-89	63.43

Well LJ-60-59-326
 Owner: Harris-Galveston
 Coastal Subsidence
 District, Tomball,
 Well No. 2
 Screen: 97-107 feet
 Altitude: 190 feet

Date	Water level
10-31-89	53.50
12-27-89	53.78

Well LJ-60-60-101
 Owner: City of Tomball,
 Well No. 1
 Screen: 248-293 feet
 Altitude: 187 feet

Date	Water level
02-07-85	90.12
01-10-86	91.00
01-14-87	91.92
01-11-88	93.15
02-01-89	93.21

Well LJ-60-60-103
 Owner: City of Tomball,
 Well No. 3
 Screen: 260-400 feet
 Altitude: 180 feet

Date	Water level
02-07-85	86.47
01-10-86	87.16
01-14-87	87.91
01-11-88	91.04
02-01-89	91.60

Well LJ-60-60-203
 Owner: Dowdell P.U.D.
 Screen: 491-1,021 feet
 Altitude: 132 feet

Date	Water level
04-11-84	185.22 a
03-06-85	187.15 a
10-21-85	200.85 a
03-11-86	191.80 a
10-14-86	194.69 a
04-23-87	188.01 a
11-13-87	191.80 a
04-15-88	186.90 a
10-26-88	204.30 a

Well LJ-60-60-304
 Owner: Northampton M.U.D.
 Screen: 374-833 feet
 Altitude: 144 feet

Date	Water level
02-07-85	141.30

Well LJ-60-60-306
 Owner: Northampton M.U.D.
 Screen: 1,374-1,612 feet
 Altitude: 144 feet

Date	Water level
02-07-85	20.06
01-10-86	19.17
01-26-87	19.15
01-11-88	18.76
02-01-89	19.07

Well LJ-60-60-804
 Owner: Harris County
 W.C.I.D. 119
 Screen: 590-950 feet
 Altitude: 139 feet

Date	Water level
02-07-85	242.03
01-10-86	243.99
01-30-87	258.85
01-11-88	263.40
02-01-89	265.33

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-60-61-101
Owner: Shasla P.U.D.
Screen: 550-985 feet
Altitude: 135 feet

Date	Water level
04-13-84	245.18 a
10-02-84	272.00 a
03-11-86	267.00 a
10-10-86	276.80 a
04-23-87	281.74 a
11-13-87	281.30 a
04-15-88	269.65 a
10-26-88	299.15 a

Well LJ-60-61-601
Owner: Bayer Lumber Co.,
Well No. 1
Depth: 225 feet
Altitude: 119 feet

Date	Water level
02-07-86	59.14
01-14-87	60.11
01-11-88	61.88
02-01-89	62.14

Well LJ-60-61-713
Owner: Ponderosa Forest
Utilities
Screen: 605-1,152 feet
Altitude: 120 feet

Date	Water level
02-06-85	268.05
02-10-86	303.10
01-26-87	294.10
01-11-88	298.19
02-01-89	299.32

Well LJ-60-61-903
Owner: City of Houston,
TW-7
Screen: 1,037-1,052 feet
Altitude: 109 feet

Date	Water level
01-24-85	282.59
02-22-85	280.12
03-22-85	280.76
04-24-85	281.81
05-24-85	281.52
06-24-85	282.06
07-24-85	284.14
08-23-85	290.06

Well LJ-60-63-901
Owner: Atascosita Club
Screen: 340-549 feet
Altitude: 62 feet

Date	Water level
02-05-85	147.30
02-04-86	148.83
01-22-87	144.30
02-22-89	117.52

Well LJ-60-64-402
Owner: City of Houston,
Dist. 82, Well No. 1,
Hidden Echo
Screen: 523-570 feet
Altitude: 62 feet

Date	Water level
02-05-85	94.06
01-23-87	95.35
01-08-88	97.77
01-20-89	99.83

Well LJ-60-64-403
Owner: City of Houston,
Dist. 82, Well No. 2
Screen: 450-500 feet
Altitude: 62 feet

Date	Water level
02-05-85	94.06
01-23-87	94.32
01-08-88	97.66
01-20-89	99.61

Well LJ-60-64-701
Owner: City of Houston,
Lakewood Heights,
Well No. 1
Screen: 327-367 feet
Altitude: 70 feet

Date	Water level
02-05-85	108.01
01-22-87	107.14
01-08-88	110.09
01-20-89	112.39

Well LJ-60-64-702
Owner: City of Houston,
Lakewood Heights,
Well No. 2
Screen: 522-637 feet
Altitude: 70 feet

Date	Water level
02-05-85	114.55
01-23-86	112.21
01-08-88	102
01-20-89	104

Well LJ-60-64-713
Owner: City of Houston,
Lakewood Heights,
Well No. 3
Screen: 740-1,000 feet
Altitude: 69 feet

Date	Water level
02-05-85	134.78
01-23-86	130.07
01-06-87	135.82
01-10-88	133.04
01-20-89	133.95

Well LJ-64-09-401
Owner: Exxon Co., TW-43
Screen: 407-417 feet
Altitude: 42 feet

Date	Water level
01-25-85	133.58
02-04-86	132.15
01-07-87	134.06
01-13-88	131.71

Well LJ-64-09-505
Owner: Gulf Petro-
chemical Co.
Screen: 345-375 feet
Altitude: 29 feet

Date	Water level
02-06-85	115.34
02-04-86	111.30
01-21-87	108.57
01-13-88	110.29
01-26-89	109.89

Well LJ-64-09-703
Owner: Wilburn Bros.
Screen: 299-509 feet
Altitude: 31 feet

Date	Water level
01-25-85	132.97
02-04-86	132.50
01-14-87	131.65
01-13-88	131.55
01-26-89	121.13

Well LJ-64-17-102
Owner: City of Baytown
Depth: 467 feet
Altitude: 34 feet

Date	Water level
01-29-85	151.83
02-04-86	148.90

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-64-17-105
Owner: City of Baytown
Depth: 408 feet
Altitude: 35 feet

Date	Water level
01-29-85	152.22
02-04-86	148.80

Well LJ-64-17-201
Owner: City of Baytown,
Well No. 1A
Screen: 300-380 feet
Altitude: 22 feet

Date	Water level
01-29-85	106.93
02-08-88	108.03
01-25-89	106.69

Well LJ-65-01-301
Owner: Tom Jordan,
Well No. 1
Screen: 80-680 feet
Altitude: 216 feet

Date	Water level
01-09-85	40.20
01-07-86	40.00
01-05-87	39.79
01-08-88	38.85
01-25-89	40.40

Well LJ-65-01-302
Owner: Tom Jordan,
Well No. 2
Screen: 400-1,007 feet
Altitude: 220 feet

Date	Water level
02-14-86	141.77
01-05-87	139.61
01-06-88	142.36
02-07-89	147.18

Well LJ-65-02-101
Owner: Warren Ranch
Screen: 199-1,320 feet
Altitude: 214 feet

Date	Water level
01-09-85	107.60
01-06-86	109.04
01-05-87	103.40
01-05-88	105.23
01-30-89	108.00

Well LJ-65-02-201
Owner: G.P. Nelson
Screen: 215-558 feet
Altitude: 175 feet

Date	Water level
01-09-85	87.31

Well LJ-65-02-202
Owner: Warren Estate,
Well No. 1
Depth: 550 feet
Altitude: 200 feet

Date	Water level
01-09-85	98.63

Well LJ-65-02-208
Owner: H.J. Longenbaugh
Screen: 631-895 feet
Altitude: 173 feet

Date	Water level
01-09-85	96.74
01-06-86	95.90
01-05-87	96.71
01-05-88	98.52
01-30-89	100.87

Well LJ-65-02-308
Owner: W.J. McAnnelly
Screen: 251-876 feet
Altitude: 159 feet

Date	Water level
01-09-85	96.71
01-07-86	97.80
01-05-87	99.15
01-05-88	99.73
01-25-89	126.00

Well LJ-65-02-310
Owner: U.S. Geological Survey,
Hockley fault, upside
Screen: 51-55 feet
Altitude: 185 feet

Date	Water level
11-05-84	15.32 b
09-09-85	18.42
01-26-88	25.74
03-15-89	28.60

Well LJ-65-02-311
Owner: U.S. Geological
Survey, Hockley
fault, downside
Screen: 27-30 feet
Altitude: 170 feet

Date	Water level
11-05-84	22.00 b
09-09-85	22.60
01-28-88	17.66
03-15-89	14.87

Well LJ-65-02-312
Owner: Harris-Galveston
Coastal Subsidence
District, Fairfield,
Well No. 1
Screen: 237-247 feet
Altitude: 194 feet

Date	Water level
10-25-89	195.30
12-27-89	137.68

Well LJ-65-02-313
Owner: Harris-Galveston
Coastal Subsidence
District, Fairfield,
Well No. 2
Screen: 137-147 feet
Altitude: 194 feet

Date	Water level
10-31-89	70.90
12-27-89	69.96

Well LJ-65-02-603
Owner: L.R. Kellog
Screen: 666-968 feet
Altitude: 158 feet

Date	Water level
01-10-85	95.75
01-06-86	101.02
01-05-87	99.14
01-05-88	100.76
01-30-89	102.64

Well LJ-65-02-612
Owner: F.L. Rogers
Screen: 155-565 feet
Altitude: 156 feet

Date	Water level
01-10-85	119.57
01-06-86	115.70
01-05-87	114.64
01-05-88	116.25
01-30-89	119.14

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-02-916
Owner: G.B. Monigold, Jr.
Screen: 150-650 feet
Altitude: 161 feet

Date	Water level
01-10-85	149.63
01-06-86	149.31
01-05-87	148.65
01-05-88	150.16

Well LJ-65-02-917
Owner: F.L. Rogers
Screen: 408-550 feet
Altitude: 159 feet

Date	Water level
01-10-85	130.00

Well LJ-65-03-101
Owner: H and TC Railroad
Screen: 109-120 feet
Altitude: 152 feet

Date	Water level
01-24-85	67.42
03-18-85	66.94
05-07-85	66.59
08-05-85	68.41
09-20-85	68.95
12-16-85	68.51
01-30-86	67.80
04-07-86	67.40
06-04-86	68.03
07-23-86	68.97
08-21-86	69.25
10-06-86	69.10
11-18-86	68.53
01-13-87	68.25
03-02-87	67.75
05-14-87	67.85
07-06-87	68.55
08-13-87	68.60
10-01-87	69.60
01-05-88	69.27
03-21-88	68.51
06-22-88	69.80
09-01-88	70.64
11-16-88	71.13
02-10-89	70.87
04-11-89	70.24
06-16-89	71.09
08-21-89	70.98
08-28-89	71.09
09-18-89	71.66
11-17-89	71.64

Well LJ-65-03-104
Owner: W.J. McAnnelly
Screen: 75-499 feet
Altitude: 157 feet

Date	Water level
02-13-86	43.30
01-05-87	46.85
01-05-88	48.16
01-25-89	53.10

Well LJ-65-03-204
Owner: E.H. Juergen
Depth: 72 feet
Altitude: 150 feet

Date	Water level
01-07-85	59.14

Well LJ-65-03-206
Owner: E.H. Juergen
Depth: 160 feet
Altitude: 150 feet

Date	Water level
01-07-85	59.23

Well LJ-65-03-403
Owner: Josey Ranch,
Well No. 3
Screen: 205-1,150 feet
Altitude: 154 feet

Date	Water level
01-08-85	159.08

Well LJ-65-03-405
Owner: Josey Ranch,
Well No. 5
Screen: 324-1,145 feet
Altitude: 155 feet

Date	Water level
01-08-85	174.80
01-06-86	174.18
01-05-87	178.44
01-05-88	180.97
02-09-89	193.63

Well LJ-65-03-703
Owner: Roland Busch
Screen: 218-695 feet
Altitude: 140 feet

Date	Water level
01-09-85	191.50

Well LJ-65-03-810
Owner: Harris County
M.U.D. 144
Screen: 560-953 feet
Altitude: 134 feet

Date	Water level
01-07-85	208.41
01-08-86	212.73
01-13-87	209.40
01-06-88	214.36
02-08-89	215.17

Well LJ-65-03-811
Owner: Harris County
M.U.D. 70
Screen: 605-865 feet
Altitude: 135 feet

Date	Water level
01-09-85	222.57
01-08-86	229.20
01-13-87	221.39
01-06-88	229.96
02-09-89	241.40

Well LJ-65-03-906
Owner: Harris County
M.U.D. 149
Screen: 650-1,130 feet
Altitude: 130 feet

Date	Water level
01-07-85	234.02
01-08-86	237.40
01-13-87	236.00
01-06-88	243.87
02-09-89	292.00

Well LJ-65-03-907
Owner: Harris County
M.U.D. 162,
Well No. 1
Screen: 531-980 feet
Altitude: 125 feet

Date	Water level
01-10-85	254.66
01-08-86	262.07
01-26-87	264.18
01-06-88	268.44
02-09-89	307.80

Well LJ-65-04-109
Owner: Lake Forest,
Well No. 2
Screen: 830-1,165 feet
Altitude: 132 feet

Date	Water level
02-07-85	242.87
01-10-86	244.90
01-21-87	246.38
01-11-88	248.57
02-01-89	249.21

Well LJ-65-04-212
Owner: Cypress Creek U.D.,
Well No. 2
Depth: 1,000 feet
Altitude: 132 feet

Date	Water level
02-06-85	276.87
02-07-86	281.97
01-21-87	283.15
01-11-88	285.56

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-04-308
Owner: Harris County
W.C.I.D. 116,
Well No. 1
Screen: 525-765 feet
Altitude: 124 feet

Date	Water level
02-06-85	255.14

Well LJ-65-04-309
Owner: Harris County
F.W.S.D. 52,
Well No. 1
Screen: 520-776 feet
Altitude: 126 feet

Date	Water level
02-06-85	247.53
01-10-86	252.05
01-21-87	254.88
01-11-88	257.76
02-01-89	259.02

Well LJ-65-04-310
Owner: Harris County
W.C.I.D. 109,
Well No. 1
Screen: 520-790 feet
Altitude: 125 feet

Date	Water level
02-06-85	245
01-10-86	249
01-21-87	253
01-11-88	257
02-01-89	259

Well LJ-65-04-402
Owner: Harris County
F.W.S.D. 61
Screen: 510-930 feet
Altitude: 135 feet

Date	Water level
02-07-85	232.94
01-09-86	228.65
01-21-87	229.47
01-11-88	231.72

Well LJ-65-04-415
Owner: Timberlake I.D.
Screen: 456-880 feet
Altitude: 137 feet

Date	Water level
02-07-85	228.06
01-09-86	222.09
01-21-87	224.52
01-12-88	229.05
02-16-89	264.25

Well LJ-65-04-416
Owner: Harris County
F.W.S.D. 61,
Well No. 2
Screen: 494-657 feet
Altitude: 135 feet

Date	Water level
02-07-85	229.69
01-09-86	244.33
01-21-87	225.76
01-11-88	228.41
02-09-89	266.30

Well LJ-65-04-514
Owner: Houston Lighting
and Power Co.,
Wharton Plant,
Well No. 4
Screen: 410-757 feet
Altitude: 124 feet

Date	Water level
07-19-85	376 c
08-28-85	340 c
09-03-85	340 c
10-02-85	324 c
11-04-85	322 c
12-23-85	322 c
01-03-86	292 c
02- -86	285 c
03-21-86	283 c
04-01-86	283 c
05-06-86	286 c
06-03-86	285 c
07-14-86	313 c
08-14-86	319 c
09-04-86	320 c
10-01-86	312 c
11-05-86	306 c
12-15-86	294 c
01- -87	290 c
01-14-88	301 c
01-05-89	323 c

Well LJ-65-04-515
Owner: Houston Lighting
and Power Co.,
Wharton Plant,
Well No. 5
Screen: 427-689 feet
Altitude: 124 feet

Date	Water level
07-19-85	382 c
08-28-85	340 c
09-03-85	340 c
10-02-85	332 c
11-04-85	332 c
12-23-85	332 c
01-03-86	300 c
02- -86	285 c
03- -86	286 c
04-01-86	288 c
05-06-86	286 c
06-03-86	287 c
07-24-86	318 c
08-14-86	323 c
09-04-86	324 c

Well LJ-65-04-515--Cont.
10-01-86 319 c
12-15-86 297 c
01- -87 292 c
01-14-88 304 c

Well LJ-65-04-516
Owner: Houston Lighting
and Power Co.,
Wharton Plant,
Well No. 6
Screen: 405-696 feet
Altitude: 123 feet

Date	Water level
07-19-85	327 c
08-28-85	352 c
09-03-85	351 c
10-02-85	347 c
11-04-85	346 c
12-23-85	346 c
01-03-86	312 c
02- -86	295 c
03- -86	305 c
04-01-86	302 c
05-06-86	307 c
06-03-86	307 c
07-24-86	334 c
08-14-86	334 c
09-04-86	339 c
10-01-86	340 c
11-05-86	325 c
12-15-86	322 c
01- -87	313 c
01-14-88	321 c
01-05-89	341 c

Well LJ-65-04-518
Owner: Emerald Forest
U.D.
Screen: 770-1,060 feet
Altitude: 130 feet

Date	Water level
02-07-85	263.52
01-09-86	257.04
01-21-87	258.18
01-12-88	261.49
02-08-89	263.03

Well LJ-65-04-601
Owner: Houston Lighting
and Power Co.,
Wharton Plant,
Well No. 1
Screen: 485-716 feet
Altitude: 123 feet

Date	Water level
01-05-89	317 c

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-04-602

Owner: Houston Lighting
and Power Co.,
Wharton Plant,
Well No. 2

Screen: 472-705 feet
Altitude: 123 feet

Date	Water level	
07-19-85	306	c
08-28-85	324	c
09-03-85	324	c
10-02-85	321	c
11-04-85	321	c
01-03-86	293	c
02- -86	265	c
03- -86	290	c
04-01-86	290	c
05-06-86	290	c
06-03-86	288	c
07-24-86	314	c
08-14-86	324	c
09-04-86	321	c
10-01-86	316	c
11-05-86	348	c
12-15-86	339	c
01- -87	341	c
01-14-88	339	c
01-05-89	327	c

Well LJ-65-04-608

Owner: Houston Lighting
and Power Co.,
Wharton Plant,
Well No. 3

Screen: 414-931 feet
Altitude: 123 feet

Date	Water level	
07-19-85	306	c
08-28-85	320	c
09-03-85	320	c
10-02-85	319	c
11-04-85	320	c
12-23-85	320	c
01-03-86	301	c
02- -86	252	c
03- -86	300	c
04-01-86	299	c
05-06-86	309	c
06-03-86	309	c
07-24-86	318	c
08-14-86	325	c
09-04-86	326	c
10-01-86	323	c
11-05-86	316	c
12-15-86	309	c
01- -87	302	c

Well LJ-65-04-612

Owner: Houston Lighting
and Power Co.,
Wharton Plant,
Well No. 7

Screen: 411-657 feet
Altitude: 124 feet

Date	Water level	
07-19-85	385	c
08-28-85	343	c
09-03-85	344	c

Well LJ-65-04-612--Cont.

10-02-85	358	c
11-04-85	356	c
12-23-85	356	c
01-03-86	315	c
02- -86	302	c
03- -86	305	c
04-01-86	307	c
05-06-86	308	c
06-03-86	308	c
07-24-86	338	c
08-14-86	336	c
09-04-86	338	c
10-01-86	337	c
11-05-86	329	c
12-15-86	318	c
01- -87	313	c
01-15-88	325	c

Well LJ-65-04-718

Owner: Chimney Hill
M.U.D.

Screen: 623-1,051 feet
Altitude: 123 feet

Date	Water level
01-09-85	311.67
01-09-86	299.36
01-21-87	301.95
01-12-88	305.14
02-08-89	306.72

Well LJ-65-04-719

Owner: City of Houston,
Jersey Village,
Well No. 1

Screen: 560-1,472 feet
Altitude: 120 feet

Date	Water level
01-28-85	387.10
01-22-86	383.46
01-27-87	385
01-21-88	434
01-09-89	456

Well LJ-65-04-723

Owner: City of Houston,
Jersey Village,
Well No. 3

Screen: 599-1,489 feet
Altitude: 117 feet

Date	Water level
01-11-85	367.20
01-22-86	377.22
01-14-87	374.91
01-22-88	346

Well LJ-65-04-727

Owner: City of Houston,
Jersey Village, Well
No. 4

Screen: 846-1,424 feet
Altitude: 122 feet

Date	Water level
05-01-85	378.70 c
08-29-85	392.90
01-22-88	477
01-10-89	497

Well LJ-65-04-728

Owner: City of Houston,
Jersey Village, Well
No. 5

Screen: 825-1,418 feet
Altitude: 123 feet

Date	Water level
09-22-85	405.94 c
01-22-88	476
01-10-89	506

Well LJ-65-04-729

Owner: City of Houston,
Jersey Village, Well
No. 6

Screen: 568-1,054 feet
Altitude: 124 feet

Date	Water level
08-18-86	340.55 c
01-10-89	384

Well LJ-65-04-811

Owner: City of Houston,
Jersey Village,
Well No. 2

Screen: 480-1,460 feet
Altitude: 114 feet

Date	Water level
01-11-85	337
01-22-86	348
01-14-87	345
01-21-88	377.70
01-10-89	393

Well LJ-65-05-216

Owner: Northborough M.U.D.,
Well No. 2

Screen: 625-1,315 feet
Altitude: 96 feet

Date	Water level
01-07-88	288.60
01-31-89	299.35

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-05-309
Owner: H. Weary
Depth: 1,130 feet
Altitude: 101 feet

Date	Water level
02-08-85	151.10

Well LJ-65-05-404
Owner: Northwest Park M.U.D.,
Well No. 1
Screen: 331-451 feet
Altitude: 107 feet

Date	Water level
- -87	200.91
02-22-89	198.24

Well LJ-65-05-515
Owner: City of Houston,
Northborough,
Well No. 1
Screen: 684-1,304 feet
Altitude: 97 feet

Date	Water level
01-07-88	317.40
01-31-89	340.35

Well LJ-65-05-604
Owner: City of Houston,
Imperial Valley,
Well No. 1
Screen: 806-1,097 feet
Altitude: 90 feet

Date	Water level
01-29-86	334.18
01-06-88	344.08
01-31-89	358.99

Well LJ-65-05-606
Owner: City of Houston,
West Road,
Well No. 1
Screen: 660-855 feet
Altitude: 87 feet

Date	Water level
01-31-89	352

Well LJ-65-05-611
Owner: City of Houston,
West Road,
Well No. 2
Screen: 898-1,264 feet
Altitude: 87 feet

Date	Water level
01-06-88	336.40
01-31-89	364.25

Well LJ-65-05-615
Owner: City of Houston,
Northpoint,
Well No. 1
Screen: 632-1,440 feet
Altitude: 86 feet

Date	Water level
01-07-88	325
01-31-89	328

Well LJ-65-05-617
Owner: City of Houston,
West Road,
Well No. 3
Screen: 690-1,130 feet
Altitude: 85 feet

Date	Water level
01-29-86	339.73
01-06-88	337.53
01-31-89	347.31

Well LJ-65-05-618
Owner: City of Houston,
Imperial Valley,
Well No. 2
Screen: 767-1,475 feet
Altitude: 86 feet

Date	Water level
01-06-88	331.60
01-31-89	343.95

Well LJ-65-05-619
Owner: City of Houston,
Northgate,
Well No. 2
Screen: 720-1,434 feet
Altitude: 92 feet

Date	Water level
01-07-88	328.70
01-31-89	347.87

Well LJ-65-05-623
Owner: City of Houston,
Northpoint,
Well No. 2
Screen: 673-1,465 feet
Altitude: 84 feet

Date	Water level
01-22-88	337
02-02-88	319.90
01-31-89	328.75

Well LJ-65-05-726
Owner: City of Houston,
Little York,
Well No. 1
Screen: 735-984 feet
Altitude: 85 feet

Date	Water level
01-07-88	382
01-12-89	402

Well LJ-65-05-813
Owner: City of Houston,
Acres Homes,
Well No. 5
Screen: 596-1,496 feet
Altitude: 93 feet

Date	Water level
02-06-85	393.85
01-30-86	388
01-20-87	413
01-28-88	382.06
02-10-89	404.62

Well LJ-65-05-814
Owner: City of Houston,
Acres Homes,
Well No. 4
Screen: 652-1,769 feet
Altitude: 93 feet

Date	Water level
02-06-85	401.20
02-07-86	405.41
01-20-87	341
02-02-88	385.29
02-10-89	412.10

Well LJ-65-06-102
Owner: City of Houston,
Intercontinental
Airport, Well No. 1
Screen: 645-1,520 feet
Altitude: 92 feet

Date	Water level
02-05-85	262.25
02-13-86	325
01-06-87	305
01-25-88	272.66
02-01-89	286.04

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-06-103
Owner: City of Houston,
Intercontinental
Airport, Well No. 2
Screen: 660-1,535 feet
Altitude: 92 feet

Date	Water level
02-06-85	258.59
01-29-86	261.12
01-26-87	257.20
01-08-88	264.55
02-01-89	286.83

Well LJ-65-06-202
Owner: City of Houston,
Intercontinental
Airport, Well No. 3
Screen: 645-1,615 feet
Altitude: 92 feet

Date	Water level
02-05-85	291.55
01-23-86	269.70
01-22-87	274
01-10-88	265
02-01-89	272.64

Well LJ-65-06-525
Owner: Hydril Co.
Screen: 332-380 feet
Altitude: 81 feet

Date	Water level
02-08-85	138
02-04-86	139
01-21-87	137
02-12-88	117
02-03-89	131

Well LJ-65-06-526
Owner: Hydril Co.
Screen: 266-421 feet
Altitude: 81 feet

Date	Water level
02-08-85	159.80
02-04-86	161.80
01-21-87	158.80
02-12-88	142.80
02-03-89	125.80

Well LJ-65-06-601
Owner: City of Houston,
Eastex Oaks,
Well No. 1
Screen: 440-595 feet
Altitude: 72 feet

Date	Water level
02-06-85	218.70
01-23-86	210.85
01-23-87	206.45
01-11-88	210.85
01-23-89	211.63

Well LJ-65-06-616
Owner: City of Houston,
Eastex Oaks,
Well No. 3
Screen: 631-1,100 feet
Altitude: 72 feet

Date	Water level
02-05-85	273.18
01-10-88	260.5
01-23-89	279.5

Well LJ-65-06-802
Owner: City of Houston,
Northwood Manor,
Well No. 1
Screen: 700-1,101 feet
Altitude: 67 feet

Date	Water level
01-30-86	313
01-26-87	305
01-25-88	256.80
01-20-89	259.38

Well LJ-65-07-401
Owner: Ginther Ranch
Depth: 200 feet
Altitude: 62 feet

Date	Water level
02-05-85	82.22

Well LJ-65-07-902
Owner: City of Houston,
Lake Houston
Screen: 176-196 feet
Altitude: 55 feet

Date	Water level
01-02-85	79.02
01-29-85	83.09
02-26-85	82.84
03-27-85	81.45
04-23-85	81.01
05-21-85	80.73
06-18-85	79.96
07-16-85	80.23
08-13-85	80.74
09-10-85	87.40
10-08-85	94.77
11-05-85	95.81
12-03-85	93.10
12-19-85	89.87
01-16-86	94.20
02-12-86	93.33
03-13-86	92.88
04-11-86	92.59
05-09-86	93.05
06-05-86	92.77
07-02-86	99.25
07-31-86	102.04
08-29-86	101.59
09-25-86	101.84
10-22-86	100.37
11-21-86	100.06
12-17-86	100.02
01-16-87	99.76

Well LJ-65-07-902--Cont.

02-12-87	99.38
03-06-87	99.01
04-02-87	98.76
04-30-87	98.48
05-28-87	98.67
06-25-87	99.29
07-23-87	96.70
08-20-87	97.13
09-17-87	98.86
10-15-87	100.09
11-12-87	99.95
12-09-87	99.49
01-07-88	99.32
02-04-88	99.17
03-03-88	99.27
03-31-88	99.21
04-28-88	99.15
05-26-88	99.30
06-23-88	99.08
07-21-88	99.01
08-18-88	101.06
09-14-88	100.90
10-13-88	99.09
11-09-88	97.75
12-08-88	100.09
01-05-89	100.76
02-02-89	99.76
03-02-89	101.90
03-29-89	101.76
04-27-89	101.34
05-25-89	101.17
06-22-89	100.92
07-20-89	99.78
08-17-89	101.10
09-14-89	100.96
10-12-89	101.59

Well LJ-65-07-904
Owner: City of Houston,
Lake Houston
Screen: 350-535 feet
Altitude: 60 feet

Date	Water level
01-29-85	188.32
02-26-85	186.99
12-03-85	185.17
02-12-86	180.84
04-11-86	177.52
07-31-86	182.73
12-17-86	185.25
01-16-87	185.01
02-08-88	191
08-31-88	192
10-13-88	188
11-09-88	185
12-12-88	194
02-02-89	191
03-02-89	201
03-29-89	189
04-27-89	185
05-25-89	182
06-22-89	181
08-17-89	187
09-14-89	185

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-07-905
 Owner: Houston-Galveston
 Coastal Subsidence
 District, Lake
 Houston, Well No. 2
 Screen: 2,548-2,568 feet
 Altitude: 55 feet

Date	Water level
01-02-85	+71.4
01-29-85	+72.6
02-26-85	+72.6
03-27-85	+71.4
04-23-85	+71.4
05-21-85	+72.6
06-18-85	+70.7
07-10-85	+71.4
08-13-85	+71.9
09-10-85	+67.5
10-08-85	+70.3
11-05-85	+71.4
12-19-85	+67.9
01-16-86	+66.8
02-12-86	+65.7
03-13-86	+65.7
04-11-86	+65.7
05-09-86	+66.8
06-05-86	+67.9
07-02-86	+67.9
07-31-86	+69.1
08-29-86	+67.9
09-25-86	+67.9
10-22-86	+66.8
11-21-86	+66.8
12-17-86	+66.8
01-16-87	+67.5
02-12-87	+66.8
03-06-87	+67.0
04-02-87	+67.5
04-30-87	+67.0
05-28-87	+66.8
06-25-87	+67.0
07-23-87	+61.5
08-20-87	+63.3
09-17-87	+64.3
10-15-87	+63.4
11-12-87	+61.9
12-09-87	+61.5
01-07-88	+62.2
02-04-88	+61.5
03-03-88	+61.7
03-31-88	+62.2
04-28-88	+61.5
05-26-88	+61.7
06-23-88	+61.7
07-21-88	+61.5
08-18-88	+63.4
09-14-88	+65.7
10-13-88	+61.0
11-09-88	+63.3
01-05-89	+61.7
03-29-89	+54.1
04-27-89	+62.2
05-25-89	+61.7
06-22-89	+55.3
07-20-89	+47.2
08-17-89	+64.5
09-14-89	+63.3
11-08-89	+62.9
12-07-89	+49.5

Well LJ-65-07-906
 Owner: Harris-Galveston
 Coastal Subsidence
 District, Lake
 Houston, Well No. 3
 Screen: 1,488-1,498 feet
 Altitude: 55 feet

Date	Water level
01-02-85	195.37
01-29-85	196.60
02-26-85	195.52
03-27-85	196.71
04-23-85	196.22
05-21-85	195.85
06-18-85	194.29
07-16-85	195.56
08-13-85	195.89
09-10-85	209.94
10-08-85	211.07
11-05-85	205.37
12-03-85	207.57
12-19-85	205.41
01-16-86	208.05
02-16-86	207.09
03-13-86	205.39
04-11-86	205.87
05-09-86	206.15
06-05-86	205.41
07-02-86	206.08
07-31-86	206.91
08-29-86	207.96
09-25-86	207.96
10-22-86	207.43
11-21-86	208.61
12-17-86	208.30
02-12-87	208.09
03-06-87	207.85
04-02-87	207.22
04-30-87	207.03
05-28-87	206.86
06-25-87	207.35
07-23-87	206.79
08-20-87	207.08
09-17-87	207.21
10-15-87	208.99
11-12-87	208.68
12-09-87	207.70
01-07-88	207.85
02-04-88	206.97
03-03-88	206.55
03-31-88	206.10
04-28-88	206.03
05-26-88	206.22
06-23-88	205.37
07-21-88	205.16
08-18-88	207.12
09-14-88	208.60
10-13-88	209.39
11-09-88	209.34
12-08-88	209.56
01-05-89	209.43
02-02-89	208.05
03-02-89	207.49
03-29-89	207.02
04-27-89	206.88
05-25-89	206.34
06-22-89	205.41
07-20-89	208.59
08-17-89	209.44
09-14-89	209.63
10-12-89	210.79
11-08-89	211.30
12-07-89	211.62

Well LJ-65-07-907
 Owner: Harris-Galveston
 Coastal Subsidence
 District, Lake
 Houston, Well No. 5
 Screen: 685-695 feet
 Altitude: 55 feet

Date	Water level
01-02-85	207.45
01-29-85	208.35
02-26-85	208.06
03-27-85	207.96
04-23-85	206.41
05-21-85	205.94
06-18-85	205.16
07-16-85	206.08
08-13-85	206.54
09-10-85	210.24
10-08-85	214.59
11-05-85	212.95
12-03-85	211.71
12-19-85	209.75
01-16-86	119.52
02-12-86	207.34
03-13-86	207.05
04-11-86	206.40
05-09-86	206.03
06-05-86	205.88
07-02-86	207.15
07-31-86	208.60
08-29-86	210.25
09-25-86	211.87
10-22-86	211.61
11-21-86	208.78
12-17-86	208.91
01-16-87	207.65
02-12-87	206.59
03-06-87	205.81
04-02-87	205.60
04-30-87	206.12
05-28-87	207.59
06-25-87	208.07
07-23-87	206.71
08-20-87	207.46
09-17-87	207.60
10-15-87	208.54
11-12-87	208.73
12-09-87	208.31
01-07-88	208.28
02-04-88	207.64
03-03-88	207.17
03-31-88	206.36
04-28-88	206.11
05-26-88	206.40
06-23-88	204.43
07-21-88	204.95
08-18-88	211.16
09-14-88	211.65
10-13-88	208.76
11-09-88	207.52
12-08-88	209.99
01-05-89	210.08
02-02-89	205.95
03-02-89	204.72
03-29-89	205.14
04-27-89	204.97
05-25-89	204.33
06-22-89	203.58
07-20-89	206.26
08-17-89	207.59
09-14-89	209.02
10-12-89	209.45
11-08-89	208.54
12-07-89	209.26

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-07-908

Owner: Houston-Galveston
Coastal Subsidence
District, Lake
Houston, Well No. 4
Screen: 1,033-1,043 feet
Altitude: 55 feet

Date	Water level
01-02-85	197.67
01-29-85	208.40
02-26-85	206.15
03-27-85	203.48
04-23-85	201.37
05-21-85	200.82
06-18-85	200.46
07-16-85	201.23
08-13-85	202.45
09-10-85	212.80
10-08-85	217.15
11-05-85	215.32
11-22-85	209.17
12-03-85	210.64
12-19-85	205.68
01-16-86	203.22
01-24-86	198.89
02-12-86	204.60
02-24-86	201.26
03-13-86	204.07
03-24-86	201.91
04-11-86	203.76
04-23-86	203.23
05-09-86	202.58
05-23-86	204.40
06-05-86	202.75
07-02-86	204.52
07-24-86	203.47
07-31-86	203.76
08-21-86	203.94
08-29-86	212.60
09-24-86	214.67
09-25-86	214.83
10-22-86	211.71
11-21-86	210.90
12-17-86	210.56
12-22-86	210.16
01-16-87	210.31
01-23-87	207.36
02-12-87	210.15
02-24-87	209.17
03-06-87	210.00
03-24-87	208.32
04-02-87	208.16
04-23-87	208.51
04-30-87	209.23
05-22-87	209.96
05-28-87	210.02
06-25-87	210.64
07-23-87	209.77
08-20-87	210.03
09-17-87	213.17
10-15-87	211.42
11-12-87	210.86
12-17-87	209.94
01-07-88	210.99
01-21-88	209.30
02-04-88	209.55
02-24-88	209.78
03-03-88	209.63
03-24-88	209.59
03-31-88	209.48
04-22-88	209.10
04-28-88	209.24
05-24-88	209.48
05-26-88	209.37
06-22-88	209.85

Well LJ-65-07-908--Cont.

06-23-88	207.44
07-21-88	207.18
08-18-88	216.10
08-24-88	213.26
09-14-88	215.28
09-22-88	214.55
10-13-88	211.51
10-21-88	212.22
11-09-88	211.02
11-22-88	212.08
12-08-88	211.96
12-20-88	211.82
01-05-89	208.94
01-24-89	209.41
02-02-89	206.68
02-24-89	206.25
03-02-89	205.65
03-23-89	205.33
03-29-89	207.26
04-21-89	206.19
04-27-89	206.23
05-24-89	205.67
05-25-89	205.69
06-22-89	204.17
07-20-89	209.83
08-17-89	211.19
08-24-89	211.26
09-14-89	211.38
10-12-89	214.85
10-24-89	214.05
11-08-89	212.40
11-21-89	213.73
12-07-89	213.12

Well LJ-65-07-909

Owner: Houston-Galveston
Coastal Subsidence
District, Lake
Houston, Well No. 1
Screen: 1,861-1,871 feet
Altitude: 55 feet

Date	Water level
01-02-85	142.33
01-29-85	150.37
02-26-85	149.01
03-27-85	148.65
04-23-85	146.94
05-21-85	145.66
06-18-85	145.23
07-16-85	146.39
08-13-85	147.88
09-10-85	151.23
10-08-85	151.25
11-05-85	150.03
12-03-85	149.87
12-19-85	151.68
01-16-86	151.94
02-12-86	152.19
03-13-86	152.32
04-11-86	152.60
05-09-86	152.56
06-05-86	152.31
07-02-86	152.70
07-31-86	153.12
08-29-86	153.14
09-25-86	153.22
10-22-86	153.30
11-21-86	153.27
12-17-86	153.21
01-16-87	153.09
02-12-87	153.88
03-06-87	153.57

Well LJ-65-07-909--Cont.

04-02-87	153.01
04-30-87	153.72
05-28-87	154.22
06-25-87	154.92
07-23-87	153.73
08-20-87	154.67
09-17-87	154.13
10-15-87	153.72
11-12-87	153.51
12-09-87	153.20
01-07-88	153.58
02-04-88	152.96
03-03-88	152.68
03-31-88	152.42
04-28-88	152.13
05-26-88	153.41
06-23-88	153.26
07-21-88	153.04
08-18-88	153.01
09-14-88	153.16
10-13-88	153.45
11-09-88	153.40
12-08-88	153.69
01-05-89	153.54
02-02-89	153.28
03-02-89	149.12
03-29-89	153.67
04-27-89	153.03
05-25-89	152.51
06-22-89	152.25
07-20-89	154.88
08-17-89	155.32
09-14-89	155.45
10-12-89	155.77
11-08-89	155.67
12-07-89	155.73

Well LJ-65-08-103

Owner: Harris County
F.W.D. 58
Screen: 430-540 feet
Altitude: 68 feet

Date	Water level
02-08-85	147.13
02-11-86	145.10
02-03-89	121

Well LJ-65-08-708

Owner: Champion Paper Co.,
Well No. 7
Screen: 885-1,542 feet
Altitude: 49 feet

Date	Water level
01-14-85	252 c
12-15-85	250 c
02-06-86	244 c
12-30-88	248 c

Well LJ-65-10-203

Owner: Walter P. Cook
Screen: 160-710 feet
Altitude: 154 feet

Date	Water level
01-18-85	138.02

Table 3.--Water Levels in wells in Harris County--Continued

Well LJ-65-10-301
Owner: H.A. Hegar
Depth: 685 feet
Altitude: 146 feet

Date	Water level
01-09-85	117.99

Well LJ-65-10-304
Owner: Dale Minze
Screen: 180-1,027 feet
Altitude: 150 feet

Date	Water level
01-09-85	156.98

Well LJ-65-10-516
Owner: City of Katy,
Well No. 4
Screen: 450-710 feet
Altitude: 145 feet

Date	Water level
01-09-85	175.50
01-07-86	174.07
01-07-87	177.48
01-05-88	175.05
02-03-89	181.97

Well LJ-65-10-518
Owner: Harris-Galveston
Coastal Subsidence
District, Katy,
Well No. 1
Screen: 220-240 feet
Altitude: 146 feet

Date	Water level
10-10-89	115.50
12-27-89	125.15

Well LJ-65-10-611
Owner: Harris County
M.U.D. 61,
Well No. 1
Screen: 700-1,157 feet
Altitude: 132 feet

Date	Water level
01-10-85	231.40

Well LJ-65-10-612
Owner: Harris County
M.U.D. 64
Depth: 1,210 feet
Altitude: 137 feet

Date	Water level
01-10-85	210.67

Well LJ-65-10-902
Owner: R. Hofheinz
Screen: 100-808 feet
Altitude: 134 feet

Date	Water level
01-23-85	111.47
01-30-86	119.60
01-13-87	124.50
01-08-88	124.39
01-30-89	133.92

Well LJ-65-10-904
Owner: Cinco Ranch,
Well No. 1
Depth: 400 feet
Altitude: 125 feet

Date	Water level
01-09-85	139.13
01-08-86	125.69
01-07-87	125.84
01-06-88	127.19
02-03-89	138.33

Well LJ-65-10-906
Owner: Cinco Ranch,
Well No. 3
Screen: 300-880 feet
Altitude: 124 feet

Date	Water level
01-09-85	138.74

Well LJ-65-11-108
Owner: Harris County
M.U.D. 105
Screen: 570-870 feet
Altitude: 141 feet

Date	Water level
01-09-85	230.40
01-10-86	243.75
01-26-87	241.19
01-06-88	244.30
02-22-89	224.47

Well LJ-65-11-405
Owner: A.J. Jordens
Screen: 60-356 feet
Altitude: 138 feet

Date	Water level
01-22-85	124.58
01-08-86	120.91
01-13-87	125.26
01-05-88	126.60
01-30-89	120.76

Well LJ-65-11-407
Owner: Weston M.U.D.,
Well No. 1
Screen: 560-1,190 feet
Altitude: 128 feet

Date	Water level
01-10-85	240.54
02-24-86	215.96
01-07-87	215.58
01-06-88	216.17

Well LJ-65-11-508
Owner: Deerfield Village
Screen: 592-1,065 feet
Altitude: 119 feet

Date	Water level
01-10-85	257.81
01-09-86	272.13
01-13-87	268.91
01-06-88	271.02
02-08-89	272.59

Well LJ-65-11-804
Owner: Park Ten M.U.D.,
Well No. 2
Screen: 610-1,626 feet
Altitude: 101 feet

Date	Water level
01-10-85	265.24
01-10-86	276.63
01-07-87	297.95
01-06-88	301.45
02-09-89	303.20

Well LJ-65-11-901
Owner: Carl Miles
Screen: 100-583 feet
Altitude: 93 feet

Date	Water level
01-23-85	127.07
01-10-86	123.38
01-07-87	124.40
02-09-88	156.62
01-27-89	148.80

Well LJ-65-11-902
Owner: Carl Miles
Screen: 204-678 feet
Altitude: 93 feet

Date	Water level
01-22-85	129.95
01-10-86	124.70
01-07-87	132.90
02-09-88	149.98
01-27-89	151.68

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-11-914
Owner: City of Houston,
Fleetwood, Well No. 1
Screen: 762-1,120 feet
Altitude: 80 feet

Date	Water level
01-19-88	300
01-27-89	315

Well LJ-65-11-915
Owner: City of Houston,
Barker's Landing,
Well No. 2
Screen: 770-980 feet
Altitude: 86 feet

Date	Water level
01-27-87	338.40

Well LJ-65-11-916
Owner: City of Houston,
Barker's Landing,
Well No. 1
Screen: 668-1,150 feet
Altitude: 96 feet

Date	Water level
01-10-85	312.10
01-10-86	318.21
01-13-87	316.88
01-06-88	308
01-27-89	253

Well LJ-65-11-917
Owner: City of Houston,
Barker's North,
Well No. 1
Screen: 636-1,268 feet
Altitude: 98 feet

Date	Water level
01-20-88	325
01-26-89	351.40

Well LJ-65-12-101
Owner: Amoco Production Co.
Screen: 261-278 feet
Altitude: 116 feet

Date	Water level
01-09-85	109.39

Well LJ-65-12-303
Owner: City of Houston,
Fresh Meadow Terrace
Screen: 49-55 feet
Altitude: 96 feet

Date	Water level
01-08-85	7.89
01-09-86	8.60

Well LJ-65-12-303--Cont.

01-14-87	4.58
01-08-88	8.12
02-03-89	11.26
05-11-89	11.50

Well LJ-65-12-401
Owner: Miles Bros.
Depth: 410 feet
Altitude: 97 feet

Date	Water level
01-22-85	78.00
01-09-86	74.60

Well LJ-65-12-402
Owner: Miles Bros.
Depth: 958 feet
Altitude: 103 feet

Date	Water level
01-22-85	167.14

Well LJ-65-12-502
Owner: City of Houston,
Shadow Oaks
Screen: 410-640 feet
Altitude: 95 feet

Date	Water level
01-08-85	239.18
01-15-86	255.75
01-26-88	249.20
01-23-89	238

Well LJ-65-12-516
Owner: City of Houston,
Katy-Addicks,
Well No. 6
Screen: 705-1,150 feet
Altitude: 95 feet

Date	Water level
01-09-85	457
01-15-86	522
01-14-87	526
01-24-89	432

Well LJ-65-12-517
Owner: City of Houston,
Katy-Addicks,
Well No. 7
Screen: 695-1,558 feet
Altitude: 102 feet

Date	Water level
01-09-85	435.07
01-15-86	400.40
01-16-87	428
01-26-88	385
01-24-89	407

Well LJ-65-12-519
Owner: City of Houston,
Katy-Addicks,
Well No. 10
Screen: 634-1,184 feet
Altitude: 102 feet

Date	Water level
01-09-85	409.04
01-15-86	399
01-16-87	391.69
01-05-88	393.04
01-23-89	417.00

Well LJ-65-12-520
Owner: City of Houston,
Katy-Addicks,
Well No. 9
Screen: 833-1,512 feet
Altitude: 103 feet

Date	Water level
01-09-85	425.11
01-15-86	421
01-16-87	417.24
01-26-88	405
01-23-89	442

Well LJ-65-12-618
Owner: City of Houston,
Spring Branch,
Well No. 1
Screen: 619-1,440 feet
Altitude: 93 feet

Date	Water level
01-25-85	414.74
01-21-86	403.33
01-27-87	392
01-22-88	402
01-23-89	372

Well LJ-65-12-619
Owner: City of Houston,
Spring Branch,
Well No. 2
Screen: 630-1,440 feet
Altitude: 91 feet

Date	Water level
01-25-85	402.40
01-26-86	395.12
01-16-87	390
01-26-88	378
01-23-89	396

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-12-622
Owner: City of Houston,
Spring Branch,
Well No. 4
Screen: 610-1,470 feet
Altitude: 95 feet

Date	Water level
01-22-88	382.20
01-23-89	415.30

Well LJ-65-12-625
Owner: City of Houston,
Spring Branch,
Well No. 5
Screen: 665-1,710 feet
Altitude: 87 feet

Date	Water level
01-25-85	409.42

Well LJ-65-12-704
Owner: City of Houston,
Memorial West,
Well No. 1
Screen: 909-1,292 feet
Altitude: 84 feet

Date	Water level
01-22-88	347.00
01-26-89	374.50

Well LJ-65-12-705
Owner: City of Houston,
Memorial West,
Well No. 2
Screen: 510-880 feet
Altitude: 84 feet

Date	Water level
01-08-85	280.15
01-23-86	345.5
01-27-87	335
01-19-88	229.00
01-26-89	227.00

Well LJ-65-12-714
Owner: City of Houston,
Ashford Forest,
Well No. 1
Screen: 620-880 feet
Altitude: 60 feet

Date	Water level
01-08-85	239.53
01-19-88	227
01-26-89	208

Well LJ-65-12-715
Owner: City of Houston,
Turkey Creek,
Well No. 1
Screen: 735-1,195 feet
Altitude: 82 feet

Date	Water level
01-28-85	357

Well LJ-65-12-717
Owner: City of Houston,
Katy-Addicks,
Well No. 1
Screen: 664-1,565 feet
Altitude: 94 feet

Date	Water level
01-09-85	397.20
01-15-86	436.88
01-16-87	424.37
01-26-88	448
01-24-89	448

Well LJ-65-12-719
Owner: City of Houston,
Katy-Addicks,
Well No. 2
Screen: 558-1,117 feet
Altitude: 85 feet

Date	Water level
01-08-85	337.48
01-15-86	363.14
01-16-87	355.81
01-26-88	326
01-24-89	237.20

Well LJ-65-12-720
Owner: City of Houston,
Katy-Addicks,
Well No. 3
Screen: 589-1,120 feet
Altitude: 90 feet

Date	Water level
01-08-85	367.00
01-21-86	363.25
01-16-87	362.79
01-05-88	361.62
01-24-89	366.50

Well LJ-65-12-721
Owner: City of Houston,
Turkey Creek,
Well No. 2
Screen: 725-995 feet
Altitude: 85 feet

Date	Water level
02-05-85	341.98
01-23-86	366
01-13-87	350.61
01-19-88	317
01-26-89	357

Well LJ-65-12-723
Owner: City of Houston,
Katy-Addicks,
Well No. 5
Screen: 598-1,670 feet
Altitude: 90 feet

Date	Water level
01-08-85	305.70
01-21-86	328.96
01-16-87	310
01-05-88	317.95
01-26-89	317

Well LJ-65-12-724
Owner: City of Houston,
Ashford Forest,
Well No. 2
Screen: 910-1,210 feet
Altitude: 62 feet

Date	Water level
01-08-85	337.17
01-14-87	337.37
01-19-88	324.50
01-26-89	331.50

Well LJ-65-12-725
Owner: U.S. Geological
Survey, Katy-Addicks
Screen: 29-49 feet
Altitude: 93 feet

Date	Water level
01-02-85	14.00
01-29-85	12.88
02-27-85	12.59
03-27-85	13.02
04-23-85	13.00
05-21-85	12.96
06-18-85	13.12
07-16-85	13.10
08-13-85	13.50
09-10-85	17.36
10-08-85	15.89
11-05-85	15.41
12-03-85	14.88
12-19-85	13.71
01-16-86	14.09
02-13-86	15.80
03-13-86	15.64
04-11-86	15.02
05-09-86	15.50
06-06-86	15.11
07-03-86	14.83
07-31-86	15.43
08-28-86	16.28
09-25-86	16.81
10-24-86	16.51
11-20-86	16.15
12-17-86	16.04
01-15-87	16.16
02-12-87	15.46
03-06-87	15.89
04-02-87	15.13
04-30-87	15.67
05-28-87	15.81
06-25-87	15.73
07-23-87	12.94
08-20-87	14.11
09-17-87	15.01

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-12-725--Cont.

10-15-87	16.30
11-12-87	16.02
12-09-87	15.85
01-07-88	15.95
02-04-88	15.78
03-03-88	15.84
03-31-88	15.69
04-29-88	15.75
05-26-88	15.81
06-23-88	16.20
07-21-88	16.09
08-18-88	17.87
09-14-88	18.50
10-12-88	18.84
11-09-88	19.44
12-08-88	19.93
01-05-89	19.88
02-02-89	18.75
03-02-89	18.30
03-24-89	18.49
04-27-89	18.52
05-25-89	18.46
06-22-89	18.63
07-20-89	15.24
08-17-89	15.29
09-14-89	15.70
10-12-89	14.52
11-08-89	17.69
12-07-89	16.87

Well LJ-65-12-726

Owner: U.S. Geological
Survey
Screen: 1,643-1,653 feet
Altitude: 94 feet

Date	Water level
01-29-85	362.05
02-27-85	360.18
03-27-85	359.16
04-23-85	357.54
05-21-85	356.23
06-18-85	354.90
07-16-85	353.59
08-13-85	360.17
09-10-85	393.30
10-08-85	413.87
11-05-85	410.13
12-03-85	409.27
12-19-85	391.14
01-16-86	420.03
02-13-86	379.85
03-13-86	381.76
04-10-86	377.80
05-09-86	377.36
06-06-86	378.43
07-02-86	381.35
07-21-86	382.06
08-28-86	388.57
09-25-86	393.00
10-24-86	394.17
11-20-86	387.64
12-17-86	385.92
01-15-87	376.68
02-12-87	377.20
03-06-87	378.13
04-02-87	380.80
04-30-87	384.10
05-28-87	388.36
06-25-87	390.11
07-23-87	387.48
08-20-87	389.04
09-17-87	391.34

Well LJ-65-12-726--Cont.

10-15-87	386.58
11-12-87	384.97
12-09-87	385.40
01-07-88	369.58
02-04-88	371.83
03-03-88	374.15
03-31-88	376.02
04-29-88	377.24
05-26-88	381.17
06-23-88	373.79
07-21-88	372.38
08-18-88	385.39
09-14-88	374.90
10-12-88	379.79
11-09-88	372.50
12-08-88	396.26
01-05-89	393.50
02-02-89	381.53
03-02-89	370.60
03-29-89	382.88
04-27-89	384.14
05-25-89	383.45
06-22-89	382.37
08-17-89	391.67
09-14-89	386.89
10-12-89	391.68
11-08-89	394.95
12-07-89	396.04

Well LJ-65-12-728

Owner: U.S. Geological
Survey
Screen: 147-153 feet
Altitude: 93 feet

Date	Water level
01-02-85	147.69
01-29-85	147.49
02-27-85	147.26
03-27-85	148.31
04-23-85	148.02
05-21-85	147.78
06-18-85	147.44
07-16-85	147.80
08-13-85	148.14
09-10-85	145.59
10-08-85	146.46
11-05-85	146.91
12-03-85	145.70
12-19-85	149.50
01-16-86	147.60
02-13-86	148.86
03-13-86	148.65
04-11-86	148.69
05-09-86	148.76
06-06-86	148.60
07-03-86	148.83
07-31-86	149.19
08-28-86	149.40
09-25-86	149.85
10-24-86	149.10
11-20-86	148.90
12-17-86	148.77
01-15-87	149.13
03-06-87	150.60
07-23-87	147.77
08-20-87	148.53
09-17-87	149.22
10-15-87	148.76
11-12-87	148.30
12-09-87	148.51
01-07-88	148.85
02-04-88	149.29

Well LJ-65-12-728--Cont.

03-03-88	149.70
03-31-88	149.94
04-29-88	150.98
05-26-88	150.02
06-23-88	150.10
07-21-88	150.23
08-18-88	150.07
09-14-88	DRY
10-12-88	157.53 d
11-09-88	156.68 d
12-08-88	156.91 d
01-05-89	156.76 d
02-02-89	156.91 d
03-02-89	156.68 d
03-29-89	156.85 d
04-27-89	156.40 d
05-25-89	157.25 d
06-22-89	157.53 d
07-20-89	156.40 d
08-17-89	157.65 d
09-14-89	157.53 d
10-12-89	156.40 d
11-08-89	157.93 d
12-07-89	157.53 d

Well LJ-65-12-729

Owner: U.S. Geological
Survey
Screen: 231-237 feet
Altitude: 93 feet

Date	Water level
01-02-85	139.31
01-29-85	145.46
02-27-85	144.28
03-27-85	145.77
04-23-85	145.36
05-21-85	145.10
06-18-85	144.88
07-16-85	145.67
08-13-85	147.81
09-10-85	156.43
10-08-85	164.17
11-05-85	158.71
12-03-85	159.80
12-19-85	157.08
01-16-86	155.56
02-13-86	156.56
03-13-86	157.87
04-11-86	156.50
05-09-86	156.48
06-06-86	156.19
07-03-86	156.89
07-31-86	156.97
08-28-86	157.15
09-25-86	157.42
10-24-86	157.83
11-20-86	157.60
12-17-86	157.49
01-15-87	157.27
02-12-87	157.35
03-06-87	157.48
04-02-87	157.59
04-30-87	157.88
05-28-87	158.05
06-25-87	157.81
07-23-87	152.72
08-20-87	153.80
09-17-87	155.06
10-15-87	158.64
11-12-87	157.99
12-09-87	157.67
01-07-88	157.36

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-12-729--Cont.

02-04-88	157.52
03-03-88	157.89
03-31-88	157.97
04-29-88	158.03
05-26-88	158.40
06-23-88	157.86
07-21-88	157.34
08-18-88	158.37
09-14-88	156.76
10-12-88	159.09
11-09-88	161.00
12-08-88	159.05
01-05-89	159.66
02-02-89	157.83
03-02-89	151.25
03-29-89	158.53
04-27-89	157.38
05-25-89	156.29
06-22-89	155.77
07-20-89	158.55
08-17-89	159.36
09-14-89	160.01
10-12-89	159.95
11-08-89	159.79
12-07-89	159.68

Well LJ-65-12-730
Owner: City of Houston,
Katy-Addicks,
Well No. 11
Screen: 685-1,692 feet
Altitude: 85 feet

Date	Water level
01-08-85	363.21
01-05-88	349.63
01-26-89	354.00

Well LJ-65-12-801
Owner: Lakeside Country
Club, Well No. 2
Screen: 280-467 feet
Altitude: 75 feet

Date	Water level
01-09-85	176.04
01-09-86	179.49
01-13-87	180.88
01-08-88	186.56
02-03-89	180.56

Well LJ-65-12-806
Owner: Lakeside Country
Club, Well No. 3
Screen: 427-755 feet
Altitude: 70 feet

Date	Water level
01-09-85	188.75
01-09-86	196.42
01-13-87	198.26
01-08-88	203.30
02-03-89	200.05

Well LJ-65-12-817
Owner: City of Houston,
District 71,
Well No. 3
Screen: 597-957 feet
Altitude: 80 feet

Date	Water level
01-15-88	357

Well LJ-65-12-818
Owner: U.S. Geological
Survey, Longpoint
fault, upside
Screen: 41-44 feet
Altitude: 85 feet

Date	Water level
09-10-85	43.42 b

Well LJ-65-12-819
Owner: U.S. Geological
Survey, Longpoint
fault, downside
Screen: 36-39 feet
Altitude: 84 feet

Date	Water level
09-09-85	33.59 b

Well LJ-65-12-904
Owner: Memorial Village,
Well No. 1
Screen: 940-1,555 feet
Altitude: 70 feet

Date	Water level
02-12-86	407

Well LJ-65-13-110
Owner: City of Houston,
Arbor Oaks
Screen: 435-545 feet
Altitude: 81 feet

Date	Water level
01-07-88	242
01-12-89	248

Well LJ-65-13-111
Owner: City of Houston,
Inwood Forest,
Well No. 1
Screen: 910-1,136 feet
Altitude: 86 feet

Date	Water level
01-12-89	410.60

Well LJ-65-13-119
Owner: City of Houston,
Candlelight Oaks
Well No. 1
Screen: 790-1,100 feet
Altitude: 74 feet

Date	Water level
01-22-88	380.79
01-20-89	457.70

Well LJ-65-13-214
Owner: City of Houston,
Acres Homes,
Well No. 1
Screen: 650-1,499 feet
Altitude: 90 feet

Date	Water level
02-06-85	449.5
01-29-86	460.5
01-05-87	446.5
02-01-88	386.13
02-10-89	419.24

Well LJ-65-13-219
Owner: City of Houston,
Acres Homes,
Well No. 2
Screen: 617-1,561 feet
Altitude: 92 feet

Date	Water level
01-25-85	397.95
01-30-86	407
01-27-87	399
01-28-88	351.91
01-23-89	375.05

Well LJ-65-13-220
Owner: City of Houston,
Acres Homes,
Well No. 3
Screen: 613-1,653 feet
Altitude: 92 feet

Date	Water level
02-06-85	491
01-22-88	387.69

Well LJ-65-13-302
Owner: City of Houston,
Heights, Well No. 14
Screen: 950-1,790 feet
Altitude: 78 feet

Date	Water level
01-08-85	376.76

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-13-303
Owner: City of Houston,
Heights, Well No. 13
Screen: 890-1,800 feet
Altitude: 75 feet

Date	Water level
01-08-85	395
01-30-86	405

Well LJ-65-13-304
Owner: City of Houston,
Heights, Well No. 12
Screen: 900-1,750 feet
Altitude: 73 feet

Date	Water level
01-14-85	417
01-22-86	430
01-27-87	415
01-06-88	434
01-28-88	433
01-24-89	450

Well LJ-65-13-322
Owner: City of Houston,
Heights, Well No. 15A
Screen: 682-1,665 feet
Altitude: 78 feet

Date	Water level
01-08-85	442.5
01-27-87	435.5
01-19-88	395.5
02-09-89	437.5

Well LJ-65-13-324
Owner: City of Houston,
Heights, Well No. 11A
Screen: 708-1,288 feet
Altitude: 74 feet

Date	Water level
01-19-88	374.37
01-24-89	399.14

Well LJ-65-13-408
Owner: City of Houston,
Langwood Plant
Screen: 488-850 feet
Altitude: 80 feet

Date	Water level
01-24-85	249.38
03-18-85	248.40
05-07-85	247.28
08-05-85	253.35
09-20-85	258.45
12-16-85	257.90
02-05-86	255.74
04-07-86	255.13
06-04-86	252.90
07-23-86	256.45
08-21-86	260.63

Well LJ-65-13-408--Cont.

10-06-86	260.70
11-18-86	259.85
01-13-87	256.17
03-02-87	253.64
05-14-87	252.81
07-06-87	251.70
08-13-87	252.98
10-01-87	257.40
01-22-88	252.30
11-16-88	258.51
02-10-89	257.35

Well LJ-65-13-601
Owner: City of Houston,
Heights, Well No. 10
Screen: 600-1,860 feet
Altitude: 73 feet

Date	Water level
01-11-85	343
01-07-88	342
01-29-88	349
01-24-89	353.86

Well LJ-65-13-604
Owner: City of Houston,
Heights, Well No. 16
Screen: 610-1,860 feet
Altitude: 68 feet

Date	Water level
01-10-85	344.10
02-07-86	404.34
01-26-87	395
01-06-88	394
02-02-88	323.08
01-24-89	369.40

Well LJ-65-13-614
Owner: City of Houston,
Heights, Well No. 3
Screen: 514-1,037 feet
Altitude: 68 feet

Date	Water level
01-08-85	330.98
01-17-86	346.32
01-20-87	339.83

Well LJ-65-13-626
Owner: City of Houston,
Heights, Well No. 6A
Screen: 665-1,440 feet
Altitude: 68 feet

Date	Water level
01-08-85	339.15
02-07-86	341.67
01-27-87	412
01-19-88	349.95
01-23-89	343.59

Well LJ-65-13-627
Owner: City of Houston,
Heights, Well No. 7A
Screen: 702-1,454 feet
Altitude: 69 feet

Date	Water level
01-10-85	376
01-06-88	399
01-26-88	342.57
01-23-89	347.02

Well LJ-65-13-701
Owner: City of Houston,
Afton Oaks
Screen: 680-1,645 feet
Altitude: 72 feet

Date	Water level
01-15-85	365.5
01-09-86	375.5
01-06-87	372.5
01-07-88	362.5
01-23-89	364.5

Well LJ-65-13-716
Owner: Houston Country Club
Screen: 520-1,144 feet
Altitude: 63 feet

Date	Water level
01-09-85	379.27
01-09-86	364.66
01-14-87	360.39
01-14-88	362.74
02-06-89	392.76

Well LJ-65-13-801
Owner: River Oaks Country
Club, Well No. 2
Screen: 617-1,210 feet
Altitude: 52 feet

Date	Water level
01-09-85	328.06
01-09-86	311.92
01-14-87	307.77
01-14-88	309.45
02-16-89	295.86

Well LJ-65-13-838
Owner: U.S. Geological
Survey, Eureka
Heights fault, upside
Screen: 32-34 feet
Altitude: 65 feet

Date	Water level
11-07-84	11.33 b
09-09-85	10.53
01-25-88	10.77
03-15-89	14.06

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-13-839
Owner: U.S. Geological
Survey, Eureka
Heights fault,
downside
Screen: 51-53 feet
Altitude: 65 feet

Date	Water level
09-09-85	8.69 b

Well LJ-65-13-904
Owner: City of Houston,
Central, Well No. 20
Screen: 1,015-1,940 feet
Altitude: 46 feet

Date	Water level
01-18-85	351.58
01-10-86	361.60
01-20-87	342.50
01-12-88	330.70
01-13-89	337.84

Well LJ-65-13-905
Owner: City of Houston,
Central, Well No. 21
Screen: 745-2,000 feet
Altitude: 43 feet

Date	Water level
01-18-85	373
01-08-86	380
01-22-87	372
01-08-88	311.25
01-13-89	368

Well LJ-65-13-944
Owner: City of Houston,
Central, Well No. 22
Screen: 700-1,630 feet
Altitude: 32 feet

Date	Water level
01-18-85	368
01-08-86	362
01-20-87	342
01-08-88	338
01-13-89	350

Well LJ-65-14-101
Owner: City of Houston,
Northeast,
Well No. 11
Screen: 711-1,965 feet
Altitude: 63 feet

Date	Water level
01-18-85	346.04
01-27-86	357.10
01-09-87	331.20
01-05-88	317.19
01-23-89	342.41

Well LJ-65-14-102
Owner: City of Houston,
Northeast,
Well No. 10
Screen: 698-1,826 feet
Altitude: 67 feet

Date	Water level
01-14-85	346
01-09-87	344
01-05-88	301.34
02-01-89	307.79

Well LJ-65-14-103
Owner: City of Houston,
Northeast, Well No. 9
Screen: 1,017-1,920 feet
Altitude: 68 feet

Date	Water level
01-22-87	357
01-05-88	336.77
02-01-89	369

Well LJ-65-14-109
Owner: City of Houston,
Benbrook, Well No. 2
Screen: 905-1,145 feet
Altitude: 79 feet

Date	Water level
02-12-86	383.84
01-11-88	376.68
02-09-89	390

Well LJ-65-14-202
Owner: City of Houston,
Scenic Woods 1,
Well No. 2
Screen: 605-820 feet
Altitude: 51 feet

Date	Water level
01-06-88	258.70
01-20-89	255.11

Well LJ-65-14-203
Owner: City of Houston,
District 42
Screen: 600-870 feet
Altitude: 62 feet

Date	Water level
02-05-85	278.80
01-27-86	273.97
01-20-87	267.60
01-06-88	255.42
01-20-89	257.73

Well LJ-65-14-401
Owner: City of Houston,
Northeast, Well No. 8
Screen: 1,010-1,950 feet
Altitude: 64 feet

Date	Water level
01-14-85	363
01-27-86	374

Well LJ-65-14-402
Owner: City of Houston,
Northeast, Well No. 7
Screen: 1,001-1,880 feet
Altitude: 61 feet

Date	Water level
01-14-85	403
01-13-87	345
01-05-88	337.07
02-01-89	382.24

Well LJ-65-14-403
Owner: City of Houston,
Northeast, Well No. 6
Screen: 1,017-1,819 feet
Altitude: 55 feet

Date	Water level
01-14-85	359
01-23-86	381
01-08-87	364
01-06-88	333
02-01-89	376

Well LJ-65-14-404
Owner: City of Houston,
Northeast, Well No. 5
Screen: 1,060-1,960 feet
Altitude: 50 feet

Date	Water level
01-14-85	346.67
01-05-88	327.55
02-01-89	368.26

Well LJ-65-14-405
Owner: City of Houston,
Northeast, Well No. 4
Screen: 1,030-2,060 feet
Altitude: 50 feet

Date	Water level
01-14-85	385
02-11-86	374.20
01-22-87	340
01-05-88	353.37
01-23-89	363.11

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-14-409
Owner: City of Houston,
Lindale Park
Screen: 732-1,140 feet
Altitude: 66 feet

Date	Water level
01-24-85	306.51
02-22-85	307.25
03-22-85	304.48
04-24-85	302.59
05-24-85	301.42
06-24-85	307.14
07-24-85	308.77
08-23-85	314.70
09-24-85	321.29
10-24-85	320.58
11-22-85	315.80
12-20-85	313.70
01-24-86	312.57
02-24-86	308.52
03-24-86	306.52
04-23-86	307.50
05-23-86	305.60
06-24-86	305.40
07-24-86	312.00
08-21-86	322.49
09-24-86	322.66
10-24-86	318.22
11-21-86	315.60
12-22-86	312.56
01-23-87	315.51
02-25-87	315.65
03-24-87	310.81
04-23-87	310.24
05-22-87	309.66
06-24-87	306.77
07-24-87	308.12
08-24-87	309.82
09-24-87	310.92
10-23-87	311.50
11-24-87	306.50
12-17-87	302.22
01-21-88	300.76
02-24-88	296.50
03-24-88	293.38
04-22-88	290.81
05-24-88	295.81
06-22-88	298.89
07-22-88	301.38
08-24-88	303.78
09-22-88	305.50
10-21-88	308.15
11-22-88	307.72
12-20-88	304.90
01-24-89	302.30
02-24-89	300.33
03-23-89	299.07
04-21-89	297.57
05-24-89	296.03
06-27-89	295.49
07-21-89	295.53
08-25-89	295.24
09-22-89	296.48
10-24-89	298.87
11-21-89	299.09
12-20-89	297.92

Well LJ-65-14-602
Owner: City of Houston,
District 20
Screen: 596-921 feet
Altitude: 41 feet

Date	Water level
01-24-85	277.45
03-18-85	276.60
05-07-85	274.23
08-05-85	276.48
09-20-85	280.67
12-16-85	279.69
02-05-86	276.88
04-07-86	273.89
06-05-86	272.42
07-23-86	272.51
08-21-86	274.95
10-06-86	277.10
11-18-86	274.00
01-13-87	271.35
03-02-87	268.20
05-13-87	267.83
07-06-87	266.60
08-13-87	265.94
10-01-87	267.24
01-22-88	262.43
03-16-88	264.25
06-22-88	254.70
09-01-88	258.85
11-23-88	261.87
02-10-89	261.50
04-11-89	259.70
06-16-89	258.69
08-21-89	257.47
08-25-89	257.27
09-18-89	257.13
11-17-89	260.81

Well LJ-65-14-707
Owner: City of Houston,
Central, Well No. 18
Screen: 884-1,989 feet
Altitude: 25 feet

Date	Water level
02-07-86	337.18
01-22-87	318.58
01-12-88	309.33
01-13-89	312.04

Well LJ-65-14-735
Owner: Harris-Galveston
Coastal Subsidence
District, Northeast,
Well No. 2
Screen: 1,567-1,577 feet
Altitude: 49 feet

Date	Water level
01-02-85	349.82
01-29-85	352.72
02-26-85	351.93
03-26-85	350.47
04-23-85	348.75
05-21-85	347.96
06-18-85	352.87
07-16-85	351.10
08-13-85	353.17
09-10-85	382.76

Well LJ-65-14-735--Cont.

10-08-85	377.93
11-06-85	375.41
12-03-85	372.38
12-19-85	374.88
01-16-86	365.63
02-12-86	359.62
03-13-86	355.51
04-11-86	355.79
05-09-86	356.12
06-05-86	355.58
07-03-86	350.12
07-31-86	352.47
08-28-86	372.14
09-25-86	361.44
11-20-86	360.56
12-17-86	360.27
01-15-87	351.55
02-12-87	348.71
03-06-87	346.49
04-02-87	345.12
04-30-87	347.20
05-28-87	350.18
06-25-87	351.17
07-23-87	347.19
08-20-87	350.71
09-17-87	352.47
10-15-87	345.78
11-12-87	344.94
12-09-87	348.17
01-07-88	349.58
02-04-88	349.02
03-03-88	348.60
03-31-88	348.23
04-28-88	348.07
05-26-88	318.79
06-01-88	319.15
06-23-88	319.54
07-21-88	319.56
08-18-88	332.66
09-14-88	335.52
10-13-88	354.90
11-09-88	353.60
12-08-88	355.33
01-05-89	355.22
02-02-89	349.69
03-02-89	355.37
03-29-89	353.48
04-27-89	352.51
05-25-89	349.99
06-22-89	348.65
07-20-89	346.08
08-17-89	350.28
09-14-89	350.72
10-12-89	360.58
11-08-89	364.90
12-07-89	362.29

Well LJ-65-14-738
Owner: Houston-Galveston
Coastal Subsidence
District, Northeast,
Well No. 4
Screen: 472-482 feet
Altitude: 49 feet

Date	Water level
01-02-85	262.60
01-29-85	265.64
02-26-85	264.78
03-26-85	264.11
04-23-85	263.58
05-21-85	263.02
06-18-85	262.86

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-14-738--Cont.

07-16-85	263.71
08-13-85	264.05
09-10-85	264.32
10-08-85	266.02
11-06-85	265.70
12-03-85	265.13
12-19-85	266.25
01-16-86	265.08
02-12-86	264.05
03-13-86	263.20
04-11-86	262.20
05-09-86	261.37
06-05-86	261.07
07-03-86	262.35
07-31-86	264.05
08-28-86	262.54
09-25-86	263.68
11-20-86	263.72
12-17-86	263.54
01-15-87	260.78
02-12-87	259.85
03-06-87	259.02
04-02-87	258.47
04-30-87	259.18
05-28-87	259.55
06-25-87	260.43
07-23-87	258.65
08-20-87	259.81
09-17-87	260.65
10-15-87	259.66
11-12-87	259.02
12-09-87	258.63
01-07-88	259.55
02-04-88	258.96
03-03-88	258.51
03-31-88	258.07
04-28-88	257.68
05-26-88	250.00
06-01-88	249.92
06-23-88	250.02
07-21-88	250.19
08-18-88	251.88
09-14-88	252.85
10-13-88	254.26
11-09-88	255.31
12-08-88	255.54
01-05-89	255.25
02-02-89	254.59
03-02-89	254.03
03-29-89	254.39
04-27-89	254.10
05-25-89	253.23
06-22-89	253.04
07-20-89	251.61
08-17-89	251.63
09-14-89	251.76
10-12-89	253.56
11-08-89	253.48
12-07-89	253.60

Well LJ-65-14-742

Owner: Houston-Galveston
Coastal Subsidence
District, Northeast,
Well No. 3
Screen: 1,018-1,028 feet
Altitude: 49 feet

Date	Water level
01-02-85	315.71
01-29-85	312.89
02-26-85	312.25
03-26-85	313.25

Well LJ-65-14-742--Cont.

04-23-85	313.06
05-21-85	312.87
06-18-85	312.93
07-16-85	313.43
08-13-85	313.66
09-10-85	322.48
10-08-85	327.91
11-06-85	325.17
12-03-85	323.91
12-19-85	322.40
01-16-86	316.94
02-12-86	315.69
03-13-86	315.00
04-11-86	314.88
05-08-86	315.07
06-05-86	314.74
07-03-86	312.58
07-31-86	313.88
08-28-86	315.54
09-25-86	316.77
10-23-86	315.87
11-20-86	317.22
12-17-86	317.01
01-12-87	308.87
02-12-87	307.36
03-06-87	307.11
04-02-87	307.00
04-30-87	309.31
05-28-87	308.78
06-25-87	309.81
07-23-87	307.07
08-20-87	307.59
09-17-87	310.16
10-15-87	307.36
11-12-87	307.64
12-09-87	308.08
01-07-88	308.80
02-04-88	308.91
03-03-88	308.82
03-31-88	308.69
04-28-88	308.39
05-26-88	286.70
06-01-88	288.56
06-23-88	289.56
07-21-88	290.03
08-18-88	295.84
09-14-88	301.35
10-13-88	302.77
11-09-88	304.00
12-08-88	303.82
01-05-89	302.78
02-02-89	300.68
03-02-89	300.19
03-29-89	300.08
04-27-89	299.76
05-25-89	296.97
06-22-89	296.85
07-20-89	296.54
08-17-89	297.87
09-14-89	298.01
10-12-89	301.85
11-08-89	305.18
12-07-89	303.52
03-29-89	163.39
04-27-89	163.29
05-25-89	163.15
07-20-89	163.29
08-17-89	166.54
09-14-89	164.97
10-12-89	164.29
11-08-89	163.55
12-07-89	163.71

Well LJ-65-14-745

Owner: Harris-Galveston
Coastal Subsidence
District, Northeast,
Well No. 5
Screen: 284-294 feet
Altitude: 49 feet

Date	Water level
01-02-85	165.10
01-29-85	165.00
02-26-85	164.92
03-26-85	165.15
04-23-85	164.32
05-21-85	164.04
06-18-85	163.96
07-16-85	165.11
08-13-85	166.02
09-10-85	165.10
10-08-85	166.25
11-06-85	166.08
12-03-85	166.77
12-19-85	165.37
01-16-86	165.40
02-12-86	164.98
03-13-86	164.70
04-11-86	165.44
05-09-86	166.80
06-05-86	163.14
07-03-86	165.26
07-31-86	167.11
08-28-86	165.70
09-25-86	166.90
10-23-86	167.43
11-20-86	165.65
12-17-86	165.38
01-15-87	163.80
02-12-87	164.95
03-06-87	163.54
04-02-87	163.07
04-30-87	163.91
05-28-87	164.21
06-25-87	164.73
07-23-87	163.37
08-20-87	163.85
09-17-87	166.02
10-15-87	164.62
11-12-87	164.17
12-09-87	165.34
01-07-88	164.39
02-04-88	164.13
03-03-88	164.00
03-31-88	163.79
04-28-88	163.42
05-26-88	163.49
06-23-88	163.40
07-21-88	163.31
08-18-88	163.53
09-14-88	163.65
10-13-88	163.66
11-09-88	164.60
12-08-88	163.96
01-05-89	163.64
02-02-89	163.58
03-02-89	163.42

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-14-746

Owner: Harris-Galveston
Coastal Subsidence
District, Northeast,
Well No. 1
Screen: 2,099-2,119 feet
Altitude: 49 feet

Date	Water level
01-02-85	347.33
01-29-85	344.15
02-26-85	343.86
03-26-85	344.23
04-23-85	342.16
05-21-85	341.07
06-18-85	340.94
07-16-85	341.60
08-13-85	341.97
09-10-85	391.70
10-08-85	376.81
11-05-85	367.82
12-03-85	364.05
12-19-85	372.82
01-16-86	373.25
02-12-86	360.67
03-13-86	357.43
04-10-86	355.85
05-09-86	354.02
06-05-86	354.70
07-03-86	350.36
07-31-86	351.69
08-28-86	379.64
09-25-86	364.48
10-23-86	360.79
11-20-86	376.84
12-17-86	373.53
01-15-87	367.34
02-12-87	356.93
03-06-87	349.87
04-02-87	345.06
04-30-87	348.35
05-28-87	354.77
06-25-87	357.40
07-23-87	347.62
08-20-87	351.61
09-17-87	346.03
10-15-87	343.00
11-12-87	344.14
12-09-87	343.27
01-07-88	337.84
02-04-88	337.02
03-03-88	336.41
03-31-88	336.09
04-28-88	335.75
05-26-88	318.22
06-01-88	318.20
06-23-88	318.13
07-21-88	318.06
08-18-88	328.59
09-14-88	333.38
10-13-88	361.55
11-09-88	355.05
12-08-88	360.48
01-05-89	359.96
02-02-89	350.33
03-02-89	358.90
03-29-89	361.29
04-27-89	359.64
05-25-89	357.92
06-22-89	354.61
07-20-89	349.82
08-17-89	352.70
09-14-89	351.93
10-12-89	365.31
11-08-89	354.20
12-07-89	356.87

Well LJ-65-14-909

Owner: Texas Pipe Line Co.
Screen: 857-897 feet
Altitude: 44 feet

Date	Water level
01-23-85	292.85
02-03-86	290.17
01-26-87	286.40
01-14-88	276.03
01-19-89	274.20

Well LJ-65-14-912

Owner: Layne-Bowler Co.
Screen: 577-670 feet
Altitude: 45 feet

Date	Water level
01-25-85	278.64
02-11-86	271.54
01-07-87	267.20
01-27-88	260.10
01-19-89	259.40

Well LJ-65-15-304

Owner: Champion Paper Co.,
Well No. 3
Screen: 892 - 1591 feet
Altitude: 47 feet

Date	Water level
01-18-85	247
12-17-85	252
01-06-86	242
01-06-87	242
01-14-88	245
12-30-88	238

Well LJ-65-15-402

Owner: Houston Lighting
and Power Co.,
Greens Bayou Plant,
Well No. 2
Screen: 710-1,530 feet
Altitude: 43 feet

Date	Water level
01-10-85	282.57 c
02-15-85	287.19 c
03-19-85	280.95 c
05-18-85	276.10 c
06-13-85	278.64 c
07-05-85	280.95 c
08-08-85	283.26 c
09-03-85	285.57 c
10-04-85	298.28 c
10-21-85	287.88 c
12-04-85	285.57 c
01-06-86	283.26 c
02-06-86	281.87 c
03-03-86	286.96 c
04-01-86	274.02 c
05-02-86	268.64 c
06-02-86	282.11 c
08-05-86	285.57 c
10-07-86	294.81 c
01-08-87	280.03 c

Well LJ-65-15-402--Cont.

02-06-87	283.26 c
03-09-87	275.18 c
04-10-87	276.33 c
05-06-87	276.33 c
06-01-87	281.87 c
07-01-87	282.11 c
07-27-87	282.57 c
09-01-87	280.95 c
10-02-87	275.18 c
10-21-87	276.33 c
11-18-87	275.18 c
12-03-87	280.95 c
01-05-88	274.02 c
01-03-89	283 c

Well LJ-65-15-403

Owner: Houston Lighting
and Power Co.,
Greens Bayou Plant,
Well No. 3
Screen: 739-1,419 feet
Altitude: 37 feet

Date	Water level
01-10-85	269.10 c
02-15-85	270.03 c
03-19-85	273.26 c
05-18-85	266.33 c
06-13-85	284.81 c
07-05-85	267.48 c
08-08-85	274.15 c
09-03-85	274.42 c
10-04-85	275.57 c
10-21-85	274.42 c
12-04-85	272.12 c
01-06-86	273.26 c
02-06-86	266.79 c
03-03-86	266.79 c
04-01-86	264.02 c
05-02-86	264.02 c
06-02-86	260.56 c
08-05-86	269.80 c
10-07-86	272.11 c
01-08-87	266.33 c
02-06-87	266.33 c
03-09-87	262.87 c
04-10-87	261.71 c
05-06-87	270.95 c
06-01-87	263.10 c
07-01-87	261.71 c
07-27-87	262.17 c
09-01-87	264.02 c
10-02-87	261.71 c
10-21-87	264.02 c
11-18-87	262.87 c
12-03-87	264.02 c
01-05-88	261.71 c
01-03-89	269.70 c

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-15-404
Owner: Houston Lighting
and Power Co.,
Greens Bayou Plant,
Well No. 4
Screen: 754-1,486 feet
Altitude: 41 feet

Date	Water level
01-10-85	267.18 c
02-15-85	268.80 c
03-19-85	263.02 c
05-18-85	276.88 c
06-13-85	269.95 c
07-05-85	267.64 c
08-08-85	271.11 c
09-03-85	278.04 c
10-04-85	275.73 c
10-21-85	272.26 c
12-04-85	269.95 c
02-06-86	269.95 c
03-03-86	264.87 c
04-01-86	263.02 c
05-02-86	263.02 c
06-02-86	257.25 c
08-05-86	266.49 c
10-07-86	269.95 c
01-08-87	264.64 c
02-06-87	269.95 c
03-09-87	263.02 c
04-10-87	260.71 c
05-06-87	266.49 c
06-01-87	262.56 c
07-01-87	260.71 c
07-27-87	260.25 c
09-01-87	265.33 c
10-02-87	253.78 c
10-21-87	263.02 c
11-18-87	261.87 c
12-03-87	263.02 c
01-05-88	265.33 c
01-03-89	267.9 c

Well LJ-65-15-501
Owner: Harris County
F.W.S.D. 51,
Well No. 1
Screen: 800-1,188 feet
Altitude: 36 feet

Date	Water level
01-21-85	281.94
02-03-86	281.68
01-07-87	278.25
01-27-88	261.30
01-19-89	256.28

Well LJ-65-15-507
Owner: Harris County
F.W.S.D. 51,
Well No. 2
Screen: 784-1,145 feet
Altitude: 38 feet

Date	Water level
01-17-85	272.25
02-03-86	277.62
01-07-87	274.95
01-14-88	269.30
02-02-89	269.20

Well LJ-65-15-701
Owner: City of Jacinto City,
Well No. 2
Screen: 581-892 feet
Altitude: 38 feet

Date	Water level
02-06-85	307.24
02-03-86	307.57
01-21-87	302.63
01-15-88	310.39
01-26-89	284.09

Well LJ-65-15-703
Owner: City of Jacinto City,
Well No. 4
Screen: 576-997 feet
Altitude: 36 feet

Date	Water level
02-06-85	302.64
02-03-86	302.22
01-21-87	299.97
01-15-88	277.37
01-26-89	273.74

Well LJ-65-15-802
Owner: City of Houston,
Home Owned Estates,
Well no. 2
Screen: 583-840 feet
Altitude: 32 feet

Date	Water level
01-21-85	265.97
02-04-86	248.42
01-12-87	265.65
01-15-88	239.91
02-09-89	236.12

Well LJ-65-15-806
Owner: Harris County
W.C.I.D. 36,
Well No. 3
Screen: 655-1,205 feet
Altitude: 34 feet

Date	Water level
02-06-85	274.70
02-03-86	263.58
01-07-87	264.46
01-14-88	261.65
02-02-89	271

Well LJ-65-15-903
Owner: Borden Chemical Co.,
World Trade Packers
Screen: 625-810 feet
Altitude: 27 feet

Date	Water level
01-21-85	246.18
01-12-87	245.18
01-27-88	227.90
01-25-89	226.21

Well LJ-65-15-912
Owner: Jacintoport,
Well No. 1
Screen: 806-1,130 feet
Altitude: 31 feet

Date	Water level
01-24-85	267.20
02-04-86	277.80
01-13-87	282.18
01-14-88	276.80

Well LJ-65-15-914
Owner: Jacintoport,
Well No. 2
Screen: 815-1,215 feet
Altitude: 29 feet

Date	Water level
01-25-85	255.48
02-04-86	250.88
01-13-87	264.78
01-14-88	259.19
02-02-89	243.60

Well LJ-65-15-915
Owner: U.S. Geological
Survey
Screen: 8-14 feet
Altitude: 27 feet

Date	Water level
01-24-85	8.46
02-04-86	8.42
01-08-87	7.33
01-14-88	10.03
01-25-89	6.17

Well LJ-65-15-916
Owner: U.S. Geological
Survey
Screen: 47-53 feet
Altitude: 27 feet

Date	Water level
01-24-85	9.25
02-04-86	9.08
01-08-87	6.22
01-14-88	10.68
01-25-89	12.43

Well LJ-65-15-917
Owner: U.S. Geological
Survey
Screen: 200-210 feet
Altitude: 27 feet

Date	Water level
01-21-85	166.32
02-19-86	163.54
01-08-87	155.95
01-14-88	154.10
01-25-89	153.89

Table 3.--Water Levels in wells in Harris County--Continued

Well LJ-65-15-918
Owner: U.S. Geological
Survey
Screen: 71-81 feet
Altitude: 27 feet

Date	Water level
01-24-85	22.95

Well LJ-65-15-920
Owner: U.S. Geological
Survey
Screen: 300-310 feet
Altitude: 27 feet

Date	Water level
01-21-85	171.26
02-04-86	168.18
02-19-86	167.79
01-12-87	150.20
01-14-88	158.99
01-25-89	158.80

Well LJ-65-16-102
Owner: ARCO Chemical Co.,
Well B
Screen: 710-1,590 feet
Altitude: 45 feet

Date	Water level
01- -85	94 c
01-08-87	99 c
03-01-88	104 c
11-30-89	111 c

Well LJ-65-16-109
Owner: Champion Paper Co.,
Well No. 1
Screen: 842-1,614 feet
Altitude: 49 feet

Date	Water level
01-16-85	251 c
12-16-85	253 c
01-21-86	244 c
01-06-87	255 c
01-14-88	247 c
12-30-88	241 c

Well LJ-65-16-110
Owner: Champion Paper Co.,
Well No. 2
Screen: 806-1,610 feet
Altitude: 48 feet

Date	Water level
01-15-85	248 c
12-15-85	250 c
01-16-86	251 c
01-06-87	280 c
12-30-88	238.5 c

Well LJ-65-16-111
Owner: Champion Paper Co.,
Well No. 4
Screen: 923-1,551 feet
Altitude: 46 feet

Date	Water level
01-18-85	250 c
12-16-85	251 c
01-21-86	240 c
01-06-87	240 c
01-14-88	240 c
12-30-88	233 c

Well LJ-65-16-112
Owner: Champion Paper Co.,
Well No. 5
Screen: 853-1,577 feet
Altitude: 46 feet

Date	Water level
01-13-85	250 c
12-11-85	252 c
02-07-86	248 c
01-06-87	250 c
01-14-88	220 c
12-30-88	231 c

Well LJ-65-16-113
Owner: Champion Paper Co.,
Well No. 6
Screen: 880-1,697 feet
Altitude: 11 feet

Date	Water level
01-06-87	240 c
01-14-88	225 c
12-30-88	230 c

Well LJ-65-16-114
Owner: ARCO Chemical Co.,
Well E
Screen: 805-1,555 feet
Altitude: 45 feet

Date	Water level
01- -85	291 c
01-08-87	333 c
03-01-88	264 c

Well LJ-65-16-201
Owner: W.C.I.D. 50
Screen: 240-272 feet
Altitude: 47 feet

Date	Water level
01-25-85	125.69
02-04-86	124.98
01-12-87	121.04
01-08-88	120.18
01-13-88	120.80
01-25-89	122.03

Well LJ-65-16-401
Owner: ARCO Chemical Co.,
Well C
Screen: 780-1,565 feet
Altitude: 45 feet

Date	Water level
01-08-87	75 c
03-01-88	68 c
11-30-89	98 c

Well LJ-65-16-502
Owner: Harris County
W.C.I.D. 1,
Well No. 1
Screen: 429-471 feet
Altitude: 38 feet

Date	Water level
01-25-85	169.24
02-04-86	166.19
01-13-88	140.26
02-03-89	138.30

Well LJ-65-16-503
Owner: Harris County
W.C.I.D. 1,
Well No. 2
Screen: 421-476 feet
Altitude: 39 feet

Date	Water level
01-21-85	148.81
02-04-86	147.76

Well LJ-65-16-504
Owner: Harris County
W.C.I.D. 1
Screen: 390-490 feet
Altitude: 41 feet

Date	Water level
01-17-85	154.13
02-04-86	151.57
01-14-87	132.80
01-13-88	137.72
02-03-89	134.70

Well LJ-65-16-508
Owner: Texas Department
of Highways
Screen: 413-453 feet
Altitude: 30 feet

Date	Water level
01-24-85	149.67
02-04-86	149.22

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-16-509
Owner: Texas Department
of Highways
Screen: 415-455 feet
Altitude: 31 feet

Date	Water level
01-24-85	149.20
02-04-86	148.91

Well LJ-65-16-602
Owner: Harris County
F.W.D. 1A
Screen: 397-477 feet
Altitude: 36 feet

Date	Water level
01-17-85	145.40
02-04-86	150.05
01-12-87	138.88
01-13-88	141.20
01-26-89	132.26

Well LJ-65-16-612
Owner: Harris County
W.C.I.D. 1
Screen: 366-470 feet
Altitude: 38 feet

Date	Water level
01-17-85	159.50
02-04-86	157.97
01-08-87	155.43
01-13-88	161.15
02-03-89	144.30

Well LJ-65-16-814
Owner: City of Houston,
Lynchburg Pump Plant
Screen: 380-450 feet
Altitude: 15 feet

Date	Water level
01-21-85	157.95
02-04-86	144.94
01-08-87	140.50
01-13-88	143.02
01-26-89	140.13

Well LJ-65-16-904
Owner: City of Baytown,
District B
Screen: 418-500 feet
Altitude: 24 feet

Date	Water level
01-02-85	151.91
01-29-85	151.98
02-26-85	152.16
03-27-85	151.40
04-23-85	151.89
05-21-85	152.14
06-18-85	147.07
07-16-85	148.93

Well LJ-65-16-904--Cont.

08-13-85	144.98
09-10-85	144.02
10-08-85	145.16
11-05-85	145.01
12-03-85	144.67
01-16-86	144.07
02-13-86	143.51
03-14-86	145.17
04-10-86	144.88
05-08-86	145.26
06-05-86	143.97
07-03-86	144.61
07-31-86	144.43
08-28-86	144.86
09-25-86	142.42
11-20-86	141.68
01-15-87	141.29
02-11-87	140.16
03-05-87	140.07
04-02-87	140.32
05-01-87	140.64
05-28-87	141.22
06-24-87	141.13
07-23-87	139.32
08-20-87	140.06
09-17-87	140.23
10-15-87	140.75
11-12-87	140.48
12-09-87	140.19
01-07-88	140.01
02-08-88	141.18
03-03-88	142.29
03-31-88	140.29
04-28-88	140.34
05-26-88	140.27
06-23-88	141.85
07-21-88	140.33
08-19-88	141.29
09-14-88	140.98
10-13-88	141.32
11-09-88	140.83
12-08-88	144.40
01-05-89	141.02
02-02-89	140.86
03-02-89	142.81
03-29-89	142.15
04-26-89	142.34
05-23-89	141.97
06-22-89	145.31
07-20-89	144.06
08-17-89	141.74
09-15-89	142.66
10-12-89	142.38
11-08-89	142.07
12-07-89	142.03

Well LJ-65-16-905
Owner: City of Baytown,
Well No. 13
Screen: 408-488 feet
Altitude: 23 feet

Date	Water level
01-29-85	148.76
02-04-86	153.38
01-14-87	145.45
01-13-88	144.55
01-25-89	138.65

Well LJ-65-16-907
Owner: Exxon Co.,
Well No. 47
Screen: 776-1,724 feet
Altitude: 27 feet

Date	Water level
01-24-85	184.43
03-18-85	184.14
05-07-85	183.43
08-05-85	183.39
09-20-85	183.25
12-19-85	178.85
02-05-86	183.08
04-07-86	182.67
06-04-86	182.62
07-23-86	182.65
08-21-86	182.97
10-06-86	182.84
11-18-86	182.50
01-20-87	181.98
03-02-87	181.65
05-13-87	181.08
07-06-87	180.87
08-13-87	180.49
10-01-87	181.15
01-22-88	180.85
04-08-88	179.62
06-21-88	178.56
09-01-88	178.60
11-16-88	178.70
02-10-89	178.78
04-11-89	178.87
06-16-89	178.49
08-21-89	178.44
08-25-89	178.53
09-18-89	178.75
11-17-89	179.15

Well LJ-65-16-922
Owner: U.S. Geological
Survey, Well No. P-4
Screen: 102-110 feet
Altitude: 25 feet

Date	Water level
01-02-85	21.73
01-29-85	21.86
02-26-85	21.79
03-27-85	21.71
04-23-85	21.67
05-21-85	21.90
06-18-85	22.28
07-16-85	22.01
08-13-85	22.26
09-10-85	22.12
10-08-85	22.00
11-05-85	22.13
12-03-85	22.34
01-15-86	21.67
01-16-86	22.21
02-13-86	22.02
03-14-86	22.10
04-10-86	22.41
05-08-86	22.70
06-05-86	22.38
07-03-86	22.46
07-31-86	22.42
08-28-86	22.49
09-25-86	22.05
11-20-86	21.96
01-15-87	21.67
02-11-87	21.85

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-16-922--Cont.

03-05-87	21.82
04-02-87	21.78
05-01-87	21.63
05-28-87	21.81
06-24-87	21.96
07-23-87	21.44
08-20-87	21.20
09-17-87	21.37
10-15-87	21.23
11-12-87	22.39
12-09-87	21.79
01-07-88	21.24
02-08-88	22.21
03-03-88	22.07
03-31-88	21.96
04-28-88	22.19
05-26-88	22.06
06-23-88	22.15
07-21-88	22.27
08-18-88	22.30
09-14-88	21.04
10-13-88	21.18
11-09-88	21.05
12-08-88	21.88
01-05-89	20.66
02-02-89	20.93
03-02-89	20.40
03-29-89	21.94
04-26-89	22.17
05-23-89	22.01
06-22-89	22.32
07-20-89	22.19
08-17-89	22.98
09-15-89	22.53
10-12-89	22.39
11-08-89	22.07
12-07-89	22.47

Well LJ-65-16-923

Owner: U.S. Geological
Survey, Well No. P-3
Screen: 162-170 feet
Altitude: 25 feet

Date	Water level
01-02-85	103.98
01-29-85	104.52
02-26-85	104.71
03-27-85	104.50
04-23-85	104.69
05-21-85	104.60
06-18-85	104.08
07-16-85	104.44
08-13-85	104.09
09-10-85	103.68
10-08-85	103.79
11-05-85	103.74
12-03-85	103.70
01-16-86	103.40
02-13-86	103.67
03-14-86	100.66
04-10-86	102.25
05-08-86	102.84
06-05-86	102.29
07-03-86	102.44
07-31-86	102.31
08-28-86	102.42
09-25-86	101.86
11-20-86	102.18
01-15-87	101.90
02-11-87	100.88
03-05-87	100.63
04-02-87	101.20

Well LJ-65-16-923--Cont.

05-01-87	101.74
05-28-87	101.57
06-24-87	101.82
07-23-87	101.85
08-20-87	101.96
09-17-87	102.11
10-15-87	101.62
11-12-87	99.85
12-09-87	99.02
01-07-88	98.79
02-08-88	98.95
03-03-88	99.18
03-31-88	100.35
04-28-88	98.99
05-26-88	98.90
06-23-88	99.00
07-21-88	94.16
08-18-88	98.69
09-14-88	98.69
10-13-88	98.67
11-09-88	98.71
12-08-88	98.72
01-05-89	97.32
02-02-89	98.05
03-02-89	97.96
03-29-89	98.29
04-26-89	98.43
05-23-89	98.04
06-22-89	98.56
07-20-89	98.39
08-17-89	97.94
09-15-89	98.11
10-12-89	98.08
11-08-89	98.12
12-07-89	98.11

Well LJ-65-16-924

Owner: U.S. Geological
Survey, Well No. P-2
Screen: 226-234 feet
Altitude: 25 feet

Date	Water level
01-02-85	132.04
01-29-85	132.48
02-26-85	133.03
03-27-85	133.77
04-23-85	133.91
05-21-85	133.75
06-18-85	132.03
07-16-85	132.96
08-13-85	132.82
09-10-85	132.60
10-08-85	132.55
11-05-85	132.48
12-03-85	132.31
01-16-86	132.25
02-13-86	132.40
03-14-86	129.85
04-10-86	129.17
05-08-86	130.31
06-05-86	129.47
07-03-86	129.75
07-31-86	129.60
08-28-86	129.97
09-25-86	128.77
11-20-86	128.33
01-15-87	128.04
02-11-87	127.79
03-05-87	127.42
04-02-87	127.24
05-01-87	127.67
05-28-87	127.86

Well LJ-65-16-924--Cont.

06-24-87	127.98
07-23-87	127.58
08-20-87	127.71
09-17-87	127.60
10-15-87	128.05
11-12-87	124.96
12-09-87	121.46
01-07-88	121.13
02-08-88	124.84
03-03-88	124.69
03-31-88	125.42
04-28-88	124.54
05-26-88	124.35
06-23-88	124.74
07-21-88	124.79
08-18-88	124.93
09-14-88	124.87
10-13-88	124.70
11-09-88	124.59
12-08-88	124.80
01-05-89	124.65
02-02-89	124.58
03-02-89	124.49
03-29-89	124.93
04-26-89	124.97
05-23-89	124.65
06-22-89	125.21
07-20-89	125.32
08-17-89	124.54
09-15-89	124.47
10-12-89	124.36
11-08-89	124.90
12-07-89	123.87

Well LJ-65-16-925

Owner: U.S. Geological
Survey, Well No. P-1
Screen: 316-324 feet
Altitude: 25 feet

Date	Water level
01-02-85	140.93
01-29-85	141.01
02-26-85	141.68
03-27-85	141.38
04-23-85	141.52
05-21-85	142.20
06-18-85	140.63
07-16-85	141.71
08-13-85	140.28
09-10-85	139.74
10-08-85	140.21
11-05-85	140.10
12-03-85	140.28
01-16-86	140.15
02-13-86	139.81
03-14-86	137.58
04-10-86	136.91
05-08-86	136.79
06-05-86	136.56
07-03-86	136.37
07-31-86	136.19
08-28-86	136.80
09-25-86	135.43
11-20-86	134.91
01-15-87	134.36
02-11-87	134.49
03-05-87	133.04
04-02-87	132.87
05-01-87	133.23
05-28-87	133.84
06-24-87	133.91
07-23-87	133.74

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-16-925--Cont.

08-20-87	133.83
09-17-87	133.95
10-15-87	133.80
11-12-87	133.75
12-09-87	133.66
01-07-88	133.41
02-08-88	134.07
03-03-88	133.11
03-31-88	132.58
04-28-88	132.79
05-26-88	132.86
06-23-88	135.14
07-21-88	133.83
08-18-88	132.80
09-14-88	133.44
10-13-88	133.57
11-09-88	133.17
12-08-88	133.25
01-05-89	133.21
02-02-89	133.16
03-02-89	133.25
03-29-89	133.96
04-26-89	134.06
05-23-89	133.70
06-22-89	134.60
07-20-89	134.38
08-17-89	134.79
09-15-89	134.95
10-12-89	134.82
11-08-89	134.44
12-07-89	134.24

Well LJ-65-16-930

Owner: U.S. Geological
Survey, Well No. C-1
Screen: 420-430 feet
Altitude: 25 feet

Date	Water level
01-02-85	150.63
01-29-85	150.95
02-26-85	151.59
03-27-85	151.07
04-23-85	151.41
05-21-85	152.50
06-18-85	150.44
07-16-85	151.08
08-13-85	150.30
09-10-85	150.02
10-08-85	149.71
11-05-85	149.34
12-03-85	148.90
01-16-86	149.10
02-13-86	148.63
03-14-86	147.24
04-10-86	147.02
05-08-86	147.75
06-05-86	146.37
07-03-86	146.91
07-31-86	146.67
08-28-86	146.90
09-25-86	144.59
10-23-86	145.73
11-20-86	143.35
12-18-86	143.12
01-15-87	143.04
02-11-87	142.65
03-05-87	142.40
04-02-87	142.08
05-01-87	142.13
05-28-87	141.88
06-24-87	141.26
07-23-87	140.96

Well LJ-65-16-930--Cont.

08-20-87	141.37
09-17-87	141.17
10-15-87	141.87
11-12-87	143.38
12-09-87	143.19
01-07-88	142.63
02-08-88	143.13
03-03-88	142.69
03-31-88	144.48
04-28-88	142.47
05-26-88	143.55
06-23-88	143.60
07-21-88	143.68
08-18-88	140.47
09-14-88	143.00
10-13-88	142.89
11-09-88	142.87
12-08-88	142.75
01-05-89	142.26
02-02-89	142.08
03-02-89	143.37
03-29-89	144.29
04-26-89	144.61
05-23-89	144.14
06-22-89	147.43
07-20-89	146.87
08-17-89	143.79
09-15-89	145.02
10-12-89	144.65
11-08-89	144.09
12-07-89	143.39

Well LJ-65-16-931

Owner: U.S. Geological
Survey, Well No. C-2
Screen: 1,455-1,465 feet
Altitude: 25 feet

Date	Water level
01-02-85	169.98
01-29-85	170.17
02-26-85	170.73
03-27-85	170.49
04-23-85	170.65
05-21-85	170.87
06-18-85	168.20
07-16-85	168.75
08-13-85	165.88
09-10-85	165.23
10-08-85	167.97
11-05-85	166.79
12-03-85	167.76
01-16-86	166.41
02-13-86	166.07
03-14-86	166.61
04-10-86	166.33
05-08-86	166.74
06-05-86	165.68
07-03-86	166.04
07-31-86	165.82
08-28-86	165.96
09-25-86	165.40
10-23-86	166.10
11-20-86	165.08
12-18-86	165.01
01-15-87	164.89
02-11-87	164.87
03-05-87	164.69
04-02-87	160.09
05-01-87	159.13
05-28-87	161.53
06-24-87	160.04
07-23-87	163.60

Well LJ-65-16-931--Cont.

08-20-87	164.02
09-17-87	163.62
10-15-87	163.91
11-12-87	163.46
12-09-87	163.17
01-07-88	162.58
02-08-88	163.39
03-03-88	161.21
03-31-88	162.97
04-28-88	162.56
05-26-88	162.06
06-23-88	161.71
07-21-88	161.52
08-18-88	161.28
09-14-88	161.34
10-13-88	161.25
11-09-88	161.22
12-08-88	161.35
01-05-89	160.75
02-02-89	160.46
03-02-89	160.97
03-29-89	163.98
04-26-89	161.43
05-23-89	160.89
06-22-89	160.51
07-20-89	160.46
08-17-89	160.52
09-15-89	160.77
10-12-89	160.49
11-08-89	160.64
12-07-89	160.53

Well LJ-65-16-932

Owner: U.S. Geological
Survey, Well No. P-5
Screen: 1,355-1,365 feet
Altitude: 25 feet

Date	Water level
01-02-85	200.52
01-29-85	200.89
02-26-85	201.77
03-27-85	201.17
04-23-85	201.65
05-21-85	200.94
06-18-85	198.49
07-16-85	200.02
08-13-85	198.87
09-10-85	199.29
10-08-85	199.93
11-05-85	198.65
12-03-85	198.30
01-16-86	197.88
02-13-86	196.22
03-14-86	196.15
04-10-86	196.39
05-08-86	196.03
06-05-86	195.92
07-03-86	194.88
07-31-86	194.63
08-28-86	194.74
09-25-86	198.49
11-20-86	197.52
01-15-87	196.11
02-11-87	197.32
03-05-87	197.97
04-02-87	197.41
05-01-87	197.91
05-28-87	198.41
06-24-87	198.60
07-23-87	195.54
08-20-87	196.15
09-17-87	197.40

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-16-932--Cont.

10-15-87	196.81
11-12-87	196.37
12-09-87	195.95
01-07-88	195.66
02-08-88	195.67
03-03-88	196.14
03-31-88	195.32
04-28-88	193.08
05-26-88	193.34
06-23-88	196.45
07-21-88	192.94
08-19-88	192.91
09-14-88	194.30
10-13-88	194.84
11-09-88	193.30
12-08-88	192.74
01-05-89	188.71
02-02-89	188.69
03-02-89	188.56
03-29-89	193.86
04-26-89	191.95
05-23-89	191.27
06-22-89	192.77
07-20-89	192.53
08-17-89	193.53
09-15-89	193.94
10-12-89	193.79
11-08-89	195.69
12-07-89	193.79

Well LJ-65-16-933
 Owner: U.S. Geological
 Survey, Well No. P-6
 Screen: 30-60 feet
 Altitude: 25 feet

Date	Water level
01-02-85	13.62
01-29-85	13.66
02-26-85	13.59
03-27-85	13.71
04-23-85	13.63
05-21-85	13.49
06-18-85	13.56
07-16-85	13.50
08-13-85	13.62
09-10-85	13.71
10-08-85	13.59
11-05-85	13.63
12-03-85	13.47
01-16-86	13.20
02-13-86	13.04
03-14-86	12.98
04-10-86	13.13
05-08-86	13.37
06-05-86	12.88
07-03-86	13.04
07-31-86	13.00
08-28-86	13.09
09-25-86	12.76
11-20-86	12.88
01-15-87	12.79
02-11-87	11.90
03-05-87	11.52
04-02-87	11.85
05-01-87	12.04
05-28-87	12.18
06-24-87	12.27
07-23-87	11.77
08-20-87	11.49
09-17-87	11.61
10-15-87	11.10
11-12-87	11.02

Well LJ-65-16-933--Cont.

12-10-87	11.16
01-07-88	11.04
02-08-88	13.23
03-03-88	13.04
03-31-88	12.82
04-28-88	13.01
05-26-88	13.13
06-23-88	13.33
07-21-88	13.69
08-18-88	13.34
09-14-88	13.48
10-13-88	13.82
11-09-88	14.12
12-08-88	14.26
01-05-89	14.36
02-02-89	14.39
03-02-89	14.16
03-31-89	13.79
04-26-89	13.81
05-23-89	13.58
06-22-89	14.17
07-20-89	14.09
08-17-89	13.59
09-15-89	13.73
10-12-89	13.85
11-08-89	14.45
12-07-89	14.37

Well LJ-65-19-201
 Owner: O.B. Williams
 Screen: 115-535 feet
 Altitude: 93 feet

Date	Water level
01-22-85	117.54
01-28-86	119.02
01-06-87	119.75
01-08-88	120.18
01-03-89	120.96

Well LJ-65-19-203
 Owner: John Pilot
 Screen: 146-471 feet
 Altitude: 92 feet

Date	Water level
01-23-85	126.02
01-28-86	127.48
01-06-87	128.24
01-08-88	133.77
01-03-89	134.81

Well LJ-65-19-317
 Owner: City of Houston,
 West Houston, Well
 No. 1
 Screen: 475-790 feet
 Altitude: 93 feet

Date	Water level
01-20-88	192.60
01-31-89	196.30

Well LJ-65-19-319
 Owner: City of Houston,
 West Houston, Well
 No. 3
 Screen: 708-1,400 feet
 Altitude: 91 feet

Date	Water level
01-13-87	363
01-21-88	280.60
01-31-89	297.70

Well LJ-65-19-320
 Owner: City of Houston,
 West Houston, Well
 No. 2
 Screen: 636-1,314 feet
 Altitude: 90 feet

Date	Water level
01-31-89	309.80

Well LJ-65-20-103
 Owner: City of Houston,
 Rosewood, Well No. 1
 Screen: 980-1,280 feet
 Altitude: 85 feet

Date	Water level
01-20-88	350.50
01-27-89	328

Well LJ-65-20-104
 Owner: City of Houston,
 Lakeside Place,
 Well No. 2
 Screen: 995-1,435 feet
 Altitude: 83 feet

Date	Water level
01-18-85	367.02
01-27-86	352.37
01-13-87	348.96
01-18-88	375
01-20-89	399.60

Well LJ-65-20-106
 Owner: Forest Park West
 Screen: 466-651 feet
 Altitude: 85 feet

Date	Water level
01-11-88	367
01-11-89	361

Table 3.--Water Levels in wells in Harris County--Continued

Well LJ-65-20-110
Owner: The Randolph Co.
Screen: 1,167-1,182 feet
Altitude: 80 feet

Date	Water level
01-24-85	363.08
02-22-85	358.00
03-22-85	357.84
04-24-85	358.05
05-24-85	358.12
06-24-85	359.71
07-24-85	363.59
08-23-85	324.24
09-24-85	390.42
10-24-85	385.63
11-22-85	378.96
12-20-85	370.17
01-24-86	368.91
02-24-86	362.90
03-24-86	366.51
04-23-86	368.45
05-23-86	370.86
06-24-86	375.23
07-24-86	378.41
08-21-86	383.90
09-24-86	391.16
10-24-86	390.03
11-21-86	391.48
12-22-86	391.10
01-23-87	389.77
02-24-87	386.40
03-24-87	339.85
04-23-87	343.40
05-22-87	350.17
06-24-87	355.78
07-24-87	357.11
08-24-87	359.83
09-24-87	362.58
10-23-87	365.40
11-24-87	360.86
12-17-87	353.97
01-21-88	344.02
02-24-88	340.35
03-24-88	345.17
04-22-88	347.77
05-24-88	354.84
06-22-88	359.47
07-22-88	362.03
08-24-88	378.80
09-22-88	383.94
10-21-88	385.06
11-22-88	383.35
12-20-88	378.15
01-24-89	368.88
02-24-89	364.15
03-23-89	362.36
04-21-89	361.94
05-24-89	361.13
06-23-89	360.68
07-21-89	365.61
08-24-89	365.69
09-22-89	373.93
10-24-89	376.22
11-21-89	377.35
12-20-89	373.81

Well LJ-65-20-111
Owner: F.W. Liestman
Screen: 449-464 feet
Altitude: 83 feet

Date	Water level
01-18-85	184.36

Well LJ-65-20-118
Owner: City of Houston,
Alief, Well No. 1
Screen: 448-730 feet
Altitude: 77 feet

Date	Water level
01-14-88	223
01-11-89	228

Well LJ-65-20-122
Owner: City of Houston,
Rosewood, Well No. 2
Screen: 822-1,278 feet
Altitude: 81 feet

Date	Water level
01-20-88	333
01-27-89	342

Well LJ-65-20-125
Owner: Harris County
M.U.D. 218
Screen: 704-1,590 feet
Altitude: 83 feet

Date	Water level
01-15-88	330.75
01-11-89	367

Well LJ-65-20-126
Owner: City of Houston,
Rosewood, Well No. 3
Screen: 970-1,322 feet
Altitude: 84 feet

Date	Water level
01-20-88	348.50
01-27-89	395.50

Well LJ-65-20-127
Owner: City of Houston,
Bellaire, Well No. 2
Screen: 683-1,370 feet
Altitude: 83 feet

Date	Water level
01-13-88	59.43
01-11-89	68.17

Well LJ-65-20-128
Owner: City of Houston,
Ashford Point,
Well No. 2
Screen: 692-1,102 feet
Altitude: 81 feet

Date	Water level
01-15-88	278
01-11-89	311

Well LJ-65-20-203
Owner: E.W. Andrau
Screen: 177-693 feet
Altitude: 81 feet

Date	Water level
01-18-85	206.40
01-27-86	209.01

Well LJ-65-20-210
Owner: City of Houston,
Walnut Bend
Screen: 334-455 feet
Altitude: 78 feet

Date	Water level
01-18-85	221.19
01-13-86	210.41

Well LJ-65-20-216
Owner: City of Houston,
Lakeside Forest
Screen: 870-1,300 feet
Altitude: 79 feet

Date	Water level
01-18-85	370.93
01-14-86	381.12

Well LJ-65-20-218
Owner: City of Houston,
Walnut Bend,
Well No. 2
Screen: 660-1,265 feet
Altitude: 79 feet

Date	Water level
01-18-85	332.08
01-14-86	305.80
01-21-88	312
01-20-89	297

Well LJ-65-20-224
Owner: City of Houston,
Braes Village,
Well No. 1
Screen: 670-1,070 feet
Altitude: 77 feet

Date	Water level
01-15-85	365
01-14-88	313.69
01-11-89	357.62

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-20-225
Owner: City of Houston,
Lakeside Place,
Well No. 1
Screen: 1,050-1,346 feet
Altitude: 80 feet

Date	Water level
01-18-85	366.24
01-27-86	374.29
01-06-87	376.03
01-15-88	417.70
01-20-89	355

Well LJ-65-20-226
Owner: City of Houston,
Braes Village,
Well No. 2
Screen: 1,144-1,600 feet
Altitude: 80 feet

Date	Water level
02-14-86	384.85
02-03-87	370
01-21-88	407
01-11-89	437

Well LJ-65-20-302
Owner: City of Houston,
Southwest, Well No. 7
Screen: 490-1,440 feet
Altitude: 71 feet

Date	Water level
01-15-85	371.26
01-11-89	348

Well LJ-65-20-303
Owner: City of Houston,
Southwest, Well No. 8
Screen: 560-1,445 feet
Altitude: 73 feet

Date	Water level
01-15-85	359.15
01-14-86	370.31
01-09-87	351.12
01-05-88	358.45
01-11-89	365.54

Well LJ-65-20-304
Owner: City of Houston,
Southwest,
Well No. 11
Screen: 755-1,552 feet
Altitude: 74 feet

Date	Water level
01-08-88	367
01-11-89	373.01

Well LJ-65-20-307
Owner: City of Houston,
District 34,
Well No. 2
Screen: 624-881 feet
Altitude: 74 feet

Date	Water level
01-17-85	340.88
01-27-86	342.97
01-06-87	343.31

Well LJ-65-20-309
Owner: City of Houston,
District 52,
Well No. 1
Screen: 586-896 feet
Altitude: 75 feet

Date	Water level
01-18-85	334.87

Well LJ-65-20-319
Owner: City of Houston,
District 54,
Well No. 2
Screen: 630-1,370 feet
Altitude: 72 feet

Date	Water level
01-21-85	408.5
01-14-86	412
01-07-87	392
01-06-88	397
02-09-88	354.95
01-25-89	361.03

Well LJ-65-20-321
Owner: City of Houston,
Westbriar,
Well No. 3A
Screen: 659-1,415 feet
Altitude: 72 feet

Date	Water level
01-07-85	401
01-14-86	398
01-07-87	390
01-08-88	406
01-25-89	399

Well LJ-65-20-322
Owner: City of Houston,
Windswept,
Well No. 1
Screen: 658-1,520 feet
Altitude: 75 feet

Date	Water level
01-28-85	374.66

Well LJ-65-20-405
Owner: City of Houston,
Bellaire-Brays,
Well No. 1
Screen: 640-1,620 feet
Altitude: 81 feet

Date	Water level
01-22-85	327
01-14-86	405
01-08-87	408
01-10-89	387

Well LJ-65-20-407
Owner: City of Houston,
Bellaire-Brays,
Well No. 4
Screen: 618-1,634 feet
Altitude: 85 feet

Date	Water level
01-23-85	306.41
01-15-86	307.12
01-06-87	307.34
01-06-88	309.09

Well LJ-65-20-408
Owner: City of Houston,
Bellaire-Brays,
Well No. 5
Screen: 639-1,583 feet
Altitude: 85 feet

Date	Water level
01-23-85	337
01-15-86	349.16
01-06-87	352
01-06-88	354.51
01-05-89	369

Well LJ-65-20-409
Owner: City of Houston,
Bellaire-Brays,
Well No. 3
Screen: 609-1,551 feet
Altitude: 75 feet

Date	Water level
01-22-85	311.70
01-14-86	395
01-08-87	397
01-10-89	377.53

Well LJ-65-20-414
Owner: City of Houston,
Keegan's Glen,
Well No. 1
Screen: 709-1,028 feet
Altitude: 86 feet

Date	Water level
01-27-87	262.31
01-06-88	260.80
01-17-89	307.15

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-20-416
Owner: City of Houston,
Brookfield, Well
No. 1
Screen: 584-866 feet
Altitude: 86 feet

Date	Water level
01-15-86	285.40
01-06-88	280.31
01-17-89	304.21

Well LJ-65-20-418
Owner: City of Houston,
Bellaire Independent,
Well No. 1
Screen: 692-1,374 feet
Altitude: 85 feet

Date	Water level
01-13-88	200.04
01-11-89	176.60

Well LJ-65-20-419
Owner: City of Houston,
Bellaire Independent,
Well No. 3
Screen: 599-1,300 feet
Altitude: 84 feet

Date	Water level
01-13-88	215.12
01-11-89	340.61

Well LJ-65-20-508
Owner: City of Houston,
Imperial Point,
Well No. 1
Screen: 535-810 feet
Altitude: 75 feet

Date	Water level
01-10-89	260.31

Well LJ-65-20-509
Owner: City of Houston,
Kirkwood-1,
Well No. 1
Screen: 710-930 feet
Altitude: 80 feet

Date	Water level
01-14-86	422
01-07-87	426
01-06-88	423.77
01-17-89	351.45

Well LJ-65-20-512
Owner: City of Houston,
Imperial Point,
Well No. 2
Screen: 840-1,360 feet
Altitude: 75 feet

Date	Water level
01-10-89	421

Well LJ-65-20-513
Owner: City of Houston,
Bellaire-Brays,
Well No. 2
Screen: 649-1,631 feet
Altitude: 75 feet

Date	Water level
01-22-85	318
01-15-86	337
01-08-87	355
01-06-88	348
01-10-89	327.74

Well LJ-65-20-518
Owner: City of Houston,
Concourse, Well No. 1
Screen: 725-1,460 feet
Altitude: 76 feet

Date	Water level
07-25-85	365 c
08-01-85	334 c

Well LJ-65-20-602
Owner: City of Houston,
Sharpstown,
Well No. 1
Screen: 595-950 feet
Altitude: 70 feet

Date	Water level
01-17-85	318
01-15-86	312
01-08-87	302
01-05-88	328
01-25-89	322

Well LJ-65-20-603
Owner: City of Houston,
Sharpstown,
Well No. 2
Screen: 584-989 feet
Altitude: 76 feet

Date	Water level
01-17-85	312.69
01-15-86	328.72
01-08-87	317
01-08-88	297
01-20-89	292.12

Well LJ-65-20-614
Owner: City of Houston,
Sharpstown,
Well No. 4
Screen: 579-1,495 feet
Altitude: 76 feet

Date	Water level
01-21-85	365
01-15-86	371.43
01-08-87	347
01-08-88	337
01-20-89	334

Well LJ-65-20-617
Owner: City of Houston,
Braeburn Valley,
Well No. 1
Screen: 480-700 feet
Altitude: 68 feet

Date	Water level
02-09-88	312.48

Well LJ-65-20-618
Owner: City of Houston,
Braeburn Valley,
Well No. 2
Screen: 885-1,325 feet
Altitude: 70 feet

Date	Water level
01-21-86	467
01-08-87	472
01-19-88	452
02-09-88	315.48
01-25-89	317.62

Well LJ-65-20-619
Owner: City of Houston,
Braeswood, Well No. 1
Screen: 690-1,755 feet
Altitude: 60 feet

Date	Water level
01-16-85	354.28
01-22-86	359.78
01-08-87	407
01-06-88	422
02-10-88	304.39
01-25-89	320.54

Well LJ-65-20-626
Owner: City of Houston,
Sharpstown,
Well No. 3A
Screen: 920-1,550 feet
Altitude: 70 feet

Date	Water level
02-07-85	415
01-15-86	425
01-21-88	355.46

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-20-803
Owner: City of Houston,
Glenshire, Well No. 1
Screen: 640-870 feet
Altitude: 78 feet

Date	Water level
01-22-86	276.20
01-30-87	302
01-11-88	287
01-11-89	290

Well LJ-65-20-807
Owner: City of Houston,
Forum Park
Screen: 750-1,015 feet
Altitude: 76 feet

Date	Water level
01-22-86	313.13
01-30-87	377
01-19-88	379
01-13-89	357

Well LJ-65-20-808
Owner: City of Houston,
Parkglenn, Well No. 2
Screen: 805-1,125 feet
Altitude: 78 feet

Date	Water level
11-05-85	311
01-22-86	357
01-30-87	307
01-11-88	322
01-13-89	312

Well LJ-65-20-811
Owner: City of Houston,
Parkglenn, Well No. 1
Screen: 739 - 998 feet
Altitude: 83 feet

Date	Water level
01-22-86	311
01-30-87	297
01-19-88	313
01-13-89	318

Well LJ-65-20-908
Owner: City of Houston,
Braeburn West
Screen: 627-942 feet
Altitude: 73 feet

Date	Water level
01-17-85	328.47
01-22-86	298
01-30-87	302
01-19-88	292
01-17-89	294

Well LJ-65-20-910
Owner: City of Houston,
Sims Bayou,
Well No. 5
Screen: 610-1,188 feet
Altitude: 70 feet

Date	Water level
01-15-85	296.14
01-23-86	304.91
01-12-89	296.36

Well LJ-65-20-911
Owner: City of Houston,
Sims Bayou,
Well No. 4
Screen: 645-1,185 feet
Altitude: 70 feet

Date	Water level
01-15-85	307.50
01-23-86	312.92
01-12-87	320
01-11-88	322
01-12-89	290.86

Well LJ-65-20-913
Owner: City of Houston,
Glenshire, Well No. 2
Screen: 658-878 feet
Altitude: 72 feet

Date	Water level
01-22-86	280.34
01-30-87	302.5
01-11-88	288

Well LJ-65-21-106
Owner: City of Houston,
Southwest,
Well No. 12
Screen: 680-2,000 feet
Altitude: 65 feet

Date	Water level
01-11-88	366
01-11-89	357.43

Well LJ-65-21-143
Owner: City of Houston,
Southwest,
Well No. 1A
Screen: 716-1,492 feet
Altitude: 64 feet

Date	Water level
01-07-85	362.90
01-13-86	429
01-06-87	367
01-05-88	387
02-09-88	351.68
01-11-89	395

Well LJ-65-21-144
Owner: City of Houston,
Southwest, Well No. 5
Screen: 652-1,380 feet
Altitude: 69 feet

Date	Water level
01-15-85	414.77
01-14-86	430.12
01-07-87	378
01-05-88	332
02-09-88	354.81
01-11-89	369.03

Well LJ-65-21-148
Owner: City of Houston,
Southwest,
Well No. 3A
Screen: 699-1,490 feet
Altitude: 64 feet

Date	Water level
01-08-85	377
01-13-86	373
01-06-87	412
01-08-88	407
02-10-88	354.33
01-11-89	422

Well LJ-65-21-149
Owner: City of Houston,
Southwest,
Well No. 4A
Screen: 690-1,498 feet
Altitude: 69 feet

Date	Water level
01-07-85	385.52
01-13-86	415.41
01-07-87	389.11

Well LJ-65-21-150
Owner: City of Houston,
Southwest,
Well No. 3SB
Screen: 330-631 feet
Altitude: 64 feet

Date	Water level
01-08-85	357
01-13-86	367
01-06-87	362
01-08-88	349
01-11-89	375

Well LJ-65-21-201
Owner: City of Houston,
Southwest, Well No. 9
Screen: 554-1,031 feet
Altitude: 63 feet

Date	Water level
01-07-85	309.97
01-13-86	320.10

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-21-201--Cont.

01-06-87 307.52
01-05-88 294.95
01-11-89 292.40

Well LJ-65-21-202

Owner: City of Houston,
Southwest,
Well No. 10
Screen: 1,069-1,946 feet
Altitude: 63 feet

Date	Water level
01-06-88	385
01-11-89	388.69

Well LJ-65-21-226

Owner: Harris-Galveston
Coastal Subsidence
District, Southwest,
Well No. 1
Screen: 2,316-2,336 feet
Altitude: 64 feet

Date	Water level
01-02-85	308.83
01-29-85	308.37
02-27-85	307.91
03-27-85	309.30
04-23-85	310.06
05-21-85	310.94
06-18-85	311.27
07-16-85	311.79
08-13-85	312.33
09-10-85	304.22
10-08-85	304.28
11-05-85	305.41
12-03-85	307.11
12-19-85	312.42
01-16-86	317.13
02-13-86	311.08
03-13-86	309.70
04-10-86	304.30
05-09-86	303.42
06-05-86	303.87
07-03-86	302.66
07-31-86	303.14
08-28-86	302.29
09-25-86	304.17
10-22-86	304.81
11-20-86	304.92
12-17-86	304.73
01-15-87	303.16
02-12-87	303.14
03-06-87	302.87
04-02-87	301.44
04-30-87	303.61
05-28-87	305.80
06-25-87	307.43
07-23-87	301.12
08-20-87	303.73
09-17-87	305.55
10-16-87	299.48
11-12-87	298.21
12-09-87	297.61
01-07-88	301.85
02-04-88	300.94
03-03-88	302.27
03-31-88	302.78
04-28-88	303.40
05-26-88	296.94

Well LJ-65-21-226--Cont.

06-23-88 296.18
07-21-88 295.91
08-18-88 295.21
09-14-88 294.71
10-13-88 295.11
11-09-88 302.85
12-08-88 296.07
01-05-89 296.16
02-02-89 301.21
03-02-89 296.49
03-29-89 296.30
04-27-89 295.26
05-25-89 294.58
06-22-89 294.02
07-20-89 296.73
08-17-89 296.79
09-14-89 296.94
10-12-89 300.48
11-08-89 297.57
12-07-89 298.01

Well LJ-65-21-227

Owner: Harris-Galveston
Coastal Subsidence
District, Southwest,
Well No. 3
Screen: 1,418-1,428 feet
Altitude: 64 feet

Date	Water level
01-02-85	387.97
01-29-85	390.30
02-27-85	388.83
03-27-85	391.47
04-23-85	391.75
05-21-85	392.06
06-18-85	392.27
07-16-85	392.85
08-13-85	393.27
09-10-85	400.06
10-08-85	404.38
11-05-85	401.79
12-03-85	400.29
12-19-85	403.82
01-16-86	405.17
02-13-86	405.63
03-13-86	404.97
04-11-86	404.86
05-09-86	404.70
06-05-86	404.32
07-03-86	404.86
07-31-86	405.27
08-28-86	405.44
09-25-86	405.79
11-20-86	404.94
12-17-86	405.01
01-15-87	405.29
02-12-87	399.87
03-06-87	396.60
04-02-87	399.63
04-30-87	401.40
05-28-87	404.76
06-25-87	405.96
07-23-87	399.28
08-20-87	400.26
09-17-87	407.13
10-16-87	405.40
11-12-87	404.48
12-09-87	403.85
01-07-88	405.07
02-04-88	404.20
03-03-88	403.88
03-31-88	403.11

Well LJ-65-21-227--Cont.

04-28-88 403.02
05-26-88 399.85
06-23-88 401.80
07-21-88 402.43
08-18-88 392.40
09-14-88 396.76
10-13-88 396.70
11-09-88 390.76
12-08-88 390.29
01-05-89 390.18
02-02-89 358.47
03-02-89 358.83
03-29-89 358.57
04-27-89 358.22
05-25-89 357.60
06-22-89 357.29
08-17-89 391.31
09-14-89 394.15
10-12-89 394.28
11-08-89 396.10
12-07-89 397.06

Well LJ-65-21-228

Owner: Harris-Galveston
Coastal Subsidence
District, Southwest,
Well No. 5
Screen: 238-248 feet
Altitude: 64 feet

Date	Water level
01-02-85	183.05
01-29-85	184.59
02-27-85	184.17
03-27-85	183.69
04-23-85	183.16
05-21-85	183.31
06-18-85	183.49
07-16-85	183.27
08-13-85	184.03
09-10-85	185.78
10-08-85	187.99
11-05-85	187.40
12-03-85	186.91
12-19-85	184.73
01-16-86	184.41
02-13-86	183.27
03-13-86	182.69
04-11-86	186.14
05-09-86	190.01
06-05-86	188.48
07-03-86	186.12
07-31-86	186.91
08-28-86	186.88
09-25-86	186.96
11-20-86	185.86
12-17-86	185.72
01-15-87	181.18
02-12-87	177.76
03-06-87	174.66
04-02-87	176.12
04-30-87	174.69
05-28-87	175.07
06-25-87	177.31
07-23-87	167.25
08-20-87	169.77
09-17-87	174.60
10-16-87	175.60
11-12-87	174.96
12-03-87	174.33
01-07-88	175.40
02-04-88	174.62
03-03-88	175.16

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-21-228

03-31-88	174.93
04-28-88	174.67
05-26-88	174.83
06-23-88	174.20
07-21-88	174.01
08-18-88	185.35
09-14-88	177.56
10-13-88	186.75
11-09-88	186.62
12-08-88	186.94
01-05-89	187.09
02-02-89	185.07
03-29-89	185.05
04-27-89	184.93
05-25-89	184.52
06-22-89	183.98
07-20-89	183.77
08-17-89	185.60
09-14-89	185.83
10-12-89	186.54
11-08-89	187.25
12-07-89	187.44

Well LJ-65-21-229

Owner: Harris-Galveston
Coastal Subsidence
District, Southwest,
Well No. 4
Screen: 612-622 feet
Altitude: 64 feet

Date	Water level
01-02-85	287.16
01-29-85	285.70
02-27-85	284.26
03-27-85	286.65
04-23-85	287.14
05-21-85	287.89
06-18-85	289.25
07-16-85	290.17
08-13-85	291.71
09-10-85	298.68
10-08-85	299.51
11-05-85	301.63
12-03-85	299.22
12-19-85	302.51
01-16-86	304.07
02-13-86	296.37
03-13-86	291.04
04-11-86	292.29
05-09-86	292.96
06-05-86	291.40
07-03-86	301.28
07-31-86	308.47
08-28-86	303.10
09-25-86	306.17
11-20-86	299.20
12-17-86	301.98
01-15-87	289.38
02-12-87	288.44
03-06-87	294.44
04-02-87	297.10
04-30-87	298.49
05-28-87	299.97
06-25-87	301.18
07-23-87	289.35
08-20-87	291.42
09-17-87	294.57
10-16-87	314.60
11-12-87	309.31
12-09-87	308.18
01-07-88	307.95
02-04-88	305.29

Well LJ-65-21-229--Cont.

03-03-88	305.06
03-31-88	304.75
04-28-88	304.59
05-26-88	304.68
06-23-88	313.00
07-21-88	307.17
08-18-88	318.55
09-14-88	312.83
10-13-88	314.90
11-09-88	313.01
12-08-88	313.30
01-05-89	310.90
02-02-89	281.19
03-02-89	270.32
03-29-89	270.15
04-27-89	270.08
05-25-89	270.84
06-22-89	270.93
07-20-89	316.34
08-17-89	314.76
09-14-89	315.02
10-12-89	317.88
11-08-89	321.48
12-07-89	320.97

Well LJ-65-21-230

Owner: Harris-Galveston
Coastal Subsidence
District, Southwest,
Well No. 2
Screen: 1,928-1,938 feet
Altitude: 64 feet

Date	Water level
01-02-85	399.80
01-29-85	389.70
02-27-85	388.35
03-27-85	390.40
04-23-85	393.80
05-21-85	395.10
06-18-85	396.70
07-16-85	396.50
08-13-85	400
09-10-85	381.36
10-08-85	385.84
11-05-85	388.70
12-03-85	387.50
12-19-85	390.50
01-16-86	402.20
02-13-86	394.60
03-13-86	397.30
04-11-86	396
05-09-86	393.70
06-05-86	395.60
07-03-86	400.20
07-31-86	404.70
08-28-86	393.20
09-25-86	398.70
11-10-86	388.20
12-17-86	390.10
01-15-87	388.80
02-12-87	382.10
03-06-87	353.65
04-02-87	352.69
04-30-87	358.40
05-28-87	350.34
06-25-87	354.50
07-23-87	346.95
08-20-87	349.09
09-17-87	344.85
10-16-87	359.70
11-12-87	355.52
12-09-87	351.47

Well LJ-65-21-230--Cont.

01-07-88	352.64
02-04-88	350.99
03-03-88	349.15
03-31-88	348.56
04-28-88	348.31
05-26-88	353.70
06-23-88	355.20
07-21-88	356.14
08-18-88	347.30
09-14-88	351.79
10-13-88	352.32
11-09-88	354.19
12-08-88	350.66
01-05-89	350.90
02-02-89	349.73
03-02-89	349.74
03-29-89	349.59
04-27-89	349.55
05-25-89	349.68
06-22-89	349.40
07-20-89	353.96
08-17-89	356.75
09-14-89	357.41
10-12-89	362.48
11-08-89	365.62
12-07-89	363.83

Well LJ-65-21-302

Owner: City of Houston,
South End, Well No. 8
Screen: 710-1,650 feet
Altitude: 46 feet

Date	Water level
01-08-85	401
01-28-86	343.49
01-20-87	404
01-11-88	295.55
01-13-89	396.83

Well LJ-65-21-303

Owner: City of Houston,
South End, Well No. 9
Screen: 680-1,690 feet
Altitude: 44 feet

Date	Water level
01-09-85	344.85
01-28-86	348
01-23-87	316.40
01-11-88	306.91
01-13-89	313.02

Well LJ-65-21-304

Owner: City of Houston,
South End,
Well No. 10
Screen: 795-2,170 feet
Altitude: 50 feet

Date	Water level
01-23-87	322
01-11-88	303
01-13-89	321.95

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-21-330
Owner: City of Houston,
South End,
Well No. 13
Screen: 708-1,762 feet
Altitude: 47 feet

Date	Water level
01-11-85	357.10
01-29-86	328.60
01-23-87	327.30
01-11-88	315.18
01-13-89	320.31

Well LJ-65-21-404
Owner: City of Houston,
Meyerland, Well No. 2
Screen: 618-1,198 feet
Altitude: 61 feet

Date	Water level
01-21-86	347
01-11-88	264.14
01-31-89	273.88

Well LJ-65-21-413
Owner: City of Bellaire,
Well No. 1
Screen: 651-708 feet
Altitude: 59 feet

Date	Water level
01-17-85	299.51

Well LJ-65-21-414
Owner: City of Houston,
Braeswood, Well No. 2
Screen: 620-1,735 feet
Altitude: 66 feet

Date	Water level
01-15-85	324.35
01-21-86	347
01-08-87	337
01-11-88	339
02-11-88	314.47
01-26-89	343

Well LJ-65-21-503
Owner: City of Houston,
Linkwood, Well No. 1
Screen: 770-1,840 feet
Altitude: 52 feet

Date	Water level
01-16-85	319
01-22-86	336.83
01-07-87	327
01-06-88	322
02-11-88	315.82
01-25-89	331.47

Well LJ-65-21-504
Owner: City of Houston,
Linkwood, Well No. 2
Screen: 735-2,260 feet
Altitude: 52 feet

Date	Water level
01-15-85	352.67
01-22-86	356.17
01-06-87	346
01-06-88	340
01-25-89	344.91

Well LJ-65-21-505
Owner: City of Houston,
Willow Bend, Well
No. 1
Screen: 558-809 feet
Altitude: 60 feet

Date	Water level
01-22-86	274
01-07-87	270
01-06-88	266
01-26-89	268

Well LJ-65-21-507
Owner: City of Houston,
Willow Meadows
Screen: 557-799 feet
Altitude: 60 feet

Date	Water level
01-17-85	299.05
01-21-86	276
01-07-87	266
01-08-88	263
01-26-89	267.17

Well LJ-65-21-509
Owner: City of Houston,
Linkwood, Well No. 3
Screen: 725-1,860 feet
Altitude: 51 feet

Date	Water level
01-16-85	344.08
01-21-86	347
01-07-87	365
01-06-88	349
01-25-89	323.36

Well LJ-65-21-701
Owner: City of Houston,
Westbury-1,
Well No. 1
Screen: 1,070-1,715 feet
Altitude: 63 feet

Date	Water level
01-08-87	418
01-05-88	421
01-26-89	422.00

Well LJ-65-21-703
Owner: City of Houston,
Westbury, Supply Well
Depth: 271 feet
Altitude: 63 feet

Date	Water level
01-21-86	126.14
01-05-88	124.82
01-26-89	125.61

Well LJ-65-21-708
Owner: City of Houston,
Sims Bayou,
Well No. 3
Screen: 632-1,180 feet
Altitude: 65 feet

Date	Water level
01-16-85	310.49
01-23-86	316.23
01-12-87	296
01-04-88	302
01-12-89	311

Well LJ-65-21-709
Owner: City of Houston,
Sims Bayou,
Well No. 2
Screen: 644-1,169 feet
Altitude: 65 feet

Date	Water level
01-12-89	325

Well LJ-65-21-803
Owner: Houston Lighting
and Power Co.,
Hiram Clark,
Well No. 4
Screen: 708-1,426 feet
Altitude: 67 feet

Date	Water level
01-08-85	310 c
01-29-85	308 c
03-01-85	305 c
04-02-85	305 c
04-29-85	305 c
05-25-85	307 c
07-02-85	313 c
08-01-85	305 c
01-10-87	299 c
04-07-87	287 c
01-28-88	306 c
06-22-88	414 c
02-10-89	303 c

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-21-812

Owner: City of Houston,
District 41,
Well No. 2
Screen: 600-1,360 feet
Altitude: 58 feet

Date	Water level
01-17-85	281.22
01-27-86	276.46
01-12-87	345

Well LJ-65-21-816

Owner: Houston Lighting
and Power Co.,
Hiram Clark,
Well No. 3A
Screen: 1,324-1,954 feet
Altitude: 66 feet

Date	Water level
01-08-85	351 c
01-29-85	350 c
03-01-85	350 c
04-02-85	348 c
04-29-85	348 c
05-25-85	346 c
07-02-85	351 c
08-01-85	348 c
01-10-87	339 c
04-07-87	328 c
01-28-88	345.70 c
06-22-88	435 c
02-10-89	334 c

Well LJ-65-21-817

Owner: Houston Lighting
and Power Co.,
Hiram Clark,
Well No. 2A
Screen: 702-1,252 feet
Altitude: 67 feet

Date	Water level
01-08-85	315 c
01-29-85	309 c
03-01-85	305 c
04-02-85	302 c
04-29-85	305 c
05-25-85	302 c
07-02-85	307 c
08-01-85	305 c
01-10-87	340 c
04-07-87	336 c
01-28-88	345.10 c
06-22-88	431 c
02-10-89	345 c

Well LJ-65-22-103

Owner: City of Houston,
Scott St., Well No. 6
Screen: 580-2,140 feet
Altitude: 45 feet

Date	Water level
01-18-85	333.50
01-28-86	342.49
01-11-88	311.82
01-13-89	320.63

Well LJ-65-22-317

Owner: Gulf Atlantic
Warehouse
Screen: 713-888 feet
Altitude: 17 feet

Date	Water level
02-06-85	262.36
01-30-86	259.70
01-12-87	264.05
01-12-88	245.66
01-31-89	250.41

Well LJ-65-22-602

Owner: City of Houston,
East End, Well No. 3
Screen: 1,195-2,345 feet
Altitude: 33 feet

Date	Water level
02-04-88	274.63
01-17-89	267.88

Well LJ-65-22-603

Owner: City of Houston,
East End, Well No. 4
Screen: 1,000-2,510 feet
Altitude: 30 feet

Date	Water level
01-17-85	320.37
01-14-86	317.86
01-13-87	315.24
02-03-88	268.64
01-17-89	280.32

Well LJ-65-22-604

Owner: City of Houston,
East End, Well No. 6
Screen: 945-2,069 feet
Altitude: 34 feet

Date	Water level
01-18-85	302.10
01-13-86	303.68

Well LJ-65-22-605

Owner: City of Houston,
East End, Well No. 7
Screen: 785-1,755 feet
Altitude: 30 feet

Date	Water level
01-23-85	328.96
01-13-86	330.74
01-13-87	329.03
01-17-89	312

Well LJ-65-22-618

Owner: W.B. Ranson
Screen: 834-876 feet
Altitude: 38 feet

Date	Water level
01-23-85	295.02
01-13-86	294.00
01-06-87	272.90
01-12-88	264.38
01-03-89	261.92

Well LJ-65-22-622

Owner: U.S. Geological
Survey, East End,
Well No. C-1
Screen: 975-995 feet
Altitude: 34 feet

Date	Water level
01-02-85	306.89
01-29-85	306.52
02-26-85	305.30
03-26-85	306.87
04-23-85	307.04
05-21-85	299.93
06-19-85	300.07
07-16-85	301.86
08-13-85	300.83
09-10-85	300.36
10-08-85	309.23
11-05-85	307.52
12-03-85	305.88
12-19-85	303.70
01-16-86	306.37
02-13-86	304.12
03-13-86	305.01
04-10-86	299.55
05-08-86	298.22
06-05-86	296.53
07-03-86	296.79
07-31-86	296.04
08-28-86	295.88
09-25-86	301.90
10-24-86	298.27
11-20-86	300.87
12-18-86	299.96
01-15-87	299.51
02-11-87	291.77
03-06-87	292.58
04-02-87	295.17
05-01-87	297.61
05-28-87	300.42
06-25-87	301.03
07-23-87	293.79
08-20-87	296.14
09-17-87	298.64
10-15-87	299.33

Table 3.--Water Levels in wells in Harris County--Continued

Well LJ-65-22-622--Cont.

11-12-87	290.90
12-09-87	284.37
01-07-88	287.01
02-08-88	280.56
03-03-88	272.30
03-31-88	272.80
04-28-88	271.30
05-26-88	268.02
06-23-88	267.90
07-21-88	267.79
08-18-88	267.35
09-14-88	270.55
10-13-88	276.65
11-09-88	277.52
12-08-88	276.59
01-05-89	278.61
02-02-89	277.87
03-02-89	278.47
04-26-89	275.27
05-23-89	272.18
06-22-89	274.67
07-20-89	274.32
08-18-89	272.09
09-15-89	273.89
10-12-89	274.71
12-07-89	282.20

Well LJ-65-22-623

Owner: U.S. Geological
Survey, East End
Screen: 44-64 feet
Altitude: 34 feet

Date	Water level
01-02-85	14.02
01-29-85	13.98
02-26-85	13.76
03-26-85	13.61
04-23-85	13.57
05-21-85	14.33
06-19-85	14.85
07-16-85	14.59
08-13-85	14.78
09-10-85	14.61
10-08-85	14.08
11-05-85	14.14
12-03-85	14.31
12-19-85	14.50
01-16-86	14.27
02-13-86	13.11
03-13-86	13.20
04-10-86	14.16
05-08-86	13.97
06-05-86	13.57
07-03-86	13.74
07-31-86	13.70
08-28-86	13.56
09-25-86	12.86
10-24-86	13.08
11-20-86	12.90
12-18-86	12.79
01-15-87	12.72
02-11-87	12.92
03-06-87	14.46
04-02-87	14.12
05-01-87	14.31
05-28-87	13.99
06-25-87	13.94
07-23-87	12.60
08-20-87	12.53
09-17-87	12.75
10-15-87	13.61
11-12-87	15.72

Well LJ-65-22-623--Cont.

12-09-87	15.24
01-07-88	14.58
02-08-88	15.20
03-03-88	15.60
03-31-88	14.98
04-28-88	15.25
05-26-88	15.73
06-23-88	15.94
07-21-88	16.40
08-18-88	17.01
09-14-88	17.01
10-13-88	17.20
11-09-88	17.64
12-08-88	18.16
01-05-89	18.28
02-02-89	18.24
03-02-89	16.53
03-29-89	17.39
04-26-89	17.62
05-23-89	17.17
06-22-89	16.08
07-20-89	16.01
08-17-89	15.17
09-15-89	15.83
10-12-89	15.94
11-08-89	15.18
12-07-89	15.01

Well LJ-65-22-711

Owner: City of Houston,
Bellfort Plant
Screen: 515-1,215 feet
Altitude: 51 feet

Date	Water level
01-28-85	314.80
02-04-88	261.55
01-13-89	265.89

Well LJ-65-22-801

Owner: City of Houston,
South Park,
Well No. 4
Screen: 970-1,790 feet
Altitude: 43 feet

Date	Water level
01-22-86	387

Well LJ-65-22-802

Owner: City of Houston,
South Park,
Well No. 5
Screen: 755-1,820 feet
Altitude: 42 feet

Date	Water level
02-03-88	277.69
01-13-89	282.51

Well LJ-65-22-901

Owner: City of Houston,
Hobby Airport
Screen: 820-1,830 feet
Altitude: 45 feet

Date	Water level
01-15-85	319.79
01-22-86	325
02-03-88	282.28
01-17-89	279.95

Well LJ-65-23-102

Owner: Texaco Inc.,
Well No. 7
Screen: 697-1,372 feet
Altitude: 15 feet

Date	Water level
01-23-85	284
01-13-86	276

Well LJ-65-23-103

Owner: City of Galena-Park,
Well No. 3
Screen: 935-1,165 feet
Altitude: 34 feet

Date	Water level
01-23-85	322.50
01-13-86	319.50
01-06-87	289.40
01-14-88	292.10
01-20-89	290.80

Well LJ-65-23-104

Owner: City of Galena Park,
Well No. 4
Screen: 607-1,306 feet
Altitude: 33 feet

Date	Water level
01-23-85	280.09
01-13-86	279.27
02-05-87	272.06
01-14-88	273.65
01-20-89	273.37

Well LJ-65-23-106

Owner: Houston Lighting
and Power Co.,
Deep Water,
Well No. 5
Screen: 638-931 feet
Altitude: 20 feet

Date	Water level
01-05-85	359 c
05-29-85	357 c
06-10-85	357 c
10-10-85	357 c
01-10-86	362 c
01-09-87	326 c
01-25-88	352 c
01-17-89	331 c

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-23-129
Owner: Houston Lighting
and Power Co.,
Deep Water,
Well No. 6
Screen: 620-925 feet
Altitude: 20 feet

Date	Water level	
01-05-85	406	c
05-29-85	416	c
06-10-85	416	c
10-10-85	400	c
01-10-86	412	c
01-09-87	378	c
04-03-87	371	c
08-14-87	412	c
01-25-88	381	c
06-07-88	372	c
01-17-89	282	c

Well LJ-65-23-131
Owner: U.S. Geological
Survey,
Well No. TW-2
Screen: 162-172 feet
Altitude: 20 feet

Date	Water level	
01-24-85	92.65	
01-13-86	91.89	
01-06-87	91.25	
01-14-88	91.02	
01-20-89	90.78	

Well LJ-65-23-132
Owner: U.S. Geological
Survey,
Well No. TW-3
Screen: 35-45 feet
Altitude: 20 feet

Date	Water level	
01-24-85	15.22	
01-13-86	15.23	
01-06-87	13.50	
01-14-88	13.57	
01-20-89	13.26	

Well LJ-65-23-136
Owner: Houston Lighting
and Power Co.,
Deep Water,
Well No. 4
Screen: 656-805 feet
Altitude: 17 feet

Date	Water level	
01-05-85	353	c
05-29-85	358	c
06-10-85	358	c
10-10-85	333	c
01-10-86	371	c
01-09-87	308	c
04-03-87	303	c
08-14-87	371	c

Well LJ-65-23-136--Cont.

01-25-88	314	c
06-07-88	319	c
01-17-89	250	c

Well LJ-65-23-148
Owner: Texaco Inc.
Screen: 428-1,791 feet
Altitude: 19 feet

Date	Water level	
01-23-85	158.00	
01-13-86	155.42	
01-06-87	151.08	
01-14-88	152.44	
01-31-89	150.97	

Well LJ-65-23-219
Owner: Ethyl Corp.,
Well No. 4-L
Screen: 698-1,235 feet
Altitude: 21 feet

Date	Water level	
02-06-85	256	c
03-03-85	254	c
04-24-85	251	c
05-05-85	250	c
06-04-85	250	c
09-02-85	256	c
10- -85	259	c
12- -85	259	c
01-05-86	257	c
02-02-86	255	c
03-02-86	253	c
11-03-86	248	c
12-07-86	250	c
01-04-87	246	c
07-05-87	246	c
08-02-87	246	c
10-04-87	248	c
01-03-88	244	c
05-01-88	240	c
11-05-88	240	c
01-01-89	239	c
02-26-89	241	c

Well LJ-65-23-220
Owner: Ethyl Corp.,
Well No. 3-A
Screen: 329-465 feet
Altitude: 20 feet

Date	Water level	
02-06-85	176	c
03-03-85	175	c
04-24-85	173	c
05-05-85	173	c
06-04-85	170	c
09-02-85	175	c
10- -85	174	c
12- -85	180	c
01-05-86	176	c
02-02-86	170	c
03-02-86	172	c
11-03-86	162	c
12-07-86	166	c
01-04-87	168	c

Well LJ-65-23-220--Cont.

10-04-87	163	c
01-03-88	161	c
05-01-88	170	c
11-05-88	153	c
01-01-89	152	c
02-26-89	148	c

Well LJ-65-23-221
Owner: Ethyl Corp.,
Well No. 2-L
Screen: 1,070-1,720 feet
Altitude: 19 feet

Date	Water level	
02-06-85	249	c
03-03-85	248	c
04-24-85	247	c
05-05-85	246	c
06-04-85	246	c
09-02-85	255	c
10- -85	252	c
12- -85	253	c
01-05-86	252	c
02-02-86	248	c
03-02-86	246	c
11-03-86	244	c
12-07-86	247	c
01-04-87	243	c
07-05-87	243	c
08-02-87	244	c
10-04-87	244	c
01-03-88	240	c
05-01-88	245	c
11-05-88	245	c
01-01-89	235	c
02-26-89	237	c

Well LJ-65-23-302
Owner: Shell Oil Co.,
Well No. 12
Screen: 315-490 feet
Altitude: 30 feet

Date	Water level	
01-26-86	178	c
10-05-86	241	c
02-03-87	171.05	c

Well LJ-65-23-307
Owner: Port of Houston
Authority, Well No. 1
Screen: 635-675 feet
Altitude: 20 feet

Date	Water level	
01-21-85	251.19	
01-13-86	240.72	
01-06-87	235.12	

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-23-309
Owner: Shell Oil Co.,
Well No. 6
Screen: 633-911 feet
Altitude: 31 feet

Date	Water level
10-05-86	243 c
02-03-87	240.48 c
01-23-89	233.50 c

Well LJ-65-23-319
Owner: U.S. Geological
Survey
Screen: 24-34 feet
Altitude: 32 feet

Date	Water level
01-02-85	8.27
01-29-85	8.03
02-26-85	8.36
03-26-85	8.22
04-23-85	8.14
05-21-85	7.38
06-19-85	7.59
07-16-85	7.46
08-13-85	7.88
09-10-85	7.75
10-08-85	7.82
11-05-85	7.93
12-03-85	7.76
12-19-85	7.62
01-16-86	7.67
02-13-86	6.77
03-14-86	7.40
04-10-86	7.07
05-08-86	8.63
06-05-86	8.32
07-03-86	8.41
07-31-86	8.44
08-28-86	8.17
09-25-86	8.26
10-23-86	8.02
11-20-86	8.11
12-18-86	8.08
01-15-87	8.03
02-11-87	7.84
03-06-87	6.98
04-02-87	7.50
05-01-87	7.87
05-28-87	8.02
06-25-87	7.96
07-23-87	6.33
08-20-87	6.61
09-17-87	6.63
10-15-87	7.07
11-12-87	11.04
12-09-87	10.28
01-07-88	9.70
02-08-88	9.82
03-03-88	9.15
03-31-88	8.47
04-28-88	9.63
05-26-88	10.16
06-23-88	11.22
07-21-88	11.12
08-18-88	11.63
09-14-88	11.96
10-13-88	11.76
11-09-88	11.68
12-08-88	13.04
01-05-89	12.89
02-02-89	12.67

Well LJ-65-23-319--Cont.

03-02-89	9.80
03-29-89	9.39
04-26-89	9.96
05-23-89	9.51
06-22-89	11.19
07-20-89	10.87
08-17-89	8.79
09-15-89	9.26
10-12-89	9.52
11-08-89	10.98
12-07-89	10.53

Well LJ-65-23-320
Owner: U.S. Geological
Survey
Screen: 380-390 feet
Altitude: 32 feet

Date	Water level
01-02-85	154.10
01-29-85	153.37
02-26-85	151.22
03-26-85	152.07
04-23-85	152.96
05-21-85	151.07
06-19-85	150.02
07-16-85	150.82
08-13-85	150.44
09-10-85	150.29
10-08-85	150.73
11-05-85	150.46
12-03-85	150.21
12-19-85	150.03
01-16-86	149.90
02-13-86	150.37
03-14-86	159.63
04-10-86	157.09
05-08-86	163.40
06-05-86	159.65
07-03-86	161.02
07-31-86	160.95
08-28-86	160.49
09-25-86	153.97
11-20-86	154.35
12-18-86	153.94
01-15-87	153.68
02-11-87	141.22
03-06-87	147.76
04-02-87	148.71
05-01-87	149.35
05-28-87	149.93
06-25-87	150.11
07-23-87	150.43
08-20-87	150.75
09-17-87	150.34
10-15-87	150.93
11-12-87	167.20
12-09-87	165.49
01-07-88	164.02
02-08-88	162.62
03-03-88	164.07
03-31-88	165.64
04-28-88	166.16
05-26-88	166.77
06-23-88	168.45
07-21-88	168.17
08-18-88	166.61
09-14-88	168.94
10-13-88	167.93
11-09-88	168.30
12-08-88	170.49
01-05-89	162.01
02-02-89	165.22

Well LJ-65-23-320--Cont.

03-02-89	165.35
03-29-89	166.04
04-26-89	166.40
05-23-89	166.29
06-22-89	169.10
07-20-89	168.78
08-17-89	167.74
09-15-89	168.13
10-12-89	168.06
11-08-89	170.16
12-07-89	165.89

Well LJ-65-23-321
Owner: U.S. Geological
Survey
Screen: 90-100 feet
Altitude: 32 feet

Date	Water level
01-02-85	14.02
01-29-85	13.69
02-26-85	14.01
03-26-85	13.99
04-23-85	13.83
05-21-85	13.07
06-19-85	12.46
07-16-85	12.33
08-13-85	13.10
09-10-85	12.88
10-08-85	12.90
11-05-85	12.79
12-03-85	13.04
12-19-85	12.94
01-16-86	12.89
02-13-86	13.40
03-14-86	13.36
04-10-86	13.11
05-08-86	14.04
06-05-86	13.63
07-03-86	13.99
07-31-86	14.02
08-28-86	13.95
09-25-86	14.13
11-20-86	14.00
12-18-86	13.97
01-15-87	13.84
02-11-87	13.54
03-06-87	12.64
04-02-87	13.27
05-01-87	13.04
05-28-87	13.21
06-25-87	13.25
07-23-87	11.75
08-20-87	11.97
09-17-87	12.10
10-15-87	12.64
11-12-87	15.41
12-09-87	15.03
01-07-88	14.35
02-08-88	15.29
03-03-88	15.50
03-31-88	15.12
04-28-88	14.81
05-26-88	15.08
06-23-88	15.63
07-21-88	16.11
08-18-88	16.20
09-14-88	16.49
10-13-88	16.80
11-09-88	17.08
12-08-88	17.37
01-05-89	18.61
02-02-89	18.14

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-23-321--Cont.

03-02-89	16.44
03-29-89	15.95
04-26-89	15.83
05-23-89	15.69
06-22-89	15.72
07-20-89	15.67
08-17-89	14.54
09-15-89	14.80
10-12-89	14.93
11-08-89	16.48
12-07-89	16.23

Well LJ-65-23-322

Owner: U.S. Geological
Survey
Screen: 2,707-2,717 feet
Altitude: 32 feet

Date	Water level
------	-------------

01-02-85	148.51
01-29-85	148.34
02-26-85	147.42
03-26-85	147.10
04-23-85	147.02
05-21-85	147.73
06-19-85	146.22
07-16-85	146.67
08-13-85	145.49
09-10-85	145.18
09-11-85	145.14
10-08-85	145.94
11-05-85	145.63
12-03-85	144.94
12-19-85	143.15
01-16-86	144.71
02-13-86	144.24
03-14-86	143.96
04-10-86	143.84
05-08-86	143.43
06-05-86	143.10
07-03-86	143.40
07-31-86	143.07
08-28-86	142.83
09-25-86	141.75
10-23-86	141.35
11-20-86	141.30
12-18-86	141.17
01-15-87	141.09
02-11-87	140.90
03-06-87	140.62
04-02-87	140.15
05-01-87	140.35
05-28-87	139.57
06-25-87	139.88
07-23-87	138.78
08-20-87	138.51
09-17-87	138.04
10-15-87	139.07
11-12-87	138.08
12-09-87	137.64
01-07-88	137.22
02-08-88	137.16
03-03-88	133.63
03-31-88	134.44
04-28-88	133.68
05-26-88	136.50
06-23-88	139.03
07-21-88	134.01
08-18-88	134.88
09-14-88	134.29
10-13-88	134.43
11-09-88	134.11
12-08-88	134.10

Well LJ-65-23-322--Cont.

01-05-89	134.98
02-02-89	134.59
03-02-89	133.84
03-29-89	133.86
04-26-89	133.62
05-23-89	133.97
06-22-89	134.11
07-20-89	134.55
08-17-89	134.15
09-15-89	134.73
10-12-89	134.49
11-08-89	134.27
12-07-89	134.47

Well LJ-65-23-323

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 1,313-1,323 feet
Altitude: 32 feet

Date	Water level
------	-------------

01-02-85	262.25
01-29-85	262.71
02-26-85	261.96
03-26-85	260.87
04-23-85	262.48
05-21-85	261.75
06-19-85	259.82
07-16-85	260.41
08-13-85	261.90
09-10-85	261.63
10-08-85	261.23
11-05-85	261.04
12-03-85	260.79
12-19-85	258.65
01-16-86	259.74
02-13-86	258.60
03-14-86	258.15
04-10-86	260.14
05-08-86	255.97
06-05-86	254.17
07-03-86	256.11
07-31-86	256.24
08-28-86	256.66
09-25-86	255.32
11-20-86	254.87
01-15-87	254.02
02-11-87	254.79
03-06-87	254.55
04-02-87	254.60
05-01-87	254.93
05-28-87	255.21
06-25-87	255.47
07-23-87	256.44
08-20-87	256.98
09-17-87	256.41
10-15-87	256.71
11-12-87	259.16
12-09-87	256.02
01-07-88	255.69
02-08-88	250.84
03-03-88	248.10
03-31-88	245.06
04-28-88	244.27
05-26-88	243.91
06-23-88	245.45
07-21-88	246.72
08-18-88	247.56
09-14-88	247.53
10-13-88	247.86
11-09-88	247.65
12-08-88	246.98

Well LJ-65-23-323--Cont.

01-05-89	247.39
02-02-89	246.84
03-02-89	247.89
03-29-89	246.44
04-26-89	246.71
05-23-89	246.55
06-22-89	245.34
07-20-89	245.22
08-17-89	244.61
09-15-89	244.98
10-12-89	245.20
11-08-89	245.39
12-07-89	243.89

Well LJ-65-23-324

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 915-931 feet
Altitude: 32 feet

Date	Water level
------	-------------

01-02-85	266.87
01-29-85	267.02
02-26-85	266.48
03-26-85	267.59
04-23-85	268.91
05-21-85	267.66
06-19-85	267.16
07-16-85	267.48
08-13-85	266.52
09-10-85	265.73
10-08-85	265.61
11-05-85	265.45
12-03-85	265.02
12-19-85	264.57
01-16-86	264.33
02-13-86	264.10
03-14-86	261.75
04-10-86	263.57
05-08-86	260.27
06-05-86	258.83
07-03-86	260.77
07-31-86	260.93
08-28-86	260.78
09-25-86	260.78
11-20-86	259.31
01-15-87	258.67
02-11-87	258.46
03-06-87	258.95
04-02-87	259.26
05-01-87	260.82
05-28-87	260.70
06-25-87	260.92
07-23-87	260.34
08-20-87	260.01
09-17-87	259.68
10-15-87	260.39
11-12-87	260.53
12-09-87	260.28
01-07-88	260.04
02-08-88	259.44
03-03-88	250.22
03-31-88	249.49
04-28-88	247.24
05-26-88	246.85
06-23-88	249.14
07-21-88	251.69
08-19-88	260.20
09-14-88	252.29
10-13-88	251.87
11-09-88	251.24
12-08-88	248.79

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-23-324--Cont.

01-05-89	249.98
02-02-89	249.35
03-02-89	251.79
03-29-89	249.91
04-26-89	250.16
05-23-89	250.03
06-22-89	249.40
07-20-89	249.21
08-17-89	248.74
09-15-89	248.99
10-12-89	249.12
11-08-89	248.49
12-07-89	246.47

Well LJ-65-23-325

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 1,802-1,812 feet
Altitude: 32 feet

Date	Water level
01-02-85	252.34
01-29-85	252.50
02-26-85	251.77
03-26-85	251.83
04-23-85	252.72
05-21-85	253.41
06-19-85	246.34
07-16-85	251.60
08-13-85	244.00
09-10-85	243.56
10-08-85	243.18
11-05-85	243.02
12-03-85	242.47
12-19-85	242.19
01-16-86	242.44
02-13-86	240.87
03-14-86	242.80
04-10-86	243.01
05-08-86	242.56
06-05-86	242.17
07-03-86	242.88
07-31-86	242.99
08-28-86	243.55
09-25-86	241.50
11-20-86	240.74
01-15-87	240.15
02-11-87	239.87
03-06-87	239.95
04-02-87	239.30
05-01-87	240.18
05-28-87	239.81
06-25-87	240.05
07-23-87	240.74
08-20-87	240.93
09-17-87	240.85
10-15-87	240.24
11-12-87	240.44
12-09-87	240.17
01-07-88	239.76
02-08-88	238.90
03-03-88	236.84
03-31-88	235.91
04-28-88	234.76
05-26-88	233.67
06-23-88	235.70
07-21-88	237.18
08-18-88	231.10
09-14-88	237.30
10-13-88	237.47
11-09-88	230.90
12-08-88	237.10

Well LJ-65-23-325--Cont.

01-05-89	230.35
02-02-89	230.22
03-02-89	230.90
03-29-89	230.31
04-26-89	230.44
05-23-89	230.12
06-22-89	230.07
07-20-89	230.26
08-17-89	229.67
09-15-89	230.04
10-12-89	230.13
11-08-89	229.57
12-07-89	229.73

Well LJ-65-23-326

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 715-725 feet
Altitude: 32 feet

Date	Water level
01-02-85	259.79
01-29-85	259.93
02-26-85	259.20
03-26-85	258.67
04-23-85	260.18
05-21-85	259.79
06-19-85	258.64
07-16-85	259.37
08-13-85	258.76
09-10-85	257.92
10-08-85	258.24
11-05-85	258.11
12-03-85	257.66
12-19-85	256.73
01-16-86	257.39
02-13-86	256.80
03-14-86	254.60
04-10-86	255.86
05-08-86	253.33
06-05-86	252.90
07-03-86	253.48
07-31-86	253.71
08-28-86	254.02
09-25-86	253.85
11-20-86	253.05
01-15-87	252.40
02-11-87	250.26
03-06-87	250.03
04-02-87	250.81
05-01-87	251.17
05-28-87	252.49
06-25-87	252.89
07-23-87	251.46
08-20-87	251.72
09-17-87	252.17
10-15-87	251.46
11-12-87	253.74
12-09-87	252.88
01-07-88	252.31
02-08-88	246.66
03-03-88	246.85
03-31-88	248.38
04-28-88	240.77
05-26-88	240.40
06-23-88	248.15
07-21-88	254.52
08-18-88	243.41
09-14-88	245.28
10-13-88	244.40
11-09-88	245.18
12-08-88	245.14

Well LJ-65-23-326--Cont.

01-05-89	243.96
02-02-89	243.29
03-02-89	243.63
03-29-89	241.21
04-26-89	241.55
05-23-89	240.67
06-22-89	240.60
07-20-89	240.49
08-17-89	239.99
09-15-89	240.25
10-12-89	240.38
11-08-89	241.19
12-07-89	241.55

Well LJ-65-23-407

Owner: U.S. Geological
Survey
Screen: 19-59 feet
Altitude: 32 feet

Date	Water level
01-17-85	7.39
01-13-86	7.66
01-14-88	7.22
01-20-89	7.14

Well LJ-65-23-805

Owner: City of Houston,
Well No. TW-9
Screen: 1,399-1,414 feet
Altitude: 40 feet

Date	Water level
05-21-85	206.40
06-24-85	201.99
07-24-85	202.33
08-23-85	209.97
09-24-85	218.02
10-24-85	200.00
11-22-85	186.90
12-20-85	175.43
01-26-86	198.41
02-24-86	178.90
03-24-86	177.74
04-23-86	179.99
05-23-86	182.09
06-24-86	187.73
07-24-86	189.11
08-22-86	174.79
09-24-86	178.31
10-24-86	181.21
11-21-86	179.10
12-22-86	177.93
01-23-87	175.75
02-25-87	187.32
03-24-87	188.12
04-23-87	190.66
05-22-87	193.56
06-24-87	192.22
07-24-87	201.43
08-24-87	205.55
09-24-87	199.18
10-23-87	194.52
11-24-87	188.41
12-17-87	181.86
01-21-88	174.57
02-24-88	190.70
03-24-88	182.60
04-22-88	186.34
05-24-88	178.55

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-23-805--Cont.

06-22-88	179.54
07-22-88	181.12
08-24-88	188.53
09-22-88	177.62
10-21-88	180.09
11-22-88	177.54
12-20-88	177.63
01-24-89	178.92
02-24-89	174.57
03-23-89	173.98
04-21-89	173.61
05-24-89	172.82
06-27-89	171.03
07-21-89	176.05
08-25-89	183.31
09-22-89	182.54
10-24-89	181.99
11-21-89	180.96
12-20-89	177.45

Well LJ-65-23-809

Owner: City of Pasadena
Screen: 820-1,370 feet
Altitude: 35 feet

Date	Water level
01-23-85	276.97
01-13-86	273.75
02-05-87	266.13
01-29-88	263.75
01-03-89	261.94

Well LJ-65-24-104

Owner: Diamond Shamrock Chemical Co.,
Screen: 397-498 feet
Altitude: 27 feet

Date	Water level
01-07-85	177 c
03-07-85	170 c
07-01-85	172 c
09-30-85	171 c
01-06-86	169 c
03-27-86	164 c
07-02-86	164 c
10-03-86	164 c
01-06-87	160 c
01-13-88	160 c
11- -88	166 c
02-14-89	164 c
11-08-89	165 c

Well LJ-65-24-111

Owner: Shell Oil Co.,
Well No. 16
Screen: 400-510 feet
Altitude: 27 feet

Date	Water level
01-23-89	175.10 c

Well LJ-65-24-114
Owner: Shell Oil Co.,
Well No. 19
Screen: 635-834 feet
Altitude: 28 feet

Date	Water level
02-03-87	240.50 c
01-23-89	229.10 c

Well LJ-65-24-115
Owner: Diamond Shamrock Chemical Co.,
Screen: 412-492 feet
Altitude: 26 feet

Date	Water level
01-07-85	186 c
03-07-85	178 c
07-01-85	180 c
09-30-85	177 c
01-06-86	178 c
03-27-86	175 c
07-02-86	170 c
10-03-86	170 c
01-06-87	170 c
01-13-88	173 c
11- -88	167 c
02-14-89	175 c

Well LJ-65-24-132
Owner: Diamond Shamrock Chemical Co.,
Well No. 6
Screen: 755-1,410 feet
Altitude: 26 feet

Date	Water level
01-07-85	256 c
03-07-85	265 c
07-01-85	258 c
09-30-85	277 c
01-06-86	256 c
03-27-86	252 c
07-02-86	249 c
10-03-86	245 c
01-06-87	242 c
01-13-88	242 c
11- -88	240 c
02-14-89	245 c

Well LJ-65-24-201
Owner: Houston Lighting and Power Co.,
Sam Bertron,
Well No. 1
Screen: 415-495 feet
Altitude: 19 feet

Date	Water level
02-07-85	183 c
08-23-85	180 c
01-13-86	179 c
04-17-86	178 c
07-24-86	178 c
12-28-86	150 c
02-06-87	150 c

Well LJ-65-24-201--Cont.

05-21-87	104 c
08-14-87	102 c
01-05-88	101 c
06- -88	103 c
01-03-89	105 c

Well LJ-65-24-202

Owner: Houston Lighting and Power Co.,
Sam Bertron,
Well No. 2
Screen: 429-525 feet
Altitude: 33 feet

Date	Water level
02-08-85	187 c
05-08-85	177 c
08-23-85	176 c
01-13-86	174 c
04-17-86	172 c
07-24-86	172 c
12-28-86	172 c
01-05-88	168 c
06- -88	171 c
01-03-89	169 c

Well LJ-65-24-209

Owner: State of Texas,
San Jacinto Monument
Screen: 399-514 feet
Altitude: 26 feet

Date	Water level
01-23-85	161.88 c
01-13-86	159.56 c
01-06-87	156.63 c
01-14-88	154.71 c
01-03-89	152.34 c

Well LJ-65-24-211

Owner: Houston Lighting and Power Co.,
Sam Bertron,
Well No. 3
Screen: 430-550 feet
Altitude: 17 feet

Date	Water level
02-08-85	178 c
05-08-85	170 c
08-23-85	172 c
01-13-86	168 c
04-17-86	167 c
07-24-86	166 c
12-28-86	162 c
02-06-87	162 c
05-21-87	162 c
08-14-87	161 c
01-05-88	163 c
06- -88	164 c
01-03-89	163 c

Table 3.--Water Levels in wells in Harris County--Continued

Well LJ-65-24-215
 Owner: U.S. Geological
 Survey, San Jacinto
 Monument Park
 Screen: 246-256 feet
 Altitude: 20 feet

Date	Water level
01-02-85	147.26
01-29-85	146.94
02-26-85	146.37
03-26-85	146.27
04-23-85	146.31
05-21-85	146.02
06-18-85	145.77
07-16-85	145.90
08-13-85	144.12
09-10-85	144.05
10-08-85	143.10
11-06-85	143.34
12-03-85	142.43
12-19-85	141.94
01-16-86	142.15
02-13-86	141.79
03-14-86	140.72
04-10-86	140.33
05-06-86	140.66
06-05-86	139.21
07-03-86	139.87
07-31-86	139.96
08-28-86	140.09
09-25-86	138.66
11-20-86	138.17
01-15-87	138.02
02-11-87	136.86
03-05-87	136.68
04-02-87	136.15
05-01-87	136.30
05-28-87	136.85
06-24-87	137.01
07-23-87	135.54
08-20-87	135.12
09-17-87	135.33
10-15-87	136.08
11-12-87	135.08
12-09-87	135.83
01-07-88	135.27
02-08-88	135.59
03-03-88	135.33
03-31-88	132.94
04-28-88	135.16
05-26-88	135.29
06-23-88	135.70
07-21-88	136.48
08-18-88	136.46
09-14-88	135.59
10-13-88	135.62
11-09-88	135.94
12-08-88	135.91
01-05-89	135.65
02-02-89	135.47
03-02-89	136.80
03-31-89	136.54
04-26-89	136.23
05-23-89	136.19
06-22-89	136.77
07-20-89	136.56
08-17-89	136.42
09-15-89	136.40
10-12-89	136.51
11-08-89	136.21
12-07-89	136.34

Well LJ-65-24-216
 Owner: U.S. Geological
 Survey, San Jacinto
 Monument Park
 Screen: 108-118 feet
 Altitude: 20 feet

Date	Water level
01-02-85	14.01
01-29-85	14.07
02-26-85	14.02
03-26-85	13.95
04-23-85	13.89
05-21-85	14.05
06-18-85	14.40
07-16-85	14.29
08-13-85	14.13
09-10-85	13.96
10-08-85	14.04
11-05-85	13.99
12-03-85	14.06
12-19-85	14.01
01-16-86	14.05
02-13-86	14.11
03-14-86	14.44
04-10-86	14.29
05-08-86	13.92
06-05-86	13.86
07-03-86	13.94
07-31-86	13.98
08-28-86	13.92
09-25-86	13.71
11-20-86	13.30
01-15-87	13.69
02-11-87	14.28
03-05-87	14.16
04-02-87	14.30
05-01-87	14.67
05-28-87	14.73
06-24-87	14.77
07-23-87	13.78
08-20-87	13.69
09-17-87	13.88
10-15-87	14.11
11-12-87	14.06
12-09-87	14.22
01-07-88	14.08
02-08-88	13.92
03-03-88	14.32
03-31-88	14.05
04-28-88	14.48
05-26-88	14.67
06-23-88	14.26
07-22-88	14.38
08-18-88	14.50
09-14-88	13.02
10-13-88	14.35
11-09-88	14.40
12-08-88	15.89
01-05-89	16.01
02-02-89	15.96
03-02-89	15.82
03-31-89	16.05
04-26-89	15.95
05-23-89	15.20
06-22-89	15.98
07-20-89	15.71
08-17-89	15.77
09-15-89	15.64
10-12-89	15.72
11-08-89	15.66
12-07-89	15.69

Well LJ-65-24-217
 Owner: U.S. Geological
 Survey, San Jacinto
 Monument Park
 Screen: 76-86 feet
 Altitude: 20 feet

Date	Water level
01-02-85	13.94
01-29-85	13.96
02-26-85	13.89
03-26-85	13.79
04-23-85	13.73
05-21-85	13.97
06-18-85	13.88
07-16-85	13.74
08-13-85	14.61
09-10-85	14.39
10-08-85	13.63
11-05-85	13.52
12-03-85	13.60
12-19-85	13.35
01-16-86	13.24
02-13-86	13.18
03-14-86	14.35
04-10-86	14.17
05-08-86	13.85
06-05-86	13.77
07-03-86	13.87
07-31-86	13.92
08-28-86	13.87
09-25-86	13.80
11-20-86	13.74
01-15-87	13.68
02-11-87	13.87
03-05-87	14.13
04-02-87	14.27
05-01-87	14.53
05-28-87	14.20
06-24-87	14.28
07-23-87	14.02
08-20-87	13.87
09-17-87	13.91
10-15-87	14.18
11-12-87	14.34
12-09-87	14.41
01-07-88	14.29
02-08-88	14.23
03-03-88	14.25
03-31-88	14.20
04-20-88	14.46
05-26-88	14.60
06-23-88	14.24
07-21-88	14.32
08-18-88	14.50
09-14-88	14.09
10-13-88	14.32
11-09-88	15.09
12-08-88	15.87
01-05-89	16.00
02-02-89	15.93
03-02-89	15.86
03-31-89	16.08
04-26-89	15.97
05-23-89	15.23
06-22-89	15.85
07-20-89	15.79
08-17-89	15.73
09-15-89	15.58
10-12-89	15.64
11-08-89	15.65
12-07-89	15.69

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-24-401
Owner: DuPont Chemical Co.,
Well No. TW-6
Screen: 495-505 feet
Altitude: 34 feet

Date	Water level
01-23-85	178.65

Well LJ-65-24-412
Owner: City of Deer Park
Screen: 490-610 feet
Altitude: 33 feet

Date	Water level
01-23-85	182.95

Well LJ-65-24-501
Owner: DuPont Chemical Co.,
Well No. TW-5
Screen: 528-538 feet
Altitude: 29 feet

Date	Water level
01-23-85	172.86
01-14-86	172.46
01-06-87	163.48
01-29-88	160.61
01-03-89	162.96

Well LJ-65-24-605
Owner: DuPont Chemical Co.,
Well No. TW-1
Screen: 512-517 feet
Altitude: 29 feet

Date	Water level
01-24-85	174.30

Well LJ-65-24-606
Owner: DuPont Chemical Co.,
Well No. TW-4
Screen: 979-989 feet
Altitude: 29 feet

Date	Water level
01-24-85	211.90
01-14-86	211.02
01-06-87	208.54
01-29-88	208.02
01-03-89	208.73

Well LJ-65-24-804
Owner: Bayport,
Well No. 5
Screen: 460-575 feet
Altitude: 15 feet

Date	Water level
01-18-85	173.25
01-17-86	172.37
01-08-87	170.55
01-13-88	161.85
01-24-89	164.51

Well LJ-65-24-902
Owner: City of Laporte,
Well No. 4
Screen: 417-575 feet
Altitude: 20 feet

Date	Water level
01-25-85	169.77
01-14-86	163.63
01-12-87	157.34
01-29-88	156.42
01-26-89	155.80

Well LJ-65-29-106
Owner: City of Houston,
Sims Bayou,
Well No. 1
Screen: 664-1,254 feet
Altitude: 60 feet

Date	Water level
01-16-85	311.34
01-23-86	313.65
01-07-87	314.89
01-11-88	312.52
01-12-89	318.94

Well LJ-65-29-108
Owner: City of Houston,
Chasewood, Well No. 3
Screen: 750-1,170 feet
Altitude: 70 feet

Date	Water level
01-12-89	317.59

Well LJ-65-29-204
Owner: City of Houston,
Briarwick, Well No. 1
Screen: 630-882 feet
Altitude: 65 feet

Date	Water level
01-12-89	291.95

Well LJ-65-29-210
Owner: City of Houston,
Briarwick, Well No. 2
Screen: 967-1,230 feet
Altitude: 65 feet

Date	Water level
01-12-89	292.38

Well LJ-65-30-304
Owner: City of Houston,
Gulf Meadows
Screen: 610-1,225 feet
Altitude: 48 feet

Date	Water level
01-11-85	239.57

Well LJ-65-31-108
Owner: City of Houston,
Kirkwood
Screen: 860-1,195 feet
Altitude: 42 feet

Date	Water level
01-11-85	279.34
01-13-87	280.52
02-03-88	251.89
01-31-89	270.32

Well LJ-65-31-109
Owner: City of Houston,
Sagemont, Well No. 2
Screen: 700-1,120 feet
Altitude: 39 feet

Date	Water level
02-03-88	219.19
01-17-89	213.87

Well LJ-65-31-206
Owner: Ellington Field,
Well No. 1
Screen: 465-571 feet
Altitude: 32 feet

Date	Water level
01-25-85	187.92
01-14-86	185.39
02-04-87	180.45
02-04-88	179.19
01-17-89	176.36

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-31-207
Owner: Ellington Field,
Well No. 2
Screen: 468-548 feet
Altitude: 32 feet

Date	Water level
01-24-85	183.50
01-14-86	178.95
01-13-87	175.83
02-04-88	182.39
01-17-89	178.17

Well LJ-65-31-211
Owner: J.M. McGowen
Screen: 655-832 feet
Altitude: 45 feet

Date	Water level
01-25-85	241.06
02-10-86	236.41
01-08-87	232.20
01-13-88	232.30
01-24-89	232.13

Well LJ-65-31-221
Owner: U.S. Geological
Survey, Ellington
South fault, upside
Screen: 27-30 feet
Altitude: 30 feet

Date	Water level
11-06-84	3.20 b
09-10-85	6.22
07-05-88	6.55
03-15-89	7.85

Well LJ-65-31-605
Owner: Clear Lake City,
Well No. 2
Screen: 495-600 feet
Altitude: 34 feet

Date	Water level
01-24-85	181.91
01-14-86	177.17
01-12-87	177.55
01-13-88	180.70
01-26-89	179.32

Well LJ-65-32-203
Owner: Bayport, Well No. 3
Screen: 458-608 feet
Altitude: 17 feet

Date	Water level
01-25-85	166.84
01-17-86	166.01
01-08-87	164.76
01-13-88	159.68
01-24-89	158.85

Well LJ-65-32-206
Owner: Bayport, Well No. 12
Screen: 500-635 feet
Altitude: 14 feet

Date	Water level
01-25-85	163.51
01-17-86	162.65
01-08-87	160.17
01-13-88	156.87
01-24-89	155.96

Well LJ-65-32-207
Owner: Bayport, Well No. 13
Screen: 740-940 feet
Altitude: 14 feet

Date	Water level
01-18-85	174.40
01-17-86	172.05
01-08-87	168.31
01-13-88	169.42
01-24-89	168.29

Well LJ-65-32-401
Owner: NASA, Well No. S-3
Screen: 750-770 feet
Altitude: 16 feet

Date	Water level
01-02-85	159.96
01-30-85	159.69
02-26-85	159.36
03-27-85	159.21
04-23-85	159.11
05-21-85	158.50
06-18-85	158.27
07-16-85	158.66
08-13-85	158.84
09-10-85	158.97
10-08-85	160.50
11-05-85	159.80
12-03-85	158.41
12-19-85	159.80
01-16-86	158.90
02-13-86	159.13
03-13-86	159.28
04-11-86	159.26
05-08-86	159.21
06-05-86	159.59
07-03-86	159.83
07-31-86	157.13
08-29-86	157.75
09-25-86	157.69
10-23-86	157.85
11-19-86	157.93
12-17-86	157.35
01-15-87	154.65
02-11-87	155.21
03-06-87	156.50
04-02-87	156.32
04-30-87	155.96
05-28-87	155.72
06-26-87	155.91
07-23-87	156.03
08-20-87	156.19
09-17-87	155.75
10-15-87	155.87
11-12-87	155.56
12-09-87	156.32

Well LJ-65-32-401--Cont.

01-07-88	156.00
02-04-88	155.96
03-03-88	155.67
03-31-88	155.30
04-28-88	154.90
05-26-88	154.59
06-23-88	154.09
07-21-88	154.30
08-18-88	154.52
09-14-88	154.63
10-13-88	154.99
11-09-88	155.18
12-08-88	154.86
01-05-89	154.16
02-02-89	155.22
03-02-89	155.04
03-29-89	154.78
04-27-89	154.45
05-23-89	156.58
06-22-89	154.94
07-20-89	153.70
08-17-89	154.06
09-14-89	153.53
10-12-89	153.59
11-08-89	153.37
12-07-89	154.01

Well LJ-65-32-404
Owner: NASA, Well No. 1
Screen: 530-622 feet
Altitude: 22 feet

Date	Water level
01-30-85	171.71
02-26-85	170.63
03-27-85	170.28
04-23-85	170.45
05-21-85	170.07
06-18-85	170.12
08-13-85	170.31
09-10-85	171.31
10-08-85	176.29
11-05-85	174.77
12-03-85	173.31
12-19-85	173.26
02-13-86	169.29
06-05-86	172.86
07-03-86	173.41
07-31-86	184.91
08-29-86	189.17
09-25-86	188.42
11-19-86	188.75
01-15-87	187.87
02-11-87	187.73
03-06-87	187.30
05-28-87	168.98
06-26-87	171.65
07-23-87	175.76
08-20-87	181.14
10-15-87	183.86
11-12-87	185.13
01-07-88	182.76
10-13-88	181.38
11-09-88	169.35
01-05-89	175.41
02-02-89	180.52
03-02-89	177.97

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-32-406
Owner: Clear Lake City,
Well No. 1
Screen: 527-647 feet
Altitude: 20 feet

Date	Water level
01-28-85	164.03
01-14-86	162.09
01-12-87	158.92
01-13-88	160.76
01-04-89	159.60

Well LJ-65-32-407
Owner: Nassau Bay,
Well No. 1
Screen: 540-670 feet
Altitude: 18 feet

Date	Water level
01-18-85	173.52
01-14-86	172.12
01-12-87	162.88
01-13-88	163.58
01-26-89	163.09

Well LJ-65-32-410
Owner: Clear Lake Golf Club
Screen: 520-620 feet
Altitude: 25 feet

Date	Water level
01-24-85	180.17
01-14-86	177.75
01-30-87	170.20
01-13-88	167.86
01-24-89	165.92

Well LJ-65-32-412
Owner: Nassau Bay,
Well No. 2
Screen: 530-618 feet
Altitude: 18 feet

Date	Water level
01-28-85	172
01-14-86	169
01-12-87	164
01-13-88	165
01-04-89	164

Well LJ-65-32-415
Owner: NASA
Depth: 600 feet
Altitude: 21 feet

Date	Water level
01-02-85	171.30
01-30-85	170.66
02-26-85	170.05
03-27-85	169.77
04-23-85	169.57
05-21-85	169.50
06-18-85	169.41

Well LJ-65-32-415--Cont.

07-16-85	169.88
08-13-85	169.96
10-08-85	172.54
11-05-85	173.50
12-03-85	170.47
12-19-85	170.39
01-16-86	169.60
02-13-86	167.57
03-13-86	167.23
04-11-86	167.63
05-08-86	167.47
06-05-86	168.03
07-03-86	168.86
07-31-86	178.60
08-29-86	183.91
09-25-86	180.75
10-23-86	180.40
11-19-86	181.05
12-17-86	168.05
01-15-87	166.09
02-11-87	166.18
03-06-87	168.54
04-02-87	168.29
04-30-87	170.48
05-28-87	169.61
06-26-87	170.04
07-23-87	170.58
08-20-87	170.89
09-17-87	170.59
10-15-87	170.27
11-12-87	170.06
12-09-87	167.58
01-07-88	166.20
02-04-88	165.55
03-03-88	164.14
03-31-88	163.19
04-28-88	164.02
05-26-88	164.54
06-23-88	164.36
07-21-88	168.10
08-18-88	167.46
09-14-88	167.72
10-13-88	168.55
11-09-88	168.19
12-08-88	168.01
01-05-89	167.96
02-02-89	163.14
03-02-89	165.03
03-29-89	163.11
04-27-89	165.58
05-23-89	164.83
06-22-89	163.61
07-20-89	160.15
08-17-89	161.07
09-14-89	167.38
10-12-89	171.85
11-08-89	169.97
12-07-89	165.82

Well LJ-65-32-418
Owner: Clear Lake City,
Well No. 5
Screen: 510-650 feet
Altitude: 24 feet

Date	Water level
01-24-85	167.60
01-14-86	165.55
01-12-87	162.78
01-13-88	160.77
01-24-89	159.62

Well LJ-65-32-419
Owner: Clear Lake City,
Well No. 4
Screen: 498-625 feet
Altitude: 25 feet

Date	Water level
01-28-85	196.53
01-14-86	194.20
01-12-87	194.02
01-13-88	195.94
01-04-89	195.39

Well LJ-65-32-422
Owner: Nassau Bay,
Well No. 3
Screen: 490-670 feet
Altitude: 19 feet

Date	Water level
01-18-85	162.02
01-14-86	154.68
01-12-87	166.79
01-13-88	159.98
01-04-89	154.57

Well LJ-65-32-424
Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 1,701-1,721 feet
Altitude: 24 feet

Date	Water level
01-02-85	195.40
01-30-85	194.97
02-26-85	194.44
03-27-85	194.13
04-23-85	194.66
05-21-85	194.09
06-18-85	193.88
07-16-85	194.10
08-13-85	193.97
09-10-85	193.02
10-08-85	193.13
11-05-85	193.34
12-03-85	193.32
12-19-85	193.36
01-16-86	193.25
02-13-86	193.07
03-13-86	192.74
04-11-86	192.93
05-08-86	192.86
06-05-86	192.98
07-03-86	193.18
07-31-86	192.23
08-29-86	192.05
09-25-86	192.31
11-19-86	192.49
12-17-86	191.77
01-15-87	191.97
02-11-87	191.64
03-06-87	191.49
04-02-87	191.29
04-30-87	191.23
05-28-87	191.09
06-26-87	191.26
07-23-87	191.48
08-20-87	191.69
09-17-87	190.65

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-32-424--Cont.

10-15-87	190.39
11-12-87	190.02
12-09-87	190.69
01-07-88	190.47
02-04-88	189.93
03-03-88	189.44
03-31-88	188.83
04-28-88	188.16
05-26-88	187.43
06-23-88	187.01
07-21-88	186.49
08-18-88	186.28
09-14-88	185.78
10-13-88	185.74
11-09-88	185.61
12-08-88	185.55
01-05-89	185.39
02-02-89	185.00
03-02-89	184.87
03-29-89	184.68
04-27-89	184.36
05-23-89	184.14
06-22-89	184.07
07-20-89	183.90
08-17-89	183.72
09-14-89	183.86
10-12-89	184.05
11-08-89	183.98
12-07-89	184.12

Well LJ-65-32-425

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 1,217-1,227 feet
Altitude: 24 feet

Date	Water level
01-02-85	180.25
01-30-85	179.85
02-26-85	178.98
03-27-85	178.64
04-23-85	178.60
05-21-85	178.13
06-18-85	178.00
07-16-85	178.46
08-13-85	178.29
09-10-85	179.16
10-08-85	179.20
11-05-85	179.25
12-03-85	179.09
12-19-85	179.53
01-16-86	180.82
02-13-86	178.84
03-13-86	178.95
04-11-86	179.41
05-08-86	179.22
06-05-86	179.61
07-03-86	179.84
07-31-86	179.73
08-29-86	179.52
09-25-86	179.87
10-23-86	179.96
11-19-86	180.10
01-15-87	176.54
02-11-87	176.43
03-06-87	175.88
04-02-87	175.16
04-30-87	175.92
05-28-87	175.76
06-26-87	175.88
07-23-87	176.05
08-20-87	176.41

Well LJ-65-32-425--Cont.

09-17-87	175.68
10-15-87	175.52
11-12-87	175.40
12-09-87	175.67
01-07-88	175.58
02-04-88	175.36
03-03-88	174.80
03-31-88	174.46
04-28-88	173.06
05-26-88	173.84
06-23-88	174.49
07-21-88	171.66
08-18-88	172.05
09-14-88	171.84
10-13-88	171.80
11-09-88	171.54
12-08-88	171.89
01-05-89	171.83
02-02-89	170.54
03-02-89	170.22
03-29-89	170.13
04-27-89	170.06
05-23-89	169.78
06-22-89	169.86
07-20-89	168.10
08-17-89	168.34
09-14-89	169.35
10-12-89	169.42
11-08-89	169.21
12-07-89	169.42

Well LJ-65-32-426

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 377-387 feet
Altitude: 24 feet

Date	Water level
01-02-85	146.10
01-30-85	144.98
02-26-85	143.44
03-27-85	143.02
04-23-85	142.87
05-21-85	142.49
06-18-85	142.20
07-16-85	142.97
08-13-85	142.68
09-10-85	141.05
10-08-85	139.69
11-05-85	140.08
12-03-85	139.87
12-19-85	143.54
01-16-86	139.80
02-13-86	137.84
03-13-86	141.77
04-11-86	140.81
05-08-86	140.63
06-05-86	141.15
07-03-86	141.38
07-31-86	141.87
08-29-86	141.96
09-25-86	141.78
10-23-86	141.69
11-19-86	141.91
01-15-87	139.45
02-11-87	139.22
03-06-87	139.05
04-02-87	131.90
04-30-87	129.75
05-28-87	131.70
06-26-87	131.86
07-23-87	131.98

Well LJ-65-32-426--Cont.

08-20-87	132.35
09-17-87	120.04
10-15-87	122.17
11-12-87	118.76
12-09-87	122.34
01-07-88	123.15
02-04-88	127.38
03-03-88	132.53
03-31-88	137.65
04-28-88	137.36
05-26-88	142.98
06-23-88	146.15
07-21-88	142.85
08-18-88	142.22
09-14-88	142.04
10-13-88	137.00
11-09-88	141.68
12-08-88	141.39
01-05-89	141.17
02-02-89	133.45
03-02-89	136.96
03-29-89	136.67
04-27-89	113.40
05-23-89	114.85
06-22-89	115.12
07-20-89	121.17
08-17-89	123.09
09-14-89	140.48
10-12-89	144.33
11-08-89	141.12
12-07-89	133.98

Well LJ-65-32-427

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 924-952 feet
Altitude: 24 feet

Date	Water level
01-02-85	180.35
01-30-85	179.90
02-26-85	179.54
03-27-85	179.19
04-23-85	179.10
05-21-85	178.70
06-18-85	178.40
07-16-85	179.21
08-13-85	179.02
09-10-85	179.54
10-08-85	179.64
11-05-85	179.50
12-03-85	179.30
12-19-85	179.39
01-16-86	180.45
02-13-86	178.91
03-13-86	178.56
04-11-86	179.17
05-08-86	179.04
06-05-86	179.88
07-03-86	180.04
07-31-86	180.18
08-29-86	180.36
09-25-86	180.43
10-23-86	180.58
11-19-86	180.60
01-15-87	176.37
02-11-87	176.35
03-06-87	176.91
04-02-87	175.63
04-30-87	175.32
05-28-87	175.54
06-26-87	175.71

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-32-427--Cont.

07-23-87	175.86
08-20-87	176.02
09-17-87	174.07
10-15-87	173.90
11-12-87	173.49
12-09-87	175.55
01-07-88	175.41
02-04-88	175.12
03-03-88	174.86
03-31-88	174.30
04-28-88	174.16
05-26-88	173.81
06-23-88	173.52
07-21-88	173.38
08-18-88	173.19
09-14-88	173.08
10-13-88	173.80
11-09-88	173.59
12-08-88	173.87
01-05-89	173.78
02-02-89	172.72
03-02-89	172.40
03-29-89	171.99
04-27-89	171.74
05-23-89	171.31
06-22-89	171.67
07-20-89	169.77
08-17-89	169.52
09-14-89	170.76
10-12-89	170.84
11-08-89	170.33
12-07-89	170.84

Well LJ-65-32-428

Owner: Harris-Galveston
Coastal Subsidence
District
Screen: 2,928-2,948 feet
Altitude: 24 feet

Date	Water level
01-02-85	129.50
01-30-85	128.90
02-26-85	127.94
03-27-85	127.36
04-23-85	127.61
05-21-85	128.10
06-18-85	128.07
07-16-85	128.43
08-13-85	128.38
09-10-85	123.52
10-08-85	122.40
11-05-85	121.80
12-03-85	121.41
12-19-85	120.88
01-16-86	120.40
02-13-86	119.95
03-13-86	118.37
04-11-86	118.09
05-08-86	118.03
06-05-86	118.22
07-03-86	117.89
07-31-86	117.82
08-29-86	117.71
09-25-86	117.63
10-23-86	116.46
11-19-86	117.20
12-17-86	116.37
01-15-87	116.19
02-11-87	116.03
03-06-87	115.87
04-02-87	116.02
04-30-87	116.18

Well LJ-65-32-428--Cont.

05-28-87	116.12
06-26-87	116.24
07-23-87	116.39
08-20-87	116.56
09-17-87	116.36
10-15-87	116.12
11-12-87	115.85
12-09-87	117.32
01-07-88	117.05
02-04-88	115.72
03-03-88	115.35
03-31-88	114.96
04-28-88	114.95
05-26-88	114.94
06-23-88	114.91
07-21-88	114.74
08-18-88	114.77
09-14-88	114.63
10-13-88	114.72
11-09-88	114.72
12-08-88	114.68
01-05-89	114.60
02-02-89	114.92
03-02-89	114.84
03-29-89	115.45
04-27-89	116.08
05-23-89	115.30
06-22-89	117.20
07-20-89	117.62
08-17-89	117.56
09-14-89	118.37
10-12-89	118.65
11-08-89	118.41
12-07-89	118.97

Well LJ-65-32-519

Owner: Clear Lake City,
Well No. 3
Screen: 530-650 feet
Altitude: 20 feet

Date	Water level
01-28-85	169.17
01-14-86	166.99
01-12-87	160.63
01-13-88	159.93
01-04-89	159.06

Well LJ-65-32-601

Owner: Harris County
W.C.I.D. 55,
Seabrook No. 1
Screen: 364-540 feet
Altitude: 13 feet

Date	Water level
01-30-85	161.02
02-26-85	162.32
03-27-85	162.15
04-23-85	161.89
05-21-85	161.63
06-18-85	161.71
07-16-85	161.91
08-13-85	161.97
09-10-85	167.23
10-08-85	171.26
11-05-85	173.20
12-03-85	172.50
12-19-85	172.82
01-16-86	167.24

Well LJ-65-32-621

Owner: City of Seabrook
Screen: 540-650 feet
Altitude: 19 feet

Date	Water level
01-28-85	178.02
01-14-86	177.14
08-12-86	182.34
01-08-87	181.20
01-13-88	175.55
01-04-89	174.47

Well LJ-65-32-625

Owner: U.S. Geological
Survey, Seabrook,
Well No. C-1
Screen: 1,350-1,360 feet
Altitude: 13 feet

Date	Water level
01-02-85	149.83
01-30-85	147.59
02-26-85	147.70
03-27-85	147.45
04-28-85	147.81
05-21-85	147.37
06-18-85	147.56
07-16-85	148.02
08-13-85	148.21
09-10-85	148.38
10-08-85	148.20
11-05-85	147.92
12-03-85	145.85
12-19-85	147.37
01-16-86	147.23
02-13-86	147.10
03-13-86	146.83
04-11-86	146.75
05-08-86	146.62
06-05-86	146.87
07-03-86	146.67
07-31-86	146.64
08-29-86	146.56
09-25-86	146.30
10-24-86	147.47
11-19-86	147.27
12-17-86	146.76
01-15-87	146.76
02-11-87	146.02
03-06-87	146.21
04-02-87	146.40
04-30-87	145.18
05-28-87	145.44
06-26-87	145.87
07-23-87	146.01
08-20-87	145.85
09-17-87	146.36
10-15-87	146.70
11-12-87	146.27
12-09-87	145.62
01-07-88	145.10
02-04-88	144.48
03-03-88	144.02
03-31-88	143.64
04-28-88	143.29
05-26-88	143.04
06-23-88	142.85
07-21-88	143.37
08-18-88	143.61
09-14-88	143.49
10-13-88	143.46
11-09-88	143.33

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-32-625--Cont.

12-08-88	143.17
01-05-89	143.02
02-02-89	143.01
03-02-89	142.95
03-29-89	143.63
04-27-89	142.41
05-23-89	142.20
06-22-89	142.27
07-20-89	141.62
08-17-89	141.89
09-14-89	141.99
09-15-89	141.96
10-12-89	143.19
11-08-89	142.84
12-07-89	141.88

Well LJ-65-32-626

Owner: U.S. Geological
Survey, Seabrook,
Well No. C-1-A
Screen: 1,371-1,381 feet
Altitude: 13 feet

Date	Water level
01-02-85	148.72
01-30-85	148.75
02-26-85	148.84
03-27-85	148.79
04-23-85	148.60
05-21-85	148.10
06-18-85	148.23
07-16-85	148.57
08-13-85	148.66
09-10-85	148.95
10-08-85	148.81
11-05-85	148.78
12-03-85	148.66
12-19-85	148.60
01-16-86	148.07
02-13-86	148.11
03-13-86	147.94
04-11-86	148.33
05-08-86	148.16
06-05-86	148.39
07-03-86	148.46
07-31-86	148.69
08-29-86	148.87
09-25-86	148.77
10-24-86	148.66
11-19-86	148.90
12-17-86	148.72
01-15-87	148.55
02-11-87	148.36
03-06-87	148.53
04-02-87	148.45
04-30-87	148.15
05-28-87	148.27
06-26-87	148.63
07-23-87	148.72
08-20-87	148.70
09-17-87	148.52
10-15-87	148.46
11-12-87	148.40
12-09-87	148.38
01-07-88	148.31
02-04-88	148.15
03-03-88	147.86
03-31-88	147.79
04-28-88	146.40
05-26-88	143.89
06-23-88	142.77
07-21-88	148.99
08-18-88	148.78

Well LJ-65-32-626--Cont.

09-14-88	148.94
10-13-88	144.91
11-09-88	143.59
12-08-88	144.12
01-05-89	143.78
02-02-89	142.88
03-02-89	142.56
03-29-89	143.17
04-27-89	142.78
05-23-89	142.48
06-22-89	143.49
07-20-89	142.44
08-17-89	142.51
09-14-89	141.63
09-15-89	141.64
10-12-89	142.36
11-08-89	142.02
12-07-89	141.51

Well LJ-65-32-627

Owner: U.S. Geological
Survey, Seabrook,
Well No. P-2
Screen: 1,298-1,308 feet
Altitude: 13 feet

Date	Water level
01-02-85	148.42
01-30-85	146.97
02-26-85	146.77
03-27-85	146.35
04-23-85	146.17
05-21-85	146.20
06-18-85	146.29
07-16-85	146.40
08-13-85	146.62
09-10-85	146.81
10-08-85	147.37
11-05-85	147.12
12-03-85	146.93
12-19-85	147.15
01-16-86	146.29
02-13-86	146.02
03-13-86	145.89
04-11-86	145.75
05-08-86	145.71
06-05-86	146.25
07-03-86	146.31
07-31-86	147.80
08-29-86	148.21
09-25-86	148.16
10-24-86	143.35
11-19-86	148.93
12-17-86	145.89
01-15-87	142.05
02-11-87	141.97
03-06-87	142.17
04-02-87	144.68
04-30-87	144.15
05-28-87	144.68
06-26-87	144.89
07-23-87	144.96
08-20-87	144.91
09-17-87	145.86
10-15-87	145.97
11-12-87	145.11
12-09-87	145.36
01-07-88	145.19
02-04-88	145.25
03-03-88	144.22
03-31-88	144.00
04-28-88	143.76
05-26-88	143.21

Well LJ-65-32-627--Cont.

06-23-88	142.96
07-21-88	142.50
08-18-88	142.47
09-14-88	142.75
10-13-88	142.66
11-09-88	142.19
12-08-88	142.08
01-05-89	141.93
02-02-89	141.46
03-02-89	141.32
03-29-89	140.89
04-27-89	140.58
05-23-89	140.29
06-22-89	140.62
07-20-89	140.34
08-17-89	140.28
09-14-89	139.64
10-12-89	138.99
11-08-89	138.85
12-07-89	139.64

Well LJ-65-32-628

Owner: U.S. Geological
Survey, Seabrook,
Well No. P-1
Screen: 140-150 feet
Altitude: 13 feet

Date	Water level
01-02-85	20.77
01-30-85	20.66
02-26-85	20.78
03-27-85	20.74
04-23-85	20.72
05-21-85	20.69
06-18-85	20.66
07-16-85	20.85
08-13-85	20.90
09-10-85	20.60
10-08-85	20.74
11-05-85	20.65
12-03-85	20.47
12-19-85	20.38
01-16-86	20.79
02-13-86	20.79
03-13-86	20.48
04-11-86	20.42
05-06-86	20.37
06-05-86	20.26
07-03-86	20.35
07-31-86	20.86
08-29-86	20.14
09-25-86	20.67
10-24-86	20.89
11-19-86	20.78
12-17-86	20.86
01-15-87	20.77
02-11-87	20.75
03-06-87	20.68
04-02-87	20.59
04-30-87	20.85
05-28-87	20.74
06-26-87	20.88
07-23-87	20.93
08-20-87	20.98
09-17-87	20.69
10-15-87	20.74
11-12-87	20.70
12-09-87	20.82
01-07-88	20.79
02-04-88	20.87
03-03-88	20.84
03-31-88	20.77

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-32-628--Cont.

04-28-88	20.75
05-26-88	20.68
06-23-88	20.65
07-21-88	20.61
08-18-88	20.58
09-14-88	20.42
10-13-88	20.89
11-09-88	20.83
12-08-88	20.74
01-05-89	20.69
02-02-89	20.74
03-02-89	20.71
03-29-89	20.69
04-27-89	20.69
05-23-89	20.75
06-22-89	20.72
07-20-89	19.55
08-17-89	20.18
09-14-89	7.54
10-12-89	8.06
11-08-89	8.03
12-07-89	7.14

Well LJ-65-32-629

Owner: U.S. Geological
Survey, Seabrook,
Well No. P-3
Screen: 290-300 feet
Altitude: 13 feet

Date	Water level
01-02-85	85.58
01-30-85	85.57
02-26-85	85.48
03-27-85	85.30
04-23-85	85.41
05-21-85	85.31
06-18-85	85.34
07-16-85	85.46
08-13-85	85.53
09-10-85	85.42
10-08-85	85.43
11-05-85	85.42
12-03-85	85.39
12-19-85	85.36
01-16-86	85.34
02-13-86	85.34
03-13-86	85.30
04-11-86	85.18
05-08-86	85.05
06-05-86	85.29
07-03-86	85.40
07-31-86	85.63
08-29-86	85.76
09-25-86	85.83
10-24-86	84.79
11-19-86	84.61
12-17-86	83.19
01-15-87	84.97
02-11-87	84.69
03-06-87	84.33
04-02-87	84.93
04-30-87	84.94
05-28-87	85.06
06-26-87	85.31
07-23-87	85.35
08-20-87	85.52
09-17-87	84.86
10-15-87	84.75
11-12-87	84.68
12-09-87	84.98
01-07-88	84.76
02-04-88	84.97

Well LJ-65-32-629--Cont.

03-03-88	84.89
03-31-88	84.82
04-28-88	84.79
05-26-88	84.74
06-23-88	84.25
07-21-88	84.60
08-18-88	84.49
09-14-88	84.85
10-13-88	84.70
11-09-88	84.99
12-08-88	84.60
01-05-89	84.47
02-02-89	84.98
03-02-89	84.79
03-29-89	84.90
04-27-89	84.51
05-23-89	84.32
06-22-89	84.57
07-20-89	83.58
08-17-89	83.83
09-14-89	84.68
10-12-89	81.19
11-08-89	82.06
12-07-89	84.61

Well LJ-65-32-630

Owner: U.S. Geological
Survey, Seabrook
Well No. P-4
Screen: 910-920 feet
Altitude: 13 feet

Date	Water level
01-02-85	151.76
01-30-85	150.48
02-26-85	150.59
03-27-85	150.23
04-23-85	150.42
05-21-85	150.37
06-18-85	150.43
07-16-85	150.77
08-13-85	150.84
09-10-85	157.26
10-08-85	156.86
11-05-85	155.46
12-03-85	154.59
12-19-85	152.74
01-16-86	151.98
02-13-86	150.88
03-13-86	148.66
04-11-86	149.12
05-08-86	148.98
06-05-86	149.75
07-03-86	149.91
07-31-86	150.11
08-29-86	150.60
09-25-86	150.35
10-24-86	152.54
11-19-86	151.70
12-17-86	150.35
01-15-87	145.84
02-11-87	146.01
03-06-87	145.75
04-02-87	145.29
04-30-87	145.11
05-28-87	148.60
06-26-87	149.02
07-23-87	149.47
08-20-87	149.99
09-17-87	149.75
10-15-87	149.91
11-12-87	149.83
12-09-87	150.06

Well LJ-65-32-630--Cont.

01-07-88	149.95
02-04-88	149.85
03-03-88	149.66
03-31-88	146.55
04-28-88	146.48
05-26-88	143.41
06-23-88	142.18
07-21-88	146.69
08-18-88	147.40
09-14-88	147.63
10-13-88	147.46
11-09-88	144.79
12-08-88	145.25
01-05-89	145.04
02-02-89	144.14
03-02-89	143.98
03-29-89	143.79
04-27-89	142.61
05-23-89	143.43
06-22-89	143.32
07-20-89	144.22
08-17-89	144.35
09-14-89	144.56
10-12-89	146.79
11-08-89	145.44
12-07-89	144.39

Well LJ-65-32-631

Owner: U.S. Geological
Survey, Seabrook,
Well No. P-5
Screen: 16-21 feet
Altitude: 13 feet

Date	Water level
01-02-85	7.00
01-30-85	6.34
02-26-85	6.45
03-27-85	6.78
04-23-85	6.72
05-21-85	6.51
06-18-85	6.47
07-16-85	6.48
08-13-85	6.53
09-10-85	7.53
10-08-85	6.00
11-05-85	7.10
12-03-85	7.02
12-19-85	6.24
01-16-86	6.35
02-13-86	6.14
03-13-86	5.85
04-11-86	6.13
05-08-86	6.01
06-05-86	6.41
07-03-86	6.19
07-31-86	7.77
08-29-86	7.15
09-25-86	7.49
10-24-86	6.46
11-19-86	6.81
12-17-86	7.16
01-15-87	5.13
02-11-87	6.02
03-06-87	6.27
04-02-87	6.14
04-30-87	6.40
05-28-87	6.89
06-26-87	6.94
07-23-87	6.92
08-20-87	7.10
09-17-87	7.05
10-15-87	6.99

Table 3.--Water levels in wells in Harris County--Continued

Well LJ-65-32-631--Cont.

11-12-87	7.02
12-09-87	6.67
01-07-88	6.89
02-04-88	6.61
03-03-88	6.31
03-31-88	6.22
04-28-88	6.52
05-26-88	6.79
06-23-88	6.86
07-21-88	7.92
08-18-88	8.03
09-14-88	8.08
10-13-88	8.21
11-09-88	8.55
12-08-88	8.48
01-05-89	8.41
02-02-89	7.70
03-02-89	7.47
03-29-89	7.12
04-27-89	7.65
05-23-89	6.85
06-22-89	7.10
07-20-89	7.04
08-17-89	7.12
09-14-89	7.34
10-12-89	7.53
11-08-89	7.49
12-07-89	7.25

Well LJ-65-32-702

Owner: Houston Lighting
and Power Co.,
Webster, Well No. 1
Screen: 480-618 feet
Altitude: 18 feet

Date	Water level
01-19-85	183 c
01-07-86	185 c
01-23-87	206 c
01-14-88	245 c
01-14-89	205 c

Well LJ-65-32-703

Owner: Houston Lighting
and Power Co.,
Webster, Well No. 2
Screen: 500-645 feet
Altitude: 19 feet

Date	Water level
01-07-86	178 c
01-23-87	168 c
01-14-88	177 c
01-04-89	168 c

Well LJ-65-32-739

Owner: City of Webster,
Well No. 2
Screen: 525-635 feet
Altitude: 24 feet

Date	Water level
01-28-85	173.26
01-14-86	170.88
01-08-87	170.14
01-13-88	169.42
01-04-89	168.53

Table 4.--Chemical analyses of water from wells in Harris County

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH	Temperature (°C)	Hardness (mg/L as CaCO_3)	Calcium (mg/L as Ca)	Magnesium (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved (mg/L)		
																	Iron, dissolved ($\mu\text{g}/\text{L}$ as Fe)	Manganese, dissolved ($\mu\text{g}/\text{L}$ as Mn)	
LJ-60-58-710	U.S. Post Office, Hockley	CHCT	02-25-85	220- 230	446	6.9	22.5	140	51	2.9	38	144	2.5	48	0.1	28	260	9	<1
LJ-60-58-904	McNulty, G.B.	CHCT	02-25-85	168	401	6.8	22.5	140	51	3.3	28	145	3.4	34	0.1	37	240	17	<1
LJ-60-59-312	Harris County, Spring Creek Park	CHCT	07-17-86 06-22-87	244- 274	468 461	7.5 7.6	24.5 24.0	--	--	--	--	--	--	37 33	--	--	--	--	--
LJ-60-59-504	Gates, John W.	CHCT	02-19-85	250	533	7.3	22.0	200	73	3.4	32	166	6.5	65	<0.1	42	320	--	--
LJ-60-59-505	Gates, John W.	CHCT	02-19-85	250- 260	556	6.0	23.0	200	74	4.1	36	180	8.2	63	<0.1	43	340	88	<1
LJ-60-59-803	H & J Water Co.	EVGL	03-05-85	350	513	6.7	21.5	180	66	4.4	40	207	2.3	40	0.1	30	310	6	<1
LJ-60-59-804	Harris County, A.E. Dyess Park	CHCT	03-01-85	327	329	7.7	22.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-60-60-101	City of Tomball, Well No. 1	EVGL	07-28-89	248- 293	--	--	23.5	--	--	--	--	--	--	--	--	--	--	--	--
LJ-60-60-103	City of Tomball, Well No. 3	EVGL	07-28-89	260- 400	--	--	23.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-60-60-110	City of Tomball, Well No. 2A	EVGL	12-06-84 07-28-89	237- 395	352	7.0	22.0	110	42	2	26	129	2.0	29	<0.1 b/	25	200	17 c/	17 d/
LJ-60-60-205	Kleimann Meat Co.	CHCT	08-06-84	183- 193	382	7.6	23.5	130	50	2.3	26	160	1.4	26	<0.1	34	240	<3	<1
LJ-60-60-301	Brunner	CHCT	08-08-84	102- 108	276	6.3	23.5	39	12	2.2	37	53	3.0	39	<0.1	31	160	12	6
LJ-60-60-606	Trinity Lutheran Church, Cemetery Well	CHCT	08-23-84 02-07-85	190- 200	227 236	5.7 6.3	22.0 21.5	65 70	23 25	1.7 1.9	21 22	66 80	1.4 1.1	27 26	0.1 0.1	34 37	150 160	16 12	2 <1
LJ-60-60-607	Harris County W.C.I.D. 119, Sewer Plant	CHCT	04-04-85	195- 215	340	7.0	22.5	130	49	2.7	29	157	1.6	22	<0.1	37	240	9	5

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH	Temperature (°C)	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Solids, dissolved sum of constituents (mg/L) as Fe) as Mn)			
																SiO ₂	Iron, dissolved	Manganese, dissolved	Manganese, dissolved
LJ-60-60-916	Bammel U.D. 2	EVGL	06-28-86 a/	491-1,045	612	7.8	30.0	96	32	4	97	293	.0	47	0.5 b/	21	23	4	
LJ-60-61-408	Cypresswood M.U.D.	EVGL	06-22-87 11-02-88	890-1,130	780 805	7.7 7.8	27.5 27.0	--	--	--	--	--	--	69 82	--	--	--	--	--
LJ-60-61-601	Bayer Lumber Co., Well No. 1	CHCT	07-25-84	225	390	5.8	22.0	140	47	4.4	29	140	2.6	35	<0.1	33	240	45	13
LJ-60-61-616	Spring Independent School District, Bus Shed	CHCT	07-24-84	360-380	400	6.0	23.5	140	50	4.2	23	150	6.1	30	<0.1	31	240	8	2
LJ-60-61-617	Northwest 45 Sports Association	CHCT	07-25-84	204-219	472	6.2	24.5	170	59	5.3	27	170	4.3	42	<0.1	32	270	12	<1
LJ-60-61-619	Harris County W.C.I.D. 92, Well No. 3	EVGL	09-11-87 a/	409-999	510	7.6	23.5	130	47	4	49	168	6.0	46	0.2 b/	12	270	<0.1 c/	<0.1 d/
LJ-60-61-713	Harris County W.C.I.D. 91	EVGL	11-03-88	605-1,152	480	7.4	25.5	--	--	--	--	--	--	43	--	--	--	--	--
LJ-60-61-817	Harris County W.C.I.D. 91, Well No. 1	EVGL	06-22-87	554-742	476	7.5	24.0	--	--	--	--	--	--	43	--	--	--	--	--
LJ-60-61-824	Harris County W.C.I.D. 91, Well No. 2	EVGL	06-22-87 11-03-88	960-1,236	777 815	7.7 7.7	27.5 27.0	--	--	--	--	--	--	82 81	--	--	--	--	--
LJ-60-61-833	Harris County M.U.D. 154	CHCT	06-24-87 11-02-88	340-500	712 425	7.8 7.3	21.5 23.0	--	--	--	--	--	--	79 37	--	--	--	--	--
LJ-60-62-713	Northwood M.U.D., Well No. 1	EVGL	08-30-85 a/	310-760	467	7.6	25.0	140	48	4	42	170	3.0	40	0.2 b/	27	270	0.1 c/	<0.1 d/
LJ-60-62-715	Cornelius, Inc., Turkey Creek Farms, Greenhouse Well	CHCT	08-02-89	390-400	--	--	25.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-60-62-805	Harris County M.U.D. 26, Well No. 2	EVGL	06-08-84 a/	438-1,018	440	7.4	23.0	120	42	5	43	169	6.0	30	0.1 b/	26	250	<0.1 c/	<0.1 d/

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH	Temperature (°C)	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents (mg/L as Fe)	Manganese, dissolved ($\mu\text{g}/\text{L}$)
LJ-60-63-710	City of Houston, Belleau Woods, Well No. 1	CHCTL	11-10-88	180- 338	740	--	24.0	--	--	--	--	--	--	120	--	--	--	--
LJ-60-63-713	City of Houston, Belleau Woods, Well No. 2	CHCT	11-10-88	185- 343	480	--	25.5	--	--	--	--	--	--	58	--	--	--	--
LJ-60-63-906	Harris County M.U.D. 151, Well No. 1	EVGL	06-02-84 ^a	650-1,040	344	7.4	23.5	110	35	5	32	140	10	19	<0.1 ^b	19	200	0.1 <0.1 ^d
LJ-65-02-104	McAnelly, W.J.	CHCT, EVGL	07-23-86	75- 499	11,700	7.4	23.5	--	--	--	--	--	--	3,400	--	--	--	--
LJ-65-03-101	Cypress Railroad	CHCT	04-05-85	109- 120	463	6.7	22.0	160	57	3.6	33	166	3.1	38	0.1	22	260	260
LJ-65-03-208	Northwest Harris County M.U.D. 10, Well No. 1	EVGL	06-24-87	660- 944	613	7.5	25.5	--	--	--	--	--	--	48	--	--	--	--
LJ-65-03-209	Houston Lighting and Power	CHCT, EVGL	07-31-89	360- 407	--	--	24.5	--	--	--	--	--	--	--	--	--	--	--
LJ-65-03-304	Trunkline Gas Co., Well No. 2	CHCT	07-31-89	336- 356	--	--	24.0	--	--	--	--	--	--	--	--	--	--	--
LJ-65-03-308	Percic, Mark	CHCT	02-14-85	170- 180	568	6.4	17.5	210	74	5.8	33	192	7.1	74	0.1	31	320	--
LJ-65-03-309	Jehovah Kingdom Hall	CHCT	02-14-85	145- 155	500	6.7	21.5	170	60	4.9	42	191	3.1	45	0.2	31	300	<1
LJ-65-03-618	Harris County M.U.D. 113, Well No. 2	EVGL	07-24-84 ^a	800-1,007	733	7.7	23.5	92	26	7	130	290	18	46	0.4 ^b	22	430	0.3 <0.1 ^d
LJ-65-03-619	Kukral, Frank	CHCT	02-14-85	230	490	6.6	22.0	180	65	5.1	29	180	5.2	45	0.1	31	290	--
LJ-65-03-620	Cypress Tabernacle United Pentecostal Church	CHCT	02-14-85	68- 78	497	6.2	21.0	230	82	5.7	17	195	15	27	0.2	26	290	<1
LJ-65-03-709	Harris County M.U.D. 165, Well No. 1	EVGL	06-26-87	490-1,060	469	7.2	24.0	--	--	--	--	--	--	34	--	--	--	--
LJ-65-03-813	Harris County M.U.D. 264, Well No. 1	EVGL	05-17-85 ^a	890-1,230	733	7.7	23.0	41	13	2	160	310	.0	53	0.9 ^b	16	430	0.2 <0.1 ^d

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH (standard and units)	Temperature ($^{\circ}\text{C}$)	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents (mg/L)	Manganese, dissolved (mg/L as Mn)	Iron, dissolved (mg/L as Fe)
LJ-65-03-913	Harris County M.U.D. 250	CHCT	04-19-84 a/	446- 602	482	7.2	25.5	150	50	7	41	168	8.0	45	0.2 b/	23	280	0.2 c/	<0.1 d/
LJ-65-03-915	City of Houston, Jersey Village, Well No. 7	EVGL	11-29-89 a/	814-1,344	690	8.1	23.5	60	18	4	150	288	27	63	0.8 b/	12	620	<0.1 c/	<0.1 d/
LJ-65-04-102	Lake Forest U.D.	EVGL	06-24-87	470- 920	476	7.3	24.5	--	--	--	--	--	--	29	--	--	--	--	--
LJ-65-04-111	Harris County M.U.D. 286	EVGL	12-08-86 a/	834-1,218	833	8.3	21.0	24	8.4	0.7	190	316	16	73	2.1 b/	10	490	--	--
LJ-65-04-217	Cypress Forest P.U.D.	EVGL	11-21-85 a/	480-1,040	438	7.7	23.0	120	42	3	44	140	15	43	0.3 b/	25	250	10 c/	0.2 d/
LJ-65-04-218	Harris County M.U.D. 254	EVGL	06-01-84 a/	380- 804	480	7.1	23.0	170	62	5	37	160	6.0	62	0.1 b/	29	300	<0.1 c/	<0.1 d/
LJ-65-04-528	West Harris County M.U.D. 10	EVGL	04-06-84 a/	472-1,152	517	7.9	22.5	160	54	6	42	186	6.0	50	0.2 b/	24	290	<0.1 c/	<0.1 d/
LJ-65-04-719	City of Houston, Jersey Village, Well No. 1	EVGL, CHCT	10-21-88 08-15-89	560-1,472	660 650	7.4 7.2	27.5 29.0	--	--	--	--	--	--	58 55	--	--	--	--	--
LJ-65-04-727	City of Houston, Jersey Village, Well No. 4	EVGL	05-03-85 a/ 08-15-89	846-1,424	745 755	7.9 7.5	26.0 30.5	39	11	3	160	300	.0	62	1.0 b/	18	440	--	--
LJ-65-04-728	City of Houston, Jersey Village, Well No. 5	EVGL	09-21-85 a/ 08-15-89	825-1,418	693 751	7.9 7.5	25.0 30.5	40	12	2	160	304	2.0	60	0.8 b/	14	430	0.1 c/	<0.1 d/
LJ-65-04-729	City of Houston, Jersey Village, Well No. 6	EVGL	08-20-86 a/ 08-15-89	568-1,054	530 477	7.7 7.0	27.0 26.0	130	45	5	59	190	8.0	45	0.2 b/	23	300	<0.1 c/	<0.1 d/
LJ-65-04-731	Northwest Harris County M.U.D. 29, Well No. 1	EVGL	06-16-84 a/	870-1,300	746	7.7	25.5	48	14	3	160	304	10	53	0.5 b/	15	440	0.2 c/	<0.1 d/
LJ-65-04-732	Spencer Road P.U.D., Well No. 2	EVGL	03-12-87 a/	914-1,024	712	7.8	--	79	24	5	130	278	4.0	61	0.5 b/	18	410	0.1 c/	<0.1 d/
LJ-65-04-808	Windfern Forest U.D., Well No. 1	EVGL	11-03-88 08-21-89	490- 820	500 503	7.3 6.9	25.0 26.0	--	--	--	--	--	--	52 45	--	--	--	--	--

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance and pH (μS/cm)	Temperature (°C)	Hardness (mg/L as CaCO ₃)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO ₃)	Sulfate, dissolved (mg/L as SO ₄)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO ₂)	Solids, dissolved sum of constituents (mg/L)	Iron, dissolved (μg/L as Fe)	Manganese, dissolved (μg/L as Mn)
LJ-65-05-123	Harris County M.U.D. 304, Well No. 1	EVGL	05-01-85 a/	560-1,090	471 7.6	24.0	130	44	4	52	180	2.0	39	0.2 b/	23	270	<0.1 c/	<0.1 d/
LJ-65-05-221	Harris County M.U.D. 200, Well No. 2	EVGL	07-15-85 a/	810-1,340	736 7.9	27.5	64	21	3	140	270	7.0	64	0.8 b/	15	410	0.2 c/	<0.1 d/
LJ-65-05-222	Rankin Road West M.U.D., Well No. 1	EVGL	03-08-85 a/	910-1,290	757 8.0	23.0	36	9	3	170	300	10	70	0.8 b/	16	460	<0.1 c/	<0.1 d/
LJ-65-05-223	Harris County M.U.D. 200, Well No. 1	EVGL	06-23-81 e/	714-1,194	598 7.8	--	77	22	5	130	250	8.0	66	0.2	6	540	0.1	<0.1
LJ-65-05-408	Friedl, Charles	CHCT	07-27-89	335-365	--	--	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-05-409	Harris County U.D. 14, Well No. 1	EVGL	08-05-84 a/	550-994 f/	495 7.6	29.0	170	58	7	36	160	10	60	0.1 b/	28	290	<0.1 c/	<0.1 d/
LJ-65-05-519	Harris County M.U.D. 33, Well No. 1	EVGL	11-16-84 a/	585-1,036	420 7.4	22.0	160	54	5	38	160	3.0	53	0.1 b/	20	270	<0.1 c/	<0.1 d/
LJ-65-05-623	City of Houston, Northpoint, Well No. 2	EVGL	08-14-89	673-1,465	560 7.3	27.5	--	--	--	--	--	--	54	--	--	--	--	--
LJ-65-05-732	Campbell, Larry	CHCT	03-12-85	130	774 6.8	23.0	300	84	21	61	339	6.6	47	0.4	30	460	18	69
LJ-65-05-733	Leroy's Auto Parts	CHCT	03-12-85	155-165	924 7.0	--	330	99	21	68	357	12	85	0.2	30	530	--	--
LJ-65-05-813	City of Houston, Acre Homes, Well No. 5	EVGL	06-19-87 10-21-88 08-04-89	596-1,496	592 610 584	25.5 27.0 28.0	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	61 62 60	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --
LJ-65-05-814	City of Houston, Acre Homes, Well No. 4	EVGL	10-21-88 08-04-89	652-1,769	610 577	26.5 28.0	-- --	-- --	-- --	-- --	-- --	-- --	65 61	-- --	-- --	-- --	-- --	-- --
LJ-65-05-913	Exxon Co.	CHCT	04-02-86 06-26-87	321-358	532 535	-- 24.5	-- --	-- --	-- --	-- --	-- --	-- --	50 46	-- --	-- --	-- --	-- --	-- --
LJ-65-05-949	Southern Water Co., Well No. 4	EVGL	03-14-85 a/	410-700	491 7.4	25.0	170	58	6	37	170	5.0	51	0.2 b/	28	290	<0.1 c/	<0.1 d/

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance and temperature (μS/cm) (°C)	pH	Hardness (mg/L as CaCO ₃)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO ₃)	Sulfate, dissolved (mg/L as SO ₄)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO ₂)	Solids, dissolved sum of constituents (mg/L)	Iron, dissolved (μg/L as Fe)	Manganese, dissolved (μg/L as Mn)	
LJ-65-05-953	Goings, Ron	--	08-31-84	--	980	7.2	25.0	200	43	23	120	360	21	110	0.7	25	560	<3	2
LJ-65-06-102	City of Houston, Intercontinental Airport, Well No. 1	EVGL	08-14-89	645-1,520	468	7.1	26.0	--	--	--	--	--	--	40	--	--	--	--	--
LJ-65-06-107	Green Seasons Farms	CHCT	07-27-89	300- 395	--	--	23.5	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-06-421	Greens Parkway M.U.D. 1	EVGL	07-17-84	616-1,200 f/	453	7.7	24.5	130	43	6	48	170	3.0	47	0.2	24	270	0.4	<0.1
LJ-65-06-612	City of Houston, Eastex Oaks-3, Well No. 2	EVGL	10-21-88	598- 750	458	--	--	--	--	--	--	--	--	36	--	--	--	--	--
LJ-65-06-621	El Dorado Country Club	CHCT	03-13-85	230	440	7.0	23.0	140	43	7.0	39	172	7.4	27	0.2	28	260	<3	<1
LJ-65-06-727	City of Houston, Melrose Park, Well No. 2	--	03-15-89	--	453	7.5	--	150	46	9	33	160	7.0	38	0.1	24	360	<0.1	<0.1
LJ-65-07-105	Harris County Rehabilitation Center, Well No. 1	EVGL	07-15-86 06-29-87	465- 582	485 508	7.7 7.8	24.5 25.0	--	--	--	--	--	--	45 40	--	--	--	--	--
LJ-65-07-204	Harris County M.U.D. 278, Well No. 1	EVGL	07-22-85	520-1,080	484	7.7	24.5	63	20	3	85	190	6.0	35	0.6	16	280	<0.1	<0.1
LJ-65-08-815	Harris County M.U.D. 19	EVGL	07-18-86 06-30-87	835-1,440	518 493	8.1 8.1	26.5 26.0	--	--	--	--	--	--	31 49	--	--	--	--	--
LJ-65-08-819	Crosby M.U.D., Well No. 1	CHCT	06-30-87	372- 552	418	8.0	24.5	--	--	--	--	--	--	34	--	--	--	--	--
LJ-65-10-218	Higginbotham, H.C.	CHCT	03-19-85	198- 216	500	7.2	22.0	220	79	4.4	24	212	1.9	41	<0.1	31	310	7	<1
LJ-65-10-521	Monroe, Morton	CHCT	03-22-85	200- 210	520	7.3	23.0	210	77	4.7	30	220	2.8	32	0.1	33	310	8	<1
LJ-65-10-615	Houston Lighting and Power, Franz Substation	CHCT	03-26-85	245	583	7.0	22.0	220	79	5.3	47	242	2.8	45	0.1	32	360	18	5

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH	Temperature (°C)	Hardness (mg/L as CaCO_3)	Calcium (mg/L as Ca)	Magnesium (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents (mg/L)	Manganese, dissolved ($\mu\text{g}/\text{L}$ as Mn)
LJ-65-10-913	Scarsdale-West Memorial Development Co.	EVGL	05-06-86 06-19-87	610-1,055	530 540	7.6 7.6	23.0 23.5	--	--	--	--	--	--	42 45	--	--	--	--
LJ-65-11-111	Harris County M.U.D. 167, Well No. 1	EVGL	09-23-84 a/	518- 938	514	7.8	23.5	120	39	5	69	188	14	47	0.3 b/	18	310	<0.1 c/ d/
LJ-65-11-113	Northwest Harris County M.U.D. 12	CHCT	02-21-85	300	484	7.0	23.5	150	52	5.8	36	156	11	50	0.2	24	270	<1
LJ-65-11-210	Rolling Creek M.U.D. 1	EVGL	06-21-84 a/	620-1,020	474	7.4	23.0	140	46	5	50	174	12	41	0.2 b/	20	280	0.1 c/ d/
LJ-65-11-305	Jackrabbit Road P.U.D.	EVGL, CHCT	11-03-88	642-1,065	480	7.4	25.5	--	--	--	--	--	--	40	--	--	--	--
LJ-65-11-313	Friesenhahn, J.	CHCT	03-19-85	193- 203	538	7.2	21.0	230	82	5.9	32	240	2.2	29	0.2	30	330	--
LJ-65-11-412	West Harris County M.U.D. 7, Well No. 1	EVGL	02-29-84 a/	580-1,238	654	7.4	--	91	29	4.5	120	240	15	64	0.6 b/	18	400	0.1 c/ d/
LJ-65-11-413	Ricewood M.U.D., Well No. 1	EVGL, CHCT	03-16-84 a/	350- 760	480	6.9	21.0	160	53	6	42	167	8.0	51	0.2 b/	23	280	<0.1 c/ d/
LJ-65-11-414	First Christian Church	CHCT	03-26-85	199- 209	533	7.0	22.0	200	72	4.8	41	212	3.3	44	0.1	30	320	6 c/
LJ-65-11-512	Pine Forest Country Club	CHCT	02-21-85	209- 225	471	6.2	23.0	180	59	7.6	33	167	--	--	0.1	29	--	26 c/
LJ-65-11-513	Carlton, Glen	CHCT	03-19-85	180- 190	723	7.1	19.5	260	91	7.5	53	261	4.3	76	0.2	27	420	--
LJ-65-11-601	Harris County, Bear Creek Park, Well No. 1	CHCT	05-07-86 05-12-87 11-03-88 08-22-89	224- 263	545 546 540 543	7.2 7.5 7.2 6.9	23.0 26.0 23.0 23.0	--	--	--	--	--	--	36 34 38 36	--	--	--	--
LJ-65-11-709	Mason Creek U.D., Well No. 2	EVGL	08-28-85 h/	646-1,080	--	7.6	--	--	--	--	--	--	17	51	0.2	--	270	0.2 c/
LJ-65-11-713	Interstate M.U.D.	EVGL	05-17-84 a/	634-1,296	700	7.5	26.0	110	33	6	97	215	14	63	0.3 b/	17	360	0.4 c/ d/
LJ-65-11-714	Weston M.U.D., Plant 2, Well No. 1	EVGL	04-27-84 a/	600-1,212	697	7.2	22.5	82	25	5	130	245	12	73	0.3 b/	15	410	0.2 c/ d/

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance (µS/cm)	pH	Temperature (°C)	Hardness (mg/L as CaCO ₃)	Calcium (mg/L as Ca)	Magnesium (mg/L as Mg)	Sulfate (mg/L as SO ₄)	Chloride (mg/L as Cl)	Fluoride (mg/L as F)	Silica (mg/L as SiO ₂)	Solids, dissolved, sum of constituents (mg/L)	Manganese, dissolved (µg/L as Mn)			
LJ-65-11-715	Weston M.U.D., Plant 1, Well No. 2	EVGL	06-04-84 a/	659-1,180	707	7.6	23.5	96	29	6	120	239	12	68	0.4 b/	16	390	0.1 c/	<0.1 d/
LJ-65-11-805	First Continental National Bank	CHCT	03-12-85	269- 289	561	7.4	22.5	210	75	5.7	38	219	3.2	45	0.2	30	330	14	<1
LJ-65-11-916	Harris County M.U.D., 21, Well No. 1	EVGL	08-15-89	668-1,150	489	7.1	27.0	--	--	--	--	--	41	--	--	--	--	--	--
LJ-65-11-919	City of Houston, Barker's Landing, Well No. 1	EVGL	02-15-89 g/	580- 706	479	7.4	--	180	56	9	34	179	7.0	40	0.2	30	400	0.2 c/	<0.1 d/
LJ-65-12-110	Horsepen Bayou M.U.D., Well No. 2	EVGL	10-16-86 a/	840-1,374	--	7.8	26.0	--	--	--	100	244	11	50	0.4 b/	--	--	0.2 c/	<0.1 d/
LJ-65-12-214	--	CHCT	11-01-84	48	730	7.2	27.0	310	110	8.9	42	313	11	45	0.2	30	440	--	--
LJ-65-12-520	City of Houston, Katy-Addicks, Well No. 9	EVGL	08-15-89	833-1,512	640	7.4	29.5	--	--	--	--	--	54	--	--	--	--	--	--
LJ-65-12-618	City of Houston, Spring Branch, Well No. 1	EVGL	05-13-87	619-1,440	545	7.6	27.0	--	--	--	--	--	46	--	--	--	--	--	--
LJ-65-12-619	City of Houston, Spring Branch, Well No. 2	EVGL	04-04-86 05-13-87 10-21-88	630-1,440	520 530 540	7.4 7.5 7.2	26.0 26.5 26.5	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	51 45 45	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --
LJ-65-12-622	City of Houston, Spring Branch, Well No. 4	EVGL	10-21-88	610-1,470	620	7.4	27.5	--	--	--	--	--	51	--	--	--	--	--	--
LJ-65-12-633	City of Houston, Spring Branch, Well No. 1SB	CHCT, EVGL	02-05-89 a/	372- 710	605	7.6	16.0	200	67	7	42	251	--	52	0.1 b/	--	480	<0.1 c/	<0.1 d/
LJ-65-12-634	City of Houston, Spring Branch, Well No. 3A	EVGL	03-31-89 g/	708-1,288	530	7.7	21.0	160	51	7	53	195	12	44	0.2 b/	20	420	0.1 c/	<0.1 d/
LJ-65-12-705	City of Houston, Memorial West, Well No. 2	CHCT, EVGL	08-15-89	510- 880	481	6.9	24.5	--	--	--	--	--	38	--	--	--	--	--	--

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH (standard and temperature units)	Temperature (°C)	Hardness (mg/L as CaCO_3)	Calcium (mg/L as Ca)	Magnesium (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents (mg/L) as Fe	Iron, dissolved (mg/L as Fe)	Manganese, dissolved (mg/L as Mn)
LJ-65-12-717	City of Houston, Katy-Addicks, Well No. 1	EVGL	04-04-86	664-1,565	591	7.6	28.0	--	--	--	--	--	--	48	--	--	--	--	--
LJ-65-12-720	City of Houston, Katy-Addicks, Well No. 3	EVGL, CHCT	08-15-89	589-1,120	485	7.1	27.0	--	--	--	--	--	--	38	--	--	--	--	--
LJ-65-12-723	City of Houston, Katy-Addicks, Well No. 5	EVGL	10-21-88 08-15-89	598-1,670	535 511	7.4 7.0	25.0 26.0	--	--	--	--	--	--	44 46	--	--	--	--	--
LJ-65-12-730	City of Houston, Katy-Addicks, Well No. 11	EVGL	05-13-87 10-21-88 08-15-89	685-1,692	643 620 609	7.5 7.4 7.2	27.0 28.0 29.0	--	--	--	--	--	--	76 54 51	--	--	--	--	--
LJ-65-12-733	Neeley, Sam	CHCT	03-22-85	170- 180	620	6.9	--	240	83	8.2	45	259	4.8	48	0.2	30	380	--	--
LJ-65-12-734	Yates, Charley	CHCT	03-22-85	33	1,240	7.0	20.5	390	110	28	120	334	16	210	0.3	33	720	--	--
LJ-65-13-214	City of Houston, Acres Homes, Well No. 1	EVGL	10-21-88 08-04-89	650-1,499	605 588	7.4 7.2	27.0 28.0	--	--	--	--	--	--	56 56	--	--	--	--	--
LJ-65-13-219	City of Houston, Acres Homes, Well No. 2	EVGL	08-04-89	617-1,561	516	7.0	25.5	--	--	--	--	--	--	48	--	--	--	--	--
LJ-65-13-221	City of Houston, Acres Homes, Well No. 25B	CHCT, EVGL	12-17-84 08-04-89	322- 600	530 502	7.4 6.9	23.5 24.5	200	70	7	30	200	6.0	53 51	<0.1 b/	23	310	<0.1 c/	<0.1 d/
LJ-65-13-304	City of Houston, Heights, Well No. 12	EVGL	08-04-89	900-1,750	722	7.4	29.5	--	--	--	--	--	--	68	--	--	--	--	--
LJ-65-13-322	City of Houston, Heights, Well No. 15A	EVGL	08-14-89	682-1,665	565	7.2	27.5	--	--	--	--	--	--	52	--	--	--	--	--
LJ-65-13-323	City of Houston, Heights, Well No. 15SB	CHCT	03-12-84 a/	330- 634	491	7.1	22.5	170	59	5	--	180	12	50	0.2 b/	25	--	<0.1 c/	<0.1 d/
LJ-65-13-324	City of Houston, Heights, Well No. 11A	EVGL	08-23-85 g/	708-1,288	580	7.0	--	120	38	8	63	168	6.0	47	0.4	16	380	<0.1 c/	<0.1 c/

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance and temperature ($\mu\text{S}/\text{cm}$)	pH	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents (mg/L)	Iron, dissolved (mg/L as Fe)	Manganese, dissolved (mg/L as Mn)
LJ-65-13-601	City of Houston, Heights, Well No. 10	EVGL	04-02-86 10-21-88 08-04-89	600-1,860	492 510 492	7.3 7.4 7.0	24.0 25.5 26.0	--	--	--	--	--	44 43 44	--	--	--	--	--
LJ-65-13-604	City of Houston, Heights, Well No. 16	EVGL	05-15-87 10-21-88 08-04-89	610-1,860	673 636 642	7.4 -- 7.3	24.5 -- 28.0	--	--	--	--	--	58 52 50	--	--	--	--	--
LJ-65-13-903	City of Houston, Central, Well No. 19	EVGL	05-14-87 10-24-88 08-03-89	1,160-1,960	882 980 839	7.7 7.9 7.8	30.0 30.5 --	--	--	--	--	--	90 100 71	--	--	--	--	--
LJ-65-13-904	City of Houston, Central, Well No. 20	EVGL	04-04-86 05-14-87 10-24-88 08-03-89	1,015-1,940	660 790 840 715	7.6 7.6 7.9 7.7	27.0 27.0 29.5 29.5	--	--	--	--	--	61 87 89 64	--	--	--	--	--
LJ-65-13-905	City of Houston, Central, Well No. 21	EVGL	04-04-86	745-2,000	707	7.6	28.0	--	--	--	--	--	69	--	--	--	--	--
LJ-65-13-944	City of Houston, Central, Well No. 22	EVGL	05-14-87 10-24-88 08-03-89	700-1,630	467 480 475	7.4 7.8 7.3	25.5 25.5 26.0	--	--	--	--	--	30 32 26	--	--	--	--	--
LJ-65-14-101	City of Houston, Northeast, Well No. 11	EVGL	10-21-88	711-1,965	465	7.6	26.5	--	--	--	--	--	33	--	--	--	--	--
LJ-65-14-103	City of Houston, Northeast, Well No. 9	EVGL	08-04-89	1,017-1,920	547	7.3	29.0	--	--	--	--	--	42	--	--	--	--	--
LJ-65-14-401	City of Houston, Northeast, Well No. 8	EVGL	04-04-86 10-21-88 08-04-89	1,010-1,950	522 510 518	7.5 7.8 7.2	27.5 27.5 29.0	--	--	--	--	--	38 36 36	--	--	--	--	--
LJ-65-14-405	City of Houston, Northeast, Well No. 4	EVGL	04-03-86 10-21-88 08-04-89	1,030-2,060	748 780 769	7.9 8.0 7.6	29.0 30.0 31.0	--	--	--	--	--	78 74 72	--	--	--	--	--
LJ-65-14-440	Goodwill Industries, Well No. 1	CHCT	05-01-84 a/	509- 560	500	7.5	23.0	160	7	42	188	12	38	0.2 b/	23	290	1.1 c/	<0.1 d/
LJ-65-15-511	Harris County F.W.S.D. 51, Well No. 3	EVGL	06-30-87	750-1,145	467	7.3	25.0	--	--	--	--	--	45	--	--	--	--	--

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH (standard and temperature units) ($^{\circ}\text{C}$)	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents (mg/L as Fe)	Manganese, dissolved (mg/L as Mn)	
LJ-65-15-841	Harris County W.C.I.D. 36, Well No. 5	EVGL	04-25-85 a/	651-1,193	568	8.1	23.5	22	6	1.7	130	250	.0	33	1.1 b/	16	330	<0.1 d/
LJ-65-15-921	Port of Houston Authority, Bulk Materials Handling Plant, Well No. 3	EVGL	08-23-88 a/	773- 875	600	7.4	--	25	8	1	130	242	--	42	1.0 b/	13	350	<0.1 d/
LJ-65-16-726	Harris County F.W.S.D. 6	EVGL	09-10-85 a/	590- 925	547	7.4	25.0	35	10	2.4	110	230	9.0	33	0.9 b/	14	320	<0.1 d/
LJ-65-19-305	City of Houston, Briar Village, Well No. 1	EVGL	10-21-88 08-15-89	860-1,170	515 488	7.3 7.2	26.5 27.5	--	--	--	--	--	--	45 44	--	--	--	--
LJ-65-19-321	Mission Bend M.U.D. 2	EVGL, CHCT	04-17-86 a/	490- 864	505	7.5	24.0	180	60	7	35	178	8.0	49	0.2 b/	24	290	<0.1 d/
LJ-65-19-607	Mission Bend M.U.D. 2, Well No. 2	EVGL	12-18-86 a/	560-1,352	543	7.5	18.5	180	62	7	41	185	8.0	56	0.2 b/	25	310	<0.1 d/
LJ-65-19-608	Braes U.D., Well No. 2	EVGL	08-17-84 a/	502- 860	513	7.5	24.0	180	62	7	34	182	5.0	51	0.1 b/	25	290	<0.1 d/
LJ-65-20-103	City of Houston, Rosewood, Well No. 1	EVGL	10-21-88 08-15-89	980-1,280	520 499	7.3 7.0	27.0 27.5	--	--	--	--	--	--	42 38	--	--	--	--
LJ-65-20-106	Forest Park West Cemetery	CHCT	02-14-86 03-31-86 08-02-89	466- 651	529 540 504	7.5 7.3 7.1	26.0 26.0 --	120 --	33 --	8.0 --	74 --	203 --	12 --	43 38 32	0.4 --	21 --	320 --	4 14
LJ-65-20-126	City of Houston, Rosewood, Well No. 3	EVGL	10-21-88	970-1,322	515	7.3	27.0	--	--	--	--	--	--	41	--	--	--	--
LJ-65-20-128	City of Houston, Ashford Point, Well No. 2	EVGL	03-27-85 a/	692-1,102 f/	500	7.7	23.0	180	62	5	29	180	.0	42	0.2 b/	33	280	<0.1 d/
LJ-65-20-304	City of Houston, Southwest, Well No. 11	EVGL	04-03-86 05-11-87 10-19-88 08-02-89	755-1,552	504 493 505 492	7.5 7.6 7.6 7.4	25.0 26.5 26.0 --	--	--	--	--	--	--	29 29 31 27	--	--	--	--

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH (standard and ature)	Temperature ($^{\circ}\text{C}$)	Hardness (mg/L as CaCO_3)	Calcium (mg/L as Ca)	Magnesium (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents ($\mu\text{g}/\text{L}$ as Fe)	Iron, dissolved ($\mu\text{g}/\text{L}$ as Mn)	Manganese, dissolved ($\mu\text{g}/\text{L}$ as Mn)
LJ-65-20-319	City of Houston, Westbriar, Well No. 2A	EVGL	10-19-88	630-1,320	540	7.7	26.0	--	--	--	--	--	--	32	--	--	--	--	--
LJ-65-20-324	City of Houston, Southwest, Well No. 6A	EVGL	04-20-88	758-1,176	580	8.1	25.0	57	16	4	100	224	12	33	0.6	12	320	<0.1	<0.1
LJ-65-20-405	City of Houston, Bellaire Braes, Well No. 1	EVGL	04-29-86 05-11-87 10-24-88 08-14-89	640-1,620	500 520 517 515	7.3 7.1 7.6 6.8	25.0 25.0 25.5 25.5	--	--	--	--	--	--	34 44 46 45	--	--	--	--	--
LJ-65-20-419	City of Houston, Bellaire Independent, Well No. 3	EVGL, CHCT	05-24-85	599-1,300	540	7.3	22.5	160	54	7	45	180	10	46	0.2	24	300	<0.1	<0.1
LJ-65-20-518	City of Houston, Concourse, Well No. 1	EVGL	09-18-85	725-1,460	510	7.0	--	150	52	8.6	45	184	11	42	0.4	5.7	390	0.2	<0.1
LJ-65-20-614	City of Houston, Sharpstown, Well No. 4	EVGL	04-03-86 05-11-87 10-24-88 08-14-89	579-1,495	496 498 500 499	7.3 7.3 7.8 6.9	25.0 25.5 25.5 25.5	--	--	--	--	--	--	--	39 35 36 34	--	--	--	--
LJ-65-20-618	City of Houston, Braeburn Valley, Well No. 2	EVGL	02-14-86	885-1,325	494	7.6	26.0	78	23	5.1	86	194	16	31	0.5	21	300	6	9
LJ-65-20-626	City of Houston, Sharpstown, Well No. 3A	EVGL	10-19-88	920-1,530	580	7.8	28.0	--	--	--	--	--	--	38	--	--	--	--	--
LJ-65-20-908	City of Houston, Braeburn West, Well No. 1	EVGL, CHCT	02-14-86	627-942	540	7.1	25.0	200	60	11	39	199	11	48	0.3	29	320	<3	1
LJ-65-20-910	City of Houston, Sims Bayou, Well No. 5	EVGL	02-19-86 04-30-86	610-1,188	537 537	7.2 7.2	25.5 24.5	160	47	10	55	208	13	42 29	0.4	26	320	<3	23
LJ-65-20-911	City of Houston, Sims Bayou, Well No. 4	EVGL	02-19-86	645-1,188	524	7.1	26.0	130	39	8.0	66	206	14	40	0.4	26	320	<3	8

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH (standard and ature ($^{\circ}\text{C}$))	Temperature ($^{\circ}\text{C}$)	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved, sum of constituents (mg/L as Fe)	Iron, dissolved (mg/L as Fe)	Manganese, dissolved (mg/L as Mn)
LJ-65-20-915	Harris County W.C.I.D. Fonden Road, Well No. 3	EVGL, CHCT	04-30-87	640-970	571	7.5	25.0	160	55	8	46	206	12	36	0.3	29	310	0.1	<0.1
LJ-65-21-143	City of Houston, Southwest, Well No. 1A	EVGL	02-14-86	716-1,492	498	7.7	26.0	86	24	6.4	79	197	13	35	0.5	19	300	6	5
LJ-65-21-148	City of Houston Southwest, Well No. 3A	EVGL	02-14-86 04-15-87	699-1,490	535 550	7.7 7.7	26.0 26.0	100	29	7.0	83	205	11	42 39	0.5	22	320	<3	5
LJ-65-21-150	City of Houston, Southwest, Well No. 3SB	CHCT	02-14-86 04-03-86 04-15-87 10-19-88 08-02-89	330-631	553 548 560 558 552	7.3 7.1 7.3 7.4 7.0	23.5 23.0 25.0 23.5 --	220	68	11	34	202	8.7	52 55 50 48 43	0.3	26	320	3	2
LJ-65-21-201	City of Houston, Southwest, Well No. 9	EVGL, CHCTL	02-14-86 08-02-89	554-1,031	510 514	7.5 7.0	24.5	160	46	12	48	192	13	43 36	0.2	26	310	6	2
LJ-65-21-202	City of Houston, Southwest, Well No. 10	EVGL	03-31-86 10-19-88 08-02-89	1,069-1,946	611 610 596	7.7 7.8 7.5	25.5 28.0 --	--	--	--	--	--	--	44 42 40	--	--	--	--	--
LJ-65-21-233	City of West University Place, Well No. 9	EVGL	02-26-85	810-1,380	470	7.8	20.5	96	30	5	69	200	6.0	30	0.4	21	280	<0.1	0.1
LJ-65-21-302	City of Houston, Southend, Well No. 8	EVGL	03-27-86 10-20-88	710-1,650	471 490	7.3 7.5	25.0 25.5	--	--	--	--	--	--	24 26	--	--	--	--	--
LJ-65-21-303	City of Houston, Southend, Well No. 9	EVGL	10-20-88 08-07-89	680-1,690	540 580	7.6 7.5	26.0 28.5	--	--	--	--	--	--	34 44	--	--	--	--	--
LJ-65-21-304	City of Houston, Southend, Well No. 10	EVGL	03-31-86 04-14-87 10-20-88 08-07-89	795-2,170	606 479 565 563	7.3 7.9 7.5 7.4	26.5 27.5 27.0 28.0	--	--	--	--	--	--	57 25 37 39	--	--	--	--	--
LJ-65-21-330	City of Houston, Southend, Well No. 13	EVGL	10-20-88 08-07-89	708-1,762	500 503	7.4 7.4	25.5 27.0	--	--	--	--	--	--	29 32	--	--	--	--	--

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH (standard and at temperature)	Temperature ($^{\circ}\text{C}$)	Hardness (mg/L as CaCO_3)	Calcium (mg/L as Ca)	Magnesium (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved sum of constituents (mg/L)	Iron, dissolved ($\mu\text{g}/\text{L}$ as Fe)	Manganese, dissolved ($\mu\text{g}/\text{L}$ as Mn)
LJ-65-21-402	City of Bel-laire, Well No. 3	EVGL	05-06-86 04-16-87	1,200-1,570	617 616	7.4 7.8	22.0 27.0	--	--	--	--	--	--	39 49	--	--	--	--	--
LJ-65-21-414	City of Houston, Braeswood, Well No. 2	EVGL	02-14-86 04-30-86	620-1,735	517 514	7.5 7.6	26.0 25.0	84	--	5.2	85	205	14	36 25	0.6	22	310	7	17
LJ-65-21-417	City of Houston, Meyerland, Well No. 1A	EVGL	10-26-89 g/	704-1,483	450	7.8	--	110	34	7	66	200	<1	49	0.5	23	420	<0.1 c/	<0.1
LJ-65-21-503	City of Houston, Linkwood, Well No. 1	EVGL	03-31-86 04-14-87 10-19-88 08-02-89	770-1,840	492 484 615 586	7.3 7.7 7.5 7.4	26.0 23.5 26.5 --	--	--	--	--	--	--	26 26 59 56	--	--	--	--	--
LJ-65-21-504	City of Houston, Linkwood, Well No. 2	EVGL	04-14-87	735-2,260	600	7.9	25.5	--	--	--	--	--	--	44	--	--	--	--	--
LJ-65-21-505	City of Houston, Willow Bend, Well No. 1	EVGL, CHCTL	02-14-86 10-24-88	558- 809	528 531	7.4 7.5	24.5 24.0	190	57	11	41	194	12	40 37	0.3	26	310	5	2
LJ-65-21-509	City of Houston, Linkwood, Well No. 3	EVGL	10-19-88	725-1,860	538	7.7	27.0	--	--	--	--	--	--	35	--	--	--	--	--
LJ-65-21-625	Thermal Energy Corp., Well No. 1	CHCT	12-21-84 g/	568- 690	530	7.6	23.0	160	57	5	49	210	6.0	37	0.2 b/	25	300	<0.1 c/	<0.1 d/
LJ-65-21-701	City of Houston, Westbury, Well No. 1	EVGL	02-14-86 03-31-86 10-19-88	1,070-1,715	544 546 580	7.9 7.6 7.9	27.0 27.0 29.0	44	12	3.3	110	221	14	37 31 36	0.7	17	330	48	10
LJ-65-21-708	City of Houston, Sims Bayou, Well No. 3	EVGL	03-31-86 04-15-87 10-24-88 08-03-89	632-1,182	514 516 540 530	7.2 7.6 7.9 7.4	26.0 25.5 25.5 27.5	--	--	--	--	--	--	36 40 36 33	--	--	--	--	--
LJ-65-21-709	City of Houston, Sims Bayou, Well No. 2	EVGL	10-24-88 08-03-89	644-1,169	520 509	7.5 7.3	25.0 27.0	--	--	--	--	--	--	31 28	--	--	--	--	--
LJ-65-21-712	City of Houston, Westbury, Well No. 3A	EVGL	09-20-85 g/	650-1,645	520	7.0	--	46	13	3	110	226	13	38	0.9	13.6	470	<0.1 c/	<0.1

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance and temperature ($\mu\text{S}/\text{cm}$)	pH	Hardness as CaCO_3 (mg/L)	Calcium dissolved (mg/L as Ca)	Magnesium dissolved (mg/L as Mg)	Sodium, Alkalinity dissolved (mg/L as Na CaCO_3)	Sulfate dissolved (mg/L as SO_4)	Chloride dissolved (mg/L as Cl)	Fluoride dissolved (mg/L as F)	Silica, dissolved sum of constituents (mg/L as SiO_2)	Iron, dissolved (mg/L as Fe)	Manganese, dissolved (mg/L as Mn)
LJ-65-21-812	City of Houston, District 41, Well No. 2	EVGL	10-24-88	600-1,360	520	7.7	25.0	--	--	--	--	32	--	--	--	--
LJ-65-21-929	Texas Brine Corp., Well No. 10	CHCT	07-01-86 04-16-87 10-28-88 08-09-89	187-455	3,560 6,220 3,000 3,940	7.5 7.5 -- 6.8	-- -- 24.0 23.5	--	--	--	--	1,100 1,900 820 1,200	--	--	--	--
LJ-65-22-103	City of Houston, Scott Street, Well No. 6	EVGL	07-17-86 10-20-88	580-2,140	702 740	7.8 7.6	27.5 28.5	--	--	--	--	60 64	--	--	--	--
LJ-65-22-711	City of Houston, Bellfort	EVGL	03-31-86	515-1,215	968	7.2	26.0	--	--	--	--	180	--	--	--	--
LJ-65-22-802	City of Houston, South Park, Well No. 5	EVGL	10-20-88 08-07-89	755-1,820	780 575	8.1 8.1	28.5 27.5	--	--	--	--	50 37	--	--	--	--
LJ-65-22-812	Amco Transportation, Inc.	CHCT	04-01-86	329-344	515	7.3	--	--	--	--	--	25	--	--	--	--
LJ-65-22-901	City of Houston, Hobby Airport, Well No. 1	EVGL	04-01-86 10-20-88 08-07-89	820-1,830	834 680 774	7.9 8.1 8.2	28.0 27.0 28.5	--	--	--	--	53 42 49	--	--	--	--
LJ-65-23-215	Phillips Petroleum Co., Chemical Division, Well No. 6	EVGL	05-09-86 06-25-87	730-1,200	485 489	7.1 7.2	23.0 23.5	--	--	--	--	23 30	--	--	--	--
LJ-65-23-310	Shell Oil Co. Refinery, Well No. 7	CHCTL	05-09-86 06-25-87 11-01-88 08-21-89	342-502	553 565 575 568	7.5 7.6 8.2 7.6	25.5 25.5 25.5 30.0	--	--	--	--	28 59 36 35	--	--	--	--
LJ-65-23-503	City of Pasadena, Well No. 7	EVGL	11-01-88	1,264	595	8.1	25.5	--	--	--	--	40	--	--	--	--
LJ-65-23-608	City of Pasadena	EVGL	11-04-88 08-11-89	650-1,355	600 601	7.8 7.7	25.5 26.5	--	--	--	--	37 38	--	--	--	--
LJ-65-23-610	City of Pasadena, Deep Water Plant	EVGL	11-04-88 08-11-89	740-1,160	730 723	8.2 8.1	27.5 28.5	--	--	--	--	47 47	--	--	--	--

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH	Temperature (°C)	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, sum of constituents (mg/L)	Manganese, dissolved ($\mu\text{g}/\text{L}$ as Mn)	Iron, dissolved ($\mu\text{g}/\text{L}$ as Fe)
LJ-65-23-728	Fuhrmann Energy, Geneva Superfund Site, Well No. 1	CHCT	12-04-84	60-112	836	7.7	21.5	270	69	24	83	340	11	71	0.4	20	480	--	--
LJ-65-23-729	Fuhrmann Energy, Geneva Superfund Site, Well No. 2	CHCT	12-15-84	250-292	542	7.9	26.0	92	24	7.7	89	240	10	33	0.5	17	330	--	--
LJ-65-23-730	Fuhrmann Energy, Geneva Superfund Site, Well No. 3	CHCT	01-04-85	573-675	530	8.2	--	61	18	4.0	97	210	17	33	0.7	15	310	--	--
LJ-65-23-731	Fuhrmann Energy, Geneva Superfund Site, Well No. 4	EVGL	01-21-85	699-805	601	8.0	--	32	8.9	2.3	130	250	46	2.1	0.7	14	360	--	--
LJ-65-23-809	City of Pasadena	EVGL	04-01-86 06-23-87 11-04-88 10-24-89	820-1,370	1,260 1,170 1,260 1,260	8.0 8.0 -- 7.9	27.5 27.5 27.0 27.0	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	140 130 140 140	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --
LJ-65-24-139	Shell Oil Co. Refinery, Well No. 10	EVGL	05-09-86 08-21-89	617-1,000	600 602	7.6 7.7	24.0 27.0	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LJ-65-24-902	City of Laporte, Well No. 4	CHCT	04-15-86 06-25-87 10-27-88 08-18-89	417-575	788 765 800 777	8.0 8.0 7.9 7.6	24.0 24.0 24.5 25.0	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	72 60 68 70	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --	-- -- -- --
LJ-65-29-106	City of Houston, Sims Bayou, Well No. 1	EVGL	07-29-86 10-24-88 08-03-89	664-1,204	548 565 555	8.0 7.7 7.6	27.0 26.5 28.0	-- -- --	-- -- --	-- -- --	-- -- --	221 -- --	-- -- --	35 37 36	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --
LJ-65-29-108	City of Houston, Chasewood, Well No. 3	EVGL	02-19-86 04-16-87	750-1,170	537 547	7.4 7.5	26.0 26.0	120 --	37 --	7.1 --	73 --	207 --	14 --	40 43	0.4 --	25 --	320 --	<3 --	26 --
LJ-65-30-105	Harris County W.C.I.D. 89, Well No. 1	EVGL	02-02-84 a/	610-1,005	642	7.4	27.0	140	42	8	88	223	9.0	66	0.5 b/	15	360	0.4 c/	<0.1 d/
LJ-65-31-110	Sagemeadow U.D.	EVGL	07-02-86 11-01-88 08-22-89	730-1,150	985 1,020 825	8.0 7.8 7.4	25.0 26.5 26.5	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	-- -- --	120 110 84	-- -- --	-- -- --	-- -- --	-- -- --

Table 4.--Chemical analyses of water from wells in Harris County--Continued

Well	Owner	Water-bearing unit	Date of sample	Depth or producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH	Temperature and atmosphere ($^{\circ}\text{C}$)	Hardness (mg/L as CaCO_3)	Calcium, dissolved (mg/L as Ca)	Magnesium, dissolved (mg/L as Mg)	Sodium, dissolved (mg/L as Na)	Alkalinity (mg/L as CaCO_3)	Sulfate, dissolved (mg/L as SO_4)	Chloride, dissolved (mg/L as Cl)	Fluoride, dissolved (mg/L as F)	Silica, dissolved (mg/L as SiO_2)	Solids, dissolved, sum of constituents (mg/L)	Iron, dissolved ($\mu\text{g}/\text{L}$ as Fe)	Manganese, dissolved ($\mu\text{g}/\text{L}$ as Mn)
LJ-65-31-113	Sagemeadow U.D.	EVGL	07-02-86 11-01-88 08-22-89	760-1,148	961 908 759	8.1 7.9 7.5	24.5 26.5 27.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-31-206	City of Houston, Ellington Field, Well No. 1	CHCT	07-01-86 10-20-88	465-571	590 588	8.0 7.7	25.0 25.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-31-207	City of Houston, Ellington Field, Well No. 2	CHCT	07-12-84 10-20-88 08-07-89	468-548	575 575 565	8.1 7.8 --	25.5 25.0 29.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-31-605	Clear Lake City Water Authority, Well No. 2	CHCT	07-02-86 10-26-88 07-31-89	495-600	630 645 631	7.9 7.9 7.7	25.5 25.0 --	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-32-406	Clear Lake City Water Authority, Well No. 1	CHCT	10-26-88	527-647	540	7.3	25.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-32-418	Clear Lake City Water Authority, Well No. 5	CHCT	10-26-88	510-650	720	7.9	25.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-32-519	Clear Lake City Water Authority, Well No. 3	CHCT	04-16-86 05-19-87 10-26-88 07-31-89	530-650	260 1,000 500 405	7.5 7.7 7.3 7.3	21.0 25.0 24.5 27.5	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-32-701	City of Webster, Well No. 1	CHCT	04-15-86 05-19-87 11-04-88 07-31-89	528-610	742 775 785 733	7.6 7.6 7.7 7.7	24.0 24.5 24.5 26.0	--	--	--	--	--	--	--	--	--	--	--	--
LJ-65-32-739	City of Webster, Well No. 2	CHCT	05-19-87	525-635	805	7.6	24.0	--	--	--	--	--	--	--	--	--	--	--	--

a/ Analyzed by Edna Wood Laboratories, Inc.

b/ Total fluoride (F).

c/ Total iron (Fe).

d/ Total manganese (Mn).

e/ Analyzed by Curtis Laboratories.

f/ Chemical analyses of samples from additional depth intervals available.

g/ Analyzed by City of Houston.

h/ Analyzed by Southwestern Laboratories.

Table 5.--Chemical analyses for nutrient species in water from wells in Harris County

[mg/L, milligrams per liter; <, less than; --, no data]

Well	Depth or producing interval (feet)	Date of sample	Nitro- gen, nitrite total (mg/L as N)	Nitro- gen, NO ₂ +NO ₃ total (mg/L as N)	Nitro- gen, ammonia total (mg/L as N)	Nitro- gen, am- monia + organic total (mg/L as N)	Phos- phorus, total (mg/L as P)
LJ-60-58-703	220 -1,342	08-17-84	<.010	0.10	<.010	<.20	<.010
LJ-60-58-710	220 - 230	02-25-85	<.010	1.0	.030	<.20	<.010
LJ-60-58-904	168	02-25-85	<.010	.20	.020	<.20	<.010
LJ-60-59-311	360 - 416	08-30-84	<.010	<.10	.020	.30	<.010
LJ-60-59-312	244 - 274	08-30-84	<.010	<.10	<.010	<.20	.010
LJ-60-59-504	250	02-19-85	<.010	.10	.060	<.20	.010
LJ-60-59-505	250 - 260	02-19-85	<.010	<.10	.020	<.20	<.010
LJ-60-59-803	350	03-05-85	<.010	.20	<.010	<.20	.010
LJ-60-59-804	327	03-01-85	<.010	.30	.020	.30	<.010
LJ-60-60-606	190 - 200	08-23-84	.020	.20	.050	.20	.270
		02-07-85	<.010	.20	.020	<.20	.110
LJ-60-60-811	480	04-04-85	<.010	.20	<.010	<.20	.010
LJ-60-61-405	280 - 309	08-20-84	<.010	.10	.050	<.20	<.010
LJ-65-03-101	109 - 120	04-05-85	<.010	<.10	.830	.90	.010
LJ-65-03-309	145 - 155	02-14-85	<.010	.10	.040	<.20	.010
LJ-65-03-620	68 - 78	02-14-85	<.010	2.1	.020	<.20	.110
LJ-65-04-723	599 -1,489	08-17-84	<.010	<.10	.020	<.20	<.010
LJ-65-04-811	448 - 784	08-17-84	<.010	<.10	.020	<.20	<.010
LJ-65-05-732	130	03-12-85	<.010	<.10	<.010	.30	.010
LJ-65-05-913	321 - 358	08-22-84	<.010	<.10	<.010	.20	<.010
LJ-65-05-920	214 - 224	08-24-84	<.010	<.10	.010	<.20	<.010
LJ-65-05-953	--	08-31-84	.030	<.10	.070	.30	.200
LJ-65-06-202	645 -1,615	08-21-84	<.010	.10	<.010	<.20	1.00
LJ-65-06-621	230	03-13-85	<.010	.20	<.010	<.20	<.010
LJ-65-10-218	198 - 216	03-19-85	<.010	.20	<.010	<.20	<.010
LJ-65-10-521	200 - 210	03-22-85	<.010	.20	<.010	<.20	<.010
LJ-65-10-615	245	03-26-85	<.010	.20	<.010	.50	<.010
LJ-65-11-113	300	02-21-85	<.010	.20	.010	<.20	<.010
LJ-65-11-414	199 - 209	03-26-85	<.010	.20	<.010	.20	<.010
LJ-65-11-512	209 - 225	02-21-85	<.010	.20	.020	<.20	<.010
LJ-65-11-601	224 - 263	08-28-84	<.010	.10	.020	.20	.010
LJ-65-11-805	269 - 289	03-12-85	<.010	.20	<.010	<.20	.010
LJ-65-12-205	58	08-29-84	<.010	1.3	.030	.30	.040
LJ-65-12-209	285 - 295	08-29-84	<.010	<.10	.020	.50	<.010
LJ-65-12-734	33	03-22-85	<.010	1.9	<.010	.70	.010
LJ-65-13-219	617 -1,561	08-20-84	<.010	<.10	.050	<.20	<.010
LJ-65-13-601	600 -1,860	08-20-84	<.010	.10	.030	<.20	<.010

Table 6.--Chemical analyses for minor elements in water from wells in Harris County

[µg/L, micrograms per liter; --, no data available; <, less than]

Well	Depth or producing interval (feet)	Date of sample	Arsenic dis- solved (µg/L as As)	Barium, dis- solved (µg/L as Ba)	Beryll- ium, dis- solved (µg/L as Be)	Cadmium dis- solved (µg/L as Cd)	Chro- mium, dis- solved (µg/L as Cr)	Cobalt, dis- solved (µg/L as Co)	Copper, dis- solved (µg/L as Cu)	Lead, dis- solved (µg/L as Pb)	Lithium dis- solved (µg/L as Li)	Mercury dis- solved (µg/L as Hg)	Molyb- denum, dis- solved (µg/L as Mo)	Sele- nium, dis- solved (µg/L as Se)	Silver, dis- solved (µg/L as Ag)	Stron- tium, dis- solved (µg/L as Sr)	Vana- dium, dis- solved (µg/L as V)	Zinc, dis- solved (µg/L as Zn)
LJ-60-58-703	220 - 1,342	08-17-84	8	160	--	<1	<10	--	1	<1	--	<0.1	--	<1	<1	--	--	4
LJ-60-58-710	220 - 230	02-25-85	--	200	<0.5	2	--	<3	<10	<10	7	--	<10	--	--	75	<6	16
LJ-60-58-904	168	02-25-85	--	150	<.5	1	--	<3	<10	<10	7	--	<10	--	--	80	<6	120
LJ-60-59-311	360 - 416	08-30-84	3	420	--	<1	<10	--	3	<1	--	<.1	--	<1	<1	--	--	120
LJ-60-59-312	244 - 274	08-30-84	4	97	--	<1	<10	--	2	3	--	<.1	--	<1	<1	--	--	20
LJ-60-59-505	250 - 260	02-19-85	--	130	<.5	36	--	<3	<10	<10	15	--	<10	--	--	160	<6	96
LJ-60-59-803	350	03-05-85	--	180	<.5	<1	--	<3	<10	10	15	--	<10	--	--	110	<6	220
LJ-60-59-804	327	03-01-85	--	85	>.5	2	--	<3	<10	<10	7	--	<10	--	--	100	<6	190
LJ-60-60-606	190 - 200	08-23-84 02-07-85	<1 --	110 120	-- 2.2	<1 2	<10 --	-- --	3 --	3 --	-- 9	.1 --	-- --	<1 --	<1 --	-- 89	-- --	27 21
LJ-60-60-811	480	04-04-85	--	150	<.5	<1	--	<3	<10	<10	14	--	<10	--	--	79	<6	31
LJ-60-61-405	280 - 309	08-20-84	1	200	--	<1	<10	--	3	2	--	<.1	--	<1	<1	--	--	10
LJ-65-03-101	109 - 120	04-05-85	--	260	<.5	<1	--	<3	<10	<10	11	--	<10	--	--	83	<6	98
LJ-65-03-309	145 - 155	02-14-85	--	180	<.5	2	--	<3	<10	<10	9	--	<10	--	--	120	<6	87
LJ-65-03-620	68 - 78	02-14-85	--	730	<.5	1	--	<3	<10	<10	9	--	<10	--	--	100	<6	140
LJ-65-04-723	599 - 1,489	08-17-84	3	220	--	<1	<10	--	1	<1	--	<.1	--	3	<1	--	--	6
LJ-65-04-811	448 - 784	08-17-84	2	200	--	<1	<10	--	1	<1	--	<.1	--	7	<1	--	--	6
LJ-65-05-212	213 - 223	08-16-84	<1	300	--	<1	<10	--	28	8	--	<.1	--	<1	<1	--	--	120
LJ-65-05-732	130	03-12-85	--	160	<.5	<1	--	<3	<10	<10	36	--	<10	--	--	360	<6	19
LJ-65-05-913	321 - 358	08-22-84	<1	360	--	<1	<10	--	12	1	--	<.1	--	<1	<1	--	--	50
LJ-65-05-920	214 - 224	08-24-84	<1	220	--	<1	<10	--	2	<1	--	<.1	--	<1	<1	--	--	120
LJ-65-05-930	37 - 42	08-31-84	1	340	--	<1	<10	--	<1	4	--	<.1	--	<1	<1	--	--	27
LJ-65-05-933	220 - 230	08-16-84	<1	270	--	<1	<10	--	7	5	--	<.1	--	<1	<1	--	--	--
LJ-65-05-953	--	08-31-84	<1	180	--	<1	<10	--	<1	<1	--	<.1	--	<1	<1	--	--	<3
LJ-65-06-202	645 - 1,615	08-21-84	2	370	--	<1	<10	--	6	3	--	.2	--	<1	<1	--	--	13

Table 6. --Chemical analyses for minor elements in water from wells in Harris County--Continued

Well	Depth or producing interval (feet)	Date of sample	Arsenic		Barium,		Beryl-		Chro-		Cobalt,		Copper,		Lead,		Lithium		Mercury		Molyb-		Sele-		Silver,		Stron-		Vana-	
			dis- solved ($\mu\text{g/L}$ as As)	dis- solved ($\mu\text{g/L}$ as Ba)	dis- solved ($\mu\text{g/L}$ as Be)	dis- solved ($\mu\text{g/L}$ as Cd)	dis- solved ($\mu\text{g/L}$ as Cr)	dis- solved ($\mu\text{g/L}$ as Co)	dis- solved ($\mu\text{g/L}$ as Cu)	dis- solved ($\mu\text{g/L}$ as Pb)	dis- solved ($\mu\text{g/L}$ as Li)	dis- solved ($\mu\text{g/L}$ as Hg)	dis- solved ($\mu\text{g/L}$ as Mo)	dis- solved ($\mu\text{g/L}$ as Se)	dis- solved ($\mu\text{g/L}$ as Ag)	dis- solved ($\mu\text{g/L}$ as Sr)	dis- solved ($\mu\text{g/L}$ as V)	dis- solved ($\mu\text{g/L}$ as Zn)												
LJ-65-06-621	230	03-13-85	--	360	<0.5	<1	--	<3	<10	<10	20	--	<10	--	--	400	<6	98												
LJ-65-10-218	198 - 216	03-19-85	--	230	<.5	<1	--	<3	<10	<10	17	--	<10	--	--	120	<6	24												
LJ-65-10-521	200 - 210	03-22-85	--	250	<.5	1	--	<3	<10	<10	18	--	<10	--	--	110	<6	110												
LJ-65-10-615	245	03-26-85	--	310	<.5	<1	--	<3	<10	10	21	--	<10	--	--	130	<6	3												
LJ-65-11-113	300	02-21-85	--	220	<.5	<1	--	<3	<10	<10	14	--	<10	--	--	360	7	20												
LJ-65-11-414	199 - 209	03-26-85	--	230	<.5	<1	--	<3	<10	<10	18	--	<10	--	--	97	<6	25												
LJ-65-11-512	209 - 225	02-21-85	--	230	<.5	1	--	<3	<10	<10	18	--	<10	--	--	390	<6	44												
LJ-65-11-601	224 - 263	08-28-84	<1	190	--	<1	<10	--	2	<1	--	<0.1	--	<1	<1	--	40													
LJ-65-11-805	269 - 289	03-12-85	--	320	<.5	<1	--	<3	<10	<10	19	--	<10	--	--	130	<6	250												
LJ-65-12-205	58	08-29-84	<1	290	--	<1	<10	--	13	<1	--	<.1	--	<1	<1	--	41													
LJ-65-12-209	285 - 295	08-29-84	<1	260	--	<1	<10	--	6	5	--	<.1	--	<1	<1	--	160													
LJ-65-13-219	617 -1,561	08-20-84	2	270	--	<1	<10	--	3	6	--	<.1	--	<1	<1	--	<3													
LJ-65-13-601	600 -1,860	08-20-84	1	250	--	<1	<10	--	3	<1	--	<.1	--	11	<1	--	6													

Table 7.--Records of wells in Galveston County

Water-bearing unit : CHCT, Chicot aquifer
 Altitude of land surface : Referenced to sea level
 Water level : Reported by driller
 Use of water : P, public supply; U, unused
 Type of data available : D, drillers' log (see table 8); W, water-level measurements (see table 9)
 Symbol : --, no data

Well	Owner	Driller	Date completed	Depth of well (feet)	Dia- meter of well (inches)	Well screen Total length (feet) Depth interval (feet)	Water- bearing unit	Altitude of land surface (feet)	Water level Below land surface (feet)	Date of measurement	Use of water	Dis- charge (gallons per minute)	Draw- down (feet)	Type of data available
KH-64-42-202	Galveston Parks Department	Environmental Service	1987	165	5,2.5	20	145-165	CHCT	4	10	06/05/87	P	55	-- D
KH-65-31-708	City of Friendswood, Well No. 5	Layne Texas Co.	1979	635	16,10	150	455-615	CHCT	32	176	1979	P	1,016	36 --
KH-65-48-243	Cruz, Jesse	Walker Water Well Service, Inc.	1986	128	5,2.5	20	108-128	CHCT	24	28	03/15/86	P	50	-- D
KH-65-48-318	U.S. Geological Survey, Hitchcock fault, upside	U.S. Geological Survey	1979	16	2	2	13- 15	CHCT	14	1	06/13/79	U	--	-- W
KH-65-48-319	U.S. Geological Survey, Hitchcock fault, downside	U.S. Geological Survey	1979	20	2	3	16- 19	CHCT	13	2	08/08/79	U	--	-- W

Table 8.--Drillers' logs of wells in Galveston County

Well KH-64-42-202
 Owner: Galveston Parks Department
 Driller: Environmental Service

Description	Thick- ness (feet)	Depth (feet)
Clay, fill	9	9
Sand, gray and shell	17	26
Clay, brown and gray	8	34
Clay, red	24	58
Clay, blue and gray	76	134
Sand, light gray	41	175
Shale	4	179
Sand, dark gray and shell	6	185
Shale and gray clay	15	200

Well KH-65-48-243
 Owner: Jesse Cruz
 Driller: Walker Water Well Service, Inc.

Description	Thick- ness (feet)	Depth (feet)
Topsoil	4	4
Clay	24	28
Sand	21	49
Clay	19	68
Sand	15	83
Clay	22	105
Sand with shell	23	128
Clay	5	133

Table 9.--Water levels in wells in Galveston County

Owner : W.C.I.D., Water Control and Improvement District
 Screen : Top and bottom of screened interval below land surface
 Depth : Depth of well
 Altitude : Altitude of land surface above sea level
 Water level: Feet below land surface; a, reported by owner; b, previous measurements not published

Well KH-64-33-101

Owner: Houston Lighting and
 Power Co., Well No. 1,
 P.H. Robinson Plant
 Screen: 575-652 feet
 Altitude: 12 feet

Date	Water level	
01-18-85	122	a
10-11-85	121	a
01-29-86	117	a
01-30-87	112	a
01-30-89	108.50	a

Well KH-64-33-102

Owner: Houston Lighting and
 Power Co., Well No. 2,
 P.H. Robinson Plant
 Screen: 575-651 feet
 Altitude: 12 feet

Date	Water level	
01-18-85	124	a
10-09-85	123	a
01-29-86	117	a
01-30-87	114	a
07- -88	112	a

Well KH-64-33-103

Owner: Houston Lighting and
 Power Co., Well No. 3,
 P.H. Robinson Plant
 Screen: 565-645 feet
 Altitude: 10 feet

Date	Water level	
01-18-85	119	a
10-04-85	117	a
01-29-86	114.50	a
01-30-87	108.50	a
07- -88	104.50	a
01-30-89	105	a

Well KH-64-33-109

Owner: Houston Lighting and
 Power Co., Well No. 4,
 P.H. Robinson Plant
 Screen: 491-636 feet
 Altitude: 10 feet

Date	Water level	
01-18-85	122	a
10-04-85	120	a
01-29-86	115.50	a
01-30-87	112	a
07- -88	109	a
01-30-89	108	a

Well KH-64-33-110

Owner: Houston Lighting and
 Power Co., Well No. 5,
 P.H. Robinson Plant
 Screen: 586-654 feet
 Altitude: 12 feet

Date	Water level	
01-29-86	150	a
01-30-87	123.50	a

Well KH-64-33-501

Owner: Mobil Oil Co.
 Depth: 692 feet
 Altitude: 5 feet

Date	Water level
01-16-85	94.13
01-24-86	86.31
01-09-87	83.17
01-12-88	80.14
01-04-89	78.31

Well KH-64-33-502

Owner: John Mecom, Inc.
 Screen: 636-656 feet
 Altitude: 5 feet

Date	Water level
01-21-85	86.42
01-24-86	82.04
01-30-87	80.24

Well KH-64-33-701

Owner: City of Texas City,
 Orchid Street,
 Well No. 1
 Screen: 310-725 feet
 Altitude: 12 feet

Date	Water level
01-31-86	73.90
01-27-87	72.56
01-20-88	71.15
01-31-89	65.65

Well KH-64-33-710

Owner: City of Texas City,
 Orchid Street,
 Well No. 2
 Screen: 386-634 feet
 Altitude: 11 feet

Date	Water level
01-24-85	89.22
01-31-86	82.19
01-27-87	73.13
01-20-88	73.64
01-31-89	69.22

Well KH-64-33-802

Owner: City of Texas City,
 32nd Street Well
 Screen: 325-690 feet
 Altitude: 10 feet

Date	Water level
01-24-85	77.28
01-31-86	67.22
01-27-87	60.58
01-20-88	61.98
01-31-89	61.11

Well KH-64-33-803

Owner: City of Texas City,
 Heights
 Screen: 434-700 feet
 Altitude: 12 feet

Date	Water level
01-24-85	79.70
01-31-86	73.61
01-27-87	70.24
01-20-88	70.04
01-31-89	66.60

Well KH-64-33-805

Owner: Union Carbide Co.,
 Well No. TW-1
 Screen: 983-998 feet
 Altitude: 13 feet

Date	Water level
01-22-85	72.14
01-30-86	68.01
01-30-87	65.28
01-12-88	64.04
02-01-89	60.85

Well KH-64-33-807

Owner: City of Texas City,
 Well No. 4
 Screen: 309-695 feet
 Altitude: 12 feet

Date	Water level
01-24-85	79.94
01-31-86	74.92
01-27-87	70.82
01-20-88	69.10
01-31-89	67.78

Table 9.--Water levels in wells in Galveston County--Continued

Well KH-64-33-810
Owner: Amoco Oil Co.,
Well No. 6
Screen: 788-996 feet
Altitude: 8 feet

Date	Water level
01-22-85	70.66

Well KH-64-33-814
Owner: City of Texas City,
Godard Park,
Well No. 2
Screen: 638-884 feet
Altitude: 8 feet

Date	Water level
01-24-85	70.48
01-31-86	63.86
01-27-87	61.65
01-20-88	61.88
01-31-89	60.40

Well KH-64-33-821
Owner: Amoco Oil Co.,
Well No. 9
Screen: 666-944 feet
Altitude: 13 feet

Date	Water level
01-22-85	73.18
01-23-86	69.17
01-23-87	65.85

Well KH-64-33-901
Owner: City of Texas City,
Well No. 10
Screen: 504-770 feet
Altitude: 10 feet

Date	Water level
01-24-85	77.88
01-31-86	69.95
01-27-87	68.34
01-20-88	66.82
01-31-89	62.89

Well KH-64-33-905
Owner: City of Texas City,
Well No. 7
Screen: 511-760 feet
Altitude: 9 feet

Date	Water level
01-31-86	70.39
01-27-87	67.95
01-20-88	66.48
01-31-89	64.41

Well KH-64-33-911
Owner: Monsanto Chemical
Co., Well No. 1
Depth: 625 feet
Altitude: 8 feet

Date	Water level
01-22-85	78.66

Well KH-64-33-912
Owner: Marathon Oil Co.
Screen: 470-761 feet
Altitude: 8 feet

Date	Water level
01-23-86	68.74
01-12-88	70.56
01-12-89	63.04

Well KH-64-33-915
Owner: U.S. Geological Survey,
Texas City, Well No. P-1
Screen: 200-210 feet
Altitude: 5 feet

Date	Water level
01-02-85	34.55
01-30-85	33.68
02-26-85	34.40
03-27-85	34.09
04-23-85	33.91
05-21-85	34.21
06-18-85	34.62
07-16-85	34.72
08-13-85	34.78
09-10-85	34.00
10-08-85	34.03
11-05-85	33.75
12-03-85	33.64
12-19-85	33.82
01-16-86	33.49
02-13-86	33.79
03-13-86	33.56
04-10-86	33.40
05-08-86	33.38
06-05-86	33.47
07-03-86	33.59
07-31-86	33.93
08-29-86	34.07
09-25-86	34.13
10-24-86	32.62
11-19-86	32.14
12-17-86	30.82
01-15-87	29.02
02-11-87	28.87
03-06-87	28.95
04-02-87	32.64
04-30-87	32.95
05-28-87	32.67
06-26-87	32.92
07-23-87	33.13
08-20-87	33.06
09-17-87	33.54
10-15-87	33.38
11-12-87	33.14
12-09-87	32.65
01-07-88	32.11
02-04-88	32.02
03-03-88	31.90
03-31-88	31.68
04-28-88	32.13

Well KH-64-33-915--Continued

05-26-88	31.98
06-23-88	32.06
07-21-88	29.69
08-18-88	30.94
09-14-88	31.54
10-13-88	31.58
11-09-88	31.64
12-08-88	31.76
01-05-89	31.72
02-02-89	30.99
03-02-89	30.91
03-29-89	31.29
04-27-89	31.34
05-23-89	29.90
06-22-89	29.95
07-20-89	30.98
08-17-89	31.13
09-14-89	30.86
10-12-89	30.87
11-08-89	30.74
12-07-89	30.83

Well KH-64-33-917
Owner: U.S. Geological Survey,
Texas City, Well No. P-3
Screen: 390-400 feet
Altitude: 5 feet

Date	Water level
01-02-85	59.70
01-30-85	58.86
02-26-85	57.87
03-27-85	57.43
04-23-85	57.61
05-21-85	57.89
06-18-85	58.08
07-16-85	58.16
08-13-85	58.19
09-10-85	56.55
10-08-85	54.46
11-05-85	56.40
12-03-85	55.13
12-19-85	56.19
01-16-86	56.04
02-13-86	55.86
03-13-86	54.95
04-10-86	54.21
05-08-86	54.50
06-05-86	54.36
07-03-86	54.60
07-31-86	54.97
08-29-86	55.19
09-25-86	55.31
10-24-86	53.24
11-19-86	53.71
12-17-86	53.57
01-15-87	53.36
02-11-87	53.19
03-06-87	53.12
04-02-87	53.08
04-30-87	52.88
05-28-87	52.50
06-26-87	52.79
07-27-87	52.55
08-20-87	52.59
09-17-87	53.08
10-15-87	52.93
11-12-87	52.55
12-09-87	51.40
01-07-88	51.07
02-04-88	50.96
03-03-88	51.48
03-31-88	50.95
04-28-88	50.98

Table 9.--Water levels in wells in Galveston County--Continued

Well KH-64-33-917--Continued

05-26-88	50.22
06-23-88	50.36
07-21-88	50.59
08-18-88	50.73
09-14-88	48.32
10-13-88	49.07
11-09-88	49.52
12-08-88	49.70
01-05-89	49.64
02-02-89	48.09
03-02-89	48.23
03-29-89	48.43
04-27-89	48.98
05-23-89	49.00
06-22-89	49.21
10-12-89	48.25
11-08-89	47.87
12-07-89	48.11

Well KH-64-33-918

Owner: U.S. Geological Survey,
Texas City, Well No. P-4
Screen: 525-535 feet
Altitude: 5 feet

Date	Water level
01-02-85	72.82
01-30-85	72.79
02-26-85	72.55
03-27-85	72.41
04-23-85	72.52
05-21-85	72.88
06-18-85	72.97
07-16-85	73.16
08-13-85	73.25
09-10-85	71.05
10-08-85	70.66
11-05-85	69.35
12-03-85	68.76
12-19-85	68.65
01-16-86	69.74
02-13-86	69.62
03-13-86	69.44
04-10-86	69.35
05-08-86	69.39
06-05-86	69.16
07-03-86	69.23
07-31-86	69.73
08-29-86	70.04
09-25-86	69.90
10-24-86	67.40
11-19-86	67.71
12-17-86	66.90
01-15-87	66.81
02-11-87	66.74
03-06-87	66.59
04-02-87	66.44
04-30-87	66.39
05-28-87	66.18
06-26-87	66.30
07-23-87	66.52
08-20-87	66.13
09-17-87	66.18
10-15-87	66.20
11-12-87	66.07
12-09-87	65.92
01-07-88	65.80
02-04-88	65.59
03-03-88	65.38
03-31-88	65.40
04-28-88	65.16
05-26-88	64.82
06-23-88	64.97
07-21-88	64.22

Well KH-64-33-918--Continued

08-18-88	64.51
09-14-88	63.70
10-13-88	63.14
11-09-88	63.03
12-08-88	63.25
01-05-89	63.19
02-02-89	62.90
03-02-89	62.94
03-29-89	63.03
04-27-89	63.02
06-22-89	63.16
07-20-89	62.09
08-17-89	62.06
09-14-89	61.77
10-12-89	62.09
11-08-89	61.95
12-07-89	62.19

Well KH-64-33-919

Owner: U.S. Geological Survey,
Texas City, Well No. P-5
Screen: 1,050-1,060 feet
Altitude: 5 feet

Date	Water level
01-02-85	67.99
01-30-85	68.10
02-26-85	67.56
03-27-85	67.46
04-23-85	67.31
05-21-85	67.70
06-18-85	68.05
07-16-85	68.40
08-13-85	68.64
09-10-85	67.18
10-08-85	66.66
11-05-85	66.46
12-03-85	66.22
12-19-85	65.94
01-16-86	66.74
02-13-86	65.17
03-13-86	64.45
04-10-86	64.73
05-08-86	64.81
06-05-86	64.39
07-03-86	64.57
07-31-86	65.64
08-29-86	66.03
09-25-86	65.89
10-24-86	63.22
11-19-86	63.87
12-17-86	63.17
01-15-87	62.65
02-11-87	62.38
03-06-87	62.18
04-02-87	62.80
04-30-87	61.86
05-28-87	62.39
06-26-87	62.56
07-23-87	62.74
08-20-87	62.91
09-17-87	63.38
10-15-87	63.34
11-12-87	63.16
12-09-87	62.54
01-07-88	62.01
02-04-88	62.40
03-03-88	62.16
03-31-88	61.79
04-28-88	61.78
05-26-88	61.70
06-23-88	61.76
07-21-88	61.66
08-18-88	61.64

Well KH-64-33-919--Continued

09-14-88	61.58
10-13-88	61.70
11-09-88	61.65
12-08-88	61.59
01-05-89	61.53
02-02-89	60.48
03-02-89	60.19
03-29-89	60.83
04-27-89	60.89
05-23-89	60.69
06-22-89	60.25
07-20-89	60.98
08-17-89	60.77
09-14-89	60.79
10-12-89	60.79
11-08-89	60.74
12-07-89	61.31

Well KH-64-33-920

Owner: U.S. Geological Survey,
Texas City, Well No. C-1
Screen: 780-790 feet
Altitude: 5 feet

Date	Water level
01-02-85	66.93
01-30-85	68.80
02-26-85	66.98
03-27-85	66.87
04-23-85	67.14
05-21-85	65.48
06-18-85	65.62
07-16-85	66.54
08-13-85	66.73
09-11-85	65.96
10-08-85	65.27
11-05-85	65.28
12-03-85	64.60
12-19-85	64.89
01-16-86	64.62
02-13-86	64.09
03-13-86	63.18
04-10-86	63.15
05-08-86	63.22
06-05-86	63.63
07-03-86	63.80
07-31-86	63.12
08-29-86	63.51
09-25-86	63.67
10-24-86	62.00
11-18-86	62.15
12-17-86	62.02
01-15-87	61.87
02-11-87	61.71
03-06-87	61.40
04-02-87	59.43
04-30-87	62.18
05-28-87	61.45
06-26-87	62.39
07-23-87	62.11
08-20-87	62.27
09-17-87	62.60
10-15-87	62.44
11-12-87	62.17
12-09-87	61.67
01-07-88	61.09
02-04-88	61.35
03-03-88	60.97
03-31-88	60.72
04-28-88	60.58
05-26-88	60.84
06-23-88	61.17
07-21-88	60.70
08-18-88	60.54

Table 9.--Water levels in wells in Galveston County--Continued

Well KH-64-33-920--Continued

09-14-88	60.35
10-13-88	60.68
11-09-88	60.58
12-08-88	60.32
01-05-89	60.24
02-02-89	60.09
03-02-89	59.97
03-29-89	60.69
04-27-89	59.95
05-23-89	60.05
06-22-89	60.24
07-20-89	60.16
08-17-89	60.21
09-14-89	60.05
10-12-89	59.77
11-08-89	59.68
12-07-89	60.12

Well KH-64-33-921

Owner: U.S. Geological Survey,
Texas City
Screen: 16-21 feet
Altitude: 5 feet

Date	Water level
01-02-85	15.40
01-30-85	14.81
02-26-85	14.86
03-27-85	14.92
04-23-85	14.84
05-21-85	15.38
06-18-85	15.70
07-16-85	15.45
08-13-85	15.51
09-10-85	15.78
10-08-85	16.18
11-05-85	15.83
12-03-85	15.67
12-19-85	18.06
01-16-86	16.21
02-13-86	16.26
03-13-86	16.20
04-10-86	16.68
05-08-86	16.73
06-05-86	16.51
07-03-86	16.49
07-31-86	16.23
08-29-86	16.39
09-25-86	16.13
10-24-86	14.70
11-19-86	15.44
12-17-86	15.59
01-15-87	15.40
02-11-87	15.35
03-06-87	15.27
04-02-87	14.38
04-30-87	15.46
05-28-87	15.74
06-26-87	15.93
07-23-87	16.01
08-20-87	16.34
09-17-87	16.59
10-15-87	16.62
11-12-87	16.41
12-09-87	15.91
01-07-88	15.67
02-04-88	15.55
03-03-88	14.14
03-31-88	14.16
04-28-88	14.92
05-26-88	15.00
06-23-88	15.04
07-21-88	16.02
08-18-88	16.33

Well KH-64-33-921--Continued

09-14-88	16.45
10-13-88	15.25
11-09-88	16.46
12-08-88	16.76
01-05-89	16.70
02-02-89	16.32
03-02-89	16.04
03-29-89	16.49
04-27-89	16.51
05-23-89	14.65
06-22-89	16.04
07-20-89	15.39
08-17-89	15.10
09-14-89	15.85
10-12-89	16.06
11-08-89	15.98
12-07-89	16.38

Well KH-64-41-114

Owner: Galveston County
W.C.I.D. 19
Screen: 530-622 feet
Altitude: 7 feet

Date	Water level
01-24-85	84.79

Well KH-64-41-204

Owner: Gulf Chemical and
Metallurgical Co.
Screen: 309-580 feet
Altitude: 10 feet

Date	Water level
01-22-85	83.78
01-23-86	75.15
01-23-87	69.96
01-12-88	66.86
01-12-89	64.15

Well KH-64-41-211

Owner: Union Carbide Co.,
Well No. 7
Screen: 801-1,013 feet
Altitude: 15 feet

Date	Water level
01-22-85	70.36
01-23-86	66.21
01-23-87	64.23
01-12-88	64.03
01-12-89	62.48

Well KH-64-41-213

Owner: Union Carbide Co.,
Well No. 2
Screen: 856-1,007 feet
Altitude: 15 feet

Date	Water level
01-23-86	67.58
01-23-87	64.74
01-12-88	63.43
01-12-89	62.72

Well KH-64-41-214

Owner: Union Carbide Co.
Depth: 781-989 feet
Altitude: 15 feet

Date	Water level
01-22-85	70.58
01-23-86	66.03
01-23-87	64.14
01-12-88	63.92
01-12-89	64.80

Well KH-64-41-216

Owner: Amoco Oil Co.,
Well No. 7
Screen: 854-1,019 feet
Altitude: 15 feet

Date	Water level
01-22-85	73.70

Well KH-64-41-305

Owner: Texas City Refining
Co., Well No. 1
Screen: 900-1,006 feet
Altitude: 8 feet

Date	Water level
01-21-85	59.32
01-23-86	55.20
01-23-87	52.03
01-12-88	56.75
01-12-89	56.24

Well KH-64-41-310

Owner: Marathon Oil Co.,
Well No. 4
Screen: 852-1,007 feet
Altitude: 8 feet

Date	Water level
01-22-85	65.77
01-23-86	60.66
01-23-87	58.35
01-12-88	58.70
01-12-89	57.28

Well KH-64-41-312

Owner: Texas City Refining
Co., Well No. 5
Screen: 478-628 feet
Altitude: 8 feet

Date	Water level
01-21-85	77.03
01-23-86	71.32
01-23-87	68.93
01-12-88	73.20
01-12-89	62.80

Table 9.--Water levels in wells in Galveston County--Continued

Well KH-64-42-501
Owner: City of Galveston
Depth: 3,070 feet
Altitude: 8 feet

Date	Water level
01-18-85	27.06
01-29-86	27.47
01-13-88	22.96
01-04-89	26.02

Well KH-65-32-524
Owner: City of League City
Screen: 610-690 feet
Altitude: 16 feet

Date	Water level
01-24-86	158.46
01-09-87	155.62
01-13-88	155.46
01-04-89	153.37

Well KH-65-32-714
Owner: Galveston, Houston &
Henderson Railroad
Depth: 560 feet
Altitude: 22 feet

Date	Water level
01-16-85	153.27
01-24-86	148.74
01-09-87	145.21
01-13-88	143.15
01-04-89	142.74

Well KH-65-32-716
Owner: J.H. Ross
Screen: 568-590 feet
Altitude: 10 feet

Date	Water level
01-17-85	154.10

Well KH-65-32-741
Owner: City of League City
Screen: 500-750 feet
Altitude: 25 feet

Date	Water level
01-16-85	171.52
01-24-86	157.05
01-09-87	153.86
01-13-88	157.36
01-04-89	152.12

Well KH-65-32-901
Owner: Galveston County
W.C.I.D. 12,
Well No. 1
Screen: 430-560 feet
Altitude: 16 feet

Date	Water level
01-16-85	180
01-24-86	176
01-16-87	171
01-20-88	176
02-01-89	166

Well KH-65-39-601
Owner: City of Galveston,
Well No. TW-8-11
Screen: 669-677 feet
Altitude: 22 feet

Date	Water level
01-24-85	135.39
02-22-85	131.89
03-22-85	131.48
04-24-85	130.91
05-24-85	130.52
06-24-85	131.17
07-24-85	132.62
08-23-85	138.16
09-24-85	139.56
10-24-85	136.92
11-22-85	133.13
12-20-85	130.51
01-24-86	128.81
02-24-86	127.00
03-24-86	129.19
04-23-86	127.67
05-23-86	128.52
06-24-86	128.96
07-24-86	129.34
08-22-86	135.60
09-24-86	141.37
10-24-86	142.86
11-21-86	140.37
12-22-86	139.88
01-23-87	139.39
02-25-87	138.78
03-24-87	137.72
04-23-87	138.51
05-22-87	138.90
06-24-87	139.12
07-24-87	127.24
08-24-87	129.19
09-24-87	130.00
10-23-87	131.16
11-24-87	129.48
12-17-87	128.02
01-21-88	127.27
02-24-88	125.90
03-24-88	125.22
04-22-88	125.36
05-24-88	125.38
06-22-88	125.26
07-22-88	125.41
08-24-88	130.76
09-22-88	131.55
10-21-88	132.14
11-22-88	128.63
12-20-88	127.58
01-24-89	126.31
02-24-89	125.93

Well KH-65-39-601--Continued

03-23-89	125.69
04-21-89	125.42
05-24-89	125.36
06-27-89	125.64
07-21-89	126.90
08-24-89	126.83
09-22-89	127.66
10-24-89	128.41
11-21-89	128.21
12-20-89	126.97

Well KH-65-40-401
Owner: City of Galveston,
Well No. 10
Screen: 647-767 feet
Altitude: 19 feet

Date	Water level
01-17-85	118.78
01-28-86	113.17
01-20-87	112.18
01-14-88	108.02
01-25-89	108.35

Well KH-65-40-411
Owner: City of Galveston,
Well No. 16
Screen: 635-740 feet
Altitude: 19 feet

Date	Water level
01-18-85	126.24
01-28-86	123.10
01-20-87	123.34
01-14-88	119.18
01-25-89	120.39

Well KH-65-40-412
Owner: City of Galveston,
Well No. 17
Screen: 650-730 feet
Altitude: 22 feet

Date	Water level
01-18-85	130.27
01-28-86	127.88
01-20-87	126.64
01-14-88	125.68
01-25-89	123.47

Well KH-65-40-503
Owner: City of Galveston,
Well No. 13
Screen: 640-763 feet
Altitude: 21 feet

Date	Water level
01-17-85	119.93
01-28-86	115.44
01-20-87	113.65
01-14-88	111.04
01-25-89	110.41

Table 9.--Water levels in wells in Galveston County--Continued

Well KH-65-40-614
Owner: Oil Field Salvage Co.
Depth: 700 feet
Altitude: 20 feet

Date	Water level
01-21-85	109.46
01-30-86	102.68
01-30-87	98.08
01-13-88	94.84
01-27-89	94.62

Well KH-65-40-701
Owner: City of Galveston,
Well No. 15
Screen: 677-773 feet
Altitude: 26 feet

Date	Water level
01-18-85	119.40
01-28-86	116.15
01-22-87	113.03
01-14-88	112.30
01-25-89	111.06

Well KH-65-40-703
Owner: City of Galveston,
Well No. 9
Screen: 669-761 feet
Altitude: 23 feet

Date	Water level
01-17-85	119.54
01-28-86	113.35
01-20-87	110.45
01-14-88	109.40
01-25-89	108.64

Well KH-65-40-704
Owner: City of Galveston,
Well No. 11
Screen: 656-767 feet
Altitude: 31 feet

Date	Water level
01-17-85	120.86
01-28-86	114.83
01-20-87	111.60
01-14-88	110.68
01-25-89	109.79

Well KH-65-40-706
Owner: City of Galveston,
Well No. 14
Screen: 661-775 feet
Altitude: 26 feet

Date	Water level
01-18-85	118.22
01-28-86	115.47
01-22-87	113.62
01-14-88	112.05
01-25-89	110.55

Well KH-65-40-707
Owner: City of Galveston,
Well No. TW-2
Screen: 850-870 feet
Altitude: 27 feet

Date	Water level
01-24-85	122.02
02-22-85	122.85
03-22-85	120.80
04-24-85	121.97
05-24-85	122.35
06-24-85	125.86
07-24-85	126.27
08-23-85	129.96
10-24-85	124.93
12-20-85	121.47
01-24-86	119.65
02-24-86	118.62
03-24-86	118.12
04-23-86	117.75
05-23-86	117.80
06-24-86	116.92
07-24-86	118.83
08-22-86	121.96
09-24-86	121.15
10-24-86	119.65
11-21-86	119.51
01-23-87	116.59
02-25-87	115.60
03-24-87	115.52
04-23-87	116.37
05-22-87	116.77
06-24-87	115.70
07-24-87	115.42
08-24-87	117.00
09-24-87	117.59
10-23-87	117.10
11-24-87	116.30
12-17-87	115.60
01-21-88	114.70
02-25-88	114.48
03-24-88	113.89
04-22-88	113.84
05-24-88	113.77
06-22-88	114.71
07-22-88	115.52
08-24-88	116.64
09-22-88	118.46
10-21-88	117.26
11-22-88	116.12
12-20-88	115.37
01-24-89	114.28
02-24-89	114.09
03-23-89	113.66
04-21-89	113.18
05-24-89	113.08
06-27-89	114.08
07-21-89	115.79
08-25-89	114.64
09-22-89	115.48
10-24-89	116.96
11-21-89	115.51
11-27-89	115.37
12-20-89	114.70

Well KH-65-40-802
Owner: City of Galveston,
Well No. 12
Screen: 636-776 feet
Altitude: 29 feet

Date	Water level
01-17-85	121.37
01-29-86	117.18
01-20-87	115.10
01-14-88	112.24
01-25-89	111.10

Well KH-65-40-903
Owner: City of Texas City,
Dist. 14, Well No. 2
Screen: 484-864 feet
Altitude: 20 feet

Date	Water level
01-24-85	84.51
01-31-86	79.20
01-27-87	79.12
01-20-88	77.53
01-31-89	75.84

Well KH-65-48-201
Owner: City of Galveston,
Well No. 1-A
Screen: 710-805 feet
Altitude: 22 feet

Date	Water level
01-17-85	99.62
01-29-86	92.77
01-22-87	90.62
01-14-88	89.51
01-27-89	88.45

Well KH-65-48-202
Owner: City of Galveston,
Well No. 6-A
Screen: 744-836 feet
Altitude: 24 feet

Date	Water level
01-17-85	96.22
01-28-86	92.34
01-22-87	89.38
01-15-88	89.76
01-27-89	87.20

Well KH-65-48-204
Owner: City of Galveston,
Well No. 2-A
Screen: 715-765 feet
Altitude: 19 feet

Date	Water level
01-17-85	94.11
01-28-86	91.17
01-20-87	88.78
01-15-88	87.12
01-27-89	85.63

Table 9.--Water levels in wells in Galveston County--Continued

Well KH-65-48-207
Owner: City of Galveston,
Well No. 6
Screen: 744-844 feet
Altitude: 24 feet

Date	Water level
01-24-85	96.95
02-22-85	96.01
03-22-85	95.09
04-24-85	95.39
05-24-85	95.31
06-24-85	108.84
07-24-85	109.54
08-23-85	101.83
08-27-85	101.39
09-24-85	101.11
10-24-85	97.36
11-22-85	95.08
12-20-85	93.96
01-24-86	92.90
02-24-86	91.98
03-24-86	91.70
04-23-86	91.50
05-23-86	91.66
06-24-86	93.19
07-24-86	95.51
08-22-86	98.06
09-24-86	93.84
10-24-86	92.01
11-21-86	91.66
12-22-86	90.22
01-23-87	89.80
02-25-87	89.32
03-24-87	89.21
04-23-87	93.10
05-22-87	90.14
06-24-87	99.82
07-24-87	90.04
07-27-87	90.52
08-24-87	105.46
09-24-87	91.41
10-23-87	91.30
11-24-87	89.69
12-17-87	89.30
01-21-88	88.72
02-25-88	88.62
03-24-88	88.22
04-22-88	88.68
05-24-88	88.35
06-22-88	92.16
07-22-88	89.94
08-30-88	100.78
09-22-88	90.92
10-21-88	89.70
11-22-88	89.00
12-20-88	88.54
01-24-89	87.70
02-24-89	87.96
03-23-89	87.61
04-21-89	87.13
05-24-89	87.06
06-23-89	89.78
07-21-89	90.62
08-24-89	90.29
08-28-89	90.63
09-22-89	89.60
10-24-89	90.05
11-21-89	88.46
12-20-89	88.13

Well KH-65-48-208
Owner: City of Galveston,
Well No. TW-1
Screen: 864-874 feet
Altitude: 21 feet

Date	Water level
01-17-85	95.64
01-29-86	92.42
01-20-87	89.27
01-15-88	88.50
01-27-89	86.15

Well KH-65-48-209
Owner: City of Galveston,
Well No. 2
Screen: 724-846 feet
Altitude: 21 feet

Date	Water level
01-17-85	96.40
01-28-86	93.87
01-20-87	89.15
01-15-88	87.11
01-27-89	85.87

Well KH-65-48-210
Owner: City of Galveston,
Well No. 3
Screen: 714-857 feet
Altitude: 21 feet

Date	Water level
01-17-85	90
01-29-86	87
01-22-87	87
01-15-88	85
01-27-89	84

Well KH-65-48-211
Owner: City of Galveston,
Well No. 4
Screen: 714-857 feet
Altitude: 20 feet

Date	Water level
01-17-85	91.45
01-29-86	89.40
01-22-87	87.31
01-15-88	84.76
01-27-89	80.19

Well KH-65-48-212
Owner: City of Galveston,
Well No. 5
Screen: 714-867 feet
Altitude: 20 feet

Date	Water level
01-17-85	94
01-29-86	92
01-22-87	90

Well KH-65-48-213
Owner: City of Galveston,
Well No. 7
Screen: 739-840 feet
Altitude: 24 feet

Date	Water level
01-17-85	95.76
01-28-86	94.05
01-22-87	89.77
01-15-88	88.61
01-27-89	86.92

Well KH-65-48-214
Owner: City of Galveston,
Well No. 8
Screen: 703-884 feet
Altitude: 19 feet

Date	Water level
01-17-85	91.46
01-29-86	85.04
01-22-87	82.07
01-15-88	81.02
01-27-89	79.71

Well KH-65-48-301
Owner: City of Hitchcock,
Well No. 3
Screen: 656-780 feet
Altitude: 15 feet

Date	Water level
01-18-85	89.30
01-30-86	78.13
01-16-87	75.38
01-13-88	76.36
01-04-89	72.67

Well KH-65-48-316
Owner: City of Hitchcock,
Well No. 4
Screen: 950-1,060 feet
Altitude: 14 feet

Date	Water level
01-16-87	72.94

Well KH-65-48-318
Owner: U.S. Geological Survey,
Hitchcock fault, upside
Screen: 13-15 feet
Altitude: 14 feet

Date	Water level
11-06-84	0.84
09-10-85	1.85
07-05-88	6.48
03-15-89	4.75

b

Table 9.--Water levels in wells in Galveston County--Continued

Well KH-65-48-319
 Owner: U.S. Geological Survey,
 Hitchcock fault, downside
 Screen: 16-19 feet
 Altitude: 13 feet

Date	Water level
11-06-84	1.52
09-10-85	1.70
07-05-88	6.93
03-15-89	3.40

b

Well KH-65-48-502
 Owner: City of Hitchcock,
 Well No. 2
 Screen: 690-752 feet
 Altitude: 18 feet

Date	Water level
01-18-85	84.16
01-30-86	81.61
01-16-87	78.05
01-13-88	78.88
01-04-89	82.14

Table 10.--Chemical analyses of water from wells in Galveston County

Water-bearing unit: CHCT, Chicot aquifer
 Units : $\mu\text{S}/\text{cm}$, microsiemens per centimeter at 25 degrees Celcius; $^{\circ}\text{C}$, degrees Celcius;
 mg/L, milligrams per liter
 Symbol : --, no data

Well	Owner	Water-bearing unit	Date of sample	Producing interval (feet)	Specific conductance ($\mu\text{S}/\text{cm}$)	pH (standard units)	Temperature water ($^{\circ}\text{C}$)	Chloride, dissolved (mg/L as Cl)
KH-64-33-701	City of Texas City, Orchid Street, Well No. 1	CHCT	04-08-86	310 - 725	1,380	7.8	25.0	260
			10-15-87		1,400	7.9	26.5	--
			11-04-88		1,380	7.8	24.5	210
			08-11-89		1,230	7.7	24.0	150
KH-64-33-804	City of Texas City, Goddard Park, Well No. 1	CHCT	04-08-86	510 - 775	2,380	7.7	27.0	590
			10-15-87		2,390	8.0	27.5	--
			11-04-88		830	7.6	23.0	140
			08-11-89		2,140	7.9	27.0	520
KH-64-33-901	City of Texas City, Well No. 10	CHCT	04-08-86	504 - 770	1,870	7.8	26.5	400
			11-04-88		1,860	7.8	26.5	400
KH-64-33-905	City of Texas City, Well No. 7	CHCT	08-11-89	511 - 760	1,440	7.9	26.0	220
KH-65-31-707	City of Friendswood, Well No. 3	CHCT	04-16-86	520 - 635	529	7.8	24.0	34
			08-25-89		551	7.4	25.5	35
KH-65-31-805	City of Friendswood, Well No. 2	CHCT	04-16-86	460 - 610	621	7.6	24.0	50
			08-25-89		615	7.4	25.0	51
KH-65-32-524	City of League City, Glen Cove, Well No. 2	CHCT	04-09-86	610 - 690	1,320	--	24.0	220
			10-31-88		1,320	7.9	25.0	220
			08-10-89		1,280	7.7	26.0	220
KH-65-32-741	City of League City	CHCT	04-09-86	500 - 750	689	8.0	24.0	72
			06-25-87		626	7.9	24.5	63
			10-31-88		710	--	24.0	72
			08-10-89		307	7.4	28.5	20
KH-65-32-901	Galveston County W.C.I.D. 12, Well No. 1	CHCT	04-15-86	430 - 560	1,060	7.9	24.0	150
			06-25-87		1,180	7.9	23.5	130
			10-27-88		1,000	7.9	25.0	120
			08-10-89		986	7.5	25.0	120
KH-65-32-902	Galveston County W.C.I.D. 12, Well No. 2	CHCT	04-09-86	520 - 575	1,060	8.0	24.0	150
			10-27-88		1,050	7.8	25.0	150
			08-10-89		1,040	7.6	25.0	160
KH-65-40-401	City of Galveston, Well No. 10	CHCT	05-21-87	647 - 767	1,060	7.8	27.0	170
KH-65-40-411	City of Galveston, Well No. 16	CHCT	10-31-88	635 - 740	1,040	7.5	25.5	170
KH-65-40-412	City of Galveston, Well No. 17	CHCT	07-02-86	650 - 730	1,220	8.0	25.5	250
			05-21-87		1,260	7.8	26.5	230
			10-31-88		1,250	--	25.0	230
			08-18-89		1,230	7.6	--	230
KH-65-40-503	City of Galveston, Well No. 13	CHCT	07-02-86	640 - 763	994	7.8	26.5	150
			05-21-87		1,000	7.7	26.5	160
			08-18-89		1,010	7.7	--	160
KH-65-40-703	City of Galveston, Well No. 9	CHCT	05-21-87	669 - 761	1,390	7.6	27.5	280

Table 10.--Chemical analyses of water from wells in Galveston County--Continued

Well	Owner	Water-bearing unit	Date of sample	Producing interval (feet)	Specific conductance (μ S/cm)	pH (stand-ard units)	Temperature water ($^{\circ}$ C)	Chloride, dissolved (mg/L as Cl)
KH-65-40-704	City of Galveston, Well No. 11	CHCT	07-03-86	656 - 767	1,430	7.7	27.0	300
			05-21-87		1,440	7.6	26.0	290
			10-31-88		1,490	7.5	22.0	290
			08-18-89		1,420	7.6	--	290
KH-65-40-901	City of Texas City, District 14, Well No. 1	CHCT	04-08-86	500 - 850	716	7.5	22.5	130
			11-04-88		820	7.6	23.0	140
			08-11-89		547	7.3	28.0	92
KH-65-48-211	City of Galveston, Well No. 4	CHCT	07-03-86	714 - 857	2,750	7.9	26.0	720
KH-65-48-214	City of Galveston, Well No. 8	CHCT	07-02-86	703 - 884	2,690	7.9	26.5	690
			05-21-87		2,310	7.7	27.0	570
			10-31-88		2,600	7.9	25.5	680
			08-18-89		2,710	7.7	--	700
KH-65-48-316	City of Hitchcock, Well No. 4	CHCT	04-08-86	950 - 1,060	2,710	7.6	28.0	720
			11-10-88		2,600	--	28.5	660
			08-09-89		2,500	7.6	29.0	590
KH-65-48-502	City of Hitchcock, Well No. 2	CHCT	04-08-86	690 - 752	1,300	7.8	27.0	240
			11-10-88		1,110	--	26.5	190
			08-09-89		1,070	7.7	27.0	240