

**U.S. DEPARTMENT OF THE INTERIOR**

**U.S. GEOLOGICAL SURVEY**

**Alameda County, California**

**Selected References to the Geologic Environment**

**by**

**Jacquelyn Freeberg<sup>1</sup>**

**Open-File Report 90-630**

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey standards or with the North American Stratigraphic Code. Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

<sup>1</sup>Menlo Park, Calif. 94025


.....CONTENTS.....

INTRODUCTION . . . . .	page 2
GEOLOGY - MAPS . . . . .	3
GEOLOGY - REPORTS. . . . .	5
GRAVITY . . . . .	9
FAULTS AND SEISMICITY . . . . .	9
EARTHQUAKE INVESTIGATIONS . . . . .	12
LANDSLIDES . . . . .	14
WEATHER RELATED HAZARDS . . . . .	16
WATER: RESOURCES, QUALITY AND USE . . . . .	18
LAND USE AND ENVIRONMENTAL PLANNING . . . . .	20
INDEX TO REFERENCES. . . . .	22
ILLUSTRATION: Outline of Alameda County, showing 7-1/2 minute quadrangles covered in report . . . . .	2

## INTRODUCTION

This bibliography provides selected reports, maps and journal articles on the environmental geology of Alameda County, California. It is intended for the layperson or the scientist beginning a new project.

Call numbers given at the end of references are for the U.S. Geological Survey library, Menlo Park, California. Please be aware that other libraries may use different numbers.



Outline of Alameda County, showing 7- 1/2-minute quadrangles covered in this report. Adapted from U.S. Geological Survey, Index to topographic maps of California [1986]

## GEOLOGY - MAPS

1. Barlock, V.E., 1988, Geologic map of the Livermore gravels, Alameda County, California: U.S. Geological Survey Open-file Report 88-516, scale 1:24,000. - (200) R29o no. 88-516
2. Blake, M.C., Bartow, J.A., Frizzell, V.A., Schlocker, Julius, Sorg, D.H., Wentworth, C.M., and Wright, R.H., 1974, Preliminary geologic map of Marin and San Francisco Counties and parts of Alameda, Contra Costa and Sonoma Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-574, scale 1:63,360, 2 sheets. - M(200)4 vUn3mf no. 574
3. Brabb, E.E., Sonneman, H.S., and Switzer, J.R.Jr., 1971, Preliminary geologic map of the Mount Diablo-Byron area, Contra Costa, Alameda, and San Joaquin Counties, California: U.S. Geological Survey Open-file Report 71-53, scale 1:62,500, 2 sheets - (200) R29o no. 71-53; (200) Un3sfbd no. 28
4. Cotton, W.R., 1972, Preliminary geologic map of the Franciscan rocks in the central part of the Diablo Range, Santa Clara and Alameda Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-343, scale 1:62,500, 2 sheets. - M(200)4 vUn3mf no. 343
5. Crawford, K.E., 1976, Reconnaissance geologic map of the Eylar Mountain quadrangle, Santa Clara and Alameda Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-764, scale 1:24,000. - M(200)4 vUn3mf no. 764
6. Dibblee, T.W., 1973, Preliminary geologic map of the Calaveras Reservoir quadrangle, Alameda and Santa Clara Counties, California: U.S. Geological Survey Open-file Report 73-58, scale 1:24,000. - (200) R29o no. 73-58
7. Dibblee, T.W., 1980, Preliminary geologic map of the Altamont quadrangle, Alameda County, California: U.S. Geological Survey Open-file Report 80-538, scale 1:24,000. - (200) R29o no. 80-538
8. Dibblee, T.W., 1980, Preliminary geologic map of the Briones Valley quadrangle, Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-539, scale 1:24,000. - (200) R29o no. 80-539
9. Dibblee, T.W., 1980, Preliminary geologic map of the Byron Hot Springs quadrangle, Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-534, scale 1:24,000. - (200) R29o no. 80-534
10. Dibblee, T.W., 1980, Preliminary geologic map of the Cedar Mountain quadrangle, Alameda and San Joaquin Counties, California: U.S. Geological Survey Open-file Report 80-850, scale 1:24,000. - (200) R29o no. 80-850

11. Dibblee, T.W., 1980, Preliminary geologic map of the Diablo quadrangle Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-546, scale 1:24,000. - (200) R29 no. 84-546
12. Dibblee, T.W., 1980, Preliminary geologic map of the Dublin quadrangle, Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-537, scale 1:24,000. - (200) R29 no. 80-537
13. Dibblee, T.W., 1980, Preliminary geologic map of the Hayward quadrangle, Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-540, scale 1:24,000. - (200) R29 no. 80-540
14. Dibblee, T.W., 1980, Preliminary geologic map of the La Costa Valley quadrangle, Alameda County, California: U.S. Geological Survey Open-file Report 80-533-A, scale 1:24,000. - (200) R29 no. 80-533-A
15. Dibblee, T.W., 1980, Preliminary geologic map of the Las Trampas Ridge quadrangle, Contra Costa and Alameda Counties, California: U.S. Geological Survey Open-file Report 80-545, scale 1:24,000. - (200) R29 no. 80-545
16. Dibblee, T.W., 1980, Preliminary geologic map of the Livermore quadrangle, Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-533-B, scale 1:24,000. - (200) R29 no. 80-533-B
17. Dibblee, T.W., 1980, Preliminary geologic map of the Midway quadrangle, Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-535, scale 1:24,000. - (200) R29 no. 80-535
18. Dibblee, T.W., 1981, Preliminary geologic map of the Mendenhall Springs quadrangle, Alameda County, California: U.S. Geological Survey Open-file Report 81-235, scale 1:24,000. - (200) R29 no. 81-235
19. Dibblee, T.W., 1980, Preliminary geologic map of the Niles quadrangle, Alameda County, California: U.S. Geological Survey Open-file Report 80-533-C, scale 1:24,000. - (200) R29 no. 80-533-C
20. Dibblee, T.W., 1980, Preliminary geologic map of the Richmond quadrangle, Alameda and Contra Costa Counties, California: U.S. Geological Survey Open-file Report 80-1100, scale 1:24,000. - (200) R29 no. 80-1100
21. Dibblee, T.W., 1980, Preliminary geologic map of the Tassajara quadrangle, Contra Costa and Alameda Counties, California: U.S. Geological Survey Open-file Report 80-544, scale 1:24,000. - (200) R29 no. 80-544
22. Helley, E.J., Lajoie, K.R., and Burke, D.B., 1972, Geologic map of the Late Cenozoic deposits, Alameda County, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-429, scale 1:62,500. - M(200)4 vUn3mf no. 429

23. Herd, D.G., 1977, Geologic map of the Las Positas, Greenville, and Verona faults, eastern Alameda County, California: U.S. Geological Survey Open-file Report 77-689, scale 1:24,000. - (200) R29o no. 77-689
24. Jennings, C.W., and Bennett, J.L., 1961, Geologic map of California, San Francisco sheet, scale 1:250,000: Sacramento, Calif., California Division of Mines and Geology. - M(276)2 vC4ge San Francisco
25. Rogers, T.H., 1966, Geologic map of California, San Jose sheet: Sacramento, Calif., California Division of Mines and Geology, scale 1:250,000. - M(276)2 vC4ge San Jose
26. Wright, R.H., 1974, Map showing distribution of potassium feldspar and fossils in Mesozoic rocks of Marin and San Francisco Counties, and parts of Alameda, Contra Costa, and Sonoma Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-573, scale 1:125,000. - M(200)4 vUn3mf no. 573

#### GEOLOGY - REPORTS

27. Atwater, B.F., Hedel, C.W., and Helley, G.J., 1977, Late Quaternary depositional history, Holocene sea-level changes, and vertical crustal movement, southern San Francisco Bay, California: U.S. Geological Survey Professional Paper 1014, 15 p. - (200) qB no. 1014
28. Atwater, B.F., Conrad, S.G., Dowden, J.N., Hedel, C.W., McDonald, R.L., and Savage, Wayne, 1979, History, landforms, and vegetation of the estuary's tidal marshes, in Conomos, T.J., ed., San Francisco Bay, the urbanized estuary: San Francisco, Calif., American Association for the Advancement of Science, c/o California Academy of Sciences, p. 347-385. - 558(276) Sa52b
29. Bauder, J.M., 1975, Geology of the Cedar Mountain region, northern Diablo Range. California: Stanford, Calif., Stanford University, M.S. thesis, 77 p. - 203(276) B324g
30. Bauder, J.M., and Liou, J.G., 1978, Tectonic outlier of Great Valley sequence in Franciscan terrain, Diablo Range, California: Geological Society of America Bulletin, v. 90, no. 6, p. 561-568. - G(200) G29 v.90
31. Brabb, E.E., and Hanna, W.F., 1981, Maps showing aeromagnetic anomalies, faults, earthquake epicenters, and igneous rocks in the southern San Francisco Bay region, California: U.S. Geological Survey Geophysical Investigations Map GP-932. - M(200)295 vUn3gi no. 932
32. Carpenter, D.W., Ramirez, A.L., and Wagoner, J., 1980, Status report on the geology of the Lawrence Livermore Laboratory site and adjacent areas, Volume II, Appendix F: Livermore, Calif., Lawrence Livermore Laboratory [Report] UCRL-53065, 113 p. - 815 C12 UCRL-53065

33. Case, J.E., 1968, Upper Cretaceous and lower Tertiary rocks, Berkeley and San Leandro Hills, California: U.S. Geological Survey Bulletin 1251-J, p. J1-J29. - (200) E no. 1251-J
34. Cherven, V.B., and others, eds., 1983, Geology and sedimentology of the southwestern Sacramento Basin and East Bay Hills [4 entries]: Los Angeles, Calif., Society of Economic Paleontologists and Mineralogists, Pacific Section. - G(200) qSol5pf 1983 May 20-22 v.2.
- a. Cherven, V.B., Field trip road log, Day 1; Upper Cretaceous and Paleogene strata of southern Sacramento forearc basin, Sacramento to Berkeley: p. 1-19.
  - b. Cherven, V.B., Mesozoic through Paleogene evolution of the Sacramento Basin, California: p. 21-31.
  - c. Hitzman, M., Ward, R., and Turner, R., Basin evolution during the change from convergent to transform continental margin; an example from the Neogene of central California: p. 101-117.
  - d. Hill, J.M., Stratigraphy of the Monterey rocks in the East San Francisco Bay area, California: p. 119-124.
35. Crittenden, M.D., 1951, Geology of the San Jose-Mount Hamilton area, California: California Division of Mines and Geology Bulletin 157, 74 p., map, scale 1:62,500. - (276) C4b no. 157
36. Dresen, M.D., 1979, Geology and slope stability of part of Pleasanton Ridge, Alameda County, California: Hayward, Calif.: California State University, M.S. thesis. - 203.3(276) D816g
37. Fulmer, C.V., 1956, Stratigraphy and paleontology of the typical Markley and Nortonville Formations: Berkeley, University of California, Ph.D thesis, 329 p.
38. Gokce, A.O., 1978, Engineering geology and relative stability of Main Ridge and part of Pleasanton Ridge, Alameda County, California: Stanford, Calif., Stanford University, M.S. thesis. - 203.3(276) G561e
39. Goldman, H.B., 1969, Geologic and engineering aspects of San Francisco Bay fill: California Division of Mines and Geology Special Report 97, 130 p. - (276) C4sp no. 97
40. Hall, C.A., 1956, The geology of the Pleasanton area, Alameda County, California: Stanford, Calif., Stanford University, Ph.D. thesis. - 203(276) H142g
41. Hall, C.A., 1958, Geology and paleontology of the Pleasanton area, Alameda and Contra Costa Counties, California: Berkeley, Calif., University of California Publications in the Geological Sciences, v. 34, no. 1, p. 1-63, 13 pls. - G(276) Un4 v. 34
42. Haltenhoff, F.W., 1978, Geology of the Great Valley sequence and related rocks in a portion of the Dublin 7 1/2-minute quadrangle, California: San Jose, Calif., San Jose State University, M.S. thesis.

43. Ham, C.K., 1952, Geology of the Las Trampas Ridge, Berkeley Hills, California: California Division of Mines and Geology Special Report 22, 22 p. - (276) C4sp no. 22
44. Hazlewood, R.M., 1976, Contour map and interpretive cross sections showing depth and configuration of bedrock surface, South San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-796, scale 1:62,500. - M(200)4 vUn3mf no. 796
45. Hill, J.M., 1979, Stratigraphy and paleoenvironment of the Miocene Monterey Group in the East San Francisco Bay region, California: U.S. Geological Survey Open-file Report 79-1570, 75 p. - (200) R29o no. 79-1570
46. Huey, A.S., 1948, Geology of the Tesla quadrangle, California: U.S. California Division of Mines and Geology Bulletin 140, 75 p., map, scale 1:62,500. - (276) C4b no. 140
47. Kintzer, F.C., 1980, Geology and landslides at Calaveras Reservoir, Alameda and Santa Clara Counties, California: Hayward, Calif., California State University, M.S. thesis, 138 p.
48. Knauss, K.G., 1981, Uranium-series dating of pedogenic carbonates from the Livermore Valley, California: University of California, Lawrence Livermore Laboratory [Report] UCRL-53095, 22 p. - 815 C12 UCRL-53095
49. McDonald, S.D., Nichols, D.R., Wright, N.A., and Atwater, Brian, 1978, Map showing thickness of young bay mud, southern San Francisco Bay, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-976, scale 1:125,000.- M(200)4 vUn3mf no.976
50. Northern California Geological Society, 1979, Geology and engineering in the Livermore-Hayward region, California: Northern California Geological Society field trip guide book, Spring 1979 [6 entries] -
- a. Anonymous, Geology and engineering in the Livermore-Hayward region, California:
  - b. Blum, R.I., Engineering geology considerations in transmission line siting studies: 15 p.
  - c. Darrow, Richard, Geology and engineering in the Livermore-Hayward region, California: 12 p.
  - d. Dresen, M.D., Geology and slope stability of part of the Pleasanton Ridge, Alameda County, California: 14 p.
  - e. Goldschmidt, A.F., Foundation studies for the Dumbarton Bridge replacement: 21 p.
  - f. Nason, Robert, Evidence of slippage along the Hayward Fault, 17 p.
51. Perkins, M.G., 1974, Geology and petrology of the East Bay outlier of the late Mesozoic Great Valley sequence, Alameda County, California: Berkeley, University of California, M.S. thesis.- 203(276) P422g



52. Radbruch, D.H., 1957, Areal and engineering geology of the Oakland West quadrangle, California: U.S. Geological Survey Miscellaneous Investigation Series Map I-239, scale 1:24,000. - M(200)2 vUn3m no. 239
53. Radbruch, D.H., 1959, Former shoreline features along the east side of San Francisco Bay: U.S. Geological Survey Miscellaneous Investigations Map I-298, scale 1:24,000. - M(200)2 vUn3m no. 298
54. Radbruch, D.H., 1969, Areal and engineering geology of the Oakland East quadrangle, California: U.S. Geological Survey Geological Quadrangle Map GQ-769, scale 1:24,000. - M(200)2 vUn3gq no. 769
55. Rice, S.J., Stephens, Elgar, and Real, Charles, 1985, Geologic evaluation of the General Electric test reactor site, Vallecitos, Alameda County: California Division of Mines and Geology Special Publication 56, 19 p. - (276) C4spp no. 56
56. Robinson, G.D., 1956, Geology of the Hayward quadrangle, California: U.S. Geological Survey Geologic Quadrangle Map GQ-88, scale 1:24,000. - M(200)2 vUn3gq no.88
57. Snetsinger, K.G., 1976, Rock types of the Franciscan Formation, Coyote Hills, Alameda County, California: California Geology, v. 29, no. 8, p. 174-177. - (276) C4mis v. 29
58. Soliman, S.M., 1965, Geology of the east half of the Mount Hamilton quadrangle, California: California Division of Mines and Geology Bulletin 185, 32 p., map, scale 1:62,500 - (276) C4b no. 185
59. Throckmorton, C.K., 1988, Geology and paleontology of the Tesla formation, Alameda and San Joaquin Counties, central California: U.S. Geological Survey Open-file Report 88-59, 104 p., 2 pls. - (200) R29o no. 88-59
60. Turnbull, R.W., 1976, Engineering geology of the Eden Canyon area, near Castro Valley, Alameda County, California: Stanford, Calif., Stanford University, M.S. thesis. - 203.3(276) T852e
61. Welch, L.E., Landers, Clifford, Nazar, Paul, and Harris, William, 1981, Soil survey of Alameda County, California, western part: Washington, D.C.: Soil Conservation Service, 103 p. - 941(276) Un34acw
62. Whiteley, K.R., 1978, Geology of a portion of the Hayward 7 1/2-minute quadrangle, Alameda County, California: San Jose, Calif., San Jose State University, M.S. thesis.

## GRAVITY

63. Griscom, Andrew, Roberts, C.W., and Holden, K.D., 1979, Gravity data and interpretation of detailed gravity profiles in the Livermore Valley area, California: U.S. Geological Survey Open-file Report 79-549, 4 sheets. - (200) R29o no. 79-549
64. Holden, K.D., 1976, Complete Bouguer anomaly map of the Livermore Valley area, California: U.S. Geological Survey Open-file Report 76-761, scale 1:62,500. - (200) R29o no. 76-761
65. Robbins, S.L., and Oliver, H.W., 1974, Preliminary Bouguer gravity map of the San Jose 1 by 2 quadrangle, California: U.S. Geological Survey Open-file Report 74-184, scale 1:250,000. - (200) R29o no. 74-184
66. Robbins, S.L., Roberts, C.W., and Chapman, R.H. 1978, Bouguer gravity map of the southern San Francisco Bay region, California: U.S. Geological Survey Open-file Report 78-733, scale 1:125,000. - (200) R29o no. 78-733

See also: Brabb, 31

## FAULTS AND SEISMICITY

67. Ammon, C.J., 1986, Time domain teleseismic P waveform modeling and the crust and upper mantle structure beneath Berkeley, California: Binghamton, N.Y., State University of New York, M.A. thesis, 97 p.
68. Bonilla, M.G., Lienkaemper, J.J., Tinsley, J.C., and Harsh, P.W., 1982, Concurrent displacement on conjugate Greenville and Las Positas faults, Livermore Valley, California, in Geological research 1981: U.S. Geological Survey Professional Paper 1275, p. 214-215. - (200) qB no. 1275
69. Borchardt, R.D., ed., 1975, Studies for seismic zonation of the San Francisco Bay region: U.S. Geological Survey Professional Paper 941-A, 102 p. - (200) qB no. 941-A
70. Borchardt, R.D., Gibbs, J.F., and Fumal, T.E., 1973, Progress on ground motion predictions for the San Francisco Bay region, California, in Brabb, E.E., ed., Progress on seismic zonation in the San Francisco Bay region: U.S. Geological Survey Circular 807, p.13-25.-(200) Ci no. 807
71. Borchardt, R.D., Gibbs, J.F., and Lajoie, K.R., 1975, Maps showing maximum earthquake intensity predicted in the southern San Francisco Bay region, California, for large earthquakes on the San Andreas and Hayward faults: U.S. Geological Survey Miscellaneous Field Studies Map MF-709, scale 1:125,000, 11 p., 3 sheets. - M(200)4 vUn3mf no. 709

72. Brown, I.R., 1982, Behaviour of the Bay Area Rapid Transit tunnels through the Hayward fault: Berkeley, Calif., University of California Ph.D. thesis, 221 p.
73. Brown, R.D., 1972, Faults that are historically active or that show evidence of geologically young surface displacement, San Francisco Bay region, a progress report, U.S. Geological Survey Miscellaneous Field Studies Map MF-331, scale 1:250,000. - M(200)4 vUn3mf no. 331
74. California Division of Mines and Geology, 1972-1989, Special Studies Zones maps of California [Alquist-Priolo]: Sacramento, Calif., California Division of Mines and Geology. - M(276)276 C4sa
75. Ellsworth, W.L., and Marks, S.M., 1980, Seismicity of the Livermore Valley, California region, 1969-1979: U.S. Geological Survey Open-file Report 80-515, 42 p. - (200) R29o no. 80-515
76. Followill, F.E., and Mills, J.M. Jr., 1982, Locations and focal mechanisms of recent microearthquakes and tectonics of Livermore Valley, California: Bulletin of the Seismological Society of America, v. 72, no. 3, p. 821-840. - S(200) Se46 v. 72
77. Gibson, W.M., and Wollenberg, H.A., 1968, Investigations for ground stability in the vicinity of the Calaveras fault, Livermore and Amador Valleys, Alameda County, California: Geological Society of America Bulletin, v. 79, no. 5, p. 627-637.
78. Haltenhoff, F.W., ed., 1979, Recent deformation along the Hayward, Calaveras, and other fault zones, eastern San Francisco Bay region, California [4 entries]: San Jose, Calif., Geological Society of America, Cordilleran Section, 62 p.- G(200) qC3cam 1979 no. 2
  - a. Wright, R.H., Hayward-Crosley Fault-Milpitas area, California: p. 25-37, 75.
  - b. Yadon, D.M., and Wright, R.H., Evidence for recent faulting in the Pleasanton area, California: p. 38-46.
  - c. Harding, R.C., Calaveras fault, Dublin area, California: p. 53-60.
  - d. Haltenhoff, F.W., The Calaveras fault, Late Cretaceous-middle Miocene unconformity, sea stacks, and Franciscan rocks in the Foothill gravel pit, Dublin, California: p.47-52.
79. Hart, E.W., and others, eds., 1983, Proceedings, conference on earthquake hazards in the eastern San Francisco Bay area [9 entries]: California Division of Mines and Geology Special Publication 62, 437 p. - (276) C4spp no. 62
  - a. Bryant, W.A., Southern Hayward fault zone, Alameda and Santa Clara Counties, California: p. 35-44.
  - b. Taylor, C., Geologic studies conducted for the Alameda County Fairmont Hospital/Juvenile Hall complex, San Leandro [abs.]: p. 299-308.

- c. Messinger, D.L., Structural engineering implications of geologic studies conducted for the Alameda County Fairmont Hospital/Juvenile Hall complex: p. 309-318
  - d. Peshon, H.A., Actions taken by Alameda County concerning earthquake hazards with regard to county facilities at the Fairmont Hospital/Juvenile Hall complex, San Leandro [abs.]: p. 319.
  - e. Nason, Robert, 1906 earthquake effects east of San Francisco Bay area [abs.]: p. 320.
  - f. Youd, T.L., Liquefaction hazards in the eastern San Francisco Bay area: p. 345-354.
  - g. Meehan, J.N., Public school and hospital building geologic hazards considerations: p. 387-391.
  - h. Taugher, V.L., and Daneby, E.A., Application of the Alquist-Priolo Act in Alameda County [abs.]: p. 424.
  - i. Mintier, J.L., and Stromberg, P.A. Seismic safety on the local level; does planning make a difference?: p. 425-437.
80. Helley, E.J., and Herd, D.G., 1977, Map showing faults with Quaternary displacement, northeastern San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-881, scale 1:125,000. - M(200)4 vUn3 no. 881
  81. Herd, D.G., 1977, Map of Quaternary faulting along the Hayward and Calaveras fault zones, Niles and Milpitas 7 1/2 minute quadrangles, California: U.S. Geological Survey Open-file Report 77-645, scale 1:24,000, 2 sheets. - (200) R29o no. 77-645
  82. Herd, D.G., 1978, Map of Quaternary faulting along the northern Calaveras fault zone, Las Trampas Ridge, Diablo, Dublin, Niles and La Costa Valley 7.5-minute quadrangles, California: U.S. Geological Survey Open-file Report 78-307, scale 1:24,000, 5 sheets. - (200) R29o no. 78-307
  83. Herd, D.G., and Brabb, E. E., 1979, Evidence for tectonic movement on Las Positas fault, Alameda County, California: U.S. Geological Survey Open-file Report 79-1658, 9 p. - (200) R29o no. 79-1658
  84. Herd, D.G., and Brabb, E.E., 1980, Faults at the General Electric test reactor site, Vallecitos Nuclear Center, Pleasanton; a summary review of their geometry, age of last movement, recurrence, origin and tectonic setting, and the age of the Livermore gravels [Menlo Park, Calif., U.S. Geological Survey Administrative Report]: U.S. Nuclear Regulatory Commission Docket 8006060, 77 p. - \*203.3(276) Un35s
  85. Johnson, L.R., and Silva, Walt, 1981, The effects of unconsolidated dated sediments upon the ground motion during local earthquakes: Bulletin of the Seismological Society of America, v.71, no. 1, p. 127-142. - S(200) Se28 v. 71
  86. Oliveira, L.S., 1978, Seismic risk studies for San Francisco and for the Greater San Francisco Bay area: Berkeley, University of California Engineering Research Center Report 78/16, 126 p. - 240(276) C131r no. 78/16

87. Prescott, W.H., Lisowski, M., and Savage, J.C., 1981, Geodetic measurement of crustal deformation on the San Andreas, Hayward and Calaveras faults near San Francisco, California: Journal of Geophysical Research, v. 86B, no. 11, p. 10853-10869. - S(200) T28b v. 86
88. Radbruch, D.H., 1974, Map showing recently active breaks along the Hayward Fault zone and the southern part of the Calaveras Fault zone: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-813, scale 1:24,000, 2 sheets. - M(200) vUn3m no. 813
89. Radbruch, D.H., Bonilla, M.G., and others, 1966, Tectonic creep in the Hayward Fault zone: U.S. Geological Survey Circular 525, 13 p. - (200) Ci no. 525
90. Rice, Salem, Stephens, Elgar, and Real, Charles, 1979, Geologic evaluation of the General Electric reactor site, Vallecitos, Alameda County, California: California Division of Mines and Geology Special Publication 56, 19 p. - (276) C4spp no. 56
91. Savage, J.C., Prescott, W.H., Chamberlain, J.F., and others, 1979, Geodetic tilt measurements along the San Andreas fault in central California: Bulletin of the Seismological Society of America, v. 69, no. 6, p. 1965-1981. - S(200) Se28 v. 69
92. Steinbrugge, K.V., Bennett, J.H., Lagorio, H.J., Davis, J.F., Borchardt, G., and Topozada, T.R., 1987, Earthquake planning for a magnitude 7.5 earthquake on the Hayward fault in the San Francisco Bay area: California Division of Mines and Geology Special Publication 78, 243 p. - (276) C4spp no. 78
93. Youd, T.L., and Hoose, S.N., 1978, Historic ground failures in northern California triggered by earthquakes: U.S. Geological Survey Professional Paper 993, 177 p. - (200) B no. 993
94. Youd, T.L., Nichols, D.R., Helley, E.J., and Lajoie, K.R., 1973, Liquefaction potential of unconsolidated sediments in the southern San Francisco Bay region, California: U.S. Geological Open-file Report 73-368, 16 p. - (200) R29o no. 73-368

See also: Bauder, 29  
           Brabb, 31  
           Carpenter, 32

#### EARTHQUAKE INVESTIGATIONS

95. Anonymous, 1980, The next major San Francisco Bay area earthquake; Seismological Society of America annual meeting, Berkeley, March 23-25, 1981 [abstracts] [5 entries]: Earthquake Notes, v. 52, no. 1, p. 39-42. - S(200) Se46e
  - a. Steinbrugge, K.V., Algermissen, B.J., Lagorio, R.J., Cluff, L.S., and Degenkolb, H.J., 1980 assessment: potential earthquake losses in the metropolitan San Francisco Bay area: p. 5-6.

- b. Taylor, C.L., Weaver, K.S., and Cluff, L.S., Revised locations of the Hayward fault in the Berkeley Hills: p. 8.
  - c. Taylor, S.R., and Scheimer, J.F., P-velocity models and micro-earthquake locations and tectonics in the Livermore Valley region, p. 50-51.
  - d. Mills, J.M., and Followill, F.E., Locations and focal mechanisms of recent earthquakes and tectonics of Livermore Valley, California p. 64.
  - e. Schechter, B., Source parameters and directivity of the Livermore earthquakes of 1980: p. 83.
96. Bedrossian, T.L., Bezore, S.P., Sherburne, R.W., and Wooton, T.M., 1980, The Livermore earthquakes of January 1980; Contra Costa and Alameda Counties, California Geology, v. 33, no. 4, p. 88-92. - (276) C4mis v. 33
  97. Boatwright, John, and Boore, D.M., 1982, Analysis of the ground acceleration radiated by the 1980 Livermore Valley earthquakes for directivity and dynamic source characteristics, in Boatwright, John, ed., Proceedings of Workshop XVI; the dynamic characteristics of faulting inferred from recordings of strong ground motion: U.S. Geological Survey Open-file Report 85-291, p. 238-275.- (200) R29o no. 85-291.
  98. Bolt, B.A., McEvilly, T.V., and Uhrhammer, R.A., 1981, The Livermore Valley, California, sequence of January 1980: Bulletin of the Seismological Society of America, v. 71, no. 2, p. 451-463. - S(200) Se46 v. 71
  99. Bonilla, M.G., Lienkaemper, J.J., and Tinsley, J.C., 1980, Surface faulting near Livermore, California, associated with the January 1980 earthquakes: U.S. Geological Survey Open-file Report 80-523, 35 p., scale 1:24,000, 1 pl. - (200) R29o no. 80-523
  100. Cockerham, R.S., Lester, F.W., and Ellsworth, W.L., 1980, A preliminary report on the Livermore Valley earthquake sequence January 24-February 26, 1980: U.S. Geological Survey Open-file Report 80-714, 54 p. - (200) R29o no. 80-714
  101. Followill, F.E., Mills, J.M. Jr., and Rohrer, R.F., 1982, A comparison of magnitudes and moments for 26 Livermore Valley microearthquakes: Bulletin of the Seismological Society of America, v.72, no. 3, p.1025-1031. - S(200) Se46 v. 72
  102. Maley, R.P., 1979, Strong-motion records from the Livermore, California earthquake of June 20, 1977: Bulletin of the Seismological Society of America, v. 68, no. 3, p. 849-853. - S(200) Se46 v. 68
  103. Nason, Robert, 1982, Damage in Alameda and Contra Costa Counties, California, in the earthquake of 18 April 1906: U.S. Geological Survey Open-file Report 82-63, 48 p. - (200) R29o no. 82-63

104. Oakshott, G.B., 1980, Geologic and tectonic setting of the epicentral area, Livermore earthquakes of January 1980: California Geology, v. 33, no. 4, p. 92. - (276) C4mis v. 33
105. Stratta, J.L., coordinator, 1980, Greenville (Diablo/Livermore), California earthquake sequence January 1980 [5 entries]: EERI Newsletter, v. 14, no. 2, p. 20-89. - G(200) Ea76n v. 14
- a. Bolt, B.A., McEvilly, T.V., and Urhammer, P.A., The Greenville, California earthquake sequence of January, 1980: p. 23-28.
  - b. Woodward-Clyde Consultants, Summary, Greenville earthquake investigations as of January 31, 1980: p. 29-34.
  - c. Anonymous, State of California Strong Motion Instrumentation Program; partial file records and file data from the Livermore Valley, California earthquake of 24 January 1980: p. 35-36.
  - d. Dean, R.G., Livermore, California earthquake of January 24, 1980; general observations: p. 37-38.
  - e. Olson, R.A., and Stromberg, P.A., Reconnaissance of the area of the Greenville earthquake swarm of January 1980: 39-42.
106. Wilson, R.C., Wieczorek, G.F., Keefer, D.K., Harp, E.L., and Tannaci, N.E., 1985, Map showing ground failures from the Greenville/Mount Diablo earthquake sequence of January, 1980, Northern California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1711, scale 1:62,500. - M(200)4 vUn3mf no. 1711

See also: Bonilla, 68  
Followill, 76

#### LANDSLIDES

107. Finley, Don, 1987, System designed for issuing landslide alerts in the San Francisco Bay area: Earthquakes & Volcanoes, v. 19, no. 5, p. 171-173. - 240(200) Un3eib v. 19
108. Kiersch, G.A., 1969, Pfeiffer versus General Insurance Corporation--Landslide damage to insured dwelling, Orinda, California, and relevant cases, in Legal aspects of geology in engineering practice: Geological Society of America Geology Case Histories, no. 7, p. 81-93.
109. Nilsen, T.H., 1971, Preliminary photointerpretation map of landslide and other surficial deposits of the Mount Diablo area, Contra Costa and Alameda Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-310, scale 1:62,500 - M(200)4 vUn3mf no. 310
110. Nilsen, T.H., 1972, Preliminary photointerpretation map of landslide and other surficial deposits of parts of the Altamont and Carbona 15-minute quadrangles, Alameda County, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-321, scale 1:62,000 - M(200)4 vUn3mf no. 321

111. Nilsen, T.H., 1972, Preliminary photointerpretation map of landslide and other surficial deposits of the Byron area, Contra Costa and Alameda Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-338, scale 1:62,500. - M(200)4 VUn3mf no. 338
112. Nilsen, T.H., 1972, Preliminary photointerpretation map of landslide and other surficial deposits of the Mount Hamilton quadrangle and parts of the Mount Boardman and San Jose quadrangles, Alameda and Santa Clara Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-339, scale 1:62,500, 2 sheets. - M(200)4 vUn3mf no. 339
113. Nilsen, T.H., 1973, Preliminary photointerpretation map of landslide and other surficial deposits of the Concord 15-minute quadrangle quadrangle and the Oakland West, Richmond, and part of the San Quentin 7-1/2 minute quadrangles, Contra Costa and Alameda Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-493, scale 1:62,500, 2 sheets. - M(200)4 vUn3mf no. 493
114. Nilsen, T.H., 1973, Preliminary photointerpretation map of landslide and other surficial deposits of the Livermore and part of the Hayward 15-minute quadrangles, Alameda and Contra Costa Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-519, scale 1:62,500, 2 sheets. - M(200)4 vUn3mf no. 519
115. Nilsen, T.H., Bartow, J.A., Frizzell, V.A., and Sims, J.D., 1975, Preliminary photointerpretation maps of landslide and other surficial deposits of 56 7 1/2-minute quadrangles in the southeastern San Francisco Bay region, Alameda, Contra Costa, and Santa Clara Counties, California: U.S. Geological Survey Open-file Report 75-277, scale 1:24,000, 56 sheets. - M(276)2 Un3pl [Includes following quadrangles: Altamont, Briones Valley, Byron Hot Springs, Cedar Mountain, Dublin, Eylar Mountain, Hayward, La Costa Valley, Las Trampas Ridge, Livermore, Mendenhall Springs, Midway, Milpitas, Mount Day, Mountain View, Newark, Niles, Oakland East, Oakland West, Richmond, San Leandro, Tassajara]
116. Nilsen, T.H., Taylor, F.A., and Brabb, E.E., 1976, Recent landslides in Alameda County, California (1940-71), an estimate of economic losses and correlations with slope, rainfall, and ancient landslide deposits: U.S. Geological Survey Bulletin 1398, 21 p. - (200) E no. 1398
117. Nilsen, T.H., Taylor, F.A., and Dean, R.M., 1976, Natural conditions that control landsliding in the San Francisco Bay region; an analysis based on data from the 1968-69 and 1972-73 rainy seasons: U.S. Geological Survey Bulletin 1424, 35 p. - (200) E no. 1424
118. Radbruch, D.H., and Wentworth, C.M., 1971, Estimated relative abundance of landslides in the San Francisco Bay region, California: U.S. Geological Survey Open-file Report 71-231, scale 1:500,000. - (200) R29o no. 71-231



119. Smith, T.C., and Hart, E.W., 1982, Landslides and related storm damage January 1982, San Francisco Bay region: California Geology, v. 35; no. 7, p. 139-152. - (276) C4mis v. 35
120. Taylor, F.A., and Brabb, E.D., 1972, Maps showing distribution and cost by counties of structurally damaging landslides in the San Francisco Bay region, California, winter of 1968-69: U.S. Geological Survey Miscellaneous Field Studies Map MF-327, scale 1:500,000. - M(200)4 vUn3mf no. 327
121. Taylor, F.A., Nilsen, T.H., and Dean, R.M., 1975, Distribution and cost of landslides that have damaged man-made structures during the rainy season of 1972-1973 in the San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-679, scales 1:500,000 and 1:1,000,000.- M(200)4 vUn3mf no. 679
122. Waltz, J.P., 1971, An analysis of selected landslides in Alameda and Contra Costa Counties, California: Association of Engineering Geologists Bulletin, v. 8, no. 2, p. 153-163. -
123. Wieczorek, G.F., Harp, E.L., and Mark, R.K., 1988, Debris flows and other landslides in San Mateo, Santa Cruz, Contra Costa, Alameda, Napa, Solano, Lake and Yolo Counties, and factors influencing debris-flow distribution, in Ellen, Stephen, and Wieczorek, G.F., eds., Landslides, floods, and marine effects of the storm of January 3-5, 1982, in the San Francisco Bay region, California: U.S. Geological Survey Professional Paper 1434, p. 133-161. - (200) B no. 1434
124. Wright, R.H., and Nilsen, T.H., 1974, Isopleth map of landslide deposits, southern San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-550. scale 1:125,000. - M(200)4 vUn3mf no. 550

See also: Cannon, 12  
Dresen, 36, 50-d  
Gokce, 38  
Kintzer, 47

#### WEATHER RELATED HAZARDS

125. Bruvold, W.H., 1979, Residential response to urban drought in central California: Water Resources Research, v. 15, no. 6, p. 1297-1304. - S(200) W352 v. 15
126. Cannon, S.H., and ellen, Stephen, 1983, Rainfall that triggered abundant debris avalanches in the San Francisco Bay region, California, during the storm of January 3-5, 1982: U.S. Geological Survey Open-file Report 83-10, 9 p. - (200) R29o no. 83-10

127. Crippen, J.R., 1975, Index of flood maps prepared by the U.S. Geological Survey through 1974: Menlo Park, Calif., U.S. Geological Survey Open-file Report. - (200) C868if
128. Limerinos, J.T., Lee, K. W., and Lugo, P.E., 1973, Flood-prone areas in the San Francisco Bay region, California: U.S. Geological Survey Water-resources Investigations Report 37-73, 3 maps. - (200) WRI no. 37-73
129. Ritter, J.R., and Dupre, W.R., 1972, Maps showing areas of potential inundation by tsunamis in the San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-480, scale 1:125,000, 2 sheets. - M(200)4 vUn3mf no. 480
130. Sylvester, M.A., and Brown, W.M. III, 1978, Relation of urban land-use and land-surface characteristics to quantity and quality of storm runoff in two basins in California: U.S. Geological Survey Water-supply Paper 2051, 48 p. - (200) G no. 2051
131. U.S. Army Corps of Engineers, San Francisco District, 1972, Flood insurance study, Pleasanton, Alameda county (preliminary report), prepared for the Federal Insurance Administration: San Francisco, Calif., U.S. Corps of Engineers, 7 p., 13 pls.
132. U.S. Federal Emergency Management Administration, 19-- , Flood insurance maps [by area]: Baltimore, Md., The Administration.
133. U.S. Geological Survey, 1962, Floods at Fremont, California: U.S. Geological Survey Hydrologic Investigations Atlas HA-54. - M(200)49 vUn3ha no. 54
134. U.S. Geological Survey, 1981, Maps of flood-prone areas in [California]: Reston, Va., U.S. Geological Survey. - M(276)552 Un3mf [Includes following quadrangles: Altamont, Byron Hot Springs, Calaveras Reservoir, Dublin, Hayward, La Costa Valley, Las Trampas Ridge, Livermore, Milpitas, Mountain View, Newark, Niles, Oakland East, Oakland West, Redwood Point, Richmond, San Leandro, Tassajara]
135. Waananen, A.O., Limerinos, J.T., Kockelman, W.J., Spangle, W.E., and Blair, M.L., 1977, Flood-prone and land-use planning, selected examples from the San Francisco Bay region, California: U.S. Geological Survey Professional Paper 942, 75 p. - (200) qB no. 942

See also: Nilsen, 117  
           Smith, 119  
           Taylor, 121

# WATER: RESOURCES, QUALITY, AND USE

136. Anonymous, 1970, Bethany Reservoir recreation development plan plan: California Department of Water Resources Bulletin 117-12, 15 p. - P(276) En26 no. 117-12
137. California Department of Water Resources, 1974, Evaluation of ground water resources; Livermore and Sunol Valleys: California Department of Water Resources Bulletin 118-2, 153 p. - P(276) En26 no. 118-2
138. California Department of Water Resources, 1975, Sea-water intrusion in California; inventory of coastal ground water basins: California Department of Water Resources Bulletin 63-5, 394 p. - P(276) En26 no. 63-5
139. Clark, W.O., 1915, Ground-water resources of the Niles Cone and adjacent areas, California: U.S. Geological Survey Water-Supply Paper 345-H, p. 127-168. - (200) G no. 345-H
140. Danskin, W.R., and Gorelick, S.M., 1985, A policy evaluation tool; management of a multiaquifer system using controlled stream recharge: Water Resources Research, v. 21, no. 11, p. 1731-1747. - S(200) W352 v. 21
141. Davies, T.S., 1986, A ground water model for analysis of the Amador Subbasin of the Livermore Valley, California: Stanford, Calif., Stanford University, M.S. thesis, 140 p.
142. Farrar, C.D., 1980, A water-quality monitoring network for Vallecitos Valley, Alameda County, California: U.S. Geological Survey Water-resources Investigation Report 80-59 (PB-81157034), 22 p. - (200) WRI no. 80-59.
143. Ford, R.S., 1969, Ground water geology <sup>of</sup> Livermore Valley--A satellite urban area, in Danehy, E.A., and Harding, H.C., eds., Urban environmental geology in the San Francisco Bay region: Sacramento, Calif., Association of Engineering Geologists, p. 125-133. - 203.3(276) qUr2
144. Goss, Joseph, 1974, Availability of data on surface-water quantity and quality for the San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-526, scale 1:250,000, 4 p. 1 sheet. - M(200)4 vUn3mf no. 526
145. Hill, D.M., Bird, B.L., and McClintock, Rikki, 1975, Ground water basin protection projects; Fremont salinity barrier: California Department of Water Resources Bulletin 147-2, 48 p. - P(276) En26 no. 147-2.
146. Jachens, R.C., Webring, M.W., and Frischknecht, F.C., 1986, Abandoned well-study in the Santa Clara Valley, California: U.S. Geological Survey Open-file Report 86-350, 13 p. - (200) R29o no. 86-350

147. Lopp, L.E., 1981, An appraisal of surface-water quality in the Alameda Creek Basin, California, October 1974-June 1979: U.S. Geological Survey Water-resources Investigations Report 81-46 (PB-82201575), 33 p. - (200) WRI no. 81-46
148. Mar, M.J., 1979, A perspective on the Livermore-Amador Valley groundwater basin modeling effort, in Proceedings of the Twelfth Biennial Conference on Ground Water: Berkeley, University of California Water Resources Center Report no. 45, p. 154-158. - S(276) W7wpr no. 45
149. Moston, R.P., and Johnson, A.I., 1961, Geophysical exploration of wells as an aid in location of salt-water leakage, Alameda Plain, California: U.S. Geological Survey Professional Paper 424-D, p. D262-D264. - (200) B no. 424-D
150. Nolan, K.M., and Fuller, C.C., 1986, Sediment accumulation in San Leandro Bay, Alameda County, California, during the 20th century; a preliminary report: U.S. Geological Survey Water-resources Investigations Report 86-4057, 25 p. - (200) WRI no. 86-4057
151. Poland, J.F., 1972, Land subsidence in the Santa Clara Valley, Alameda, San Mateo and Santa Clara Counties: U. S. Geological Survey Miscellaneous Field Studies Map MF-336, scale 1:125,000. - M(200)4 vUn3mf no. 336
152. Rantz, S.E., 1974, Mean annual runoff in the San Francisco Bay region, California, 1931-70: U.S. Geological Survey Miscellaneous Field Studies Map MF-613, 24 p., 2 maps, scale 1:500,000 - M(200)4 vUn3 no. 613
153. Saylor, S.R., 1979, A manager's view of coping with sea water intrusion in the Niles Cone ground water basin, Alameda County, California [abstract]: Geological Society of America, Programs with abstracts, v. 11, no. 7, p. 510-511 - G(200) G3a v. 11
154. Sorenson, S.K., Cascos, P.V., and Glass, R.L., 1984, Water-quality conditions and an evaluation of ground-and surface-water sampling programs in the Livermore-Amador Valley, California: U.S. Geological Survey Water-resources Investigations Report 84-4352, 34 p. - (200) WRI no. 84-4352
155. Sylvester, M.A., 1983, Land application of wastewater and its effect on ground-water quality in the Livermore-Amador Valley, Alameda County, California: U.S. Geological Survey Water-resources Investigations Report WRI 82-4100. 58 p., 2 maps. - (200) WRI no. 82-4100
156. Webster, D.A., 1972, Maps showing areas in the San Francisco Bay region where nitrate, boron and dissolved solids in ground water may influence local or regional development: U.S. Geological Survey Miscellaneous Field Studies Map MF-432, scale 1:250,000. - M(200)4 vUn3mf no. 432

157. Webster, D.A., 1972, Maps showing ranges in probable maximum well yield from water-bearing rocks in the San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-431, scale 1:250,000. - M(200)4 vUn3mf no. 431
158. Webster, D.A., 1973, Map showing areas bordering the southern part of San Francisco Bay where a high water table may adversely affect land use: U.S. Geological Survey Miscellaneous Field Studies Map MF-530, scale 1:125,000. - M(200)4 vUn3mf no. 530

#### LAND USE AND ENVIRONMENTAL PLANNING

159. Bailey, E.H., and Harden, D.R., 1975, Basic data material for a report on mineral resources of the San Francisco Bay region, California--present availability and planning for the future, with descriptions of individual commodity resources by C.C. Bishop and others: U.S. Geological Survey Open-file Report 75-303, 102 p. - (200) R29o no. 75-303
160. Bailey, E.H., and Harden, D.R., 1975, Map showing mineral resources of the San Francisco Bay region, California--present availability and planning for the future: U.S. Geological Survey Miscellaneous Investigations Series Map I-909, 12 p., scale 1:250,000, 1 pl. - M(200)2 vUn3m no. 909.
161. Brown, R.D., and Kockelman, W.J., 1983, Geologic principles for prudent land use; a decision maker's guide for the San Francisco Bay region: U.S. Geological Survey Professional Paper 946, 97 p. - (200) qB no. 946
162. Goss, Joseph, 1973, Solid-waste disposal in the San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-430, 10 p., scale 1:500,000. - M(200)4 vUn3mf no. 430.
163. Lee, Charles, and Praszker, Michael, 1969, Bay mud developments and related structural foundations, in Goldman, H.B., ed., Geologic and engineering aspects of San Francisco Bay fill: California Division of Mines and Geology Special Report 97, p. 41-85. - (276) C4sp no. 97
164. McDonald, S.D., and Nichols, D.R., 1974, Some geotechnical facts that effect development, Hayward shoreline area, California: U.S. Geological Survey Open-file Report 74-2, scale 1:24,000, 2 sheets. - (200) R29o no. 74-2
165. McLean, Hugh, 1988, Federal Lands Assessment Program; Sonoma and Livermore Basins, California: U.S. Geological Survey Open-file Report 87-450-J, 9 p. - (200) R29o no. 87-450-J
166. Mosier, D.L., 1983, Corral Hollow coal mining district: Fremont, Calif.: Mines Road Books, 86 p. - 461(276) M853ch

167. Nichols, D.R., and Wright, N.A., 1971, Preliminary map of historic margins of marshland, San Francisco Bay, California: U.S. Geological Survey Open-file Report 71-216, 11 p., scale 1:125,000 - (200) Un3sfbd no. 9; accompanied by 29 maps, scale 1:24,000 - M(276)556 Un3hma
168. Nichols, F.H., Cloern, J.E., Luoma, S.N., and Peterson, D.H., 1986, The modification of an estuary: Science, v. 231, no. 4738, p. 567-573. - S(200) Sci22 v.231
169. Taylor, L.L., and Conwell, F.R., 1981, BART, influence of geology on construction conditions and costs, in Rapid transit construction costs related to local geology: Association of Engineering Geologists Bulletin, v. 18, no. 2, p. 195-205. - G(200) En335 v. 18
170. U.S. Geological Survey, 1973, Atlas of urban and regional change, San Francisco Bay region, Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano and Sonoma Counties, California: U.S. Geological Survey Open-file Report 73-322, scale 1:62,500, 44 sheets - (200) R29o no. 72-322
171. U.S. Geological Survey, 1978, Land use and land cover maps for Newark, California: U.S. Geological Survey Open-file Report 78-754, scale 1:24,000, 2 sheets. - (200) R29o no. 78-754
172. U.S. Geological Survey, 1978, Land use and land cover maps for Redwood Point, California: U.S. Geological Survey Open-file Report 78-750, scale 1:24,000, 2 sheets. - (200) R29o no. 78-750
173. U.S. Geological Survey, 1978, Land use and land cover maps for San Leandro, California: U.S. Geological Survey Open-file Report 78-749, scale 1:24,000, 2 sheets. - (200) R29o no. 78-749
174. Ver Planck, W.E., 1957, Salt in California: California Division of Mines and Geology Bulletin 175, 168 p. - (276) C4b no. 175
175. Wilshire, H.G., Nakata, J.K., Shipley, S., and Prestegard, Karen, 1978, Impacts of vehicles on natural terrain at seven sites in the San Francisco Bay area: Environmental Geology, v. 2, no. 5, p. 295-319. 203.6 En88 v.2

See also: Danskin, 140  
 Finley, 107  
 Mintier, 79i  
 Oliveira, 86  
 Saylor, 153  
 Steinbrugge, 92, 95a  
 Waananen, 135

....INDEX TO REFERENCES, by number.....

Aeromagnetic anomalies: 31  
Alameda Creek: 147  
Alameda Plain: 149  
Alquist-Priolo Act: 74, 79h  
Altamont quadrangle: 7, 110, 115  
Amador Valley: 77, 141, 148, 154-155  
BART: 72, 169  
Bay mud: 49, 163  
Bedrock surface: 44  
Berkeley (city) 34, 67  
Berkeley Hills: 33, 43, 95b  
Bethany Reservoir: 136  
Boron: 156  
Bouguer gravity: 64-66  
Briones Valley quadrangle: 8, 115  
Byron area: 3, 111  
Byron Hot Springs quadrangle: 9, 74, 115, 134  
Calaveras fault: 78, 81, 87-88, 82  
Calaveras Reservoir, 47  
Calaveras Reservoir quadrangle: 6, 74, 127, 134  
Carbona quadrangle: 110  
Carbonates: 48  
Castro Valley: 60  
Cedar Mountain quadrangle: 10, 29, 74, 115  
Cenozoic deposits: 22  
Coal: 166  
Concord quadrangle: 113  
Corral Hollow: 166  
Coyote Hills: 57  
Creep: 89  
Cretaceous: 33, 34a, 78d  
Crosley fault: 78a  
Dating: 48  
Debris flows: 123, 126  
Diablo quadrangle: 11, 82  
Diablo Range: 4, 29, 30  
Dissolved solids: 156  
Drought: 125  
Dublin: 78c, 78d  
Dublin quadrangle: 12, 42, 74, 82, 134  
Dumbarton Bridge: 50e  
Earthquake damage: 103  
Earthquake epicenters: 31, 76  
Earthquake hazards, conference: 79  
Earthquake intensity: 71  
Earthquake losses: 95a  
Earthquake planning: 92, 95a  
Earthquake prediction: 70, 95  
Earthquakes, 1868: 92-93

Earthquakes, 1906: 79e, 103  
 Earthquakes, 1977: 102  
 Earthquakes, 1980, Livermore Valley: 95-101, 104-106  
 East Bay Hills: 34. See also Berkeley Hills, San Leandro Hills  
 Eden Canyon: 60  
 Engineering geology: 38, 50, 54, 79  
 Eylar Mountain quadrangle: 5, 115  
 Fairmont Hospital: 79b, 79d  
 Faults. See fault by name  
 Federal lands: 165  
 Feldspar: 26  
 Fill: 39  
 Flood insurance: 130-131  
 Flood maps: 127, 132, 134  
 Flood-prone areas: 128  
 Floods: 133  
 Focal mechanisms: 76, 95d  
 Foothill gravel pit: 78d  
 Fossils: 26  
 Franciscan Formation: 4, 30, 57  
 Fremont: 133  
 General Electric Test Reactor site: 55, 84, 90  
 Gravels: 1, 78d, 84  
 Gravity: 63-66  
 Great Valley sequence: 30, 42, 51  
 Greenville fault: 23, 68, 105  
 Ground acceleration: 97  
 Ground failures, Earthquake triggered: 93  
 Ground water: 137, 141-143  
 Groundwater modelling: 141  
 Ground water protection: 145  
 Hayward area: 50  
 Hayward fault: 50f, 73, 78, 79a, 81, 87-89, 93  
 Hayward quadrangle: 13, 56, 114, 115, 134  
 Hayward shoreline: 164  
 Holocene: 27  
 Hospitals: 79  
 Igneous rocks: 31  
 Insurance: 108  
 Juvenile Hall: 79b, 79d  
 La Costa Valley quadrangle: 14, 78, 82, 115, 134  
 Land use: 130, 160-161  
 Land use maps: 170-173  
 Landforms: 28, 53  
 Landslide alerts: 107  
 Landslide costs: 116, 120-121  
 Landslide deposits: 124  
 Landslide distribution: 119, 121  
 Landslides, 1968-1973: 117  
 Las Positas fault: 23, 68, 83  
 Las Trampas Ridge: 43  
 Las Trampas Ridge quadrangle: 15, 82



Law: 108  
 Lawrence Livermore Laboratory: 32  
 Liquefaction: 79f, 94  
 Livermore area: 50,  
 Livermore gravels: 1, 84  
 Livermore quadrangle: 16, 74, 114, 115, 134  
 Livermore Valley: 48, 63-64, 75-77, 137  
 Main Ridge: 38  
 Markley Formation: 37  
 Marshlands: 28, 167  
 Mendenhall Springs quadrangle: 18, 115  
 Mesozoic: 26, 34b  
 Microearthquakes: 76, 95c, 101  
 Midway quadrangle: 17, 115, 134  
 Milpitas area: 78a  
 Milpitas quadrangle: 81, 115, 134  
 Mineral resources: 159-160  
 Miocene: 45, 78d  
 Monterey Formation/Group: 34d, 45  
 Mount Day quadrangle: 74, 115  
 Mount Diablo: 3, 106, 109  
 Mount Hamilton quadrangle: 35, 58, 112  
 Mountain View quadrangle: 74, 115  
 Neogene: 34c  
 Newark: 171  
 Newark quadrangle: 74, 115, 134  
 Niles Cone: 139, 153  
 Niles quadrangle: 19, 81-82, 115, 134  
 Nitrate: 156  
 Nortonville Formation: 37  
 Oakland East quadrangle: 54, 74, 115, 134  
 Oakland West quadrangle: 52, 74, 113, 115, 134  
 Paleogene: 34a  
 Photointerpretation: 109-115  
 Pleasanton area: 40-41, 131  
 Pleasanton Ridge: 36, 38, 50d  
 Quaternary deposits: 27  
 Quaternary faulting: 80-82  
 Rainfall: 116-117, 126  
 Rapid transit: 169  
 Recreation: 136  
 Recharge, stream: 140  
 Redwood Point quadrangle: 172  
 Richmond quadrangle: 20, 74, 113, 115, 134  
 Runoff, annual: 130, 152  
 Sacramento Basin: 34  
 Salinity barrier: 145  
 Salt: 174  
 San Andreas Fault: 87, 91  
 San Francisco Bay estuary: 28, 168  
 San Francisco map, 1:250,000: 24  
 San Jose area: 35, 65

San Jose map, 1:250,000: 25  
San Leandro: 79  
San Leandro Bay: 150  
San Leandro Hills: 33  
San Leandro quadrangle: 74, 115, 134  
San Quentin quadrangle: 113  
School buildings: 79g  
Sea stacks: 78d  
Sea-level changes: 27  
Sea-water intrusion: 138, 153  
Sediments: 34, 85, 94, 150  
Seismic risk: 86  
Seismic safety: 79i  
Seismic zonation: 69  
Shoreline features: 53  
Solid waste: 162  
Soils: 61  
Special Studies Zones maps: 74  
Storm damage: 119  
Subsidence: 151  
Sunol Valley: 137  
Surface displacement: 73  
Surface water: 144  
Surficial deposits: 110-115  
Tertiary: 33  
Tassajara quadrangle: 21, 74, 115  
Tesla Formation: 59  
Tesla quadrangle: 46  
Tilt measurements: 91  
Transmission lines: 50b  
Tsunamis: 129  
Urbanization: 28, 143, 164, 170  
Vallecitos: 55, 84, 90, 142  
Vehicle impact: 175  
Verona Fault: 23  
Waste disposal: 162  
Wastewater: 155  
Water quality: 142, 147  
Water quantity: 144  
Water table: 158  
Wells: 146, 149, 157