

U.S. DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

**Santa Cruz County, California
Selected Earth Science References**

by

Ellen R. White¹

Open-File Report 91-122

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey standards (or with the North American Stratigraphic Code). Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

¹Menlo Park, Calif. 94025

INTRODUCTION

This bibliography provides basic references to earth science reports, maps, and journal articles on Santa Cruz County, California. It is intended to help the layperson or the scientist starting a new project.

PLEASE NOTE: CALL NUMBERS GIVEN IN THIS BIBLIOGRAPHY ARE FOR THE U.S. GEOLOGICAL SURVEY LIBRARY IN MENLO PARK, CALIFORNIA. OTHER LIBRARIES MAY HAVE THE PUBLICATIONS LISTED BUT ARE LIKELY TO USE DIFFERENT CALL NUMBERS.

MY THANKS TO EARLE E. BRABB FOR MANY HELPFUL SUGGESTIONS.





TABLE OF CONTENTS

INTRODUCTION.....	1
GEOLOGY - REPORTS AND MAPS.....	3
GEOLOGIC MAPS - Scale 1:250,000.....	3
GEOLOGIC MAPS - Scale 1:125,000.....	4
GEOLOGIC MAPS - Scale 1:62,500.....	4
GEOLOGIC MAPS - Scale 1:48,000.....	4
GEOLOGIC MAPS - Scale 1:24,000.....	4
GEOLOGIC MAPS - Scale 1:12,000.....	5
BIBLIOGRAPHIES.....	6
CLIMATE.....	6
EARTHQUAKE PREPAREDNESS.....	6
EARTHQUAKES.....	6
ENVIRONMENT.....	8
FAULTS.....	8
FIELDTRIP GUIDES.....	9
FLOODS AND FLOOD CONTROL.....	9
GEOLOGIC HAZARDS.....	10
GEOPHYSICS.....	10
LANDSLIDES.....	10
LIQUEFACTION.....	12
MARINE TERRACES.....	12
MINERAL RESOURCES, MINES AND MINING, AND PETROLEUM.....	12
PALEONTOLOGY AND STRATIGRAPHY.....	12
PETROLOGY.....	14
SEDIMENTATION AND EROSION.....	14
SOILS.....	15
TECTONICS.....	15
WATER.....	15

GEOLOGY - Reports and Maps

- Allen, J.E., 1946, Geology of the San Juan Bautista quadrangle, California: California Division of Mines and Geology, Bulletin 133, p. 9-75, scale 1:62,500, 3 pls. [(276)/C4b]
- Bailey, E.H., ed., 1966, Geology of northern California: California Division of Mines and Geology, Bulletin 190, 508 p. [R/(276)/C4b/no.190/1968] [Chapter VI covers the Coast Ranges Province, and covers many subjects, including offshore areas. Has a geologic map of California at the scale of 1:2,500,000.]
- Brabb, E.E., 1960, Geology of the Big Basin area, Santa Cruz Mountains, California: Stanford, Calif., Stanford University, Ph.D. thesis, 184 p., scale 1:24,000, 4 sheets plus foldout map, table, and stratigraphic column.] [203(276)/B72gb]
- 1961, Geology of the Santa Cruz Mountains, in Thomas, J.H., Flora of the Santa Cruz Mountains, California: Stanford, Calif., Stanford University Press, p. 5-9. [923(276)/T36f]
- Branner, J.C., 1909, Santa Cruz folio: U.S. Geological Survey, Geologic Atlas of the United States, Folio 163, 12 p., scale 1:125,000, 3 sheets, columnar section 1 sheet, photos 1 sheet, fossils 1 sheet. [For more up-to-date information consult USGS Map I-1905: Brabb, E.E., Geologic map of Santa Cruz County.] [R/(200)/fH/no.163]
- [Brief geology of] Santa Cruz County, 1921, in Vander Leck, L., Petroleum resources of California: California State Mining Bureau [California Division of Mines and Geology] Bulletin 89, p. 66-68. [(276)/C4b/no.89]
- Clark, J.C., 1966, Tertiary stratigraphy of the Felton-Santa Cruz area, Santa Cruz Mountains: Stanford, Calif., Stanford University, Ph. D. thesis, 184 p., maps. [351(276)/C548t microfilm]
- 1981, Stratigraphy, paleontology and geology of the central Santa Cruz Mountains, California Coast Ranges: U.S. Geological Survey Professional Paper 1168, 51 p., scale 1:24,000, 2 pls. [(200)/qB/no.783]
- Clark, J.C., and Rietman, J.D., 1973 [1974], Oligocene stratigraphy, tectonics and paleogeography southwest of the San Andreas fault, Santa Cruz Mountains and Gabilan Range, California Coast Ranges: U.S. Geological Survey Professional Paper 783, 18 p., scale 1:125,000, 1 pl. [(200)/qB/no.783]
- Cummings, J.C., Touring, R.M., and Brabb, E.E., 1962, Geology of the northern Santa Cruz Mountains, California, in Bowen, O.E., Jr., ed., Geologic guide to the gas and oil fields of northern California: California Division of Mines and Geology Bulletin 181, p. 179-220, plates 20, 21, and 23. [R/(276)/C4b/no.181]
- Dupré, W.R., 1975, Quaternary history of the Watsonville lowlands, north-central Monterey Bay region, California: Stanford, Calif., Stanford University, Ph.D. thesis, 145 p., scale 1:62,500, 2 sheets. [352(276)/D929q] [The 2 map sheets were issued separately as: Dupré, W.R., 1975, Maps showing geology and liquefaction potential of Quaternary deposits in Santa Cruz County: U.S. Geological Survey Miscellaneous Field Studies Map MF 648.]
- Greene, H.G., 1977, Geology of the Monterey Bay region: U.S. Geological Survey Open-File Report 77-718, 347 p., 9 sheets. [(200)/R290/no.77-718/Calif. Center]

GEOLOGIC MAPS - SCALE 1:250,000

- Jennings, C.W., and Burnett, J.L., compilers, 1961, San Francisco sheet, Olaf P. Jenkins edition: California Division of Mines and Geology, Geologic Map of California, 4 p., scale 1:250,000, 1 sheet. [R/(276)/C4g]
- Jennings, C.W., and Strand, R.G., 1958, Santa Cruz sheet, Olaf P. Jenkins edition: California Division of Mines and Geology, Geologic Map of California, 4 p., scale 1:250,000, 1 sheet. [R/(276)/C4g]

Rogers, T.H., 1966, San Jose sheet, Olaf P. Jenkins edition: California Division of Mines and Geology, Geologic Map of California, 4 p., scale 1:250,000, 1 sheet. [R/(276)/C4g]

GEOLOGIC MAPS - SCALE 1:125,000

Branner, J.C., 1909, Santa Cruz folio: U.S. Geological Survey, Geologic Atlas of the United States, Folio 163, 12 p., scale 1:125,000, 3 sheets, columnar section 1 sheet, photos 1 sheet, fossils 1 sheet. [For more up-to-date information consult USGS Map I-1905: Brabb, E.E., Geologic map of Santa Cruz County.] [R/(200)/fH/no.163]

Clark, J.C., 1970, Preliminary geologic and gravity maps of the Santa Cruz - San Juan Bautista area, Santa Cruz, Santa Clara, Monterey, and San Benito Counties, California: U.S. Geological Survey Open-File Report 70-82, scale 1:125,000, 3 sheets. [M(276)2/Un3scs] [Superseded by Clark, J.C., 1973 [1974], Oligocene stratigraphy...: USGS Professional Paper 783; [(200)/qB/no.783].]

GEOLOGIC MAPS - SCALE 1:62,500

Allen, J.E., 1946, Geology of the San Juan Bautista quadrangle, California: California Division of Mines and Geology, Bulletin 133, p. 9-75, scale 1:62,500, 3 pls. [(276)/C4b]

Brabb, E.E., 1989, Geologic map of Santa Cruz County, California: U.S. Geological Survey Miscellaneous Investigations Series Map I-1905, scale 1:62,500. [Supersedes USGS OF 86-577.] [M(200)2/vUn3m]

-----1986, Preliminary geologic map of Santa Cruz County, California: U.S. Geological Survey Open-File Report 86-577, scale 1:62,500, 1 sheet. [Superceded by USGS Map I-1905., see above.] [(200)/R29o/no.86-577]

Dupré, W.R., 1975, Maps showing geology and liquefaction potential of Quaternary deposits in Santa Cruz County, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-648, scale 1:62,500, 2 sheets. [M(200)4/Un3mf]/no.648]

Dupré, W.R., and Tinsley, J.C., 1980, Maps showing geology and liquefaction potential of northern Monterey and southern Santa Cruz Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1199, scale 1:62,500, 2 sheets. [M(200)4/vUn3mf]

GEOLOGIC MAPS - SCALE 1:48,000

Cummings, J.C., Touring, R.M., and Brabb, E.E., [1960], Geologic map of the northern Santa Cruz Mountains, California: California Division of Mines and Geology, scale [1:48,000]. [Also in CDM&G Bulletin 181 as plate 20.] [M(276)2/C4sc]

GEOLOGIC MAPS - SCALE 1:24,000

Brabb, E.E., 1960, Geology of the Big Basin area, Santa Cruz Mountains, California: Stanford, Calif., Stanford University Ph.D. thesis, 191 p., 4 sheets; (geologic map is at scale of 1:24,000). [Quadrangles covered are Big Basin, Castle Rock Ridge, and Franklin Point.] [203(276)/B72gb]

Brabb, E.E., and Dibblee, T.W., Jr., 1979, Preliminary geologic map of the Castle Rock Ridge quadrangle, Santa Cruz and Santa Clara Counties, California: U.S. Geological Survey, Open-File Report 79-659, scale 1:24,000, 1 sheet. [(200)/R29o/no.79-659]

Clark, J.C., 1970, Geologic map of the southwestern Santa Cruz Mountains between Ano Nuevo Point and Davenport, California: U.S. Geological Survey Open-File Report 70-81, scale 1:24,000., 1 sheet. [M(276)2/Un3sc] [Superceded by USGS Professional Paper 1168, which also covers additional areas. See below.]

-----1981, Stratigraphy, paleontology and geology of the central Santa Cruz Mountains, California Coast Ranges: U.S. Geological Survey Professional Paper 1168, 51 p., scale 1:24,000, 2 pls. [(200)/qB/no.783]

- Clark, J.C., Brabb, E.E., and McLaughlin, R.J., 1989, Geologic map and structure sections of the Laurel 7 1/2 minute quadrangle, Santa Clara and Santa Cruz Counties, California: U.S. Geological Survey Open-File Report 89-676, 30 p., scale 1:24,000, 2 pls. [(200)/R29o/no.89-676] [See also: 1978 map on Laurel quad. by Dibblee.]
- Dibblee, T.W., Jr., 1973, Preliminary geologic map of the Mt. Madonna quadrangle, Santa Clara and Santa Cruz Counties, California: U.S. Geological Survey Open-File Report 73-59, scale 1:24,000. [M(276)2/Un3ghs/sh.4]
- Dibblee, T.W., Jr., and Brabb, E.E., 1978, Preliminary geologic maps of the Chittenden, Los Gatos, and Watsonville East quadrangles, California: U.S. Geological Survey Open-File Report 78-453, scale 1:24,000. [M(276)2/Un3lpa]
- 1980, Preliminary geologic map of the Loma Prieta quadrangle, Santa Cruz and Santa Clara Counties, California: U.S. Geological Survey Open-File Report 80-944, scale 1:24,000. [See also: McLaughlin, USGS Open-File Report 88-752.] [M(276)2/Un3lpa]
- Dibblee, T.W., Jr., Brabb, E.E., and Clark, J.C., 1978, Preliminary geologic map of the Laurel quadrangle, Santa Cruz and Santa Clara Counties, California: U.S. Geological Survey Open-File Report 78-84, scale 1:24,000. [R/M(276)/Un3lau] [See above: Clark, J.C., et al., 1989.]
- Hector, S.T., 1976, Environmental geology of the Castle Rock Ridge area, Santa Cruz and Santa Clara Counties, California: Davis, Calif., University of California at Davis, M.Sc. thesis, 98 p., scale 1:24,000. [(276)/C4ofr]
- McJunkin, R.D., 1984, Geology of the Big Basin Redwoods State Park, Santa Cruz County, California: California Division of Mines and Geology Open-File Report 84-6 SAC, 72 p., scale 1:24,000. [(276)/C4ofr]
- McLaughlin, R.J., Clark, J.C., and Brabb, E., 1988, Geologic map and structure sections of the Loma Prieta 7 1/2 min. quadrangle, Santa Clara and Santa Cruz Counties, California: U.S. Geological Survey Open-File Report 88-752, 31 p., scale 1:24,000, 2 sheets. [(200)/R29o/no.88-752]
- McLaughlin, R.J., Simoni, T.R., Osbun, E.D., and Bauer, P.G., 1971, [1972], Preliminary geologic map of the Loma Prieta-Mount Madonna area, Santa Clara and Santa Cruz Counties, California: U.S. Geological Survey Open-File Report 72-242, scale 1:24,000. [Combines thesis maps listed below under McLaughlin, Osbun and Simoni.] [M(276)2/Un3lp]

GEOLOGIC MAPS - SCALE 1:12,000

- Burchfiel, B.C., 1958, Geology of the Two Bar Creek area, Boulder Creek, California: Stanford, Calif., Stanford University, M.Sc. thesis, 57 p., scale 1:12,000. [203(276)/B893g]
- McLaughlin, R.J., 1973, Geology of the Sargent fault zone in the vicinity of Mount Madonna, Santa Clara and Santa Cruz Counties, California: San Jose, Calif., California State University, M.Sc. thesis, 131 p., scale 1:12,000, explanation and structure sections. [*203(276)/M368g]
- Osbun, E.D., 1975, Geology of the Sveadal area, southern Santa Cruz Mountains, California: San Jose, Calif., California State University at San Jose, M.Sc. thesis, 156 p., scale 1:12,000. [Menlo Park Library does not have a copy.]
- Simoni, T.R., Jr., 1974, Geology of the Loma Prieta area, Santa Clara and Santa Cruz Counties, California: San Jose, Calif., San Jose State University, M.Sc. thesis, 75 p., with map and structure sections, scale 1:12,000. [203(276)/Si57g]

BIBLIOGRAPHIES

Hecht, Barry, 1970, A geological bibliography of Santa Cruz County, California, 15 p. [xerox of a typed list]
[R/042.2(276)/H355g]

CLIMATE

----- 1971, Mean annual precipitation depth-duration-frequency data for the San Francisco Bay region, California: U.S. Geological Survey, San Francisco Bay region environment and resources planning study, Basic data contribution no. 32, 25 p., isohyetal map showing mean annual precipitation.
[(200)/qUn3sfbd/no.32]

Rantz, S.E., 1974, Mean annual runoff in the San Francisco Bay region, California, 1931-70: U.S. Geological Survey Miscellaneous Field Studies Map MF-613, 24 p., 2 pls. [M(200)4/vUn3mf/no.613]

For other precipitation and temperature information see: **National Oceanic and Atmospheric Administration: Climatological Data, California**, filed in the **California Center in the Menlo Park Library**.

EARTHQUAKE PREPAREDNESS

McCrary, P.A., Greene, H.G., and Lajoie, K.R., 1977, Map showing earthquake intensity zonation and distribution of Quaternary deposits, San Mateo, Santa Cruz and Monterey counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-903, scale 1:250,000.
[M(200)4/vUn3mf/no.903]

Patri, Tito, Streatfield, David, and Ingmire, T.J., 1970, The Santa Cruz Mountains regional pilot study, early warning system: Berkeley, Calif., University of California, College of Environmental Design, Department of Landscape Architecture, 297 p., maps, photos. [580(276)/vfp274s]

Santa Cruz County Planning Department, 1975, Seismic safety element, Santa Cruz County, California; an element of the Santa Cruz County General Plan, adopted by the Board of Supervisors August 26, 1975, Resolution no. 381-75: Santa Cruz County Planning Department, 132 p., 1 pl., and USGS Maps MF-626 and MF 648. [*203.3(276)/Sa59s]

EARTHQUAKES

Alpha, T.R., Lahr, J.C., and Page, R.A., 1989, Oblique map of the north half of the Loma Prieta, California, earthquake rupture zone and environs: U.S. Geological Survey Open-File Report 89-633, 1 sheet.
[(200)/R29o/no.89-633]

American Geophysical Union, 1989 Fall meeting, Late abstracts for Loma Prieta [earthquake] session: Eos (Transactions American Geophysical Union), v. 71, no. 8, p. 287-291. [S(200)/qN362a2]

Astaneh, Abolhassan, and others, 1989, Preliminary report on the seismological and engineering aspects of the October 17, 1989 Santa Cruz (Loma Prieta) earthquake: Berkeley, Calif., University of California, Earthquake Engineering Research Center, 51 p. [240(276)/C131r/1989/no.14]

Borcherdt, R.D., Gibbs, J.F., and Lajoie, K.R., 1975, Maps showing maximum earthquake intensity predicted in the southern San Francisco Bay region for large earthquakes on the San Andreas and Hayward faults: U.S. Geological Survey Miscellaneous Field Studies Map MF-709, 11 p., scale 1:125,000, 3 pls.
[M(200)4/vUn3mf/no.709]

Brabb, E.E., 1967, Chittenden, California, earthquake of September 14, 1963, *in* Short contributions to California geology: California Division of Mines and Geology, Special Report 91, p. 45-53.
[(276)/C4sp/no.91]

Coffman, J.L., von Hake, C.A., and Stover, C.W., 1982, Earthquake history of the United States: Boulder, Colo., National Oceanic and Atmospheric Administration, 1 v. [R/240(200)/Ea76/1982]

- Engineering and Science, 1990, Loma Prieta earthquake: causes and consequences: Engineering Science, v. 53, no. 2, winter issue. [Contains several articles on the L.P. earthquake.] [S(276)/qEn3]
- Greene, H.G., 1973, Faults and earthquakes in the Monterey Bay region, California: U.S. Geological Survey, Miscellaneous Field Studies Map MF-518, 14 p., scale 1:200,000, 4 sheets. [M(200)4/vUn3mf/no.518]
- Maley, R., and others, 1989, U.S. Geological Survey strong-motion records from the northern California (Loma Prieta) earthquake of October 17, 1989: U.S. Geological Survey Open-File Report 89-568, 85 p. [(200)/R29o/no.89-568]
- Nason, Robert, 1980, Damage in Santa Clara and Santa Cruz Counties, California, caused by the earthquake of 18 April 1906: U.S. Geological Survey Open-File Report 80-1076, 66 p. [(200)/R29o/no.80-1076]
- Plafker, George, and Galloway, J.P., 1989, Lessons learned from the Loma Prieta, California earthquake of October 17, 1989: U.S. Geological Survey Circular 1045, 48 p. [(200)/Ci/no.1045]
- Prose, Doug, 1990, Loma Prieta, California earthquake, a collection of video images: U.S. Geological Survey Open-File Report 90-12A, 4 p. [This lists subjects of video images.] [(200)/R29o]
- Ramseyer, C.C., 1989, Colorphotographs (35mm slides) showing examples of structural damage and surficial effects of the M7.1 October 17, 1989, Loma Prieta, California earthquake: U.S. Geological Survey Open-File Report 89-687, 5 p., 36 pls. [Text consists of captions for the plates.] [(200)/R29o]
- Schwing, F.B., Norton, J.G., and Pilskaln, C.H., 1990, Earthquake and bay: Response of Monterey Bay to the Loma Prieta earthquake: Eos (Transactions American Geophysical Union), v. 71, no. 6, p. 250-251 and p. 262. [S(200)/fN362a2]
- Seed, R.B., Dickenson, S.E., Riemer, M.F., Bray, J.D., Sitar, N., Mitchell, J.K., Idriss, I.M., Kayen, R.E., Kropp, A., Harder, L.F., Jr., and Power, M.S., 1990, Preliminary report on the principal geotechnical aspects of the October 17, 1989 Loma Prieta earthquake: Berkeley, Calif., Earthquake Engineering Research Center, University of California, Report UCB/EERC-90/05, 137 p. [Santa Cruz: p. 60-66; East Monterey Bay/Watsonville region: p. 66-73.] [240(276)/C131r/1990/no.5]
- Shearer, C.F., 1985, Minutes of the National Earthquake Prediction Evaluation Council, July 26-27, 1985, Menlo Park, California: U.S. Geological Survey Open-File Report 85-754, 445 p. [Some papers include Santa Cruz County] [(200)/R29o/no.85-754]
- Stover, C.W., Reagor, B.G., Baldwin, F.W., and Brewer, L.R., 1990, Preliminary isoseismal map for the Santa Cruz (Loma Prieta), California earthquake of October 18, 1989 UTC: U.S. Geological Survey Open-File Report 90-18, 25 p. [Has 13 p. of poor quality reproductions of photographs, rest of report clear and sharp.] [(200)/R29o/no.90-18]
- U.S. Geological Survey, 1989, Preliminary hypocentral locations from the Loma Prieta, California, earthquake of October 17, 1989: U.S. Geological Survey Open-File Report 89-638, 11 p. [(200)/R29o/no.89-638]
- U.S. Geological Survey staff, 1989, Preliminary map of fractures formed in the Summit Road-Skyland Ridge area during the Loma Prieta, California earthquake of October 17, 1989: U.S. Geological Survey Open-File Report 89-686, scale 1:12,000, 1 pl. [Basemaps used: Laurel and Los Gatos 7 1/2' quads.] [(200)/R29o/no.89-686]
- U.S. Geological Survey, Working Group on California Earthquake Probabilities, 1988, Probabilities of large earthquakes occurring in California on the San Andreas fault: U.S. Geological Survey Open-File Report 88-398, 62 p. [(200)/R29o/no.88-398]

Ward, P.L., 1990, The Loma Prieta earthquake of October 17, 1989: U.S. Geological Survey, 16 p. ["A brief geologic view of what caused the Loma Prieta earthquake and implications for future California earthquakes. What happened...what is expected...what can be done"] [240(276)/W3721/1990]

ENVIRONMENT

Inman, D.L., 1976, Summary report of man's impact on the California coastal zone: La Jolla, Calif., Scripps Institute of Oceanography, p. 107-125 [deals with Santa Cruz harbor] [521(276)/In6s]

FAULTS

Brown, R.D., Jr., 1970, Faults that are historically active or that show evidence of geologically young surface displacement, San Francisco Bay region: A progress report: October 1970: U.S. Geological Survey Miscellaneous Field Studies Map MF-331, scale 1:250,000, 2 sheets. [M(200)4/vUn3mf/no.331]

Farrington, R.L., 1974, Active fault and landslide hazards along the San Andreas fault zone, southeast Santa Cruz County, California: Santa Cruz, Calif., University of California, Ph.D. thesis. [Menlo Park Library does not have a copy.]

Graham, S.A., Stanley, R.G., Bent, J.V., and Carter, J.B., 1989, Oligocene and Miocene paleogeography of central California and displacement along the San Andreas fault: Geological Society of America Bulletin v. 101, no. 5, p. 711-730. [G(200)/G29]

Greene, H.G., 1973, Faults and earthquakes in the Monterey Bay region, California: U.S. Geological Survey, Miscellaneous Field Studies Map MF-518, 14 p., scale 1:200,000, 4 sheets. [M(200)4/vUn3mf/no.518]

Hall, N.T., Sarna-Wojcicki, A.M., and Dupré, W.R., 1974, Faults and their potential hazards in Santa Cruz County, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-626, scale 1:62,500, 3 sheets. [M(200)4/Un3mf/no.626]

Hart, E.W., 1988, Fault-rupture hazard zones in California: California Division of Mines and Geology, Special Publications 42, 24 p. [Alquist-Priolo Special Studies Zones Act of 1972 with index to Special Studies Zones maps. Santa Cruz County quads. shown: Ano Nuevo, Castle Rock Ridge, Chittenden, Franklin Point, Laure, Loma Prieta, Los Gatos, Mount Madonna, Watsonville East and Watsonville West.] [(276)/qC4spp/no.42/rev.1988] [Maps are filed in alphabetical order in California Center of Library.]

Hay, E.A., Cotton, W.R., and Hall, N.T., 1980, Shear couple tectonics and the Sargent-Berrocal fault system in northern California: California Division of Mines and Geology, Special Report 140, p. 41-49. [(276)/qC4sp/no.140]

McClellan, P.H., and Hay, E.A., 1989, Geologic evidence for triggered slip on the Calaveras fault during the magnitude 7.1 Loma Prieta earthquake of October 17, 1989: U.S. Geological Survey Open-File Report 89-641, 37 p. [(200)/R29o/no.89-641]

McLaughlin, R.J., 1973, Geology of the Sargent fault zone in the vicinity of Mount Madonna, Santa Clara and Santa Cruz Counties, California: San Jose, Calif., San Jose State University, Ph.D. thesis, 131 p., scale 1:12,000, 3 pls. [area in Mt. Madonna and Watsonville East quadrangles.] [*203(276)/M368g]

Ross, D.C., 1970, Quartz gabbro and anorthositic gabbro, markers of offset along the San Andreas fault in the California Coast Ranges: Geological Society of America Bulletin, v. 81, no. 12, p. 3647-3661. [G(200)/G29]

Sarna-Wojcicki, A.M., 1975, Map showing recently active breaks along the San Andreas fault between central Santa Cruz Mountains and the northern Gabilan Range, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-650, scale 1:24,000, 2 sheets. [M(200)4/Un3mf]

Stanley, R.G., and McCaffrey, Robert, 1983, Extent and offset history of the Ben Lomond fault, Santa Cruz County, California, in Andersen, D.W., and Rymer, M.J., eds., Tectonics and sedimentation along faults of the San Andreas system: Society of Economic Paleontologists and Mineralogists, Pacific Section Publication 30, p. 79-90.

Thatcher, W., and Lisowski, M., 1987, Long-term seismic potential of the San Andreas fault southeast of San Francisco, California: Journal of Geophysical Research, v. 92, no. B6, p. 4771-4784.
[S(200)/qT28b]

FIELDTRIP GUIDES

Brabb, E.E., Bowen, O.E., Jr., and Hart, E.W., 1962, Field trip 2: San Francisco to Monterey via California Highways 1, 5, 17 and connecting routes, in Bowen, O.E., Jr., ed., Geologic guide to the gas and oil fields of northern California: California Division of Mines and Geology Bulletin 181, p. 381-385. [Pt. 1 by Brabb, E.E.: Santa Cruz Mountains from San Francisco to Sea Cliff State Park. Pt. 2 by Bowen, O.E., Jr., and Hart, E.W., Sea Cliff Beach to Point Lobos via State Highway 1, p. 381-390.]
[R/(276)/C4b/no.181]

Brabb, E.E., Maddock, M.E., and Wallace, R.E., 1966, Fieldtrip San Andreas fault from San Francisco to Hollister, in Bailey, E.H., ed., Geology of northern California: California Division of Mines and Geology Bulletin 190, p. 453-464. [R/(276)/C4b/no.190/1968]

Bradley, W.C., 1965, Marine terraces on Ben Lomond Mountain, California, in International Association for Quaternary Research, 7th Congress, Guidebook for Field Conference I, p. 148-150. [201/In45gf/Pt.I]

U.S. Geological Survey, Office of Marine Geology, 1968, Fieldtrip in Santa Cruz Mountains: U.S. Geological Survey, 9 p. [Road log by E.E. Brabb. Has 3 area maps and stratigraphic sections.] [203(276)/Un3u]

FLOODS and FLOOD CONTROL

Blodgett, J.C., and Poeschel, K.R., 1984, Peak flow, volume and frequency of the January 1982 flood, Santa Cruz Mountains and vicinity, California: U.S. Geological Survey Open-File Report 84-583, 37 p.
[(200)/R29o/no.84-583]

Ellen, S.D., and Wieczorek, G.F., eds., 1988, Landslides, floods, and marine effects of the storm of January 3-5, 1982, in the San Francisco Bay region, California: U.S. Geological Survey Professional Paper 1434, 310 p., pls. and maps. [Many articles on Santa Cruz County.] [(200)/qB/no.1434]

Griggs, G.B., 1982, Flooding and slope failure during the January 1982 storm, Santa Cruz County, California: California Geology, v. 35, no. 7, p. 158-163. [(276)/C4mis]

Griggs, G.B., and Johnson, R.E., 1983, Impact of 1983 storms on the coastline, Santa Cruz County, California: California Geology, v. 36, no. 8, p. 163-174. [(276)/C4mis]

Nolan, K.M., Marron, d.C., and Collins, L.M., 1984, Stream-channel response to the January 3-5, 1982 storm in the Santa Cruz Mountains, west-central California: U.S. Geological Survey Open-File Report 84-248, 48 p.

Ritter, J.R., and Dupré, W.R., 1972, Maps showing areas of potential inundation by tsunamis in the San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-480, scale 1:125,000, 2 sheets. [M(200)4/vUn3mf/no.480]

U.S. Army, Corps of Engineers, San Francisco District, 1973, Flood plain information, Aptos Trout and Valencia Creeks, City of Aptos, Santa Cruz County, California: U.S. Army, Corps of Engineers, 17 p., 8 pls. [552(276)/Un355fpi/Aptos...]

-----1976, Flood plain information Corralitos Creek, Santa Cruz County, California: U.S. Army, Corps of Engineers, 17 p., 17 pls. [552(276)/Un355fpi/Corralitos...]

U.S. Army, Corps of Engineers, 1973, Flood plain information , San Lorenzo River, Boulder Creek - Felton, Santa Cruz County, California: U.S. Army, Corps of Engineers, 23 p., 18 pls., 1 folder. [552(276)/Un355fpi/San Lorenzo River]

-----1973, Flood plain information, Soquel Creek, Santa Cruz County, California: U.S. Army, Corps of Engineers, 20 p., 10 pls., 1 folder. [552(276)/Un355fpi/Soquel Creek]

GEOLOGIC HAZARDS

Weber, G.E., Lajoie, K.R., and Griggs, G.B., 1979, Coastal tectonics and coastal geologic hazards in Santa Cruz and San Mateo Counties, California: field trip guide: Geological Society of America, Cordilleran Section, 75th annual meeting 1979, Guidebook no. 8, 187 p., 3 pls. [G(200)/qG3cam/1979/no.8]

GEOPHYSICS

Brabb, E.E., and Hanna, W.F., 1981, Map showing aeromagnetic anomalies, faults, earthquake epicenters, and igneous rocks in the southern San Francisco Bay region. California: U.S. Geological Survey Geophysical Investigations Map GP-932, 6 p., scale 1:125,000, 3 sheets. [M(200)295/vUn3gi/no.932]

Chin, J.L., and Wolf, S.C., 1988, Reconnaissance high-resolution geophysical survey of the Monterey Bay, California, inner shelf: implications for sand resources: U.S. Geological Survey Open-File Report 88-410, 22 p., pls. [(200)/R29o/no.88-410]

Chuchel, B.A., and Jachens, R.C., 1990, Preliminary isostatic residual gravity map of the San Jose 1:100,000 scale quadrangle, California: U.S. Geological Survey Open-File Report 90-55, 1 sheet. [(200)/R29o/no.90-55]

Clark, J.C., 1970, Preliminary geologic and gravity maps of the Santa Cruz - San Juan Bautista area, Santa Cruz, Santa Clara, Monterey, and San Benito Counties, California: U.S. Geological Survey Open-File Report 70-82, scale 1:125,000, 3 sheets. [M(276)2/Un3scs] [Superceded by Clark, J.C., 1973 [1974], Oligocene stratigraphy...: USGS Professional Paper 783.]

Oliver, H.W., 1980, Gravity map of California and its continental margins: California Division of Mines and Geology, Geologic data map series no. 3, scale 1:750,000. [See CDM&G Bulletin 205 for interpretation] [M(276)2/C4gdm/no.3]

Oliver, H.W., ed., 1980, Interpretation of the gravity map of California and its continental margins: California Division of Mines and Geology, Bulletin 205, 52 p. [(276)/C4b/no.205/Calif. Center]

Omarzai, S.K., and Coe, Robert, 1990, Magnetic polarity stratigraphy of the Miocene Monterey Formation of California at Año Nuevo, outer Santa Cruz Basin [abs.]: Eos (American Geophysical Union Transactions), v. 71, no. 43, p. 1285. [S(200)/qN362a2.

Robbins, S.L., and Oliver, H.W., 1974, Preliminary Bouguer gravity map of the San Jose 1° x 2° quadrangle, California: U.S. Geological Survey Open-File Report 74-184, scale 1:250,000, 1 sheet. [See Gravity map of California... by Oliver for recent data.] [M(276)297/Un3sj]

Robbins, S.L., Roberts, C.W., and Chapman, R.H., 1978, Bouguer gravity map of the southern San Francisco Bay region, California: U.S. Geological Survey Open-File Report 78-733, 11 p., scale 1:125,000, 1 pl. [(200)/R29o]

Russell, B.J., Meltzer, A.S., and Kieckhefer, R.M., 1985, Refraction survey in Santa Cruz basin and on Patton Ridge, California borderlands [abs.]: Eos (Transactions, American Geophysical Union, v. 66, no. 46, p. 973.

LANDSLIDES

Cannon, S.H., and Ellen, Stephen, 1985, Rainfall conditions for abundant debris avalanches, San Francisco Bay region, California: California Geology, v. 38, no. 12, p. 267-272. [R/(276)/C4mis]

- Cannon, S.H., and Ellen, Stephen, 1983, Rainfall that triggered abundant debris avalanches in the San Francisco Bay region, California during the storm of January 3-5, 1982: U.S. Geological Survey Open-File Report 83-10, 9 p. [(200)/R29o]
- Cooper, Clark and Associates, 1975, Preliminary map of landslide deposits in Santa Cruz County, California: Santa Cruz County Planning Department, Seismic safety element, Santa Cruz County, Calif., scale 1:62,500, 1 sheet. [*203.3(276)/Sa59s]
- Cotton, W.R., and Cochrane, D.A., 1982, Love Creek landslide disaster, January 5, 1982: California Geology, v. 35, no. 7, p. 153-157. [(276)/C4mis]
- Cotton, W.R., and Shires, P.O., 1989, Love Creek landslide failure, Santa Cruz County, California, in Brown, W.M., III, ed., Landslides in central California: Washington, D.C., American Geophysical Union, Field Trip Guidebook T381, p. 29-36. [International Geological Congress, 28th, Washington, D.C., 1989] [201/In393f/1989/no.T381]
- Ellen, S.D., and Wieczorek, G.F., eds., 1988, Landslides, floods, and marine effects of the storm of January 3-5, 1982, in the San Francisco Bay region, California: U.S. Geological Survey Professional Paper 1434, 310 p., pls. and maps. [Many articles on Santa Cruz County.] [(200)/qB/no.1434]
- Farrington, R.L., 1974, Active fault and landslide hazards along the San Andreas fault zone, southeast Santa Cruz County, California: Santa Cruz, Calif., University of California, Ph.D. thesis. [The Menlo Park Library does not have a copy.]
- Griggs, G.B., 1982, Flooding and slopefailure during the January 1982 storm, Santa Cruz County, California: California Geology, v. 35, no. 7, p. 158-163. [(276)/C4mis]
- Hector, S.T., 1989, Beatty landslide, Santa Cruz County, California: California Geology, v. 42, no. 2, p. 37-39. [(276)/C4mis]
- Keefer, D.K., Wilson, R.C., Mark, R.K., Brabb, E.E., Brown, W.M., III, Ellen, S., Harp, E.L., Wieczorek, G.F., Alger, C.S., and Zarkin, R.S., 1987, Real-time landslide warning during heavy rainfall, San Francisco Bay region, California, 12-21 February, 1986: Science, v. 238, no. 4829, p. 921-925. [S(200)/Sci22]
- McAneny, C.C., 1990, Landslide potential in earthquake-fractured ground, Santa Cruz County, California [abs.], in Engineering geology for the 90's, Annual meeting, 33rd, Association of Engineering Geologists, 1990, Pittsburgh, Penn., [Program and Abstracts], p. 108. [201(200)/As78pr/1990]
- Nielsen, H.P., 1984, Geology, rainfall, and groundwater associated with several debris flows in Santa Cruz County, California: Santa Cruz, Calif., University of California, M.Sc. thesis, 104 p. [Menlo Park library does not have a copy.]
- Nolan, K.M., and Marron, D.C., 1988, Hillslope control on channel response to major storms in two mountainous areas of California [abs.]: Eos (Transactions American Geophysical Union), Program with Abstracts, v. 69, no. 44, p. 1225. [S(200)/qN362a2]
- Reid, M.E., Nielsen, H.P., and Dreiss, S.J., 1988, Hydrologic factors triggering a shallow hillslope failure: Bulletin of the Association of Engineering Geologists, v. 25, no. 3, p. 349-361. [Site is near Santa Cruz] [G(200)/En335]
- Taylor, Fred, and Brabb, E.E., 1986, Map showing landslides in California that have caused fatalities or at least \$1,000,000 in damages from 1906 to 1984: U.S. Geological Survey Miscellaneous Field Studies Map MF-1867, scale 1:1,000,000, 1 sheet. [M(200)4/vUn3mf/no.1867]

Taylor, Fred, and Brabb, E.E., 1986, Map showing the status of landslide inventory and susceptibility mapping in California: U.S. Geological Survey Open-File Report 86-100, 39 p., scale 1:1,000,000, 1 pl. [(200)/R29o/no.86-100]

Youd, T.L., and Hoose, S.N., 1978, Historic groundfailures in northern California triggered by earthquakes: U.S. Geological Survey Professional Paper 993, scale 1:250,000, 177 p., 5 pls. [(200)/qB/no.993]

LIQUEFACTION

Dupré, W.R., 1975, Maps showing geology and liquefaction potential of Quaternary deposits in Santa Cruz County, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-648, scale 1:62,500, 2 sheets. [M(200)4/Un3mf]/no.648]

Dupré, W.R., and Tinsley, J.C., 1980, Maps showing geology and liquefaction potential of northern Monterey and southern Santa Cruz Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1199, scale 1:62,500, 2 sheets. [M(200)4/vUn3mf]

MARINE TERRACES

Bradley, W.C., 1956, Carbon-14 date for a marine terrace at Santa Cruz, California: Geological Society of America Bulletin, v. 67, no. 5, p. 675-677. [G(200)/G29]

-----1956, Marine terraces and sedimentation in the Santa Cruz area, California: Stanford, Calif., Stanford University, Ph.D. thesis, 125 p. [University Microfilms, Ann Arbor, Mich. no. 56-1953, publication no. 16,838.] [Menlo Park Library does not have a copy.]

----- 1957, Origin of marine-terrace deposits in the Santa Cruz area, California: Geological Society of America Bulletin, v. 68, no. 4, p. 421-444; 2 plates between pages 432 and 433. [G(200)/G29]

-----1965, Marine terraces on Ben Lomond Mountain, California, *in* International Association for Quaternary Research, 7th Congress, Guidebook for Field Conference I, p. 148-150. [201/ln45gf/Pt.I]

Bradley, W.C., and Addicott, W.O., 1968, Age of first marine terrace near Santa Cruz. California: Geological Society of America Bulletin, v. 79, no. 9, p. 1203-1209. [G(200)/G29]

MINERAL RESOURCES, MINES and MINING, and PETROLEUM

Gribi, E.A., Jr., 1957, Santa Cruz basin holds important promise: Oil and Gas Journal, v. 55, no. 13, p. 113-116. [S(200)/qOi5]

Hubbard, H.G., 1943, Mines and mineral resources of Santa Cruz County: California Division of Mines, California Journal of Mines and Geology [Quarterly chapter of State Mineralogists's Report xxxix], v. 39, no. 1, p. 11-52, map of principal mineral commodities. [(276)/C4/v.39,no.1]

Page, B.M., Williams, M.D., Henrickson, E.L., Holmes, C.N., and Mapel, W.J., 1945, Geology of the bituminous sandstone deposits near Santa Cruz, Santa Cruz County, California: U.S. Geological Survey Oil and Gas Investigations Map OM-27, scale 1:3,600, 1 sheet. M(200)/vOM/no.27]

For more information on Santa Cruz County mineral resources and mines and mining consult the publications of the state of California Division of Mines and Geology, and the Menlo Park library's computer and card catalogs.

PALEONTOLOGY AND STRATIGRAPHY

Addicott, W.O., Barron, J.A., and Miller, J.W., 1978, Marine late Neogene sequence near Santa Cruz, California: U.S. Geological Survey Open-File Report 78-446, p. 97-109. [(200)/R29o/no.78-446]

Brabb, E.E., 1964, Subdivision of San Lorenzo Formation (Eocene-Oligocene) west-central California: American Association of Petroleum Geologists Bulletin, v. 48, no. 5, May 1964, p. 670-679. [G(200)/Am3]

- Brabb, E.E., ed., 1983, Studies in Tertiary stratigraphy of the California Coast Ranges: U.S. Geological Survey Professional Paper 1213, 93 p., 17 pls. [(200)/qB/no.1213]
- Brabb, E.E., Clark, J.C., and Throckmorton, C.K., 1977, Measured sections of Paleogene rocks from the California Coast Ranges: U.S. Geological Survey Open-File Report 77-714, 114 p., scale 1:62,500, 3 pls. [(200)/R29o/no.77-714]
- Burchfield, B.C., 1964, Stratigraphic reassignment of four species in the lower Miocene rocks of the Bear Creek area, Santa Cruz County, California: *Journal of Paleontology*, v. 38, no. 2, p. 401-405. [G(200)/J83p]
- Bukry, David, Brabb, E.E., and Vedder, J.G., 1977, Correlation of Tertiary nannoplankton assemblages from the Coast and Peninsular Ranges of California, in *Congreso Latinoamericano de Geología, Segundo, Memoria: Venezuela Boletín de Geología, Publicación Especial no. 7*, vol. 3, p. 1461-1483. [(470)/Bgp/no.7/t.3]
- Clark, J.C., 1981, Stratigraphy, paleontology and geology of the central Santa Cruz Mountains, California Coast Ranges: U.S. Geological Survey Professional Paper 1168, 51 p., scale 1:24,000, 2 pls. [(200)/qB/no.783]
- Clark, J.C., and Brabb, E.E., 1978, Stratigraphic contrasts across the San Gregorio fault, Santa Cruz Mountains, west-central California, in Silver, E.A., and Normark, W.Ed., eds., *San Gregorio-Hosgri fault zone, California*: California Division of Mines and Geology, Special Report 137, p. 3-12. [(276)/C4sp/no.137]
- Clark, J.C., Brabb, E.E., and Addicott, W.O., 1979, Tertiary paleontology and stratigraphy of the central Santa Cruz Mountains, California Coast Ranges: Geological Society of America, Cordilleran Section, *Guidebook for field trip excursions*, 23 p. [G(200)/qG3cam/1979/[no.6]]
- Clark, J.C., Brabb, E.E., Greene, H.G., and Ross, D.C., 1984, Geology of Point Reyes Peninsula and implications for San Gregorio fault history, in Crouch, J.K., and Bachman, S.B., eds., *Tectonics and sedimentation along the California margin*: Society of Economic Paleontologists and Mineralogists, Pacific Section, Book 38, p. 67-86. [Compares Point Reyes with geology of Santa Cruz County.] [G(200)/qSo15pf/bk.38]
- Clark, J.C., and Rietman, J.D., 1973 [1974], Oligocene stratigraphy, tectonics and paleogeography southwest of the San Andreas fault, Santa Cruz Mountains and Gabilan Range, California Coast Ranges: U.S. Geological Survey Professional Paper 783, 18 p., scale 1:125,000, 1 pl. [(200)/qB/no.783]
- Dumont, M.P., Baldauf, J.G., and Barron, J.A., 1986, *Thalassiosira praeoestrupii*; a new diatom species for recognizing the Miocene/Pliocene epoch boundary in coastal California: *Micropaleontology*, v. 32, no. 4, p. 372-377. [602/M57]
- Elder, W.P., 1990, Paleoecology and biogeography of Late Cretaceous molluscan assemblages near Loma Prieta, California [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 74, no. 5, p. 648-649. [G(200)/Am3]
- Elder, W.P., and Miller, J.W., 1989, Checklist of Mesozoic macrofossil localities in the Santa Cruz Mountains and vicinity: U.S. Geological Survey Open-File Report 89-543, 9 p., scale 1:125,000, 2 sheets. [(200)/R29o/no.89-543]
- Fairchild, W.W., 1957, Foraminifera from the Butano, San Lorenzo, and Vaqueros Formations, southern Santa Cruz Mountains, California: Berkeley, University of California, M.S. thesis. [Menlo Park Library does not have it.]

- Kheradyar, Tara, 1988, Calcareous nannofossil biostratigraphy of the Butano Sandstone, Santa Cruz Mountains, California, in Filewicz, M.V., and Squires, R.L., eds., Paleogene stratigraphy, west coast of North America: Field Trip Guidebook, Society of Economic Paleontologists and Mineralogists, Pacific Section, Book 58, p. 151-166. [G(200)/qSo15pf/bk.58]
- McDougall, Kristin, 1989, Paleogene benthic foraminifers from the Loma Prieta quadrangle, California: U.S. Geological Survey Open-File Report 89-649, 118 p. [(200)/R29o]
- Perry, F.A., 1977, Fossils of Santa Cruz County: Santa Cruz, Calif., Santa Cruz City Museum, 32 p. [603(276)/P432f]
- Poore, R.Z., and Brabb, E.E., 1977, Eocene and Oligocene planktonic foraminifera from the upper Butano Sandstone and type San Lorenzo Formation, Santa Cruz Mountains, California: Journal of Foraminiferal Research, v. 7, no. 4, p. 249-272. [617/J826]

PETROLOGY

- Beveridge, A.J., 1959, Heavy minerals in lower Tertiary formations in the Santa Cruz Mountains, California: Stanford, Calif., Stanford University Ph.D. thesis. [Menlo Park Library does not have it.]
- Garrison, R.E., and Ramirez, P.C., 1989, Conglomerates and breccias in the Monterey Formation and related units reflections of basin margin history, in Colburn, I.P., Abbott, P.L., and Minch, John, eds., Conglomerates in basin analysis: A symposium dedicated to A.O. Woodford: Society of Economic Paleontologists and Mineralogists, Pacific Section, Book 62, p. 189-206. [Santa Cruz basin is included.] [G(200)/qSo15pf/bk.62]
- Leo, G.W., 1961, The plutonic and metamorphic rocks of Ben Lomond Mountain, Santa Cruz County, California: Stanford, Calif., Stanford University, Ph.D. thesis, 194 p. [The Menlo Park Library does not have a copy.]
- 1967, The plutonic and metamorphic rocks of the Ben Lomond Mountain area, Santa Cruz County, California: California Division of Mines and Geology, Special Report 91, p. 27-43. [(276)/C4sp/no.91]
- Ross, D.C., and Brabb, E.E., 1973, Petrography and structural relations of granitic basement rocks in the Monterey Bay area, California: U.S. Geological Survey, Journal of Research, v. 1, no. 3, p. 273-282. [(200)/J827]

SEDIMENTATION AND EROSION

- Brown, W.M., III, 1973, Erosion processes, fluvial sediment transport and reservoir sedimentation in a part of the Newell and Zayante Creek basins, Santa Cruz County, California: U.S. Geological Survey Open-File Report 73-35, 31 p.
- Fogelman, R.P., and Johnson, K.L., 1985, Capacity and sedimentation of Loch Lomond Reservoir, Santa Cruz County, California: U.S. Geological Survey Open-File Report 85-485, 24 p.
- Hector, S.T., 1982, Sandstone caves at Castle Rock State Park, Santa Cruz County: California Geology, v. 35, no. 2, p. 28-31. [(276)/C4mis]
- Nilsen, T.H., and Brabb, E.E., 1979, Geology of the Santa Cruz Mountains: Geological Society of America, Cordilleran Section, Guidebook for field trip excursions, 97 p. [G(200)/qG3cam/1979/[no.7]]
- Phillips, R.L., 1983, Late Miocene tidal shelf sedimentation, Santa Cruz Mountains, California, in La Rue, D.K., and Steel, R.J., eds., Society of Economic Paleontologists and Mineralogists, Pacific Section, Proceedings, p. 45-61. [The Menlo Park Library does not have a copy.]

SOILS

- Bowman, R.H., and others, 1980, Soil survey of Santa Cruz County, California: U.S. Department of Agriculture, Soil Conservation Service in cooperation with University of California, Agricultural Experiment Station, 148 p., scale 1:24,000, 10 pls. [941(276)/Un34san/1980/Calif.Center]
- Fine, P., Singer, M.J., La Ven, R., Verosub, K., and Southard, R.J., 1989, Role of pedogenesis in distribution of magnetic susceptibility in two California chronosequences: *Geoderma*, v. 44, no. 4, p. 287-306. [Soils from wave-cut marine terraces in central (Santa Cruz) and northern (Mendocino) coastal regions were analyzed.] [941/G29]
- Laven, R.D., Verosub, K.L., Fine, Pinchas, and Singer, M.J., 1987, Time-dependent secondary enhancement of magnetic parameters in soils [abs.]: Geological Society of America, Abstracts with Programs, v. 19, no. 7, p. 741. [Soils from coastal marine terraces in Mendocino and Santa Cruz Counties were studied.] [R/G(200)/G3a]
- Storie, R.E., and others, 1944, Soil survey of the Santa Cruz area, California: U.S. Department of Agriculture, [series 1935, no.25], 90 p., scale 1:62,500, 1 pl. [941(276)/Un34san/Calif.Center]

TECTONICS

- Aydin, A., and Page, B.M., 1984, Diverse Pliocene-Quaternary tectonics in a transform environment, San Francisco Bay region, California: Geological Society of America Bulletin, v. 95, no. 11, p. 1303-1317. [G(200)/G29]

WATER

- Akers, J.P., 1969, Ground water in the Scotts Valley area, Santa Cruz County, California: U.S. Geological Survey Open-File Report 69-1, 12 p., 1 pl. [(200)/Ak37g]
- Akers, J.P., and Hickey, J.J., 1967, Geohydrologic reconnaissance of the Soquel-Aptos area, Santa Cruz County, California: U.S. Geological Survey Open-File Report 67-3, 58 p., scale 1:48,000, 1 pl. [(200)/Ak37ge]
- Akers, J.P., and Jackson, L.E., Jr., 1977, Geology and ground water in western Santa Cruz County with particular emphasis on the Santa Margarita Sandstone: U.S. Geological Survey Water Resources Investigations Report WRi 77-15, scale 1:62,500, 1 sheet. [(200)/WRi77-15]
- Bader, J.S., 1969, Groundwater data as of 1967, central coastal subregion, California: U.S. Geological Survey Open-File Report, 16 p. [(200)/B141gc]
- Blankenbaker, G.G., and Farrar, C.D., 1981, Evaluation of ground-water monitoring network, Santa Cruz County, California: U.S. Geological Survey Open-File Report 81-139, 20 p., scale 1:48,000, 2 pls. [(200)/R29o/no.81-139]
- Blodgett, J.C., 1972, Water temperatures of California streams, central coastal subregion: U.S. Geological Survey Open-File Report 72-38, 60 p. [(200)/B622wcc]
- Bloyd, R.M., 1981, Approximate ground-water-level contours, April 1981 for the Soquel-Aptos area, Santa Cruz County, California: U.S. Geological Survey Open-File Report 81-680, 3 p., 1 pl. [(200)/R29o/no.81-680]
- Bond, L.D., and Bredehoeft, J.D., 1987, Origins of seawater intrusion in a coastal aquifer - a case study of the Pajaro Valley, California: *Journal of Hydrology*, v. 92, no. 3/4, p. 363-388. [780/J826]
- California, Department of Water Resources, 1975, Sea-water intrusion in California: inventory of coastal ground water basins: California, Department of Water Resources Bulletin no. 63-5, 394 p.
- California State Water Resources Board, 1953, Santa Cruz - Monterey Counties investigation: California Water Commission Bulletin 5, variously paged, foldout maps, some in color. [P(276)/W24b/no.5]

- Essaid, H.I., 1987, Fresh water - salt water flow dynamics in coastal aquifer systems; development and application of a multi-layered sharp interface model: Stanford, Calif., Stanford University, Ph.D. thesis, 293 p. [The model was applied to the Soquel - Aptos area.] [Library has thesis, check for call number.]
- 1990, A multilayered sharp interface model of coupled freshwater and saltwater flow in coastal systems: model development and application: Water Resources Research, v. 26, no. 17, p. 1431-1454. [This paper contains the same information as the Ph.D. thesis listed above.] [S(200)/W352]
- Goss, Joseph, 1973, Availability of data on surface-water quantity and quality for the San Francisco Bay region, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-526, 17 p., scale 1:250,000, 1 sheet. [M(200)4/vUn3mf/no.526]
- Johnson, M.J., 1980, Geology and groundwater in north-central Santa Cruz County, California: U.S. Geological Survey, Water Resources Investigations WRI 80-26, 33 p. [(200)/WRI/no.80-26]
- Johnson, M.J., Londquist, C.J., Laudon, Julie, and Mitten, H.T., 1988, Geohydrology and mathematical simulation of the Pajaro Valley aquifer system, Santa Cruz and Monterey Counties, California: U.S. Geological Survey Water Resources Investigations Report WRI 87-4281, 62 p. [(200)/WRI/no.87-4281]
- Muir, K.S., 1972, [1973], Geology and groundwater of the Pajaro Valley area, Santa Cruz and Monterey Counties, California: U.S. Geological Survey Open-File Report 73-199, 36 p., scale 1:24,000, 3 pls. [(200)/M896gp]
- 1974, Seawater intrusion, ground-water pumpage, ground-water yield, and artificial recharge of the Pajaro Valley area, Santa Cruz County, California: U.S. Geological Survey Water Resources Investigations Report WRI 9-74, 31 p. [(200)/WRI9-74]
- 1977, Initial assessment of the groundwater resources in the Monterey Bay region, California: U.S. Geological Survey Water Resources Investigations Report WRI 77-46, 33 p. [(200)/WRI/77-46]
- 1980, Seawater intrusion and potential yield of aquifers in the Soquel-Aptos area, Santa Cruz County, California: U.S. Geological Survey, Water Resources Investigation WRI 80-84, 29 p. [(200)/Wri/no.80-84]
- 1981, Assessment of the Santa Margarita Sandstone as a source of drinking water for the Scotts Valley area, Santa Cruz County, California: U.S. Geological Survey, Water Resources Investigations WRI 81-6, 22 p. [(200)/WRI/no.81-6]
- Muir, K.S., and Johnson, M.J., 1979, Classification of ground-water recharge potential in three parts of Santa Cruz County, California: U.S. Geological Survey Open-File Report 79-1065, scale 1:125,000, 1 sheet. [(200)/R29o/no.79-1065]
- U.S. Geological Survey, 1988, Seawater intrusion in a coastal aquifer: A case study of Pajaro Valley, California: U.S. Geological Survey Yearbook, Fiscal Year 1986, p. 44-45. [(200)/qA/1986]
- 1989, Water resources data, California, water year 1988: U.S. Geological Survey Water-Data Report CA-88-5, 5 vols. [R/(200)/Ga3/CA/88-5; filed in California Center] [These volumes contain ground-water data, discharge records for streams, stage and contents of lakes and reservoirs, and water quality data. Volumes for earlier years are available.]