

DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

USGS Branch of Petroleum Geology Bibliography

1990

Helen Colburn

Compiler

Open-File Report 91-365

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards (or with the North American Stratigraphic Code). Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

<sup>1</sup>Denver, Colorado

1991

BRANCH OF PETROLEUM GEOLOGY

BIBLIOGRAPHY 1990

- (A) Anders, D.E., 1990, Thermal maturation in the Uinta basin, Utah, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 2-3.
- (A) Ball, M.M., 1990, Reworked eolianites--Bahaman highstand anomalies [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 604.
- (A) Ball, M.M., 1990, The Bahamian megabank hypothesis: Geological Society of America Abstracts with Program, v. 22, no. 7, p. A233.
- (P) Ball, M.M., 1990, Comment on "Scalloped bank margins--Beginning of the end for carbonate platforms": Geology, v. 18, p. 95-96.
- (A) Ball, M.M., Martin, R.G., and Foote, R.Q., 1990, Reassessment of tectonic history of the eastern Gulf of Mexico, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 3-4.
- (P) Barker, C.E., 1990, Reconnaissance fluid inclusion study, Amoco Eischeid #1 well, Defiance basin Midcontinent Rift System, Iowa: Iowa State Geological Survey Special Report Series, no. 2, p. 169-174.
- (A) Barker, C.E., 1990, Evidence for a geologically rapid increase and stabilization of vitrinite reflectance in response to a short-term temperature increase, Cerro Prieto geothermal system, Mexico, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 4-5.
- (O) Barker, C.E., and Coury, A.B., 1990, Abstracts of the U.S. Geological Survey, Central Region, 1990 Poster Review: U.S. Geological Survey Open-File Report 90-656, 35 p.
- (A) Barker, C.E., and Crysdale, B.L., 1990, Stabilization of kerogen thermal maturation--Evidence from geothermometry and burial history reconstruction, Niobrara Limestone, Berthoud oil field, western Denver basin, Colorado, Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 5-6. [Also, American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 605.]

---

(P) Published Paper; (O) Open-File Report; (A) Abstract; (M) Map; (V) Video

- (P) Barker, C.E., and Goldstein, R.H., 1990, Fluid-inclusion technique for determining maximum temperature in calcite and its comparison to the vitrinite reflectance geothermometer: *Geology*, v. 18, p. 1003-1006.
- (A) Barker, C.E., and Goldstein, R.H., 1990, A fluid inclusion technique for determining peak temperature and its application to establish a refined calibration for the vitrinite reflectance geothermometer, in Carter, L.M.H., ed., *USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060*, p. 6.
- (A) Barker, C.E., Hatch, J.R., Goldstein, R.H., and Walton, A.W., 1990, Thermal maturity, organic geochemistry, and burial history of Pennsylvanian rocks, Cherokee basin, southeastern Kansas [abs.]: Oklahoma Geological Survey Source Rock Symposium, Norman, Okla., p. 23. [Also, *American Association of Petroleum Geologists Bulletin*, v. 74, no. 8, p. 1315.]
- (O) Barker, C.E., Johnson, R.C., Poole, F.G., Daws, T.A., and Threlkeld, C.N., 1990, Rock Eval data for petroleum potential evaluation based on well cuttings and core samples for eastern Nevada collected during 1990: *U.S. Geological Survey Open-File Report 90-698*, 15 p.
- (P) Barker, C.E. and Kopp, O.C., 1990, Update on the luminescence microscopy bibliography and new techniques: *Society of Luminescence Microscopy and Spectroscopy Newsletter*, v. 2, no. 1, 6 p.
- (P) Barker, C.E. and Kopp, O.C., 1990, Update on the luminescence microscopy bibliography and new techniques: *Society of Luminescence Microscopy and Spectroscopy Newsletter*, v. 2, no. 2, 6 p.
- (P) Barker, C.E., and Pawlewicz, M.J., 1990, Vitrinite reflectance as an exploration tool in defining areas of recent and ancient heating--A case study of the Cerro Prieto geothermal system, Mexico, in Nuccio, V.F., and Barker, C.E., eds., *Applications of thermal maturation studies to energy exploration: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, Special Publication 2*, p. 161-166.
- (P) Behrendt, J.C., Hutchinson, D.R., Lee, M.W., Thornber, C.R., Tréhu, A.M., Cannon, W.F., and Green, A.G., 1990, North America; GLIMPCE seismic reflection evidence of deep-crustal and upper-mantle intrusions and magmatic underplating associated with the Midcontinent rift system of North America, in Leven, J.H., and others, eds., *Seismic probing of continents and their margins: Tectonophysics*, v. 173, no. 1/4, p. 595-615.

- (O) Beyer, L.A., and Isaacs, C.M., 1990, Mass properties of conventional core samples from the Sisquoc, Monterey, and Point Sal Formations, Unocal Newlove 51 well, Orcutt oil field, Santa Maria basin, California: U.S. Geological Survey Open-File Report 90-14, 16 p.
- (A) Bird, K.J., 1990, Barrow Arch--A major structural feature within and adjacent to the northern Cordillera, northern Alaska-northeast Canada: Geological Association of Canada-Mineralogical Association of Canada Annual Meeting, Vancouver '90, Program with Abstracts, v. 15, p. A11.
- (A) Bird, K.J., McClellan, P.H., and Bruns, T.R., 1990, Case studies, Santa Maria province, California [abs.]: American Association of Petroleum Geologists, Bulletin, v. 74, no. 5, p. 610.
- (A) Bird, K.J., McClellan, P.H., and Bruns, T.R., 1990, Subsurface studies, Santa Maria province, California, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 9-10.
- (A) Bostick, N.H., and Daws, T.A., 1990, Relationship between data from Rock-Eval pyrolysis and from proximate, ultimate, petrographic and physical analysis of 150 diverse U.S. coals: Organic Petrologists 7th Annual Meeting, Abstracts with Programs, p. 51-52.
- (P) Burruss, R.C., Blakeney, B., Castle, R.A., and Kirkby, K.C., 1990, Petroleum source rock potential and thermal maturation of the Mississippian "Harrison" and Spergen Formations and Pennsylvanian Morrow Formation and the Marmaton Group, southeastern Colorado in Sonenberg, S., and others, eds., Morrow sandstones of southeast Colorado and adjacent area: Rocky Mountain Association of Geologists, p. 59-66.
- (A) Burruss, R.C., Ging, T.C., Cercone, K.R., Pedone, V.A., and Hayes, T.S., 1990, Laser Raman and luminescence spectroscopy of carbonate minerals--Progress toward non-destructive microprobe techniques for stable isotopes, trace elements, and organic matter in zoned cements, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 12.
- (A) Cannon, W.F., Lee, M.W., Schulz, K.J., Green, A.G., and Hinze, W.J., 1990, Crustal structure of the southern Canadian Shield beneath Lake Michigan [abs.]: European Geological Society Annual Meeting, Copenhagen, Denmark, Annales Geophysicae, p. 37.
- (A) Charpentier, R.R., and Sandberg, C.A., 1990, Biofacies analysis of Late Devonian conodonts using a computer database: Geological Society of America Abstracts with Programs, v. 22, no. 1, p. 4.

- (A) Chidsey, T.C., Allison, M.L., and Palacas, J.G., 1990, Precambrian source-rock potential of Utah [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1319.
- (A) Clarke, J.W., and Peterson, J.A., 1990, Diverse super-giant petroleum deposits in the West Siberian oil-gas basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 629.
- (A) Clayton, J.L., and Gries, R.R., 1990, Source rock evaluation, oil-source rock correlation, and kinetic modeling--San Juan sag, Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 629.
- (A) Clayton, J.L., and Michael, G.E., 1990, Application of porphyrin and biological marker geochemistry to paleoenvironmental assessment--Pennsylvanian black shales, northern Denver basin [abs.]: American Chemical Society 1990 National Meeting, Boston, Mass., Program with Abstracts, unpagged.
- (P) Clayton, J.L., and Michael, G.E., 1990, Controls on porphyrin concentration of Pennsylvanian organic-rich shales, western U.S.A., in Freeman, D.H., ed., Porphyrin geochemistry; the quest for analytical reliability: American Chemical Society Symposium, Energy and Fuels, v. 4, no. 6, p. 644-646.
- (P) Clayton, J.L., Spencer, C.W., Koncz, J., and Szalay, A., 1990, Origin and migration of hydrocarbon gases and carbon dioxide, Békés basin, southeastern Hungary: Organic Geochemistry, v. 15, no. 3, p. 233-247.
- (A) Collett, T.S., 1990, Potential geologic hazards of Arctic gas hydrates [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 631.
- (A) Collett, T.S., and Bird, K.J., 1990, Cretaceous and Tertiary Sagavanirktok Formation in the Prudhoe Bay-Kuparuk River area, northern Alaska, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 16.
- (P) Collett, T.S., Bird, K.J., Kvenvolden, K.A., and Magoon, L.B., 1990, Characterization of hydrocarbon gas within the stratigraphic interval of gas-hydrate stability on the North Slope of Alaska, U.S.A.: Applied Geochemistry, v. 5, no. 3, p. 279-287.
- (A) Crovelli, R.A., 1990, Petroleum resource assessment methodologies for microcomputers [abs.]: Geotech '90, Integration Into The 90's, Houston, Tex., February 25-March 1, Program Guide, p. 22-23.

- (A) Crovelli, R.A., 1990, Probability modeling in absence of data--Petroleum resource assessment [abs.]: Operations Research Society of America/The Institute of Management Science (ORSA/TIMS) Joint National Meeting, Philadelphia, Pa., October 29-31, Bulletin, no. 30, p. 13.
- (A) Crovelli, R.A., and Balay, R.H., 1990, Play analysis methodologies for petroleum resource assessment, in Carter, L.M.H., ed., USGS research on energy resources--1990 Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 18-19.
- (O) Crovelli, R.A., and Balay, R.H., 1990, PROBDIST--Probability distributions for modeling and simulation in the absence of data: U.S. Geological Survey Open-File Report 90-446-A, 51 p.; Open-File Report 90-446-B, Executable program (one 5 1/4 inch DS/DD IBM compatible diskette).
- (O) Crovelli, R.A., and Balay, R.H., 1990, FASPU English and metric version--Analytic petroleum resource appraisal microcomputer programs for play analysis using a reservoir-engineering model: U.S. Geological Survey Open-File Report 90-509-A, 23 p.; Open-File Report 90-509-B, Executable program (one 5 1/4 inch diskette).
- (P) Crysdale, B.L., and Barker, C.E., 1990, Thermal and fluid migration history in the Niobrara Formation, Berthoud oil field, Denver basin, Colorado, in Nuccio, V.F., and Barker, C.E., eds., Applications of thermal maturation studies to energy exploration: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, Special Publication 2, p. 153-160.
- (P) Crysdale, B.L., and Schenk, C.J., 1990, Heavy oil resources of the United States: U.S. Geological Survey Bulletin 1885, 127 p.
- (P) Dickinson, W.W., Newman, R.H., Collen, J.D., Price, L.C., and Law, B.E., 1990, <sup>13</sup>C NMR spectra from Mississippian-Devonian Bakken Shale, Williston basin, North Dakota, and Upper Cretaceous Fruitland Coal, San Juan basin, New Mexico, U.S.A.: Wellington, New Zealand, Victoria University of Wellington, Research School of Earth Sciences, Geology Board of Studies Publication No. 8, 31 p.
- (O) Dolton, G.L., Fox, J.E., and Clayton, J.L., 1990, Petroleum geology of the Powder River basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 88-450-P, 68 p.
- (P) Doveton, J.H., Charpentier, R.R., and Metzger, E.P., 1990, Lithofacies analysis of the Simpson Group in south-central Kansas: Kansas Geological Survey, Petrophysical Series 5, 34 p.
- (A) Dyman, T.S., Decelles, P.G., Haley, J.C., Nichols, D.J., Pearson, R.C., Perry, W.J., Jr., Tysdal, R.G., and Schwartz, R.K., 1990, Cretaceous rocks of southwestern Montana [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1322.

- (A) Dyman, T.S., Foster, S.V., Rice, D.D., and Cobban, W.A., 1990, Cretaceous strata of northwestern Montana [abs.]: American Association of Petroleum Geologists v. 74, no. 8, p. 1322.
- (A) Dyman, T.S., Nielsen, D.T., Obuch, R.C., Baird, J.K., and Wise, R.A., 1990, Deep oil and gas wells and reservoirs in the United States from the Well History Control System and Petroleum Data System, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 27-28.
- (O) Dyman, T.S., Nielsen, D.T., Obuch, R.C., Baird, J.K., and Wise, R.A., 1990, Summary of deep oil and gas wells and reservoirs from the Well History Control System and Petroleum Data System: U.S. Geological Survey Open-File Report 90-305, 38 p.
- (A) Dyman, T.S., and Tysdal, R.G., 1990, Correlation of Lower and Upper Cretaceous Blackleaf Formation, Lima Peaks area to eastern Pioneer Mountains, southwestern Montana foreland basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 646.
- (P) Dyman, T.S., and Tysdal, R.G., 1990, Correlation chart of Lower and Upper Cretaceous Blackleaf Formation, Lima Peaks areas to eastern Pioneer Mountains, southwestern Montana: U.S. Geological Survey Miscellaneous Field Studies MF-2119, 2 sheets, (accompanied by 13-page text).
- (P) Dyni, J.R., Anders, D.E., and Rex, R.C., Jr., 1990, Comparison of hydroretorting assay, Fischer assay and Rock-Eval analyses of some world oil shales: Lexington, Ky., Mining and Mineral Research 1989 Eastern Oil Shale Symposium, Proceedings, p. 270-296.
- (A) Fassett, J.E., Molenaar, C.M., Aubrey, W.M., Ridgley, J.L., Zech, R.S., Leckie, M.R., and Wright Dunbar, Robyn, 1990, Cretaceous stratigraphy of the San Juan basin, New Mexico and Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1323.
- (P) Flores, R.M., and Keighin, C.W., 1990, Petrology and depositional facies of siliciclastic rocks of the Middle Ordovician Simpson Group, Mazur well, southeastern Anadarko basin, Oklahoma: U.S. Geological Survey Bulletin 1866-E, 45 p.
- (A) Flores, R.M., Keighin, C.W., and Keefer, W.R., 1990, Reservoir-sandstone paradigms, Paleocene Fort Union Formation, Wind River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1323.

- (A) Fouch, T.D., Brouwers, E.M., McNeil D.H., Marincovich, Louie, Jr., Bird, K.J., and Rieck, H., 1990, New information on the Nuwok Member of Sagavanirktok Formation; implications for petroleum geology of the North Slope and Beaufort Sea--Evidence from Carter Creek, Arctic National Wildlife Refuge (ANWR), Alaska in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 30-31.
- (A) Fouch, T.D., Molenaar, C.M., and Franczyk, K.J., 1990, Cretaceous sedimentary rocks, Uinta basin, Utah [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1323.
- (A) Fouch, T.D., Wandrey, C.J., Pitman, J.K., Rice, D.D., Nuccio, V.F. and Schmoker, J.W., 1990, USGS 1990 activities on tight gas reserves in the Uinta basin, Utah and Colorado: Department of Energy Natural Gas Research and Development Contractors Review Meeting 1990, Agenda and Abstracts, unpagd.
- (A) Franczyk, K.J., Fouch, T.D., Johnson, R.C., and Molenaar, C.M., 1990, Late Cretaceous and Tertiary paleogeographic reconstructions-- Uinta and Piceance basins, northeastern Utah and northwestern Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1324.
- (P) Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., 1990, Tidally flooded back-barrier dune field, Guerrero Negro area, Baja California, Mexico: Sedimentology, v. 37, p. 23-43.
- (A) Gautier, D.L. Schenk, C.J., and Olhoeft, G.R., 1990, Application of ground-penetrating radar to development of reservoir models, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 33-34.
- (A) Grow, J.A., Bohannon, R.G., Miller, J.J., and Anderson, R.E., 1990, A seismic reflection study of Miocene listric faulting north of Lake Mead, Nevada, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 34 [Also, Geological Society of America Abstracts with Programs, v. 22, no. 3, p. 27].
- (P) Haimila, N.E., Kirschner, C.E., Nassichuk, W.W., Ulmishek, G.F., and Procter, R.M., 1990, Sedimentary basins and petroleum resource potential of the Arctic Ocean region, in Grantz, A., Johnson, L., and Sweeney, J.F., eds., The Arctic Ocean region: Geological Society of America, The Geology of North America, v. L., p. 503-538.

- (A) Hall, R.B., Esposito, K.J., Ford, E.E., Pollastro, R.M., and Keller, W.D., 1990, Characterization of clay deposits samples taken during Field Excursion 1V-V, following the 1989 International Clay Conference, Strasbourg, France: Clay Minerals Society 27th Annual Meeting, Columbia, Mo., Program with Abstracts, p. 54.
- (P) Hester, T.C., Schmoker, J.W., and Sahl, H.L., 1990, Woodford shale in the Anadarko basin--Could it be another 'Bakken type' horizontal target?: Oil and Gas Journal, v. 88, no. 49, p. 73-78.
- (A) Hester, T.C., Schmoker, J.W., and Sahl, H.L., 1990, Structural controls on sediment distribution and thermal maturation of the Woodford Shale, Anadarko basin, Oklahoma: Oklahoma Geological Survey Workshop on Source Rocks, Generation, and Migration of Hydrocarbons and Other Fluids in the Southern Midcontinent, Abstracts, p. 27.
- (P) Hester, T.C., Schmoker, J.W., and Sahl, H.L., 1990, Log-derived regional source-rock characteristics of the Woodford Shale, Anadarko basin, Oklahoma: U.S. Geological Survey Bulletin 1866-D, 64 p.
- (A) Hester, T.C., Schmoker, J.W., and Sahl, H.L., 1990, Effects of basin evolution on source-rock characteristics of the Woodford Shale, Anadarko basin, Oklahoma, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 34-36.
- (O-M) Hester, T.C., Schmoker, J.W., and Sahl, H.L., 1990, Tectonic controls on deposition and source-rock properties of the Woodford shale, Anadarko basin, Oklahoma--loading subsidence, and forebulge development, in Thorman, C.H., ed., Workshop on application of structural geology to mineral and energy resources of the central region: U.S. Geological Survey Open-File Report 90-508, Map no. 1, p. 2.
- (A) Higley, D.K., 1990, Diagenesis of the Upper Cretaceous Sussex Sandstone in the House Creek and Porcupine Fields, Powder River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 674.
- (A) Higley, D.K., 1990, Reservoir characteristics of the Lower Cretaceous J sandstone in the Kachina field, Denver basin, Colorado, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 36-37.
- (A) Higley, D.K., and Takahashi, K.I., 1990, Interactive computer display of exploration through time for petroleum producing regions in the conterminous United States [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 674.

- (A) Higley, D.K., and Takahashi, K.I., 1990, Computer display of petroleum exploration through time in the Denver basin of Colorado, Nebraska, and Wyoming, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 37.
- (O) Higley, D.K., Takahashi, K.I.; and Mast, R.F., 1990, Interactive computer display of the history of oil and gas exploration in the Denver basin of Colorado, Nebraska, and Wyoming: U.S. Geological Survey Open-File Report 90-321, four 3 1/2 inch diskettes.
- (O) Higley, D.K., Takahashi, K.I., and Mast, R.F., 1990, Interactive Macintosh display of petroleum exploration through time across the continental United States: U.S. Geological Survey Open-File Report 90-676, ten 3 1/2 inch diskettes.
- (P) Hosterman, J.W., Meyer, R.F., Palmer, C.A., Doughton, M.W., Anders, D.E., and Schenk, C.J., 1990, Chemistry and mineralogy of natural bitumens and heavy oils and their reservoir rocks from the United States, Canada, Trinidad and Tobago, and Venezuela: U.S. Geological Survey Circular 1047, 19 p.
- (P) Howell, D.G., contributor, 1990, Annual report on Alaska's mineral resources: U.S. Geological Survey Circular 1056.
- (A) Howell, D.G., 1990, Terrane analysis of the Circum-Pacific and its implication for petroleum exploration [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 678.
- (V) Howell, D.G., 1990, Earth nectar: Earth Vision, Inc., Video Presentation.
- (A) Howell, D.G., 1990, The search for subtle traps across onshore Alaska, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 38.
- (A) Howell, D.G., Johnsson, M.J., and Bird, K.J., 1990, Geodynamics and petroleum potential, Brooks Range, Alaska: Geological Association of Canada/Mineralogical Association of Canada, Vancouver, B.C., Canada, May 16-18, Program with Abstracts, p. A 61.
- (A) Howell, D.G., Johnsson, M.J., Underwood, M.B., Brocculeri, T., and Lu, H., 1990, Deformational style of the Kandik area, east-central Alaska--Evidence from stratigraphic, structural and paleothermal relationships [abs.]: EOS Transactions, American Geophysical Union, v. 71, no. 43, p. 1617.
- (P) Howell, D.G., and Vedder, J.G., 1990, Synopsis of geologic history portrayed along Corridor C-3--southern California borderland - Rio Grande rift, in North American Continent-Ocean Transect Program: National Academy Press, p. 49-51.

- (Ad) Huffman, A.C., Jr., Condon, S.M., and Taylor, D.J., 1990, Site investigation for proposed seismic survey, eastern Southern Ute Reservation: U.S. Geological Survey Administrative Report prepared for the Southern Ute Tribe, 28 p.
- (P) Isaacs, C.M. (Leg 127 and Leg 128 Shipboard Scientific Parties), 1990, Ocean Drilling Program--Evolution of the Japan Sea: Nature, v. 346, p. 18-20.
- (P) Isaacs, C.M. (Leg 128 Scientific Drilling Party), 1990, Ocean Drilling Program in the Japan Sea--Geophysical experiments, basement rocks, and cyclic sediment highlight cruise: Geotimes, v. 35, no. 4, p. 25-27.
- (A) Isaacs, C.M., Arends, R.G., and Thornton, M.L., 1990, Stratigraphic sequence of the Monterey and Sisquoc Formations in the Hondo oil field, Santa Barbara Channel, California [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 682.
- (A) Isaacs, C.M., King, J.D., Pollastro, R.M., and Williams, C.F., 1990, Petroleum geology studies in the Santa Maria Province, California, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 39-40.
- (A) Isaacs, C.M., and Stanley, R.G., 1990, Santa Maria Province project, California [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 682.
- (0) Isaacs, C.M., and Tomson, J.H., 1990, Reconnaissance study of kerogen maturation parameters of core samples from the Sisquoc and Monterey Formations in selected wells in the onshore Santa Maria basin and in surface sections along the Santa Barbara-Ventura coast, southern California: U.S. Geological Survey Open-File Report 89-108, 43 p.
- (0) Isaacs, C.M., Tomson, J.H., Stewart, K.C., and Jackson, L.L., 1990, Abundances of major elements and sedimentary components of cuttings from the Foxen mudstone and the Sisquoc, Monterey, and Point Sal Formations in the Union Hobbs 22 well, and preliminary comparison with cores from the Union Newlove 51 well, Orcutt oil field, onshore Santa Maria basin, California: U.S. Geological Survey Open-File Report 89-466, 23 p.
- (0) Isaacs, C.M., Tomson, J.H., Taggart, J.E., Jr., and Jackson, L.L., 1990, Abundance of major elements and sedimentary components in Miocene and Early Pliocene cuttings from a well in the south Elwood oil field area, offshore Santa Barbara-Ventura basin, southern California: U.S. Geological Survey Open-File Report 89-79, 27 p.

- (P) Jensenius, Jorgen, and Burruss, R.C., 1990, Hydrocarbon-water interactions during brine migration--Evidence of hydrocarbon inclusions in calcite from Danish North Sea oil fields, *in* Bodnar, R.J., prefacer, Current research on fluid inclusions: *Geochimica et Cosmochimica Acta*, v. 54, no. 3, p. 705-713.
- (P) Johnson, R.C., and Rice, D.D., 1990, Occurrence and geochemistry of natural gases, Piceance basin, northwest Colorado: *American Association of Petroleum Geologists Bulletin*, v. 74, no. 5, p. 805-829.
- (P) Johnson, S.Y., Schenk, C.J., Anders, D.L., and Tuttle, M.L., 1990, Sedimentology and petroleum occurrence, Schoolhouse member, Maroon Formation (Lower Permian), northwestern Colorado: *American Association of Petroleum Geologists Bulletin*, v. 74, no. 2, p. 135-150.
- (A) Johnson, S.Y., Tuttle, M.L., Bryant, B.H., Dubiel, R.F., Fouch, T.D., Franczyk, K.J., Grauch, V.J.S., Grout, M.A., Johnson, R.C., Molenaar, C.M., Nichols, D.J., Nichols, K.M., Nuccio, V.F., Peterson, Fred, Pitman, J.K., Perry, W.J., Jr., Potter, C.J., Sawatzky, D.L., Scott, R.W., Verbeek, E.R., and Wanty, R.B., 1990, Geologic evolution of the Uinta-Piceance basin province, northwestern Colorado and northeastern Utah, *in* Carter, L.M.H., ed., *USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060*, p. 40-41. [Also, *American Association of Petroleum Geologists Bulletin*, v. 74, no. 5, p. 687-688].
- (A) Johnsson, M.J., Bird, K.J., Howell, D.G., Magoon, L.B., Stanley, R.G., Valin, Z.C., Harris, A.G., and Pawlewicz, M.J., 1990, A preliminary thermal maturity map of sedimentary rocks in Alaska [abs]: *EOS Transactions, American Geophysical Union*, v. 71, no. 3, p. 1617.
- (A) Johnsson, M.J., Howell, D.G., and Bird, K.J., 1990, Petrography of Early Cretaceous sandstones from the Kandik basin--Implications to paleogeography of northern Alaska: *Geological Society of America Abstracts with Programs*, v. 22, no. 7, p. A325.
- (P) Johnsson, M.J., and Stallard, R.F., 1990, Reply to Discussion of W.R. Dickinson and R.V. Ingersoll on "Physiographic controls on the composition of sediments derived from volcanic and sedimentary terrains on Barro Colorado Island, Panama": *Journal of Sedimentary Petrology*, v. 60, no. 5, p. 799-801.
- (P) Johnsson, M.J., Stallard, R.F., and Lundberg, N.S., 1990, Discussion of "Petrology of fluvial sands from the Amazonian foreland basin, Peru and Bolivia" by Peter G. DeCelles and Fritz Hertel: *Geological Society of America Bulletin*, v. 102, no. 12, p. 1727-1730.

- (A) Keighin, C.W., and Flores, R.M., 1990, Heterogeneity of sandstone reservoirs in the Fort Union Formation, Fuller Reservoir Unit, Wind River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1331.
- (A) Keighin, C.W., and Schenk, C.J., 1990, Diagenesis of sandstones in the Norphlet Formation (Upper Jurassic), Escambia County, Alabama, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 41-42.
- (A) King, J.D., and Lillis, P.G., 1990, Thermal modeling using biomarkers in the Santa Maria basin, California [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 695.
- (A) Kingston, John, 1990, Petroleum geology of western Antarctica [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 695.
- (O) Kingston, John, 1990, Estimation of condensate in the assessment of undiscovered petroleum resources: U.S. Geological Survey Open-File Report 90-230, 42 p.
- (O) Kingston, John, 1990, The undiscovered oil and gas of Afghanistan: U.S. Geological Survey Open-File Report 90-401, 33 p.
- (A) Kvenvolden, K.A., and Collett, T.S., 1990, The global methane hydrate reservoir--Impact on petroleum exploration, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Circular 1060, p. 44-46.
- (Ad) Law, B.E., 1990, FY 1989 U.S. Geological Survey Annual Report: U.S. Geological Survey Administrative Report prepared for the Department of Energy, Office of Fossil Energy, 23 p.
- (A) Law, B.E., 1990, The thermal evolution of the Upper Cretaceous Fruitland Formation, San Juan basin, Colorado and New Mexico, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 49-50.
- (O) Law, B.E., 1990, Vitrinite reflectance data from Cretaceous and Tertiary rocks, San Juan basin, New Mexico and Colorado: U.S. Geological Survey Open-File Report 90-659, 19 p.
- (A) Law, B.E., Anders, D.E., and Michael, G.E., 1990, Use of Rock-Eval pyrolysis and vitrinite reflectance data in characterizing type and maturity of organic matter in coal, Upper Cretaceous Fruitland Formation, San Juan basin, New Mexico and Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1333.

- (A) Law, B.E., Dolson, J., Hanson, W.R., and Leighton, V.L., 1990, Stratigraphy of Cretaceous rocks in the Red Desert and Washakie basins, southwestern Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1333.
- (A) Law, B.E., Javed, S., and Hussnain, T., 1990, Glaciomarine deposits of the Lower Permian Tobra and Dandot Formations, Salt Range, Pakistan [abs.]: Colorado Scientific Society May 1990 Newsletter.
- (P) Law, B.E., Nuccio, V.F., and Barker, C.E., 1990, Kinky vitrinite reflectance well profiles; evidence of paleopore pressure in low-permeability, gas-bearing sequences in Rocky Mountain foreland basins--Reply: American Association of Petroleum Geologists Bulletin, v. 74, no. 6, p. 948-949.
- (P) Lee, M.W., 1990, Traveltime inversion using transmitted waves of offset VSP data: Geophysics, v. 55, no. 8, p. 1089-1097.
- (P) Lee, M.W., and Hutchinson, D.R., 1990, True amplitude processing techniques for marine crustal reflection seismic data: U.S. Geological Survey Bulletin 1897, 22 p.
- (A) Lillis, P.G., 1990, Biomarker variations in relation to paleogeography in the Saltos Shale member of the Monterey Formation, Cuyama basin, California [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 704.
- (A) Lu, Huafu, Howell, D.G., and Bird, K.J., 1990, Post-Albian duplex faulting along the Brooks Range Front, Atigum Gorge, Alaskan North Slope [abs.]: EOS Transactions, American Geophysical Union, v. 71, no. 43, p. 1589-1590.
- (A) M'Gonigle, J.W., Hait, M.H., Jr., and Perry, W.J., Jr., 1990, Characteristics of coal-bearing strata in Tertiary basins, based on integrated sedimentary and structural field studies, southwestern Montana, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 52.
- (A) Magoon, L.B., 1990, Arctic National Wildlife Refuge--Petroleum potential in one of the last Alaskan Frontiers [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 6, p. 1014.
- (A) Magoon, L.B., 1990, Identified petroleum systems within the United States--A 1990 status report, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 50.

- (A) Magoon, L.B., and Anders, D.E., 1990, Oil-source rock correlation using carbon isotope and biological marker compounds, Cook Inlet-Alaska Peninsula, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 711.
- (O) Magoon, L.B., and Kirschner, C.E., 1990, Alaska onshore national assessment program--Geology and petroleum resource potential of six onshore Alaska provinces: U.S. Geological Survey Open-File Report 88-450-T, 47 p.
- (Ad) Mast, R.F., Crovelli, R.A., and Bird, K.J., 1990, Estimates of undiscovered recoverable conventional oil and gas resources beneath onshore wilderness lands in the United States, appendix B of The domestic oil and gas recoverable resource base--Supporting analysis for the National Energy Strategy: Washington, Energy Information Administration Report SR/NES/90-05, p. 35-45.
- (A) Mast, R.F., and Dolton, G.L., 1990, Estimates of undiscovered recoverable conventional oil and gas resources of the United States [abs.]: EOS Transactions, American Geophysical Union, v. 71, no. 20, p. 716.
- (P) Masters, C.D., Root, D.H., and Attanasi, E.D., 1990, World oil and gas resources--Future production realities: Annual Review of Energy 15th Anniversary Volume, p. 23-51.
- (P) Meyer, R.F., and de Witt, Wallace, Jr., 1990, Definition and world resources of natural bitumen: U.S. Geological Survey Bulletin 1944, 14 p.
- (A) Michael, G.E., Anders, D.E., and Dickinson, W., 1990, Crude oil and source rock correlation, northwest Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1337.
- (A) Michael, G.E., and Clayton, J.L., 1990, Application of porphyrin and other biological marker geochemistry to paleoenvironmental assessment--Pennsylvanian black shales, northern Denver basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 719.
- (A) Michael, G.E., Law, B.E., and Anders, D.E., 1990, Geochemical evaluation of gas-bearing coals with respect to maturity, Upper Cretaceous Fruitland Formation, San Juan basin, New Mexico, and Colorado, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy resources: U.S. Geological Survey Circular 1060, p. 52-53.
- (P) Milkereit, Bernd, Green, A.G., Lee, M.W., Agena, W.F., and Spencer, C.W., 1990, Pre- and poststack migration of GLIMPCE reflection data, in Leven, J.H., and others, eds., Seismic probing of continents and their margins: Tectonophysics, v. 173, no. 1-4, p. 1-13.

- (A) Milkereit, Bernd, Morel-à-l'Huissier, Patrick, Green, A.G., Thomas, M.D., Trèhu, A.M., Lee, M.W., and Agena, W.F., 1990, Crustal structure of northeastern Lake Superior from GLIMPCE reflection and refraction data: Institute on Lake Superior Geology Annual Meeting, Thunder Bay, Ontario, Proceedings and Abstracts, v. 36, no. 1, p. 63-65.
- (A) Miller, J.J., Grow, J.A., Bohannon, R.G., and Anderson, R.E., 1990, Seismic images of Miocene listric faulting north of Lake Mead, Nevada: Geological Society of America Abstracts with Programs, v. 22, no. 3, p. 68.
- (A) Molenaar, C.M., 1990, Stratigraphic relationships of the Umpqua and Tyee Formations (Eocene), southwestern Oregon: Northwest Petroleum Association Tyee Basin Symposium Abstracts with Programs, unpagged.
- (A) Molenaar, C.M., 1990, Stratigraphic cross sections of the Gallup Sandstone and associated strata on the west, south, and southeast margins of the San Juan basin, northwestern New Mexico [abs.], in Davis R.A., Jr., Nummedal, Dag, and Tillman, R.W., convenors, Tidal inlet and related sand bodies--Modern and ancient: Society of Economic Mineralogists and Paleontologists Research Conference, Gallup, New Mexico, Technical Program, unpagged.
- (A) Molenaar, C.M., and Baird, J.K., 1990, Stratigraphic cross sections of Upper Cretaceous rocks across the San Juan, Basin, northwestern New Mexico and southwestern Colorado [abs.] in Davis, R.A., Jr., Nummedal, Dag, and Tillman, R.W., convenors, Tidal inlet and related sand bodies--Modern and ancient: Society of Economic Paleontologists and Mineralogists Research Conference, Gallup, New Mex., Technical Program, unpagged.
- (A) Molenaar, C.M., and Baird, J.K., 1990, Stratigraphic cross sections of Upper Cretaceous rocks across the San Juan basin, northwestern New Mexico and southwestern Colorado, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 55-56.
- (A) Molenaar, C.M., Bird, K.J., and Magoon, L.B., 1990, Petroleum geology of the coastal plain of the Arctic National Wildlife Refuge, northeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 723.
- (A) Molenaar, C.M., Cobban, W.A., and Wolfe, D.G., 1990, Stratigraphy of Upper Cretaceous rocks in the Zuni basin, west-central New Mexico [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1337.

- (A) Molenaar, C.M., Mack, G.H., Black, B.A., and Cobban, W.A., 1990, Stratigraphy and provenance of Upper Cretaceous rocks in south-central New Mexico [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1338.
- (P) Molenaar, C.M., and Wilson, B.W., 1990, The Frontier Formation and associated rocks of northeastern Utah and northwestern Colorado: U.S. Geological Survey Bulletin 1787-M, 21 p., 1 pl.
- (A) Moore, T.E., Wallace, W.K., Bird, K.J., Karl, S.M., and Mull, C.G., 1990, Paleozoic and Mesozoic history of northern Alaska: Geological Association of Canada/Mineralogical Association of Canada Annual Meeting '90, Program with Abstracts, v. 15, p. A90.
- (A) Olhoeft, G.R., Lucius, J.E., Gautier, D.L., and Schenk, C.J., 1990, Sedimentology of eolian sand dunes by multifrequency ground-penetrating RADAR [abs.]: U.S. Geological Survey Open-File Report 90-414, p. 51.
- (A) Palacas, J.G., 1990, Can carbonate rocks generate commercial amounts of petroleum?: Oklahoma Geological Survey Workshop on Source Rocks, Generation, and Migration of Hydrocarbons and Other Fluids in the Southern Midcontinent, Abstracts with Program, p. 16.
- (A) Palacas, J.G., Schmoker, J.W., and Anderson, R.R., 1990, Petroleum potential of Midcontinent Rift system, Iowa--Organic matter and porosity preserved in 1-billion-year-old rocks, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 61-62.
- (P) Palacas, J.G., Schmoker, J.W., Daws, T.A., Pawlewicz, M.J., and Anderson, R.R., 1990, Petroleum source-rock assessment of Middle Proterozoic (Keweenaw) sedimentary rocks, Eischeid #1 well, Carroll County, Iowa, in Anderson, R.R., ed., The Amoco M.G. Eischeid #1 Deep Petroleum Test, Carroll County, Iowa: Iowa Department of Natural Resources Special Report Series No. 2, p. 119-134.
- (P) Pedone, V.A., Cercone, K.R., and Burruss, R.C., 1990, Activators of photoluminescence in calcite--Evidence from high-resolution, laser-excited luminescence spectroscopy: Amsterdam, Elsevier Science Publishers, B.V., Chemical Geology, v. 88, p. 183-190.
- (O) Perry, W.J., Jr., 1990, A review of the geology and petroleum potential of southwest Montana: U.S. Geological Survey Open-File Report 88-450-R, 20 p.
- (A) Perry, W.J., Jr., Agena, W.F., and Suneson, N.H., 1990, Structural interpretations of the Ouachita frontal zone near Hartshorne, Oklahoma, based on reprocessed seismic data: Geological Society of America Abstract with Programs, v. 22, no. 7, p. A231-A232.

- (A) Perry, W.J., Jr., Agena, W.F., and Suneson, N.H., 1990, Preliminary reinterpretation of the Ouachita frontal zone near Hartshorne, Oklahoma, based chiefly on seismic reflection data, in Carter, L.M.H., ed., USGS research and energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 62.
- (A) Perry, W.J., Jr., Dyman, T.S., and Nichols, D.J., 1990, Sequential Laramide deformation of the Rocky Mountain foreland [abs.] in Thorman, C.H., ed., Workshop on application of structural geology to mineral and energy resources of the Central Region: U.S. Geological Survey Open-File Report 90-508, p. 11-12.
- (P) Perry, W.J., Jr., and Suneson, N.H., 1990, Preliminary interpretation of a seismic profile across the Ouachita frontal zone near Hartshorne, Oklahoma, in Suneson, N.H., Campbell, J.A., and Tilford, M.J., eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey Special Publication 90-1, p. 145-148.
- (A) Peterson, Fred, and Schenk, C.J., 1990, Architectural studies in eolian reservoir rocks--The Lower Jurassic Nugget Sandstone of northeastern Utah, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 63-64.
- (A) Peterson, J.A., 1990, Geology and petroleum resources, Eastern Great Basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 739.
- (A) Peterson, J.A., 1990, Paleotectonic controls on petroleum accumulation and dispersal, Eastern Great Basin, U.S. [abs.]: Montana Geological Society Newsletter, v. 34, no. 5, p. 1-2.
- (P) Peterson, J.A., 1990, Petroleum potential outlined for northern Rockies, Great Plains: Oil and Gas Journal, v. 88, no. 31, p. 103-110.
- (A) Peterson, J.A., 1990, Algal mound carbonate reservoir, Aneth oil field, Paradox basin, Utah--Origin and related petroleum geology, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth, V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 64.
- (A) Peterson, J.A. and Clarke, J.A., 1990, Petroleum geology of the West Siberian basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 739.
- (O) Peterson, J.A., and Clarke, J.W., 1990, West Siberian oil-gas province: U.S. Geological Survey Open-File Report 89-192, 142 p.

- (A) Pitman, J.K., Burruss, R.C., Dyman, T.S., Flores, R.M., Hatch, J.R., Henry, M.E., Keighin, C.W., Perry, W.J., Jr., Pollastro, R.M., Repetski, J.E., Reynolds, R.L., Rice, D.D., Robbins, R.L., and Schmoker, J.W., 1990, Geologic history of the Anadarko basin, western Oklahoma, north Texas Panhandle, and southwestern Kansas [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 741.
- (P) Poag, C.W., Swift, B.A., Schlee, J.S., and Ball, M.M., 1990, Early Cretaceous shelf-edge deltas of the Baltimore Canyon Trough and principal sources for sediment gravity deposits of the northern Hatteras basin: *Geology*, v. 18, p. 149-152.
- (A) Pollastro, R.M., 1990, Geothermometry from smectite and silica diagenesis in the diatomaceous Monterey and Sisquoc Formations, Santa Maria basin, California [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 742.
- (P) Pollastro, R.M., 1990, The illite/smectite geothermometer--Concepts, methodology, and application to basin history and hydrocarbon generation: Society of Economic Paleontologists and Mineralogists Special Symposium Volume "Application of Thermal Maturity to Energy Exploration," p. 1-18.
- (P) Pollastro, R.M., and Finn, T.M., 1990, Clay mineralogy and bulk rock composition of selected core and cutting samples from the Amoco Eischeid #1 well, Carroll County, Iowa--A reconnaissance from X-ray powder diffraction analysis, in Anderson, R.R., ed., the Amoco M.G. Eischeid #1 deep petroleum test, Carroll County, Iowa: Iowa Department of Natural Resources Special Report Series no. 2, p. 143-152.
- (O) Pollastro, R.M., and Finn, T.M., 1990, Whole-rock and clay mineralogies of deeply buried rocks, Permian upper part of the Minnelusa Formation, Powder River basin, Wyoming: U.S. Geological Survey Open-File Report 90-673, 17 p.
- (A) Pollastro, R.M., and Schenk, C.J., 1990, Smectite diagenesis in siliciclastic eolian-dune and sabkha sandstones, Permian upper part of the Minnelusa Formation, Powder River basin, Wyoming: Clay Minerals Society 27th Annual Meeting, Columbia, Mo., Program with Abstracts, p. 103.
- (A) Prenskey, S.E., 1990, Stratigraphic and areal distribution of overpressuring northern Green River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1342.
- (P) Prenskey, S.E., 1990, Bibliography of well-log applications, cumulative edition through 1 September 1990, Appendix II, in Ocean Drilling Program wireline logging manual, 2nd edition: New York, N.Y., Columbia University, Borehole Research Group, Lamont-Doherty Geological Observatory, 205 p.

- (P) Prensky, S.E., 1990, Bibliography of well-log applications--Annual update (1 October 1989-1 September 1990): *The Log Analyst*, v. 31, no. 6, p. 395-424.
- (O) Prensky, S.E., 1990, Catalog of drilling mud-weight histories for selected wells, northern Green River basin, Wyoming, volume 2: U.S. Geological Survey Open-File Report 90-262, 65 p.
- (O) Prensky, S.E., 1990, Bibliography of well-log applications--Cumulative edition (through 1 September 1990): U.S. Geological Survey Open-File Report 90-637 A-F; A, 363 p.; B, one 3 1/2 inch diskette (Part A); C, one 3 1/2 inch diskette (Part B); D, one 3 1/2 inch diskette (Part C); E, one 5 1/4 inch diskette (Part A & B); F, one 5 1/4 inch diskette (Part C).
- (P) Price, L.C., 1990, Crude-oil characterization at Caillou Island, Louisiana by "generic" hydrocarbons, in *Gulf Coast oil and gases: Society of Economic Paleontologists and Mineralogists, Gulf Coast Section, Ninth Annual Research Conference Symposium Volume*, p. 237-262.
- (O) Price, L.C., 1990, Louisiana oil-correlation by iso-cyclic, aromatic, and gasoline-range hydrocarbons, with an appendix of organic geochemical data from selected wells in the Gulf Coast: U.S. Geological Survey Open-File Report 89-358, 91 p.
- (P) Price, L.C., and Clayton, J.L., 1990, Reasons for and significance of deep, high-rank hydrocarbon generation in the South Texas Gulf Coast, in *Gulf Coast oil and gases: Society of Economic Paleontologists and Mineralogists, Gulf Coast Section, Ninth Annual Research Conference Symposium Volume*, p. 105-138.
- (A) Price, L.C., and Wenger, L.M., 1990, The influence of pressure on petroleum generation and maturation as suggested by hydrous pyrolysis [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 74, no. 5, p. 743.
- (A) Reynolds, M.W., Palacas, J.G., and Elston, D.P., 1990, Potential petroleum source rocks in the Late Proterozoic Chuar Group, Grand Canyon, Arizona [abs.], in Elston, D.P., Billingsley, G.H., and Young, R.A., eds., *Geology of Grand Canyon northern Arizona (with Colorado River guides): American Geophysical Union, 28th International Geological Congress Field Trip Guidebook T115/315*, p. 117.
- (A) Rice, D.D., 1990, Potential for natural gas resources in deep sedimentary basins: Department of Energy Natural Gas Research Development Contractors Review Meeting, Agenda and Abstracts, unpagged.
- (P) Rice, D.D., 1990, Coal-bed methane as a source of hydrocarbon gas: *Geological Journal of the Ukrainian Academy of Sciences*, no. 1, p. 15-25.

- (A) Rice, D.D., 1990, Chemical and isotopic evidence of the origins of natural gases in offshore Gulf of Mexico, in Schumacher, D., and Perkins, B.F., eds., Gulf Coast oils and gases, their characteristics, origin, distribution, and exploration and production significance: Society of Economic Paleontologists and Mineralogists Ninth Annual Research Conference Program and Abstracts, p. 373.
- (A) Rice, D.D., 1990, Controls, habitat, and resource potential of ancient bacterial gas, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 67.
- (A) Rice, D.D., Cobban, W.A., and Gautier, D.L., 1990, Cretaceous rocks of north-central Montana [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1343.
- (A) Rice, D.D., Cobban, W.A., and Shurr, C.W., 1990, Cretaceous rocks of Cedar Creek Anticline area, eastern Montana and southwestern North Dakota [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1342-1343.
- (A) Rice, D.D., and Dyman, T.S., 1990, Character, source and resource potential of natural gas in deep (>4.5 km) sedimentary basins, USA [abs.]: International Deep Gas Workshop, Hannover, Federal Republic of Germany, Programme and Abstracts, unpagued.
- (A) Rice, D.D., and Flores, R.M., 1990, Coal-bed methane potential of Tertiary coal beds and adjacent sandstone deposits, Powder River basin, Wyoming and Montana [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1343.
- (P) Rice, D.D., and Threlkeld, C.N. 1990, 1990, Natural gas analyses from offshore Gulf of Mexico, in Schumacher, D., and Perkins, B.F., eds., Gulf Coast oils and gases, their characteristics, origin, distribution, and exploration and production significance: Society of Economic Paleontologists and Mineralogists Ninth Annual Research Conference, Proceedings, p. 367-371.
- (O) Rice, D.D., Threlkeld, C.N., and Soule, J.M., 1990, Geochemistry and origin of combustible gas in Crested Butte, Gunnison County, Colorado: U.S. Geological Survey Open-File Report 90-324, 9 p.
- (A) Robbins, S.L., and Grow, J.A., 1990, Structural and basement lithological implications from gravity and seismic-reflection data in Laramide Mountain ranges and basins of Wyoming and Montana [abs.] in Thorman, C.H., ed., Workshop on application of structural geology to mineral and energy resources of the Central region: Open-File Report 90-508, p. 8.

- (A) Robbins, S.L., and Grow, J.A., 1990, Structural and basement-lithological implications of gravity and seismic-reflection data across the central Powder River basin from the Black Hills to the Bighorn Mountains, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 71.
- (O) Root, D.H., Attansi, E.D., and Masters, C.D., 1990, Production capability forecasts of crude oil and natural gas liquids to 2010 for non-OPEC countries: U.S. Geological Survey Open-File Report 90-280, 50 p.
- (P) Roure, F., Howell, D.G., Guellec, S., and Casero, P., 1990, Shallow structures induced by deep-seated thrusting in Letouzey, J., ed., Petroleum tectonics in mobile belts: Paris, Editions Technip, p. 15-30.
- (P) Roure, F., Howell, D.G., Müller, C., and Moretti, Isabelle, 1990, Late Cenozoic subduction complex of Sicily: Great Britain, Pergamon Press, Journal of Structural Geology, v. 12, no. 2, p. 259-266.
- (P) Rowan, L.C., Pawlewicz, M.J., and Jones, O.D., 1990, The use of visible and near-infrared spectral reflectance for estimating the thermal maturity of organic matter in sedimentary rocks: Fifth Australian Remote Sensing, Perth, Western Australia Proceedings, v. 11, p. 1152-1159.
- (O) Runge, Calae, and Takahashi, K.I., 1990, GEOMENU--A program for using U.S. GeoData files from 1:2,000,000-scale maps in ISM: U.S. Geological Survey Open-File Report 90-77-A, 23 p.; Open-File Report 90-77-B, one 5 1/4 inch diskette. (Documentation, executable program and source code; ASCII format, MS-DOS.)
- (P) Ryder, R.T., Lee, M.W., Agena, W.F., and Anderson, R.C., 1990, Seismic expression of subtle strat trap in Upper Cretaceous Almond: Oil and Gas Journal, Part 1, v. 88, no. 51, p. 54-57; Part 2, v. 88, no. 52, p. 54-57.
- (P) Schenk, C.J., 1990, Processes of eolian sand transport and deposition, in Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., "Modern and ancient eolian deposits--Petroleum exploration and production": Denver, Colo., Rocky Mountain Section, Society of Economic Paleontologists and Mineralogists, p. 2-1 - 2-9.
- (P) Schenk, C.J., 1990, Eolian dune morphology and wind regime, in Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., Modern and ancient eolian deposits--Petroleum exploration and production: Denver, Colo., Rocky Mountain Section, Economic Paleontologists and Mineralogists, p. 3-1 - 3-8.

- (P) Schenk, C.J., 1990, Early diagenesis in Holocene coastal eolian sands, Guerrero Negro, Baja California, Mexico, in Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., Modern and ancient eolian deposits--Petroleum exploration and production: Rocky Mountain Section, Society of Paleontologists and Mineralogists, p. 9-1 - 9-10.
- (P) Schenk, C.J., 1990, Eolian deposits of North Padre Island, Texas, in Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., Modern and ancient eolian deposits--Petroleum exploration and production: Denver, Colo., Rocky Mountain Section, Society of Economic Paleontologists and Mineralogists, p. 10-1 - 10-7.
- (P) Schenk, C.J., 1990, Overview of eolian sandstone diagenesis, Permian upper part of the Minnelusa Formation, Powder River basin, Wyoming, in Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., Modern and ancient eolian deposits--Petroleum exploration and production: Denver, Colo., Rocky Mountain Section, Society of Economic Paleontologists and Mineralogists, p. 15-1 - 15-10.
- (P) Schenk, C.J., 1990, Eolian deposits of the Ojo Caliente Sandstone Member (Miocene) of the Tesuque Formation, Espanola basin, New Mexico in Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., Modern and ancient eolian deposits--Petroleum exploration and production: Denver, Colo., Rocky Mountain Section, Society of Paleontologists and Mineralogists, p. 18-1 - 18-9.
- (P) Schenk, C.J., 1990, Overview of eolian sandstone diagenesis, Upper Jurassic Denkman Sandstone Member of Norphlet Formation, Mississippi and Alabama, in Fryberger, S.G., Krystinik, L.F., and Schenk, C.J., Modern and ancient eolian deposits--Petroleum exploration and production: Denver, Colo., Rocky Mountain Section, Society of Economic Paleontologists and Mineralogists, p. 20-1 - 20-12.
- (A) Schenk, C.J., 1990, Characterization of hydrocarbon reservoirs in eolian sandstones, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 72-74.
- (A) Schenk, C.J., Gautier, D.L., Olhoeft, G.R., and Lucius, J., 1990, Structures in eolian dunes as viewed with ground-penetrating radar: 13th International Sedimentological Congress, Nottingham, England, Abstracts Volume, p. 197.
- (A) Schenk, C.J., Pollastro, R.M., and Schmoker, J.W., 1990, Evolution of porosity in "deep" sandstones of the Permian upper part of the Minnelusa Formation, Powder River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1344.

- (P) Schmoker, J.W., and Gautier, D.L., 1990, Reply (to Deming) on "Compaction of basin sediments: Modeling based on time-temperature history": *Journal of Geophysical Research*, v. 95, no. B4, p. 5155-5157.
- (A) Schmoker, J.W., and Hester, T.C., 1990, Formation resistivity as an indicator of oil generation--Bakken Formation of North Dakota and Woodford Shale, Oklahoma [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 74, no. 8, p. 1345.
- (P) Schmoker, J.W., and Hester, T.C., 1990, Regional trends of sandstone porosity versus vitrinite reflectance--A preliminary framework, in Nuccio, V.F., and Barker, C.E., eds., *Applications of thermal maturity studies to energy exploration: Rocky Mountain Section*, Society of Economic Paleontologists and Mineralogists, p. 53-60.
- (P) Schmoker, J.W., and Hester, T.C., 1990, Formation resistivity as an indicator of oil generation--Bakken Formation of North Dakota and Woodford Shale of Oklahoma: *The Log Analyst*, v. 31, no. 1, p. 1-9.
- (A) Schmoker, J.W., and Hester, T.C., 1990, Prediction of sandstone porosity--An extension of the concept of thermal maturity, in Carter, L.M.H., ed., *USGS research on energy resources--1990*, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 72-74.
- (A) Schmoker, J.W., and Palacas, J.G., 1990, Porosity and organic geochemistry of Precambrian Midcontinent Rift System, Iowa--Petroleum potential of one-billion-year-old rocks [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 74, no. 8, p. 1344-1345.
- (P) Schmoker, J.W., and Palacas, J.G., 1990, Porosity of Precambrian sandstones in lower portion of the Eischeid #1 well, Carroll County, Iowa, in Anderson, R.R., ed., *The Amoco M.G. Eischeid #1 Deep Petroleum Test, Carroll County, Iowa*: Iowa Department of Natural Resources Special Report Series No. 2, p. 135-142.
- (O) Seward, W.P., and Dyman, T.S., 1990, Measured stratigraphic sections of Elko Formation (Middle and Upper Cambrian), and Fairholme Group, Alexo Formation, and Palliser Formation (Upper Devonian), northwestern Montana and southeastern British Columbia: U.S. Geological Survey Open-File Report 90-455, 23 p.
- (A) Spencer, C.W., Law, B.E., and Johnson, R.C., 1990, Western tight gas reservoirs--Resource potential and development constraints, in Carter, L.M.H., ed., *USGS research on energy resources--1990*, Program and abstracts, V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 77.

- (A) Stanley, R.G., Johnson, S.Y., Obradovich, J.D., Tuttle, M.L., Cotton Thornton, M.L., Vork, D.R., Filewicz, M.V., Mason, M.A., and Swisher, III, C.C., 1990, Age, facies, and depositional environments of the Lower Miocene Lospe Formation, Santa Maria basin, central California, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 78-79.
- (P) Stanley, R.G., McLean, Hugh, and Pawlewicz, M.J., 1990, Petroleum source potential and thermal maturity of the Tertiary Usibelli Group of Suntrana, central Alaska, in Dover, J.H., and Galloway, J.P., eds., Geologic studies in Alaska by the U.S. Geological Survey, 1989: U.S. Geological Survey Bulletin 1946, p. 65-76.
- (P) Swift, B.A., Dillon, W.P., Lee, M.W., and Ball, M.M., 1990, A structural and stratigraphic transect across the Florida Platform from the deep Gulf of Mexico to the deep Atlantic, in Carter, L.M.H., ed., USGS research on energy resources--1990, Program and abstracts, Sixth V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1060, p. 81.
- (A) Swift, B.A., Lee, M.W., Poag, W., and Agena, W.F., 1990, Seismic properties and modeling of Early Aalenian salt (Z) layer in Baltimore Canyon Trough, offshore New Jersey [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 774.
- (A) Takahashi, K.I., and Higley, D.K., 1990, Animated geographic information system of petroleum exploration through time in the Denver basin of Colorado, Nebraska, and Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 8, p. 1347.
- (A) Tennyson, M.E., Keller, M.A., Filewicz, M., Thornton, M.L., and Vork, D., 1990, Early Miocene sedimentation and tectonics in western San Luis Obispo County, central California [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 777.
- (M) Tysdal, R.G., Dyman, T.S., Nichols, D.G., and Cobban, W.A., 1990, Correlation chart for Frontier Formation from Greenhorn Range, southwestern Montana to Mt. Everts in Yellowstone National Park, Wyoming: U.S. Geological Survey Miscellaneous Field Studies Map MF-2116.
- (A) Ulmishek, G.F., 1990, Major petroleum basins of the USSR--Basins on Hercynian accreted terranes and foldbelts [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 782-783.

- (A) Ulmishek, G.F., 1990, Major petroleum basins of the USSR--Cratonic basins and rifts [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 783.
- (O) Ulmishek, G.F., 1990, Annotated bibliography of tectonostratigraphic and organic geochemical characteristics of Upper Precambrian rocks related to their petroleum potential: U.S. Geological Survey Open-File Report 90-63, 33 p.
- (P) Ulmishek, G.F., and Klemme, H.D., 1990, Depositional controls, distribution, and effectiveness of world's petroleum source rocks: U.S. Geological Survey Bulletin 1931, 59 p.
- (O) Varnes, K.L., Dolton, G.L., and Mast, R.F., compilers, 1990, Oil and gas resource assessment areas for 1987 assessment, Lower 48 States: U.S. Geological Survey Open-File Report 90-614, 1 over-size sheet, scale 1:500,000.
- (O) Wandrey, C.J., 1990, AZIMUTH (version 1)--A program to create rose diagrams: U.S. Geological Survey Open-File Report 89-627, one 5 1/4 inch diskette.
- (O) Wandrey C.J., and Obuch, R.C., 1990, MAPTOPS (version 1)--A program to retrieve formation tops: U.S. Geological Survey Open-File Report 89-575, one 5 1/4 inch diskette.
- (O) Wandrey, C.J., and Obuch, R.C., 1990, FORMATION TOPS (version 1): A system to retrieve formation tops: U.S. Geological Survey Open-File Report 90-530, one 5 1/4 inch diskette.
- (A) Wanty, R.B., Pitman, J.K., and Fouch, T.D., 1990, Diagenetic reactions in sandstones of the Red Wash oil field, Uinta basin, Utah [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 787.
- (A) Wilcox, L.A., Dyman, T.S., and Sosebee, J., 1990, Integrated PC-compatible petrographic database for petroleum reservoir characterization [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 790-791.
- (O) Wise, R.A., and Oliver, H.L., 1990, Marine multichannel seismic reflection profile Line 13 reprocessed, Cape Hatteras to Georges Bank: U.S. Geological Survey Open-File Report 89-572, 25 p.
- (A) Zartman, R.E., Dyman, T.S., Tysdal, R.G., and Pearson, R.C., 1990, U-Pb zircon ages of bentonitic ashes from the Vaughn Member of the Mid-Cretaceous Blackleaf Formation, southwest Montana: Geological Society of America Abstracts with Programs, v. 22, no. 7, p. A45.
- (O) Zihlman, F.N., 1990, ISOEDIT--A program for interactive editing of seismic reflection velocity models: U.S. Geological Survey Open-File Report 89-310-A, 37 p.; Open-File Report 89-310-B, one 5 1/4 inch diskette