

UNITED STATES DEPARTMENT OF THE INTERIOR  
U.S. GEOLOGICAL SURVEY

Audiomagnetotelluric investigation at Bursum caldera,  
Mogollon mining district, westcentral New Mexico:  
location map and data report

by

<sup>1</sup> <sup>1</sup>  
R.M. Senterfit and G.A. Abrams

Open-File Report 91-624

This report is preliminary and has not been reviewed for conformity with USGS editorial standards and stratigraphic nomenclature. Any use of trade names is for descriptive purposes only and does not imply endorsement by the USGS.

<sup>1</sup>  
U.S. Geological Survey, Denver, CO

Fifty-one audiomagnetotelluric (AMT) soundings were made in the summer of 1991 as part of a study of the Mogollon mining district. The work was done with the objective of aiding in the geologic mapping of the structural and lithologic relationships in the area by providing information on electrical structure of the subsurface.

The study area included the Bursum Creek caldera, located in the Gila National Forest and on mining lands in the vicinity of Mogollon, about 20 kilometers northeast of Glenwood, New Mexico. Locations of the soundings are shown in plate 1. The sounding curve for each station along with its corresponding data set is shown in Appendix 1.

Electromagnetic induction soundings were made using distant field sources, mostly natural sources in the frequency range from 4.5 hertz (Hz) to 27,000 Hz. The data for each station consist of scalar measurements of discrete frequencies for two orthogonal magnetic and electric field pairs.

The basic principles of the AMT method correspond to those of the magnetotelluric (MT) method (Cagniard, 1953; Vozoff, 1972; Vozoff and others, 1963). AMT signals, however, occur at higher frequencies and originate mainly from atmospheric disturbances (spherics) rather than the lower frequencies used in MT (typically in the range of .001 to 1,000 hertz) which originate from ionospheric phenomena.

Previous AMT or MT work applied to investigate the structure and lithologic relations in various volcanic areas include that by Hoover and others, 1987; Hermance and others, 1984; Leary and Phinney, 1974; Stanley, 1982; Long, 1985; and Fitterman and others, 1988.

#### References

- Cagniard, L., 1953, Basic theory of the magnetotelluric method: *Geophysics*, v. 18, no. 3, p. 605-635.
- Fitterman, D.V., Stanley, W.D., and Bisdorf, R.J., 1988, Electric structure of Newberry volcano, Oregon: *Journal of Geophysical Research*, v. 93, no. B9, p. 10119-10134.
- Hermance, J.F., Slocum, W.M., and Neuman, G.A., 1984, The Long Valley/Mono Basin volcanic complex--A preliminary magnetotelluric and magnetic variation interpretation: *Journal of Geophysical Research*, v. 89, p. 8325-8337.
- Hoover, D.B., Long, C.L., and Senterfit, R.M., 1978, Some results from audio-magnetotelluric investigations in geothermal areas, *Geophysics*, v. 43, no. 7, p. 1501-1514.

- Leary, P., and Phinney, R.A., 1974, A magnetotelluric traverse across the Yellowstone region: Geophysical Research Letters, v. 1, no. 6, p. 265-269.
- Long, C.L., 1985, Regional audio-magnetotelluric study of the Questa caldera, New Mexico: Journal of Geophysical Research, v. 90, p. 11270,11274.
- Stanley, W.D., 1982, Magnetotelluric soundings on the Idaho National Engineering Lab Facility, Idaho: Journal of Geophysical Research, v. 87, no., B4, p.2686-2691.
- Vozoff, K., 1972, The magnetotelluric method in the exploration of sedimentary basins: Geophysics, v. 37, no., 1, p.98-141.
- Vozoff, K., Hasegawa, H., and Ellis, R.M., 1963, Results and limitations of magnetotelluric surveys in simple geologic situations: Geophysics, v. 28, no. 5, Part I, p. 778-792.

## Appendix 1

Sounding curve for each station recorded at Bursum caldera AMT survey at Mogollon mining district, New Mexico.

### Key to abbreviations:

Sta. ID	Station identification
Freq.	Frequency (Hz)
No Freq.	Number of frequencies recorded
Ap Res	Apparent resistivity (ohm-meters)
N Obs	Number of observations taken
Std Err	Standard error (%)
O = NS	North-south E-field measurement
X = EW	East-west E-field measurement


# Station 1

STA. ID\_BC01 NS NO FREQ= 13

FREQ	AP-RES	N OBS	STD ERR
4.5	69.77	6	11.95
7.5	57.45	10	4.82
14.0	51.64	10	4.04
27.0	35.51	11	3.64
45.0	23.15	9	5.07
75.0	60.65	13	4.72
140.0	58.64	10	7.16
270.0	84.83	9	12.40
450.0	121.88	9	42.84
750.0	24.32	7	3.93
1400.0	38.54	8	11.98
2700.0	46.22	7	1.75
27000.0	21.79	8	1.47

STA. ID\_BC01 EW NO FREQ= 12

FREQ	AP-RES	N OBS	STD ERR
4.5	44.85	6	4.67
7.5	19.32	10	3.96
14.0	25.81	9	2.68
27.0	33.71	10	2.79
45.0	49.33	14	1.82
75.0	48.66	10	2.55
140.0	53.46	10	2.89
270.0	56.23	11	3.41
450.0	128.77	9	9.85
750.0	46.77	10	2.14
1400.0	46.51	9	3.52
2700.0	7.88	7	.54




# Station 2

STA. ID\_BC02 NS NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	373.56	8	64.21
7.5	279.47	10	15.06
14.0	213.84	10	20.28
27.0	161.85	10	17.25
45.0	171.79	9	24.24
75.0	212.62	9	19.54
140.0	127.17	7	10.02
270.0	155.36	11	19.97
450.0	234.12	9	27.84
750.0	176.70	8	27.56
1400.0	18.82	8	3.16
2700.0	50.88	8	3.16
14000.0	36.47	7	.75
27000.0	7.81	7	.43

STA. ID\_BC02 EW NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	1485.48	5	130.29
7.5	267.28	10	10.40
14.0	208.62	10	4.98
27.0	136.45	10	12.43
45.0	107.51	11	2.86
75.0	93.52	10	6.89
140.0	82.14	14	3.01
270.0	72.56	10	6.47
450.0	64.73	12	6.93
750.0	42.49	10	3.59
1400.0	21.90	8	2.81
2700.0	57.21	10	2.13
14000.0	55.69	7	3.81
27000.0	3.58	4	.27




# Station 3

STA. ID\_BC03 NS NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	134.07	5	59.33
7.5	134.32	8	19.20
14.0	82.77	7	5.51
27.0	90.57	9	10.97
45.0	83.76	8	13.45
75.0	79.69	7	5.70
140.0	76.52	9	5.90
270.0	69.45	9	6.64
450.0	116.12	7	10.03
750.0	117.70	9	16.41
1400.0	20.64	7	4.24
4500.0	23.27	8	2.57
7500.0	39.26	11	3.02
14000.0	37.13	6	1.39
27000.0	4.04	8	.25

STA. ID\_BC03 EW NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	318.26	6	27.92
7.5	262.61	9	24.48
14.0	235.37	10	24.47
27.0	157.63	10	6.00
45.0	147.52	10	8.54
75.0	184.86	9	13.10
140.0	215.94	10	6.88
270.0	216.11	10	8.63
450.0	258.99	8	9.68
750.0	159.63	9	21.85
1400.0	99.93	8	21.53
2700.0	44.20	7	5.66
4500.0	83.80	10	10.09
7500.0	158.75	11	4.11
14000.0	86.92	9	2.59
27000.0	7.88	6	1.29




# Station 4

STA. ID\_BC04 NS NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	211.56	7	62.24
7.5	253.16	8	9.95
14.0	251.87	9	26.90
27.0	282.73	10	10.08
45.0	317.73	10	27.44
75.0	239.35	12	31.97
140.0	262.13	11	18.72
270.0	209.43	12	24.60
450.0	407.18	10	21.29
750.0	337.95	9	24.30
1400.0	309.38	7	44.22
2700.0	123.06	4	23.26
4500.0	96.22	7	11.57
7500.0	83.07	13	18.90
14000.0	53.16	8	.45

STA. ID\_BC04 EW NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	457.35	12	45.00
7.5	244.84	12	25.19
14.0	214.27	12	19.06
27.0	215.20	11	11.72
45.0	186.10	12	4.83
75.0	240.35	12	13.53
140.0	230.27	10	12.23
270.0	243.39	12	17.61
450.0	354.79	11	30.16
750.0	249.13	7	13.47
1400.0	82.59	6	21.15
2700.0	145.72	7	11.43
4500.0	129.90	12	13.74
7500.0	215.44	14	9.12
14000.0	144.33	12	6.90
27000.0	24.23	7	3.53




# Station 5

STA. ID-BC05 NS NO FREQ= 14

FREQ	AP-RES	N	OBS	STD ERR
4.5	688.25	10	232.66	
7.5	428.37	12	29.43	
14.0	202.03	11	20.46	
27.0	216.74	11	18.44	
45.0	254.43	10	16.56	
75.0	242.24	12	22.00	
140.0	165.70	10	19.61	
270.0	116.42	10	9.90	
450.0	172.14	10	16.70	
750.0	97.44	11	10.97	
1400.0	57.34	7	10.07	
4500.0	20.11	10	3.64	
14000.0	13.45	6	1.01	
27000.0	24.73	12	1.21	

STA. ID-BC05 EW NO FREQ= 14

FREQ	AP-RES	N	OBS	STD ERR
4.5	1002.10	12	95.33	
7.5	598.75	12	62.65	
14.0	561.37	10	65.19	
27.0	586.81	11	36.21	
45.0	597.14	11	32.46	
75.0	730.24	12	60.33	
140.0	561.32	11	47.53	
270.0	443.41	12	37.68	
450.0	417.79	12	19.81	
750.0	275.06	12	22.19	
4500.0	62.60	12	8.51	
7500.0	186.03	12	34.65	
14000.0	164.99	10	12.47	
27000.0	22.07	5	6.05	




# Station 6

STA. ID-BC06 NS NO FREQ= 12

FREQ	AP-RES	N	OBS	STD ERR
4.5	2216.60	9	291.73	
7.5	1316.10	12	126.27	
14.0	596.16	11	116.01	
27.0	373.16	10	86.27	
45.0	666.54	12	60.96	
75.0	814.74	11	115.00	
270.0	530.33	11	62.15	
450.0	1282.50	10	279.95	
750.0	1300.90	10	207.12	
4500.0	184.65	10	21.05	
7500.0	265.30	14	19.54	
14000.0	89.11	8	6.02	

STA. ID-BC06 EW NO FREQ= 13

FREQ	AP-RES	N	OBS	STD ERR
4.5	5138.90	11	829.59	
7.5	3427.90	9	287.90	
14.0	1226.50	9	179.55	
27.0	1488.60	11	86.64	
45.0	1275.00	12	271.91	
75.0	1400.30	10	184.73	
140.0	1275.00	11	307.55	
270.0	1672.40	13	215.55	
450.0	2135.30	14	117.56	
750.0	2608.60	12	233.51	
1400.0	384.30	4	219.29	
4500.0	938.96	12	136.68	
14000.0	292.70	8	20.62	




## Station 7

STA. ID\_BC07 NS NO FREQ= 13

FREQ	AP-RES	N	OBS	STD ERR
4.5	6808.90	10	1541.10	
7.5	4648.70	12	223.77	
14.0	2307.60	12	128.51	
27.0	1561.30	12	237.66	
45.0	2098.70	11	148.69	
75.0	1760.50	11	144.67	
140.0	1416.20	10	145.32	
270.0	843.38	12	81.78	
450.0	853.30	12	51.36	
750.0	666.23	12	43.97	
4500.0	207.51	10	35.88	
7500.0	179.09	10	16.27	
14000.0	91.20	7	2.52	

STA. ID\_BC07 EW NO FREQ= 12

FREQ	AP-RES	N	OBS	STD ERR
4.5	590.17	12	54.84	
7.5	517.57	12	49.65	
14.0	389.32	12	25.64	
27.0	290.88	12	19.17	
45.0	250.34	12	19.64	
75.0	195.60	12	18.57	
140.0	155.70	12	12.51	
270.0	156.91	12	4.48	
450.0	146.75	12	7.59	
750.0	188.24	12	8.21	
4500.0	63.08	6	9.69	
7500.0	84.60	15	8.05	




## Station 8

STA. ID\_BC08 NS NO FREQ= 14

FREQ	AP-RES	N	OBS	STD ERR
4.5	112.97	6	21.90	
7.5	67.37	6	11.78	
14.0	49.43	7	9.36	
27.0	69.57	10	7.32	
45.0	89.31	10	19.26	
75.0	90.30	11	13.23	
140.0	89.82	8	16.47	
270.0	63.69	8	15.16	
450.0	137.85	10	15.96	
750.0	144.92	10	29.53	
4500.0	69.47	10	7.89	
7500.0	18.47	9	2.71	
14000.0	132.99	7	11.68	
27000.0	13.51	6	1.37	

STA. ID\_BC08 EW NO FREQ= 15

FREQ	AP-RES	N	OBS	STD ERR
4.5	271.62	10	48.17	
7.5	282.11	9	26.82	
14.0	174.97	13	8.94	
27.0	146.19	14	6.22	
45.0	123.68	12	3.15	
75.0	119.54	12	3.50	
140.0	148.68	14	4.89	
270.0	168.92	12	7.27	
450.0	175.23	12	4.83	
750.0	165.17	12	8.64	
1400.0	82.55	6	11.39	
4500.0	100.95	11	6.71	
7500.0	149.19	14	15.26	
14000.0	79.35	9	6.89	
27000.0	51.13	6	2.77	





# Station 9

STATION=BC09H-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	181.97	11	9.17
7.5	36.69	11	6.48
14.0	58.02	12	6.66
27.0	49.00	11	5.47
45.0	39.82	11	6.56
75.0	42.67	11	5.18
140.0	43.61	11	4.37
270.0	39.73	11	3.58
450.0	43.37	10	1.69
750.0	31.81	11	6.21
1400.0	31.25	9	4.03
2700.0	38.96	8	4.75
4500.0	49.85	11	4.98
7500.0	39.99	11	3.27
14000.0	26.94	6	2.38
27000.0	4.52	11	.19

STATION=BC09E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	886.75	11	87.67
7.5	278.15	11	49.47
14.0	274.41	11	20.18
27.0	186.62	11	12.02
45.0	155.28	11	19.29
75.0	157.56	11	9.61
140.0	153.47	11	8.39
270.0	147.18	11	6.43
450.0	127.18	10	11.75
750.0	131.37	11	7.61
1400.0	182.92	11	18.20
2700.0	34.51	9	4.33
4500.0	93.53	11	4.13
7500.0	116.07	11	10.11
14000.0	63.22	8	5.38
27000.0	47.00	9	3.29

# Station 10



STA. 1D-BC10 NS NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	53.22	8	19.92
7.5	28.57	9	2.46
14.0	18.62	11	.88
27.0	7.48	10	1.91
45.0	13.83	10	1.25
75.0	24.14	10	2.83
140.0	16.53	14	1.66
270.0	16.79	9	2.71
450.0	26.30	11	4.13
750.0	17.12	7	2.15
1400.0	3.96	5	.32
2700.0	4.52	3	.27
4500.0	12.72	8	2.23
7500.0	9.55	10	2.15
14000.0	49.87	8	6.25
27000.0	15.52	4	.58

STA. 1D-BC10 EW NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	92.33	7	5.95
7.5	48.67	9	4.24
14.0	43.89	10	2.97
27.0	46.12	10	5.22
45.0	68.98	13	8.31
75.0	40.82	14	1.25
140.0	42.85	13	3.99
270.0	52.26	11	4.35
450.0	40.76	11	5.20
750.0	25.52	6	5.91
1400.0	18.05	6	5.91
4500.0	31.98	11	3.16
7500.0	45.72	11	2.76
14000.0	35.46	8	2.31
27000.0	12.46	5	1.18

PROJ= BURSUM CALDERA




# Station 11

STA. ID\_BC11 NS NO FREQ= 13

FREQ	AP-RES	N OBS	STD ERR
4.5	134.23	6	41.98
7.5	124.98	12	11.48
14.0	153.35	9	29.95
27.0	42.85	10	2.61
45.0	138.49	8	34.81
75.0	58.75	12	9.05
140.0	92.52	10	10.54
270.0	18.03	7	2.59
450.0	137.41	8	56.86
750.0	11.11	9	3.98
1400.0	15.08	10	4.12
2700.0	41.40	7	2.15
27000.0	4.39	12	.28

STA. ID\_BC11 EW NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	197.21	9	18.87
7.5	34.25	11	2.88
14.0	134.71	11	8.10
27.0	139.36	11	4.93
45.0	152.37	14	16.81
75.0	139.79	13	7.21
140.0	146.17	11	7.02
270.0	115.21	12	12.77
450.0	126.13	11	9.34
750.0	56.96	10	6.22
1400.0	63.96	4	8.29
4500.0	27.33	7	1.86
7500.0	71.75	11	6.50
14000.0	73.14	5	3.20



# Station 12


STATION=BC12N-S NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	127.20	6	21.93
7.5	174.65	11	18.86
14.0	141.19	11	15.98
27.0	145.52	8	27.52
45.0	666.32	7	117.70
75.0	736.64	9	129.62
140.0	677.72	7	232.12
270.0	1194.40	11	179.67
450.0	1202.70	9	286.59
750.0	1847.40	3	41.28
4500.0	101.59	12	14.24
7500.0	232.75	11	8.58
14000.0	54.12	7	.77
27000.0	6.16	7	.27

STATION=BC12E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	133.49	11	13.15
7.5	90.88	11	5.52
14.0	83.15	11	10.44
27.0	84.30	10	6.65
45.0	95.40	11	4.86
75.0	108.61	14	6.51
140.0	99.94	11	4.82
270.0	107.89	10	4.54
450.0	145.95	11	7.49
750.0	119.22	11	8.62
1400.0	68.97	9	10.54
4500.0	112.67	11	9.73
7500.0	191.28	11	6.13
14000.0	96.85	10	4.86
27000.0	40.96	7	1.61

PROJ= BURSUM CALDERA




# Station 13

STA. ID-BC13 NS NO FREQ= 13

FREQ	AP-RES	N OBS	STD ERR
4.5	12.25	4	3.08
7.5	30.24	10	5.62
14.0	29.30	9	4.68
27.0	27.77	8	3.29
45.0	62.83	8	5.35
75.0	58.51	11	6.74
140.0	78.66	8	22.99
270.0	119.79	8	31.67
450.0	50.68	11	18.51
750.0	33.15	7	2.69
7500.0	13.57	9	1.58
14000.0	39.62	7	5.74
27000.0	82.31	3	4.54

STA. ID-BC13 EW NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	250.96	11	18.90
7.5	348.61	10	96.04
14.0	272.86	11	13.30
27.0	314.10	15	10.60
45.0	308.07	11	19.63
75.0	178.02	11	20.29
140.0	304.87	11	12.40
270.0	214.52	11	5.49
450.0	217.77	10	7.21
750.0	110.87	11	9.43
1400.0	67.55	9	9.71
2700.0	15.59	5	3.00
4500.0	46.51	12	2.05
7500.0	56.81	11	1.67
14000.0	43.76	7	1.98
27000.0	28.22	7	1.49



# Station 14


STATION=BC14N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	161.40	10	19.75
7.5	85.01	10	5.58
14.0	65.96	10	7.83
27.0	54.21	12	3.50
45.0	54.49	11	9.25
75.0	79.06	11	10.94
140.0	388.32	11	30.69
270.0	82.92	9	12.09
450.0	74.09	8	9.57
750.0	68.59	11	7.03
1400.0	55.43	11	9.18
2700.0	54.19	9	5.53
4500.0	61.93	10	4.35
7500.0	72.34	7	4.25
14000.0	249.89	5	27.51
27000.0	15.85	5	2.60

STATION=BC14E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	114.70	4	43.55
7.5	53.47	11	3.97
14.0	54.95	11	2.15
27.0	51.97	10	3.40
45.0	68.38	10	5.50
75.0	60.60	10	3.41
140.0	68.41	11	2.63
270.0	78.06	11	2.41
450.0	73.91	10	3.80
750.0	54.63	11	5.40
1400.0	1618.20	11	356.97
2700.0	24.82	8	0.35
4500.0	44.35	11	2.85
7500.0	76.20	10	6.28
14000.0	50.16	9	2.13
27000.0	27.15	5	1.23

PROJ= BURSUM CALDERA



# Station 15

STATION=BC15N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	100.61	10	10.78
7.5	79.77	9	12.59
14.0	58.33	11	4.09
27.0	64.95	11	5.45
45.0	50.34	11	7.77
75.0	83.07	9	13.24
140.0	112.01	11	8.59
270.0	137.14	10	20.12
450.0	160.73	10	18.49
750.0	172.66	12	20.87
1400.0	80.86	11	16.64
2700.0	63.35	10	10.89
4500.0	126.02	11	12.15
7500.0	131.61	10	6.27
14000.0	262.55	7	8.79
27000.0	16.49	7	.78

STATION=BC15E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	112.39	10	12.23
7.5	79.38	10	4.35
14.0	56.33	11	3.50
27.0	55.41	11	2.52
45.0	52.91	11	2.35
75.0	78.23	11	5.87
140.0	74.46	11	5.83
270.0	89.88	11	3.66
450.0	62.00	12	6.70
750.0	114.92	11	4.49
1400.0	116.67	11	8.69
2700.0	45.15	8	10.17
4500.0	239.63	12	24.61
7500.0	123.82	7	11.74
27000.0	32.77	7	1.54

# Station 16


STATION=BC16N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	10.36	9	3.15
7.5	24.00	11	4.93
14.0	21.16	11	2.70
27.0	21.34	7	2.84
45.0	26.22	11	1.67
75.0	22.09	11	6.19
140.0	26.88	11	3.08
270.0	17.65	12	1.99
450.0	25.38	11	1.46
750.0	22.86	11	2.59
1400.0	28.86	10	4.12
2700.0	16.79	10	1.32
4500.0	41.15	11	1.82
7500.0	45.36	11	1.75
14000.0	77.41	7	3.39
27000.0	131.67	8	9.42


STATION=BC16E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	28.44	11	2.50
7.5	19.04	11	1.04
14.0	20.15	11	1.66
27.0	22.60	11	1.42
45.0	18.04	11	.91
75.0	17.76	12	.99
140.0	16.91	11	.31
270.0	17.32	11	.54
450.0	23.00	11	1.10
750.0	16.88	10	1.00
1400.0	12.27	11	.90
2700.0	3.07	8	.54
4500.0	237.71	11	23.45
7500.0	32.48	11	.73
14000.0	36.52	7	.91
27000.0	12.26	7	.31

PROJ= BURSUM CALDERA



PROJ= BURSUM CALDERA



# Station 17


STATION=BC17N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	324.54	9	34.39
7.5	335.41	11	59.28
14.0	255.22	12	51.15
27.0	382.52	13	32.87
45.0	535.52	9	67.66
75.0	489.11	12	56.16
140.0	504.32	13	45.13
270.0	1139.60	10	109.39
450.0	372.15	11	35.96
750.0	352.41	11	35.19
1400.0	124.18	8	8.68
2700.0	148.15	11	9.74
4500.0	138.80	11	8.44
7500.0	105.13	11	2.44
14000.0	49.53	5	1.89
27000.0	9.37	9	.45

STATION=BC17E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	199.67	11	12.72
7.5	131.13	11	7.12
14.0	137.41	10	9.22
27.0	137.89	11	8.95
45.0	100.55	11	2.22
75.0	106.21	11	2.97
140.0	90.66	11	3.93
270.0	76.45	11	3.00
450.0	105.71	10	3.62
750.0	81.57	11	3.31
1400.0	47.90	11	4.16
2700.0	16.95	5	2.90
4500.0	82.40	11	3.34
7500.0	95.30	10	1.66
14000.0	62.96	12	2.01
27000.0	12.47	7	.67

PROJ= BURSUM CALDERA



# Station 18


STATION=BC18N-S NO FREQ= 13

FREQ	AP-RES	N OBS	STD ERR
4.5	40.79	7	12.33
7.5	66.94	11	4.04
14.0	58.80	10	5.52
27.0	64.84	10	5.67
45.0	86.95	12	7.66
75.0	71.97	10	5.31
140.0	61.78	11	7.37
270.0	34.16	8	6.42
450.0	38.16	10	5.70
750.0	23.26	5	6.59
1400.0	6.39	10	.95
2700.0	19.83	7	.61
4500.0	6.67	6	.31

STATION=BC18E-W NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	27.31	9	7.63
7.5	38.15	10	3.12
14.0	70.59	8	8.26
27.0	85.79	11	20.72
45.0	60.01	11	6.40
75.0	71.22	11	9.65
140.0	240.70	11	21.23
270.0	46.60	11	2.12
450.0	38.10	11	9.52
750.0	5.37	6	.54
1400.0	5.37	6	1.55
2700.0	22.64	11	.76
4500.0	7.36	6	.58
7500.0	8.62	7	.34

PROJ= BURSUM CALDERA



# Station 19

STATION=BC19N-S NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	72.88	6	26.44
7.5	53.43	12	5.01
14.0	74.86	11	6.39
27.0	77.88	11	10.74
45.0	77.37	9	4.65
75.0	89.54	11	12.58
140.0	68.58	13	9.82
270.0	8.95	6	1.46
450.0	68.94	5	13.63
750.0	164.00	1	0.00
4500.0	9.21	6	1.55
7500.0	11.50	10	.79
14000.0	59.24	6	1.31
27000.0	53.34	3	.81

STATION=BC19E-W NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	62.89	7	6.85
7.5	25.64	9	2.59
14.0	44.69	8	3.66
27.0	55.26	11	4.21
45.0	49.89	11	3.38
75.0	56.56	11	3.97
140.0	57.39	4	1.55
270.0	55.34	12	5.65
450.0	56.45	11	3.45
750.0	50.84	11	5.68
4500.0	13.13	10	1.32
7500.0	25.54	10	2.29
14000.0	137.13	7	3.47
27000.0	9.31	7	.73

# Station 20


STATION=20N-S NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	3.16	6	1.04
7.5	28.83	8	2.26
14.0	19.69	11	2.03
27.0	25.21	8	5.66
45.0	12.54	10	3.56
75.0	16.96	11	2.50
140.0	16.42	11	2.04
270.0	22.91	9	1.67
450.0	32.58	11	3.43
750.0	8.04	11	1.02
4500.0	3.72	4	.83
7500.0	8.05	9	1.09
14000.0	98.54	5	2.43
27000.0	30.98	4	3.23


STATION=20E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	148.54	12	8.96
7.5	153.67	12	16.60
14.0	136.87	12	6.20
27.0	201.55	13	9.01
45.0	284.84	12	8.24
75.0	191.21	12	10.80
140.0	223.08	12	8.17
270.0	225.75	12	7.66
450.0	278.66	10	31.07
750.0	116.31	11	16.12
1400.0	14.49	4	3.90
4500.0	15.87	12	1.72
7500.0	62.15	12	2.09
14000.0	38.96	12	2.05
27000.0	21.12	7	.23

PROJ= BURSUM CALDERA



PROJ= BURSUM CALDERA




## Station 21

STA. ID\_BC21 NS NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	79.84	7	9.86
7.5	46.45	10	6.42
14.0	51.40	11	2.94
27.0	61.65	11	5.08
45.0	88.57	10	8.07
75.0	84.44	10	5.97
140.0	86.75	10	4.87
270.0	92.23	11	9.16
450.0	106.24	12	7.29
750.0	76.08	10	8.29
1400.0	15.55	6	4.46
2700.0	6.23	3	.12
4500.0	25.60	8	6.06
7500.0	6.52	11	.39
14000.0	64.97	5	2.13
27000.0	12.25	11	.53

STA. ID\_BC21 EW NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	104.49	10	9.76
7.5	92.41	11	9.05
14.0	80.05	10	12.07
27.0	67.11	13	7.48
45.0	77.74	11	7.30
75.0	72.22	13	5.68
140.0	49.40	11	3.45
270.0	47.12	10	2.64
450.0	42.93	11	3.15
750.0	33.35	12	3.98
1400.0	13.81	11	3.94
2700.0	13.46	12	1.29
4500.0	77.34	9	5.11
7500.0	37.00	11	1.02
14000.0	14.60	11	1.51
27000.0	33.88	7	1.22



## Station 22


STATION=BC22N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	30.69	10	7.39
7.5	20.76	11	3.82
14.0	29.79	11	3.88
27.0	30.73	11	7.11
45.0	19.16	8	3.76
75.0	12.13	12	1.61
140.0	7.98	8	1.11
270.0	4.85	10	.76
450.0	1.14	9	.34
750.0	5.36	11	.45
1400.0	12.86	7	.29
2700.0	4.97	3	.17
4500.0	11.57	10	2.37
7500.0	10.43	11	1.01
14000.0	144.32	4	2.33
27000.0	8.66	6	.88

STATION=BC22E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	78.02	11	9.11
7.5	48.74	11	3.79
14.0	61.32	11	5.66
27.0	53.91	11	1.87
45.0	54.54	11	2.13
75.0	54.85	9	2.81
140.0	42.56	12	2.06
270.0	37.93	11	2.16
450.0	26.40	11	2.24
750.0	20.74	11	1.04
1400.0	3.02	6	.64
2700.0	12.54	11	2.02
4500.0	62.63	11	5.42
7500.0	44.62	7	1.84
27000.0	24.76	7	1.13

PROJ= BURSUM CALDERA



# Station 23


STATION=BC23H-S NO FREQ= 12

FREQ	AP-RES	N OBS	STD ERR
4.5	412.58	13	31.57
7.5	45.14	11	2.50
14.0	41.88	14	2.95
27.0	36.12	18	5.60
45.0	46.94	12	4.38
75.0	47.72	13	6.61
140.0	33.38	10	6.54
270.0	14.14	7	2.82
450.0	31.85	8	3.64
750.0	19.83	7	2.82
1400.0	41.34	4	.59
2700.0	31.85	2	9.80

STATION=BC23E-W NO FREQ= 11

FREQ	AP-RES	N OBS	STD ERR
4.5	26.98	7	1.35
7.5	28.76	9	4.81
14.0	26.67	10	1.18
27.0	45.44	12	2.93
45.0	35.77	12	2.45
75.0	64.10	11	3.19
140.0	57.19	11	3.52
270.0	73.79	10	10.03
450.0	5.31	8	.16
750.0	23.87	14	2.32
1400.0	16.40	6	1.03

PROJ= BURSUM CALDERA



# Station 24


STATION=BC24H-S NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	34.51	8	6.07
7.5	24.21	12	3.25
14.0	27.09	12	3.68
27.0	27.52	14	4.01
45.0	47.67	9	4.45
75.0	57.77	8	16.03
140.0	37.99	9	5.20
270.0	43.82	11	8.67
450.0	103.51	9	14.54
750.0	10.89	11	1.03
1400.0	6.60	9	1.23
2700.0	14.61	11	1.26
4500.0	25.69	7	.83
7500.0	13.69	8	.83

STATION=BC24E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	19.71	9	3.38
7.5	26.53	11	1.19
14.0	33.72	11	6.53
27.0	45.20	11	1.76
45.0	48.32	11	3.35
75.0	63.07	13	4.51
140.0	71.03	12	4.30
270.0	49.54	11	4.22
450.0	42.11	10	3.71
750.0	19.26	11	2.82
1400.0	3.42	6	.71
2700.0	4.05	6	.31
4500.0	16.20	11	1.24
7500.0	12.91	3	.45
14000.0	10.99	9	.56

PROJ= BURSUM CALDERA





# Station 25


STATION=BC25N-S NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	36.89	7	7.15
7.5	102.37	10	8.79
14.0	47.26	11	4.18
27.0	49.48	14	4.21
45.0	33.67	11	6.60
75.0	42.98	8	11.94
140.0	35.30	11	5.39
270.0	16.92	11	2.11
450.0	50.33	11	5.04
750.0	111.86	10	8.64
1400.0	82.47	3	4.95
4500.0	7.77	3	.50
7500.0	4.66	11	.70
14000.0	30.06	7	.65
27000.0	6.80	6	.26

STATION=BC25E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	114.59	9	16.54
7.5	91.20	11	16.69
14.0	70.10	11	12.54
27.0	89.13	11	7.23
45.0	90.39	11	21.06
75.0	35.65	10	6.17
140.0	44.67	11	3.12
270.0	77.98	11	4.98
450.0	79.68	11	7.73
750.0	70.09	11	6.12
1400.0	57.34	3	3.63
4500.0	43.91	6	4.35
7500.0	68.57	10	5.12
14000.0	92.73	12	4.78
27000.0	125.32	3	2.61

PROJ= BURSUM CALDERA



# Station 26


STATION=BC26N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	16.77	7	5.09
7.5	34.67	11	3.83
14.0	19.40	12	5.16
27.0	48.75	11	9.05
45.0	21.08	11	4.94
75.0	24.94	10	5.61
140.0	36.79	11	5.35
270.0	44.83	10	6.51
450.0	38.35	10	6.64
750.0	88.00	11	9.79
1400.0	36.33	5	1.59
2700.0	27.29	4	2.35
4500.0	21.98	6	3.46
7500.0	11.21	11	1.54
14000.0	74.20	7	1.67
27000.0	13.32	8	.57

STATION=BC26E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	48.36	11	6.88
7.5	43.86	11	4.26
14.0	43.94	11	5.37
27.0	64.13	11	7.30
45.0	50.67	11	11.25
75.0	27.28	11	6.03
140.0	42.39	12	2.43
270.0	55.30	11	5.57
450.0	44.46	11	2.76
750.0	52.39	11	9.50
1400.0	279.56	5	31.44
4500.0	20.48	3	3.14
7500.0	63.61	11	2.10
14000.0	57.90	7	5.32
27000.0	7.82	7	.46

PROJ= BURSUM CALDERA



# Station 27


STATION=BC-27N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	44.95	6	11.45
7.5	113.28	6	19.33
14.0	184.14	8	25.59
27.0	182.09	13	21.65
45.0	71.70	10	13.28
75.0	241.70	12	49.82
140.0	258.89	11	66.63
270.0	341.29	10	53.42
450.0	276.61	12	32.99
750.0	150.08	11	23.45
1400.0	86.49	6	31.07
2700.0	15.96	6	5.00
4500.0	70.67	12	6.04
7500.0	45.60	12	11.60
14000.0	70.41	7	4.00
27000.0	5.61	9	.67

STATION=BC-27E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	130.00	4	26.57
7.5	90.60	4	16.83
14.0	147.75	10	9.05
27.0	119.84	11	7.51
45.0	124.15	9	9.26
75.0	167.17	12	9.02
140.0	139.22	12	12.93
270.0	765.66	12	27.61
450.0	185.55	13	9.24
750.0	170.19	12	4.94
1400.0	139.36	13	11.81
2700.0	117.75	12	5.23
4500.0	188.93	14	16.82
7500.0	178.96	12	7.29
14000.0	143.16	8	4.32
27000.0	22.05	11	1.62

PROJ= BURSUM CALDERA



# Station 28


STATION=BC28N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	189.05	5	47.52
7.5	472.15	9	151.28
14.0	184.84	7	15.46
27.0	166.11	9	23.17
45.0	314.37	9	42.71
75.0	272.41	11	31.64
140.0	235.73	11	28.47
270.0	143.65	11	11.61
450.0	166.79	10	17.38
750.0	189.04	11	21.66
1400.0	158.87	8	18.54
2700.0	187.14	11	9.90
4500.0	37.28	12	7.24
7500.0	45.77	10	5.29
14000.0	53.08	7	2.24
27000.0	7.17	7	.88

STATION=BC28E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	523.08	6	26.99
7.5	154.06	14	22.20
14.0	107.86	10	6.61
27.0	136.90	10	19.19
45.0	93.08	11	5.61
75.0	129.58	11	13.02
140.0	104.75	11	4.46
270.0	105.18	11	6.28
450.0	99.26	11	5.68
750.0	94.37	11	2.91
1400.0	83.74	11	2.89
2700.0	68.19	8	4.01
4500.0	103.53	10	3.08
7500.0	85.37	11	7.92
14000.0	86.17	11	6.36
27000.0	21.12	8	2.22

PROJ= BURSUM CALDERA




# Station 29

STA. ID\_BC29 NS NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
27.0	329.45	11	48.18
14.0	257.52	7	45.96
7.5	199.24	7	89.35
4.5	271.47	4	34.18
45.0	451.22	7	193.38
75.0	889.87	8	173.91
140.0	529.86	9	135.59
270.0	869.66	9	162.39
450.0	559.76	10	131.42
750.0	2900.10	10	335.40
1400.0	291.92	9	45.23
2700.0	1720.00	7	143.85
4500.0	1119.60	11	115.57
7500.0	674.70	9	66.43
14000.0	211.22	6	4.68
27000.0	13.29	9	.31

STA. ID\_BC29 EW NO FREQ= 13

FREQ	AP-RES	N OBS	STD ERR
27.0	416.32	11	19.53
14.0	27.15	5	4.63
7.5	6.16	4	1.11
45.0	5386.10	5	161.52
75.0	10530.00	4	395.97
140.0	5304.00	3	215.09
270.0	820960.00	5	1666.90
450.0	2457.60	5	111.70
750.0	6029.00	6	739.71
1400.0	6454.50	5	206.18
2700.0	1616.30	5	48.65
4500.0	1500.70	4	219.43
7500.0	1059.50	3	22.63




# Station 30

STA. ID\_BC30 NS NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	33.44	8	7.30
7.5	79.60	10	16.90
14.0	320.64	9	64.05
27.0	440.98	9	54.39
45.0	411.83	8	42.51
75.0	469.26	6	171.57
140.0	548.59	10	111.69
270.0	444.16	12	57.99
450.0	255.82	10	62.94
750.0	449.84	9	32.83
1400.0	724.08	12	68.62
2700.0	594.05	12	36.79
4500.0	452.65	14	20.88
7500.0	179.48	11	14.29
14000.0	67.30	6	3.47
27000.0	4.63	10	.24

STA. ID\_BC30 EW NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	86.84	8	22.97
7.5	109.00	12	10.18
14.0	115.93	15	6.35
27.0	121.13	12	12.10
45.0	57.51	11	6.70
75.0	83.61	10	9.21
140.0	96.39	13	8.44
270.0	150.35	15	8.54
450.0	129.79	11	13.51
750.0	199.71	13	14.08
1400.0	230.69	11	21.19
2700.0	928.50	9	127.13
4500.0	441.68	10	50.76
7500.0	284.72	8	21.86
14000.0	131.25	7	4.30
27000.0	13.71	7	.45



# Station 31


STATION=31N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	1331.30	6	189.48
7.5	455.62	12	34.32
14.0	285.74	11	39.81
27.0	394.16	12	28.97
45.0	550.39	11	35.26
75.0	754.23	11	148.88
140.0	868.72	11	61.17
270.0	1002.60	11	114.41
450.0	1425.70	12	67.45
750.0	1912.90	12	74.35
1400.0	910.00	10	75.97
2700.0	729.80	10	77.34
4500.0	682.92	11	55.16
7500.0	164.42	9	39.75
14000.0	5985.80	4	124.03
27000.0	286.80	8	7.49

STATION=31E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	37.50	12	2.23
7.5	16.45	11	.82
14.0	12.70	11	.42
27.0	12.45	12	.41
45.0	68.64	12	2.26
75.0	95.33	11	3.74
140.0	29.63	12	.74
270.0	48.71	11	2.38
450.0	46.09	12	1.52
750.0	49.60	12	1.80
1400.0	48.00	12	1.93
2700.0	28.84	12	4.07
4500.0	11.85	10	1.03
7500.0	1.57	6	.23
14000.0	13.79	7	1.30
27000.0	5.83	5	.69

PROJ= BURSUM CALDERA



# Station 32


STATION=BC32N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	140.89	9	30.28
7.5	101.27	12	7.72
14.0	82.35	11	7.68
27.0	78.51	7	12.10
45.0	116.22	12	9.99
75.0	180.99	12	7.24
140.0	208.01	11	20.31
270.0	221.52	12	13.33
450.0	420.01	12	13.87
750.0	244.91	12	25.51
1400.0	271.54	11	20.43
2700.0	199.69	11	17.91
4500.0	161.52	8	3.92
7500.0	147.87	8	13.46
14000.0	45.02	4	1.12
27000.0	22.26	7	1.85

STATION=BC32E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	14.35	12	.97
7.5	7.80	12	.58
14.0	8.44	12	.53
27.0	8.96	12	.49
45.0	8.64	12	.65
75.0	13.45	12	.44
140.0	16.55	12	.51
270.0	22.39	12	.04
450.0	20.40	12	.64
750.0	23.23	12	.44
1400.0	19.18	12	1.39
2700.0	26.50	9	1.33
4500.0	12.93	9	1.35
7500.0	9.71	9	1.10
14000.0	6.06	3	.05
27000.0	.22	6	.05

PROJ= BURSUM CALDERA



# Station 33


STATION=BC33N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	164.08	11	31.76
7.5	95.79	12	7.57
14.0	78.22	11	7.62
27.0	71.10	11	4.18
45.0	102.31	11	4.93
75.0	130.35	12	10.86
140.0	157.81	11	13.50
270.0	163.26	13	11.77
450.0	205.07	11	26.42
750.0	404.59	11	28.15
1400.0	439.49	12	37.56
2700.0	358.47	12	23.59
4500.0	230.17	10	26.87
7500.0	258.62	12	16.44
14000.0	317.23	5	161.33
27000.0	53.14	11	3.11

STATION=BC33E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	21.70	12	1.79
7.5	14.21	11	.42
14.0	6.04	12	.25
27.0	10.17	12	.39
45.0	12.00	12	.36
75.0	18.80	12	.38
140.0	22.50	11	.64
270.0	32.27	12	.78
450.0	37.31	12	2.12
750.0	40.12	11	1.34
1400.0	65.61	11	2.09
2700.0	41.39	11	2.03
4500.0	19.71	9	2.93
7500.0	17.24	5	2.29
14000.0	11.62	5	1.00
27000.0	2.08	3	.22

PROJ= BURSUM CALDERA



# Station 34


STATION=BC34N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	126.63	10	12.39
7.5	117.94	11	11.31
14.0	80.12	11	7.46
27.0	59.15	10	4.59
45.0	69.38	11	4.99
75.0	108.40	11	10.58
140.0	118.81	11	11.25
270.0	131.07	11	13.09
450.0	139.51	11	9.05
750.0	190.83	11	11.95
1400.0	223.02	11	26.05
2700.0	157.32	11	17.41
4500.0	185.12	10	23.50
7500.0	115.87	12	1.97
14000.0	58.12	7	2.01
27000.0	9.05	8	.47

STATION=BC34E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	55.10	12	4.53
7.5	24.08	11	1.10
14.0	14.96	12	.51
27.0	12.50	11	.78
45.0	22.00	12	.97
75.0	26.50	11	.60
140.0	34.24	12	.61
270.0	35.70	12	.91
450.0	53.77	11	2.03
750.0	51.07	11	2.41
1400.0	66.40	11	3.05
2700.0	36.22	11	3.16
4500.0	16.29	10	2.06
7500.0	28.42	10	3.64
14000.0	23.63	7	.55
27000.0	4.22	7	.26

PFOJ= BURSUM CALDERA



# Station 35


STATION=BC35N-S NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	24.84	6	4.89
7.5	21.95	8	1.84
14.0	19.46	12	2.18
27.0	32.78	9	4.13
45.0	22.91	11	2.97
75.0	53.86	11	6.85
140.0	38.94	10	3.99
270.0	38.70	9	4.42
450.0	56.42	10	5.20
750.0	45.40	8	10.37
1400.0	10.31	10	1.31
2700.0	26.12	10	4.58
4500.0	360.21	5	9.92
7500.0	54.64	9	3.57

STATION=BC35E-W NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	17.98	10	1.81
7.5	16.92	11	1.80
14.0	14.45	11	3.85
27.0	11.35	11	.56
45.0	12.10	12	.59
75.0	12.26	11	.45
140.0	14.59	12	.66
270.0	14.22	11	1.85
450.0	13.51	12	.73
750.0	22.59	11	1.59
1400.0	7.14	5	2.49
2700.0	10.43	10	1.47
4500.0	10.97	7	.34
7500.0	6.81	10	3.11

PROJ= BURSUM CALDERA



# Station 36


STATION=BC36N-S NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	1455.50	7	264.81
7.5	1348.10	18	147.39
14.0	935.90	11	90.34
27.0	780.39	12	60.93
45.0	772.00	10	83.87
75.0	855.40	11	87.89
140.0	1033.20	11	82.74
270.0	1075.10	10	153.64
450.0	1348.30	10	137.40
750.0	1412.00	10	148.76
1400.0	877.11	10	92.43
2700.0	344.31	9	67.36
4500.0	890.36	10	88.26
7500.0	2780.20	6	89.66
14000.0	26.62	10	1.25

STATION=BC36E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	129.66	8	14.67
7.5	110.42	12	20.89
14.0	64.10	13	10.66
27.0	55.87	12	14.82
45.0	41.86	11	5.81
75.0	71.48	12	6.70
140.0	61.43	12	6.54
270.0	93.51	12	30.61
450.0	100.25	10	8.40
750.0	80.34	11	5.65
1400.0	46.01	7	9.80
2700.0	36.50	6	9.84
4500.0	45.25	9	3.71
7500.0	30.53	6	1.72
14000.0	3.56	9	.30

PROJ= BURSUM CALDERA



# Station 37


STATION=BC37N-S NO FREQ= 18

FREQ	AP-RES	N OBS	STD ERR
7.5	25.13	6	4.11
14.0	10.13	8	1.37
27.0	13.69	10	1.42
45.0	9.51	7	1.18
75.0	10.71	8	1.29
140.0	36.17	10	2.71
270.0	10.53	10	1.19
450.0	2.62	9	.30
750.0	2.70	9	.27
1400.0	5.45	10	.37

STATION=BC37E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
7.5	72.20	8	9.79
14.0	85.15	11	4.30
27.0	84.62	9	6.16
45.0	61.93	11	6.33
75.0	109.14	10	4.03
140.0	95.95	11	2.59
270.0	115.17	12	6.51
450.0	110.90	11	10.10
750.0	100.38	11	7.49
1400.0	91.16	11	20.08
2700.0	47.56	7	4.95
4500.0	48.99	8	6.71
7500.0	48.84	9	3.65
14000.0	19.13	3	.64
27000.0	13.42	3	.26

PROJ= BURSUM CALDERA



# Station 38


STATION=BC38N-S NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	47.46	5	19.27
7.5	19.69	10	5.92
14.0	10.36	12	.99
27.0	9.27	11	1.29
45.0	25.05	13	3.53
75.0	39.23	9	6.77
140.0	64.41	12	9.26
270.0	33.98	9	6.60
450.0	174.23	9	9.95
750.0	187.04	9	32.75
2700.0	27.61	8	1.90
4500.0	6.33	8	.30
7500.0	17.45	10	4.21
14000.0	11.02	7	.42
27000.0	1.69	7	.07

STATION=BC38E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	26.81	8	1.64
7.5	19.58	9	2.33
14.0	10.86	12	.77
27.0	13.08	11	.41
45.0	13.45	12	.92
75.0	20.76	11	1.12
140.0	29.65	11	1.05
270.0	37.98	11	1.68
450.0	46.10	11	1.92
750.0	47.65	12	1.10
1400.0	22.83	11	2.42
2700.0	20.55	11	4.26
4500.0	10.83	8	1.99
7500.0	15.72	8	1.24
14000.0	27.47	6	.15
27000.0	10.28	8	1.84

PROJ= BURSUM CALDERA



# Station 39


STATION=BC39N-S NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	24.25	4	13.09
7.5	82.23	11	6.78
14.0	69.02	11	14.73
27.0	40.68	12	6.61
45.0	56.63	11	5.24
75.0	50.13	11	14.27
140.0	27.88	10	6.65
270.0	15.15	11	3.37
450.0	6.51	9	1.47
750.0	20.68	11	2.26
1400.0	.75	7	.23
4500.0	13.29	11	2.20
7500.0	8.16	9	2.01
14000.0	47.85	3	1.65
27000.0	2.21	7	.57

STATION=BC39E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	56.38	7	3.84
7.5	65.62	11	3.21
14.0	56.52	11	1.94
27.0	47.24	11	2.12
45.0	49.92	11	2.67
75.0	47.83	11	1.07
140.0	35.15	11	1.94
270.0	31.53	11	.96
450.0	19.22	11	.91
750.0	17.38	12	1.00
1400.0	17.42	12	1.08
4500.0	5.13	12	.95
7500.0	16.45	12	1.34
14000.0	8.86	7	1.04
27000.0	1.32	7	.66

PROJ= BURSUM CALDERA



# Station 40


STATION=BC40N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	284.64	9	70.96
7.5	181.66	11	8.67
14.0	125.21	11	12.31
27.0	213.28	11	17.71
45.0	245.47	11	28.18
75.0	199.60	11	15.34
140.0	174.89	11	12.06
270.0	164.92	11	16.73
450.0	105.63	11	6.58
750.0	98.79	11	7.18
1400.0	37.31	11	7.24
2700.0	29.25	7	4.83
4500.0	10.12	10	.99
7500.0	16.98	10	3.67
14000.0	13.09	5	.61
27000.0	1.16	7	.04

STATION=BC40E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	70.80	11	4.91
7.5	45.44	11	2.16
14.0	38.69	12	2.59
27.0	38.41	10	2.01
45.0	35.08	11	1.19
75.0	38.42	12	1.08
140.0	31.29	12	1.25
270.0	30.95	12	.66
450.0	24.47	13	1.10
750.0	22.36	12	.72
1400.0	13.37	11	1.12
2700.0	14.96	12	1.25
4500.0	12.05	11	.85
7500.0	6.73	13	.58
14000.0	6.52	7	.15
27000.0	6.89	7	.10

PROJ= BURSUM CALDERA





## Station 41


STATION=BC41N-S NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	63.59	11	8.58
7.5	58.19	10	3.36
14.0	38.47	9	2.87
27.0	42.36	15	1.28
45.0	35.22	11	2.42
75.0	35.42	11	3.57
140.0	26.98	12	1.81
270.0	17.96	12	1.00
450.0	14.72	11	.49
750.0	12.00	12	.66
1400.0	18.75	9	1.88
2700.0	17.49	14	1.04
4500.0	12.72	11	1.41
7500.0	9.38	10	.75
14000.0	9.62	3	.59

STATION=BC41E-W NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	16.98	3	.88
7.5	26.42	11	3.48
14.0	34.55	12	.87
27.0	38.18	15	.85
45.0	31.48	11	1.64
75.0	40.36	12	1.39
140.0	27.18	12	1.98
270.0	33.27	12	1.10
450.0	27.65	12	1.09
750.0	24.52	12	.73
1400.0	24.46	14	.84
2700.0	3.31	7	.40
4500.0	7.93	8	.94
7500.0	17.91	4	3.38

PROJ= BURSUM CALDERA



## Station 42


STATION=BC42N-S NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	32.36	11	1.32
7.5	16.63	11	1.24
14.0	15.85	11	1.61
27.0	28.69	9	2.73
45.0	23.89	10	4.18
75.0	24.88	11	4.14
140.0	25.37	11	2.67
270.0	20.77	12	1.12
450.0	19.81	11	1.31
750.0	31.72	11	3.73
1400.0	48.72	11	4.33
2700.0	33.91	11	2.40
4500.0	19.96	11	1.98
7500.0	13.78	7	2.56
14000.0	10.63	5	.41
27000.0	1.34	7	.02

STATION=BC42E-W NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	48.58	11	5.28
7.5	29.86	11	.91
14.0	16.91	11	.73
27.0	20.68	11	2.89
45.0	22.05	11	1.15
75.0	31.13	12	1.79
140.0	34.88	11	2.06
270.0	47.79	13	2.88
450.0	58.55	11	5.84
750.0	55.13	13	2.27
1400.0	80.41	11	4.58
2700.0	94.96	11	4.36
4500.0	31.96	7	3.69
7500.0	11.52	3	1.38
14000.0	7.38	7	.29
27000.0	2.17	7	.12

PROJ= BURSUM CALDERA



# Station 43


STATION=BC43H-S NO FREQ= 14

FREQ	AP-RES	N OBS	STD ERR
4.5	43.64	11	8.43
7.5	48.41	12	3.28
14.0	56.44	12	5.88
27.0	49.50	12	5.29
45.0	62.85	10	8.73
75.0	53.86	12	6.66
140.0	82.39	12	11.12
270.0	53.12	11	5.54
450.0	96.94	11	14.47
750.0	50.23	10	5.76
1400.0	44.38	8	4.04
2700.0	39.87	5	9.67
14000.0	212.00	3	2.95
27000.0	2.73	6	.22

STATION=BC43E-W NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	26.60	8	4.18
7.5	22.75	10	2.64
14.0	45.60	10	4.85
27.0	62.89	12	3.14
45.0	54.43	11	3.77
75.0	65.81	12	4.47
140.0	57.88	15	1.82
270.0	53.66	11	3.09
450.0	62.51	13	4.36
750.0	49.82	12	5.35
1400.0	28.51	5	4.48
2700.0	11.94	7	1.54
14000.0	26.20	7	2.32
27000.0	4.67	4	1.29
27000.0	3.61	5	.55

PROJ= BURSUM CALDERA




# Station 44

STA. ID\_BC44 NS NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	33.13	6	6.41
7.5	72.28	9	9.24
14.0	48.72	15	4.58
27.0	92.06	8	23.91
45.0	72.13	12	6.42
75.0	58.47	12	4.22
140.0	61.13	11	15.41
270.0	21.04	10	1.04
450.0	25.30	9	2.53
750.0	38.94	12	3.59
1400.0	46.27	9	6.19
2700.0	41.69	15	6.15
4500.0	26.02	12	5.86
7500.0	18.59	11	8.82
14000.0	231.07	3	10.34
27000.0	2.84	10	.19

STA. ID\_BC44 EW NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	43.19	6	10.62
7.5	64.92	10	9.10
14.0	56.35	12	3.94
27.0	67.34	12	2.80
45.0	55.77	13	2.37
75.0	67.66	9	7.70
140.0	51.99	13	3.88
270.0	57.04	11	8.16
450.0	48.78	11	7.69
750.0	20.23	13	2.26
1400.0	31.18	7	3.63
2700.0	52.27	11	9.30
4500.0	33.60	8	12.49
7500.0	6.48	9	.52
14000.0	17.03	4	.39
27000.0	4.49	8	.50




# Station 45

STA. ID\_BC45 NS NO FREQ= 16

FREQ	AP-RES	N OBS	STD ERR
4.5	31.04	7	3.60
7.5	41.77	11	3.02
14.0	33.34	11	1.97
27.0	38.12	12	2.03
45.0	25.98	12	3.01
75.0	26.37	14	3.15
140.0	25.82	11	2.09
270.0	12.10	7	1.80
450.0	9.89	8	.73
750.0	7.76	12	.62
1400.0	6.86	11	1.79
2700.0	14.43	11	1.63
4500.0	9.26	11	.89
7500.0	4.77	10	.58
14000.0	38.95	3	1.47
27000.0	.99	5	.05

STA. ID\_BC45 EW NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	73.66	11	6.42
7.5	64.08	11	5.62
14.0	65.04	12	2.41
27.0	73.49	12	2.46
45.0	61.28	11	1.05
75.0	54.67	12	.96
140.0	45.69	11	1.03
270.0	39.96	15	1.56
450.0	44.36	12	2.86
750.0	40.77	12	2.60
1400.0	51.65	12	5.37
2700.0	35.22	14	1.69
4500.0	31.16	12	1.86
7500.0	11.23	4	1.98
27000.0	1.55	3	.07




# Station 46

STA. ID\_BC46 NS NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	18.66	5	3.67
7.5	21.69	12	2.45
14.0	8.94	12	.91
27.0	6.88	12	.70
45.0	9.08	14	.45
75.0	10.55	12	.76
140.0	15.58	12	1.32
270.0	16.98	11	4.19
450.0	16.44	11	1.49
750.0	14.56	9	1.23
2700.0	45.68	10	3.63
4500.0	7.34	8	1.72
7500.0	3.29	9	1.50
14000.0	14.47	3	.19
27000.0	1.79	7	.06

STA. ID\_BC46 EW NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	21.37	10	3.88
7.5	8.61	12	.53
14.0	5.66	11	.29
27.0	4.95	11	.15
45.0	5.07	11	.22
75.0	6.59	12	.23
140.0	7.46	12	.29
270.0	9.69	12	.23
450.0	8.30	12	1.11
750.0	7.31	11	.26
2700.0	20.98	11	1.53
4500.0	4.00	8	1.20
7500.0	3.29	8	1.22
14000.0	2.69	3	.08
27000.0	2.58	5	.21




# Station 47

STA. ID\_BC47 NS NO FREQ= 12

FREQ	AP-RES	N OBS	STD ERR
4.5	714.80	6	199.37
7.5	495.10	6	103.20
14.0	509.00	10	80.94
27.0	537.40	11	79.28
45.0	378.94	10	31.68
75.0	230.20	11	36.93
140.0	155.32	11	27.60
270.0	295.08	11	48.49
450.0	350.53	10	39.83
750.0	53.29	9	5.21
7500.0	70.92	6	9.29
14000.0	54.93	3	2.40

STA. ID\_BC47 EW NO FREQ= 12

FREQ	AP-RES	N OBS	STD ERR
4.5	1674.50	4	22.20
7.5	1986.80	6	146.29
14.0	1308.30	12	164.00
27.0	570.83	12	54.09
45.0	484.64	10	66.51
75.0	341.47	11	26.42
140.0	253.74	11	18.28
270.0	298.00	15	25.87
450.0	274.16	12	54.74
750.0	54.42	12	4.99
2700.0	394.14	11	90.21
27000.0	18.32	4	1.11




# Station 48

STA. ID\_BC48 NS NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	29.36	7	8.33
7.5	49.11	10	5.27
14.0	48.33	11	4.73
27.0	56.70	11	6.42
45.0	71.17	10	9.71
75.0	106.36	9	17.96
140.0	194.54	11	19.73
270.0	204.36	11	12.42
450.0	331.66	11	25.87
750.0	300.37	10	28.88
1400.0	213.00	7	18.61
2700.0	39.84	7	2.94
4500.0	35.38	9	3.40
7500.0	29.74	7	.32
27000.0	6.06	6	.37

STA. ID\_BC48 EW NO FREQ= 15

FREQ	AP-RES	N OBS	STD ERR
4.5	57.00	9	10.01
7.5	44.10	8	6.68
14.0	29.38	10	4.84
27.0	43.34	11	9.14
45.0	37.55	11	4.72
75.0	45.48	12	2.57
140.0	50.37	14	2.20
270.0	74.56	12	3.34
450.0	86.61	12	2.26
750.0	95.70	12	5.16
1400.0	78.23	15	9.45
2700.0	56.65	7	19.31
4500.0	24.75	11	2.81
7500.0	22.03	7	2.23
27000.0	9.60	3	3.08




# Station 49

STA. ID\_BC49 NS NO FREQ= 13

FREQ	AP-RES	N	OBS	STD ERR
4.5	24.94	6		11.64
7.5	33.12	10		3.71
14.0	28.10	12		3.78
27.0	69.94	12		5.14
45.0	78.83	10		32.28
75.0	83.58	12		7.33
140.0	183.58	6		32.67
270.0	166.69	12		43.12
450.0	183.43	11		28.84
4500.0	84.31	3		1.87
7500.0	26.39	7		4.84
14000.0	23.87	3		1.20
27000.0	2.26	5		.89

STA. ID\_BC49 EW NO FREQ= 15

FREQ	AP-RES	N	OBS	STD ERR
4.5	4.54	5		1.20
7.5	5.83	11		.70
14.0	5.68	11		.63
27.0	11.71	11		.66
45.0	14.27	11		.72
75.0	17.23	11		.82
140.0	23.13	11		1.28
270.0	28.53	12		1.40
450.0	22.85	11		1.37
750.0	16.46	10		.62
2700.0	7.88	4		2.33
4500.0	5.76	9		1.29
7500.0	4.27	9		.34
14000.0	3.82	3		.21
27000.0	2.52	4		.86




# Station 50

STA. ID\_BC50 NS NO FREQ= 13

FREQ	AP-RES	N	OBS	STD ERR
4.5	18.85	5		.88
7.5	18.89	11		1.20
14.0	19.35	12		1.75
27.0	17.60	11		2.18
45.0	38.34	11		4.72
75.0	49.66	11		4.82
140.0	64.46	11		6.13
270.0	81.25	12		5.69
450.0	48.31	11		1.27
2700.0	78.45	11		1.20
4500.0	58.58	9		3.17
7500.0	58.16	9		3.98
27000.0	7.52	3		.36

STA. ID\_BC50 EW NO FREQ= 15

FREQ	AP-RES	N	OBS	STD ERR
4.5	5.98	11		.56
7.5	7.62	11		.51
14.0	8.84	12		.37
27.0	13.93	11		.62
45.0	18.52	11		.73
75.0	21.98	11		1.24
140.0	29.22	12		.89
270.0	40.94	11		2.20
450.0	22.36	11		1.48
750.0	15.22	12		2.05
2700.0	61.97	5		9.77
4500.0	42.17	11		4.51
7500.0	38.22	12		2.58
14000.0	18.57	3		2.33
27000.0	6.74	7		1.28



# Station 51

STA. 1D-BC51 NS NO FREQ= 12

FREQ	AP-RES	N OBS	STD ERR
4.5	31.41	7	9.04
7.5	40.37	10	4.63
14.0	50.10	11	2.55
27.0	90.69	10	17.27
45.0	82.67	11	6.70
75.0	143.63	12	12.44
140.0	129.60	11	14.39
270.0	356.93	12	114.95
450.0	290.23	11	60.08
750.0	86.18	10	7.52
1400.0	101.65	3	13.98
2700.0	33.17	5	.99

STA. 1D-BC51 EW NO FREQ= 12

FREQ	AP-RES	N OBS	STD ERR
4.5	10.54	7	1.57
7.5	17.51	12	1.98
14.0	23.09	11	.07
27.0	30.07	11	1.03
45.0	41.43	11	1.48
75.0	55.43	10	2.41
140.0	69.66	11	2.19
270.0	94.48	12	3.13
450.0	78.25	11	1.15
750.0	20.05	6	1.11
1400.0	21.74	3	.21
2700.0	0.15	5	.06

