

U.S. DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY

Branch of Petroleum Geology

Bibliography

1991

Helen Colburn

Compiler

Open- File Report 92-506

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards (or with the North American Stratigraphic Code). Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

¹Denver, Colorado

BRANCH OF PETROLEUM GEOLOGY

BIBLIOGRAPHY 1991

- (O) Agena, W.F., and Lee, M.W., 1991, Analysis of a seismic anomaly in Georges Bank basin, Atlantic Continental Margin: U.S. Geological Survey Open-File Report 91-382, 23 p.
- (P) Aubrey, W.M., Molenaar, C.M., and Baird, J.K., 1991, Geologic framework and stratigraphy of Cretaceous and Tertiary rocks of the Southern Ute Indian Reservation, southwestern Colorado: U.S. Geological Survey Professional Paper 1505-B,C, 36 p., 3 plates.
- (A) Ball, M.M., 1991, Reassessment of the Bahamas fracture zone [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 537.
- (A) Ball, M.M., 1991, Seismic stratigraphy of the western Florida Shelf: The Geological Society of America Abstracts with Programs v. 23, no. 1, p. 6.
- (O) Ball, M.M., Henry, M.E., and Frezon, S.E., 1991, Petroleum geology of the Anadarko basin region, Province (115), Kansas, Oklahoma, and Texas: U.S. Geological Survey Open-File Report 88-450-W, 38 p.
- (P) Barker, C.E., 1991, Implications for organic maturation studies of evidence for a geologically rapid increase and stabilization of vitrinite reflectance at peak temperature--Cerro Prieto geothermal system, Mexico: American Association of Petroleum Geologists Bulletin, v. 75, no. 12, p. 1852-1863.
- (P) Barker, C.E., Higley, D.K., and Dalziel, M.C., 1991, Using cathodoluminescence to map regionally zoned carbonate cements in diagenetic aureoles above oil reservoirs--Initial results from the Velma oil field, Oklahoma, *in* Barker, C.E., and Kopp, O.C., eds., Luminescence microscopy and spectroscopy--Qualitative and quantitative applications: Society for Sedimentary Geology (SEPM) Short Course 25, p. 155-160.
- (A) Barker, C.E., Higley, D.K., and Dalziel, M.C., 1991, Using cathodoluminescence to map regionally zoned carbonate cements occurring in diagenetic aureoles above oil reservoirs--Initial results from the Velma oil field, Oklahoma [abs.], *in* Coury, A.B., and Dyman, T.S., eds., Abstracts of the U.S. Geological Survey, central region, 1991 poster review--Collected abstracts of selected poster papers presented at scientific meetings: U.S. Geological Survey Open-File Report 91-582, p. 20.
- (A) Barker, C.E., Johnson, R.C., Crysdale, B.L., Pawlewicz, M.H., and Clark, A.C., 1991, Coal-bed methane show within the Wind River Indian Reservation enhances gas prospects in deeper portions of the Wind River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1122-1123.
- (O) Barker, C.E., Johnson, R.C., Crysdale, B.L., and Clark, A.C., 1991, A field and laboratory procedure for desorbing coal gases: U.S. Geological Survey Open-File Report 91-563, 16 p.

(P) Published Paper; (O) Open-File Report; (A) Abstract; (M) Map;

- (A) Barker, C.E., Peterson, J.A., and Poole, F.G., 1991, Thermal maturity trends from Rock-Eval and vitrinite reflectance analysis on potential source rocks in eastern Nevada [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1123.
- (A) Barker, C.E., and Dalziel, M.C., 1991, Using cathodoluminescence to map regionally zoned carbonate cements occurring in diagenetic aureoles above oil reservoirs, Velma oil field, Oklahoma [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 538.
- (P) Barker, C.E., and Goldstein, R.H., 1991, A fluid inclusion technique for determining maximum temperature in calcite and its comparison to the vitrinite reflectance geothermometer--Reply: *Geology* v. 19, no. 12, p. 1242.
- (P) Barker, C.E., and Kopp, O.C., eds., 1991, Luminescence microscopy and spectroscopy--Qualitative and quantitative applications: Society for Sedimentary Geology (SEPM) Short Course 25, 195 p.
- (P) Barker, C.E., and Peterson, J.A., 1991, Burial history of the Sheep Pass Formation and Mississippian Chainman Shale, Railroad and White River Valleys, eastern Nevada, *in* Flanigan, D.M.H., Hansen, Mike, and Flanigan, T.E., eds., *Geology of White River Valley, the Grant Range, Eastern Railroad Valley and Western Egan Range, Nevada: Nevada Petroleum Society 1991 Fieldtrip Guidebook*, p. 37-46.
- (A) Barton, C.C., 1991, Fractal geometry and chaos theory--Their application in the earth sciences [abs.] *Canadian Society of Petroleum Geology, Reservoir*, v. 18, no. 4, p. 1-2.
- (A) Barton, C.C., 1991, Fractal scaling of fracture networks in rock, *in* Gomberg, J.S., ed., *U.S. Geological Survey Committee for the Advancement of Science in the Yucca Mountain Project, Symposium on Fractures, Hydrology, and Yucca Mountain--Abstracts and summary: U.S. Geological Survey Open-File Report 91-125*, p. 9.
- (A) Barton, C.C., Scholz, C.H., Schutter, T.A., Herring, P.R., and Thomas, W.J., 1991, Fractal nature of hydrocarbon deposits; 2, Spatial distribution [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 539.
- (O) Beyer, L.A., and Isaacs, C.M., 1991, Mass properties of conventional core samples from the Monterey Formation, Union-Humble Bell Fee 156, West Cat Canyon oil field, Santa Maria basin, California: *U.S. Geological Survey Open-File Report 91-146*, 13 p.
- (A) Bird, K.J., 1991, The Ellesmerian petroleum system--North Slope of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 542.
- (P) Bird, K.J., 1991, North Slope of Alaska, *in* Gluskoter, H.J., Rice, D.D., and Taylor, R.B., eds., *Economic geology, U.S.: Geological Society of America, The Geology of North America, (Decade of North American Geology)*, v. P-2, p. 447-462.
- (O) Bird, K.J., 1991, Geology, play descriptions, and petroleum resources of the Alaskan North Slope (petroleum provinces 58-60): *U.S. Geological Survey Open-File Report 88-450-Y*, 52 p.

- (A) Bird, K.J., Childs, J.R., Taylor, D.J., and Sorlien, C.C., 1991, Seismic-reflection studies, offshore Santa Maria province, California [abs.]: American Association of Petroleum Geologists Bulletin v. 75, no. 2, p. 357-358.
- (P) Bodnar, R.J., and Burruss, R.C., 1991, Comment on "Fluid inclusion technique for determining maximum temperature in calcite and its comparison to the vitrinite reflectance geothermometer: *Geology*, v. 19, no. 12, p. 1241-1242.
- (P) Burruss, R.C., 1991, Practical aspects of fluorescence microscopy of petroleum fluid inclusions *in* Barker, C.E., and Kopp, O.C., eds., *Luminescence microscopy and spectroscopy--Qualitative and quantitative applications: Society for Sedimentary Geology (SEPM) Short Course 25*, p. 1-7.
- (P) Cannon, W.F., Lee, M.W., Hinze, W.J., Schulz, K.J., and Green, A.G., 1991, Deep crustal structure of the Precambrian basement beneath northern Lake Michigan, midcontinent North America: *Geology*, v. 19, p. 207-210.
- (P) Charpentier, R.R., 1991, Review of "Petroleum Basin Studies," by P.M. Shannon and D. Naylor: American Association of Petroleum Geologists Bulletin, v. 75, no. 5, p. 972-973.
- (A) Charpentier, R.R., Dyman, T.S., Flores, R.M., and Hemeida, Ahmed, 1991, Fluvial to subtidal deposition--Cambrian Sawatch quartzite and lower part of Peerless Formation, Manitou Springs, Colorado: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A286. [Also U.S. Geological Survey Open-File Report 91-582, p. 25]
- (A) Charpentier, R.R., and Doveton, J.H., 1991, Stratigraphy and facies in the Middle Ordovician Simpson Group, southwestern Kansas and western Oklahoma [abs.] *in* Johnson, K.S., ed., *Late Cambrian-Ordovician geology of the southern midcontinent, 1989 symposium: Oklahoma Geological Survey Circular 92*, p. 211.
- (?) Church, S.E., Riehle, J.R., and Magoon, L.B., 1991, Mineral and energy resource assessment maps of the Mount Katmai, Natnek and western Afognak quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Maps MF-2021-F, 57 p.
- (A) Clarke, J.A., 1991, Petroleum geology of East Siberia [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 554.
- (A) Clarke, J.W., 1991, Samotlor oil field, West Siberia, U.S.S.R. [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 554.
- (P) Clayton, J.L., Rice, D.D., and Michael, G.E., 1991, Oil-generating coals of the San Juan basin, New Mexico and Colorado, U.S.A. *in* Mukhopadhyay, P.K., and others, eds., *Selected papers from the symposium on coal and terrestrial organic matter as a source rock for petroleum--199th American Chemical Society national meeting: Organic Geochemistry*, v. 17, no. 6, p. 735-742.
- (A) Clayton, J.L., Spencer, C.W., and Koncz, I., 1991, Application of organic geochemistry to petroleum exploration in the Békés basin, Hungary [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 554.
- (A) Cole, R.B., Stanley, R.G., and Basu, A.R., 1991, Stratigraphy and origin of lower Miocene volcanic rocks onshore and offshore Santa Maria province, California: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. 476.

- (A) Cole, R.B., Stanley, R.G., and Johnson, S.Y., 1991, Origin of tuff deposits in the lower Miocene Lospe Formation, Santa Maria basin, California [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 2, p. 359-360.
- (A) Collett, T.S., 1991, Well-log characterization of ice-bearing permafrost [abs.]: Alaska Geology, Newsletter of the Alaska Geological Society, Inc., v. 20, no. 8, p. 1, 5.
- (A) Collett, T.S., 1991, The potential for natural gas production from gas hydrates in the Prudhoe Bay area of northern Alaska [abs.]: American Institute of Chemical Engineers 1991 Spring National Meeting, Program, p. T-18.
- (A) Collett, T.S., 1991, Natural gas hydrates--An unlimited supply of natural gas? [abs.]: Colorado Scientific Society November 1991 Newsletter, p. 2.
- (A) Crovelli, R.A., 1991, Analytic petroleum resource appraisal methodology for field-size play analysis [abs.]: Operations Research Society of America/The Institute of Management Sciences (ORSA/TIMS) Bulletin, no. 32, p. 96.
- (P) Crovelli, R.A. and Balay, R.H., 1991, A computer program to determine probability distributions for modeling and simulation in the absence of data, *in* Roberts, C.A., ed., GeoTech/Geochautauqua '91 Proceedings: Denver GeoTech, Inc., p. 146-154.
- (P) Crovelli, R.A. and Balay, R.H., 1991, Microcomputer software for analytic petroleum resource appraisal system of play analysis using a field-size model, *in* Roberts, C.A., ed., GeoTech/Geochautauqua '91 Proceedings: Denver GeoTech, Inc., p. 253-261.
- (P) Crovelli, R.A., and Balay, R.H., 1991, A microcomputer program for energy assessment and aggregation using the triangular probability distribution: Computers & Geosciences, v. 17, no. 2, p. 197-225.
- (A) Crovelli, R.A., and Balay, R.H., 1991, A computer program to determine probability distributions for modeling and simulation in the absence of data, *in* Coury, A.B., and Dyman, T.S., eds., Abstracts of the U.S. Geological Survey, central region, 1991 poster review--Collected abstracts of selected poster papers presented at scientific meetings: U.S. Geological Survey Open-File Report 91-582, p. 21.
- (P) Dean, W.E., and Anders, D.E., 1991, Effects of source, depositional environment, and diagenesis on characteristics of organic matter in oil shale from the Green River Formation, Wyoming, Utah, and Colorado, *in* Tuttle, M.L., ed., Geochemical, biogeochemical, and sedimentological studies of the Green River Formation, Wyoming, Utah, and Colorado: U.S. Geological Survey Bulletin 1973 A-G, p. F1-F16.
- (A) Dillon, W.P., Fehlhaber, K., Lee, M.W., Booth, J.S., and Paull, C.K., 1991, Methane hydrate in sea floor sediments off the southeastern U.S.--Amounts and implications for climate change: Geological Society of America Abstracts with Programs, v. 23, no. 1, p. 22.
- (A) Dillon, W.P., Lee, M.W., Fehlhaber, K., and Hutchinson, D.R., 1991, Estimation of amounts of gas hydrate in marine sediments using amplitude reduction of seismic reflections [abs.]: Acoustical Society of America, v. 89, no. 4, pt. 2, p. 1853.

- (O) Dolton, G.L., Mast, R.F., and Crovelli, R.A., 1991, Estimates of undiscovered conventional resources of oil and gas on Federal Lands, and for Indian and Native Lands of the Continental United States: U.S. Geological Survey Open-File Report 90-705, 68 p., 2 over-size sheets.
- (A) Dyman, T.S., Anderson, S.B., Campen, E.B., Cobban, W.A., Fox, J.E., Hammond, R.H., Porter, K.W., Rice, D.D., Setterhorn, D.R., and Shurr, G.W., 1991, West-east stratigraphic transect of Cretaceous rocks--southwestern Montana to western Minnesota [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 567 [Also American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1125 and U.S. Geological Survey Open-File Report 91-582, p. 31].
- (A) Dyman, T.S., Ethridge, F.G., Fouch, T.D., Merewether, E.A., Molenaar, C.M., and Weimer, R.J., 1991, East-trending stratigraphic transects--Western Interior Cretaceous Project (WIK): Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A294.
- (A) Dyman, T.S., Ethridge, F.G., Fouch, T.D., and Molenaar, C.M., 1991, Western Interior Cretaceous Project (WIK)--North-south stratigraphic section along western margin of basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 567.
- (P) Dyman, T.S., Haley, C.J., and Perry, W.J., Jr., 1991, Redefinition of Frontier Formation; Beaverhead Group contact, Lima Peaks area, southwestern Montana and southeastern Idaho, chapter A, *in* Contributions to Late Cretaceous stratigraphy and paleontology, western Montana: U.S. Geological Survey Bulletin 1962, p. 1-7.
- (P) Dyman, T.S., Haley, J.C., Perry, W.J., Jr., Tysdal, R.G., Nichols, D.J., and Cobban, W.A., 1991, Contributions to Late Cretaceous stratigraphy and paleontology, western Montana: U.S. Geological Survey Bulletin 1962, 26 p.
- (A) Dyman, T.S., and Rice, D.D., 1991, Geologic and production characteristics of deep oil and gas wells and reservoirs: Oklahoma Geological Survey/U.S. Department of Energy Petroleum-Reservoir Geology in the Southern Midcontinent Workshop, Abstracts, p. 23.
- (P) Elliott, W.C., Aronson, J.L., Matisoff, Gerald, and Gautier, D.L., 1991, Kinetics of the smectite to illite transformation in the Denver, basin--Clay mineral, K-Ar data, and mathematical model results: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 436-462.
- (A) Erickson, C.L., Bodnar, R.J., and Burruss, R.C., 1991, $\delta^{18}\text{O}$ analysis of calcites by Raman Microprobe--Effects of crystal chemistry: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A101.
- (A) Flores, R.M., Dyman, T.S., Weaver, J.N., and Tysdal, R.G., 1991, Cretaceous fluvio-lacustrine facies of upper Kootenai Formation and Flood Member of Blackleaf Formation, southwestern Montana, *in* Coury A.B., and Dyman, T.S., eds., Abstracts of the U.S. Geological Survey, central region, 1991, poster review--Collected abstracts of selected poster papers presented at scientific meetings: U.S. Geological Survey Open-File Report 91-582, p. 32

- (A) Flores, R.M., Keighin, C.W., and Keefer, W.R., 1991, Basin-wide architecture of sandstone reservoirs in the Fort Union Formation, Wind River basin, Wyoming [abs.]: American Association of Petroleum Geologists, v. 75, no. 6, p. 1126.
- (P) Flores, R.M., Rice, D.D., and Gruber, J., 1991, Coalbed gas potential and reservoir heterogeneity, Tertiary Fort Union Formation, Powder River Basin, Montana: American Association of Petroleum Geologists/Society of Economic Paleontologists and Mineralogists/Energy Minerals Division, Rocky Mountain Section Field Trip Guidebook, 22 p.
- (A) Flores, R.M., Roberts, S.B., Perry, W.J., Jr., and Nichols, D.J., 1991, Evolution of Paleocene depositional systems and coal basins in a tectonic continuum: Geological Society of America Abstracts with Programs, v. 23, no. 4, p. 22.
- (A) Fouch, T.D., Anna, L.O., Johnson, R.C., Lawton, T.F., Macfarlane, P.A., MacMillan, L.T., and Weimer, R.J., 1991, West-east stratigraphic cross section of Cretaceous rocks, central Rocky Mountains to east-central Great Plains, Utah, Colorado, and Kansas [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 576 [Also U.S. Geological Survey Open-File Report 91-582, p. 33].
- (A) Fouch, T.D., Dyman, T.S., Molenaar, C.M., Ethridge, F.G., and Weimer, R.J., 1991, Western Interior Cretaceous project (WIK) north-south stratigraphic section along geographic center of basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 575-576.
- (P) Fouch, T.D., Lund, Karen, Schmitt, J.G., Good, S.C., and Hanley, J.H., 1991, Late Cretaceous(?) and Paleogene sedimentary rocks and extensional(?) basins in the region of the Egan and Grant Ranges, and White River and Railroad Valleys, Nevada--Their relation to Sevier and Laramide contractional basins in the southern Rocky Mountains and Colorado Plateau, *in* Flanigan, D.M.H., Hansen, Mike, and Flanigan, T.E., eds., *Geology of White River Valley and Western Egan Range, Nevada: Nevada Petroleum Society 1991 Fieldtrip Guidebook*, p. 15-23.
- (P) Fouch, T.D., Wandrey, C.J., Pitman, J.K., Nuccio, V.F., Schmoker, J.W., Rice, D.D., Dolton, G.L., and Wesley, J.B., 1991, Preliminary report on the characterization of Tertiary and Cretaceous low-permeability (tight) gas-bearing rocks in the Uinta basin, Utah *in* Proceedings of the 1990 Natural Gas Research and Development Conference: U.S. Department of Energy Report DOE/METC-91/6117, p. 5-14.
- (A) Fouch, T.D., and Pitman, J.K., 1991, Tectonic and climate changes expressed as sedimentary cycles and stratigraphic sequences of the Paleogene Lake Uinta system, central Rocky Mountains, Utah and Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 575.
- (P) Fox, J.E., Dolton, G.L., and Clayton, J.L., 1991, Powder River basin, *in* Gluskoter, H.J., Rice, D.D., and Taylor, R.B., eds., *Economic Geology, U.S.: Geological Society of America, The Geology of North America, (Decade of North American Geology)*, v. P-2, p. 373-390.
- (A) Frost, G.M., and Stanley, R.G., 1991, Preliminary geologic and Bouguer gravity map of the Nenana basin area, central Alaska: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 26.

- (O-M) Frost, G.M., and Stanley, R.G., 1991, Compiled geologic and Bouguer gravity map of the Nenana basin area, central Alaska: U.S. Geological Survey Open-File Report 91-562, 34 p., 2 over-size sheets, scale 1:250,000.
- (A) Gautier, D.L., Schenk, C.J., and Mast, R.F., 1991, Geologic constraints on oil recovery and uncertainties in undiscovered resources [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 8, p. 1411.
- (P) Gautier, D.L., and Masters, C.D., 1991, World energy resources assessment: U.S. Geological Survey Yearbook Fiscal Year 1990, p. 44.
- (P) Gluskoter, H.J., Rice, D.D., and Taylor, R.B., eds., 1991, Economic geology, U.S.: Geological Society of America, The Geology of North America (Decade of North American Geology), v. P-2, 602.
- (A) Haley, J.C., Dyman, T.S., and Perry, W.J., Jr., 1991, The Frontier Formation--A record of mid-Cretaceous foreland uplift in southwest Montana: Geological Society of America Abstracts with Programs, v. 23, no. 4, p. 29.
- (P) Haley, J.C., and Perry, W.J., Jr., 1991, The Red Butte conglomerate; a thrust-belt-derived conglomerate of the Beaverhead Group, southwestern Montana: U.S. Geological Survey Bulletin 1945, 19 p.
- (A) Hester, T.C. and Schmoker, J.W., 1991, Regional geologic characteristics relevant to horizontal drilling, Woodford Shale, Anadarko basin, Oklahoma [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1128.
- (A) Hester, T.C., and Schmoker, J.W., 1991, Porosity trends of nonreservoir and reservoir sandstones, Anadarko basin, Oklahoma [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 594.
- (A) Hester, T.C., and Schmoker, J.W., 1991, Trends of sandstone porosity in the Anadarko basin: Oklahoma Geological Survey/U.S. Department of Energy Petroleum-Reservoir Geology in the Southern Midcontinent Workshop, Abstracts, p. 25.
- (A) Hester, T.C., and Schmoker, J.W., 1991, Geology of the Woodford Shale, Anadarko basin--An overview of relevance to horizontal drilling: Oklahoma Geological Survey/U.S. Department of Energy Petroleum-Reservoir Geology in the Southern Midcontinent Workshop, Abstracts, p. 10.
- (A) Higley, D.K., 1991, Effects of sedimentologic and petrologic heterogeneity on reservoir properties of the Upper Cretaceous Sussex Sandstone in the House Creek field, Powder River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 595.
- (A) Higley, D.K., Takahashi, K.I., and Dyman, T.S., 1991, Interactive computer display of petroleum exploration through time for sedimentary basins in the northern Rocky Mountain region of the United States [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1128.
- (P) Hite, R.J., and Anders, D.E., 1991, Petroleum and evaporites, *in* Melvin, J.L., ed., Evaporites, petroleum, and mineral resources: Elsevier Publishing Co., Developments in Sedimentology 50, p. 349-411.

- (A) Howell, D.G., 1991, Salinia is surely suspect [abs.]: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 37.
- (A) Howell, D.G., Fehri, N., and Bird, K.J., 1991, Thin- versus thick-skinned thrusting in the central Brooks Range orogen--Constraints based on surface geology [abs.]: EOS, Transactions, American Geophysical Union, v. 72, no. 44, p. 295.
- (A) Howell, D.G., Johnsson, M.J., and Bird, K.J., 1991, Solid bitumen at Atigun Gorge, central Brooks Range front--Implications for oil exploration in the North Slope fold and thrust belt [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 598.
- (A) Hutchinson, D.R., Golmshtok, A.J., Lee, M.W., Agena, W.F., Moskalenko, V., Akentiev, L.G., Karapetov, K., Scholz, C.A., and Moore, T.C., 1991, Total sediment thickness beneath Lake Baikal: Supplement to EOS, American Geophysical Union 1991 Spring Meeting Program with Abstracts, p. 270.
- (A) Hutchinson, D.R., Golmshtok, A.J., Scholz, C.A., Moore, T.C., Lee, M.W., and Kuzmin, M., 1991, Bottom simulating reflector in Lake Baikal: Supplement to EOS, American Geophysical Union 1991 Spring Meeting Program and Abstracts, p. 307.
- (P) Johnson, R.C., Barker, C.E., Pawlewicz, M.J., Crysdale, B.L., Clark, A.C., and Rice D.D., 1991, Preliminary results of a coalbed methane assessment of the Wind River Indian Reservation, Wyoming, *in* Schwochow, S.D., ed., Coalbed methane of western North America: Rocky Mountain Association of Geologists Guidebook, Fall Conference and Field Trip, Glenwood Springs, Colo., September 17-20, 1991, p. 273-284.
- (P) Johnson, R.C., Clark, A.C., Barker, C.E., Crysdale, B.L., Pawlewicz, M.J., and Higley, D.K., 1991, Preliminary evaluation of coalbed methane resources of the Wind River Reservation, Wyoming, *in* Manydeeds, S.A., ed., Coal-bed methane potential of the Wind River Indian Reservation: Bureau of Indian Affairs/Division of Energy and Mineral Resources, p. 40-54.
- (A) Johnsson, M.J., Bird, K.J., Howell, D.G., Magoon, L.B., Stanley, R.G., Valin, Z.C., Harris, A.G., and Pawlewicz, M.J., 1991, Preliminary map showing thermal maturity of sedimentary rocks in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 603.
- (A) Johnsson, M.J., Ellen, S.D., and McKittrick, M.A., 1991, Clay mineralogy of soils of the southeastern Koolau Mountains, Oahu, Hawaii--Influence of chemical weathering and slope processes: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A71.
- (A) Johnsson, M.J., Howell, D.G., and Bird, K.J., 1991, Use of vitrinite reflectance to constrain regional structural patterns--An example from the North Slope of Alaska [abs.]: EOS, Transactions, American Geophysical Union, v. 72, no. 44, p. 549-550.
- (P) Johnsson, M.J., Stallard, R.F., and Lundberg, Neil, 1991, Controls on the composition of fluvial sands from a tropical weathering environment--Sands of the Orinoco River basin, Venezuela and Colombia: Geological Society of America Bulletin, v. 103, p. 1622-1647.

- (A) Johnsson, M.J., and Howell, D.G., 1991, Terrane accretion and the development of a fold-and-thrust belt in the Kandik region, east-central Alaska--Evidence from foreland basin sandstones [abs.]: *Comunicaciones (Universidad de Chile)*, v. 42, p. 99-104.
- (A) Keighin, C.W., Flores, R.M., and Perry, Jr., W.J., 1991, Provenance, tectonism and petrofacies of paleocene rocks, northern Rocky Mountains: *Geological Society of America Abstracts with Programs*, v. 23, no. 5, p. A68.
- (A) Keighin, C.W., and Flores, R.M., 1991, Petrology and sedimentology of Morrow/Springer rocks and their relationship to reservoir quality, Anadarko basin, Oklahoma: *Oklahoma Geological Survey/U.S. Department of Energy Petroleum-Reservoir Geology in the Southern Midcontinent Workshop, Abstracts*, p. 3.
- (A) Keighin, C.W., and Flores, R.M., 1991, Characterization of reservoir heterogeneity, Fuller reservoir and Haybarn fields, Paleocene Fort Union Formation, Fremont County, Wyoming [abs.]: *ITT Research Institute/National Institute of Petroleum and Energy Research/ U.S. Department of Energy Third International Reservoir Characterization Technical Conference, Poster Presentation Preprints*, v. 2, 3RC-45, 5 p.
- (P) Klemme, H.D., and Ulmishek, G.F., 1991, Effective petroleum source rocks of the world--Stratigraphic distribution and controlling depositional factors: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 12, p. 1809-1851.
- (A) Kvenvolden, K.A., Collett, T.S., and Williams, R.S., 1991, Methane in permafrost ice near Fairbanks, Alaska [abs.]: *EOS, Transactions, American Geophysical Union*, v. 72, no. 4, p. 67.
- (A) Kvenvolden, K.A., Lorenson, T.D., and Collett, T.S., 1991, Arctic Shelf gas hydrate as a possible source of methane: *Geological Society of America Abstracts with Programs*, v. 23, no. 5, p. A238.
- (A) Law, B.E., 1991, The relationship between coal rank and cleat density--A preliminary report [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 6, p. 1131.
- (A) Law, B.E., 1991, Thermal maturity patterns and time-temperature modeling of Cretaceous and Tertiary rocks, San Juan basin, Colorado and New Mexico [abs.]: *Gas Research Institute Coalbed Methane Forum Program*, unpagued.
- (P) Law, B.E., Rice, D.D., and Flores, R.M., 1991, Coalbed gas accumulations in the Paleocene Fort Union Formation, Powder River basin, Wyoming, *in* Schwochow, S.D., ed., *Coalbed methane of western North America: Rocky Mountain Association of Geologists Guidebook, Fall Conference and Field Trip, Glenwood Springs, Colorado, September 17-20, 1991*, p. 179-190.
- (O) Lee, M.W., Agena, W.F., and Swift, B.A., 1991, An analysis of a unique seismic anomaly in Georges Bank basin, Atlantic Continental Margin: *U.S. Geological Survey Open-File Report 91-138*, 25 p.
- (P) Lee, M.W., and Agena, W.F., 1991, Linearized inversion of reflection traveltimes: *U.S. Geological Survey Bulletin* 1965, 21 p.
- (A) Lewan, M.D., 1991, Understanding generation and expulsion of hydrocarbon in sedimentary basins through experiments [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 11, p. 1807.

- (P) Lewan, M.D., Ulmishek, G.F., Harrison, W., and Schreiner, F., 1991, Gamma 60 co-irradiation of organic matter in the Phosphoria Retort Shale: *Geochimica et Cosmochimica Acta*, v. 55, p. 1051-1063.
- (A) Lillis, P.G., and Clark, M.S., 1991, Correlation of source rocks and oils in the Sespe oil field, Ventura County, California [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 2, p. 372.
- (A) Lillis, P.G., and King, J.D., 1991, Controls on the variation of crude oil quality, Santa Maria basin, California [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 2, p. 372.
- (P) Lund, Karen, Beard, L.S., and Perry, W.J., Jr., 1991, Structures of the northern Grant Range and Railroad Valley, Nye County, Nevada--Implications for oil occurrences, *in* Flanigan, D.M.H., Hansen, Mike, and Flanigan, T.E., eds., *Geology of White River Valley, the Grant Range, Eastern Railroad Valley and Western Egan Range, Nevada: Nevada Petroleum Society 1991 Fieldtrip Guidebook*, p. 1-6.
- (A) Lund, Karen, Beard, L.S., and Perry, W.J., Jr., 1991, Extensional geometries in the northern Grant Range, east-central Nevada--Implications for oil occurrences in Railroad Valley [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 6, p. 1131.
- (A) Magoon, L.B., and Dow, W.G., 1991, The petroleum system--From source to trap [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 3, p. 627.
- (P) Magoon, L.B., and Schmoker, J.W., 1991, A mass balance calculation to compare hydrocarbons generated to hydrocarbons accumulated for the Tuxedni-Hemlock petroleum system, Cook Inlet, Alaska, *in* Manning, D., ed., *Organic geochemistry--Advances and applications in the natural environment: Manchester, England, Manchester University Press*, p. 73-76.
- (A) Masters, C.D., 1991, Global resources and prediction [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 8, p. 1416.
- (P) Masters, C.D., Root, D.H., and Attanasi, E.D., 1991, Resource constraints in petroleum production potential: *Science*, v. 253, no. 5016, p. 146-152.
- (A) McCrory, P.A., Arends, R.G., Ingle, J.C., Jr., Isaacs, C.M., Stanley, R.G., and Thornton, M.L.C., 1991, Geohistory analysis of the Santa Maria basin, California, and its relationship to tectonic evolution of the continental margin [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 2, p. 374.
- (A) Merewether, E.A., Dolson, J., Hanson, W.B., Keefer, W.R., Law, B.E., Mueller, R.E., Ryder, T.A., Smith, A.C., Stilwell, D.P., Wheller, D.M., and Ethridge, F.G., 1991, The Cretaceous record in a northeast trending transect, northern Utah to east-central Wyoming [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 3, p. 634 [Also U.S. Geological Survey Open-File Report 91-582, p. 34].
- (A) Merewether, E.A., and Gautier, D.L., 1991, Stratigraphic, geochemical, and paleontologic evidence for a brackish, restricted seaway in Early Cenomanian (mid-Cretaceous) time, eastern Wyoming [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 3, p. 634.

- (A) Meyer, R.F., 1991, Marine oil seeps [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 635.
- (P) Meyer, R.F., Wallace, L.G., and Wagner, F.J., Jr., 1991, AAPG-CSD geologic provinces code map: American Association of Petroleum Geologists Bulletin, v. 75, no. 10, p. 1644-1651.
- (O) Meyer, R.F., and Medaisko, G.S., 1991, Heavy oil and natural bitumen deposits of Latin America: U.S. Geological Survey Open-File Report 91-364, 33 p.
- (P) Meyer, R.F., and de Witt, Wallace, Jr., 1991, What good's all that gunk?: Chemtech, v. 21, no. 7, p. 432-437.
- (O) Miller, J.J., 1991, A VAX and MS-DOS computer program package for depth conversion of digitized, line-drawing interpretations of seismic sections: U.S. Geological Survey Open-File Report 91-303 A-C; A, 25 p.; B, 2 p., one 5 1/4 inch diskette; C, 2 p., one 5 1/4 inch diskette.
- (P) Miller, J.J., Lee, M.W., and von Huene, Roland, 1991, An analysis of a seismic reflection from the base of a gas hydrate zone, offshore Peru: American Association of Petroleum Geologists Bulletin, v. 75, no. 5, p. 910-924.
- (A) Molenaar, C.M. Cobban, W.A., Franczyk, K.J., Pillmore, C.L., Zech, R.S., Kauffman, E.G., Holbrook, J.M., and Wolfe, D.G., 1991, Regional Cretaceous stratigraphic relationships across the southern segment of the Western Interior basin, Arizona, New Mexico, and southern Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 637-638 [Also U.S. Geological Survey Open-File Report 91-582, p. 35]
- (P) Molenaar, C.M., and Baird, J.K., 1991, Stratigraphic cross sections of Upper Cretaceous rocks, in the northern San Juan Basin, Southern Ute Indian Reservation, southwestern Colorado, *in* Geologic framework and stratigraphy of Cretaceous and Tertiary rocks of the Southern Ute Indian Reservation, southwestern Colorado: U.S. Geological Survey Professional Paper 1505-C, p. C1-C12, 3 plates.
- (P) Molenaar, C.M., and Cobban, W.A., 1991, Middle Cretaceous stratigraphy on the south and east sides of the Uinta basin, northeastern Utah and northwestern Colorado: U.S. Geological Survey Bulletin 1787-P, p. P1-P34, 1 plate.
- (P) Molenaar, C.M., and Cobban, W.A., 1991, Middle Cretaceous stratigraphy on the south side of the Uinta Basin, east-central Utah, *in* Chidsey, T.C., Jr., ed., Geology of east-central Utah: Salt Lake City, Utah, Utah Geological Association Publication 19, 1991 Field Symposium, p. 29-43.
- (A) Mullarkey, J.C., Clayton, J.L., Wendlandt, R., and Daws, T.A., 1991, Petroleum source-rock evaluation of the Cretaceous Newark Canyon Formation in north-central Nevada [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 642 [Also v. 75, no. 6, p. 1134].
- (A) Nichols, D.J., Perry, W.J., Jr., Flores, R.M., and Roberts, S.B., 1991, Palynostratigraphic evidence on the evolution of the Rocky Mountain front: The American Association of Stratigraphic Palynologists, Inc. 24th Annual Meeting Program and Abstracts, unpaginated.

- (A) Nuccio, V.F., Schmoker, J.W., and Fouch, T.D., 1991, Thermal maturity, porosity, and facies relationships applied to gas generation and production in Tertiary and Cretaceous low-permeability sandstones, Uinta basin, Utah [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1134-1135 [Also U.S. Geological Survey Open-File Report 91-582, p. 22].
- (A) O'Connor, J.T. and Keighin, C.W., 1991, Submarine fan facies in Proterozoic metasedimentary rocks of the northern Front Range, Colorado: Geological Society of America Abstracts with Programs, v. 23, no. 4, p. 53.
- (A) Palacas, J.G., and Schmoker, J.W., 1991, Petroleum potential of Precambrian (Keweenawan) rocks, Midcontinent Rift System, Iowa [abs.]: Denver, Colo., Colorado Scientific Society Newsletter, February, p. 2.
- (O) Pawlewicz, M.J., Nuccio, V.F., and Fassett, J.E., 1991, Vitrinite reflectance values for coal from drill-hole cuttings, San Juan basin, New Mexico: U.S. Geological Survey Open-File Report 91-302, 11 p.
- (A) Pawlewicz, M.J., and Nuccio, V.F., 1991, Vitrinite reflectance study of the Fruitland Formation, San Juan basin, New Mexico [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1136.
- (A) Perry, W.J., Jr., 1991, Stratigraphy and structure of the northern Pancake Range, Nye County, Nevada--A progress report [abs.], in Thorman, C.H., ed., Some current research in eastern Nevada and western Utah: Open-File Report 91-386, p. 6-7.
- (A) Perry, W.J., Jr., Barker, C.E., and Lund, Karen, 1991, A new oil-generation model for Pine and Railroad Valleys, Nevada [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1136.
- (A) Perry, W.J., Jr., Weaver, J.N., Flores, R.M., Roberts, S.B., and Nichols, D.J., 1991, Sequential Laramide deformation in Montana and Wyoming: Geological Society of America Abstracts with Programs, v. 23, no. 4, p. 56.
- (A) Peterson, J.A., 1991, Aneth oil field, giant Pennsylvanian carbonate stratigraphic trap, Paradox basin, Utah, U.S.A. [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 653.
- (A) Peterson, J.A., 1991, Regional stratigraphy and petroleum geology, North Africa-Middle East [abs.]: American Association of petroleum Geologists Bulletin, v. 75, no. 3, p. 652-653.
- (O) Peterson, J.A., 1991, Algal mound carbonate reservoir, Aneth oil field, Paradox basin, Utah, USA--Origin and related petroleum geology: U.S. Geological Survey Open-File Report 91-6, 38 p.
- (P) Peterson, J.A., and Clarke, J.W., 1991, Geology and hydrocarbon habitat of the West Siberian Basin: American Association of Petroleum Geologists, Studies in Geology, no. 32, 96 p.
- (A) Pollastro, R.M., 1991, The illite/smectite geothermometer--Considerations and case history studies in hydrocarbon-bearing rocks of Miocene to Mississippian in age: Clay Minerals Society 28th Annual Special Symposia, Program and Abstracts, p. 128.

- (A) Pollastro, R.M., 1991, Composition and diagenesis of the Upper Cretaceous Niobrara Formation, Denver basin--Relation to reservoir properties and thermal maturity [abs.]: Rocky Mountain Association of Geologists/Colorado School of Mines, Niobrara Short Course Notes and Program, p. 21-22.
- (P) Pollastro, R.M., 1991, Composition, clay mineralogy, and diagenesis of the Simpson Group (Middle Ordovician), Grady County, Oklahoma: U.S. Geological Survey Bulletin, 1866-H, 19 p.
- (O) Pollastro, R.M., 1991, Acid-insoluble residue/carbonate content of the Upper Cretaceous Niobrara Formation, Berthoud Field, Denver basin, Colorado--A key factor for understanding natural fracturing in chalks?: U.S. Geological Survey Open-File Report 91-330 16 p.
- (A) Pollastro, R.M. and Bohor, B.F., 1991, Origin and genesis of clay minerals at the Cretaceous/Tertiary boundary interval, U.S. Western Interior: Clay Minerals Society 28th Annual Special Symposia, Program and Abstracts, p. 129.
- (A) Pollastro, R.M., and Schenk, C.J., 1991, Origin and diagenesis of clay minerals in relation to sandstone paragenesis--An example in eolian dune reservoirs and associated rocks, Permian upper part of the Minnelusa Formation, Powder River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1136-1137
- (A) Potter, C.J., Grow, J.A., Lund, Karen, Perry, W.J., Jr., Miller, J.J., and Lee, M.W., 1991, Comparison of basin geometry and faulting styles along a regional seismic-reflection profile from Railroad Valley to Lake Valley, Nevada [abs.] *in* Flanigan, D.M.H., Hansen, Mike, and Flanigan, T.E., eds., Geology of White River Valley, the Grant Range, Eastern Railroad Valley and Western Egan Range, Nevada: Nevada Petroleum Society 1991 Fieldtrip Guidebook, p. 59.
- (A) Potter, C.J., Grow, J.A., Lund, Karen, Perry, W.J., Jr., Miller, J.J., and Lee, M.W., 1991, Regional seismic reflection profile from Railroad Valley to Lake Valley, east-central Nevada, reveals a variety of structural styles beneath Neogene basins [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1137.
- (A) Potter, C.J., Grow, J.A., Thorman, C.H., Cook, H.E., and Peterson, J.A., 1991, Basin evolution and petroleum studies in the U.S. eastern Great Basin; relevance to mineral investigations, *in* Good, E.E., Slack, J.F., and Kotra, R.K., eds., USGS research on mineral resources--1991, Program and abstracts, Seventh Annual V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Circular 1062, p. 63-64.
- (A) Potter, C.J., Lund, K., Beard, L.S., Miller, J.J., and Lee, M.Y., 1991, Extensional styles along a regional seismic reflection transect, east-central Nevada: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A131.
- (P) Prenskey, S., 1991, An editor's lot is not an 'appy one (editorial): The Log Analyst, v. 32, no. 2, p. 26A-28A.
- (P) Prenskey, S.E., 1991, Time for changes????!! (editorial): Log Analyst, v. 32, no. 4, p. 54A.
- (P) Prenskey, S.E., 1991, Bibliography of well-log applications--September 1, 1990 to October 1, 1991: The Log Analyst, v. 32 no. 6, p. 692-737.

- (P) Prenskey, S.E., 1991, The abstract (editorial): *The Log Analyst*, v. 32, no. 3, p. 38A-40A.
- (P) Prenskey, S.E., 1991, Citations and references (editorial): *The Log Analyst*, v. 32, no. 5, p. 70A-73A.
- (P) Prenskey, S.E., 1991, Editorial: *The Log Analyst*, v. 32, no. 6, p. 91A.
- (O) Prenskey, S.E., 1991, Bibliography of well-log applications (annual update, September 1, 1990 to October 1, 1991): U.S. Geological Survey Open-File Report 91-588-A-C; A, 130 p.; B, one 3 1/2 inch diskette; C, one 3 1/2 inch diskette.
- (A) Price, L.C., 1991, On the origin of the Gulf Coast Neogene oils [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 9, p. 1535.
- (A) Price, L.C., 1991, Hydrocarbon thermal stability as a maximum indicator of bacterial endurance down the geotherm?: *Geological Society of America Abstracts with Programs*, v. 23, no. 5, p. A20.
- (A) Price, L.C., and Clayton, J.L., 1991, On the origin of the Gulf Coast neogene oils: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 9, p. 1535.
- (A) Price, L.C., and Le Fever, J.A., 1991, Horizontal drilling in the Bakken Formation--The hunt for an elephant that never left the source system [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 6, p. 1137.
- (P) Reinecke, K.M., Rice, D.D., and Johnson, R.C., 1991, Characteristics and development of fluvial sandstone and coal-bed reservoirs of the Upper Cretaceous Mesaverde Group, Grand Valley Field, Garfield County, Colorado, *in* Schwochow, S.D., ed., *Coalbed methane of western North America: Rocky Mountain Association of Geologists Guidebook, Fall Conference and Field Trip, Glenwood Springs, Colo., September 17-20, 1991*, p. 209-226.
- (A) Rice, D.D., 1991, Geologic settings and controls of shallow gas, Rocky Mountain area [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 6, p. 1138.
- (P) Rice, D.D., 1991, Introduction [Section II. Oil and gas], *in* Gluskoter, H.J., Rice, D.D., and Taylor, R.G., eds., *Economic Geology*, U.S.: Geological Society of America, *The Geology of North America (Decade of North American Geology)*, v. P-2, p. 213-223.
- Rice, D.D. and Flores, R.M., 1991, Controls on bacterial gas accumulations in thick Tertiary basin, Wyoming and Montana [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 75, no. 3, p. 661.
- (A) Rice, D.D., and Higley, D.K., 1991, Trends of thermal maturity and geochemistry of natural Upper Cretaceous Niobrara Formation, Denver basin [abs.]: *Rocky Mountain Association of Petroleum Geologists Niobrara Short Course Notes and Program*, p. 18-19.
- (A) Riehle, J.R., Church, S.E., and Magoon, L.B., 1991, Resource assessment of the Mount Katmai 1° x 2° quadrangle and adjacent parts of the Naknek and Afognak quadrangles, Alaska Peninsula, *in* Good, E.E., Slack, J.F., and Kotra, R.K. eds., *USGS research on mineral resources--1991, Program and abstracts, Seventh V.E. McKelvey Forum on Mineral and Energy Resources: U.S. Geological Survey Circular 1062*, p. 65.

- (A) Robbins, S.L., and Grow, J.A., 1991, Isostatic residual anomaly gravity maps--A comparison of local versus regional compensation models in Wyoming: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A317 [Also U.S. Geological Survey Open-File Report 91-582, p. 29].
- (A) Roberts, S.B., Flores, R.M., Perry, W.J., Jr., and Nichols, D.J., 1991, Preliminary paleogeographic interpretations of Paleocene coal basins, Rocky Mountain region: Geological Society of America Abstracts with Programs, v. 23, no. 4, p. 87.
- (O) Robinson, Keith, 1991, Petroleum geology and hydrocarbon plays of the Permian Basin petroleum province, west Texas and southeast New Mexico: U.S. Geological Survey Open-File Report 88-450-Z, 53 p.
- (A) Roen, J.B., Ryder, R.T., and deWitt, Wallace, Jr., 1991, Atlas of Appalachian basin oil and gas plays: The The Oriskany Sandstone play--a preliminary example [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 8, p. 1390.
- (A) Ryder, R.T., Burruss, R.C., and Hatch, J.R., 1991, Geochemistry and origin of oil from Cambrian and Ordovician reservoirs in eastern and central Ohio [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 8, p. 1390.
- (O) Ryder, R.T., Burruss, R.C., and Hatch, J.R., 1991, Geochemistry of selected oil and source rock samples from Cambrian and Ordovician strata, Ohio-West Virginia-Tennessee part of the Appalachian basin: U.S. Geological Survey Open-File Report 91-434, 75 p.
- (O) Schenk, C.J., 1991, Evolution of porosity in "deep" sandstones of the Permian upper part of the Minnelusa Formation, Powder River basin, Wyoming: U.S. Geological Survey Open-File Report 90-78, 19 p.
- (O) Schenk, C.J., 1991, Trends of heavy oil production in California: U.S. Geological Survey Open-File Report 91-339, 8 p.
- (A) Schenk, C.J., Gautier, D.L., and Olhoeft, G.R., 1991, Bedding scales of a complex eolian dune using ground-penetrating radar [abs.], in Opportunities for the nineties: Bulletin of Canadian Petroleum Geology, v. 39, no. 2, p. 224.
- (A) Schenk, C.J., and Peterson, Fred, 1991, Eolian sabkha sandstones in the Nugget Sandstone (Jurassic), Vernal area, Utah [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1139.
- (P) Schmoker, J.W., 1991, Review of "Geological aspects of horizontal drilling" by Richard D. Fritz, Myron K. Horn, and Sada D. Joshi: The Log Analyst, November/December, 1991, p. 755-756.
- (A) Schmoker, J.W., and Higley, D.K., 1991, Predictive porosity models for the Lower Cretaceous J sandstone, Denver basin, Colorado, [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 667-668.
- (P) Schmoker, J.W., and Higley, D.K., 1991, Porosity trends of the Lower Cretaceous J Sandstone, Denver basin, Colorado: Journal of Sedimentary Petrology, v. 61, no. 6, p. 909-920.

- (A) Scholz, C.H. and Barton, C.C., 1991, The fractal nature of hydrocarbon deposits; 1, Size distribution [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 668.
- (P) Sheridan, R.E., Olson, R.K., and Miller, J.J., 1991, Seismic reflection and gravity study of proposed Taconic suture under the New Jersey Coastal Plain--Implications for continental growth: Geological Society of America Bulletin, v. 103, no. 3, p. 402-414.
- (A) Sorlien, C.C., Bird, K.J., Nicholson, C., and Luyendyk, B., 1991, The nature of the transition from the offshore Santa Maria basin to the Santa Barbara Channel, California [abs.]: EOS, Transactions, American Geophysical Union, v. 72, no. 44, p. 443.
- (A) Spencer, C.W., Lorenz, J.C., and Brown, C.A., 1991, Application of horizontal drilling to tight gas reservoirs [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 675.
- (P) Stallard, R.F., Koehnken, L., and Johnsson, M.J., 1991, Weathering processes and the composition of inorganic material transported through the Orinoco River system, Venezuela and Colombia: Geoderma, v. 51, p. 133-165.
- (O) Stanley, R.G., 1991, Geologic basis for petroleum resource assessment of onshore western Oregon and Washington (Province 72): U.S. Geological Survey Open-File Report 88-450-X, 29 p.
- (A) Stanley, R.G., Johnson, S.Y., Tuttle, M.L., Mason, M.A., Swisher, C.C., Cotton Thornton, M.L., Vork, D.R., Filewicz, M.V., Cole, R.B., and Obradovich, J.D., 1991, Age, correlation, and origin of the type Lospe Formation (lower Miocene), Santa Maria basin, central California [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 2, p. 382.
- (A) Stanley, R.G., Vedder, J.G., McLean, Hugh, Wiley, T.J., Cotton Thornton, M.L., Vork, D.R., Filewicz, M.V., Johnson, S.Y., Tuttle, M.L., Mason, M.A., Swisher, C.C., and Cole, R.B., 1991, Three stratigraphic revelations in the Santa Maria Province, California, and their paleogeographic and paleotectonic significance: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A476-A477.
- (A) Takahashi, K.I., and Higley, D.K., 1991, The history of exploration in petroleum provinces in the United States [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 678-679.
- (A) Tennyson, M.E., 1991, Preliminary 1:100,000-scale geologic map of Santa Maria 30' x 60' quadrangle, central coastal California: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A476.
- (A) Thorez, J., Bossiroy, D., Flores, R.M., and Keighin, C.W., 1991, Non-facies selective clay paragenesis of sandstone reservoirs, Fuller Reservoir field, Wind River basin, Wyoming: Clay Minerals Society Program and Abstracts, p. 149.
- (A) Ulmishek, G.F., 1991, Volga-Ural basin, U.S.S.R.--Rich petroleum systems with a single source rock [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 685.
- (A) Ulmishek, G.F., 1991, Pripyat basin, U.S.S.R.--An oil productive middle Paleozoic rift [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 685.

- (A) Ulmishek, G.F., 1991, Structural evolution and petroleum productivity of the Baltic basin [abs]: American Association of Petroleum Geologists Bulletin, v. 75, no. 8, p. 1423.
- (P) Ulmishek, G.F., and Klemme, H.D., 1991, Areal and spatial distribution and effectiveness of world's petroleum source rocks: Proceedings of the Thirteenth World Petroleum Congress: New York, John Wiley & Sons, 1991, p. 121-136.
- (O-M) Valin, Z.C., Bader, J.W., Barnes, D.F., Fisher, M.A., and Stanley, R.G., 1991, Simple Bouguer gravity anomaly maps of the Nenana basin area, Alaska: U.S. Geological Survey Open-File 91-33, 5 over-size sheets.
- (A) Vedder, J.G., Howell, D.G., McLean, Hugh, Stanley, R.G., and Wiley, T.J., 1991, New 1:24,000 scale geologic maps contribute significant stratigraphic and structural information in the San Luis Obispo--Santa Maria area, California: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A476.
- (O-M) Vedder, J.G., Howell, D.G., McLean, Hugh, Stanley, R.G., and Wiley, T.J., 1991, Preliminary geologic map of the Tepusquet Canyon and Manzanita Mountain quadrangles, California: U.S. Geological Survey Open-File Report 91-109, 1 over-size sheet, scale 1:24,000.
- (P) Vedder, J.G., McLean, Hugh, Stanley, R.G., and Wiley, T.J., 1991, Paleogeographic implications of an erosional remnant of Paleogene rocks southwest of the Sur-Nacimiento fault zone, southern Coast Ranges, California: Geological Society of America Bulletin, v. 103, p. 941-952.
- (Ad) Wandrey, C.J., 1991, Geochemical analysis request procedure (GARP Version 1): U.S. Geological Survey Administrative Report, 19 p.
- (Ad) Wesley, J.B., Wandrey, C.J., and Fouch, T.D., 1991, Principal drill stem test database (UBDST) and documentation--Analysis of Uinta basin, Utah gas-bearing Cretaceous and Tertiary strata: U.S. Geological Survey Administrative Report prepared for the U.S. Department of Energy, 18 p., one 5 1/4 inch diskette.
- (A) Whidden, K.J., Lund, S.P., Bottjer, D.J., Champion, D.E., and Howell, D.G., 1991, Paleomagnetic evidence from Upper Cretaceous strata for autochthoneity of the central block of Salinia [abs.]: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 109.
- (A) Wojcik, K.M., Barker, C.E., Goldstein, R.H., and Walton, A.W., 1991, Elevated thermal maturation in Pennsylvanian rocks, Cherokee basin, southeastern Kansas--Importance of regional fluid flow [abs.]: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 696.