

WATER-LEVEL DATA FOR SELECTED WELLS ON OR NEAR THE
IDAHO NATIONAL ENGINEERING LABORATORY, IDAHO,
1983 THROUGH 1990

By

Douglas S. Ott, Daniel D. Edwards, and Roy C. Bartholomay

U.S. GEOLOGICAL SURVEY

Open-File Report 92-643

Prepared in cooperation with the

U.S. DEPARTMENT OF ENERGY



Idaho Falls, Idaho

November 1992

U.S. DEPARTMENT OF THE INTERIOR

MANUEL LUJAN, JR., Secretary

U.S. GEOLOGICAL SURVEY

Dallas L. Peck, Director

For additional information
write to:

U.S. Geological Survey
INEL, MS 4148
P.O. Box 2230
Idaho Falls, ID 83403-2230

Copies of this report can be
purchased from:

U.S. Geological Survey
Books and Open-File Reports Section
Box 25425, Federal Center,
Denver, CO 80225

CONTENTS

	Page
Abstract.	1
Introduction.	1
Numbering systems for wells	5
Local well names	5
Site identification numbers.	5
Idaho well-numbering system.	6
Water-level data collection methods	6
Summary	8
References cited.	8

ILLUSTRATIONS

Figure 1-3. Maps showing:

1. Location of the Idaho National Engineering Laboratory and selected facilities. 2
2. Location of selected wells on or near the Idaho National Engineering Laboratory. 3
3. Location of selected wells at or near the Test Reactors Area, the Idaho Chemical Processing Plant, and the Radioactive Waste Management Complex 4
4. Diagram showing Idaho well-numbering system. 7

WELL DATA AND DEPTH TO WATER FOR SELECTED WELLS

Local well name	Site identification number	Idaho well number	
USGS 1	432700112470801	2N 31E 35DCC1	10
USGS 2	433320112432301	3N 32E 29DDC1	12
USGS 4	434657112282201	5N 34E 09BDA1	14
USGS 5	433543112493801	3N 30E 12CDD1	16
USGS 6	434031112453701	4N 31E 16ADC1	18
USGS 7	434915112443901	6N 31E 27BDD1	20
USGS 8	433121113115801	2N 27E 02DDC1	22
USGS 9	432740113044501	2N 28E 35AAC1	24
USGS 11	432336113064201	1N 29E 30BBD1	28
USGS 12	434126112550701	4N 30E 07ADB1	30
USGS 13	432731113143902	2N 27E 33ACC2	35
USGS 14	432019112563201	1S 30E 15BCA1	37
USGS 15	434234112551701	4N 30E 06ABA1	39
USGS 17	433937112515401	4N 30E 22BDD1	41

Local well name	Site identification number	Idaho well number	Page
USGS 18	434540112440901	5N 31E 14BCC1	43
USGS 19	434426112575701	5N 29E 23CDD1	45
USGS 20	433253112545901	3N 30E 31AAD1	51
USGS 21	434307112382601	5N 32E 36ADD1	53
USGS 22	433422113031701	3N 29E 19CBB1	59
USGS 23	434055112595901	4N 29E 09DCD1	61
USGS 24	435053112420801	6N 31E 13DBB1	63
USGS 25	435339112444601	7N 31E 34BDD1	66
USGS 26	435212112394001	6N 32E 11ABA1	71
USGS 27	434851112321801	6N 33E 26ddb1	73
USGS 28	434600112360101	5N 33E 17ADD1	79
USGS 29	434407112285101	5N 34E 29DAA1	81
USGS 30A	434601112315403	5N 33E 13BDC3	83
USGS 30B	434601112315402	5N 33E 13BDC2	85
USGS 30C	434601112315401	5N 33E 13BDC1	87
USGS 31	434625112342101	5N 33E 10CDC1	89
USGS 32	434444112322101	5N 33E 23DDA1	91
USGS 34	433334112565501	3N 29E 25BDC1	93
USGS 35	433339112565801	3N 29E 25BDB1	95
USGS 36	433330112565201	3N 29E 25BDD1	97
USGS 37	433326112564801	3N 29E 25CAA1	99
USGS 38	433322112564301	3N 29E 25CAD1	101
USGS 39	433343112570001	3N 29E 25BBD1	103
USGS 40	433411112561101	3N 29E 24DAD1	105
USGS 41	433409112561301	3N 29E 24DDA1	107
USGS 42	433404112561301	3N 29E 24DDA2	109
USGS 43	433415112561501	3N 29E 24DAD2	111
USGS 44	433409112562101	3N 29E 24ddb1	113
USGS 45	433402112561801	3N 29E 24DDC1	115
USGS 46	433407112561501	3N 29E 24DDA3	117
USGS 47	433407112560301	3N 30E 19CCB1	119
USGS 48	433401112560301	3N 30E 19CCC1	121
USGS 49	433403112555401	3N 30E 19CCA1	123
USGS 51	433350112560601	3N 30E 30BBB1	125
USGS 52	433414112554201	3N 30E 19CAC1	127
USGS 57	433344112562601	3N 29E 25ABD1	129
USGS 58	433500112572502	3N 29E 14DDA2	131
USGS 59	433354112554701	3N 30E 30BAB1	133
USGS 65	433447112574501	3N 29E 23ABB1	135
USGS 67	433344112554101	3N 30E 30BAD1	137
USGS 76	433425112573201	3N 29E 23ADC1	139
USGS 77	433315112560301	3N 30E 30CCB1	141
USGS 79	433505112581901	3N 29E 14CBD1	143
USGS 82	433401112551001	3N 30E 19DDC2	146
USGS 83	433023112561501	2N 29E 13AAA1	148
USGS 84	433356112574201	3N 29E 23DCD1	150
USGS 85	433246112571201	3N 29E 36BCB1	152
USGS 86	432935113080001	2N 28E 21BBB1	154
USGS 87	433013113024201	2N 29E 18BDA1	156
USGS 88	432940113030201	2N 29E 18CCD1	158

Local well name	Site identification number	Idaho well number	Page
USGS 89	433005113032801	2N 28E 13ADD1	160
USGS 90	432954113020501	2N 29E 17CBC1	162
USGS 97	433807112551501	4N 30E 31ABD1	164
USGS 98	433657112563601	3N 29E 01DBB1	166
USGS 99	433705112552101	3N 30E 06ACD1	168
USGS 100	433503112400701	3N 32E 14CDD1	170
USGS 101	433255112381801	3N 32E 36ADD1	172
USGS 102	433853112551601	4N 30E 30ACA1	174
USGS 103	432714112560701	2N 30E 31CBC1	176
USGS 104	432856112560801	2N 29E 24DAD1	178
USGS 105	432703113001801	2N 29E 33DCC1	180
USGS 106	432959112593101	2N 29E 15CBA1	182
USGS 107	432942112532801	2N 30E 16CCA1	184
USGS 108	432659112582601	2N 29E 35CCC1	186
USGS 109	432701113025601	2N 29E 31CDC1	188
USGS 110	432717112501501	2N 30E 35DAD1	190
USGS 111	433331112560501	3N 30E 30BCC1	192
USGS 112	433314112563001	3N 29E 25DCA1	194
USGS 113	433314112561801	3N 29E 25DBB1	196
USGS 114	433318112555001	3N 30E 30CBD1	198
USGS 115	433320112554101	3N 30E 30CAD1	200
USGS 116	433331112553201	3N 30E 30ACC1	202
USGS 117	432955113025901	2N 29E 18CBD1	204
USGS 119	432945113023401	2N 29E 18DCB1	206
USGS 120	432919113031501	2N 29E 19BCB1	208
ANP 3	435053112423201	6N 31E 13CAB1	210
ANP 5	435308112454101	7N 31E 33DCD1	212
ANP 6	435152112443101	6N 31E 10ACC1	214
ANP 7	435522112444201	7N 31E 22BDD1	216
ANP 9	434856112400001	6N 32E 26CDB1	218
ANP 10	434909112400401	6N 32E 26CAB1	220
Arbor Test	433509112384801	3N 32E 13DCA1	222
AREA II	433223112470201	3N 31E 35DCA1	224
Cerro Grande	432618112555501	1N 30E 10BBA1	226
CFA 2	433144112563501	2N 29E 01DBB1	228
Corehole 1	432927112410101	2N 32E 22ABA1	230
Corehole 2A	434558112444801	5N 31E 15BAD1	232
CPP 4	433440112554401	3N 30E 19BAC1	234
DH1B	434611112504301	5N 30E 11CDD1	236
DH2A	434547112512801	5N 30E 15ADC1	238
FET Disp. 3	435124112433701	6N 31E 11CDC1	240
GIN 1	434947112414301	6N 31E 24DDA1	242
GIN 2	434949112413401	6N 32E 22CCB1	244
GIN 3	434945112413101	6N 32E 22CCB2	246
GIN 4	434949112413601	6N 32E 22CCB3	248
GIN 5	434953112413301	6N 32E 22CBC1	250
Highway 1 (piezometer C)	433218112191601	2N 35E 02BBC1	252
Highway 1 (piezometer B)	433218112191602	2N 35E 02BBC2	254
Highway 1 (piezometer A)	433218112191603	2N 35E 02BBC3	256
Highway 2	433307112300001	3N 34E 32BBC1	258

Local well name	Site identification number	Idaho well number	Page
IET 1 Disp.	435153112420501	6N 31E 12ACD1	260
INEL 1	433717112563501	3N 29E 01ABB1	262
MTR Test	433520112572601	3N 29E 14ADD1	264
No Name 1	435038112453401	6N 31E 16DCA1	268
NPR Test	433449112523101	3N 30E 16DDD1	270
2nd Owsley	434819112380501	6N 32E 36ADD1	272
PSTF Test	434941112454201	6N 31E 21DCC1	274
P&W 1	435416112460401	7N 31E 28CAC1	276
P&W 2	435419112453101	7N 31E 28DAB1	278
P&W 3	435443112435801	7N 31E 26BBC1	280
Quaking Aspen Butte	432632113095901	1N 28E 03CDB1	282
Site 6	433826112510701	4N 30E 26CCA1	284
Site 9	433123112530101	2N 30E 04DCC1	286
Site 14	434334112463101	5N 31E 28CCC1	288
Site 16	433545112391501	3N 32E 13BBD1	290
Site 17	434027112575701	4N 29E 14CAA1	292
Site 19	433522112582101	3N 29E 14BCB1	294
TAN 1	435056112420001	6N 31E 13ACD1	296
TAN 3	435104112420301	6N 31E 13ACA1	298
TAN 9	435053112423202	6N 31E 13CAB3	300
TAN 11	435050112423202	6N 31E 13CAB6	302
TRA Disp.	433506112572301	3N 29E 14DBD1	304
Water Supply for INEL 1	433716112563601	3N 29E 01ABC1	306

CONVERSION FACTORS AND VERTICAL DATUM

<u>Multiply</u>	<u>By</u>	<u>To obtain</u>
inch (in.)	2.540	centimeter
foot (ft)	0.3048	meter
mile (mi)	1.609	kilometer
acre	4.047	square meter
square mile (mi ²)	2.590	square kilometer

Sea level: In this report, "sea level" refers to the National Geodetic Vertical Datum of 1929--a geodetic datum derived from a general adjustment of the first-order level nets of the United States and Canada, formerly called Sea Level Datum of 1929.

WATER-LEVEL DATA FOR SELECTED WELLS ON OR NEAR THE IDAHO NATIONAL
ENGINEERING LABORATORY, IDAHO, 1983 THROUGH 1990

By

Douglas S. Ott, Daniel D. Edwards, and Roy C. Bartholomay

ABSTRACT

The U.S. Geological Survey has collected water-level data from wells completed in the Snake River Plain aquifer at the Idaho National Engineering Laboratory in southeastern Idaho since 1949. Water-level data collected through 1982 are presented in previous reports. Water-level data collected from 1983 through 1990 from 137 wells are presented in this report.

INTRODUCTION

The Idaho National Engineering Laboratory (INEL), established in 1949, covers about 890 mi² of the eastern Snake River Plain in southeastern Idaho (fig. 1) and is used by the U.S. Department of Energy (DOE) to test different types of nuclear reactors. The INEL is one of the main centers in the United States for investigating the peacetime use of atomic energy and advanced energy concepts, researching nuclear safety and supporting defense programs.

The U.S. Geological Survey (USGS) has collected water-level data from observation wells at the INEL since it was selected as a reactor testing area in 1949. These data now are part of a program conducted by the USGS in cooperation with the DOE to monitor the effects of activities at INEL facilities on ground water and to help determine natural changes in the hydrologic system. Water-level data collected from 1949 through 1982 are presented in a report by Barraclough and others (1984). The purpose of this report is to provide water-level data collected from 1983 through 1990 for selected wells completed in the Snake River Plain aquifer at or near the INEL. The locations of wells from which data were collected are shown in figures 2 and 3.




Figure 1.--Location of the Idaho National Engineering Laboratory and selected facilities.




Figure 2.--Location of selected wells on or near the Idaho National Engineering Laboratory.




Figure 3.--Location of selected wells at or near the Test Reactors Area, the Idaho Chemical Processing Plant, and the Radioactive Waste Management Complex.

Hydrographs for the selected wells are provided to show general trends in water levels. On the hydrographs, dashed lines with open circles indicate steel- or electric-tape measurements taken monthly, quarterly, semiannually, or annually; solid lines indicate continuous-recorder measurements (steel- or electric-tape measurements are not shown if continuous-recorder measurements were available). Dashed lines on hydrographs with continuous-recorder measurements indicate periods of no record. A tabulation of well data and water-level measurements precedes each hydrograph.

NUMBERING SYSTEMS FOR WELLS

Wells at the INEL have been assigned local well names by Federal agencies and contractors. Wells also are identified by site identification numbers and the Idaho well-numbering system.

Local Well Names

Local well names have been assigned to each well at the INEL. The names and locations of wells for which data are available are shown in figures 2 and 3. Numbers on figures 2 and 3 such as 1, 89, and 101 refer to USGS wells.

Site Identification Numbers

Site identification numbers provide the geographic location of a well or miscellaneous site and a unique number for each site. The number consists of 15 digits. The first 6 digits denote degrees, minutes, and seconds of latitude; the next 7 digits denote degrees, minutes, and seconds of longitude; and the last 2 digits (assigned sequentially through time) distinguish the site from other sites with the same latitude and longitude.

Idaho Well-Numbering System

The well-numbering system used by the USGS in Idaho indicates the location of wells within the official rectangular subdivisions of the public lands, with reference to the Boise Base Line and Meridian. The first segment of a well-number indicates the township and position north, N, or south, S, of the Boise Base Line; the second indicates the range and position east, E, or west, W, of the Boise Meridian; the third indicates the number of the section in which the well is situated. The letters following the section number indicate the well location within the section: the first letter denotes the 160-acre tract, the second letter denotes the 40-acre tract, and the third letter denotes the 10-acre tract. Some well numbers also include a fourth letter that denotes the 2 1/2-acre tract. The subdivisions of the sections are designated by the letters A, B, C, and D and are assigned in a counterclockwise order from the northeast quarter of each subdivision (fig. 4). The last number is a serial number assigned when the well is inventoried. Thus, well 7S 17E 06ACA1 is in the northeast quarter of the southwest quarter of the northeast quarter of section 6, township 7 south of the Boise Base Line, range 17 east of the Boise Meridian, and was the first well inventoried in that 10-acre tract.

WATER-LEVEL DATA COLLECTION METHODS

Water-level measurements taken by personnel at the USGS project office at the INEL normally are collected with a 1,000-ft graduated steel tape using methods described by Garber and Koopman (1968, p. 3). In addition to steel-tapes, calibrated electric tapes sometimes are used at the INEL to measure depth to water. Electric-tape methods are described by Garber and Koopman (1968, p. 7). Mechanical floats with strip-chart recorders are installed in a few wells at the INEL to monitor water-level fluctuations through time. Mechanical float installations are calibrated periodically with a graduated steel tape. The altitude of the water level above sea level can be determined by subtracting the depth to water from the altitude of the land surface.




Figure 4.--Diagram showing Idaho well-numbering system.

SUMMARY

The U.S. Geological Survey, in cooperation with the U.S. Department of Energy, has collected water-level measurements from observation wells at the INEL since 1949. This report includes water-level data collected from the period 1983 through 1990 at the INEL. This report, in conjunction with the previous water-level data report (Barracough and others, 1984), is intended to provide a useful working data set for government agencies and private industry.

REFERENCES CITED

- Barracough, J.T., Bagby, J.C., White, L.J., and Jensen, R.G., 1984, Water-level data for selected wells on or near the Idaho National Engineering Laboratory, 1949 through 1982: U.S. Geological Survey Open-File Report 84-239 (DOE/ID 22065), 343 p.
- Garber, M.S., and Koopman, F.C., 1968, Methods of measuring water levels in deep wells: U.S. Geological Survey Techniques of Water-Resources Investigations, Book 8, Chap. A1, 23 p.

WELL DATA AND DEPTH TO WATER FOR SELECTED WELLS

The following terms, units, and abbreviations are used in subsequent well records:

Altitude: the altitude of land surface in feet (ft) above sea level.

Diameter of casing: diameter of casing in inches (in.) and the interval (or length) of that diameter in feet below land surface.

Open or screen interval: the section of well, below land surface, that consists of a screened opening, perforations in well casing, or an open-hole interval in feet.

--, no data;

Depth to water, measurement of water level in feet below land surface;

Abbreviations:

S, steel-tape measurement

R, continuous water-level recorder

T, electric tape

H, highest water level for period


L, lowest water level for period

C, data reported by commercial contractor

Local well name: USGS 1
 Site identifier: 432700112470801
 Idaho well number: 2N 31E 35DCC1
 Latitude: 43°27'00"
 Longitude: 112°47'08"
 County: Bingham

Altitude: 5,023.68 ft
 Date of well construction: 12/01/49
 Depth of well: 636 ft
 Diameter of casing: 6 in. (0-433 ft)
 5 in. (423-636 ft)
 Open or screened interval: 600-630 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/26/83	586.64 S	10/22/85	583.47 S	06/23/88	585.54 S
02/24/83	586.47 S	11/25/85	583.28 S	07/28/88	585.87 S
03/23/83	586.40 S	12/24/85	583.33 S	08/27/88	585.74 S
04/28/83	586.18 S	01/24/86	583.46 S	09/26/88	585.81 S
05/24/83	586.23 S	02/05/86	583.71 S	10/25/88	585.77 S
06/24/83	584.95 S	02/27/86	583.98 S	11/23/88	585.49 S
08/01/83	585.48 S	03/24/86	583.89 S	12/20/88	585.80 S
08/24/83	585.37 S	04/19/86	584.10 S	01/25/89	586.02 S
09/26/83	584.92 S	05/29/86	583.92 S	02/23/89	586.07 S
10/20/83	584.78 S	06/24/86	584.02 S	03/20/89	586.33 S
11/21/83	584.26 S	07/26/86	584.08 S	04/27/89	586.24 S
12/27/83	584.05 S	08/28/86	584.16 S	05/23/89	586.37 S
01/23/84	584.08 S	09/29/86	583.95 S	06/27/89	586.55 S
02/22/84	583.98 S	10/30/86	583.61 S	07/18/89	586.98 S
03/22/84	584.07 S	11/25/86	583.75 S	08/23/89	586.90 S
04/26/84	583.62 S	12/19/86	583.78 S	09/26/89	586.53 S
05/23/84	583.50 S	01/23/87	583.62 S	10/24/89	586.29 S
06/21/84	583.15 S	02/25/87	583.84 S	11/21/89	586.24 S
07/23/84	583.13 S	03/27/87	584.15 S	12/20/89	586.25 S
08/27/84	582.80 S	04/20/87	584.29 S	01/22/90	586.21 S
09/28/84	582.49 S	05/27/87	584.33 S	02/21/90	586.55 S
10/18/84	582.31 S	06/26/87	584.48 S	03/20/90	586.67 S
11/27/84	582.24 S H	07/29/87	584.76 S	04/26/90	586.82 S
12/21/84	582.33 S	08/31/87	584.72 S	05/21/90	587.03 S
01/17/85	582.44 S	09/24/87	584.51 S	06/21/90	587.18 S
02/25/85	582.54 S	10/26/87	584.33 S	07/03/90	587.20 S
03/25/85	582.45 S	11/27/87	584.15 S	07/20/90	587.60 S L
04/22/85	582.67 S	12/29/87	584.14 S	08/24/90	587.43 S
05/21/85	582.76 S	01/20/88	584.51 S	09/24/90	587.27 S
06/20/85	582.76 S	02/25/88	584.68 S	10/25/90	586.86 S
07/22/85	583.47 S	03/22/88	584.80 S	11/29/90	586.87 S
08/22/85	583.61 S	04/25/88	585.14 S	12/20/90	586.76 S
09/26/85	583.55 S	05/26/88	585.15 S		




Water-level data for well USGS 1.

Local well name: USGS 2
 Site identifier: 433320112432301
 Idaho well number: 3N 32E 29DDC1
 Latitude: 43°33'20"
 Longitude: 112°43'23"
 County: Butte

Altitude: 5,125.87 ft
 Date of well construction: 12/01/49
 Depth of well: 704 ft
 Diameter of casing: 6 in. (0-434 ft)
 5 in. (427-704 ft)
 Open or screened interval: 675-696 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/27/83	657.60 S L	10/26/84	653.72 S	05/04/87	653.28 S
02/25/83	657.10 S	11/27/84	654.24 S	08/11/87	654.23 S
04/29/83	656.87 S	01/04/85	653.26 S	11/05/87	654.15 S
07/26/83	657.11 S	02/06/85	652.75 S	01/20/88	653.60 S
08/26/83	657.26 S	02/28/85	652.69 S	04/26/88	653.92 S
09/26/83	657.05 S	04/22/85	652.51 S H	07/26/88	655.32 S
10/19/83	656.83 S	05/21/85	652.73 S	11/02/88	655.66 S
11/21/83	655.97 S	06/20/85	652.65 S	02/15/89	655.40 S
12/27/83	655.43 S	07/16/85	653.06 S	04/27/89	655.49 S
01/23/84	655.14 S	08/22/85	653.70 S	07/15/89	656.34 S
02/28/84	654.76 S	09/30/85	654.04 S	10/26/89	657.01 S
03/27/84	654.57 S	10/23/85	653.84 S	01/18/90	655.98 S
04/22/84	654.27 S	12/05/85	653.54 S	04/26/90	655.99 S
05/23/84	654.41 S	02/07/86	653.16 S	07/20/90	657.20 S
06/22/84	654.54 S	05/02/86	653.24 S	07/28/90	657.50 S
07/23/84	654.53 S	11/26/86	653.70 S	08/01/90	657.35 S
08/30/84	654.57 S	12/22/86	653.48 S	10/25/90	657.60 S L
09/27/84	654.48 S	02/26/87	652.91 S		




Water—level data for well USGS 2.

Local well name: USGS 4
 Site identifier: 434657112282201
 Idaho well number: 5N 34E 09BDA1
 Latitude: 43°46'57"
 Longitude: 112°28'22"
 County: Jefferson

Altitude: 4,791.28 ft
 Date of well construction: 01/--/50
 Depth of well: 553 ft
 Diameter of casing: 6.25 in. (0-322 ft)
 Open or screened interval: 285-315 ft
 322-553 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	258.05 S	08/28/84	258.22 S	06/29/87	256.62 S
02/23/83	257.38 S	09/26/84	256.91 S	09/24/87	256.86 S
03/16/83	257.54 S	10/29/84	255.64 S	12/29/87	253.64 S
04/28/83	257.88 S	11/29/84	254.52 S	04/29/88	254.62 S
05/16/83	258.32 S	12/31/84	253.80 S	07/30/88	260.11 S
06/28/83	260.42 S	01/29/85	253.27 S	10/25/88	258.24 S
07/16/83	261.28 S	03/01/85	253.22 S	12/21/88	255.90 S
08/25/83	263.07 S L	05/24/85	252.44 S H	01/30/89	255.70 S
09/27/83	260.70 S	06/26/85	255.48 S	04/16/89	256.40 S
10/31/83	258.99 S	07/18/85	257.01 S	04/26/89	256.56 S
11/28/83	257.43 S	09/03/85	257.97 S	07/25/89	261.22 S
12/26/83	256.39 S	09/26/85	256.99 S	08/28/89	261.58 S
01/31/84	255.94 S	10/21/85	255.73 S	10/25/89	258.40 S
02/28/84	255.74 S	12/06/85	255.62 S	01/19/90	255.82 S
03/28/84	255.83 S	02/03/86	255.01 S	04/13/90	256.26 S
04/25/84	255.78 S	05/07/86	252.95 S	07/25/90	261.97 S
05/25/84	256.19 S	11/24/86	254.30 S	07/31/90	262.10 S
06/26/84	256.61 S	01/07/87	253.21 S	10/29/90	259.38 S
07/13/84	257.49 S	03/20/87	252.91 S		



Water-level data for well USGS 4.

Local well name: USGS 5	Altitude: 4,938.00 ft
Site identifier: 433543112493801	Date of well construction: 03/16/50
Idaho well number: 3N 30E 12CDD1	Depth of well: 500 ft
Latitude: 43°35'43"	Diameter of casing: 6 in. (0-500 ft)
Longitude: 112°49'38"	Open or screened interval: 475-497 ft
County: Butte	

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/26/83	467.26 S L	09/21/84	462.97 S	11/06/87	460.96 S
03/30/83	466.74 S	11/28/84	462.43 S	01/19/88	461.20 S
04/29/83	466.61 S	12/20/84	462.35 S	03/21/88	460.98 S
05/27/83	466.45 S	01/30/85	461.99 S	07/01/88	461.46 S
07/01/83	466.32 S	03/01/85	461.58 S	09/23/88	462.23 S
07/27/83	466.23 S	04/22/85	461.15 S	11/25/88	462.30 S
08/22/83	466.20 S	05/17/85	461.12 S	12/20/88	462.53 S
09/22/83	466.09 S	06/24/85	460.95 S	03/28/89	462.86 S
10/11/83	466.16 S	07/22/85	460.90 S	06/27/89	463.30 S
11/22/83	465.61 S	08/22/85	461.12 S	09/30/89	464.25 S
12/23/83	465.28 S	09/19/85	461.17 S	12/27/89	464.68 S
01/24/84	465.23 S	11/05/85	461.28 S	04/02/90	464.66 S
02/24/84	465.61 S	11/21/85	461.10 S	06/22/90	465.00 S
03/23/84	464.45 S	01/30/86	460.89 S	09/08/90	465.68 S
04/24/84	463.76 S	05/02/86	460.85 S	09/25/90	465.73 S
05/25/84	463.92 S	11/13/86	460.94 S	09/26/90	465.80 S
06/25/84	463.79 S	12/22/86	460.87 S	12/26/90	466.06 S
07/30/84	463.61 S	05/01/87	460.27 S H		
08/20/84	463.29 S	08/11/87	460.49 S		




Water-level data for well USGS 5.

Local well name: USGS 6
 Site identifier: 434031112453701
 Idaho well number: 4N 31E 16ADC1
 Latitude: 43°40'31"
 Longitude: 112°45'37"
 County: Butte

Altitude: 4,899.89 ft
 Date of well construction: 04/01/50
 Depth of well: 620 ft
 Diameter of casing: 6 in. (0-404 ft)
 5 in. (395-475 ft)
 4 in. (0-532 ft)
 Open or screened interval: 452-475 ft
 532-620 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/26/83	412.69 S	09/25/84	410.62 S	06/29/87	408.66 S
03/16/83	412.41 S	10/22/84	410.19 S	09/24/87	409.32 S
04/27/83	412.30 S	11/28/84	409.05 S	12/14/87	411.06 S
06/28/83	412.66 S	01/17/85	408.71 S	05/31/88	409.38 S
07/20/83	412.94 S	02/27/85	408.28 S	08/22/88	410.79 S
08/30/83	413.01 S	04/19/85	407.85 S	11/25/88	410.13 S
09/26/83	412.77 S	05/22/85	408.28 S	02/17/89	410.16 S
10/26/83	412.55 S	06/24/85	408.36 S	05/22/89	410.51 S
12/02/83	411.47 S	07/22/85	408.74 S	08/24/89	412.22 S
12/22/83	411.06 S	08/23/85	409.38 S	12/02/89	411.80 S
01/24/84	410.81 S	09/20/85	409.60 S	02/24/90	410.83 S
02/29/84	410.31 S	10/23/85	409.10 S	05/16/90	410.35 S
03/27/84	410.30 S	11/25/85	408.39 S	09/05/90	413.11 S
04/26/84	410.00 S	01/30/86	408.02 S	09/06/90	413.15 S L
05/24/84	410.19 S	05/07/86	408.24 S	09/26/90	413.06 S
06/25/84	410.40 S	11/24/86	408.54 S	11/29/90	412.31 S
07/12/84	410.32 S	01/08/87	408.24 S		
08/31/84	410.50 S	03/27/87	407.78 S H		




Water-level data for well USGS 6.

Local well name: **USGS 7**
 Site identifier: 434915112443901
 Idaho well number: 6N 31E 27BDD1
 Latitude: 43°49'15"
 Longitude: 112°44'39"
 County: Butte

Altitude: 4,790.17 ft
 Date of well construction: 04/04/50
 Depth of well: 1,200 ft
 Diameter of casing: 8 in. (0-127 ft)
 6 in. (0-760 ft)
 Open or screened interval: 241-261 ft
 760-1,200 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	213.09 S L	08/28/84	210.74 S	02/21/87	205.10 S
02/23/83	212.42 S	09/26/84	210.50 S	05/01/87	204.31 S H
03/14/83	212.22 S	10/24/84	210.29 S	08/01/87	205.91 S
04/28/83	211.78 S	11/28/84	209.50 S	11/04/87	206.18 S
05/16/83	211.72 S	01/03/85	209.39 S	01/21/88	205.26 S
06/27/83	212.08 S	01/30/85	208.63 S	03/21/88	204.35 S
07/19/83	212.37 S	03/05/85	208.13 S	06/23/88	204.69 S
08/25/83	213.08 S	04/25/85	207.42 S	09/23/88	206.85 S
09/27/83	212.83 S	05/22/85	207.38 S	12/20/88	206.60 S
10/26/83	212.65 S	06/25/85	206.66 S	03/30/89	206.05 S
12/02/83	211.67 S	07/17/85	208.09 S	06/28/89	206.64 S
12/21/83	211.35 S	09/03/85	208.89 S	09/29/89	208.61 S
01/26/84	211.09 S	09/26/85	208.87 S	12/27/89	207.83 S
02/27/84	210.68 S	10/21/85	208.11 S	03/20/90	206.66 S
03/28/84	210.22 S	11/25/85	207.56 S	06/21/90	207.42 S
04/26/84	209.72 S	01/30/86	206.77 S	09/28/90	209.50 S
05/23/84	209.57 S	05/07/86	205.60 S	12/26/90	209.04 S
06/26/84	209.97 S	11/24/86	206.28 S		
07/12/84	210.03 S	12/23/86	205.89 S		




Water-level data for well USGS 7.

Local well name: USGS 8
 Site identifier: 433121113115801
 Idaho well number: 2N 27E 02DDC1
 Latitude: 43°31'21"
 Longitude: 113°11'58"
 County: Butte

Altitude: 5,195.44 ft
 Date of well construction: 08/01/50
 Depth of well: 812 ft
 Diameter of casing: 6.25 in. (0-812 ft)
 Open or screened interval: 782-812 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/11/83	763.67 S	09/24/84	753.98 S	12/19/86	760.65 S
04/14/83	760.87 S	10/31/84	754.50 S	02/25/87	760.32 S
05/17/83	761.37 S	11/27/84	755.07 S	04/06/87	760.31 S
06/29/83	760.02 S	12/27/84	755.00 S	07/29/87	761.74 S
07/21/83	757.97 S	01/18/85	755.40 S	10/30/87	761.98 S
08/24/83	758.11 S	02/25/85	755.66 S	12/09/87	761.76 S
09/29/83	758.95 S	04/17/85	756.46 S	04/05/88	762.53 S
12/02/83	757.75 S	05/20/85	756.56 S	07/28/88	763.42 S
12/29/83	756.58 S	06/19/85	757.55 S	10/27/88	763.82 S
01/27/84	756.31 S	07/17/85	758.58 S	01/31/89	763.81 S
02/21/84	756.19 S	08/29/85	759.69 S	05/01/89	764.43 S
03/20/84	756.71 S	09/26/85	759.97 S	07/18/89	765.02 S
04/27/84	756.05 S	10/22/85	760.22 S	10/20/89	765.22 S
05/30/84	754.97 S	11/27/85	759.19 S	01/18/90	765.10 S
06/22/84	753.91 S	02/06/86	760.81 S	04/05/90	765.43 S
07/24/84	752.89 S H	04/22/86	760.74 S	07/10/90	766.00 S
08/27/84	753.47 S	11/04/86	760.64 S	10/25/90	766.30 S L



Water-level data for well USGS 8.


Local well name: USGS 9
 Site identifier: 432740113044501
 Idaho well number: 2N 28E 35AAC1
 Latitude: 43°27'40"
 Longitude: 113°04'45"
 County: Butte

Altitude: 5,031.87 ft
 Date of well construction: 12/10/51
 Depth of well: 654 ft
 Diameter of casing: 8 in. (0-241 ft)
 6 in. (235-654 ft)
 Open or screened interval: 618-648 ft
 652-654 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/05/83	605.46 R	06/20/83	603.14 R	12/05/83	599.78 R
01/10/83	605.47 R	06/25/83	602.58 R	12/10/83	599.48 R
01/11/83	605.70 S	06/30/83	602.10 R	12/15/83	599.32 R
01/15/83	605.46 R	07/05/83	601.78 R	12/20/83	599.00 R
01/20/83	605.32 R	07/15/83	600.40 R	12/29/83	599.43 S
01/25/83	605.40 R	07/20/83	599.95 R	12/31/83	599.51 R
01/31/83	605.25 R	07/25/83	599.94 R	01/05/84	599.62 R
02/05/83	605.22 R	07/31/83	600.50 R	01/10/84	599.67 R
02/10/83	605.14 R	08/01/83	600.43 S	01/15/84	599.80 R
02/15/83	605.13 R	08/05/83	600.80 R	01/20/84	599.90 R
02/20/83	605.18 R	08/10/83	600.99 R	01/25/84	599.70 R
02/25/83	604.86 R	08/15/83	601.30 R	01/27/84	599.98 S
02/28/83	604.90 R	08/20/83	601.54 R	01/31/84	599.94 R
03/05/83	604.93 R	08/24/83	601.69 S	02/05/84	600.07 R
03/10/83	604.91 R	08/25/83	601.83 R	02/10/84	599.75 R
03/11/83	604.75 S	08/31/83	602.00 R	02/15/84	600.15 R
03/15/83	604.94 R	09/05/83	602.05 R	02/20/84	600.30 R
03/20/83	604.82 R	09/10/83	602.25 R	02/21/84	599.98 S
03/25/83	604.57 R	09/15/83	602.25 R	03/14/84	600.18 S
03/31/83	604.38 R	09/20/83	602.52 R	03/15/84	600.22 R
04/05/83	604.30 R	09/25/83	602.33 R	03/20/84	600.29 R
04/10/83	604.06 R	09/29/83	602.12 S	03/25/84	600.18 R
04/14/83	604.07 S	09/30/83	602.09 R	03/31/84	600.01 R
04/15/83	604.13 R	10/05/83	602.15 R	04/05/84	599.80 R
04/20/83	603.88 R	10/07/83	602.05 S	04/10/84	599.43 R
04/25/83	603.90 R	10/10/83	602.10 R	04/15/84	599.61 R
04/30/83	603.93 R	10/15/83	602.04 R	04/16/84	599.54 S
05/05/83	603.95 R	10/20/83	601.92 R	04/20/84	599.49 R
05/10/83	604.16 R	10/25/83	602.05 R	04/25/84	599.26 R
05/15/83	604.15 R	10/31/83	601.83 R	04/30/84	599.31 R
05/17/83	604.29 S	11/05/83	601.80 R	05/05/84	598.93 R
05/20/83	604.32 R	11/07/83	601.64 S	05/10/84	598.75 R
05/25/83	604.26 R	11/10/83	601.66 R	05/15/84	598.26 R
05/31/83	604.05 R	11/15/83	601.51 R	05/20/84	597.88 R
06/05/83	604.22 R	11/20/83	600.70 R	05/25/84	597.47 R
06/10/83	604.00 R	11/25/83	600.33 R	05/29/84	596.90 S
06/10/83	603.87 S	11/30/83	600.04 R	05/31/84	596.66 R
06/15/83	603.68 R	12/02/83	599.74 S	06/05/84	596.10 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
06/10/84	595.89 R	01/20/85	598.37 R	10/20/85	602.39 R
06/15/84	595.58 R	01/25/85	598.60 R	10/22/85	602.41 S
06/20/84	595.09 R	01/31/85	598.51 R	10/25/85	602.48 R
06/20/84	595.07 S	02/22/85	599.08 S	10/31/85	602.45 R
06/25/84	595.15 R	03/28/85	599.73 S	11/05/85	602.56 R
06/30/84	594.70 R	03/31/85	600.01 R	11/10/85	602.38 R
07/05/84	594.51 R	04/05/85	599.92 R	11/15/85	602.62 R
07/10/84	594.49 R H	04/10/85	599.90 R	11/20/85	602.48 R
07/15/84	594.96 R	04/15/85	599.70 R	12/04/85	602.76 S
07/20/84	595.44 R	04/18/85	599.58 S	12/05/85	602.61 R
07/24/84	596.00 S	04/20/85	599.44 R	12/24/85	602.87 S
07/25/84	596.02 R	04/25/85	599.42 R	12/25/85	602.92 R
07/31/84	596.57 R	04/30/85	599.72 R	02/06/86	603.10 S
08/05/84	596.72 R	05/05/85	599.75 R	03/04/86	603.19 S
08/10/84	596.48 R	05/10/85	599.59 R	03/05/86	603.19 R
08/15/84	596.20 R	05/15/85	600.03 R	03/10/86	602.91 R
08/20/84	596.41 R	05/20/85	600.06 R	03/15/86	603.03 R
08/25/84	596.75 R	05/25/85	600.17 R	03/20/86	603.28 R
08/27/84	596.81 S	05/29/85	600.22 S	03/25/86	603.27 R
08/31/84	596.94 R	05/31/85	600.27 R	03/31/86	603.37 R
09/05/84	597.09 R	06/05/85	600.46 R	04/05/86	603.22 R
09/10/84	596.90 R	06/10/85	600.72 R	04/10/86	603.17 R
09/15/84	596.85 R	06/15/85	600.73 R	04/15/86	603.03 R
09/20/84	596.58 R	06/20/85	600.72 R	04/20/86	603.18 R
09/25/84	596.98 R	06/21/85	600.90 S	04/22/86	602.95 S
09/28/84	597.15 S	06/25/85	600.90 R	06/02/86	602.96 S
09/30/84	596.99 R	06/30/85	600.12 R	06/30/86	601.92 S
10/05/84	597.20 R	07/05/85	601.22 R	07/05/86	601.92 R
10/10/84	597.34 R	07/10/85	601.36 R	07/10/86	601.90 R
10/15/84	597.42 R	07/15/85	601.40 R	07/15/86	601.95 R
10/18/84	597.63 S	07/17/85	601.23 S	07/20/86	602.18 R
10/20/84	597.52 R	07/20/85	601.57 R	07/25/86	602.28 R
10/25/84	597.62 R	07/25/85	601.72 R	07/31/86	602.46 R
10/31/84	597.50 R	07/31/85	601.85 R	08/05/86	602.42 R
11/05/84	597.67 R	08/05/85	601.90 R	08/10/86	602.61 R
11/10/84	597.63 R	08/10/85	601.93 R	08/15/86	602.63 R
11/15/84	597.96 R	08/15/85	601.97 R	08/20/86	602.82 R
11/20/84	597.90 R	08/20/85	602.10 R	08/25/86	602.82 R
11/25/84	597.68 R	08/25/85	602.18 R	08/31/86	602.85 R
11/27/84	597.78 S	08/31/85	602.22 R	09/05/86	602.87 R
11/30/84	597.63 R	09/05/85	602.18 R	09/10/86	602.86 R
12/05/84	598.04 R	09/05/85	602.14 S	09/15/86	602.84 R
12/10/84	597.70 R	09/10/85	602.31 R	09/20/86	602.88 R
12/15/84	597.54 R	09/15/85	602.33 R	09/25/86	602.72 R
12/20/84	597.66 R	09/20/85	602.42 R	09/30/86	602.78 R
12/25/84	597.93 R	09/25/85	602.47 R	10/05/86	602.95 R
12/31/84	598.28 R	09/26/85	602.34 S	10/10/86	602.75 R
01/05/85	598.50 R	09/30/85	602.50 R	10/15/86	602.94 R
01/10/85	598.44 R	10/05/85	602.48 R	10/20/86	602.84 R
01/15/85	598.43 R	10/10/85	602.47 R	10/25/86	602.92 R
01/18/85	598.29 S	10/15/85	602.51 R	10/31/86	602.84 R


Date	Depth to water	Date	Depth to water	Date	Depth to water
11/05/86	602.75 R	04/20/87	603.20 R	07/25/88	605.36 S
11/10/86	603.02 R	04/25/87	603.09 R	08/26/88	605.32 S
11/15/86	602.82 R	04/30/87	603.03 R	09/26/88	605.50 S
11/20/86	602.87 R	05/05/87	603.30 R	11/02/88	605.17 S
11/25/86	602.93 R	05/10/87	603.32 R	11/29/88	605.55 S
11/30/86	603.02 R	05/15/87	603.37 R	12/19/88	605.20 S
12/05/86	602.75 R	05/20/87	603.35 R	01/31/89	605.37 S
12/10/86	602.90 R	05/25/87	603.34 R	02/21/89	605.85 S
12/15/86	602.84 R	05/31/87	603.40 R	03/28/89	605.79 S
12/20/86	602.88 R	06/05/87	603.51 R	04/21/89	605.84 S
12/25/86	602.87 R	06/10/87	603.54 R	05/25/89	606.10 S
12/31/86	602.81 R	06/15/87	603.45 R	06/05/89	606.09 S
01/05/87	602.50 R	06/20/87	603.58 R	06/27/89	606.16 S
01/10/87	602.94 R	06/25/87	603.74 R	07/18/89	606.51 S
01/15/87	602.70 R	06/26/87	603.63 S	08/30/89	606.54 S
01/20/87	602.84 R	06/30/87	603.69 R	09/29/89	606.30 S
01/25/87	602.80 R	07/05/87	603.72 R	10/20/89	606.23 S
01/31/87	602.75 R	07/10/87	603.75 R	11/28/89	606.29 S
02/05/87	603.02 R	07/15/87	603.80 R	12/28/89	606.02 S
02/10/87	602.81 R	07/20/87	603.91 R	01/18/90	606.21 S
02/15/87	602.79 R	07/25/87	603.95 R	03/03/90	606.28 S
02/20/87	602.95 R	07/30/87	604.02 S	03/20/90	606.51 S
02/25/87	602.81 R	07/31/87	604.02 R	04/11/90	606.58 S
02/25/87	602.81 S	09/03/87	604.00 S	05/25/90	606.90 S
02/28/87	602.88 R	09/24/87	603.99 S	06/22/90	606.98 S
03/10/87	602.92 R	11/02/87	603.68 S	08/02/90	607.31 S
03/15/87	602.68 R	12/08/87	603.68 S	09/03/90	607.39 S L
03/20/87	602.90 R	01/20/88	603.89 S	09/24/90	607.28 S
03/25/87	602.92 R	02/29/88	604.11 S	10/29/90	607.01 S
03/31/87	602.90 R	03/22/88	604.25 S	11/21/90	606.85 S
04/05/87	602.99 R	04/13/88	604.21 S	12/17/90	606.80 S
04/10/87	602.69 R	05/31/88	604.89 S		
04/15/87	602.97 R	06/23/88	604.92 S		



Water-level data for well USGS 9.

Local well name: USGS 11	Altitude: 5,066.89 ft
Site identifier: 432336113064201	Date of well construction: 09/01/50
Idaho well number: 1N 29E 30BBD1	Depth of well: 704 ft
Latitude: 43°23'36"	Diameter of casing: 6.25 in. (0-704 ft)
Longitude: 113°06'42"	Open or screened interval: 673-704 ft
County: Butte	

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/11/83	651.06 S	09/24/84	645.85 S	03/13/87	648.53 S
03/23/83	651.52 S	10/23/84	645.73 S	06/26/87	649.26 S
04/14/83	650.33 S	11/27/84	645.57 S H	07/28/87	649.56 S
05/17/83	650.28 S	12/27/84	645.59 S	10/30/87	649.23 S
06/24/83	649.99 S	01/18/85	645.95 S	01/20/88	649.26 S
07/21/83	649.26 S	02/26/85	646.26 S	04/05/88	649.87 S
08/24/83	648.91 S	04/17/85	646.52 S	07/25/88	650.54 S
09/29/83	648.76 S	05/20/85	646.63 S	10/27/88	650.62 S
11/26/83	648.31 S	06/19/85	646.71 S	02/21/89	650.98 S
12/29/83	647.68 S	07/17/85	647.42 S	05/01/89	651.03 S
01/31/84	647.46 S	09/26/85	647.92 S	07/18/89	651.64 S
02/23/84	647.56 S	10/22/85	647.93 S	09/12/89	651.59 S
03/21/84	647.57 S	12/04/85	648.17 S	09/13/89	651.76 S
04/16/84	647.42 S	02/04/86	648.42 S	10/16/89	651.36 S
05/29/84	646.91 S	04/22/86	648.42 S	12/27/89	650.96 S
06/21/84	646.46 S	11/04/86	648.36 S	04/03/90	651.55 S
07/20/84	645.80 S	12/19/86	648.42 S	08/02/90	652.35 S L
08/27/84	645.91 S	02/25/87	648.69 S	10/24/90	652.00 S



Water-level data for well USGS 11.

Local well name: USGS 12
 Site identifier: 434126112550701
 Idaho well number: 4N 30E 07ADB1
 Latitude: 43°41'26"
 Longitude: 112°55'07"
 County: Butte


Altitude: 4,820.50 ft
 Date of well construction: 06/26/50
 Depth of well: 563 ft
 Diameter of casing: 16 in. (0-49 ft)
 12 in. (0-388 ft)
 10 in. (335-563 ft)
 Open or screened interval: --

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/01/83	326.47 S L	07/15/83	323.77 R	02/05/84	321.00 R
02/01/83	326.19 S	07/20/83	323.87 R	02/10/84	320.83 R
02/05/83	326.16 R	07/20/83	323.88 S	02/15/84	321.00 R
02/10/83	326.15 R	07/25/83	323.84 R	02/29/84	320.89 S
02/15/83	326.18 R	07/31/83	323.93 R	03/05/84	320.89 R
02/20/83	326.22 R	08/05/83	323.98 R	03/10/84	320.85 R
02/25/83	326.08 R	08/10/83	323.90 R	03/15/84	320.69 R
02/28/83	326.10 R	08/15/83	323.93 R	03/20/84	320.70 R
02/28/83	326.10 S	08/20/83	323.88 R	03/23/84	320.68 S
03/05/83	326.11 R	08/25/83	323.88 R	03/25/84	320.55 R
03/10/83	326.18 R	08/30/83	323.78 S	03/31/84	320.36 R
03/15/83	326.15 R	08/31/83	323.79 R	04/05/84	320.19 R
03/16/83	326.05 S	09/05/83	323.67 R	04/10/84	319.91 R
03/20/83	326.07 R	09/10/83	323.68 R	04/15/84	319.86 R
03/25/83	325.95 R	09/15/83	323.56 R	04/20/84	319.51 R
03/31/83	325.85 R	09/20/83	323.59 R	04/25/84	319.09 R
04/05/83	325.70 R	09/25/83	323.43 R	04/26/84	319.06 S
04/10/83	325.43 R	09/26/83	323.28 S	04/30/84	318.90 R
04/15/83	325.23 R	09/30/83	323.19 R	05/05/84	318.53 R
04/20/83	324.76 R	10/05/83	323.16 R	05/10/84	318.24 R
04/25/83	324.41 R	10/10/83	323.07 R	05/15/84	317.86 R
04/27/83	324.33 S	10/15/83	322.98 R	05/20/84	317.65 R
04/30/83	324.05 R	10/20/83	322.87 R	05/22/84	317.72 S
05/05/83	323.74 R	10/25/83	322.92 R	05/25/84	317.56 R
05/10/83	323.58 R	10/31/83	322.66 R	05/31/84	317.35 R
05/15/83	323.36 R	10/31/83	322.65 S	06/05/84	317.17 R
05/20/83	323.34 R	11/05/83	322.61 R	06/10/84	317.15 R
05/25/83	323.25 R	11/10/83	322.54 R	06/15/84	317.23 R
05/31/83	323.07 R	11/15/83	322.54 R	06/20/84	317.24 R
06/05/83	323.30 R	11/20/83	322.22 R	06/21/84	317.26 S
06/10/83	323.30 R	11/25/83	322.18 R	06/25/84	317.33 R
06/15/83	323.38 R	11/25/83	322.21 S	06/30/84	317.42 R
06/20/83	323.45 R	12/28/83	321.41 S	07/05/84	317.52 R
06/25/83	323.55 R	01/05/84	321.27 R	07/10/84	317.68 R
06/28/83	323.57 S	01/10/84	321.18 R	07/15/84	317.83 R
06/30/83	323.59 R	01/15/84	320.93 R	07/20/84	317.86 R
07/05/83	323.71 R	01/25/84	319.88 S	07/25/84	318.05 R
07/10/83	323.86 R	01/31/84	320.95 R	07/31/84	318.12 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/05/84	318.17 R	08/05/85	316.74 R	07/05/86	315.93 R
08/10/84	318.26 R	08/10/85	316.73 R	07/10/86	315.92 R
08/15/84	318.34 R	08/15/85	316.81 R	07/15/86	315.92 R
08/20/84	318.35 R	08/20/85	316.95 R	07/20/86	316.05 R
08/25/84	318.37 R	08/25/85	317.03 R	07/25/86	316.07 R
08/31/84	318.25 R	08/31/85	317.07 R	07/31/86	316.14 R
09/05/84	318.28 R	09/05/85	317.00 R	08/05/86	316.10 R
09/10/84	318.16 R	09/10/85	317.13 R	08/10/86	316.15 R
09/15/84	318.14 R	09/15/85	317.13 R	08/15/86	316.02 R
09/20/84	317.95 R	09/20/85	317.22 R	08/20/86	316.23 R
09/25/84	318.04 R	09/25/85	317.22 R	08/25/86	316.17 R
09/30/84	317.82 R	09/30/85	317.18 R	08/31/86	316.12 R
10/05/84	317.78 R	10/05/85	317.13 R	09/05/86	316.08 R
10/10/84	317.64 R	10/10/85	317.11 R	09/10/86	316.07 R
10/15/84	317.52 R	10/15/85	317.11 R	09/15/86	316.00 R
10/20/84	317.45 R	10/20/85	316.95 R	09/20/86	315.97 R
10/25/84	317.42 R	10/25/85	317.02 R	09/25/86	315.77 R
10/31/84	317.28 R	10/31/85	316.83 R	09/30/86	315.81 R
11/05/84	317.30 R	11/05/85	316.86 R	10/05/86	315.88 R
11/10/84	317.15 R	11/10/85	316.71 R	10/10/86	315.67 R
11/15/84	317.13 R	11/15/85	316.93 R	10/15/86	315.74 R
11/20/84	316.90 R	11/25/85	316.58 R	10/20/86	315.62 R
11/25/84	316.63 R	11/25/85	316.58 S	10/25/86	315.64 R
02/04/85	315.00 S	01/30/86	316.72 S	10/31/86	315.55 R
02/05/85	315.50 R	01/31/86	316.75 R	11/05/86	315.38 R
03/29/85	315.96 S	02/05/86	316.76 R	11/25/86	315.25 R
03/31/85	316.08 R	03/03/86	316.10 S	11/30/86	315.22 R
04/05/85	316.04 R	03/05/86	317.11 R	12/23/86	314.32 S
04/10/85	316.15 R	03/10/86	316.95 R	01/28/87	313.60 S H
04/15/85	316.18 R	03/15/86	317.15 R	02/25/87	314.14 S
04/20/85	316.23 R	03/20/86	317.34 R	03/27/87	314.71 S
04/25/85	316.30 R	03/25/86	317.24 R	03/31/87	314.77 R
04/30/85	316.53 R	03/31/86	317.14 R	04/05/87	314.77 R
05/05/85	316.51 R	04/05/86	316.85 R	04/10/87	314.75 R
05/10/85	316.31 R	04/10/86	316.57 R	04/15/87	314.70 R
05/15/85	316.42 R	04/15/86	316.27 R	04/20/87	314.75 R
05/20/85	316.15 R	04/20/86	316.10 R	04/25/87	314.55 R
05/25/85	316.02 R	04/25/86	315.64 R	04/30/87	314.34 R
05/31/85	315.87 R	04/30/86	315.67 R	05/05/87	314.50 R
06/05/85	315.85 R	05/05/86	315.45 R	05/10/87	314.38 R
06/10/85	315.94 R	05/10/86	315.30 R	05/15/87	314.38 R
06/15/85	315.85 R	05/15/86	315.35 R	05/20/87	314.38 R
06/20/85	315.78 R	05/20/86	315.20 R	05/25/87	314.34 R
06/25/85	315.97 R	05/25/86	315.45 R	05/31/87	314.45 R
06/30/85	316.08 R	05/31/86	315.48 R	06/05/87	314.62 R
07/05/85	316.13 R	06/05/86	315.46 R	06/10/87	314.69 R
07/10/85	316.25 R	06/10/86	315.69 R	06/15/87	314.70 R
07/15/85	316.30 R	06/15/86	315.64 R	06/20/87	314.83 R
07/20/85	316.42 R	06/20/86	315.70 R	06/25/87	315.06 R
07/25/85	316.54 R	06/25/86	315.74 R	06/30/87	315.06 R
07/31/85	316.67 R	06/30/86	315.84 R	07/05/87	315.12 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/10/87	315.20 R	05/10/88	317.98 R	01/15/89	320.95 R
07/15/87	315.32 R	05/15/88	317.92 R	01/20/89	320.98 R
07/20/87	315.46 R	05/20/88	317.97 R	01/25/89	321.08 R
07/25/87	315.56 R	05/25/88	317.98 R	01/31/89	320.89 R
07/31/87	315.66 R	05/31/88	318.09 R	02/05/89	321.22 R
08/05/87	315.70 R	06/05/88	318.03 R	02/10/89	321.27 R
08/10/87	315.79 R	06/10/88	318.23 R	02/15/89	321.36 R
08/15/87	315.86 R	06/15/88	318.36 R	02/20/89	321.39 R
08/20/87	315.94 R	06/20/88	318.41 R	02/25/89	321.48 R
08/25/87	316.08 R	06/25/88	318.48 R	02/28/89	321.43 R
08/31/87	316.19 R	06/30/88	318.61 R	03/05/89	321.61 R
09/05/87	316.14 R	07/05/88	318.68 R	03/10/89	321.66 R
09/10/87	316.19 R	07/10/88	318.73 R	03/15/89	321.66 R
09/15/87	316.21 R	07/15/88	318.86 R	03/20/89	321.84 R
09/20/87	316.32 R	07/20/88	319.03 R	03/25/89	321.72 R
09/25/87	316.25 R	07/25/88	319.10 R	03/31/89	321.85 R
09/30/87	316.42 R	07/31/88	319.14 R	04/05/89	322.02 R
10/05/87	316.51 R	08/05/88	319.23 R	04/10/89	322.02 R
10/10/87	316.58 R	08/10/88	319.33 R	04/15/89	322.06 R
11/03/87	316.69 S	08/15/88	319.38 R	04/20/89	322.13 R
11/05/87	316.67 R	08/20/88	319.41 R	04/25/89	322.19 R
11/10/87	316.80 R	08/25/88	319.60 R	04/30/89	322.25 R
11/15/87	316.70 R	08/31/88	319.68 R	05/05/89	322.32 R
12/28/87	316.68 S	09/05/88	319.75 R	05/10/89	322.24 R
12/29/87	316.60 S	09/10/88	319.73 R	05/15/89	322.36 R
12/31/87	316.74 R	09/15/88	319.89 R	05/20/89	322.44 R
01/05/88	316.63 R	09/20/88	319.89 R	05/25/89	322.50 R
01/10/88	316.61 R	09/23/88	319.95 S	05/31/89	322.59 R
01/15/88	316.45 R	09/25/88	319.99 R	06/05/89	322.60 R
01/20/88	316.78 R	09/30/88	320.08 R	06/10/89	322.62 R
01/25/88	316.86 R	10/05/88	320.14 R	06/15/89	322.70 R
01/31/88	316.75 R	10/10/88	320.26 R	06/20/89	322.78 R
02/05/88	317.03 R	10/15/88	320.27 R	06/25/89	322.83 R
02/10/88	317.06 R	10/20/88	320.33 R	06/30/89	322.88 R
02/15/88	316.88 R	10/25/88	320.38 R	07/05/89	323.00 R
02/20/88	317.19 R	10/31/88	320.45 R	07/10/89	323.01 R
02/25/88	317.23 R	11/05/88	320.48 R	07/15/89	323.08 R
02/29/88	317.22 R	11/10/88	320.40 R	07/20/89	323.18 R
03/05/88	317.36 R	11/15/88	320.49 R	07/25/89	323.24 R
03/10/88	317.33 R	11/20/88	320.51 R	07/31/89	323.32 R
03/15/88	317.40 R	11/25/88	320.33 S	08/05/89	323.42 R
03/20/88	317.57 R	11/25/88	320.35 R	08/10/89	323.48 R
03/25/88	317.69 R	11/30/88	320.68 R	08/15/89	323.50 R
03/31/88	317.79 R	12/05/88	320.62 R	08/20/89	323.57 R
04/05/88	317.90 R	12/10/88	320.63 R	08/24/89	323.60 S
04/10/88	317.95 R	12/15/88	320.75 R	08/25/89	323.64 R
04/15/88	317.88 R	12/20/88	320.64 R	08/31/89	323.69 R
04/20/88	317.74 R	12/25/88	320.52 R	09/05/89	323.63 R
04/25/88	317.88 R	12/31/88	320.70 R	09/10/89	323.77 R
04/30/88	317.75 R	01/05/89	320.69 R	09/15/89	323.78 R
05/05/88	317.75 R	01/10/89	320.75 R	09/20/89	323.80 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
09/25/89	323.84 R	12/20/89	324.12 R	03/15/90	324.77 R
09/29/89	323.83 S	12/25/89	324.20 R	03/20/90	324.83 R
09/30/89	323.81 R	12/27/89	324.10 S	03/22/90	324.82 S
10/05/89	323.92 R	12/31/89	324.17 R	03/25/90	324.89 R
10/10/89	323.89 R	01/05/90	324.23 R	03/31/90	324.90 R
10/15/89	323.95 R	01/10/90	324.22 R	04/05/90	324.95 R
10/20/89	323.96 R	01/15/90	324.18 R	04/10/90	325.07 R
10/20/89	323.90 S	01/19/90	324.25 S	04/15/90	325.05 R
10/25/89	323.90 R	01/20/90	324.32 R	04/20/90	325.12 R
10/31/89	324.06 R	01/25/90	324.26 R	04/23/90	325.00 S
11/05/89	324.00 R	01/31/90	324.25 R	05/11/90	325.13 S
11/10/89	324.08 R	02/05/90	324.38 R	05/15/90	325.24 S
11/15/89	324.14 R	02/10/90	324.44 R	06/12/90	325.37 S
11/20/89	324.05 R	02/15/90	324.40 R	06/15/90	325.43 S
11/25/89	324.02 R	02/20/90	324.53 R	08/01/90	325.50 S
11/30/89	324.10 R	02/24/90	324.57 S	08/06/90	325.55 S
12/02/89	324.18 S	02/25/90	324.59 R	09/01/90	325.74 S
12/05/89	324.07 R	02/28/90	324.64 R	10/10/90	325.73 S
12/10/89	324.09 R	03/05/90	324.55 R	11/27/90	325.63 S
12/15/89	324.11 R	03/10/90	324.55 R	12/26/90	325.76 S




Water—level data for well USGS 12.

Local well name: USGS 13
 Site identifier: 432731113143902
 Idaho well number: 2N 27E 33ACC2
 Latitude: 43°27'31"
 Longitude: 113°14'39"
 County: Butte

Altitude: 5,375.45 ft
 Date of well construction: --/--/51
 Depth of well: 1,200 ft
 Diameter of casing: 10 in. (0-33 ft)
 6 in. (0-998 ft)
 Open or screened interval: 998-1,200 ft

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
04/25/83	985.43 S	04/17/85	982.31 S	10/30/87	983.06 S
07/21/83	985.85 S L	07/18/85	982.29 S	04/05/88	983.56 S
10/07/83	985.39 S	10/22/85	982.11 S H	10/27/88	983.89 S
03/30/84	984.54 S	04/22/86	982.21 S	05/01/89	984.61 S
04/27/84	984.36 S	11/04/86	982.84 S	11/07/89	985.03 S
07/24/84	984.27 S	04/08/87	982.68 S	04/30/90	985.72 S
10/12/84	984.58 S	07/28/87	982.85 S		




Water—level data for well USGS 13.

Local well name: USGS 14
 Site identifier: 432019112563201
 Idaho well number: 1S 30E 15BCA1
 Latitude: 43°20'19"
 Longitude: 112°56'32"
 County: Bingham

Altitude: 5,133.08 ft
 Date of well construction: 03/--/51
 Depth of well: 752 ft
 Diameter of casing: 6 in. (0-570 ft)
 5 in. (560-752 ft)
 Open or screened interval: 720-747 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/27/83	714.41 S	10/05/84	710.17 S	12/19/86	712.44 S
03/23/83	714.32 S	10/23/84	710.03 S	02/25/87	712.47 S
04/14/83	714.33 S	11/27/84	710.02 S	04/08/87	712.68 S
05/17/83	714.44 S	12/27/84	709.92 S H	07/28/87	713.33 S
06/24/83	713.81 S	01/17/85	710.56 S	10/30/87	712.55 S
07/21/83	713.48 S	02/26/85	710.82 S	01/20/88	712.95 S
08/24/83	713.08 S	04/17/85	710.92 S	04/05/88	713.62 S
09/29/83	712.51 S	05/20/85	711.05 S	07/28/88	714.44 S
11/26/83	712.31 S	06/19/85	711.08 S	10/27/88	714.01 S
12/29/83	712.03 S	07/17/85	711.91 S	02/15/89	714.62 S
01/31/84	711.89 S	08/29/85	712.00 S	05/01/89	714.66 S
02/23/84	712.05 S	09/26/85	711.71 S	07/18/89	715.47 S
03/21/84	712.10 S	10/22/85	711.63 S	09/14/89	714.91 S
04/16/84	711.89 S	12/04/85	711.86 S	12/27/89	714.37 S
05/29/84	711.53 S	02/04/86	712.33 S	04/03/90	715.03 S
06/21/84	711.05 S	04/22/86	712.23 S	07/17/90	715.93 S L
08/27/84	710.67 S	11/04/86	711.92 S	09/28/90	715.38 S
09/24/84	710.35 S				




Water-level data for well USGS 14.

Local well name: USGS 15
 Site identifier: 434234112551701
 Idaho well number: 4N 30E 06ABA1
 Latitude: 43°42'34"
 Longitude: 112°55'17"
 County: Butte

Altitude: 4,813.41 ft
 Date of well construction: --/--/51
 Depth of well: 1,497 ft
 Diameter of casing: 10 in. (0-540 ft)
 8 in. (0-1,239 ft)
 6 in. (0-1,280 ft)
 Open or screened interval: 1,280-1,497 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/20/83	314.59 S	07/26/86	306.71 S	05/14/90	316.11 S
07/11/84	308.12 S	08/07/87	306.60 S H	06/06/90	316.36 S
10/22/84	307.75 S	03/21/88	308.36 S	08/06/90	316.54 S
07/22/85	307.11 S	03/28/89	312.73 S	10/09/90	316.66 S L
08/23/85	307.25 S	03/22/90	315.76 S	12/13/90	316.46 S




Water-level data for well USGS 15.

Local well name: USGS 17
 Site identifier: 433937112515401
 Idaho well number: 4N 30E 22BDD1
 Latitude: 43°39'37"
 Longitude: 112°51'54"
 County: Butte

Altitude: 4,834.73 ft
 Date of well construction: 08/01/51
 Depth of well: 498 ft
 Diameter of casing: 6 in. (0-406 ft)
 5 in. (365-496 ft)
 Open or screened interval: 438-445 ft
 496-498 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/01/83	354.12 S L	11/28/84	347.49 S	12/14/87	346.11 S
03/14/83	353.57 S	01/03/85	347.95 S	03/21/88	346.14 S
04/27/83	353.21 S	02/04/85	346.98 S	06/28/88	346.86 S
06/28/83	352.74 S	02/27/85	346.95 S	09/23/88	347.97 S
07/20/83	352.62 S	04/19/85	345.89 S	12/20/88	348.57 S
08/30/83	352.27 S	05/22/85	346.09 S	03/22/89	348.97 S
09/26/83	352.07 S	06/24/85	345.92 S	04/08/89	349.12 S
10/26/83	352.17 S	07/22/85	346.07 S	06/28/89	349.86 S
12/02/83	351.43 S	08/30/85	346.48 S	07/11/89	350.05 S
12/21/83	351.04 S	09/20/85	346.52 S	09/06/89	350.60 S
01/26/84	351.13 S	10/23/85	346.30 S	09/20/89	350.85 S
02/24/84	350.23 S	11/25/85	346.83 S	12/27/89	351.42 S
03/27/84	350.21 S	01/30/86	346.06 S	03/20/90	351.76 S
04/26/84	349.59 S	05/02/86	345.92 S	06/07/90	351.89 S
05/23/84	349.59 S	11/24/86	345.40 S	06/22/90	352.00 S
06/21/84	349.35 S	12/22/86	345.30 S	08/02/90	352.36 S
07/12/84	349.03 S	01/26/87	345.22 S	08/24/90	352.86 S
08/31/84	348.43 S	03/27/87	344.89 S H	10/10/90	352.82 S
09/20/84	348.09 S	06/29/87	345.01 S	12/10/90	353.14 S
10/22/84	348.33 S	09/24/87	345.67 S	12/26/90	353.22 S




Water—level data for well USGS 17.

Local well name: USGS 18
 Site identifier: 434540112440901
 Idaho well number: 5N 31E 14BCC1
 Latitude: 43°45'40"
 Longitude: 112°44'09"
 County: Butte

Altitude: 4,805.84 ft
 Date of well construction: 09/--/51
 Depth of well: 329 ft
 Diameter of casing: 6 in. (0-255 ft)
 4 in. (255-329 ft)
 Open or screened interval: 298-322 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	267.20 S	09/25/84	266.35 S	05/01/87	259.28 S
02/23/83	266.54 S	10/24/84	265.12 S	08/07/87	262.82 S
03/14/83	266.42 S	11/28/84	264.78 S	11/06/87	264.00 S
04/27/83	266.58 S	01/03/85	264.09 S	01/21/88	263.63 S
06/28/83	265.84 S	01/30/85	262.63 S	03/21/88	262.51 S
07/19/83	265.10 S	02/27/85	262.59 S	06/28/88	263.79 S
08/30/83	264.17 S	04/19/85	261.95 S	09/23/88	266.31 S
09/26/83	263.94 S	05/22/85	262.51 S	12/20/88	265.72 S
10/26/83	264.04 S	06/25/85	263.64 S	03/29/89	264.67 S
11/28/83	263.00 S	07/18/85	263.17 S	06/28/89	265.74 S
12/21/83	262.38 S	08/30/85	262.97 S	09/29/89	268.25 S
01/26/84	262.52 S	09/20/85	265.06 S	12/27/89	267.15 S
02/29/84	262.47 S	10/23/85	264.66 S	03/22/90	265.82 S
03/28/84	262.72 S	11/25/85	263.30 S	06/21/90	265.97 S
04/26/84	262.73 S	01/30/86	261.96 S	08/29/90	268.85 S
05/24/84	263.25 S	05/07/86	261.77 S	09/24/90	269.27 S
06/25/84	264.34 S	11/24/86	259.37 S	10/12/90	269.41 S L
07/12/84	264.77 S	12/23/86	258.65 S H	12/26/90	268.48 S
08/22/84	266.10 S	02/21/87	258.74 S		



Water—level data for well USGS 18.

Local well name: USGS 19
 Site identifier: 434426112575701
 Idaho well number: 5N 29E 23CDD1
 Latitude: 43°44'26"
 Longitude: 112°57'57"
 County: Butte

Altitude: 4,800.30 ft
 Date of well construction: 09/24/51
 Depth of well: 399 ft
 Diameter of casing: 6 in. (0-399 ft)
 Open or screened interval: 285-306 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/01/83	271.80 S	07/15/83	272.82 R	01/10/84	266.59 R
01/05/83	271.94 R	07/18/83	272.86 S	01/25/84	268.20 R
01/10/83	272.17 R	07/20/83	272.89 R	01/25/84	268.22 S
01/15/83	272.44 R	07/25/83	272.87 R	01/31/84	268.67 R
01/29/83	272.84 S	07/31/83	272.81 R	02/05/84	268.89 R
01/31/83	272.93 R	08/05/83	272.80 R	02/10/84	268.81 R
02/05/83	273.09 R	08/10/83	272.63 R	02/15/84	268.48 R
02/10/83	273.18 R	08/15/83	272.43 R	02/20/84	268.02 R
02/15/83	273.32 R	08/20/83	272.30 R	02/25/84	267.60 R
02/20/83	273.48 R	08/25/83	271.91 R	02/29/84	267.52 R
02/25/83	273.56 R	08/25/83	271.82 S	03/05/84	267.31 R
02/28/83	273.56 S	08/31/83	271.46 R	03/10/84	266.86 R
02/28/83	273.55 R	09/05/83	271.07 R	03/15/84	266.03 R
03/05/83	273.40 R	09/10/83	270.67 R	03/20/84	265.37 R
03/10/83	273.15 R	09/15/83	270.43 R	03/20/84	265.37 S
03/15/83	272.65 R	09/20/83	270.21 R	03/25/84	264.39 R
03/16/83	272.46 S	09/25/83	270.00 R	03/31/84	262.59 R
03/20/83	271.68 R	09/27/83	269.87 S	04/05/84	260.84 R
03/25/83	270.42 R	09/30/83	269.80 R	04/10/84	258.80 R
03/31/83	268.42 R	10/05/83	269.73 R	04/15/84	257.38 R
04/05/83	266.36 R	10/10/83	269.70 R	04/20/84	256.53 R
04/10/83	264.40 R	10/15/83	269.73 R	04/21/84	256.55 S
04/28/83	260.94 S	10/20/83	269.72 R	04/25/84	256.35 R
04/30/83	261.23 R	10/25/83	269.85 R	04/30/84	256.15 R
05/05/83	262.45 R	10/27/83	269.84 S	05/05/84	255.59 R
05/10/83	263.94 R	10/30/83	269.84 R	05/10/84	255.74 R
05/15/83	265.33 R	11/05/83	269.79 R	05/15/84	256.66 R
05/16/83	265.66 S	11/10/83	269.54 R	05/20/84	257.73 R
05/20/83	266.87 R	11/15/83	269.25 R	05/23/84	258.15 S
05/25/83	268.40 R	11/20/83	268.86 R	05/25/84	258.49 R
05/31/83	269.86 R	11/25/83	268.43 R	05/31/84	260.00 R
06/05/83	270.73 R	11/25/83	268.43 S	06/05/84	261.22 R
06/10/83	271.37 R	11/30/83	267.90 R	06/10/84	262.28 R
06/15/83	271.95 R	12/05/83	266.82 R	06/15/84	263.33 R
06/20/83	272.33 R	12/10/83	265.58 R	06/20/84	264.37 R
06/25/83	272.60 R	12/15/83	264.68 R	06/22/84	264.84 S
06/27/83	272.78 S	12/20/83	263.75 R	06/25/84	265.42 R
06/30/83	272.82 R	12/28/83	263.58 S	06/30/84	266.27 R
07/05/83	272.60 R	12/31/83	264.51 R	07/05/84	266.87 R
07/10/83	272.85 R	01/05/84	265.61 R	07/10/84	267.28 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/15/84	267.62 R	04/15/85	268.88 R	12/03/85	264.44 S
07/20/84	267.89 R	04/20/85	268.92 R	12/05/85	264.50 R
07/20/84	267.85 S	04/25/85	268.70 R	12/10/85	264.58 R
07/25/84	267.93 R	04/30/85	267.81 R	12/15/85	265.01 R
07/31/84	267.77 R	04/30/85	267.71 S	12/20/85	265.61 R
08/05/84	267.37 R	05/05/85	265.60 R	12/23/85	265.92 S
08/10/84	266.78 R	05/10/85	262.97 R	12/25/85	266.15 R
08/15/84	266.13 R	05/15/85	261.80 R	12/31/85	266.59 R
08/20/84	265.51 R	05/20/85	262.01 R	01/03/86	268.56 S
08/25/84	265.17 R	05/24/85	266.63 S	01/05/86	266.90 R
08/28/84	264.98 S	05/25/85	262.75 R	01/31/86	268.63 R
08/31/84	264.75 R	05/31/85	263.65 R	02/05/86	268.79 R
09/05/84	264.32 R	06/05/85	264.36 R	02/10/86	268.99 R
09/10/84	263.53 R	06/10/85	265.13 R	02/15/86	269.08 R
09/15/84	262.93 R	06/15/85	265.76 R	02/20/86	269.19 R
09/20/84	262.55 R	06/20/85	266.36 R	02/25/86	269.41 R
09/24/84	262.32 S	06/25/85	266.87 R	02/28/86	269.55 R
09/25/84	262.32 R	06/30/85	267.44 R	03/03/86	269.71 S
09/30/84	262.15 R	07/05/85	267.89 R	03/05/86	269.77 R
10/05/84	262.17 R	07/10/85	268.29 R	03/10/86	269.53 R
10/10/84	262.30 R	07/15/85	268.58 R	03/15/86	268.32 R
10/15/84	262.39 R	07/17/85	268.71 S	03/20/86	265.84 R
10/20/84	262.45 R	07/20/85	268.84 R	03/25/86	262.84 S
10/22/84	262.47 S	07/25/85	269.01 R	03/31/86	259.45 R
10/25/84	262.54 R	07/31/85	269.20 R	04/05/86	257.20 R
10/31/84	262.43 R	08/05/85	269.35 R	04/10/86	255.93 R
11/05/84	262.09 R	08/10/85	269.30 R	04/15/86	255.78 R
11/10/84	261.09 R	08/15/85	269.00 R	04/20/86	257.14 R
11/15/84	259.47 R	08/20/85	268.47 R	04/21/86	257.40 S
11/20/84	257.25 R	08/25/85	268.09 R	04/25/86	258.48 R
11/25/84	254.66 R	08/30/85	267.81 S	04/30/86	260.10 R
11/29/84	252.89 S	08/31/85	267.78 R	05/05/86	261.58 R
11/30/84	252.45 R	09/05/85	267.55 R	05/10/86	262.77 R
12/05/84	251.22 R	09/10/85	267.47 R	05/15/86	263.83 R
12/10/84	251.20 R H	09/15/85	267.35 R	05/20/86	264.86 R
12/15/84	252.35 R	09/20/85	267.19 R	05/25/86	265.61 R
12/28/84	256.87 S	09/20/85	267.17 S	05/27/86	265.86 S
12/31/84	257.80 R	09/25/85	267.03 R	05/31/86	266.32 R
01/05/85	259.36 R	09/30/85	266.90 R	06/05/86	266.71 R
01/10/85	260.33 R	10/05/85	266.78 R	06/10/86	267.09 R
01/28/85	262.86 S	10/10/85	266.59 R	06/15/86	267.36 R
03/01/85	266.34 S	10/15/85	266.59 R	06/20/86	267.64 R
03/05/85	266.34 S	10/18/85	266.57 S	06/25/86	267.97 R
03/10/85	266.72 R	10/20/85	266.59 R	06/26/86	267.99 S
03/15/85	267.13 R	10/25/85	266.55 R	06/30/86	268.20 R
03/20/85	267.52 R	10/31/85	266.60 R	07/05/86	268.30 R
03/25/85	267.78 R	11/05/85	266.74 R	07/10/86	268.35 R
03/29/85	267.96 S	11/10/85	266.60 R	07/15/86	268.37 R
03/31/85	268.09 R	11/15/85	266.57 R	07/20/86	268.45 R
04/05/85	268.32 R	11/20/85	266.32 R	07/25/86	268.46 R
04/10/85	268.62 R	11/23/85	264.52 S	07/25/86	268.46 S

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/31/86	268.45 R	05/10/87	264.80 R	12/20/87	265.48 R
08/05/86	268.38 R	05/15/87	265.35 R	12/25/87	265.45 R
08/10/86	268.17 R	05/20/87	265.69 R	12/28/87	265.58 S
08/15/86	267.54 R	05/25/87	266.06 R	12/31/87	265.79 R
08/20/86	267.18 R	05/27/87	266.71 S	01/05/88	266.14 R
08/25/86	266.95 R	05/31/87	266.40 R	01/10/88	266.50 R
08/31/86	266.75 R	06/05/87	266.81 R	01/15/88	266.88 R
09/05/86	266.62 R	06/10/87	267.20 R	01/20/88	267.22 R
09/10/86	266.42 R	06/15/87	267.45 R	01/21/88	267.35 S
09/15/86	266.16 R	06/20/87	267.60 R	01/25/88	267.69 R
09/20/86	265.88 R	06/25/87	267.73 R	01/31/88	268.10 R
09/25/86	265.54 R	06/29/87	267.80 S	02/05/88	268.49 R
09/30/86	265.18 R	06/30/87	267.85 R	02/10/88	268.83 R
10/05/86	265.11 R	07/05/87	268.00 R	02/15/88	268.99 R
11/03/86	265.20 S	07/10/87	268.14 R	02/20/88	269.33 R
11/05/86	265.20 R	07/15/87	268.28 R	02/25/88	269.55 R
11/10/86	265.14 R	07/20/87	268.42 R	02/26/88	269.58 S
11/15/86	264.90 R	07/25/87	268.15 R	02/29/88	269.70 R
11/20/86	264.31 R	07/31/87	268.22 R	03/05/88	269.90 R
11/25/86	263.17 R	08/01/87	268.21 S	03/10/88	270.03 R
11/30/86	261.34 R	08/05/87	268.34 R	03/15/88	270.20 R
12/05/86	259.07 R	08/10/87	268.24 R	03/20/88	270.34 R
12/10/86	257.31 R	08/15/87	267.76 R	03/22/88	270.37 S
12/15/86	256.29 R	08/20/87	267.46 R	03/25/88	270.39 R
12/17/86	256.39 S	08/25/87	267.38 R	03/31/88	270.01 R
12/20/86	256.87 R	08/31/87	267.29 R	04/05/88	269.26 R
01/23/87	263.47 S	09/03/87	267.22 S	04/10/88	268.40 R
01/25/87	263.79 R	09/05/87	267.18 R	04/15/88	267.86 R
01/31/87	264.45 R	09/10/87	267.17 R	04/20/88	267.59 R
02/05/87	265.04 R	09/15/87	267.14 R	04/25/88	267.65 R
02/10/87	265.50 R	09/20/87	267.45 R	04/29/88	267.67 S
02/15/87	265.83 R	09/25/87	267.94 R	04/30/88	267.72 R
02/20/87	266.25 R	09/25/87	267.92 S	05/05/88	267.92 R
02/21/87	266.27 S	09/30/87	268.34 R	05/10/88	268.14 R
02/25/87	266.44 R	10/05/87	268.52 R	05/15/88	268.65 R
02/28/87	266.62 R	10/10/87	268.66 R	05/20/88	269.09 R
03/05/87	266.93 R	10/15/87	268.32 R	05/25/88	269.49 R
03/10/87	267.21 R	10/20/87	267.94 R	05/31/88	269.74 S
03/15/87	267.32 R	10/25/87	267.77 R	05/31/88	269.77 R
03/20/87	267.27 R	10/31/87	267.66 R	06/05/88	269.89 R
03/20/87	267.27 S	11/04/87	267.62 S	06/10/88	270.09 R
03/25/87	266.98 R	11/05/87	267.57 R	06/15/88	270.26 R
03/31/87	266.17 R	11/10/87	267.62 R	06/20/88	270.36 R
04/05/87	265.13 R	11/15/87	267.52 R	06/23/88	270.37 S
04/06/87	264.84 S	11/20/87	267.40 R	06/25/88	270.38 R
04/10/87	263.77 R	11/25/87	267.32 R	06/30/88	270.37 R
04/15/87	262.54 R	11/28/87	267.17 S	07/05/88	270.33 R
04/20/87	262.47 R	11/30/87	267.12 R	07/10/88	270.27 R
04/25/87	262.74 R	12/05/87	266.80 R	07/15/88	270.30 S
04/30/87	263.40 R	12/10/87	266.25 R	07/15/88	270.31 R
05/05/87	264.16 R	12/15/87	265.74 R	07/20/88	270.47 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/25/88	270.66 R	04/05/89	272.62 R	11/20/89	271.73 R
07/30/88	270.70 S	04/10/89	272.47 R	11/25/89	271.73 R
07/31/88	270.74 R	04/15/89	272.43 R	11/30/89	271.70 R
08/05/88	270.82 R	04/20/89	272.39 R	12/01/89	271.77 S
08/10/88	270.93 R	04/25/89	272.35 R	12/05/89	271.76 R
08/15/88	271.03 R	04/27/89	272.27 S	12/10/89	271.83 R
08/20/88	271.09 R	04/30/89	272.25 R	12/15/89	271.91 R
08/25/88	271.04 R	05/05/89	272.26 R	12/27/89	272.19 S
08/25/88	270.99 S	05/10/89	272.15 R	12/31/89	272.41 R
08/31/88	270.62 R	05/15/89	272.05 R	01/05/90	272.60 R
09/05/88	270.47 R	05/20/89	271.91 R	01/10/90	272.73 R
09/10/88	270.29 R	05/24/89	273.69 S	01/15/90	272.84 R
09/15/88	270.24 R	05/25/89	271.87 R	01/19/90	272.94 S
09/20/88	270.20 R	05/31/89	271.87 R	01/20/90	273.01 R
09/22/88	270.17 S	06/05/89	272.05 R	01/25/90	273.12 R
09/25/88	270.19 R	06/10/89	271.99 R	01/31/90	273.26 R
09/30/88	270.24 R	06/15/89	271.90 R	02/05/90	273.33 R
10/05/88	270.34 R	06/20/89	271.82 R	02/10/90	273.46 R
10/10/88	270.40 R	06/25/89	272.12 R	02/15/90	273.54 R
10/15/88	270.40 R	06/26/89	272.28 S	02/24/90	273.75 S
10/20/88	270.34 R	06/30/89	272.27 R	02/25/90	273.80 R
10/24/88	270.26 S	07/05/89	272.47 R	02/28/90	273.90 R
10/25/88	270.24 R	07/10/89	272.66 R	03/05/90	274.03 R
10/31/88	270.15 R	07/15/89	272.78 R	03/10/90	274.02 R
11/05/88	270.11 R	07/20/89	272.94 R	03/15/90	274.18 R
11/10/88	270.09 R	07/21/89	272.93 S	03/20/90	274.19 R
11/15/88	270.15 R	07/25/89	272.94 R	03/25/90	274.26 R L
11/20/88	270.16 R	07/31/89	272.92 R	03/31/90	274.20 R
11/25/88	270.08 S	08/05/89	272.97 R	04/05/90	274.14 R
11/25/88	270.09 R	08/10/89	273.04 R	04/10/90	274.04 R
11/30/88	270.20 R	08/15/89	273.04 R	04/15/90	273.89 R
12/05/88	270.25 R	08/20/89	272.69 R	04/20/90	273.77 R
12/10/88	270.33 R	08/25/89	272.40 R	04/25/90	273.53 R
12/15/88	270.45 R	08/25/89	272.32 S	04/27/90	273.50 S
12/20/88	270.46 R	08/31/89	272.09 R	04/30/90	273.42 R
12/21/88	270.42 S	09/05/89	271.80 R	05/05/90	273.30 R
12/25/88	270.41 R	09/10/89	271.75 R	05/10/90	273.23 R
01/27/89	271.71 S	09/15/89	271.72 R	05/15/90	273.18 R
01/31/89	271.78 R	09/20/89	271.70 R	05/20/90	273.10 R
02/05/89	271.98 R	09/25/89	271.75 R	05/24/90	273.03 S
02/22/89	272.47 S	09/28/89	271.82 S	05/25/90	273.03 R
02/25/89	272.57 R	09/30/89	271.84 R	05/31/90	272.97 R
02/28/89	272.60 R	10/05/89	271.87 R	06/05/90	273.03 R
03/05/89	272.65 R	10/10/89	271.86 R	06/10/90	272.96 R
03/10/89	272.74 R	10/15/89	271.87 R	06/15/90	272.90 R
03/15/89	272.83 R	10/20/89	271.83 R	06/20/90	272.86 R
03/20/89	272.95 R	10/25/89	271.77 S	06/21/90	272.87 S
03/25/89	272.97 R	10/31/89	271.80 R	06/25/90	272.84 R
03/29/89	272.99 S	11/05/89	271.77 R	06/30/90	272.75 R
03/31/89	272.88 R	11/10/89	271.73 R	07/05/90	272.63 R
04/03/89	272.71 S	11/15/89	271.73 R	07/10/90	272.57 R

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
07/15/90	272.49 R	08/15/90	272.41 R	09/07/90	271.93 S
07/20/90	272.44 R	08/20/90	272.33 R	09/27/90	272.14 S
07/25/90	272.36 R	08/25/90	272.16 R	10/12/90	272.10 S
07/31/90	272.30 R	08/31/90	272.05 R	10/29/90	272.02 S
08/05/90	272.35 R	09/05/90	272.03 R	11/21/90	272.26 S
08/10/90	272.41 R	09/06/90	272.00 S	12/20/90	272.84 S




Water—level data for well USGS 19.

Local well name: USGS 20
 Site identifier: 433253112545901
 Idaho well number: 3N 30E 31AAD1
 Latitude: 43°32'53"
 Longitude: 112°54'59"
 County: Butte

Altitude: 4,915.85 ft
 Date of well construction: 10/01/51
 Depth of well: 676 ft
 Diameter of casing: 8 in. (0-404 ft)
 6 in. (397-676 ft)
 Open or screened interval: 471-481 ft
 512-553 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/26/83	460.63 S L	08/20/84	456.64 S	02/25/87	455.01 S
02/24/83	460.27 S	09/21/84	457.17 S	04/10/87	455.09 S
03/28/83	460.09 S	10/30/84	456.14 S	06/30/87	455.32 S
04/29/83	460.00 S	11/28/84	455.79 S	09/24/87	455.97 S
05/27/83	459.98 S	12/19/84	455.60 S	10/20/87	456.26 S
06/30/83	459.70 S	01/25/85	455.68 S	01/19/88	456.34 S
07/25/83	459.54 S	03/01/85	455.18 S	04/04/88	456.03 S
08/22/83	459.52 S	04/18/85	454.85 S	11/05/88	457.76 S
09/21/83	459.58 S	05/17/85	455.15 S	01/19/89	458.26 S
10/11/83	459.46 S	06/20/85	454.63 S H	04/01/89	457.89 S
11/22/83	458.75 S	07/22/85	455.07 S	07/27/89	458.55 S
12/23/83	458.47 S	08/21/85	455.25 S	10/30/89	459.42 S
01/24/84	458.44 S	09/19/85	455.57 S	01/22/90	459.08 S
02/24/84	457.82 S	10/28/85	455.48 S	04/30/90	459.55 S
03/23/84	457.85 S	11/21/85	455.39 S	08/03/90	459.87 S
04/11/84	457.61 S	01/30/86	455.31 S	09/07/90	460.12 S
05/24/84	457.28 S	04/28/86	455.31 S	09/10/90	460.15 S
06/25/84	457.18 S	11/13/86	455.42 S	10/25/90	460.22 S
07/30/84	456.99 S	12/22/86	455.44 S		



Water-level data for well USGS 20.

Local well name: USGS 21
 Site identifier: 434307112382601
 Idaho well number: 5N 32E 36ADD1
 Latitude: 43°43'07"
 Longitude: 112°38'26"
 County: Jefferson

Altitude: 4,839.44 ft
 Date of well construction: 05/--/52
 Depth of well: 406 ft
 Diameter of casing: 6 in. (0-357 ft)
 5 in. (351-404 ft)
 Open or screened interval: 360-400 ft
 404-406 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/05/83	331.59 R	06/25/83	330.79 R	12/05/83	330.84 R
01/10/83	331.49 R	06/28/83	330.88 S	12/10/83	330.35 R
01/15/83	331.48 R	06/30/83	330.68 R	12/15/83	330.36 R
01/20/83	330.90 R	07/05/83	331.05 R	12/20/83	330.09 R
01/25/83	331.17 R	07/10/83	331.27 R	12/25/83	330.10 R
01/31/83	330.95 R	07/15/83	331.01 R	12/26/83	329.78 S
01/31/83	331.58 S	07/20/83	331.27 R	12/31/83	330.28 R
02/05/83	330.86 R	07/21/83	331.35 S	01/05/84	330.08 R
02/10/83	330.72 R	07/25/83	331.25 R	01/10/84	329.90 R
02/15/83	330.90 R	07/31/83	331.61 R	01/15/84	329.80 R
02/20/83	330.94 R	08/05/83	331.81 R	01/20/84	329.79 R
02/25/83	330.30 R	08/10/83	331.73 R	01/25/84	329.15 R
02/28/83	330.33 R	08/15/83	331.88 R	01/26/84	329.12 S
03/05/83	330.33 R	08/20/83	331.85 R	01/31/84	329.35 R
03/10/83	330.58 R	08/25/83	332.08 R	02/05/84	329.32 R
03/14/83	330.22 S	08/25/83	332.08 S	02/10/84	328.60 R
03/15/83	330.47 R	08/31/83	332.10 R	02/15/84	329.06 R
03/20/83	330.40 R	09/05/83	331.90 R	02/20/84	329.18 R
03/25/83	330.05 R	09/10/83	332.34 R	02/28/84	328.78 S
03/31/83	330.20 R	09/15/83	332.23 R	02/29/84	328.79 R
04/05/83	330.51 R	09/20/83	332.63 R L	03/05/84	328.86 R
04/10/83	330.16 R	09/25/83	332.34 R	03/10/84	328.80 R
04/15/83	330.51 R	09/27/83	331.92 S	03/15/84	328.48 R
04/20/83	330.04 R	09/30/83	331.80 R	03/20/84	328.67 R
04/25/83	330.00 R	10/05/83	332.08 R	03/23/84	328.64 S
04/28/83	330.17 S	10/10/83	332.01 R	03/25/84	328.49 R
04/30/83	330.01 R	10/15/83	331.87 R	03/31/84	328.36 R
05/05/83	330.00 R	10/20/83	331.85 R	04/05/84	328.32 R
05/10/83	330.32 R	10/25/83	332.16 R	04/10/84	328.19 R
05/15/83	330.32 R	10/28/83	331.80 S	04/15/84	328.53 R
05/20/83	330.56 R	10/31/83	331.58 R	04/20/84	328.69 R
05/25/83	330.48 R	11/05/83	331.40 R	04/25/84	328.05 R
05/31/83	330.20 R	11/10/83	331.36 R	04/25/84	328.05 S
06/05/83	330.62 R	11/15/83	331.43 R	04/30/84	328.50 R
06/10/83	330.51 R	11/20/83	330.51 R	05/05/84	328.26 R
06/15/83	330.62 R	11/25/83	330.57 R	05/10/84	328.35 R
06/16/83	330.34 S	11/28/83	330.69 S	05/15/84	328.18 R
06/20/83	330.60 R	11/30/83	330.84 R	05/20/84	328.32 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
05/25/84	328.56 R	01/05/85	327.73 R	08/20/85	327.79 R
05/25/84	328.59 S	01/10/85	327.50 R	08/25/85	328.00 R
05/31/84	328.43 R	01/15/85	327.31 R	08/31/85	328.05 R
06/05/84	328.38 R	01/20/85	327.13 R	09/03/85	328.14 S
06/10/84	328.49 R	01/25/85	327.23 R	09/05/85	327.88 R
06/15/84	328.68 R	01/29/85	326.63 S	09/10/85	328.22 R
06/20/84	328.56 R	01/31/85	326.85 R	09/15/85	328.29 R
06/25/84	328.81 R	02/05/85	326.73 R	09/20/85	328.57 R
06/26/84	328.85 S	02/10/85	327.00 R	09/25/85	328.58 R
06/30/84	328.87 R	02/15/85	326.82 R	09/26/85	328.22 S
07/05/84	328.85 R	02/20/85	326.23 R	09/30/85	328.54 R
07/10/84	329.02 R	02/25/85	326.71 R	10/05/85	328.55 R
07/15/84	329.15 R	02/28/85	326.78 R	10/10/85	328.51 R
07/20/84	329.05 R	03/01/85	326.18 S	10/15/85	328.51 R
07/20/84	329.02 S	03/05/85	326.49 R	10/20/85	328.22 R
07/25/84	329.28 R	03/10/85	326.43 R	10/21/85	327.78 S
07/31/84	329.25 R	03/15/85	326.55 R	11/05/85	328.08 R
08/05/84	329.25 R	03/20/85	326.57 R	11/10/85	327.71 R
08/10/84	329.38 R	03/25/85	326.13 R	11/15/85	328.19 R
08/15/84	329.54 R	03/31/85	326.60 R	11/20/85	327.77 R
08/20/84	329.53 R	04/01/85	326.78 S	11/25/85	327.15 R
08/25/84	329.64 R	04/05/85	326.28 R	12/05/85	327.71 R
08/31/84	329.48 R	04/10/85	326.36 R	12/06/85	327.62 S
09/05/84	329.67 R	04/15/85	326.14 R	12/10/85	327.49 R
09/10/84	329.51 R	04/20/85	325.99 R	12/15/85	327.62 R
09/15/84	329.74 R	04/25/85	326.04 R	12/20/85	327.55 R
09/20/84	329.47 R	04/30/85	326.42 R	12/25/85	327.40 R
09/25/84	329.77 S	05/05/85	326.29 R	12/31/85	327.06 R
09/25/84	329.91 R	05/10/85	325.90 R	01/05/86	326.91 R
09/30/84	329.53 R	05/15/85	326.39 R	01/10/86	327.15 R
10/05/84	329.48 R	05/20/85	326.17 R	01/15/86	326.43 R
10/10/84	329.35 R	05/24/85	326.28 S	02/03/86	326.22 S
10/15/84	329.25 R	05/25/85	326.17 R	02/05/86	326.24 R
10/20/84	329.19 R	05/31/85	326.14 R	02/10/86	326.21 R
10/25/84	329.26 R	06/05/85	326.20 R	02/15/86	325.77 R
10/29/84	328.96 S	06/10/85	326.45 R	02/20/86	326.12 R
10/31/84	328.87 R	06/15/85	326.35 R	02/25/86	326.53 R
11/05/84	329.14 R	06/20/85	326.12 R	02/28/86	326.43 R
11/10/84	328.90 R	06/25/85	326.42 R	03/03/86	326.52 S
11/15/84	328.99 R	06/25/85	326.46 S	03/05/86	326.37 R
11/20/84	328.70 R	06/30/85	326.62 R	03/10/86	325.80 R
11/25/84	328.13 R	07/05/85	326.68 R	03/15/86	326.10 R
11/29/84	328.29 S	07/10/85	326.86 R	03/20/86	326.63 R
11/30/84	328.08 R	07/15/85	326.85 R	03/25/86	326.39 R
12/05/84	328.44 R	07/19/85	327.04 S	03/25/86	326.37 S
12/10/84	327.83 R	07/20/85	327.05 R	03/31/86	326.42 R
12/15/84	327.60 R	07/25/85	327.17 R	04/05/86	326.24 R
12/20/84	327.65 R	07/31/85	327.34 R	04/10/86	326.23 R
12/25/84	327.75 R	08/05/85	327.40 R	04/15/86	326.22 R
12/31/84	327.73 S	08/10/85	327.45 R	04/20/86	326.51 R
12/31/84	327.81 R	08/15/85	327.54 R	04/25/86	325.95 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
04/30/86	326.44 R	03/05/87	325.85 R	10/20/87	328.20 R
05/07/86	326.09 S	03/10/87	325.81 R	10/25/87	328.16 R
05/10/86	325.99 R	03/15/87	325.29 R H	10/31/87	327.83 R
05/15/86	326.28 R	03/20/87	325.60 R	11/04/87	328.05 S
05/20/86	326.19 R	03/23/87	325.53 S	11/05/87	327.85 R
05/25/86	326.53 R	03/25/87	325.80 R	11/10/87	328.00 R
05/28/86	326.35 S	03/31/87	325.87 R	11/15/87	327.67 R
05/31/86	326.35 R	04/05/87	325.66 R	11/20/87	327.63 R
06/05/86	326.22 R	04/10/87	325.75 R	11/25/87	327.43 R
06/10/86	326.63 R	04/15/87	325.79 R	11/28/87	327.31 S
06/15/86	326.36 R	04/20/87	326.16 R	11/30/87	327.36 R
06/20/86	326.49 R	04/25/87	325.91 R	12/05/87	327.08 R
06/25/86	326.54 R	05/01/87	325.58 S	12/10/87	326.87 R
06/26/86	326.60 S	05/05/87	326.14 R	12/15/87	327.05 R
06/30/86	326.65 R	05/10/87	325.91 R	12/20/87	327.08 R
07/05/86	326.82 R	05/15/87	325.95 R	12/25/87	327.04 R
07/10/86	326.85 R	05/20/87	325.87 R	12/28/87	326.85 S
07/15/86	326.87 R	05/25/87	325.83 R	12/31/87	326.86 R
07/20/86	327.28 R	05/28/87	326.09 S	01/05/88	326.55 R
07/25/86	327.33 R	05/31/87	326.00 R	01/10/88	326.42 R
07/26/86	327.28 S	06/05/87	326.35 R	01/15/88	326.00 R
07/31/86	327.55 R	06/10/87	326.36 R	01/20/88	326.70 R
08/05/86	327.55 R	06/15/87	326.30 R	01/21/88	326.76 S
08/10/86	327.72 R	06/20/87	326.51 R	01/25/88	326.71 R
08/15/86	327.73 R	06/25/87	326.92 R	01/31/88	326.08 R
08/20/86	328.10 R	06/29/87	326.68 S	02/05/88	326.65 R
08/25/86	328.02 R	06/30/87	326.80 R	02/10/88	326.38 R
11/24/86	327.40 S	07/05/87	326.75 R	02/15/88	325.83 R
11/25/86	327.62 R	07/10/87	326.83 R	02/20/88	326.40 R
11/30/86	327.60 R	07/15/87	327.10 R	02/25/88	326.32 R
12/05/86	327.09 R	07/20/87	327.34 R	02/26/88	326.28 S
12/10/86	327.31 R	07/25/87	327.39 R	02/29/88	326.10 R
12/15/86	327.03 R	07/31/87	327.56 R	03/05/88	326.20 R
12/20/86	326.96 R	08/01/87	327.65 S	03/10/88	325.89 R
12/23/86	326.82 S	08/05/87	327.49 R	03/15/88	325.83 R
12/25/86	326.90 R	08/10/87	327.67 R	03/20/88	326.12 R
12/31/86	326.77 R	08/15/87	327.74 R	03/21/88	325.88 S
01/05/87	326.08 R	08/20/87	327.88 R	03/25/88	326.14 R
01/10/87	326.94 R	08/25/87	328.12 R	03/31/88	326.28 R
01/15/87	326.30 R	08/31/87	328.33 R	04/05/88	326.43 R
01/20/87	326.52 R	09/03/87	327.91 S	04/10/88	326.53 R
01/23/87	325.85 S	09/05/87	328.12 R	04/15/88	326.20 R
01/25/87	326.27 R	09/10/87	328.18 R	04/20/88	325.90 R
01/31/87	326.08 R	09/15/87	328.13 R	04/25/88	326.30 R
02/05/87	326.54 R	09/20/87	328.34 R	04/29/88	326.27 S
02/10/87	325.97 R	09/24/87	328.08 S	04/30/88	326.14 R
02/15/87	325.79 R	09/25/87	328.10 R	05/05/88	326.21 R
02/20/87	326.09 R	09/30/87	328.41 R	05/10/88	326.89 R
02/21/87	325.88 S	10/05/87	328.39 R	05/15/88	326.68 R
02/25/87	325.60 R	10/10/87	328.32 R	05/20/88	326.82 R
02/28/87	325.86 R	10/15/87	327.95 R	05/25/88	326.72 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
05/31/88	326.80 R	01/05/89	328.25 R	08/15/89	330.41 R
05/31/88	326.83 S	01/10/89	328.05 R	08/20/89	330.51 R
06/05/88	326.62 R	01/15/89	328.60 R	08/25/89	330.70 R
06/10/88	327.06 R	01/20/89	328.55 R	08/28/89	330.91 S
06/15/88	327.32 R	01/25/89	328.47 R	08/31/89	330.80 R
06/20/88	327.30 R	01/30/89	328.38 S	09/05/89	330.78 R
06/23/88	327.26 S	01/31/89	327.75 R	09/10/89	331.02 R
06/25/88	327.35 R	02/05/89	328.28 R	09/15/89	331.08 R
06/30/88	327.65 R	02/10/89	328.32 R	09/20/89	330.97 R
07/05/88	327.54 R	02/15/89	328.33 R	09/25/89	331.15 R
07/10/88	327.75 R	02/20/89	328.02 R	09/29/89	331.13 S
07/15/88	328.03 R	02/25/89	328.10 R	09/30/89	330.86 R
07/20/88	328.44 R	02/28/89	327.80 R	10/05/89	331.11 R
07/25/88	328.51 R	03/01/89	327.64 S	10/10/89	331.00 R
07/30/88	328.50 S	03/05/89	328.29 R	10/15/89	330.82 R
07/31/88	328.47 R	03/10/89	328.11 R	10/20/89	330.82 R
08/05/88	328.64 R	03/15/89	327.95 R	10/25/89	330.50 R
08/10/88	328.76 R	03/20/89	328.28 R	10/25/89	330.45 S
08/15/88	328.79 R	03/25/89	327.68 R	10/31/89	330.76 R
08/20/88	328.81 R	03/30/89	328.31 S	11/05/89	330.50 R
08/25/88	329.30 R	03/31/89	327.96 R	11/10/89	330.63 R
08/25/88	329.13 S	04/05/89	328.24 R	11/15/89	330.72 R
08/31/88	329.22 R	04/10/89	328.17 R	11/20/89	330.45 R
09/05/88	329.45 R	04/15/89	327.91 R	11/25/89	329.98 R
09/10/88	329.14 R	04/20/89	328.01 R	11/30/89	330.31 R
09/15/88	329.43 R	04/25/89	327.95 R	12/01/89	330.29 S
09/20/88	329.40 R	04/26/89	327.93 S	12/05/89	329.88 R
09/20/88	329.46 S	04/30/89	328.30 R	12/10/89	329.80 R
09/25/88	329.60 R	05/05/89	328.37 R	12/15/89	329.66 R
09/30/88	329.82 R	05/10/89	327.90 R	12/20/89	329.58 R
10/05/88	329.71 R	05/15/89	328.17 R	12/25/89	329.80 R
10/10/88	329.98 R	05/20/89	328.48 R	12/28/89	329.15 S
10/15/88	329.74 R	05/22/89	328.22 S	12/31/89	329.41 R
10/20/88	329.70 R	05/25/89	328.47 R	01/05/90	329.41 R
10/25/88	329.63 R	05/31/89	328.69 R	01/10/90	329.05 R
10/25/88	329.56 S	06/05/89	328.63 R	01/15/90	328.77 R
10/31/88	329.70 R	06/10/89	328.58 R	01/19/90	328.77 S
11/05/88	329.63 R	06/15/89	328.78 R	01/20/90	329.01 R
11/10/88	329.30 R	06/20/89	328.79 R	01/25/90	328.85 R
11/15/88	329.35 R	06/25/89	329.08 R	01/31/90	328.27 R
11/20/88	329.39 R	06/28/89	329.09 S	02/05/90	328.65 R
11/25/88	328.75 R	06/30/89	329.12 R	02/10/90	328.64 R
11/28/88	329.06 S	07/05/89	329.44 R	02/15/90	328.26 R
11/30/88	329.63 R	07/10/89	329.31 R	02/20/90	328.69 R
12/05/88	329.34 R	07/15/89	329.56 R	02/24/90	328.71 S
12/10/88	329.09 R	07/20/89	329.77 R	02/25/90	328.61 R
12/15/88	329.11 R	07/25/89	329.86 S	02/28/90	328.65 R
12/20/88	328.57 R	07/25/89	329.88 R	03/05/90	327.89 R
12/21/88	328.15 S	07/31/89	329.99 R	03/10/90	327.88 R
12/25/88	328.08 R	08/05/89	330.27 R	03/15/90	328.32 R
12/31/88	328.33 R	08/10/89	330.40 R	03/20/90	328.40 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
03/22/90	328.13 S	06/15/90	328.97 R	09/10/90	331.50 R
03/31/90	328.12 R	06/25/90	329.35 R	09/15/90	331.33 R
03/25/90	328.40 R	06/20/90	329.32 R	09/20/90	331.55 R
04/05/90	328.13 R	06/30/90	329.44 R	09/25/90	331.56 R
04/10/90	328.50 R	07/05/90	329.55 R	09/28/90	331.52 S
04/15/90	328.16 R	07/10/90	330.01 R	10/30/90	331.16 S
04/20/90	328.29 R	07/15/90	329.80 R	10/31/90	330.93 R
04/25/90	328.25 R	07/20/90	330.15 R	11/15/90	331.15 R
04/27/90	328.16 S	07/25/90	330.07 R	11/20/90	330.31 R
04/30/90	328.48 R	07/31/90	330.36 R	11/25/90	330.21 R
05/05/90	328.63 R	08/01/90	330.30 S	11/27/90	330.51 S
05/10/90	328.20 R	08/05/90	330.83 R	11/30/90	330.50 R
05/15/90	328.40 R	08/10/90	330.80 R	12/05/90	330.63 R
05/20/90	328.42 R	08/15/90	330.75 R	12/10/90	330.34 R
05/25/90	328.62 R	08/20/90	331.03 R	12/15/90	330.18 R
05/25/90	328.60 S	08/25/90	331.00 R	12/20/90	329.76 R
05/31/90	328.47 R	08/31/90	331.32 R	12/20/90	329.79 S
06/05/90	328.78 R	09/01/90	331.23 S		
06/10/90	328.79 R	09/05/90	331.45 R		




Water-level data for well USGS 21.

Local well name: USGS 22
 Site identifier: 433422113031701
 Idaho well number: 3N 29E 19CBB1
 Latitude: 43°34'22"
 Longitude: 113°03'17"
 County: Butte

Altitude: 5,049.20 ft
 Date of well construction: 11/26/51
 Depth of well: 657 ft
 Diameter of casing: 6 in. (0-657 ft)
 Open or screened interval: 619-634 ft
 644-657 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/02/83	608.21 S	09/24/84	600.29 S	02/25/87	603.79 S
03/28/83	607.34 S	10/31/84	600.11 S	04/09/87	604.14 S
04/28/83	606.68 S	11/30/84	600.14 S	07/29/87	604.69 S
05/27/83	606.78 S	12/27/84	600.15 S	10/21/87	605.61 S
06/30/83	606.31 S	01/22/85	599.75 S H	01/20/88	605.82 S
07/12/83	606.18 S	02/25/85	600.62 S	04/04/88	605.59 S
08/25/83	605.12 S	04/18/85	600.29 S	06/23/88	606.36 S
09/23/83	604.63 S	05/20/85	600.69 S	11/05/88	607.54 S
10/05/83	604.72 S	06/20/85	600.70 S	12/19/88	607.21 S
12/01/83	604.07 S	07/17/85	601.38 S	04/05/89	608.09 S
12/27/83	603.61 S	08/30/85	602.35 S	06/05/89	608.06 S
01/23/84	603.40 S	09/26/85	602.72 S	06/27/89	607.96 S
02/27/84	603.00 S	10/24/85	603.44 S	10/27/89	608.81 S
03/21/84	602.13 S	11/26/85	603.34 S	12/20/89	608.96 S
04/26/84	601.87 S	01/29/86	603.83 S	04/30/90	609.18 S
05/23/84	601.90 S	04/02/86	603.92 S	06/21/90	609.50 S
06/22/84	601.65 S	11/03/86	604.34 S	10/24/90	610.31 S L
07/09/84	600.94 S	12/19/86	604.15 S	12/20/90	609.50 S
08/27/84	600.36 S				




Water-level data for well USGS 22.

Local well name: USGS 23
 Site identifier: 434055112595901
 Idaho well number: 4N 29E 09DCD1
 Latitude: 43°40'55"
 Longitude: 112°59'59"
 County: Butte

Altitude: 4,884.25 ft
 Date of well construction: 03/27/52
 Depth of well: 463 ft
 Diameter of casing: 6 in. (0-440 ft)
 5 in. (430-463 ft)
 Open or screened interval: 410-430 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/28/83	398.34 S L	08/28/84	390.98 S	03/20/87	386.90 S H
02/28/83	398.11 S	09/24/84	390.77 S	06/29/87	387.18 S
03/16/83	398.01 S	10/22/84	390.42 S	09/25/87	388.20 S
04/28/83	397.10 S	11/29/84	389.79 S	12/28/87	388.83 S
05/16/83	396.52 S	12/28/84	388.78 S	03/22/88	389.29 S
06/27/83	396.01 S	01/28/85	388.18 S	06/23/88	390.04 S
07/18/83	395.92 S	03/07/85	388.21 S	09/22/88	391.36 S
08/25/83	396.05 S	04/30/85	388.51 S	12/20/88	392.23 S
09/27/83	395.72 S	05/21/85	388.58 S	03/29/89	393.10 S
10/27/83	395.34 S	06/26/85	388.41 S	06/28/89	394.06 S
11/25/83	394.90 S	07/17/85	388.52 S	09/28/89	395.11 S
12/28/83	394.41 S	08/30/85	388.94 S	12/27/89	395.55 S
01/31/84	393.81 S	09/20/85	389.08 S	03/20/90	396.06 S
02/27/84	393.64 S	10/23/85	389.13 S	06/21/90	396.73 S
03/20/84	393.38 S	12/03/85	388.92 S	08/29/90	397.43 S
04/26/84	392.48 S	01/30/86	388.06 S	09/27/90	397.12 S
05/23/84	391.41 S	04/21/86	388.76 S	11/21/90	397.25 S
06/22/84	390.80 S	11/03/86	388.13 S	12/20/90	397.27 S
07/20/84	390.67 S	01/07/87	387.08 S		




Water-level data for well USGS 23.

Local well name: USGS 24
 Site identifier: 435053112420801
 Idaho well number: 6N 31E 13DBB1
 Latitude: 43°50'53"
 Longitude: 112°42'08"
 County: Butte

Altitude: 4,796.02 ft
 Date of well construction: --/--/52
 Depth of well: 326 ft
 Diameter of casing: 8 in. (0-326 ft)
 Open or screened interval: 255-265 ft
 270-275 ft
 285-325 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/83	216.33 S L	08/10/88	209.74 R	01/25/89	210.26 R
07/19/84	214.17 S	08/15/88	209.77 R	01/30/89	210.19 S
07/18/85	212.11 S	08/20/88	209.76 R	01/31/89	209.59 R
08/07/87	209.76 S	08/25/88	210.21 R	02/05/89	210.11 R
11/13/87	209.33 S	08/25/88	210.14 S	02/10/89	210.04 R
11/15/87	209.73 R	08/31/88	210.17 R	02/15/89	210.09 R
11/20/87	209.75 R	09/05/88	210.39 R	02/20/89	209.85 R
11/25/87	209.59 R	09/10/88	210.10 R	02/24/89	209.80 S
11/28/87	209.47 S	09/15/88	210.47 R	02/25/89	209.90 R
11/30/87	209.53 R	09/20/88	210.37 R	02/28/89	209.57 S
12/05/87	209.37 R	09/23/88	210.57 S	03/05/89	210.00 R
12/10/87	209.16 R	09/25/88	210.55 R	03/10/89	209.82 R
12/15/87	209.32 R	09/30/88	210.64 R	03/15/89	209.65 R
12/20/87	209.35 R	10/05/88	210.65 R	03/20/89	209.91 R
12/25/87	209.32 R	10/10/88	210.99 R	03/23/89	209.35 S
12/28/87	209.17 S	10/15/88	210.87 R	03/25/89	209.30 R
12/31/87	209.20 R	10/20/88	211.18 R	03/31/89	209.43 R
01/05/88	208.90 R	10/25/88	211.08 R	04/05/89	209.55 R
01/08/88	208.93 S	10/25/88	211.03 S	04/10/89	209.35 R
05/19/88	207.64 S	10/31/88	211.08 R	04/15/89	209.23 R
05/20/88	207.74 R	11/05/88	210.97 R	04/20/89	209.25 R
05/25/88	207.68 R	11/10/88	210.70 R	04/25/89	209.16 R
05/31/88	207.78 R	11/15/88	210.89 R	04/27/89	209.21 S
06/05/88	207.60 R H	11/20/88	210.87 R	04/30/89	209.27 R
06/10/88	208.00 R	11/25/88	210.39 R	05/05/89	209.25 R
06/15/88	208.25 R	11/25/88	210.34 S	05/10/89	208.83 R
06/20/88	208.25 R	11/30/88	211.14 R	05/15/89	209.05 R
06/23/88	208.21 S	12/05/88	210.87 R	05/19/89	209.31 S
06/25/88	208.35 R	12/10/88	210.68 R	05/20/89	209.28 R
06/30/88	208.58 R	12/15/88	210.78 R	05/25/89	209.40 R
07/05/88	208.54 R	12/20/88	210.35 R	05/31/89	209.61 R
07/10/88	208.74 R	12/20/88	210.24 S	06/05/89	209.55 R
07/15/88	209.03 R	12/25/88	209.92 R	06/10/89	209.60 R
07/20/88	209.37 R	12/31/88	210.13 R	06/15/89	209.78 R
07/25/88	209.50 R	01/05/89	210.04 R	06/20/89	209.95 R
07/30/88	209.45 S	01/10/89	209.85 R	06/25/89	210.06 R
07/31/88	209.46 R	01/15/89	210.37 R	06/28/89	210.18 S
08/05/88	209.62 R	01/20/89	210.21 R	07/25/89	211.03 S

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/31/89	211.22 R	01/15/90	211.20 R	07/05/90	211.26 R
08/05/89	211.48 R	01/19/90	211.19 S	07/10/90	211.68 R
08/10/89	211.60 R	01/20/90	211.38 R	07/15/90	211.44 R
08/15/89	211.65 R	01/25/90	211.24 R	07/20/90	211.81 R
08/20/89	211.72 R	01/31/90	210.77 R	07/25/90	211.75 R
08/24/89	211.78 S	02/05/90	211.05 R	07/25/90	211.74 S
08/25/89	211.83 R	02/10/90	210.98 R	07/31/90	212.04 R
08/31/89	211.93 R	02/15/90	210.67 R	08/05/90	212.40 R
09/05/89	211.86 R	02/20/90	210.94 R	08/10/90	212.41 R
09/10/89	212.17 R	02/24/90	210.90 S	08/15/90	212.39 R
09/15/89	212.10 R	02/25/90	210.81 R	08/20/90	212.65 R
09/20/89	212.16 R	02/28/90	210.83 R	08/25/90	212.65 R
09/25/89	212.31 R	03/05/90	210.19 R	08/31/90	212.88 R
09/30/89	212.12 R	03/10/90	210.13 R	09/01/90	212.78 S
09/30/89	212.06 S	03/15/90	210.57 R	09/05/90	213.05 R
10/05/89	212.34 R	03/20/90	210.44 R	09/10/90	213.00 R
10/10/89	212.19 R	03/20/90	210.35 S	09/15/90	212.90 R
10/15/89	212.19 R	03/25/90	210.35 R	09/20/90	213.10 R
10/20/89	212.17 R	03/31/90	210.05 R	09/25/90	213.17 R
10/25/89	211.97 R	04/05/90	209.98 R	09/28/90	213.11 S
10/25/89	211.95 S	04/10/90	210.14 R	09/30/90	213.18 R
10/31/89	212.30 R	04/15/90	209.77 R	10/05/90	212.90 R
11/05/89	212.01 R	04/20/90	209.91 R	10/10/90	213.01 R
11/10/89	212.23 R	04/25/90	209.83 R	10/15/90	213.04 R
11/15/89	212.40 R	04/27/90	209.65 S	10/20/90	213.24 R
11/20/89	212.00 R	04/30/90	210.02 R	10/25/90	213.31 R
11/25/89	211.59 R	05/05/90	210.00 R	10/29/90	213.04 S
11/30/89	212.14 R	05/10/90	209.68 R	10/31/90	212.88 R
12/01/89	212.24 S	05/15/90	209.97 R	11/05/90	212.90 R
12/05/89	211.85 R	05/16/90	210.04 S	11/10/90	213.29 R
12/10/89	211.83 R	05/20/90	210.00 R	11/15/90	213.30 R
12/11/89	212.00 S	05/25/90	210.20 R	11/20/90	212.51 R
12/12/89	211.88 S	05/31/90	210.14 R	11/25/90	212.56 R
12/15/89	211.70 R	06/05/90	210.40 R	11/27/90	212.90 S
12/20/89	211.70 R	06/10/90	210.46 R	11/30/90	212.88 R
12/25/89	211.82 R	06/15/90	210.65 R	12/05/90	213.07 R
12/27/89	211.43 S	06/20/90	210.90 R	12/10/90	212.78 R
12/31/89	211.61 R	06/21/90	210.97 S	12/15/90	212.74 R
01/05/90	211.68 R	06/25/90	211.03 R	12/26/90	212.78 S
01/10/90	211.36 R	06/30/90	211.17 R		



Water-level data for well USGS 24.

Local well name: USGS 25
 Site identifier: 435339112444601
 Idaho well number: 7N 31E 34BDD1
 Latitude: 43°53'39"
 Longitude: 112°44'46"
 County: Butte


Altitude: 4,848.83 ft
 Date of well construction: 01/01/52
 Depth of well: 320 ft
 Diameter of casing: 6 in. (0-320 ft)
 Open or screened interval: 285-320 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/05/83	269.94 R	06/27/83	269.01 S	12/20/83	268.48 R
01/10/83	269.89 R	06/30/83	268.99 R	12/25/83	268.47 R
01/15/83	269.90 R	07/05/83	269.18 R	12/28/83	268.54 S
01/20/83	269.62 R	07/10/83	269.35 R	12/31/83	268.54 R
01/25/83	269.74 R	07/15/83	269.27 R	01/05/84	268.44 R
01/29/83	269.48 S	07/18/83	269.30 S	01/10/84	268.30 R
01/31/83	269.59 R	07/20/83	269.44 R	01/15/84	268.26 R
02/05/83	269.55 R	07/25/83	269.47 R	01/25/84	267.95 S
02/10/83	269.47 R	07/31/83	269.68 R	01/31/84	267.99 R
02/15/83	269.51 R	08/05/83	269.88 R	02/05/84	267.97 R
02/20/83	269.53 R	08/10/83	269.89 R	02/10/84	267.60 R
02/24/83	269.27 S	08/15/83	270.01 R	02/15/84	267.77 R
02/25/83	269.24 R	08/20/83	270.04 R	02/20/84	267.79 R
02/28/83	269.23 R	08/25/83	270.14 R	02/25/84	267.50 R
03/05/83	269.17 R	08/25/83	270.09 S	02/27/84	267.66 S
03/10/83	269.24 R	08/31/83	270.11 R	02/29/84	267.54 R
03/14/83	269.08 S	09/05/83	270.00 R	03/05/84	267.53 R
03/15/83	269.20 R	09/10/83	270.11 R	03/10/84	267.46 R
03/20/83	269.11 R	09/15/83	270.05 R	03/15/84	267.25 R
03/25/83	268.94 R	09/20/83	270.18 R L	03/20/84	267.32 R
03/31/83	268.97 R	09/25/83	270.05 R	03/23/84	267.29 S
04/05/83	269.05 R	09/27/83	269.26 S	03/25/84	267.15 R
04/10/83	268.87 R	09/30/83	269.80 R	03/31/84	267.04 R
04/15/83	268.98 R	10/05/83	269.89 R	04/05/84	266.97 R
04/20/83	268.70 R	10/10/83	269.83 R	04/10/84	266.83 R
04/25/83	268.60 R	10/15/83	269.74 R	04/15/84	267.07 R
04/27/83	268.63 S	10/20/83	269.70 R	04/20/84	266.83 R
04/30/83	268.53 R	10/25/83	269.80 R	04/21/84	266.98 S
05/05/83	268.47 R	10/27/83	269.53 S	04/25/84	266.66 R
05/10/83	268.53 R	10/31/83	269.50 R	04/30/84	266.81 R
05/15/83	268.45 R	11/05/83	269.38 R	05/05/84	266.63 R
05/16/83	268.46 S	11/10/83	269.31 R	05/10/84	266.60 R
05/20/83	268.46 R	11/15/83	269.30 R	05/15/84	266.48 R
05/25/83	268.40 R	11/20/83	268.85 R	05/20/84	266.47 R
05/31/83	268.30 R	11/25/83	268.81 R	05/25/84	266.56 S
06/05/83	268.63 R	11/25/83	268.85 S	05/25/84	266.56 R
06/10/83	268.57 R	11/30/83	268.90 R	05/31/84	266.51 R
06/15/83	268.73 R	12/05/83	268.85 R	06/05/84	266.48 R
06/20/83	268.81 R	12/10/83	268.66 R	06/10/84	266.58 R
06/25/83	268.93 R	12/15/83	268.63 R	06/15/84	266.71 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
06/20/84	266.67 R	01/30/85	265.49 S	09/05/85	265.58 R
06/25/84	266.82 R	01/31/85	265.48 R	09/10/85	265.71 R
06/26/84	266.83 S	02/05/85	265.40 R	09/15/85	265.70 R
06/30/84	266.88 R	02/10/85	265.50 R	09/20/85	265.74 R
07/05/84	266.93 R	02/15/85	265.37 R	09/25/85	265.68 R
07/10/84	267.05 R	02/20/85	265.05 R	09/26/85	265.59 S
07/15/84	267.17 R	02/25/85	265.23 R	09/30/85	265.68 R
07/19/84	267.18 S	02/28/85	265.23 R	10/05/85	265.62 R
07/20/84	267.20 R	03/05/85	265.01 R	10/10/85	265.54 R
07/25/84	267.41 R	03/05/85	265.00 S	10/15/85	265.50 R
07/31/84	267.46 R	03/10/85	264.97 R	10/18/85	265.37 S
08/05/84	267.50 R	03/15/85	264.97 R	10/20/85	265.27 R
08/10/84	267.57 R	03/20/85	264.95 R	10/25/85	265.22 R
08/15/84	267.65 R	03/25/85	264.67 R	10/31/85	265.05 R
08/20/84	267.65 R	03/29/85	264.75 S	11/05/85	265.07 R
08/25/84	267.70 R	03/31/85	264.83 R	11/10/85	264.80 R
08/28/84	267.69 S	04/05/85	264.63 R	11/15/85	265.00 R
08/31/84	267.62 R	04/10/85	264.60 R	11/20/85	264.76 R
09/05/84	267.67 R	04/15/85	264.46 R	11/25/85	264.44 R
09/10/84	267.53 R	04/20/85	264.29 R	11/30/85	264.46 R
09/15/84	267.55 R	04/25/85	264.22 R	12/05/85	264.57 R
09/20/84	267.37 R	04/30/85	264.37 R	12/06/85	264.56 S
09/25/84	267.54 R	04/30/85	264.35 S	12/10/85	264.47 R
09/25/84	267.49 S	05/05/85	264.24 R	12/15/85	264.52 R
09/30/84	267.37 R	05/10/85	263.94 R	12/20/85	264.48 R
10/05/84	267.34 R	05/15/85	264.20 R	12/23/85	264.42 S
10/10/84	267.28 R	05/20/85	264.03 R	12/25/85	264.40 R
10/15/84	267.20 R	05/22/85	264.20 S	12/31/85	264.17 R
10/20/84	267.17 R	05/25/85	264.04 R	01/05/86	264.08 R
10/25/84	267.19 R	05/31/85	264.05 R	01/10/86	264.18 R
10/25/84	267.19 S	06/05/85	264.10 R	01/15/86	263.83 R
10/31/84	267.01 R	06/10/85	264.27 R	01/20/86	263.75 R
11/05/84	267.07 R	06/15/85	264.26 R	01/25/86	264.02 R
11/10/84	266.92 R	06/20/85	264.24 R	01/30/86	263.27 S
11/15/84	266.94 R	06/25/85	264.52 R	01/31/86	263.62 R
11/20/84	266.77 R	06/26/85	264.63 S	02/05/86	263.55 R
11/25/84	266.48 R	06/30/85	264.70 R	02/10/86	263.49 R
11/29/84	266.65 S	07/05/85	264.79 R	02/15/86	263.17 R
11/30/84	266.40 R	07/10/85	264.95 R	02/20/86	263.31 R
12/05/84	266.62 R	07/15/85	264.98 R	02/25/86	263.48 R
12/10/84	266.27 R	07/17/85	264.96 S	02/28/86	263.38 R
12/15/84	266.13 R	07/20/85	265.09 R	03/03/86	263.45 S
12/20/84	266.10 R	07/25/85	265.21 R	03/05/86	263.35 R
12/25/84	266.10 R	07/31/85	265.34 R	03/10/86	263.00 R
12/28/84	265.93 S	08/05/85	265.42 R	03/15/86	263.07 R
12/31/84	266.12 R	08/10/85	265.42 R	03/20/86	263.27 R
01/05/85	266.13 R	08/15/85	265.48 R	03/25/86	263.09 R
01/10/85	265.97 R	08/20/85	265.60 R	03/25/86	263.04 S
01/15/85	265.87 R	08/25/85	265.72 R	03/31/86	262.98 R
01/20/85	265.69 R	08/30/85	265.69 S	04/05/86	262.81 R
01/25/85	265.74 R	08/31/85	265.72 R	04/10/86	262.72 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
04/15/86	262.61 R	06/20/87	261.67 R	02/25/88	261.44 R
04/20/86	262.66 R	06/25/87	261.92 R	02/25/88	261.40 S
04/25/86	262.30 R	06/29/87	261.84 S	02/29/88	261.31 R
04/28/86	262.33 S	06/30/87	261.91 R	02/15/88	261.25 R
04/30/86	262.44 R	07/05/87	261.95 R	03/05/88	261.31 R
05/05/86	262.24 R	07/10/87	262.01 R	03/10/88	261.08 R
05/10/86	262.12 R	07/15/87	262.20 R	03/15/88	260.98 R
05/15/86	262.21 R	07/20/87	262.38 R	03/22/88	260.96 S
05/20/86	262.15 R	07/25/87	262.50 R	03/20/88	261.02 R
05/25/86	262.34 R	07/31/87	262.60 R	03/25/88	260.92 R
05/27/86	262.22 S	08/01/87	262.61 S	03/31/88	260.85 R
05/31/86	262.32 R	08/05/87	262.66 R	04/05/88	260.83 R
06/05/86	262.30 R	08/10/87	262.71 R	04/10/88	260.80 R
06/10/86	262.59 R	08/15/87	262.72 R	04/29/88	260.31 S
06/15/86	262.54 R	08/20/87	262.77 R	04/30/88	260.27 R H
06/20/86	262.68 R	08/22/87	262.82 S	05/05/88	260.29 R
06/25/86	262.79 R	08/25/87	262.87 R	05/10/88	260.58 R
06/26/86	262.84 S	08/31/87	262.98 R	05/15/88	260.50 R
06/30/86	262.93 R	09/05/87	262.86 R	05/20/88	260.55 R
07/05/86	263.06 R	09/10/87	262.89 R	05/25/88	260.58 R
07/10/86	263.13 R	09/15/87	262.84 R	05/31/88	260.68 R
07/15/86	263.19 R	09/20/87	262.95 R	05/31/88	260.69 S
07/20/86	263.46 R	09/25/87	262.83 R	06/05/88	260.67 R
07/25/86	263.59 R	09/25/87	262.75 S	06/10/88	260.96 R
07/25/86	263.51 S	09/30/87	263.00 R	06/15/88	261.20 R
07/31/86	263.75 R	10/01/87	262.97 R	06/20/88	261.28 R
08/05/86	263.78 R	11/04/87	262.75 S	06/23/88	261.32 S
08/10/86	263.88 R	11/05/87	262.67 R	06/25/88	261.40 R
08/15/86	263.87 R	11/10/87	262.76 R	06/30/88	261.62 R
08/20/86	264.05 R	11/15/87	262.54 R	07/05/88	261.66 R
08/25/86	263.99 R	11/20/87	262.53 R	07/10/88	261.85 R
10/31/86	263.55 S	11/25/87	262.44 R	07/15/88	262.08 R
11/15/86	263.22 R	11/28/87	262.33 S	07/20/88	262.39 R
11/20/86	263.25 R	11/30/87	262.38 R	07/25/88	262.54 R
11/25/86	263.20 R	12/05/87	262.24 R	07/30/88	262.55 S
11/30/86	263.18 R	12/10/87	262.10 R	07/31/88	262.59 R
12/17/86	262.81 S	12/15/87	262.10 R	08/05/88	262.75 R
01/23/87	262.03 S	12/20/87	262.06 R	08/10/88	262.84 R
02/21/87	261.78 S	12/25/87	262.03 R	08/15/88	262.88 R
03/20/87	261.38 S	12/28/87	261.97 S	08/20/88	262.88 R
05/01/87	260.89 S	12/31/87	261.97 R	08/25/88	263.18 R
05/05/87	261.18 R	01/05/88	261.79 R	08/25/88	263.13 S
05/10/87	261.07 R	01/10/88	261.70 R	08/31/88	263.20 R
05/15/87	261.11 R	01/15/88	261.45 R	09/05/88	263.31 R
05/20/87	261.12 R	01/20/88	261.76 R	09/10/88	263.21 R
05/25/87	261.11 R	01/21/88	261.83 S	09/15/88	263.45 R
05/27/87	261.30 S	01/25/88	261.80 R	09/22/88	263.51 S
05/31/87	261.24 R	01/31/88	261.45 R	09/25/88	263.53 R
06/05/87	261.48 R	02/05/88	261.72 R	09/30/88	263.65 R
06/10/87	261.54 R	02/10/88	261.58 R	10/05/88	263.68 R
06/15/87	261.55 R	02/20/88	261.52 R	10/24/88	263.84 S

Date	Depth to water	Date	Depth to water	Date	Depth to water
10/25/88	263.87 R	09/29/89	265.22 S	06/05/90	263.49 R
10/31/88	263.93 R	09/30/89	265.10 R	06/10/90	263.56 R
11/05/88	263.85 R	10/05/89	265.23 R	06/15/90	263.71 R
11/25/88	263.40 S	10/10/89	265.20 R	06/20/90	263.95 R
12/21/88	263.04 S	10/15/89	265.15 R	06/21/90	264.00 S
01/27/89	262.97 S	10/20/89	265.17 R	06/25/90	264.08 R
02/22/89	262.88 S	10/25/89	265.00 R	06/30/90	264.21 R
02/25/89	262.80 R	10/25/89	264.97 S	07/05/90	264.31 R
02/28/89	262.63 R	10/31/89	265.14 R	07/10/90	264.64 R
03/05/89	262.81 R	12/01/89	264.99 S	07/15/90	264.64 R
03/10/89	262.71 R	12/10/89	264.67 R	07/20/90	264.91 R
03/15/89	262.59 R	12/15/89	264.58 R	07/25/90	264.95 R
03/20/89	262.70 R	12/20/89	264.51 R	07/25/90	264.94 S
03/23/89	262.38 S	12/25/89	264.63 R	07/31/90	265.20 R
03/25/89	262.33 R	12/27/89	264.36 S	01/05/90	264.42 R
03/31/89	262.33 R	12/31/89	264.45 R	08/10/90	265.53 R
04/05/89	262.39 R	08/05/90	265.48 R	08/15/90	265.57 R
04/10/89	262.31 R	01/10/90	264.23 R	08/20/90	265.75 R
04/15/89	262.09 R	01/19/90	264.05 S	08/25/90	265.76 R
04/20/89	262.05 R	01/20/90	264.16 R	08/31/90	265.92 R
04/25/89	261.95 R	01/25/90	264.00 R	09/01/90	265.90 S
04/27/89	261.98 S	01/31/90	263.62 R	09/05/90	266.00 R
04/30/89	262.05 R	02/05/90	263.77 R	09/10/90	266.04 R
05/05/89	262.09 R	02/10/90	263.70 R	09/15/90	265.98 R
05/10/89	261.84 R	02/15/90	263.47 R	09/20/90	266.10 R
05/15/89	262.04 R	02/20/90	263.62 R	02/24/90	263.62 S
05/19/89	262.23 S	09/25/90	266.12 R	09/27/90	266.07 S
05/20/89	262.25 R	02/25/90	263.60 R	09/30/90	266.15 R
05/23/89	262.19 R	02/28/90	263.60 R	10/05/90	266.01 R
06/28/89	263.28 S	03/05/90	263.19 R	10/10/90	266.10 R
06/30/89	263.33 R	03/10/90	263.04 R	10/15/90	266.08 R
07/05/89	263.57 R	03/15/90	263.19 R	10/20/90	266.18 R
07/10/89	263.63 R	03/20/90	263.13 R	10/25/90	266.18 R
07/15/89	263.87 R	03/20/90	263.10 S	10/29/90	266.05 S
07/20/89	264.10 R	03/25/90	263.06 R	10/31/90	265.97 R
07/25/89	264.25 R	03/31/90	262.80 R	11/05/90	265.99 R
07/25/89	264.26 S	04/05/90	262.72 R	11/10/90	266.16 R
07/31/89	264.43 R	04/10/90	262.79 R	11/15/90	266.15 R
08/05/89	264.63 R	04/15/90	262.58 R	11/20/90	265.71 R
08/10/89	264.74 R	04/20/90	262.65 R	11/21/90	265.87 S
08/15/89	264.78 R	04/25/90	262.60 R	11/25/90	265.67 R
08/20/89	264.83 R	04/27/90	262.52 S	11/30/90	265.87 R
08/25/89	264.84 R	04/30/90	262.78 R	12/05/90	265.94 R
08/25/89	264.89 S	05/05/90	262.90 R	12/10/90	265.78 R
08/31/89	265.01 R	05/10/90	262.77 R	12/15/90	265.69 R
09/05/89	265.02 R	05/15/90	262.98 R	12/20/90	265.45 R
09/10/89	265.15 R	05/16/90	263.06 S	12/20/90	265.44 S
09/15/89	265.18 R	05/20/90	263.09 R	12/25/90	265.69 R
09/20/89	265.13 R	05/25/90	263.26 R		
09/25/89	265.22 R	05/31/90	263.29 R		




Water—level data for well USGS 25.

Local well name: USGS 26
 Site identifier: 435212112394001
 Idaho well number: 6N 32E 11ABA1
 Latitude: 43°52'12"
 Longitude: 112°39'40"
 County: Jefferson

Altitude: 4,789.79 ft
 Date of well construction: 10/--/52
 Depth of well: 267 ft
 Diameter of casing: 6 in. (0-267 ft)
 Open or screened interval: 232-267 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	210.27 S	08/28/84	208.08 S	05/01/87	201.43 S
02/23/83	209.65 S	09/26/84	207.76 S	08/01/87	203.15 S
03/14/83	209.43 S	10/25/84	207.47 S	11/04/87	203.19 S
04/28/83	208.99 S	11/28/84	206.75 S	01/21/88	202.24 S
05/16/83	208.89 S	01/30/85	205.87 S	04/28/88	200.76 S H
06/27/83	209.47 S	03/01/85	205.31 S	07/30/88	203.13 S
07/20/83	209.89 S	04/25/85	204.62 S	12/20/88	203.58 S
08/25/83	210.56 S L	05/24/85	204.58 S	01/30/89	203.30 S
09/27/83	210.24 S	06/26/85	205.14 S	04/27/89	202.48 S
10/27/83	209.88 S	07/19/85	205.57 S	07/25/89	204.73 S
11/28/83	209.19 S	09/03/85	206.21 S	10/25/89	205.35 S
12/26/83	208.68 S	09/26/85	205.92 S	12/04/89	205.16 S
01/31/84	208.31 S	10/21/85	205.35 S	01/19/90	204.47 S
02/28/84	207.92 S	11/25/85	204.80 S	04/13/90	203.20 S
03/28/84	207.54 S	02/03/86	203.93 S	07/25/90	205.43 S
04/25/84	207.01 S	05/07/86	202.69 S	07/31/90	205.59 S
05/25/84	206.99 S	11/24/86	203.48 S	10/29/90	206.41 S
06/26/84	207.25 S	12/23/86	203.07 S		
07/13/84	207.50 S	02/21/87	202.25 S		



Water-level data for well USGS 26.

Local well name: USGS 27
 Site identifier: 434851112321801
 Idaho well number: 6N 33E 26DDb1
 Latitude: 43°48'51"
 Longitude: 112°32'18"
 County: Jefferson

Altitude: 4,784.32 ft
 Date of well construction: 11/--/52
 Depth of well: 312 ft
 Diameter of casing: 6 in. (0-312 ft)
 Open or screened interval: 250-260 ft
 298-308 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/05/83	225.11 R	06/25/83	225.03 R	12/10/83	223.96 R
01/10/83	225.11 R	06/27/83	225.05 S	12/15/83	223.95 R
01/12/83	225.12 S	06/30/83	225.01 R	12/20/83	223.75 R
01/15/83	225.05 R	07/05/83	225.39 R	12/25/83	223.65 R
01/20/83	224.81 R	07/10/83	225.62 R	12/26/83	223.47 S
01/25/83	225.00 R	07/15/83	225.57 R	12/31/83	223.88 R
01/31/83	224.82 R	07/20/83	225.94 R	01/05/84	223.64 R
02/05/83	224.79 R	07/20/83	225.93 S	01/10/84	223.55 R
02/10/83	224.68 R	07/25/83	225.77 R	01/15/84	223.66 R
02/15/83	224.71 R	07/31/83	226.20 R	01/20/84	223.60 R
02/20/83	224.82 R	08/05/83	226.30 R	01/25/84	223.03 R
02/23/83	224.43 S	08/10/83	226.20 R	01/25/84	223.07 S
02/25/83	224.35 R	08/15/83	226.27 R	01/31/84	223.25 R
02/28/83	224.40 R	08/20/83	226.11 R	02/05/84	223.24 R
03/05/83	224.49 R	08/25/83	226.16 R	02/10/84	222.74 R
03/10/83	224.40 R	08/25/83	226.16 S	02/15/84	223.21 R
03/14/83	224.29 S	08/31/83	226.09 R	02/20/84	223.15 R
03/15/83	224.51 R	09/05/83	225.96 R	02/25/84	222.82 R
03/20/83	224.44 R	09/10/83	226.21 R	02/27/84	223.01 S
03/25/83	224.17 R	09/15/83	225.99 R	02/29/84	222.86 R
03/31/83	224.18 R	09/20/83	226.35 R L	03/05/84	222.89 R
04/05/83	224.37 R	09/25/83	225.94 R	03/10/84	222.85 R
04/10/83	224.12 R	09/26/83	225.58 S	03/15/84	222.71 R
04/15/83	224.34 R	09/30/83	225.54 R	03/20/84	222.73 R
04/20/83	224.00 R	10/05/83	225.67 R	03/23/84	222.68 S
04/25/83	223.94 R	10/10/83	225.60 R	03/25/84	222.63 R
04/28/83	224.09 S	10/15/83	225.54 R	03/31/84	222.53 R
04/30/83	223.93 R	10/20/83	225.38 R	04/05/84	222.42 R
05/05/83	223.83 R	10/25/83	225.57 R	04/10/84	222.27 R
05/10/83	224.08 R	10/28/83	225.28 S	04/15/84	222.60 R
05/15/83	224.03 R	10/31/83	225.02 R	04/20/84	222.50 R
05/16/83	224.08 S	11/05/83	224.85 R	04/25/84	222.18 R
05/20/83	224.24 R	11/10/83	224.76 R	04/25/84	222.20 S
05/25/83	224.41 R	11/15/83	224.82 R	04/30/84	222.48 R
05/31/83	224.31 R	11/20/83	224.10 R	05/05/84	222.27 R
06/05/83	224.62 R	11/25/83	224.16 R	05/10/84	222.24 R
06/10/83	224.58 R	11/28/83	224.08 S	05/15/84	222.13 R
06/15/83	224.57 R	11/30/83	224.28 R	05/20/84	222.19 R
06/20/83	224.82 R	12/05/83	224.36 R	05/25/84	222.57 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
05/25/84	222.53 S	03/15/85	221.00 R	10/21/85	221.74 S
05/31/84	222.53 R	03/20/85	221.00 R	10/25/85	221.92 R
06/05/84	222.41 R	03/25/85	220.72 R	10/31/85	221.73 R
06/10/84	222.36 R	03/29/85	221.12 S	11/05/85	221.81 R
06/15/84	222.45 R	03/31/85	221.00 R	11/10/85	221.62 R
06/20/84	222.40 R	04/05/85	220.80 R	11/15/85	221.84 R
06/25/84	222.72 R	04/10/85	220.78 R	11/20/85	221.46 R
06/26/84	222.78 S	04/15/85	220.59 R	11/25/85	221.07 R
06/30/84	222.97 R	04/20/85	220.53 R	11/30/85	221.29 R
07/05/84	223.06 R	04/25/85	220.43 R	12/05/85	221.29 R
07/10/84	223.40 R	04/25/85	220.40 S	12/06/85	221.22 S
07/13/84	223.27 S	04/30/85	220.64 R	12/10/85	221.18 R
08/28/84	223.43 S	05/05/85	220.56 R	12/15/85	221.18 R
08/29/84	223.51 S	05/10/85	220.29 R	12/20/85	221.12 R
08/31/84	223.26 R	05/15/85	220.64 R	12/23/85	221.04 S
09/05/84	223.40 R	05/20/85	220.52 R	12/25/85	221.05 R
09/10/84	223.27 R	05/22/85	220.57 S	12/31/85	220.85 R
09/15/84	223.37 R	05/25/85	220.51 R	01/05/86	220.68 R
09/20/84	223.08 R	05/31/85	220.18 R	01/10/86	220.83 R
09/25/84	223.41 R	06/05/85	220.38 R	01/15/86	220.41 R
09/26/84	223.22 S	06/10/85	220.92 R	01/20/86	220.30 R
09/30/84	223.05 R	06/15/85	220.92 R	01/25/86	220.81 R
10/05/84	223.12 R	06/20/85	220.93 R	01/31/86	220.30 R
10/10/84	222.94 R	06/25/85	221.34 R	02/03/86	220.21 S
10/15/84	222.98 R	06/26/85	221.51 S	02/05/86	220.16 R
10/20/84	222.87 R	06/30/85	221.63 R	02/10/86	220.12 R
10/25/84	222.87 R	07/05/85	221.76 R	02/15/86	219.67 R
10/29/84	222.74 S	07/10/85	221.98 R	02/20/86	220.09 R
10/31/84	222.69 R	07/15/85	222.12 R	02/25/86	220.16 R
11/05/84	222.82 R	07/18/85	222.17 S	02/28/86	220.04 R
11/10/84	222.66 R	07/20/85	222.27 R	03/03/86	220.22 S
11/15/84	222.78 R	07/25/85	222.52 R	03/05/86	220.06 R
11/20/84	222.46 R	07/31/85	222.60 R	03/10/86	219.69 R
11/25/84	222.21 R	08/05/85	222.42 R	03/15/86	219.88 R
11/29/84	222.34 S	08/10/85	222.48 R	03/20/86	220.16 R
11/30/84	222.10 R	08/15/85	222.55 R	03/25/86	219.99 R
12/05/84	222.45 R	08/20/85	222.68 R	03/25/86	220.00 S
12/10/84	221.87 R	08/25/85	222.65 R	03/31/86	220.07 R
12/15/84	221.76 R	08/31/85	222.67 R	04/05/86	219.84 R
12/31/84	221.94 S	09/03/85	222.72 S	04/10/86	219.72 R
01/29/85	221.31 S	09/05/85	222.52 R	04/15/86	219.63 R
01/31/85	221.42 R	09/10/85	222.65 R	04/20/86	219.76 R
02/05/85	221.29 R	09/15/85	222.52 R	04/21/86	219.60 S
02/10/85	221.56 R	09/20/85	222.58 R	04/25/86	219.34 R
02/15/85	221.19 R	09/25/85	222.51 R	04/30/86	219.67 R
02/20/85	220.67 R	09/26/85	222.12 S	05/05/86	219.59 R
02/25/85	221.23 R	09/30/85	222.35 R	05/10/86	219.23 R
02/28/85	221.19 R	10/05/85	222.20 R	05/15/86	219.33 R
03/01/85	220.89 S	10/10/85	222.23 R	05/20/86	219.31 R
03/05/85	221.06 R	10/15/85	222.15 R	05/25/86	219.47 R
03/10/85	220.85 R	10/20/85	221.98 R	05/28/86	219.62 S

Date	Depth to water	Date	Depth to water	Date	Depth to water
05/31/86	219.72 R	01/23/87	219.24 S	09/03/87	221.40 S
06/05/86	219.73 R	01/25/87	219.64 R	09/05/87	221.58 R
06/10/86	220.15 R	01/31/87	219.46 R	09/10/87	221.48 R
06/15/86	219.92 R	02/05/87	219.78 R	09/15/87	221.42 R
06/20/86	220.17 R	02/10/87	219.34 R	09/20/87	221.42 R
06/25/86	220.30 R	02/15/87	219.20 R	09/25/87	221.25 R
06/26/86	220.48 S	02/20/87	219.39 R	09/28/87	221.48 S
06/30/86	220.67 R	02/21/87	219.19 S	09/30/87	221.34 R
07/05/86	221.04 R	02/25/87	219.12 R	10/05/87	221.30 R
07/10/86	220.99 R	02/28/87	219.19 R	10/10/87	221.24 R
07/15/86	221.06 R	03/05/87	219.08 R	10/15/87	220.94 R
07/20/86	221.40 R	03/10/87	219.11 R	10/20/87	221.00 R
07/25/86	221.63 R	03/15/87	218.69 R	10/25/87	220.98 R
07/26/86	221.64 S	03/20/87	218.97 S	10/31/87	220.67 R
07/31/86	221.71 R	03/20/87	219.00 R	11/03/87	220.69 S
08/05/86	221.69 R	03/25/87	219.00 R	11/05/87	220.57 R
08/10/86	221.79 R	03/31/87	218.96 R	11/10/87	220.69 R
08/15/86	221.72 R	04/05/87	218.92 R	11/15/87	220.52 R
08/20/86	221.97 R	04/06/87	218.93 S	11/20/87	220.29 R
08/25/86	221.94 R	04/10/87	218.87 R	11/25/87	220.24 R
08/31/86	221.92 R	04/15/87	218.85 R	11/28/87	220.10 S
09/05/86	222.00 R	04/20/87	219.35 R	11/30/87	220.15 R
09/10/86	221.99 R	04/25/87	219.20 R	12/05/87	219.98 R
09/15/86	221.94 R	04/30/87	219.22 R	12/10/87	219.75 R
09/20/86	221.89 R	05/05/87	219.70 R	12/29/87	219.56 S
09/25/86	221.52 R	05/10/87	219.70 R	12/31/87	219.80 R
09/30/86	221.60 R	05/15/87	219.90 R	01/05/88	219.47 R
10/05/86	221.76 R	05/20/87	219.81 R	01/10/88	219.40 R
10/10/86	221.37 R	05/25/87	219.68 R	01/15/88	218.97 R
10/15/86	221.48 R	05/27/87	219.73 S	01/20/88	219.60 R
10/20/86	221.27 R	05/31/87	219.70 R	01/21/88	219.63 S
10/25/86	221.31 R	06/05/87	220.05 R	01/25/88	219.55 R
10/31/86	221.17 R	06/10/87	220.10 R	01/31/88	219.20 R
11/03/86	220.96 S	06/15/87	219.77 R	02/05/88	219.45 R
11/05/86	220.81 R	06/20/87	220.10 R	02/10/88	219.38 R
11/10/86	221.15 R	06/25/87	220.53 R	02/15/88	218.83 R
11/15/86	220.70 R	06/29/87	220.51 S	02/20/88	219.31 R
11/20/86	220.75 R	06/30/87	220.60 R	02/25/88	219.20 R
11/25/86	220.69 R	07/05/87	220.65 R	02/26/88	219.14 S
11/30/86	220.75 R	07/10/87	220.77 R	02/29/88	218.99 R
12/05/86	220.21 R	07/15/87	221.00 R	03/05/88	219.10 R
12/10/86	220.38 R	07/20/87	221.20 R	03/10/88	218.81 R
12/15/86	220.22 R	07/25/87	221.11 R	03/15/88	218.73 R
12/17/86	220.16 S	07/31/87	221.08 R	03/20/88	218.89 R
12/20/86	220.21 R	08/01/87	221.17 S	03/21/88	218.67 S
12/25/86	220.13 R	08/05/87	221.00 R	03/25/88	218.91 R
12/31/86	219.97 R	08/10/87	221.12 R	03/31/88	218.98 R
01/05/87	219.56 R	08/15/87	221.29 R	04/05/88	219.15 R
01/10/87	220.08 R	08/20/87	221.33 R	04/10/88	219.00 R
01/15/87	219.67 R	08/25/87	221.62 R	04/15/88	218.91 R
01/20/87	219.80 R	08/31/87	221.60 R	04/20/88	218.83 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
04/25/88	218.94 R	11/30/88	221.66 R	08/24/89	223.47 S
04/29/88	218.90 S	12/10/88	221.17 R	08/25/89	223.53 R
04/30/88	218.66 R H	12/20/88	220.95 R	08/28/89	223.64 S
05/05/88	218.90 R	12/21/88	220.59 S	08/31/89	223.67 R
05/10/88	219.46 R	12/31/88	220.64 R	09/05/89	223.53 R
05/15/88	219.36 R	01/05/89	220.56 R	09/10/89	223.70 R
05/20/88	219.52 R	01/10/89	220.38 R	09/15/89	223.68 R
05/25/88	219.70 R	01/30/89	220.42 S	09/20/89	223.55 R
05/31/88	219.99 R	01/31/89	219.97 R	09/25/89	223.63 R
05/31/88	219.97 S	02/20/89	220.31 R	09/29/89	223.57 S
06/05/88	219.71 R	02/22/89	220.28 S	09/30/89	223.37 R
06/10/88	220.15 R	02/25/89	220.21 R	10/05/89	223.43 R
06/15/88	220.30 R	02/28/89	220.05 R	10/10/89	223.19 R
06/20/88	220.29 R	03/10/89	220.19 R	10/15/89	223.05 R
06/23/88	220.39 S	03/15/89	220.09 R	10/20/89	222.86 R
06/25/88	220.51 R	03/20/89	220.30 R	10/25/89	222.63 R
06/30/88	220.79 R	03/24/89	219.94 S	10/25/89	222.63 S
07/05/88	220.91 R	03/25/89	219.85 R	10/31/89	222.78 R
07/10/88	221.11 R	03/31/89	219.93 R	11/05/89	222.57 R
07/15/88	221.48 R	04/05/89	220.12 R	11/10/89	222.65 R
07/20/88	221.78 R	04/10/89	220.00 R	11/15/89	222.81 R
07/20/88	221.81 S	04/15/89	219.89 R	11/20/89	222.39 R
07/25/88	222.44 R	04/20/89	219.95 R	12/01/89	222.45 S
07/30/88	221.90 S	04/25/89	220.03 R	12/10/89	222.10 R
07/31/88	221.85 R	04/27/89	220.12 S	12/15/89	221.97 R
08/05/88	222.05 R	04/30/89	220.25 R	12/20/89	221.95 R
08/10/88	222.12 R	05/05/89	220.51 R	12/25/89	221.97 R
08/15/88	222.17 R	05/10/89	220.37 R	12/27/89	221.53 S
08/20/88	222.25 R	05/15/89	220.68 R	12/31/89	221.79 R
08/25/88	222.63 R	05/20/89	220.93 R	01/05/90	221.82 R
08/25/88	222.41 S	05/22/89	220.87 S	01/10/90	221.52 R
08/31/88	222.58 R	05/25/89	221.19 R	01/15/90	221.38 R
09/05/88	222.53 R	05/31/89	221.49 R	01/19/90	221.31 S
09/10/88	222.30 R	06/05/89	221.41 R	01/20/90	221.52 R
09/15/88	222.37 R	06/10/89	221.58 R	01/25/90	221.33 R
09/20/88	222.27 R	06/15/89	221.70 R	01/31/90	221.08 R
09/23/88	222.26 S	06/20/89	221.72 R	02/05/90	221.20 R
09/25/88	222.37 R	06/25/89	221.88 R	02/10/90	221.19 R
09/30/88	222.29 R	06/28/89	222.01 S	02/15/90	220.92 R
10/05/88	222.22 R	06/30/89	222.06 R	02/20/90	221.11 R
10/10/88	222.31 R	07/05/89	222.41 R	02/24/90	221.06 S
10/15/88	222.18 R	07/10/89	222.45 R	02/25/90	220.99 R
10/20/88	222.08 R	07/15/89	222.63 R	02/28/90	221.04 R
10/24/88	221.88 S	07/20/89	222.85 R	03/05/90	220.51 R
10/25/88	221.97 R	07/25/89	223.18 R	03/10/90	220.41 R
10/31/88	221.91 R	07/25/89	223.11 S	03/15/90	220.81 R
11/05/88	221.96 R	07/31/89	223.20 R	03/20/90	220.66 S
11/10/88	221.54 R	08/05/89	223.40 R	03/25/90	220.73 R
11/20/88	221.55 R	08/10/89	223.53 R	03/31/90	220.53 R
11/25/88	221.15 R	08/15/89	223.43 R	04/05/90	220.46 R
11/28/88	221.20 S	08/20/89	223.50 R	04/10/90	220.66 R

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
04/15/90	220.42 R	06/05/90	221.68 R	07/25/90	223.65 S
04/20/90	220.74 R	06/10/90	221.90 R	07/31/90	223.78 R
04/25/90	220.94 R	06/15/90	222.26 R	08/05/90	224.10 R
04/27/90	220.82 S	06/20/90	222.45 R	08/10/90	224.07 R
04/30/90	221.03 R	06/21/90	222.44 S	08/15/90	224.05 R
05/05/90	221.18 R	06/25/90	222.54 R	08/20/90	224.26 R
05/10/90	221.02 R	06/30/90	222.66 R	08/25/90	224.13 R
05/15/90	221.45 R	07/05/90	222.78 R	08/27/90	224.26 S
05/20/90	221.53 R	07/10/90	223.25 R	09/28/90	224.33 S
05/25/90	221.78 R	07/15/90	223.26 R	10/12/90	223.75 S
05/25/90	221.70 S	07/20/90	223.67 R	11/27/90	223.21 S
05/31/90	221.57 R	07/25/90	223.67 R	12/26/90	222.67 S




Water-level data for well USGS 27.

Local well name: USGS 28
 Site identifier: 434600112360101
 Idaho well number: 5N 33E 17ADD1
 Latitude: 43°46'00"
 Longitude 112°36'01"
 County: Jefferson

Altitude: 4,771.62 ft
 Date of well construction: 02/--/53
 Depth of well: 334 ft
 Diameter of casing: 6 in. (0-334 ft)
 Open or screened interval: 254-274 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/16/83	230.79 S L	08/08/87	226.82 S	08/28/89	229.76 S
07/13/84	228.35 S	04/29/88	225.24 S H	04/13/90	227.40 S
10/29/84	228.36 S	04/17/89	226.94 S		
07/18/85	226.67 S	04/26/89	226.88 S		




Water—level data for well USGS 28.

Local well name: USGS 29
 Site identifier: 434407112285101
 Idaho well number: 5N 34E 29DAA1
 Latitude: 43°44'07"
 Longitude: 112°28'51"
 County: Jefferson

Altitude: 4,877.52 ft
 Date of well construction: 04/--/53
 Depth of well: 425 ft
 Diameter of casing: 6 in. (0-398 ft)
 Open or screened interval: 363-425 ft

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
07/21/83	354.28 S	11/20/86	347.78 S H	04/26/89	349.60 S
08/06/84	351.65 S	08/08/87	350.67 S	04/13/90	349.28 S
10/29/84	349.07 S	04/29/88	347.85 S	08/28/90	354.87 S L
07/18/85	349.83 S	04/17/89	349.54 S	08/30/90	354.67 S




Water-level data for well USGS 29.

Local well name: USGS 30A
 Site identifier: 434601112315403
 Idaho well number: 5N 33E 13BDC3
 Latitude: 43°46'01"
 Longitude: 112°31'54"
 County: Jefferson

Altitude: 4,794.58 ft
 Date of well construction: --/--/69
 Depth of well: 725 ft
 Diameter of casing: 0.75 in. (0-725 ft)
 Open or screened interval: 718-722 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	256.28 S	08/28/84	255.29 S	03/20/87	250.60 S
02/24/83	255.51 S	09/26/84	254.60 S	06/29/87	252.81 S
03/16/83	255.70 S	10/29/84	253.93 S	09/28/87	253.77 S
04/28/83	255.75 S	11/29/84	253.14 S	12/29/87	251.34 S
05/16/83	255.83 S	12/31/84	252.57 S	04/29/88	251.47 S
06/27/83	257.15 S	01/29/85	251.87 S	08/25/88	255.46 S
07/16/83	257.73 S	03/01/85	251.61 S	11/28/88	253.80 S
08/25/83	258.67 S L	04/25/85	250.77 S	02/22/89	252.96 S
09/27/83	257.84 S	05/22/85	250.42 S	04/17/89	253.22 S
10/31/83	257.04 S	06/26/85	252.61 S	04/26/89	253.13 S
11/28/83	255.93 S	07/18/85	253.73 S	08/24/89	257.00 S
12/26/83	255.01 S	09/03/85	254.79 S	08/28/89	257.28 S
01/31/84	254.62 S	09/26/85	254.30 S	12/01/89	254.87 S
02/27/84	254.37 S	10/21/85	253.59 S	02/24/90	253.19 S
03/28/84	254.12 S	12/06/85	253.26 S	05/25/90	254.17 S
04/25/84	253.80 S	02/03/86	250.99 S	08/27/90	257.68 S
05/25/84	253.71 S	05/07/86	250.09 S H	11/27/90	255.52 S
06/26/84	254.10 S	11/20/86	252.22 S		
07/12/84	254.50 S	01/07/87	251.15 S		




Water-level data for well USGS 30A.

Local well name: USGS 30B
 Site identifier: 434601112315402
 Idaho well number: 5N 33E 13BDC2
 Latitude: 43°46'01"
 Longitude: 112°31'54"
 County: Jefferson

Altitude: 4,794.58 ft
 Date of well construction: --/--/69
 Depth of well: 398 ft
 Diameter of casing: 0.75 in. (0-400 ft)
 Open or screened interval: 392-398 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	264.69 S	08/28/84	263.28 S	03/20/87	259.41 S
02/24/83	263.96 S	09/26/84	262.55 S	06/29/87	262.47 S
03/16/83	264.13 S	10/29/84	261.94 S	09/28/87	263.28 S
04/28/83	264.35 S	11/29/84	261.10 S	12/29/87	260.19 S
05/16/83	264.70 S	12/31/84	260.53 S	04/29/88	260.83 S
06/27/83	266.21 S	01/29/85	259.90 S	08/25/88	265.75 S
07/16/83	266.96 S	03/01/85	259.81 S	11/28/88	263.10 S
08/25/83	268.17 S L	04/25/85	258.00 S	02/22/89	262.06 S
09/27/83	267.14 S	05/22/85	257.36 S H	04/17/89	262.60 S
10/31/83	265.65 S	06/26/85	261.16 S	04/26/89	262.60 S
11/28/83	263.58 S	07/18/85	262.71 S	08/24/89	267.34 S
12/26/83	263.03 S	09/03/85	264.08 S	08/28/89	267.40 S
01/31/84	262.62 S	09/26/85	263.45 S	12/01/89	263.93 S
02/27/84	262.47 S	10/21/85	262.53 S	02/24/90	262.15 S
03/28/84	262.36 S	12/06/85	262.37 S	04/13/90	262.41 S
04/25/84	261.88 S	02/03/86	261.26 S	05/25/90	263.83 S
05/25/84	261.45 S	05/07/86	257.53 S	08/27/90	267.91 S
06/26/84	261.63 S	11/20/86	261.13 S	11/27/90	264.65 S
07/13/84	262.18 S	01/07/87	259.88 S		




Water-level data for well USGS 30B.

Local well name: USGS 30C
 Site identifier: 434601112315401
 Idaho well number: 5N 33E 13BDC1
 Latitude: 43°46'01"
 Longitude: 112°31'54"
 County: Jefferson

Altitude: 4,794.58 ft
 Date of well construction: 04/--/53
 Depth of well: 353 ft
 Diameter of casing: 8 in. (0-353 ft)
 Open or screened interval: 276-290 ft
 300-317 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	266.78 S	08/28/84	265.45 S	03/20/87	261.50 S
02/24/83	266.03 S	09/26/84	264.65 S	06/29/87	264.40 S
03/16/83	266.18 S	10/29/84	264.09 S	09/28/87	265.38 S
04/28/83	266.39 S	11/29/84	263.22 S	12/29/87	262.38 S
05/16/83	266.70 S	12/31/84	262.65 S	04/29/88	262.85 S
06/27/83	268.09 S	01/29/85	262.07 S	08/25/88	267.68 S
07/16/83	268.80 S	03/01/85	261.97 S	11/28/88	265.30 S
08/25/83	270.12 S L	04/25/85	260.38 S	02/22/89	264.18 S
09/27/83	269.24 S	05/22/85	259.39 S H	04/17/89	264.61 S
10/31/83	268.77 S	06/26/85	262.98 S	04/26/89	264.67 S
11/28/83	266.30 S	07/18/85	264.55 S	08/24/89	269.28 S
12/26/83	265.25 S	09/03/85	266.06 S	08/28/89	269.36 S
01/31/84	264.66 S	09/26/85	265.52 S	12/01/89	266.07 S
02/27/84	264.52 S	10/21/85	264.65 S	02/24/90	264.25 S
03/28/84	264.39 S	12/06/85	264.17 S	05/25/90	265.70 S
04/25/84	264.01 S	02/03/86	262.99 S	08/27/90	269.80 S
05/25/84	263.57 S	05/07/86	259.76 S	11/27/90	266.74 S
06/26/84	263.77 S	11/20/86	263.30 S		
07/13/84	264.14 S	01/07/87	262.01 S		




Water-level data for well USGS 30C.

Local well name: USGS 31
 Site identifier: 434625112342101
 Idaho well number: 5N 33E 10CDC1
 Latitude: 43°46'25"
 Longitude: 112°34'21"
 County: Jefferson

Altitude: 4,886.19 ft
 Date of well construction: --/--/53
 Depth of well: 428 ft
 Diameter of casing: 8 in. (0-306 ft)
 Open or screened interval: 285-305 ft
 306-428 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/16/83	255.77 S	08/08/87	252.83 S	08/28/89	255.62 S
07/13/84	252.86 S	04/29/88	250.92 S H	04/13/90	252.42 S
10/29/84	252.95 S	04/17/89	252.34 S	08/24/90	255.94 S L
07/18/85	252.20 S	04/26/89	252.32 S		




Water-level data for well USGS 31.

Local well name: USGS 32
 Site identifier: 434444112322101
 Idaho well number: 5N 33E 23DDA1
 Latitude: 43°44'44"
 Longitude: 112°32'21"
 County: Jefferson

Altitude: 4,812.38 ft
 Date of well construction: --/--/53
 Depth of well: 392 ft
 Diameter of casing: 6 in. (0-324 ft)
 Open or screened interval: 306-392 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/16/83	288.91 S	08/08/87	285.73 S	04/13/90	284.62 S
08/06/84	290.40 S L	04/29/88	283.09 S H	08/24/90	289.72 S
10/29/84	284.58 S	04/17/89	284.82 S	10/12/90	288.57 S
07/18/85	284.71 S	04/26/89	284.84 S		




Water—level data for well USGS 32.

Local well name: USGS 34
 Site identifier: 433334112565501
 Idaho well number: 3N 29E 25BDC1
 Latitude: 43°33'34"
 Longitude: 112°56'55"
 County: Butte

Altitude: 4,929.65 ft
 Date of well construction: 02/02/54
 Depth of well: 700 ft
 Diameter of casing: 10 in. (0-499 ft)
 Open or screened interval: 499-700 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/27/83	469.67 S	04/28/86	465.15 S	03/31/89	468.71 S
10/13/83	469.13 S	11/18/86	465.01 S	10/30/89	470.50 S
04/10/84	467.31 S	04/21/87	465.19 S	04/24/90	470.25 S
07/09/84	466.52 S	10/16/87	466.19 S	08/14/90	471.17 S
10/09/84	466.05 S	04/06/88	466.82 S	08/23/90	471.27 S
04/22/85	464.86 S H	11/07/88	468.60 S	10/02/90	471.40 S L
07/24/85	465.19 S	01/18/89	468.75 S		




Water-level data for well USGS 34.

Local well name: USGS 35
 Site identifier: 433339112565801
 Idaho well number: 3N 29E 25BDB1
 Latitude: 43°33'39"
 Longitude: 112°56'58"
 County: Butte

Altitude: 4,930.07 ft
 Date of well construction: 08/--/55
 Depth of well: 578 ft
 Diameter of casing: 12 in. (0-139 ft)
 8 in. (0-142 ft)
 Open or screened interval: 142-578 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/27/83	470.26 S	10/28/85	465.48 S	01/18/89	469.36 S
10/13/83	469.81 S	04/28/86	465.96 S	03/31/89	469.47 S
04/10/84	467.92 S	11/18/86	465.65 S	10/31/89	471.11 S
07/10/84	467.26 S	04/21/87	465.79 S	04/23/90	470.84 S
10/09/84	466.67 S	10/16/87	467.09 S	08/09/90	471.69 S
04/22/85	465.47 S H	04/06/88	467.42 S	08/23/90	471.72 S
07/24/85	465.80 S	11/07/88	469.22 S	10/25/90	472.12 S L




Water-level data for well USGS 35.

Local well name: USGS 36
 Site identifier: 433330112565201
 Idaho well number: 3N 29E 25BDD1
 Latitude: 43°33'30"
 Longitude: 112°56'52"
 County: Butte

Altitude: 4,929.85 ft
 Date of well construction: 09/13/55
 Depth of well: 567 ft
 Diameter of casing: 12 in. (0-37 ft)
 6 in. (0-430 ft)
 Open or screened interval: 430-567 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/26/83	469.87 S	10/17/85	466.11 S	03/31/89	468.90 S
10/13/83	469.18 S	11/18/86	465.16 S	10/31/89	470.67 S
04/10/84	467.45 S	04/21/87	465.39 S	04/24/90	470.45 S
07/09/84	466.70 S	10/16/87	466.80 S	08/14/90	471.40 S
10/07/84	466.24 S	04/06/88	467.02 S	08/23/90	471.10 S
04/22/85	465.03 S H	11/07/88	468.81 S	10/25/90	471.62 S L
07/24/85	466.26 S	01/18/89	468.97 S		




Water-level data for well USGS 36.

Local well name: USGS 37
 Site identifier: 433326112564801
 Idaho well number: 3N 29E 25CAA1
 Latitude: 43°33'26"
 Longitude: 112°56'48"
 County: Butte

Altitude: 4,929.63 ft
 Date of well construction: 10/--/55
 Depth of well: 572 ft
 Diameter of casing: 12 in. (0-42 ft)
 6 in. (0-507 ft)
 Open or screened interval: 507-572 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/31/83	471.08 S	06/20/84	467.02 S	04/17/86	465.20 S
02/22/83	470.93 S	07/18/84	466.31 S	10/24/86	465.14 S
03/28/83	470.55 S	08/31/84	466.01 S	01/16/87	464.88 S
04/29/83	470.13 S	09/27/84	466.07 S	03/27/87	464.77 S
05/27/83	469.81 S	10/31/84	465.83 S	06/30/87	465.31 S
07/01/83	469.77 S	11/28/84	465.44 S	08/12/87	465.53 S
07/26/83	469.60 S	12/31/84	465.40 S	10/05/87	466.41 S
08/22/83	469.31 S	01/29/85	465.32 T	01/07/88	466.24 S
09/22/83	469.15 S	02/28/85	465.09 S	03/31/88	466.82 S
10/10/83	469.18 S	04/26/85	465.42 S	07/14/88	467.11 S
11/30/83	469.03 S	05/20/85	464.73 S H	10/07/88	468.71 S
12/28/83	468.68 S	06/24/85	464.76 S	01/18/89	468.68 S
01/13/84	469.11 S	07/11/85	465.00 S	03/31/89	468.60 S
01/26/84	468.91 S	08/21/85	465.45 S	06/26/89	469.30 S
02/23/84	467.49 S	09/27/85	465.71 S	09/29/89	470.30 S
03/26/84	467.61 S	10/18/85	465.91 S	01/02/90	470.01 S
04/17/84	467.57 S	11/26/85	465.50 S	07/05/90	470.63 S
05/22/84	467.09 S	01/23/86	465.45 S	10/17/90	471.65 S L




Water-level data for well USGS 37.

Local well name: USGS 38
 Site identifier: 433322112564301
 Idaho well number: 3N 29E 25CAD1
 Latitude: 43°33'22"
 Longitude: 112°56'43"
 County: Butte

Altitude: 4,930.03 ft
 Date of well construction: 10/--/55
 Depth of well: 729 ft
 Diameter of casing: 12 in. (0-26 ft)
 6 in. (0-505 ft)
 4 in. (475-678 ft)
 Open or screened interval: 678-729 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/26/83	469.39 S	10/17/85	466.31 S	01/18/89	469.11 S
10/13/83	468.33 S	11/18/86	465.26 S	03/31/89	469.06 S
04/10/84	467.62 S	04/10/87	465.18 S H	10/31/89	470.86 S
07/09/84	466.86 S	10/16/87	466.91 S	04/24/90	470.59 S
10/09/84	466.59 S	04/06/88	467.19 S	09/26/90	471.80 S L
07/24/85	465.52 S	11/07/88	469.03 S	10/05/90	471.73 S




Water-level data for well USGS 38.

Local well name: USGS 39
 Site identifier: 433343112570001
 Idaho well number: 3N 29E 25BBD1
 Latitude: 43°33'43"
 Longitude: 112°57'00"
 County: Butte

Altitude: 4,931.65 ft
 Date of well construction: 12/--/55
 Depth of well: 572 ft
 Diameter of casing: 12 in. (0-47 ft)
 Open or screened interval: 47-572 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/27/83	471.73 S	10/28/85	467.82 S	03/31/89	470.85 S
10/13/83	471.20 S	11/18/86	467.07 S	10/31/89	472.57 S
04/10/84	469.38 S	04/22/87	467.09 S	04/24/90	472.24 S
07/10/84	468.60 S	10/16/87	468.49 S	08/09/90	473.16 S
10/09/84	468.08 S	04/06/88	468.90 S	08/23/90	473.32 S
04/22/85	466.78 S H	11/07/88	470.60 S	10/25/90	473.52 S L
07/24/85	467.18 S	01/18/89	470.74 S		




Water-level data for well USGS 39.

Local well name: USGS 40
 Site identifier: 433411112561101
 Idaho well number: 3N 29E 24DAD1
 Latitude: 43°34'11"
 Longitude: 112°56'11"
 County: Butte

Altitude: 4,916.04 ft
 Date of well construction: 07/--/56
 Depth of well: 679 ft
 Diameter of casing: 6 in. (0-447 ft)
 4 in. (432-679 ft)
 Open or screened interval: 456-679 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/08/83	457.00 S	04/29/85	450.89 S	09/26/88	454.72 S
02/23/83	457.63 S	05/31/85	450.78 S	12/01/88	454.92 S
03/28/83	457.65 S	06/28/85	451.10 S	12/29/88	455.04 S
04/29/83	456.51 S	07/12/85	450.49 S H	02/24/89	455.52 S
05/27/83	456.10 S	08/21/85	451.72 S	03/20/89	455.48 S
08/29/83	455.67 S	10/01/85	451.99 S	03/27/89	455.44 S
09/27/83	455.47 S	10/29/85	452.04 S	05/30/89	455.35 S
10/10/83	455.41 S	12/10/85	451.68 S	06/27/89	456.09 S
11/22/83	454.81 S	02/11/86	451.55 S	07/28/89	455.87 S
12/19/83	454.57 S	04/29/86	452.04 S	09/29/89	456.78 S
01/09/84	454.54 S	08/08/86	451.04 S	10/18/89	456.83 S
01/26/84	454.33 S	10/30/86	451.00 S	12/07/89	456.65 S
02/24/84	454.00 S	01/20/87	451.13 S	12/28/89	456.55 S
03/22/84	454.08 S	03/27/87	451.36 S	01/05/90	456.58 S
04/24/84	453.65 S	04/15/87	450.99 S	03/06/90	456.87 S
05/29/84	453.47 S	06/30/87	451.50 S	04/02/90	456.93 S
06/26/84	453.17 S	09/30/87	452.42 S	04/30/90	456.98 S
07/19/84	454.42 S	10/13/87	452.34 S	05/30/90	456.97 S
08/23/84	454.35 S	12/10/87	452.35 S	07/05/90	457.75 S L
09/28/84	453.12 S	01/07/88	452.94 S	09/04/90	457.60 S
10/31/84	452.05 S	04/14/88	453.24 S	09/28/90	457.61 S
12/03/84	451.98 S	06/01/88	453.40 S	10/16/90	457.60 S
12/31/84	451.69 S	07/01/88	453.65 S	11/30/90	457.42 S
01/29/85	451.53 T	07/11/88	453.80 S		
02/27/85	451.23 S	08/30/88	454.73 S		




Water—level data for well USGS 40.

Local well name: USGS 41
 Site identifier: 433409112561301
 Idaho well number: 3N 29E 24DDA1
 Latitude: 43°34'09"
 Longitude: 112°56'13"
 County: Butte

Altitude: 4,917.13 ft
 Date of well construction: 10/--/56
 Depth of well: 674 ft
 Diameter of casing: 6 in. (0-428 ft)
 Open or screened interval: 428-674 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/02/83	456.27 S	10/29/85	452.32 S	04/07/89	455.49 S
10/12/83	455.76 S	04/30/86	451.69 S	11/02/89	457.19 S
04/10/84	454.21 S	08/08/86	451.53 S	04/03/90	456.93 S
07/10/84	453.39 S	11/14/86	451.60 S	08/15/90	457.66 S
10/31/84	452.69 S	04/28/87	451.50 S	08/30/90	457.90 S
04/23/85	451.38 S H	04/09/88	453.76 S	10/16/90	457.95 S L
07/24/85	451.76 S	11/09/88	455.16 S		




Water--level data for well USGS 41.

Local well name: USGS 42
 Site identifier: 433404112561301
 Idaho well number: 3N 29E 24DDA2
 Latitude: 43°34'04"
 Longitude: 112°56'13"
 County: Butte

Altitude: 4,917.85 ft
 Date of well construction: 02/--/57
 Depth of well: 678 ft
 Diameter of casing: 6 in. (0-452 ft)
 Open or screened interval: 452-678 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/02/83	456.91 S	07/24/85	453.36 S	11/09/88	455.90 S
10/12/83	456.39 S	10/29/85	453.13 S	04/07/89	456.11 S
04/11/84	455.12 S	04/30/86	452.33 S	11/02/89	457.76 S
07/11/84	453.96 S	08/08/86	452.18 S	04/03/90	457.53 S
10/31/84	453.31 S	11/14/86	452.22 S	08/15/90	458.34 S
04/23/85	451.95 S H	04/28/87	452.10 S	10/16/90	458.55 S L




Water—level data for well USGS 42.

Local well name: USGS 43
 Site identifier: 433415112561501
 Idaho well number: 3N 29E 24DAD2
 Latitude: 43°34'15"
 Longitude: 112°56'15"
 County: Butte

Altitude: 4,916.30 ft
 Date of well construction: 04/12/57
 Depth of well: 676 ft
 Diameter of casing: 6 in. (0-451 ft)
 Open or screened interval: 451-676 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	455.39 S	04/29/86	450.87 S	10/11/88	454.52 S
10/10/83	454.95 S	10/30/86	450.93 S	04/20/89	454.78 S
04/23/84	453.19 S	04/21/87	450.70 S	10/23/89	456.33 S
07/10/84	452.60 S	07/29/87	451.37 S	07/25/90	456.85 S
04/29/85	450.67 S H	10/05/87	452.14 S	10/17/90	457.42 S L
07/24/85	451.01 S	04/12/88	452.72 S		
10/29/85	451.72 S	06/21/88	453.30 S		




Water-level data for well USGS 43.

Local well name: USGS 44
 Site identifier: 433409112562101
 Idaho well number: 3N 29E 24DDB1
 Latitude: 43°34'09"
 Longitude: 112°56'21"
 County: Butte

Altitude: 4,918.62 ft
 Date of well construction: 07/--/57
 Depth of well: 650 ft
 Diameter of casing: 6 in. (0-461 ft)
 Open or screened interval: 461-650 ft

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
08/01/83	457.53 S	10/29/85	453.82 S	04/03/90	458.32 S
10/12/83	457.20 S	11/14/86	452.91 S	07/03/90	458.81 S
04/10/84	455.56 S	10/20/87	454.37 S	07/26/90	459.11 S
07/10/84	454.74 S	04/09/88	455.12 S	09/11/90	459.41 S L
10/09/84	454.04 S	11/06/88	456.37 S	10/26/90	459.41 S L
04/22/85	452.74 S H	04/07/89	456.90 S		
07/24/85	453.13 S	11/02/89	458.57 S		




Water-level data for well USGS 44.

Local well name: USGS 45
 Site identifier: 433402112561801
 Idaho well number: 3N 29E 24DDC1
 Latitude: 43°34'02"
 Longitude: 112°56'18"
 County: Butte

Altitude: 4,919.63 ft
 Date of well construction: 12/04/57
 Depth of well: 651 ft
 Diameter of casing: 6 in. (0-462 ft)
 Open or screened interval: 462-651 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	458.37 S	07/24/85	454.06 S	04/07/89	457.78 S
10/12/83	458.08 S	10/29/85	454.73 S	11/02/89	459.43 S
04/10/84	456.49 S	11/14/86	453.80 S	07/26/90	459.96 S
07/10/84	455.74 S	10/20/87	455.24 S	08/07/90	460.00 S
10/09/84	455.00 S	04/09/88	456.02 S	10/26/90	460.30 S L
04/22/85	453.66 S H	11/06/88	457.24 S		




Water-level data for well USGS 45.

Local well name: USGS 46
 Site identifier: 433407112561501
 Idaho well number: 3N 29E 24DDA3
 Latitude: 43°34'07"
 Longitude: 112°56'15"
 County: Butte

Altitude: 4,917.33 ft
 Date of well construction: 01/--/58
 Depth of well: 651 ft
 Diameter of casing: 6 in. (0-461 ft)
 Open or screened interval: 461-651 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/08/83	457.75 S	08/23/84	453.29 S	02/07/86	452.36 S
03/28/83	457.98 S	09/28/84	453.16 S	11/14/86	451.86 S
04/29/83	457.00 S	11/29/84	452.70 S	02/27/87	451.87 S
05/27/83	456.87 S	12/28/84	452.31 S	04/28/87	451.77 S
08/01/83	456.66 S	01/24/85	452.34 S	10/20/87	453.32 S
08/29/83	456.19 S	02/27/85	452.04 S	04/09/88	454.09 S
10/12/83	456.04 S	03/29/85	451.80 S	09/26/88	455.46 S
12/08/83	455.49 S	04/22/85	451.68 S	11/06/88	455.33 S
12/30/83	455.23 S	05/20/85	451.65 S H	04/07/89	455.87 S
01/26/84	455.13 S	06/28/85	451.89 S	11/02/89	457.52 S
02/24/84	454.81 S	07/24/85	452.05 S	04/03/90	457.00 S
03/22/84	454.80 S	08/21/85	452.51 S	07/26/90	458.02 S
04/13/84	454.88 S	09/25/85	452.81 S	08/07/90	458.09 S
06/26/84	453.77 S	10/29/85	452.74 S	10/26/90	458.36 S L
07/10/84	453.70 S	12/03/85	452.56 S		




Water-level data for well USGS 46.

Local well name: USGS 47
 Site identifier: 433407112560301
 Idaho well number: 3N 30E 19CCB1
 Latitude: 43°34'07"
 Longitude: 112°56'03"
 County: Butte

Altitude: 4,915.61 ft
 Date of well construction: 03/21/58
 Depth of well: 651 ft
 Diameter of casing: 6 in. (0-458 ft)
 Open or screened interval: 458-651 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/13/83	454.68 S	04/30/86	448.90 S	01/31/89	452.18 S
01/13/84	454.60 S	08/06/86	448.67 S	04/20/89	452.66 S
04/11/84	451.64 S	10/29/86	448.87 S	06/27/89	453.22 S
07/17/84	450.43 S	04/15/87	448.74 S	10/19/89	454.54 S
10/23/84	450.04 S	07/28/87	449.34 S	01/19/90	454.06 S
01/14/85	448.87 S	10/26/87	450.26 S	04/17/90	454.07 S
04/23/85	448.56 S H	01/29/88	450.16 S	07/24/90	454.71 S
07/10/85	448.85 S	04/25/88	450.83 S	10/31/90	455.10 S L
10/29/85	449.64 S	07/29/88	451.91 S		
02/28/86	449.30 S	09/30/88	452.52 S		




Water-level data for well USGS 47.

Local well name: USGS 48
 Site identifier: 433401112560301
 Idaho well number: 3N 30E 19CCC1
 Latitude: 43°34'01"
 Longitude: 112°56'03"
 County: Butte

Altitude: 4,917.11 ft
 Date of well construction: 05/16/58
 Depth of well: 750 ft
 Diameter of casing: 6 in. (0-462 ft)
 Open or screened interval: 462-750 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/02/83	456.70 S	08/06/86	451.90 S	11/06/89	457.42 S
07/17/84	453.69 S	11/17/86	451.98 S	04/23/90	457.32 S
10/23/84	453.32 S	04/28/87	452.01 S	08/08/90	458.19 S
04/23/85	451.85 S H	10/29/87	452.82 S	09/13/90	458.49 S L
07/11/85	452.12 S	04/11/88	453.98 S	10/31/90	458.32 S
10/29/85	452.87 S	11/09/88	456.54 S		
04/30/86	452.15 S	04/06/89	456.06 S		




Water-level data for well USGS 48.

Local well name: USGS 49
Site identifier: 433403112555401
Idaho well number: 3N 30E 19CCA1
Latitude: 43°34'03"
Longitude: 112°55'54"
County: Butte

Altitude: 4,912.9 ft
Date of well construction: 08/23/60
Depth of well: 656 ft
Diameter of casing: 6 in. (0-458 ft)
Open or screened interval: 458-656 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
11/14/86	449.06 S	10/01/87	450.38 S	04/07/89	452.97 S
04/28/87	448.98 S H	04/09/88	451.20 S	04/03/90	454.34 S L
08/21/87	450.06 S	11/09/88	452.65 S		




Water--level data for well USGS 49.

Local well name: USGS 51
 Site identifier: 433350112560601
 Idaho well number: 3N 30E 30BBB1
 Latitude: 43°33'50"
 Longitude: 112°56'06"
 County: Butte

Altitude: 4,918.1 ft
 Date of well construction: --/--/60
 Depth of well: 659 ft
 Diameter of casing: 6 in. (0-475 ft)
 Open or screened interval: 475-659 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	456.75 S	10/29/85	452.98 S	01/18/89	454.73 S
10/13/83	456.19 S	04/30/86	452.27 S	04/17/89	455.19 S
04/11/84	454.98 S	11/17/86	452.04 S	10/03/89	455.70 S
07/10/84	453.97 S	04/28/87	452.01 S	04/06/90	457.36 S
10/10/84	453.29 S	10/13/87	453.34 S	10/10/90	458.80 S L
04/22/85	451.88 S H	04/12/88	453.93 S		
07/25/85	452.30 S	11/08/88	453.39 S		




Water—level data for well USGS 51.

Local well name: USGS 52
 Site identifier: 433414112554201
 Idaho well number: 3N 30E 19CAC1
 Latitude: 43°34'14"
 Longitude: 112°55'42"
 County: Butte

Altitude: 4,910.46 ft
 Date of well construction: 09/21/60
 Depth of well: 650 ft
 Diameter of casing: 16 in. (0-50 ft)
 12 in. (0-264 ft)
 6 in. (0-450 ft)
 Open or screened interval: 450-650 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	449.25 S	04/30/86	444.75 S	04/07/89	448.57 S
10/13/83	448.70 S	08/08/86	444.54 S	11/02/89	450.24 S
04/11/84	447.54 S	11/14/86	444.64 S	04/03/90	449.93 S
07/10/84	446.58 S	04/28/87	444.57 S	08/08/90	450.67 S
10/10/84	445.82 S	10/21/87	446.07 S	08/30/90	450.12 S
04/23/85	444.45 S H	04/09/88	446.84 S	10/16/90	450.99 S L
10/30/85	445.45 S	11/10/88	448.12 S		




Water-level data for well USGS 52.

Local well name: USGS 57
 Site identifier: 433344112562601
 Idaho well number: 3N 29E 25ABD1
 Latitude: 43°33'44"
 Longitude: 112°56'26"
 County: Butte

Altitude: 4,923.32 ft
 Date of well construction: 06/23/60
 Depth of well: 732 ft
 Diameter of casing: 6 in. (0-477 ft)
 Open or screened interval: 477-732 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	463.32 S	11/14/86	458.71 S	04/07/89	462.53 S
10/13/83	462.70 S	04/09/87	458.66 S	06/26/89	463.15 S
04/11/84	461.21 S	10/09/87	459.53 S	10/18/89	464.36 S
07/10/84	460.37 S	01/05/88	459.92 S	01/25/90	463.88 S
10/10/84	459.74 S	03/31/88	460.52 S	03/28/90	463.89 S
04/22/85	458.50 S H	07/26/88	461.67 S	06/28/90	464.41 S
07/30/85	458.74 S	10/05/88	462.37 S	10/29/90	465.12 S
10/29/85	459.63 S	01/05/89	462.39 S	12/06/90	465.21 S L
04/30/86	459.69 S	01/25/89	462.50 S		




Water-level data for well USGS 57.

Local well name: USGS 58
 Site identifier: 433500112572502
 Idaho well number: 3N 29E 14DDA2
 Latitude: 43°35'00"
 Longitude: 112°57'25"
 County: Butte

Altitude: 4,919.21 ft
 Date of well construction: 02/04/61
 Depth of well: 503 ft
 Diameter of casing: 12 in. (0-51 ft)
 8 in. (0-101 ft)
 6 in. (0-218 ft)
 Open or screened interval: 218-503 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/02/83	459.31 S	04/24/85	453.05 S	10/14/88	456.73 S
02/22/83	459.23 S	05/20/85	452.89 S	11/30/88	456.92 Z
03/28/83	458.83 S	06/24/85	453.07 S	12/29/88	456.75 S
04/29/83	458.06 S	07/22/85	453.27 S	01/24/89	456.80 S
05/28/83	457.60 S	09/04/85	453.75 S	03/20/89	457.04 S
07/01/83	458.03 S	09/25/85	454.02 S	04/13/89	457.16 S
07/28/83	457.88 S	10/30/85	453.90 S	05/30/89	457.38 S
08/29/83	457.63 S	12/03/85	453.65 S	06/05/89	457.46 S
09/27/83	457.72 S	02/07/86	453.61 S	06/30/89	457.63 S
10/14/83	457.18 S	04/24/86	453.30 S	07/28/89	457.91 S
12/08/83	456.82 S	07/21/86	452.88 S H	08/30/89	458.27 S
12/20/83	456.67 S	10/28/86	453.34 S	10/02/89	458.67 S
02/29/84	456.20 S	02/27/87	453.00 S	12/02/89	458.72 S
03/19/84	456.18 S	04/23/87	452.96 S	12/28/89	458.40 S
04/13/84	456.06 S	06/30/87	453.48 S	02/01/90	458.17 S
05/23/84	455.42 S	09/30/87	454.47 S	03/03/90	458.33 S
06/22/84	455.07 S	10/07/87	454.85 S	03/13/90	458.32 S
07/30/84	454.73 S	12/08/87	454.24 S	04/13/90	458.53 S
08/31/84	454.39 S	01/22/88	454.80 S	05/30/90	458.63 S
09/28/84	454.41 S	02/26/88	454.56 S	06/22/90	458.93 S
10/31/84	454.11 S	03/22/88	454.98 S	08/08/90	459.41 S
11/27/84	454.05 S	04/01/88	455.01 S	09/03/90	459.61 S
12/28/84	453.58 S	05/31/88	455.17 S	09/24/90	459.72 S L
01/24/85	453.60 S	07/01/88	455.77 S	11/29/90	459.54 S
02/27/85	453.33 S	08/22/88	455.36 S	12/26/90	459.43 S
03/29/85	453.58 S	09/26/88	456.69 S		




Water-level data for well USGS 58.

Local well name: USGS 59
 Site identifier: 433354112554701
 Idaho well number: 3N 30E 30BAB1
 Latitude: 43°33'54"
 Longitude: 112°55'47"
 County: Butte

Altitude: 4,914.53 ft
 Date of well construction: 07/22/60
 Depth of well: 657 ft
 Diameter of casing: 6 in. (0-464 ft)
 Open or screened interval: 464-657 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	452.99 S	07/26/85	447.64 S H	10/21/88	451.26 S
10/31/83	452.44 S	10/30/85	449.18 S	01/18/89	452.02 S
04/11/84	451.28 S	04/30/86	448.58 S	04/10/89	452.28 S
07/10/84	450.24 S	11/14/86	448.37 S	04/13/90	453.85 S
10/10/84	449.56 S	04/22/87	453.60 S	07/24/90	454.29 S
04/22/85	448.18 S	03/31/88	450.19 S	10/12/90	454.86 S L




Water-level data for well USGS 59.

Local well name: USGS 65
 Site identifier: 433447112574501
 Idaho well number: 3N 29E 23ABB1
 Latitude: 43°34'47"
 Longitude: 112°57'45"
 County: Butte

Altitude: 4,925.94 ft
 Date of well construction: 12/--/60
 Depth of well: 498 ft
 Diameter of casing: 6 in. (0-456 ft)
 Open or screened interval: 456-498 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/14/83	464.39 S	11/18/86	460.05 S H	10/17/89	464.54 S
10/10/83	463.99 S	04/23/87	460.22 S	01/02/90	464.12 S
04/17/84	462.59 S	10/14/87	461.36 S	04/04/90	464.12 S
07/18/84	462.38 S	04/12/88	461.91 S	07/11/90	464.47 S
04/29/85	462.18 S	06/21/88	461.68 S	08/09/90	464.56 S
07/11/85	462.41 S	10/13/88	463.45 S	10/23/90	464.79 S
01/27/86	460.96 S	02/14/89	463.42 S	11/13/90	464.99 S L
04/24/86	460.47 S	04/10/89	463.56 S		
07/21/86	460.06 S	06/22/89	463.82 S		




Water-level data for well USGS 65.

Local well name: USGS 67
 Site identifier: 433344112554101
 Idaho well number: 3N 30E 30BAD1
 Latitude: 43°33'44"
 Longitude: 112°55'41"
 County: Butte

Altitude: 4,916.38 ft
 Date of well construction: 12/02/60
 Depth of well: 694 ft
 Diameter of casing: 6 in. (0-465 ft)
 4 in. (552-635 ft)
 Open or screened interval: 465-552 ft
 635-694 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	453.59 S	04/24/86	449.10 S	04/10/89	453.59 S
10/10/83	453.19 S	10/29/86	449.17 S	10/03/89	456.12 S
04/12/84	451.74 S	04/13/87	449.05 S	03/16/90	455.86 S
07/10/84	451.89 S	10/06/87	450.41 S	07/25/90	455.78 S
04/29/85	448.86 S H	04/12/88	451.08 S	10/01/90	456.66 S L
07/25/85	449.19 S	10/06/88	453.13 S		




Water—level data for well USGS 67.

Local well name: USGS 76
 Site identifier: 433425112573201
 Idaho well number: 3N 29E 23ADC1
 Latitude: 43°34'25"
 Longitude: 112°57'32"
 County: Butte

Altitude: 4,930.55 ft
 Date of well construction: 02/23/62
 Depth of well: 718 ft
 Diameter of casing: 8 in. (0-268 ft)
 6 in. (0-457 ft)
 Open or screened interval: 457-718 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/15/83	470.62 S	04/24/86	466.02 S	10/13/88	469.55 S
10/18/83	470.12 S	07/21/86	465.72 S H	04/07/89	469.84 S
04/26/84	468.07 S	10/28/86	466.11 S	06/22/89	470.39 S
07/16/84	467.38 S	04/23/87	465.85 S	09/29/89	471.30 S
10/10/84	465.92 S	07/24/87	466.46 S	01/05/90	471.33 S
04/25/85	465.80 S	10/08/87	467.20 S	04/06/90	471.26 S
07/09/85	465.94 S	01/14/88	467.33 S	07/03/90	471.65 S
10/30/85	466.63 S	04/12/88	467.83 S	10/17/90	472.38 S L
02/11/86	466.38 S	07/11/88	467.54 S		




Water-level data for well USGS 76.

Local well name: USGS 77
 Site identifier: 433315112560301
 Idaho well number: 3N 30E 30CCB1
 Latitude: 43°33'15"
 Longitude: 112°56'03"
 County: Butte

Altitude: 4,922.69 ft
 Date of well construction: 03/05/62
 Depth of well: 610 ft
 Diameter of casing: 6 in. (0-470 ft)
 Open or screened interval: 470-610 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	462.62 S	10/29/85	459.02 S	01/18/89	461.73 S
04/11/84	460.47 S	11/13/86	457.93 S H	03/31/89	461.68 S
07/10/84	459.69 S	04/10/87	457.93 S H	10/30/89	463.43 S
10/09/84	458.95 S	10/20/87	459.46 S	01/26/90	463.43 S
04/22/85	458.85 S	04/04/88	459.71 S	07/26/90	463.95 S
07/25/85	458.18 S	11/06/88	461.34 S	10/25/90	464.78 S L




Water-level data for well USGS 77.

Local well name: USGS 79
 Site identifier: 433505112581901
 Idaho well number: 3N 29E 14CBD1
 Latitude: 43°35'05"
 Longitude: 112°58'19"
 County: Butte

Altitude: 4,931.54 ft
 Date of well construction: 05/03/62
 Depth of well: 702 ft
 Diameter of casing: 6 in. (0-281 ft)
 Open or screened interval: 281-702 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	470.81 S	10/10/86	466.18 R	05/10/87	466.05 R
10/18/83	470.32 S	10/15/86	466.37 R	05/15/87	466.05 R
04/10/84	468.53 S	10/20/86	466.25 R	05/20/87	465.95 R
07/10/84	467.82 S	10/25/86	466.37 R	05/25/87	466.00 R
10/10/84	467.14 S	10/31/86	466.32 R	05/31/87	466.07 R
04/25/85	465.95 S	11/05/86	466.15 R	06/05/87	466.22 R
07/30/85	466.22 S	11/10/86	466.39 R	06/10/87	466.27 R
10/30/85	466.80 S	11/15/86	466.15 R	06/15/87	466.17 R
04/30/86	466.34 S	11/17/86	466.08 S	06/20/87	466.29 R
05/21/86	465.92 S	11/20/86	466.15 R	06/25/87	466.51 R
05/25/86	466.17 R	11/25/86	466.22 R	06/29/87	466.53 S
05/31/86	466.06 R	11/30/86	466.30 R	06/30/87	466.49 R
06/05/86	465.94 R	12/05/86	465.99 R	07/05/87	466.54 R
06/10/86	466.16 R	12/10/86	466.17 R	07/10/87	466.49 R
06/15/86	465.94 R	12/15/86	466.10 R	07/15/87	466.56 R
06/20/86	465.94 R	12/20/86	466.15 R	07/20/87	466.65 R
06/25/86	465.92 R	12/23/86	466.09 S	07/25/87	466.71 R
06/26/86	465.98 S	12/25/86	466.18 R	07/31/87	466.78 R
06/30/86	465.93 R	12/31/86	466.12 R	08/05/87	466.77 R
07/05/86	465.99 R	01/10/87	466.28 R	08/07/87	466.84 S
07/10/86	465.86 R	01/26/87	466.05 S	08/10/87	466.78 R
07/15/86	465.81 R	01/31/87	466.00 R	08/15/87	466.82 R
07/20/86	465.93 R	02/05/87	466.30 R	08/20/87	466.95 R
07/21/86	465.80 S H	02/20/87	466.13 R	08/25/87	467.17 R
07/25/86	465.96 R	02/25/87	465.82 R	08/31/87	467.27 R
07/31/86	466.02 R	02/28/87	466.00 R	09/05/87	467.15 R
08/05/86	465.95 R	03/05/87	466.00 R	09/10/87	467.23 R
08/10/86	466.03 R	03/10/87	466.03 R	09/15/87	467.21 R
08/15/86	465.95 R	03/15/87	465.82 R	09/20/87	467.34 R
08/20/86	466.13 R	03/20/87	466.07 R	09/25/87	467.25 R
08/25/86	466.08 R	03/25/87	466.15 R	09/29/87	467.47 S
08/31/86	466.12 R	03/29/87	465.90 S	09/30/87	467.43 R
09/05/86	466.14 R	03/31/87	466.11 R	10/05/87	467.52 R
09/05/86	466.13 S	04/05/87	466.03 R	10/10/87	467.54 R
09/10/86	466.12 R	04/10/87	466.00 R	10/15/87	467.38 R
09/15/86	466.07 R	04/15/87	466.00 R	10/20/87	467.50 R
09/20/86	466.13 R	04/20/87	466.22 R	10/25/87	467.55 R
09/25/86	465.93 R	04/25/87	466.05 R	10/31/87	467.43 R
09/30/86	466.17 R	04/30/87	465.85 R	11/02/87	467.32 S
10/05/86	466.47 R	05/05/87	466.16 R	11/05/87	467.38 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
11/10/87	467.55 R	05/10/88	468.34 R	09/25/88	469.63 R
11/15/87	467.44 R	05/15/88	468.24 R	09/26/88	469.65 S
11/20/87	467.37 R	05/20/88	468.31 R	09/30/88	469.77 R
11/25/87	467.40 R	05/25/88	468.32 R	10/05/88	469.76 R
11/28/87	467.26 S	05/31/88	468.35 R	10/10/88	469.86 R
11/30/87	467.41 R	06/01/88	468.33 S	10/13/88	469.72 S
12/05/87	467.30 R	06/05/88	468.20 R	10/15/88	469.78 R
12/10/87	467.22 R	06/10/88	468.44 R	10/20/88	469.75 R
12/15/87	467.35 R	06/15/88	468.57 R	10/25/88	469.73 R
12/20/87	467.45 R	06/20/88	468.55 R	10/31/88	469.80 R
12/25/87	467.48 R	06/25/88	468.56 R	11/05/88	469.80 R
12/28/87	467.57 S	06/30/88	468.70 R	11/10/88	469.55 R
01/20/88	467.70 R	07/01/88	468.65 S	11/15/88	469.68 R
01/21/88	467.80 S	07/05/88	468.67 R	11/20/88	469.70 R
02/05/88	467.91 R	07/10/88	468.74 R	11/25/88	469.40 R
02/10/88	467.81 R	07/15/88	468.90 R	11/30/88	469.95 R
02/15/88	467.50 R	07/20/88	469.10 R	11/30/88	469.93 S
02/20/88	467.90 R	07/25/88	469.12 R	12/20/88	469.59 S
02/25/88	467.90 R	07/29/88	469.20 S	01/24/89	469.79 S
02/29/88	467.80 R	07/31/88	469.10 R	03/03/89	469.73 S
02/29/88	467.73 S	08/05/88	469.13 R	03/20/89	470.04 S
03/05/88	467.90 R	08/10/88	469.20 R	04/01/89	469.80 S
03/10/88	467.70 R	08/15/88	469.22 R	05/30/89	470.27 S
03/15/88	467.68 R	08/20/88	469.23 R	09/30/89	471.52 S
03/20/88	467.90 R	08/25/88	469.48 R	11/06/89	471.44 S
03/25/88	467.94 R	08/30/88	469.40 S	02/02/90	471.40 S
03/31/88	468.01 R	08/31/88	469.42 R	04/26/90	471.69 S
03/31/88	467.98 S	09/05/88	469.52 R	05/30/90	471.64 S
04/30/88	467.94 R	09/10/88	469.43 R	08/09/90	472.08 S
04/30/88	467.94 S	09/15/88	469.64 R	08/23/90	472.21 S
05/05/88	467.94 R	09/20/88	469.54 R	10/01/90	472.42 S L




Water-level data for well USGS 79.

Local well name: USGS 82
 Site identifier: 433401112551001
 Idaho well number: 3N 30E 19DDC2
 Latitude: 43°34'01"
 Longitude: 112°55'10"
 County: Butte

Altitude: 4,908.23 ft
 Date of well construction: --/--/62
 Depth of well: 700 ft
 Diameter of casing: 8 in. (0-460 ft)
 6 in. (445-593 ft)
 Open or screened interval: 470-520 ft
 593-700 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/26/83	448.26 S	07/30/84	445.24 S	11/13/86	442.20 S
03/28/83	448.84 S L	08/20/84	444.59 S	12/22/86	442.20 S
04/29/83	447.32 S	09/28/84	443.29 S	02/25/87	442.10 S
05/27/83	447.29 S	10/30/84	443.61 S	04/10/87	442.14 S
07/01/83	447.07 S	11/28/84	442.88 S	08/20/87	443.02 S
07/25/83	447.24 S	12/20/84	442.84 S	10/06/87	443.58 S
08/22/83	446.67 S	01/30/85	442.54 S	01/19/88	443.82 S
09/22/83	446.56 S	02/28/85	442.26 S	03/31/88	444.31 S
10/11/83	446.60 S	04/19/85	441.97 S H	07/20/88	445.13 S
11/22/83	446.08 S	05/17/85	442.05 S	10/06/88	445.88 S
01/04/84	445.78 S	06/24/85	442.10 S	01/19/89	445.13 S
01/24/84	445.45 S	07/22/85	442.31 S	04/13/89	446.15 S
02/24/84	445.25 S	08/22/85	442.98 S	10/04/89	446.76 S
03/23/84	445.22 S	09/19/85	442.08 S	03/16/90	447.53 S
04/11/84	445.09 S	10/28/85	443.00 S	07/26/90	448.32 S
05/24/84	444.57 S	11/21/85	443.11 S		
06/25/84	445.46 S	01/30/86	442.68 S		




Water-level data for well USGS 82.

Local well name: USGS 83
 Site identifier: 433023112561501
 Idaho well number: 2N 29E 13AAA1
 Latitude: 43°30'23"
 Longitude: 112°56'15"
 County: Butte

Altitude: 4,942.69 ft
 Date of well construction: --/--/62
 Depth of well: 752 ft
 Diameter of casing: 6 in. (0-516 ft)
 Open or screened interval: 516-752


Date	Depth to water	Date	Depth to water	Date	Depth to water
02/22/83	498.10 S L	09/24/84	494.59 S	02/26/87	494.29 S
03/28/83	497.85 S	10/31/84	494.15 S	04/20/87	493.99 S
04/28/83	497.37 S	11/27/84	494.32 S	08/19/87	493.84 S
05/27/83	497.74 S	01/02/85	494.45 S	10/14/87	493.78 S
07/27/83	497.41 S	02/07/85	493.93 S	01/19/88	494.30 S
08/26/83	497.47 S	02/28/85	494.55 S	04/07/88	493.88 S
09/26/83	497.24 S	04/18/85	493.01 S	07/25/88	494.44 S
10/05/83	497.10 S	05/20/85	493.21 S	10/20/88	495.00 S
12/12/83	496.60 S	06/19/85	493.01 S	01/21/89	495.48 S
12/27/83	496.29 S	07/16/85	493.00 S	04/13/89	495.53 S
01/24/84	496.54 S	08/20/85	493.08 S	07/27/89	495.75 S
02/22/84	496.04 S	10/01/85	493.24 S	10/25/89	496.28 S
03/26/84	496.22 S	10/21/85	492.88 S H	01/18/90	496.57 S
04/12/84	495.58 S	11/26/85	493.23 S	04/02/90	496.53 S
05/23/84	495.40 S	01/24/86	493.62 S	08/03/90	496.89 S
06/22/84	495.35 S	04/19/86	493.77 S	10/11/90	497.26 S
07/30/84	495.13 S	08/04/86	493.44 S		
08/27/84	494.70 S	11/01/86	494.08 S		



Water-level data for well USGS 83.

Local well name: USGS 84	Altitude: 4,938.80 ft
Site identifier: 433356112574201	Date of well construction: --/--/62
Idaho well number: 3N 29E 23DCD1	Depth of well: 505 ft
Latitude: 43°33'56"	Diameter of casing: 6 in. (0-324 ft)
Longitude: 112°57'42"	Open or screened interval: 324-505 ft
County: Butte	

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/28/83	479.68 S	09/27/84	475.15 S	11/18/86	473.87 S
03/28/83	479.55 S	10/30/84	475.46 S	12/22/86	473.97 S
04/29/83	478.78 S	11/27/84	474.65 S	02/27/87	473.73 S H
08/01/83	478.85 S	12/31/84	474.59 S	04/29/87	473.82 S
08/22/83	478.38 S	01/30/85	474.24 S	10/21/87	475.35 S
09/28/83	478.31 S	02/28/85	473.85 S	01/19/88	475.59 S
10/18/83	478.21 S	04/16/85	473.75 S	04/04/88	476.06 S
11/22/83	477.81 S	05/21/85	473.79 S	07/26/88	476.88 S
12/19/83	477.29 S	06/24/85	473.81 S	11/10/88	477.49 S
01/23/84	477.13 S	07/24/85	474.15 S	02/16/89	477.79 S
02/23/84	476.63 S	08/22/85	474.47 S	04/01/89	477.68 S
03/19/84	476.72 S	09/27/85	474.76 S	07/27/89	477.82 S
04/11/84	476.48 S	10/30/85	474.65 S	11/07/89	479.36 S
05/28/84	476.17 S	12/02/85	474.39 S	01/22/90	479.16 S
06/22/84	475.62 S	01/21/86	474.82 S	04/26/90	479.47 S
07/30/84	475.42 S	05/01/86	474.05 S	08/03/90	480.07 S
08/31/84	475.17 S	07/21/86	473.76 S	10/18/90	480.34 S L




Water—level data for well USGS 84.

Local well name: USGS 85
 Site identifier: 433246112571201
 Idaho well number: 3N 29E 36BCB1
 Latitude: 43°32'46"
 Longitude: 112°57'12"
 County: Butte

Altitude: 4,940.15 ft
 Date of well construction: 08/09/62
 Depth of well: 637 ft
 Diameter of casing: 6 in. (0-522 ft)
 Open or screened interval: 522-637

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/02/83	481.95 S	08/31/84	476.78 S	04/09/87	475.65 S
02/23/83	481.51 S	09/27/84	476.76 S	08/20/87	476.41 S
03/28/83	481.18 S	11/27/84	476.26 S	10/21/87	477.05 S
04/28/83	480.85 S	12/31/84	476.16 S	01/19/88	477.23 S
05/27/83	480.76 S	01/30/85	475.91 S	04/08/88	477.68 S
06/30/83	480.53 S	02/28/85	475.87 S	07/25/88	478.51 S
07/25/83	480.32 S	04/16/85	475.36 S H	11/06/88	479.08 S
08/22/83	480.05 S	05/21/85	475.41 S	01/19/89	479.48 S
09/23/83	479.83 S	06/24/85	475.43 S	04/01/89	479.37 S
10/13/83	479.51 S	07/24/85	475.76 S	07/28/89	480.34 S
12/01/83	479.30 S	08/22/85	476.08 S	10/30/89	481.18 S
01/23/84	478.79 S	09/27/85	476.37 S	01/22/90	480.67 S
02/23/84	478.25 S	10/28/85	476.44 S	04/26/90	481.08 S
03/23/84	478.24 S	12/02/85	476.01 S	08/03/90	481.70 S
04/11/84	478.14 S	01/21/86	476.35 S	08/23/90	481.80 S
05/22/84	477.89 S	11/18/86	475.70 S	09/10/90	481.83 S
06/25/84	477.40 S	12/22/86	475.60 S	09/12/90	482.01 S
07/09/84	477.14 S	02/27/87	475.63 S	10/24/90	482.18 S L




Water-level data for well USGS 85.

Local well name: USGS 86
 Site identifier: 432935113080001
 Idaho well number: 2N 28E 21BBB1
 Latitude: 43°29'35"
 Longitude: 113°08'00"
 County: Butte

Altitude: 5,081.02 ft
 Date of well construction: 10/--/66
 Depth of well: 691 ft
 Diameter of casing: 8 in. (0-48 ft)
 Open or screened interval: 48-691 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/11/83	646.79 S	09/24/84	636.50 S	11/04/86	643.73 S
04/14/83	643.71 S	10/31/84	637.18 S	12/22/86	643.74 S
05/17/83	644.20 S	11/27/84	637.98 S	02/25/87	643.40 S
06/29/83	642.07 S	12/27/84	637.67 S	04/08/87	643.40 S
07/21/83	639.84 S	01/18/85	638.08 S	08/03/87	645.12 S
08/24/83	640.87 S	02/25/85	638.42 S	12/08/87	645.08 S
09/29/83	641.65 S	03/28/85	638.99 S	04/13/88	645.55 S
12/02/83	639.84 S	04/17/85	639.21 S	06/22/88	644.97 S
12/29/83	638.72 S	05/20/85	639.61 S	11/02/88	646.74 S
01/27/84	638.69 S	06/19/85	640.85 S	01/31/89	648.53 S
02/21/84	638.63 S	07/17/85	641.88 S	04/21/89	649.12 S
03/20/84	639.15 S	08/29/85	643.04 S	07/18/89	648.23 S
04/27/84	638.24 S	09/26/85	643.29 S	10/20/89	648.16 S
05/30/84	637.01 S	10/22/85	643.36 S	01/18/90	648.23 S
06/22/84	635.91 S	12/04/85	643.66 S	04/11/90	648.41 S
07/24/84	635.15 S H	02/06/86	644.16 S	08/02/90	649.11 S
08/27/84	635.86 S	04/22/86	643.94 S	09/28/90	649.25 S L




Water-level data for well USGS 86.

Local well name: USGS 87
 Site identifier: 433013113024201
 Idaho well number: 2N 29E 18BDA1
 Latitude: 43°30'13"
 Longitude: 113°02'42"
 County: Butte

Altitude: 5,015.88 ft
 Date of well construction: 09/--/71
 Depth of well: 640 ft
 Diameter of casing: 6.5 in. (0-585 ft)
 Open or screened interval: 585-640 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/04/83	585.15 S	07/16/84	577.02 S	02/11/87	582.32 S
02/24/83	584.82 S	09/28/84	577.22 S	04/01/87	582.32 S
03/31/83	584.06 S	10/23/84	576.41 S H	06/30/87	583.53 S
04/28/83	582.72 S	11/29/84	576.94 S	08/20/87	583.46 S
05/29/83	581.55 S	12/20/84	576.94 S	12/08/87	584.11 S
07/05/83	581.01 S	01/25/85	577.15 S	01/19/88	583.86 S
07/14/83	579.82 S	02/21/85	577.58 S	04/06/88	584.86 S
08/25/83	580.95 S	03/28/85	577.18 S	06/22/88	584.68 S
09/26/83	580.84 S	04/29/85	577.53 S	10/17/88	586.20 S
11/02/83	580.53 S	05/23/85	578.58 S	01/04/89	586.36 S
12/01/83	579.26 S	06/21/85	579.74 S	04/05/89	586.77 S
12/20/83	578.11 S	07/11/85	580.52 S	07/11/89	586.99 S
01/10/84	577.72 S	08/23/85	580.88 S	10/26/89	586.92 S
01/26/84	578.73 S	09/30/85	582.35 S	01/03/90	587.26 S
02/22/84	577.46 S	10/27/85	582.31 S	01/24/90	587.27 S
03/26/84	577.55 S	11/25/85	582.15 S	04/04/90	587.08 S
04/17/84	577.34 S	01/27/86	583.02 S	07/09/90	588.10 S
05/26/84	576.63 S	04/18/86	583.23 S	10/23/90	588.29 S L
06/20/84	577.34 S	10/31/86	582.69 S		




Water—level data for well USGS 87.

Local well name: USGS 88
 Site identifier: 432940113030201
 Idaho well number: 2N 29E 18CCD1
 Latitude: 43°29'40"
 Longitude: 113°03'02"
 County: Butte

Altitude: 5,020.42 ft
 Date of well construction: 09/--/71
 Depth of well: 635 ft
 Diameter of casing: 6 in. (0-587 ft)
 Open or screened interval: 587-635 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/04/83	590.55 S L	09/28/84	515.37 S	06/30/87	574.90 S
02/25/83	590.44 S	10/23/84	521.09 S	08/20/87	575.64 S
03/31/83	589.65 S	11/29/84	526.08 S	09/30/87	576.60 S
04/28/83	589.97 S	12/20/84	525.93 S	12/14/87	577.80 S
05/27/83	589.60 S	01/25/85	536.84 S	01/20/88	577.74 S
07/05/83	589.22 S	02/21/85	539.98 S	04/05/88	579.59 S
07/14/83	588.51 S	03/28/85	543.14 S	06/22/88	579.65 S
08/29/83	580.20 S	04/29/85	543.43 S	09/26/88	581.65 S
09/28/83	570.37 S	05/23/85	547.88 S	01/03/89	581.55 S
11/02/83	568.54 S	06/21/85	550.99 S	04/04/89	583.13 S
12/01/83	569.12 S	07/11/85	544.62 S	07/12/89	584.80 S
12/20/83	568.78 S	08/23/85	550.39 S	09/29/89	586.45 S
01/10/84	564.46 S	09/30/85	552.88 S	10/17/89	586.98 S
01/26/84	559.23 S	10/22/85	559.91 S	01/23/90	587.17 S
02/21/84	550.14 S	12/05/85	559.38 S	03/20/90	587.87 S
03/26/84	546.33 S	01/27/86	568.56 S	04/10/90	588.18 S
04/26/84	546.50 S	04/18/86	567.72 S	07/19/90	587.46 S
05/25/84	538.77 S	06/12/86	570.80 S	08/28/90	587.06 S
06/20/84	531.24 S	08/11/86	569.73 S	09/25/90	588.09 S
07/16/84	529.41 S	11/03/86	571.53 S	11/20/90	587.68 S
08/27/84	513.57 S H	01/22/87	573.76 S		
09/13/84	514.78 S	04/01/87	574.84 S		




Water-level data for well USGS 88.

Local well name: USGS 89
 Site identifier: 433005113032801
 Idaho well number: 2N 28E 13ADD1
 Latitude: 43°30'05"
 Longitude: 113°03'28"
 County: Butte

Altitude: 5,028.91 ft
 Date of well construction: 02/01/72
 Depth of well: 646 ft
 Diameter of casing: 6 in. (0-576 ft)
 Open or screened interval: 576-646 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/04/83	595.48 S	09/28/84	581.09 S	04/01/87	591.08 S
02/25/83	595.43 S	10/23/84	580.29 S	06/30/87	588.36 S
03/31/83	592.70 S	11/28/84	580.43 S	08/20/87	589.57 S
04/28/83	589.80 S	12/20/84	580.70 S	09/30/87	591.29 S
05/27/83	588.24 S	01/25/85	581.27 S	12/14/87	593.27 S
06/30/83	587.08 S	02/21/85	582.21 S	01/20/88	594.08 S
07/14/83	586.61 S	03/27/85	581.97 S	04/05/88	595.24 S
08/25/83	585.23 S	04/29/85	582.79 S	06/24/88	595.92 S
09/23/83	584.75 S	05/20/85	582.96 S	10/18/88	597.71 S
12/01/83	584.44 S	06/21/85	583.54 S	01/04/89	597.52 S
12/20/83	584.15 S	07/11/85	584.35 S	04/04/89	598.29 S
01/10/84	583.85 S	08/23/85	585.43 S	07/12/89	598.69 S
01/26/84	583.54 S	09/30/85	589.19 S	10/05/89	599.92 S
02/22/84	582.59 S	10/22/85	588.03 S	10/18/89	600.27 S
03/26/84	581.50 S	11/25/85	589.20 S	01/23/90	600.47 S
04/26/84	581.17 S	01/27/86	591.68 S	04/10/90	601.20 S L
05/25/84	581.52 S	04/18/86	592.65 S	07/02/90	601.12 S
06/20/84	580.91 S	08/11/86	592.80 S	10/12/90	600.89 S
07/16/84	580.64 S	11/04/86	592.18 S		
08/27/84	580.03 S H	01/22/87	592.79 S		




Water-level data for well USGS 89.

Local well name: USGS 90
 Site identifier: 432954113020501
 Idaho well number: 2N 29E 17CBC1
 Latitude: 43°29'52"
 Longitude: 113°02'05"
 County: Butte

Altitude: 5,010.21 ft
 Date of well construction: 02/--/72
 Depth of well: 626 ft
 Diameter of casing: 6 in. (0-580 ft)
 Open or screened interval: 580-626 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/04/83	579.61 S	06/20/84	569.70 S	01/22/87	576.64 S
02/25/83	579.98 S	07/16/84	569.16 S H	04/01/87	576.56 S
03/31/83	577.95 S	08/27/84	569.21 S	06/30/87	577.65 S
04/28/83	577.22 S	09/28/84	569.35 S	08/05/87	578.34 S
05/27/83	576.78 S	10/23/84	570.74 S	12/08/87	578.31 S
07/05/83	575.66 S	11/20/84	571.22 S	01/19/88	577.96 S
07/14/83	574.53 S	12/20/84	571.31 S	04/06/88	579.02 S
08/25/83	574.31 S	03/27/85	571.66 S	06/22/88	579.67 S
09/26/83	574.22 S	05/14/85	573.24 S	10/18/88	580.37 S
11/02/83	574.99 S	05/23/85	572.95 S	01/18/89	580.67 S
12/01/83	573.67 S	06/21/85	574.04 S	07/11/89	581.93 S
12/20/83	572.63 S	07/24/85	574.86 S	10/18/89	581.81 S
01/10/84	573.03 S	08/23/85	576.20 S	01/23/90	582.23 S
01/26/84	572.21 S	09/30/85	578.14 S	04/10/90	582.29 S
02/22/84	571.90 S	01/27/86	579.38 S	07/02/90	581.97 S
03/26/84	571.91 S	04/18/86	577.37 S	07/23/90	582.07 S
04/17/84	571.73 S	08/11/86	575.98 S	10/24/90	582.66 S L
05/25/84	571.01 S	11/03/86	576.86 S		




Water-level data for well USGS 90.

Local well name: USGS 97
 Site identifier: 433807112551501
 Idaho well number: 4N 30E 31ABD1
 Latitude: 43°38'07"
 Longitude: 112°55'15"
 County: Butte

Altitude: 4,859.00 ft
 Date of well construction: 07/07/73
 Depth of well: 510 ft
 Diameter of casing: 8 in. (0-45 ft)
 6 in. (0-139 ft)
 4 in. (0-388 ft)
 Open or screened interval: 388-510 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/28/83	379.69 S L	06/24/85	369.92 S	05/22/89	374.17 S
03/28/83	378.93 S	07/09/85	370.04 S	06/21/89	374.66 S
04/29/83	378.54 S	08/22/85	370.14 S	08/24/89	375.00 S
07/01/83	377.53 S	09/27/85	370.26 S	09/29/89	375.80 S
07/13/83	377.50 S	10/28/85	369.73 S	10/12/89	375.93 S
08/29/83	377.31 S	11/25/85	370.16 S	11/30/89	376.32 S
09/27/83	377.04 S	04/29/86	370.14 S	12/27/89	376.34 S
10/11/83	377.05 S	08/08/86	369.73 S	01/17/90	376.37 S
11/30/83	377.49 S	10/28/86	369.80 S	03/03/90	376.55 S
12/30/83	377.34 S	01/15/87	369.02 S	03/19/90	376.75 S
01/24/84	375.80 S	03/27/87	368.66 S H	04/13/90	376.75 S
02/24/84	375.18 S	04/21/87	368.83 S	05/25/90	376.94 S
03/19/84	375.07 S	07/24/87	368.86 S	06/07/90	377.04 S
04/11/84	374.70 S	12/08/87	370.03 S	06/21/90	377.18 S
05/22/84	374.00 S	04/01/88	370.51 S	07/03/90	376.98 S
06/25/84	373.20 S	06/01/88	370.88 S	08/01/90	377.45 S
07/16/84	372.98 S	07/01/88	371.12 S	09/01/90	377.80 S
08/27/84	372.89 S	07/08/88	371.27 S	09/24/90	377.96 S
09/28/84	372.84 S	08/22/88	371.82 S	10/04/90	378.02 S
10/31/84	372.11 S	09/23/88	372.26 S	10/30/90	378.05 S
11/28/84	371.68 S	11/25/88	372.75 S	11/29/90	378.19 S
01/24/85	370.84 S	12/19/88	374.18 S	12/07/90	378.27 S
02/28/85	370.33 S	02/14/89	373.38 S	12/26/90	378.16 S
04/23/85	369.91 S	03/20/89	373.72 S		
05/17/85	370.02 S	04/19/89	373.95 S		




Water-level data for well USGS 97.

Local well name: USGS 98
 Site identifier: 433657112563601
 Idaho well number: 3N 29E 01DBB1
 Latitude: 43°36'57"
 Longitude: 112°56'36"
 County: Butte

Altitude: 4,883.40 ft
 Date of well construction: 07/09/73
 Depth of well: 505 ft
 Diameter of casing: 8 in. (0-62 ft)
 6 in. (0-407 ft)
 4 in. (401-505 ft)
 Open or screened interval: 401-421 ft
 463-505 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/13/83	411.60 S L	10/28/86	398.61 S	11/29/89	404.82 S
10/11/83	411.18 S	04/21/87	397.59 S	01/17/90	404.71 S
01/12/84	410.44 S	07/24/87	397.24 S H	03/19/90	405.07 S
04/26/84	410.76 S	12/08/87	398.50 S	06/05/90	405.24 S
07/16/84	409.97 S	04/01/88	398.65 S	07/03/90	405.48 S
10/03/84	405.66 S	10/12/88	400.70 S	07/30/90	405.81 S
04/23/85	403.25 S	02/14/89	401.69 S	10/03/90	406.19 S
10/28/85	403.79 S	04/19/89	402.16 S	12/07/90	406.62 S
04/29/86	398.90 S	06/21/89	402.46 S		
08/02/86	398.46 S	10/10/89	403.95 S		




Water-level data for well USGS 98.

Local well name: USGS 99
 Site identifier: 433705112552101
 Idaho well number: 3N 30E 06ACD1
 Latitude: 43°37'05"
 Longitude: 112°55'21"
 County: Butte

Altitude: 4,870 ft
 Date of well construction: 09/20/74
 Depth of well: 450 ft
 Diameter of casing: 8 in. (0-33 ft)
 6 in. (0-344 ft)
 4 in. (303-449 ft)
 Open or screened interval: 303-449 ft
 449-450 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/13/83	391.84 S	04/29/86	384.92 S	06/21/89	388.94 S
10/11/83	391.42 S	08/02/86	385.74 S	10/10/89	390.35 S
01/12/84	390.48 S	10/28/86	384.20 S	11/30/89	390.21 S
04/26/84	388.87 S	04/21/87	383.87 S	01/17/90	390.31 S
07/16/84	387.92 S	07/24/87	382.70 S H	03/20/90	391.00 S
10/03/84	387.30 S	12/08/87	384.96 S	06/05/90	391.23 S
01/11/85	386.26 S	04/01/88	385.27 S	07/03/90	391.73 S
04/23/85	384.79 S	10/12/88	386.33 S	08/01/90	391.75 S
07/09/85	384.87 S	02/14/89	388.00 S	10/03/90	392.13 S
10/28/85	385.22 S	04/19/89	388.42 S	12/10/90	392.50 S L




Water—level data for well USGS 99.

Local well name: USGS 100
 Site identifier: 433503112400701
 Idaho well number: 3N 32E 14CDD1
 Latitude: 43°35'03"
 Longitude: 112°40'07"
 County: Bingham

Altitude: 5,150 ft
 Date of well construction: 09/19/74
 Depth of well: 750 ft
 Diameter of casing: 8 in. (0-15 ft)
 6 in. (0-663 ft)
 Open or screened interval: 663-750 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/11/83	674.96 S L	08/05/86	671.90 S	11/01/88	672.99 S
05/01/84	672.19 S	10/31/86	672.39 S	04/19/89	672.67 S
07/18/84	672.66 S	01/15/87	670.34 S	06/30/89	673.78 S
10/17/84	673.57 S	04/21/87	670.61 S	10/13/89	674.12 S
01/11/85	670.76 S	08/11/87	672.01 S	01/24/90	673.02 S
04/19/85	670.10 S H	10/20/87	671.75 S	03/15/90	672.90 S
07/10/85	671.07 S	02/02/88	670.62 S	06/28/90	674.21 S
10/23/85	671.43 S	04/11/88	671.02 S	09/28/90	674.24 S
04/18/86	670.74 S	07/08/88	672.61 S		




Water-level data for well USGS 100.

Local well name: USGS 101
 Site identifier: 433255112381801
 Idaho well number: 3N 32E 36ADD1
 Latitude: 43°32'55"
 Longitude: 112°38'40"
 County: Bingham

Altitude: 5,250 ft
 Date of well construction: 09/01/74
 Depth of well: 865 ft
 Diameter of casing: 8 in. (0-29 ft)
 6 in. (0-774 ft)
 4 in. (750-865 ft)
 Open or screened interval: 750-865 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	769.04 S	07/16/85	764.10 S H	10/20/87	769.61 S
05/01/84	766.16 S	10/23/85	765.30 S	04/11/88	769.62 S
07/18/84	766.62 S	04/18/86	767.94 S	11/01/88	770.01 S L
08/10/84	766.90 S	08/04/86	768.11 S		
04/19/85	764.11 S	08/11/87	767.11 S		




Water-level data for well USGS 101.

Local well name: USGS 102
Site identifier: 433853112551601
Idaho well number: 4N 30E 30ACA1
Latitude: 43°38'53"
Longitude: 112°55'16"
County: Butte

Altitude: 4,850 ft
Date of well construction: 08/08/89
Depth of well: 445 ft
Diameter of casing: 10 in. (0-21 ft)
6 in. (0-360 ft)
Open or screened interval: 360-445 ft

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
12/20/89	367.72 S H	05/15/90	368.30 S	10/04/90	369.39 S
03/22/90	368.01 S	05/16/90	368.42 S	12/10/90	369.51 S L
05/10/90	368.08 S	06/08/90	368.55 S		




Water—level data for well USGS 102.

Local well name: USGS 103
 Site identifier: 432714112560701
 Idaho well number: 2N 30E 31CBC1
 Latitude: 43°27'14"
 Longitude: 112°56'07"
 County: Butte

Altitude: 5,008.74 ft
 Date of well construction: 08/20/80
 Depth of well: 760 ft
 Diameter of casing: 12 in. (0-10 ft)
 8 in. (0-575 ft)
 Open or screened interval: 575-760 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/11/83	578.48 S	07/11/85	577.83 S	04/07/88	580.16 S
10/05/83	578.37 S	08/29/85	578.46 S	07/06/88	581.24 S
04/13/84	576.78 S	10/21/85	578.13 S	11/02/88	581.82 S
05/29/84	575.76 S	12/04/85	578.83 S	02/15/89	581.81 S
07/18/84	574.32 S H	01/24/86	579.05 S	04/14/89	581.68 S
09/24/84	574.94 S	04/19/86	579.18 S	06/29/89	582.31 S
10/31/84	574.78 S	08/04/86	578.69 S	10/16/89	582.10 S
11/27/84	574.95 S	11/01/86	578.79 S	01/03/90	582.06 S
01/17/85	575.48 S	01/14/87	578.53 S	04/03/90	582.46 S
02/26/85	576.19 S	03/27/87	578.35 S	07/09/90	583.07 S
04/18/85	575.68 S	07/17/87	579.71 S	10/24/90	583.53 S L
05/20/85	576.37 S	12/02/87	579.51 S	12/17/90	582.59 S
06/19/85	577.02 S	01/07/88	579.61 S		




Water-level data for well USGS 103.

Local well name: USGS 104
 Site identifier: 432856112560801
 Idaho well number: 2N 29E 24DAD1
 Latitude: 43°28'56"
 Longitude: 112°56'08"
 County: Butte

Altitude: 4,991.37 ft
 Date of well construction: 07/30/80
 Depth of well: 700 ft
 Diameter of casing: 12 in. (0-10 ft)
 8 in. (0-550 ft)
 Open or screened interval: 550-700 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/11/83	553.41 S	01/14/87	551.40 S	04/14/89	553.95 S
10/05/83	552.19 S	03/27/87	551.29 S	06/29/89	554.26 S
10/12/84	550.91 S	07/17/87	551.64 S	10/16/89	554.66 S
04/18/85	549.07 S H	12/02/87	551.95 S	01/03/90	554.54 S
07/10/85	550.02 S	01/07/88	552.01 S	04/03/90	554.63 S
10/24/85	550.23 S	04/07/88	552.18 S	07/09/90	555.11 S
04/19/86	551.90 S	07/06/88	553.03 S	10/24/90	555.45 S L
08/04/86	551.48 S	10/20/88	553.61 S		
11/01/86	551.92 S	02/15/89	553.88 S		



Water-level data for well USGS 104.

Altitude: 5,090 ft
Date of well construction: 09/09/80
Depth of well: 800 ft
Diameter of casing: 12 in. (0-10 ft)
8 in. (0-400 ft)
Open or screened interval: 400-800 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/21/83	662.90 S	10/21/85	664.85 S	11/02/88	668.75 S
10/06/83	665.53 S	11/01/86	665.23 S	04/21/89	668.36 S
04/18/84	660.26 T	02/26/87	665.18 S	10/23/89	668.73 S
04/30/84	661.74 S	04/20/87	665.44 S	04/11/90	669.08 S
07/18/84	658.74 S H	07/28/87	665.85 S	09/28/90	669.66 S L
10/09/84	660.10 S	12/02/87	665.93 S	12/17/90	669.20 S
04/18/85	662.25 S	04/13/88	666.86 S		
07/16/85	664.01 S	06/23/88	667.51 S		



Water—level data for well USGS 105.

Altitude: 5,016.76 ft
Date of well construction: 08/28/80
Depth of well: 760 ft
Diameter of casing: 12 in. (0-10 ft)
8 in. (0-400 ft)
Open or screened interval: 400-760 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/03/83	585.34 S	05/25/84	579.55 S	11/26/85	583.03 S
02/22/83	585.17 S	06/22/84	577.39 S	04/19/86	583.61 S
03/28/83	584.94 S	07/16/84	576.63 S H	08/04/86	582.75 S
04/28/83	583.94 S	08/27/84	577.35 S	10/30/86	583.06 S
05/27/83	584.36 S	09/24/84	577.73 S	12/02/87	583.82 S
06/30/83	582.42 S	10/31/84	578.03 S	01/07/88	583.99 S
07/11/83	581.65 S	11/27/84	578.54 S	04/13/88	584.85 S
08/26/83	581.90 S	01/02/85	579.05 S	07/06/88	583.80 S
09/22/83	582.10 S	01/25/85	578.97 S	10/19/88	585.55 S
10/05/83	582.23 S	03/01/85	579.21 S	01/19/89	585.65 S
12/01/83	580.54 S	04/18/85	579.71 S	04/14/89	586.19 S
12/20/83	579.63 S	05/20/85	580.11 S	06/29/89	586.60 S
01/16/84	579.55 S	06/19/85	580.76 S	10/18/89	586.79 S
01/24/84	579.78 S	07/10/85	581.77 S	12/28/89	586.69 S
02/22/84	579.94 S	08/20/85	582.48 S	04/02/90	586.01 S
03/21/84	579.83 S	09/27/85	582.05 S	06/27/90	587.41 S
04/12/84	579.64 S	10/24/85	582.99 S	10/11/90	587.54 S L




Water-level data for well USGS 106.

Local well name: USGS 107
 Site identifier: 432942112532801
 Idaho well number: 2N 30E 16CCA1
 Latitude: 43°29'42"
 Longitude: 112°53'28"
 County: Butte

Altitude: 4,918.98 ft
 Date of well construction: 09/02/80
 Depth of well: 690 ft
 Diameter of casing: 12 in. (0-10 ft)
 8 in. (0-200 ft)
 6 in. (0-270 ft)
 Open or screened interval: 270-690 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
02/04/83	478.23 S	05/23/84	474.93 S	10/18/85	475.18 S
02/24/83	478.16 S	06/21/84	474.42 S	11/25/85	475.05 S
03/28/83	478.03 S	07/18/84	474.22 S	02/05/86	475.13 S
04/28/83	477.75 S	08/27/84	474.16 S	04/19/86	475.52 S
05/27/83	477.79 S	09/24/84	474.23 S	10/30/86	475.32 S
06/30/83	477.46 S	10/31/84	473.78 S	02/26/87	475.24 S
07/26/83	477.03 S	11/27/84	474.10 S	04/20/87	475.66 S
08/26/83	476.95 S	12/21/84	473.66 S	07/28/87	476.17 S
09/26/83	476.75 S	02/06/85	473.70 S	10/09/87	476.10 S
10/05/83	476.68 S	02/25/85	473.69 S	04/07/88	476.12 S
11/21/83	475.97 S	04/18/85	473.59 S H	06/23/88	476.90 S
12/27/83	475.49 T	05/21/85	474.14 S	10/19/88	477.64 S
01/24/84	475.89 T	06/20/85	474.13 S	04/11/89	477.66 S
02/22/84	475.81 S	07/16/85	474.53 S	09/29/89	478.38 S
03/26/84	475.53 S	08/20/85	475.28 S	04/06/90	478.27 S
04/13/84	476.16 S	09/30/85	475.25 S	10/22/90	478.91 S L



Water-level data for well USGS 107.

Altitude: 5,032.79 ft
Date of well construction: 09/11/80
Depth of well: 760 ft
Diameter of casing: 12 in. (0-12 ft)
8 in. (0-400 ft)
Open or screened interval: 400-760 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/21/83	602.01 S	04/19/86	604.44 S	04/19/89	606.99 S
10/07/83	603.13 S	11/01/86	603.99 S	09/05/89	607.67 S
04/13/84	600.90 S	02/26/87	603.76 S	12/27/89	607.32 S
07/18/84	598.18 S	04/20/87	604.38 S	04/11/90	607.71 S
10/09/84	599.01 S	07/28/87	605.15 S	10/24/90	608.18 S L
04/18/85	598.09 S H	12/02/87	604.68 S	12/17/90	607.86 S
07/16/85	602.08 S	04/13/88	605.48 S		
10/21/85	603.22 S	11/02/88	606.38 S		



Water—level data for well USGS 108.

Local well name: USGS 109	Altitude: 5,045 ft
Site identifier: 432701113025601	Date of well construction: 09/13/80
Idaho well number: 2N 29E 31CDC1	Depth of well: 800 ft
Latitude: 43°27'01"	Diameter of casing: 16 in. (0-10 ft)
Longitude: 113°02'56"	8 in. (0-175 ft)
County: Butte	6 in. (175-340 ft)
	4 in. (0-800 ft)
	Open or screened interval: 600-800 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/11/83	618.91 S	12/04/85	616.09 S	04/13/88	617.56 S
04/14/83	617.27 S	02/04/86	617.29 S	11/02/88	618.45 S
05/17/83	617.53 S	03/25/86	616.60 S	02/21/89	619.14 S
06/24/83	610.61 S H	04/22/86	616.24 S	04/21/89	619.08 S
04/16/84	612.93 S	06/09/86	616.37 S	07/18/89	619.79 S
05/29/85	613.40 S	01/23/87	615.78 S	10/19/89	619.66 S
06/21/85	614.22 S	02/25/87	616.08 S	04/11/90	619.85 S
07/17/85	614.90 S	04/06/87	616.19 S	09/28/90	620.51 S L
08/29/85	615.61 S	07/30/87	617.21 S	12/17/90	620.05 S
09/26/85	615.65 S	11/02/87	616.99 S		
10/22/85	615.53 S	01/20/88	617.18 S		




Water-level data for well USGS 109.

Local well name: USGS 110
 Site identifier: 432717112501501
 Idaho well number: 2N 30E 35DAD1
 Latitude: 43°27'17"
 Longitude: 112°50'15"
 County: Butte

Altitude: 5,001.70 ft
 Date of well construction: 09/20/80
 Depth of well: 780 ft
 Diameter of casing: 12 in. (0-5 ft)
 8 in. (0-350 ft)
 6 in. (0-780 ft)
 Open or screened interval: 580-780 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/04/83	568.07 S	07/18/84	564.09 S	02/05/86	565.18 S
02/24/83	568.00 S	08/27/84	564.07 S	04/19/86	565.59 S
03/23/83	567.87 S	09/24/84	563.79 S	10/30/86	565.20 S
04/28/83	567.64 S	10/31/84	563.54 S	02/26/87	565.22 S
05/27/83	567.64 S	11/27/84	563.60 S	04/20/87	565.70 S
07/26/83	566.87 S	01/02/85	562.74 S H	07/28/87	566.01 S
08/26/83	566.74 S	02/06/85	563.64 S	10/09/87	566.00 S
09/26/83	566.48 S	02/25/85	562.86 S	04/11/88	566.35 S
10/05/83	566.34 S	04/18/85	563.76 S	06/23/88	566.79 S
11/21/83	565.53 S	05/21/85	564.51 S	11/04/88	566.38 S
12/27/83	565.65 T	06/20/85	564.21 S	04/12/89	567.75 S
02/22/84	565.57 T	07/16/85	564.64 S	10/11/89	568.25 S
03/22/84	565.33 S	08/20/85	565.04 S	03/30/90	567.74 S
04/13/84	565.28 S	09/30/85	565.10 S	10/09/90	568.34 S L
05/23/84	564.81 S	10/18/85	565.07 S		
06/21/84	564.71 S	11/25/85	564.81 S		




Water-level data for well USGS 110.

Local well name: USGS 111
 Site identifier: 433331112560501
 Idaho well number: 3N 30E 30BCC1
 Latitude: 43°33'31"
 Longitude: 112°56'05"
 County: Butte

Altitude: 4,920.26 ft
 Date of well construction: 08/31/84
 Depth of well: 595 ft
 Diameter of casing: 8 in. (0-440 ft)
 Open or screened interval: 440-595 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/06/86	463.41 S	12/08/87	464.10 S	07/05/89	467.49 S
04/24/86	463.27 S	01/12/88	464.27 S	10/04/89	468.20 S
10/27/86	462.95 S	03/30/88	464.62 S	01/04/90	468.00 S
02/25/87	462.65 S H	07/01/88	465.33 S	03/20/90	468.03 S
04/15/87	462.73 S	10/04/88	466.32 S	06/26/90	468.48 S
05/19/87	462.78 S	01/19/89	466.64 S	09/24/90	469.26 S L
08/12/87	463.08 S	04/06/89	466.75 S		




Water—level data for well USGS 111.

Local well name: USGS 112
 Site identifier: 433314112563001
 Idaho well number: 3N 29E 25DCA1
 Latitude: 43°33'14"
 Longitude: 112°56'30"
 County: Butte

Altitude: 4,927.43 ft
 Date of well construction: 09/07/84
 Depth of well: 563 ft
 Diameter of casing: 8 in. (0-432 ft)
 Open or screened interval: 432-563 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/06/85	466.56 S	08/12/87	467.36 S	03/30/89	470.59 S
08/21/85	466.18 S H	12/08/87	468.01 S	06/30/89	471.19 S
11/01/85	467.59 S	01/12/88	468.00 S	10/17/89	472.44 S
04/17/86	466.89 S	03/31/88	468.52 S	01/02/90	471.81 S
10/27/86	466.69 S	07/01/88	469.09 S	04/04/90	471.95 S
02/25/87	466.63 S	09/28/88	470.55 S	07/11/90	472.48 S
04/13/87	466.73 S	01/18/89	469.79 S	10/23/90	473.33 S L




Water-level data for well USGS 112.

Local well name: USGS 113
 Site identifier: 433314112561801
 Idaho well number: 3N 29E 25DDB1
 Latitude: 43°33'14"
 Longitude: 112°56'18"
 County: Butte

Altitude: 4,924.92 ft
 Date of well construction: 09/12/84
 Depth of well: 564 ft
 Diameter of casing: 6 in. (0-445 ft)
 Open or screened interval: 445-564 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
10/27/86	467.03 S	03/31/88	468.89 S	10/06/89	472.68 S
02/25/87	466.82 S H	06/28/88	469.93 S	12/28/89	472.44 S
04/13/87	467.09 S	09/27/88	470.55 S	03/20/90	472.37 S
08/12/87	467.68 S	01/18/89	470.80 S	06/26/90	472.75 S
12/08/87	468.39 S	03/31/89	470.73 S	10/03/90	473.68 S L
01/12/88	468.65 S	06/30/89	471.57 S		




Water-level data for well USGS 113.

Local well name: USGS 114
 Site identifier: 433318112555001
 Idaho well number: 3N 30E 30CBD1
 Latitude: 43°33'18"
 Longitude: 112°55'50"
 County: Butte

Altitude: 4,919.85 ft
 Date of well construction: 09/20/84
 Depth of well: 562 ft
 Diameter of casing: 6 in. (0-440 ft)
 Open or screened interval: 440-562 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
04/24/86	461.51 S	01/12/88	462.66 S	10/05/89	466.43 S
10/27/86	461.35 S	03/30/88	462.90 S	12/28/89	466.19 S
02/25/87	461.20 S H	07/05/88	463.51 S	04/02/90	466.49 S
04/13/87	461.45 S	01/18/89	464.99 S	06/27/90	466.81 S
08/12/87	461.90 S	03/31/89	464.80 S	09/24/90	467.53 S L
10/08/87	462.34 S	07/05/89	465.59 S		




Water-level data for well USGS 114.

Local well name: USGS 115
 Site identifier: 433320112554101
 Idaho well number: 3N 30E 30CAD1
 Latitude: 43°33'20"
 Longitude: 112°55'41"
 County: Butte

Altitude: 4,918.68 ft
 Date of well construction: 10/05/84
 Depth of well: 581 ft
 Diameter of casing: 6 in. (0-440 ft)
 Open or screened interval: 440-581 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
04/24/86	457.91 S	01/12/88	459.10 S	07/05/89	462.14 S
10/27/86	457.84 S	03/30/88	459.38 S	10/17/89	463.06 S
02/25/87	457.57 S H	07/05/88	459.93 S	01/02/90	462.60 S
04/13/87	457.93 S	09/27/88	459.79 S	04/04/90	462.66 S
08/12/87	458.31 S	01/18/89	461.30 S	07/09/90	463.28 S
12/08/87	458.94 S	04/06/89	461.48 S	10/23/90	463.86 S L




Water-level data for well USGS 115.

Local well name: USGS 116
 Site identifier: 433331112553201
 Idaho well number: 3N 30E 30ACC1
 Latitude: 43°33'31"
 Longitude: 112°55'32"
 County: Butte

Altitude: 4,915.84 ft
 Date of well construction: 10/05/84
 Depth of well: 580 ft
 Diameter of casing: 6 in. (0-400 ft)
 Open or screened interval: 400-580 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
04/28/86	452.04 S	01/12/88	453.48 S	07/05/89	456.51 S
10/27/86	452.02 S	03/31/88	453.85 S	10/05/89	457.43 S
02/25/87	451.81 S H	06/28/88	454.33 S	01/04/90	457.27 S
04/13/87	452.10 S	10/11/88	455.51 S	04/02/90	457.19 S
08/12/87	452.80 S	01/19/89	455.65 S	06/27/90	457.40 S
10/28/87	453.18 S	04/06/89	455.88 S	09/24/90	458.15 S L




Water—level data for well USGS 116.

Local well name: USGS 117
 Site identifier: 432955113025901
 Idaho well number: 2N 29E 18CBD1
 Latitude: 43°29'55"
 Longitude: 113°02'59"
 County: Butte

Altitude: 5,012.07 ft
 Date of well construction: 10/12/87
 Depth of well: 655 ft
 Diameter of casing: 10 in. (0-261 ft)
 8 in. (0-553 ft)
 6 in. (550-655 ft)
 Open or screened interval: 550-655 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
12/08/87	581.30 S H	01/11/89	583.53 S	04/10/90	585.07 S
02/01/88	581.35 S	04/03/89	583.92 S	07/06/90	584.78 S
04/05/88	582.16 S	06/28/89	584.24 S	07/20/90	585.02 S
06/27/88	582.64 S	10/13/89	584.63 S	08/29/90	585.28 S L
10/17/88	583.30 S	01/22/90	584.47 S	09/25/90	585.27 S



Water—level data for well USGS 117.

Local well name: USGS 119	Altitude: 5,033.3 ft
Site identifier: 432945113023401	Date of well construction: 10/23/87
Idaho well number: 2N 29E 18DCB1	Depth of well: 705 ft
Latitude: 43°29'45"	Diameter of casing: 10 in. (0-276 ft)
Longitude: 113°02'34"	8 in. (0-584 ft)
County: Butte	6 in. (573-705 ft)
	Open or screened interval: 639-705 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
12/08/87	600.80 S	04/03/89	603.07 S	06/29/90	603.50 S
02/01/88	600.60 S H	06/28/89	603.48 S	09/11/90	604.97 S
04/05/88	601.34 S	10/17/89	604.12 S	09/27/90	604.98 S L
06/27/88	601.85 S	01/22/90	603.70 S		
10/17/88	602.49 S	04/09/90	603.16 S		



Water-level data for well USGS 119.

Local well name: USGS 120	Altitude: 5,012.07 ft
Site identifier: 432919113031501	Date of well construction: 11/10/87
Idaho well number: 2N 29E 19BCB1	Depth of well: 705 ft
Latitude: 43°29'19"	Diameter of casing: 10 in. (0-294 ft)
Longitude: 113°03'15"	8 in. (0-587 ft)
County: Butte	6 in. (574-705 ft)
	Open or screened interval: 638-705 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
12/08/87	611.45 S H	02/21/89	613.74 S	01/22/90	614.53 S
01/20/88	611.75 S	03/29/89	613.65 S	03/03/90	614.21 S
02/29/88	611.86 S	04/04/89	613.95 S	03/20/90	614.47 S
03/22/88	612.01 S	05/25/89	613.99 S	04/09/90	614.63 S
05/31/88	612.64 S	06/05/89	613.95 S	05/25/90	614.56 S
06/23/88	612.75 S	06/27/89	613.99 S	06/22/90	614.63 S
06/27/88	612.80 S	07/12/89	614.20 S	07/19/90	614.82 S
08/25/88	613.20 S	08/30/89	614.43 S	08/27/90	615.13 S L
09/26/88	613.37 S	09/29/89	614.25 S	09/25/90	614.91 S
11/29/88	613.42 S	10/12/89	614.29 S	10/29/90	614.61 S
12/19/88	613.26 S	11/28/89	614.38 S	11/21/90	614.49 S
01/12/89	613.53 S	12/28/89	613.96 S	12/17/90	614.41 S




Water-level data for well USGS 120.

Local well name: **ANP 3**
 Site identifier: 435053112423201
 Idaho well number: 6N 31E 13CAB1
 Latitude: 43°50'53"
 Longitude: 112°42'32"
 County: Butte

Altitude: 4,780.65 ft
 Date of well construction: 06/08/53
 Depth of well: 310 ft
 Diameter of casing: 12 in. (0-310 ft)
 Open or screened interval: 180-244 ft
 269-305 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/84	200.16 S	02/03/90	204.25 T C	08/23/90	205.35 T C
07/18/85	198.04 S	02/28/90	203.62 T C	09/19/90	205.89 T C
04/25/86	195.36 S	03/28/90	202.94 T C	10/24/90	206.19 S C L
08/07/87	195.63 S	04/25/90	202.57 T C	11/29/90	205.95 T C
10/27/87	195.90 S	05/30/90	203.09 T C	12/20/90	205.51 T C
05/31/88	193.66 S H	06/18/90	203.63 T C		
12/02/88	196.65 S	07/26/90	204.83 T C		



Water-level data for well ANP 3.

Local well name: ANP 5	Altitude: 4,872.51 ft
Site identifier: 435308112454101	Date of well construction: 05/08/56
Idaho well number: 7N 31E 33DCD1	Depth of well: 396 ft
Latitude: 43°53'08"	Diameter of casing: 10 in. (0-396 ft)
Longitude: 112°45'41"	Open or screened interval: 296-316 ft
County: Butte	332-390 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/18/83	292.99 S L	07/17/85	288.60 S	05/19/89	285.96 S
07/19/84	290.85 S	08/07/87	286.46 S	05/16/90	286.68 S
10/25/84	290.88 S	05/31/88	284.43 S H		



Water-level data for well ANP 5.

Local well name: ANP 6	Altitude: 4,794.63 ft
Site identifier: 435152112443101	Date of well construction: 07/28/56
Idaho well number: 6N 31E 10ACCL	Depth of well: 305 ft
Latitude: 43°51'52"	Diameter of casing: 10 in. (0-305 ft)
Longitude: 112°44'31"	Open or screened interval: 211-256 ft
County: Butte	266-296 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/83	215.35 S L	12/02/88	209.68 S	05/30/90	209.40 T C
07/19/84	213.16 S	05/19/89	208.24 S	06/18/90	209.88 T C
07/18/85	211.04 S	11/29/89	211.01 S	07/26/90	211.13 T C
04/25/86	208.24 S	01/24/90	210.10 T C	08/23/90	211.85 T C
08/02/86	209.78 S	02/03/90	210.02 T C	09/19/90	212.13 T C
08/07/87	208.72 S	02/28/90	209.65 T C	10/24/90	212.36 T C
09/02/87	209.78 S	03/28/90	209.00 T C	11/29/90	212.15 T C
10/28/87	208.79 S	04/25/90	208.65 T C	12/20/90	211.46 S C
05/31/88	206.69 S H	05/16/90	209.09 S		




Water-level data for well ANP 6.

Local well name: ANP 7
 Site identifier: 435522112444201
 Idaho well number: 7N 31E 22BDD1
 Latitude: 43°55'22"
 Longitude: 112°44'42"
 County: Butte

Altitude: 4,935.01 ft
 Date of well construction: 05/12/56
 Depth of well: 433 ft
 Diameter of casing: 8 in. (0-433 ft)
 Open or screened interval: 354-431 ft

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
07/18/83	354.00 S L	05/19/89	346.86 S	06/18/90	348.88 T C
07/19/84	351.74 S	02/03/90	347.96 T C	07/26/90	350.20 T C
10/25/84	351.98 S	02/28/90	347.94 T C	08/23/90	350.91 T C
07/17/85	349.72 S	04/25/90	347.26 T C	09/19/90	351.21 T C
08/07/87	347.57 S	05/16/90	347.97 S	10/24/90	351.46 T C
05/31/88	345.45 S H	05/30/90	348.35 T C	11/29/90	351.05 T C




Water—level data for well ANP 7.

Local well name: ANP 9
 Site identifier: 434856112400001
 Idaho well number: 6N 32E 26CDB1
 Latitude: 43°48'56"
 Longitude: 112°40'00"
 County: Jefferson

Altitude: 4,787.92 ft
 Date of well construction: 06/--/56
 Depth of well: 322 ft
 Diameter of casing: 8 in. (0-322 ft)
 Open or screened interval: 237-314 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/13/83	222.92 S L	01/29/85	218.65 S	03/01/89	216.48 S
03/14/83	221.92 S	03/01/85	218.24 S	05/22/89	216.22 S
04/28/83	221.66 S	04/25/85	217.54 S	08/28/89	218.60 S
05/16/83	221.64 S	05/22/85	217.50 S	11/28/88	217.49 S
06/28/83	221.76 S	06/26/85	217.58 S	11/29/89	219.21 S
07/16/83	221.80 S	07/19/85	217.86 S	01/24/90	218.48 T C
08/24/83	222.52 S	09/26/85	218.72 S	02/03/90	218.31 S
09/27/83	222.48 S	09/03/85	218.62 S	02/24/90	217.97 S
10/26/83	222.49 S	10/21/85	218.38 S	02/28/90	218.01 T C
11/28/83	221.69 S	12/06/85	218.03 S	03/28/90	217.36 T C
12/26/83	221.10 S	02/03/86	217.23 S	04/25/90	217.10 T C
01/25/84	220.64 S	03/25/86	216.20 S	05/30/90	217.11 T C
02/28/84	220.40 S	05/07/86	216.05 S	05/18/90	216.83 S
03/28/84	220.09 S	07/26/86	216.50 S	06/18/90	217.51 T C
04/25/84	219.56 S	11/24/86	216.65 S	07/26/90	218.54 T C
05/25/84	219.68 S	12/23/86	216.25 S	08/23/90	219.18 T C
06/26/84	219.80 S	02/21/87	215.43 S	09/01/90	219.36 S
07/20/84	219.90 S	05/01/87	214.72 S H	09/19/90	219.76 T C
08/29/84	220.58 S	08/01/87	215.96 S	10/24/90	220.23 T C
09/25/84	220.55 S	11/04/87	216.70 S	11/27/90	219.69 S
10/25/84	220.34 S	01/21/88	215.98 S	11/29/90	220.01 T C
11/28/84	219.64 S	05/31/88	214.80 S	12/20/90	219.42 T C
01/03/85	219.68 S	08/25/88	216.62 S		



Water—level data for well ANP 9.

Local well name: ANP 10	Altitude: 4,790 ft
Site identifier: 434909112400401	Date of well construction: 07/01/59
Idaho well number: 6N 32E 26CAB1	Depth of well: 681 ft
Latitude: 43°49'09"	Diameter of casing: 10 in. (0-681 ft)
Longitude: 112°40'04"	Open or screened interval: 577-677 ft
County: Jefferson	

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
07/16/83	220.50 S L	02/28/90	216.60 T C	08/23/90	217.92 T C
07/20/84	218.64 S	03/28/90	215.95 T C	09/19/90	218.46 T C
10/25/84	219.21 S	04/25/90	215.70 T C H	10/24/90	218.90 T C
07/19/85	216.66 S	05/30/90	215.79 T C	11/29/90	218.65 T C
01/24/90	217.09 T C	06/18/90	216.21 T C	12/20/90	218.03 T C
02/03/90	216.92 T C	07/26/90	217.28 T C		




Water—level data for well ANP 10.

Local well name: **Arbor Test**
 Site identifier: 433509112384801
 Idaho well number: 3N 32E 13DCA1
 Latitude: 43°35'09"
 Longitude: 112°38'48"
 County: Bingham

Altitude: 5,165.51 ft
 Date of well construction: 12/28/57
 Depth of well: 790 ft
 Diameter of casing: 10 in. (0-790 ft)
 Open or screened interval: 680-730 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
02/25/83	677.03 S	11/30/84	674.00 S	08/11/87	674.97 S
04/30/83	677.00 S	12/26/84	673.49 S	11/05/87	674.24 S
05/18/83	677.27 S	01/31/85	673.19 S	01/20/88	673.47 S
06/29/83	677.58 S	02/28/85	673.09 S	05/31/88	674.70 S
07/12/83	677.97 S	05/01/85	673.36 S	08/17/88	676.25 S
09/23/83	678.02 S	05/21/85	673.47 S	11/28/88	675.60 S
10/28/83	677.30 S	06/20/85	673.42 S	02/14/89	675.11 S
12/03/83	676.00 S	07/16/85	674.12 S	04/27/89	675.57 S
12/31/83	675.84 S	08/22/85	674.78 S	08/24/89	677.68 S
01/23/84	675.49 S	09/30/85	674.48 S	10/13/89	677.40 S
02/28/84	675.12 S	10/23/85	674.38 S	12/02/89	676.36 S
03/26/84	674.86 S	12/02/85	673.98 S	03/03/90	675.40 S
05/01/84	675.13 S	02/07/86	673.23 S	03/15/90	675.66 S
05/28/84	675.42 S	04/19/86	673.75 S	05/25/90	676.38 S
06/25/84	675.60 S	05/02/86	673.59 S	08/31/90	678.15 S
07/18/84	675.72 S	10/31/86	674.40 S	09/28/90	678.16 S L
08/30/84	675.86 S	12/22/86	673.88 S	11/29/90	676.94 S
09/28/84	676.01 S	02/26/87	672.96 S H		
10/26/84	674.58 S	05/04/87	673.65 S		




Water-level data for well Arbor Test.

Local well name: AREA II
Site identifier: 433223112470201
Idaho well number: 3N 31E 35DCA1
Latitude: 43°32'23"
Longitude: 112°47'02"
County: Butte

Altitude: 5,130 ft
Date of well construction: --/--/60
Depth of well: 877 ft
Diameter of casing: -- in.
Open or screened interval: --

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
07/22/83	668.13 S	08/11/87	665.72 S	03/21/90	667.64 S
07/10/84	665.39 S	03/22/88	665.36 S	08/08/90	669.05 S
07/16/85	664.52 S H	03/29/89	667.05 S	09/20/90	669.39 S L




Water-level data for well AREA II

Local well name: Cerro Grande
 Site identifier: 432618112555501
 Idaho well number: 1N 30E 10BBA1
 Latitude: 43°26'18"
 Longitude: 112°55'55"
 County: Bingham

Altitude: 4,979.39 ft
 Date of well construction: --/--/22
 Depth of well: 564 ft
 Diameter of casing: 6 in. (--)
 Open or screened interval: --

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/18/83	552.02 S	08/27/84	545.76 S	12/19/86	549.49 S
03/23/83	551.63 S	09/24/84	545.77 S	04/08/87	549.72 S
04/14/83	551.14 S	10/05/84	545.65 S	07/28/87	549.55 S
05/17/83	551.28 S	10/31/84	545.79 S	10/29/87	550.14 S
06/24/83	550.37 S	11/27/84	545.96 S	01/20/88	550.53 S
07/11/83	549.48 S	12/27/84	545.63 S	04/05/88	551.16 S
08/24/83	549.29 S	01/17/85	546.49 S	07/25/88	552.04 S
09/29/83	549.31 S	02/26/85	547.01 S	10/27/88	551.88 S
10/05/83	549.27 S	04/18/85	547.14 S	02/15/89	552.39 S
12/02/83	548.03 S	05/20/85	547.42 S	05/01/89	552.43 S
12/30/83	547.88 S	06/19/85	547.89 S	07/18/89	553.16 S
01/31/84	547.40 S	07/16/85	548.44 S	10/27/89	552.40 S
02/23/84	547.89 S	08/29/85	549.22 S	01/18/90	552.54 S
03/21/84	547.84 S	09/26/85	548.92 S	04/27/90	553.13 S
04/13/84	547.76 S	10/22/85	549.18 S	07/20/90	553.88 S L
05/29/84	546.79 S	02/04/86	549.52 S	10/18/90	553.23 S
06/21/84	546.00 S	04/22/86	549.70 S	12/17/90	553.14 S
07/20/84	545.48 S H	11/04/86	549.44 S		




Water-level data for well Cerro Grande.

Local well name: CFA 2
Site identifier: 433144112563501
Idaho well number: 2N 29E 01DBB1
Latitude: 43°31'44"
Longitude: 112°56'35"
County: Butte

Altitude: 4,931.70 ft
Date of well construction: 05/01/44
Depth of well: 681 ft
Diameter of casing: 20 in. (0-68 ft)
16 in. (0-681 ft)
Open or screened interval: 521-651 ft
661-681 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/25/89	474.55 S				



Water—level data for well CFA 2.

Local well name: Corehole 1	Altitude: 5,371 ft
Site identifier: 432927112410101	Date of well construction: 08/05/78
Idaho well number: 2N 32E 22ABA1	Depth of well: 2,000 ft
Latitude: 43°29'27"	Diameter of casing: 3 in. (0-2,000 ft)
Longitude: 112°41'01"	Open or screened interval: 991-1,001 ft
County: Bingham	1,905-1,915 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/27/83	933.78 S	10/26/84	929.71 S H	08/11/87	931.90 S
02/25/83	933.90 S	11/27/84	929.73 S	11/05/87	931.17 S
04/28/83	933.79 S	01/17/85	929.82 S	01/20/88	931.28 S
07/26/83	933.50 S	02/28/85	930.01 S	04/11/88	932.12 S
08/26/83	933.26 S	04/22/85	930.14 S	05/31/88	932.75 S
09/26/83	932.59 S	05/21/85	930.30 S	08/26/88	933.50 S
10/20/83	932.34 S	06/20/85	930.09 S	11/28/88	932.83 S
12/09/83	931.71 S	07/16/85	930.56 S	02/15/89	933.37 S
01/23/84	931.61 S	10/23/85	930.55 S	05/25/89	933.74 S
02/22/84	931.64 S	12/02/85	930.52 S	08/24/89	934.22 S
03/22/84	931.75 S	02/05/86	930.84 S	12/02/89	933.33 S
04/26/84	931.53 S	05/02/86	931.09 S	03/03/90	933.60 S
05/23/84	931.49 S	11/26/86	930.75 S	05/25/90	934.36 S
07/23/84	931.22 S	12/22/86	930.81 S	08/31/90	934.66 S L
08/30/84	930.80 S	02/26/87	931.21 S	11/29/90	933.92 S
09/27/84	930.46 S	05/04/87	931.73 S		



Water-level data for well Corehole 1.

Local well name: Corehole 2A Altitude: 4,785 ft
 Site identifier: 434558112444801 Date of well construction: 09/23/78
 Idaho well number: 5N 31E 15BAD1 Depth of well: 3,000 ft
 Latitude: 43°45'58" Diameter of casing: 5 in. (0-260 ft)
 Longitude: 112°44'48" 4 in. (0-400 ft)
 County: Butte 3 in. (0-1,936 ft)
 Open or screened interval: 1,936-3,000 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	210.75 S L	08/22/84	208.70 S	02/21/87	205.08 S
02/23/83	210.27 S	09/25/84	208.75 S	05/01/87	204.65 S
03/14/83	209.99 S	10/24/84	208.60 S	08/07/87	205.08 S
04/27/83	210.05 S	11/28/84	208.16 S	11/06/87	205.11 S
06/28/83	209.97 S	01/03/85	208.52 S	01/21/88	205.11 S
07/19/83	209.96 S	01/30/85	207.84 S	03/21/88	204.50 S H
08/30/83	210.11 S	02/27/85	207.78 S	09/23/88	205.06 S
09/26/83	210.07 S	04/19/85	207.02 S	12/20/88	205.16 S
10/26/83	210.26 S	05/22/85	207.17 S	03/29/89	205.09 S
11/28/83	209.30 S	06/25/85	207.00 S	06/28/89	205.14 S
12/21/83	209.00 S	07/22/85	207.14 S	09/29/89	206.08 S
01/26/84	209.06 S	09/20/85	207.48 S	12/27/89	205.95 S
02/29/84	208.77 S	10/23/85	206.94 S	03/22/90	205.70 S
03/28/84	208.70 S	11/25/85	206.47 S	06/21/90	205.83 S
04/26/84	208.27 S	01/30/86	206.27 S	09/24/90	206.66 S
05/24/84	208.29 S	05/07/86	205.69 S	12/26/90	206.94 S
06/25/84	208.38 S	11/24/86	205.72 S		
07/12/84	208.44 S	12/23/86	205.53 S		




Water-level data for well Corehole 2A.

Local well name: CPP 4
Site identifier: 433440112554401
Idaho well number: 3N 30E 19BAC1
Latitude: 43°34'40"
Longitude: 112°55'44"
County: Butte

Altitude: 4,907.4 ft
Date of well construction: 10/--/83
Depth of well: 700 ft
Diameter of casing: 24 in. (0-50 ft)
20 in. (0-130 ft)
16 in. (0-450 ft)
12 in. (0-700 ft)
Open or screened interval: 450-700 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
10/17/83	439.88 S				




Water—level data for well CPP 4.

Local well name: DH1B
 Site identifier: 434611112504301
 Idaho well number: 5N 30E 11CDD1
 Latitude: 43°46'11"
 Longitude: 112°50'43"
 County: Butte

Altitude: 4,791.1 ft
 Date of well construction: 09/12/84
 Depth of well: 400 ft
 Diameter of casing: 6 in. (0-380 ft)
 Open or screened interval: 380-400 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/85	268.08 S	05/01/87	253.45 S	05/31/88	261.49 S
05/15/86	252.94 S	05/27/87	259.48 S	08/25/88	268.45 S
05/19/86	257.09 S	06/29/87	260.74 S	11/25/88	259.07 S
05/27/86	259.19 S	08/01/87	263.13 S	02/17/89	255.74 S
06/18/86	252.97 S	09/03/87	260.48 S	05/19/89	264.26 S
06/27/86	259.68 S	09/24/87	261.85 S	08/25/89	270.42 S
07/25/86	263.14 S	11/04/87	256.43 S	12/02/89	261.23 S
11/03/86	251.10 S	11/28/87	254.35 S	02/24/90	257.47 S
12/23/86	247.90 S	12/28/87	253.42 S	05/19/90	269.62 S
01/23/87	247.06 S	01/21/88	253.00 S	09/01/90	273.37 S L
02/21/87	247.08 S	02/25/88	252.09 S	11/21/90	263.56 S
03/23/87	246.89 S H	03/22/88	251.54 S		




Water-level data for well DH1B.

Local well name: DH2A
 Site identifier: 434547112512801
 Idaho well number: 5N 30E 15ADC1
 Latitude: 43°45'47"
 Longitude: 112°51'28"
 County: Butte

Altitude: 4,792.1 ft
 Date of well construction: 09/24/84
 Depth of well: 430 ft
 Diameter of casing: 6 in. (0-415 ft)
 Open or screened interval: 415-430 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/85	272.03 S L	11/03/86	255.81 S	06/29/87	265.11 S
05/15/86	260.03 S	12/23/86	253.03 S	08/01/87	267.48 S
05/19/86	261.69 S	01/23/87	252.29 S	09/03/87	265.06 S
05/27/86	263.50 S	02/21/87	252.02 S H	09/24/87	266.30 S
06/18/86	266.03 S	03/23/87	252.22 S	02/24/90	262.60 S
06/27/86	263.79 S	05/01/87	258.24 S		
07/25/86	266.95 S	05/27/87	263.81 S		



Water-level data for well DH2A.

Local well name: FET Disp. 3	Altitude: 4,780.51 ft
Site identifier: 435124112433701	Date of well construction: 09/11/57
Idaho well number: 6N 31E 11CDC1	Depth of well: 300 ft
Latitude: 43°51'24"	Diameter of casing: 10 in. (0-300 ft)
Longitude: 112°43'37"	Open or screened interval: 175-295 ft
County: Butte	

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/84	201.13 S L	02/28/90	197.57 T C	08/23/90	199.64 T C
07/18/85	199.01 S	03/28/90	196.91 T C	09/19/90	200.04 T C
08/07/87	196.70 S	04/25/90	196.56 T C	10/24/90	200.22 S C
05/31/88	194.66 S H	05/16/90	197.00 S	11/29/90	199.93 T C
05/19/89	196.10 S	05/30/90	197.27 T C	12/20/90	199.53 T C
01/24/90	198.25 T C	06/18/90	197.76 T C		
02/02/90	197.95 T C	07/26/90	199.04 T C		




Water—level data for well FET Disp. 3.

Local well name: GIN 1
 Site identifier: 434947112414301
 Idaho well number: 6N 31E 24DDA1
 Latitude: 43°49'47"
 Longitude: 112°41'43"
 County: Butte

Altitude: 4,787.13 ft
 Date of well construction: 02/07/64
 Depth of well: 373 ft
 Diameter of casing: 8 in. (0-48 ft)
 Open or screened interval: 48-373 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/12/84	207.98 S L	03/28/90	204.74 T C	08/26/90	206.69 T C
07/18/85	205.93 S	04/25/90	204.43 T C H	09/19/90	207.25 T C
01/24/90	205.37 T C	05/30/90	204.51 T C	10/24/90	207.80 T C
02/03/90	205.92 T C	06/18/90	204.96 T C	11/29/90	207.63 T C
02/28/90	205.51 T C	07/26/90	206.09 T C	12/20/90	206.94 T C



Water—level data for well GIN 1.

Local well name: GIN 2	Altitude: 4,786.72 ft
Site identifier: 434949112413401	Date of well construction: 03/26/64
Idaho well number: 6N 32E 22CCB1	Depth of well: 402 ft
Latitude: 43°49'49"	Diameter of casing: 8 in. (0-43 ft)
Longitude: 112°41'34"	Open or screened interval: 43-402 ft
County: Jefferson	

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/83	209.63 S L	05/19/89	202.79 S	05/30/90	203.58 T C
07/12/84	207.00 S	01/24/90	204.46 T C	06/18/90	204.06 T C
10/24/84	207.63 S	02/03/90	204.90 T C	07/26/90	205.22 T C
07/18/85	205.10 S	02/28/90	204.46 T C	08/23/90	205.84 T C
08/07/85	202.99 S	03/28/90	203.69 T C	09/19/90	206.36 T C
05/31/88	201.19 S H	04/25/90	203.39 T C		
04/27/89	202.74 S	05/16/90	203.47 S		




Water--level data for well GIN 2.

Local well name: GIN 3
 Site identifier: 434945112413101
 Idaho well number: 6N 32E 22CCB2
 Latitude: 43°49'45"
 Longitude: 112°41'31"
 County: Jefferson

Altitude: 4,786.68 ft
 Date of well construction: 03/02/64
 Depth of well: 386 ft
 Diameter of casing: 8 in. (0-38 ft)
 6 in. (38-176 ft)
 Open or screened interval: 40-130 ft
 176-386 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/12/84	207.03 S L	03/28/90	203.76 T C	09/19/90	206.43 T C
07/18/85	205.15 S	04/25/90	203.45 T C	10/24/90	206.83 S C
08/07/87	202.63 S H	05/30/90	203.65 T C	11/29/90	206.73 T C
01/24/90	204.46 T C	06/18/90	204.13 T C	12/20/90	206.07 T C
02/03/90	204.95 T C	07/26/90	205.30 T C		
02/28/90	204.52 T C	08/23/90	205.88 T C		




Water-level data for well GIN 3.

Local well name: GIN 4
 Site identifier: 434949112413601
 Idaho well number: 6N 32E 22CCB3
 Latitude: 43°49'49"
 Longitude: 112°41'36"
 County: Jefferson

Altitude: 4,786.81 ft
 Date of well construction: 04/13/64
 Depth of well: 306 ft
 Diameter of casing: 8 in. (0-41 ft)
 Open or screened interval: 41-306 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/12/84	207.12 S L	03/28/90	203.78 T C	08/23/90	204.92 T C
07/18/85	205.19 S	04/25/90	203.48 T C H	09/19/90	206.46 T C
01/24/90	204.39 T C	05/30/90	203.67 T C	10/24/90	206.85 S C
02/03/90	205.01 T C	06/18/90	204.16 T C	11/29/90	206.76 T C
02/28/90	204.56 T C	07/26/90	205.32 T C	12/20/90	206.08 T C




Water—level data for well GIN 4.

Local well name: GIN 5
 Site identifier: 434953112413301
 Idaho well number: 6N 32E 22CBC1
 Latitude: 43°49'53"
 Longitude: 112°41'33"
 County: Jefferson

Altitude: 4,787.14 ft
 Date of well construction: 02/24/64
 Depth of well: 430 ft
 Diameter of casing: 8 in. (0-30 ft)
 4 in. (0-30 ft)
 Open or screened interval: 30-430 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/12/84	207.35 S L	04/25/90	203.64 T C H	09/19/90	207.15 T C
07/18/85	205.43 S	05/30/90	203.89 T C	10/24/90	207.03 S C
02/03/90	205.16 T C	06/18/90	204.36 T C	11/29/90	206.93 T C
02/28/90	204.69 T C	07/26/90	205.55 T C		
03/28/90	203.95 T C	08/23/90	206.15 T C		



Water—level data for well GIN 5.

Local well name: Highway 1

(Piezometer C)

Site identifier: 433218112191601

Idaho well number: 2N 35E 02BBC1

Latitude: 43°32'18"

Longitude: 112°19'16"

County: Bonneville

Altitude: 5,089.83 ft

Date of well construction: 07/23/69


Depth of well: 651 ft

Diameter of casing: 10 in. (0-110 ft)

0.75 in. (0-651 ft)

Open or screened interval: 646-651 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/29/83	578.63 S	07/18/84	581.65 S	04/19/86	577.04 S
03/09/83	579.33 S	08/30/84	579.73 S	12/01/86	574.86 S
04/30/83	580.19 S	09/28/84	579.35 S	02/21/87	575.03 S
05/17/83	580.85 S	10/26/84	576.43 S	05/04/87	577.16 S
07/01/83	583.17 S	11/30/84	575.13 S	08/06/87	579.17 S
07/25/83	583.29 S L	12/26/84	574.70 S	12/18/87	574.51 S H
08/29/83	582.11 S	01/31/85	574.98 S	04/26/88	577.41 S
09/23/83	580.85 S	02/28/85	575.49 S	08/01/88	581.09 S
11/07/83	578.04 S	04/01/85	576.37 S	11/02/88	577.27 S
12/03/83	577.06 S	05/01/85	576.93 S	04/08/89	578.31 S
12/31/83	577.06 S	05/23/85	576.81 S	07/15/89	582.55 S
02/01/84	577.06 S	06/20/85	578.55 S	10/24/89	578.20 S
02/28/84	576.99 S	08/02/85	580.30 S	01/16/90	576.24 S
03/26/84	577.90 S	08/23/85	579.37 S	04/16/90	578.13 S
05/01/84	578.78 S	10/23/85	576.01 S	07/20/90	582.80 S
05/31/84	579.64 S	11/26/85	575.93 S	10/12/90	579.46 S
06/25/84	580.09 S	02/18/86	575.32 S		




Water-level data for well Highway 1 (piezometer C).

Local well name: Highway 1	Altitude: 5,089.83 ft
(Piezometer B)	Date of well construction: 07/23/69
Site identifier: 433218112191602	Depth of well: 917 ft
Idaho well number: 2N 35E 02BBC2	Diameter of casing: 10 in. (0-110 ft)
Latitude: 43°32'18"	0.75 in. (0-917 ft)
Longitude: 112°19'16"	Open or screened interval: 912-917 ft
County: Bonneville	

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/29/83	578.45 S	07/18/84	580.53 S	04/19/86	577.08 S
03/09/83	579.22 S	08/30/84	578.79 S	12/01/86	574.61 S H
04/30/83	580.14 S	09/28/84	578.07 S	02/21/87	575.15 S
05/17/83	580.75 S	10/26/84	575.72 S	05/04/87	577.45 S
07/01/83	582.12 S	11/30/84	574.80 S	08/06/87	578.17 S
07/25/83	582.32 S L	12/26/84	574.66 S	12/18/87	574.64 S
08/29/83	581.05 S	01/31/85	575.00 S	04/26/88	577.57 S
09/23/83	579.88 S	02/28/85	575.54 S	08/01/88	580.01 S
11/07/83	577.34 S	04/01/85	576.41 S	11/02/88	576.57 S
12/03/83	576.66 S	05/01/85	575.00 S	04/08/89	578.26 S
12/31/83	576.81 S	05/23/85	575.86 S	07/15/89	581.24 S
02/01/84	576.95 S	06/20/85	578.10 S	10/24/89	577.06 S
02/28/84	577.49 S	08/02/85	579.50 S	01/16/90	576.17 S
03/26/84	577.89 S	08/23/85	578.38 S	04/16/90	578.20 S
05/01/84	578.79 S	10/23/85	575.47 S	07/20/90	581.63 S
05/31/84	579.39 S	11/26/85	575.25 S	10/12/90	578.08 S
06/25/84	579.80 S	02/18/86	575.47 S		



Water-level data for well Highway 1 (piezometer B).




Water-level data for well Highway 1 (piezometer A).

Local well name: Highway 2
 Site identifier: 433307112300001
 Idaho well number: 3N 34E 32BBC1
 Latitude: 43°33'07"
 Longitude: 112°30'00"
 County: Bonneville

Altitude: 5,216.55 ft
 Date of well construction: 08/29/50
 Depth of well: 786 ft
 Diameter of casing: 8 in. (0-786 ft)
 Open or screened interval: 741-786 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/24/83	721.57 S	08/30/84	721.08 S	12/01/86	718.22 S
02/25/83	721.60 S	09/28/84	721.88 S	02/21/87	717.69 S H
04/30/83	722.01 S	10/26/84	719.25 S	05/04/87	718.99 S
05/17/83	722.41 S	11/30/84	718.48 S	08/06/87	720.24 S
06/29/83	723.07 S	12/26/84	718.06 S	11/05/87	718.63 S
07/25/83	723.43 S L	01/31/85	717.90 S	01/20/88	718.08 S
08/29/83	723.32 S	02/28/85	718.05 S	04/26/88	719.37 S
09/23/83	722.77 S	04/01/85	718.41 S	07/27/88	720.73 S
10/28/83	721.68 S	05/01/85	718.68 S	11/02/88	720.26 S
12/03/83	720.35 S	05/23/85	718.82 S	01/20/89	719.71 S
12/30/83	719.63 S	06/20/85	719.11 S	04/08/89	720.39 S
02/01/84	719.87 S	08/02/85	720.35 S	07/15/89	722.56 S
02/28/84	719.93 S	08/23/85	720.33 S	10/24/89	721.22 S
03/26/84	719.98 S	10/23/85	719.01 S	01/16/90	719.81 S
05/01/84	720.39 S	11/26/85	718.38 S	04/16/90	720.54 S
05/31/84	720.74 S	02/18/86	718.00 S	07/20/90	723.15 S
06/25/84	721.07 S	04/19/86	718.86 S	10/12/90	721.95 S
08/01/84	721.47 S	07/26/86	720.34 S		




Water-level data for well Highway 2.

Local well name: IET 1 Disp.
 Site identifier: 435153112420501
 Idaho well number: 6N 31E 12ACD1
 Latitude: 43°51'53"
 Longitude: 112°42'05"
 County: Butte

Altitude: 4,790.14 ft
 Date of well construction: 08/--/53
 Depth of well: 324 ft
 Diameter of casing: 12 in. (0-324 ft)
 Open or screened interval: 219-319 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/20/83	211.06 S L	05/19/89	203.94 S	05/30/90	204.98 T C
07/19/84	208.81 S	11/29/89	206.78 S	06/18/90	205.46 T C
07/18/85	206.68 S	01/24/90	205.88 T C	07/26/90	206.72 T C
04/25/86	203.94 S	02/03/90	205.84 T C	08/23/90	207.34 T C
08/07/87	204.35 S	02/28/90	205.43 T C	09/19/90	207.73 T C
10/27/87	204.52 S	03/28/90	204.70 T C	10/24/90	208.12 T C
05/31/88	202.36 S H	04/25/90	203.42 T C	11/24/90	207.77 T C
03/01/89	204.15 S	05/16/90	204.69 S	12/20/90	207.24 T C



Water-level data for well IET 1 Disp.

Local well name:	INEL 1	Altitude:	4,875 ft
Site identifier:	433717112563501	Date of well construction:	05/27/79
Idaho well number:	3N 29E 01ABB1	Depth of well:	10,365 ft
Latitude:	43°37'17"	Diameter of casing:	30 in. (0-40 ft)
Longitude:	112°56'35"		20 in. (0-1,511 ft)
County:	Butte		13 in. (0-3,559 ft)
			9 in. (3,282-6,796 ft)
		Open or screened interval:	4,210-4,225 ft
			4,240-4,270 ft
			4,300-4,315 ft
			4,490-4,520 ft
			4,775-4,790 ft
			5,085-5,100 ft
			5,230-5,245 ft
			5,995-6,010 ft
			6,220-6,235 ft
			6,260-6,275 ft
			6,796-10,365 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/26/83	307.17 S	05/22/84	307.05 S	10/28/85	306.17 S
02/25/83	306.92 S	06/25/84	307.01 S	12/03/85	306.06 S
03/28/83	307.16 S	07/23/84	307.13 S	02/03/86	305.95 S
04/29/83	307.14 S	10/24/84	306.86 S	04/29/86	305.81 S
07/01/83	307.06 S	11/28/84	306.50 S	10/28/86	305.92 S
08/29/83	307.14 S	12/28/84	306.47 S	12/22/86	305.57 S
09/27/83	307.12 S	02/04/85	306.66 S	02/25/87	305.19 S
10/24/83	307.49 S L	02/28/85	306.58 S	04/21/87	305.47 S
11/22/83	306.87 S	04/23/85	306.50 S	08/11/87	305.10 S
12/30/83	307.12 S	05/17/85	306.50 S	11/06/87	304.88 S
01/24/84	307.16 S	06/27/85	306.43 S	01/19/88	304.90 S
02/23/84	306.77 S	07/18/85	306.54 S	03/21/88	304.60 S
03/19/84	307.23 S	08/22/85	306.52 S	03/20/89	304.44 S
04/26/84	306.72 S	09/25/85	306.42 S	03/22/90	304.25 S H



Water-level data for well INEL 1.


Local well name: MTR Test
 Site identifier: 433520112572601
 Idaho well number: 3N 29E 14ADD1
 Latitude: 43°35'20"
 Longitude: 112°57'26"
 County: Butte

Altitude: 4,917.64 ft
 Date of well construction: 10/13/49
 Depth of well: 588 ft
 Diameter of casing: 8 in. (0-588 ft)
 Open or screened interval: 447-588 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/01/83	458.13 S L	06/25/83	456.35 R	01/05/84	454.84 R
01/05/83	457.80 R	06/30/83	456.24 R	01/10/84	454.82 R
01/10/83	457.85 R	07/01/83	456.19 S	01/15/84	454.71 R
01/15/83	457.79 R	07/05/83	456.30 R	01/20/84	454.67 R
01/20/83	457.57 R	07/10/83	456.38 R	01/25/84	454.25 R
01/25/83	457.69 R	07/15/83	456.29 R	01/31/84	454.54 R
01/31/83	457.58 R	07/20/83	456.26 R	01/31/84	454.56 S
01/31/83	457.54 S	07/25/83	456.01 R	02/05/84	454.38 R
02/05/83	457.55 R	07/28/83	456.06 S	02/10/84	454.31 R
02/10/83	457.46 R	07/31/83	456.10 R	02/20/84	454.59 R
02/15/83	457.53 R	08/01/83	456.00 S	02/25/84	454.30 R
02/20/83	457.59 R	08/05/83	456.07 R	02/29/84	454.33 R
02/25/83	457.24 R	08/10/83	455.94 R	02/29/84	454.34 S
02/28/83	457.27 R	08/15/83	455.94 R	03/05/84	454.41 R
03/01/83	457.15 S	08/20/83	455.88 R	03/10/84	454.37 R
03/05/83	457.23 R	08/25/83	455.90 R	03/15/84	454.11 R
03/10/83	457.25 R	08/31/83	455.85 R	03/20/84	454.24 R
03/15/83	457.27 R	08/31/83	455.83 S	03/25/84	454.20 R
03/20/83	457.18 R	09/05/83	455.70 R	03/30/84	454.17 S
03/25/83	456.95 R	09/10/83	455.87 R	03/31/84	454.06 R
03/31/83	456.98 R	09/15/83	455.76 R	04/05/84	454.07 R
04/03/83	457.03 S	09/20/83	456.16 R	04/10/84	453.87 R
04/05/83	457.06 R	09/25/83	455.84 R	04/15/84	454.14 R
04/10/83	457.03 R	09/30/83	455.51 R	04/20/84	453.95 R
04/15/83	456.98 R	09/30/83	455.54 S	04/25/84	453.65 R
04/20/83	456.67 R	10/05/83	455.65 R	04/30/84	453.85 R
04/25/83	456.57 R	10/10/83	455.58 R	05/01/84	453.81 S
04/30/83	456.53 R	10/15/83	455.56 R	05/05/84	453.72 R
04/30/83	456.53 S	10/20/83	455.55 R	05/10/84	453.68 R
05/05/83	456.45 R	10/21/83	455.60 S	05/15/84	453.57 R
05/10/83	456.58 R	10/25/83	455.67 R	05/20/84	453.49 R
05/15/83	456.51 R	10/31/83	455.42 R	05/25/84	453.52 R
05/20/83	456.63 R	11/05/83	455.35 R	05/31/84	453.38 R
05/25/83	456.56 R	11/07/83	455.24 S	05/31/84	453.30 S
05/31/83	456.37 R	11/10/83	455.32 R	06/05/84	453.16 R
05/31/83	456.28 S	11/15/83	455.38 R	06/10/84	453.17 R
06/05/83	456.54 R	11/20/83	454.90 R	06/15/84	453.22 R
06/10/83	456.42 R	11/25/83	454.94 R	06/20/84	453.10 R
06/15/83	456.41 R	11/30/83	455.10 R	06/25/84	453.15 R
06/20/83	456.34 R	12/31/83	454.90 S	06/30/84	453.10 R

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/03/84	453.06 S	02/20/85	451.15 R	09/27/85	451.96 S
07/05/84	452.99 R	02/25/85	451.40 R	09/30/85	452.16 R
07/10/84	453.03 R	02/28/85	451.51 R	10/05/85	452.20 R
07/15/84	452.99 R	03/05/85	451.20 R	10/10/85	452.20 R
07/20/84	452.84 R	03/05/85	451.22 S	10/15/85	452.24 R
07/25/84	452.89 R	03/10/85	451.17 R	10/20/85	452.10 R
07/31/84	452.80 R	03/15/85	451.29 R	10/25/85	452.10 R
08/05/84	452.72 R	03/20/85	451.27 R	10/31/85	452.02 R
08/10/84	452.70 R	03/25/85	451.02 R	11/05/85	452.11 R
08/15/84	452.72 R	03/27/85	450.70 R H	11/10/85	451.83 R
08/20/84	452.67 R	03/29/85	451.37 S	11/15/85	452.14 R
08/25/84	452.70 R	04/05/85	451.10 R	11/20/85	451.94 R
08/31/84	452.51 R	04/10/85	451.16 R	11/25/85	451.63 R
08/31/84	452.55 S	04/15/85	451.12 R	11/30/85	451.74 R
09/05/84	452.63 R	04/20/85	451.00 R	12/03/85	451.82 S
09/10/84	452.47 R	04/25/85	450.98 R	12/05/85	451.92 R
09/15/84	452.54 R	04/25/85	450.99 S	12/10/85	451.86 R
09/20/84	452.39 R	04/30/85	451.20 R	12/15/85	452.00 R
09/25/84	452.59 R	05/05/85	451.22 R	12/20/85	452.05 R
09/28/84	452.55 S	05/10/85	451.02 R	12/25/85	452.05 R
09/30/84	452.36 R	05/15/85	451.28 R	12/31/85	451.91 R
10/05/84	452.47 R	05/20/85	451.02 R	01/05/86	451.87 R
10/10/84	452.50 R	05/25/85	450.97 R	01/10/86	452.07 R
10/15/84	452.45 R	05/30/85	450.92 S	01/14/86	451.78 S
10/20/84	452.36 R	05/31/85	450.78 R	04/24/86	451.44 S
10/23/84	452.60 S	06/05/85	450.99 R	07/21/86	451.02 S
10/25/84	452.43 R	06/10/85	451.19 R	10/29/86	451.41 S
10/31/84	452.33 R	06/15/85	451.17 R	01/26/87	451.28 S
11/05/84	452.53 R	06/20/85	451.05 R	03/27/87	451.31 S
11/10/84	452.42 R	06/25/85	451.19 R	04/23/87	451.08 S
11/15/84	452.47 R	06/27/85	451.42 S	08/11/87	451.92 S
11/20/84	452.31 R	06/30/85	451.26 R	10/07/87	452.55 S
11/25/84	452.10 R	07/05/85	451.39 R	11/02/87	452.47 S
11/30/84	452.01 R	07/10/85	451.57 R	12/08/87	452.52 S
11/30/84	451.87 S	07/15/85	451.54 R	12/29/87	452.47 S
12/05/84	452.26 R	07/20/85	451.50 R	01/22/88	453.07 S
12/10/84	451.97 R	07/22/85	451.42 S	02/26/88	453.13 S
12/15/84	451.77 R	07/25/85	451.56 R	03/22/88	453.26 S
12/20/84	451.84 R	07/31/85	451.76 R	04/01/88	453.08 S
12/25/84	451.96 R	08/05/85	451.74 R	05/31/88	452.90 S
12/31/84	451.95 R	08/10/85	451.67 R	07/01/88	453.87 S
01/05/85	451.96 R	08/15/85	451.75 R	08/22/88	453.81 S
01/10/85	451.90 R	08/20/85	451.94 R	09/26/88	454.90 S
01/15/85	451.85 R	08/25/85	452.05 R	10/14/88	454.87 S
01/20/85	451.73 R	08/31/85	452.02 R	11/30/88	455.06 S
01/25/85	451.80 R	09/04/85	451.90 S	12/19/88	454.74 S
01/31/85	451.62 R	09/05/85	451.77 R	01/24/89	454.98 S
01/31/85	451.65 S	09/10/85	451.93 R	02/16/89	455.18 S
02/05/85	451.50 R	09/15/85	451.98 R	03/20/89	455.26 S
02/10/85	451.81 R	09/20/85	452.15 R	03/27/89	455.15 S
02/15/85	451.43 R	09/25/85	452.20 R	05/30/89	455.55 S

Date	Depth to water	Date	Depth to water	Date	Depth to water
06/06/89	455.60 S	12/28/89	456.57 S	06/22/90	457.05 S
06/30/89	455.76 S	02/01/90	456.35 S	08/01/90	457.44 S
07/28/89	455.99 S	03/03/90	456.45 S	09/01/90	457.78 S
08/30/89	456.47 S	04/02/90	456.57 S	09/28/90	457.87 S
10/02/89	456.68 S	04/05/90	456.55 S	11/29/90	457.69 S
12/02/89	456.87 S	05/03/90	456.88 S	12/26/90	457.59 S




Water-level data for well MTR Test.

Local well name: No Name 1
 Site identifier: 435038112453401
 Idaho well number: 6N 31E 16DCA1
 Latitude: 43°50'38"
 Longitude: 112°45'34"
 County: Butte

Altitude: 4,784.57 ft
 Date of well construction: 08/14/63
 Depth of well: 550 ft
 Diameter of casing: 13 in. (0-267 ft)
 Open or screened interval: 267-550 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/19/83	207.05 S L	02/03/90	202.21 T C	08/21/90	203.47 S
07/19/84	205.05 S	02/28/90	201.84 T C	08/22/90	203.54 S
10/24/84	205.30 S	03/28/90	201.17 T C	08/23/90	203.63 T C
07/17/85	202.67 S	04/25/90	200.79 T C	09/19/90	204.08 T C
08/07/87	200.47 S	05/16/90	201.10 S	10/24/90	204.51 T C
03/21/88	199.13 S	05/30/90	200.97 T C	11/29/90	204.39 T C
05/31/88	198.78 S H	06/18/90	201.42 T C	12/20/90	203.84 T C
05/19/89	200.35 S	07/26/90	202.55 T C		
01/24/90	202.08 T C	07/31/90	202.76 S		



Water—level data for well No Name 1.

Local well name: NPR Test	Altitude: 4,933.09 ft
Site identifier: 433449112523101	Date of well construction: 05/06/84
Idaho well number: 3N 30E 16DDD1	Depth of well: 600 ft
Latitude: 43°34'49"	Diameter of casing: 6 in. (0-599 ft)
Longitude: 112°52'31"	Open or screened interval: 500-535 ft
County: Butte	

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/26/84	459.35 S	09/19/85	456.74 S	04/27/88	456.52 S
09/26/84	458.94 S	11/05/85	456.79 S	07/29/88	457.16 S
10/30/84	458.62 S	11/21/85	456.64 S	10/25/88	457.81 S
11/27/84	458.23 S	02/07/86	456.59 S	02/16/89	458.47 S
12/19/84	458.15 S	04/28/86	456.41 S	04/28/89	458.60 S
01/30/85	457.91 S	11/13/86	456.36 S	07/27/89	458.93 S
03/01/85	457.69 S	12/22/86	456.38 S	10/30/89	459.92 S
04/22/85	457.07 S	02/25/87	456.11 S	01/16/90	460.04 S
05/17/85	457.00 S	05/01/87	455.96 S H	04/16/90	460.16 S
06/24/85	456.72 S	08/20/87	456.02 S	11/01/90	461.23 S L
07/22/85	456.66 S	10/15/87	456.26 S		
08/21/85	456.60 S	01/19/88	456.77 S		




Water-level data for well NPR Test.

Local well name: 2nd Owsley
 Site identifier: 434819112380501
 Idaho well number: 6N 32E 36ADD1
 Latitude: 43°48'19"
 Longitude: 112°38'05"
 County: Jefferson

Altitude: 4,785.58 ft
 Date of well construction: --/--/49
 Depth of well: 292 ft
 Diameter of casing: -- in.
 Open or screened interval: --

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/13/83	224.46 S L	11/28/84	221.06 S	06/29/87	217.24 S
03/14/83	223.47 S	12/31/84	221.04 S	09/24/87	218.26 S
04/28/83	223.28 S	01/29/85	220.17 S	12/28/87	217.83 S
05/16/83	223.25 S	03/01/85	219.80 S	05/31/88	216.83 S H
06/28/83	223.45 S	04/25/85	219.19 S	04/26/89	218.07 S
07/16/83	223.48 S	05/22/85	219.21 S	05/22/89	218.07 S
08/25/83	224.17 S	06/25/85	219.23 S	08/28/89	220.36 S
09/27/83	223.95 S	07/19/85	219.72 S	01/24/90	220.11 T C
10/26/83	224.02 S	09/03/85	220.32 S	02/03/90	220.03 T C
11/28/83	223.21 S	09/26/85	220.23 S	02/28/90	219.75 T C
12/26/83	222.60 S	10/21/85	219.90 S	03/28/90	219.08 T C
01/25/84	222.20 S	12/06/85	218.15 S	04/25/90	218.93 T C
02/28/84	222.02 S	02/03/86	217.72 S	05/19/90	218.63 S
03/28/84	221.74 S	03/03/86	217.91 S	05/30/90	218.98 T C
04/25/84	221.10 S	03/25/86	218.57 S	06/18/90	219.37 T C
05/25/84	221.33 S	05/07/86	217.81 S	07/26/90	220.36 T C
06/26/84	221.45 S	07/26/86	218.42 S	08/23/90	220.84 T C
07/20/84	221.54 S	11/24/86	218.34 S	09/19/90	221.35 T C
08/29/84	222.16 S	12/23/86	218.01 S	10/24/90	221.84 T C
09/25/84	222.09 S	01/23/87	217.24 S	11/29/90	221.65 T C
10/25/84	221.81 S	03/23/87	216.86 S	12/20/90	220.92 T C




Water-level data for well 2nd Owsley.

Local well name: PSTF Test
 Site identifier: 434941112454201
 Idaho well number: 6N 31E 21DCC1
 Latitude: 43°49'41"
 Longitude: 112°45'42"
 County: Butte

Altitude: 4,787.24 ft
 Date of well construction: 11/24/57
 Depth of well: 320 ft
 Diameter of casing: 10 in. (0-320 ft)
 Open or screened interval: 190-316 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
08/07/87	201.95 S	04/25/90	202.56 T C	08/23/90	204.86 T C
03/21/88	200.77 S	05/16/90	202.69 S	09/19/90	205.43 T C
05/31/88	200.29 S H	05/30/90	202.64 T C	09/27/90	205.65 S
05/19/89	201.95 S	06/18/90	203.09 T C	10/24/90	205.95 T C L
01/24/90	204.00 T C	07/26/90	204.15 T C	11/24/90	205.86 T C
02/28/90	203.65 T C	07/31/90	204.27 S	12/20/90	205.32 T C
03/28/90	202.92 T C	08/21/90	204.99 S		



Water-level data for well PSTF Test.

Local well name: P&W 1	Altitude: 4,896.09 ft
Site identifier: 435416112460401	Date of well construction: 05/15/57
Idaho well number: 7N 31E 28CAC1	Depth of well: 432 ft
Latitude: 43°54'16"	Diameter of casing: 10 in. (0-432 ft)
Longitude: 112°46'04"	Open or screened interval: 322-372 ft
County: Butte	

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/18/83	316.23 S L	01/24/90	311.13 T C	06/18/90	310.90 T C
07/19/84	313.92 S	02/03/90	310.91 T C	07/26/90	312.16 T C
10/25/84	313.19 S	02/28/90	310.57 T C	08/23/90	312.89 T C
07/17/85	311.89 S	03/28/90	309.75 T C	09/19/90	313.21 T C
08/07/87	309.67 S	04/25/90	309.60 T C	10/24/90	313.48 T C
05/31/88	307.62 S H	05/16/90	310.04 S	11/29/90	313.18 T C
05/19/89	309.14 S	05/30/90	310.38 T C	12/20/90	312.61 T C




Water-level data for well P&W 1.

Local well name: P&W 2
 Site identifier: 435419112453101
 Idaho well number: 7N 31E 28DAB1
 Latitude: 43°54'19"
 Longitude: 112°45'31"
 County: Butte

Altitude: 4,891.30 ft
 Date of well construction: 06/25/57
 Depth of well: 386 ft
 Diameter of casing: 10 in. (0-386 ft)
 Open or screened interval: 313-383 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/18/83	311.69 S	10/16/87	305.26 S	03/14/90	305.54 S
10/05/83	312.19 S L	01/21/88	304.28 S	03/28/90	305.42 T C
07/19/84	309.54 S	04/08/88	303.19 S	04/25/90	305.10 T C
10/25/84	309.60 S	05/31/88	303.12 S H	05/30/90	305.82 T C
04/30/85	306.77 S	07/13/88	304.27 S	06/18/90	306.31 T C
07/17/85	307.40 S	11/04/88	305.19 S	07/26/90	307.62 T C
10/18/85	307.74 S	04/18/89	304.65 S	08/23/90	308.26 T C
04/28/86	304.80 S	05/19/89	304.69 S	09/19/90	308.59 T C
10/31/86	305.95 S	10/12/89	307.65 S	10/12/90	308.53 S
02/21/87	304.19 S	01/24/90	306.74 T C	10/24/90	308.87 T C
04/24/87	303.57 S	02/03/90	306.47 T C	11/24/90	308.58 T C
08/07/87	305.14 S	02/28/90	306.06 T C	12/20/90	308.08 T C




Water-level data for well P&W 2.

Local well name: P&W 3
 Site identifier: 435443112435801
 Idaho well number: 7N 31E 26BBC1
 Latitude: 43°54'43"
 Longitude: 112°43'58"
 County: Butte

Altitude: 4,885.55 ft
 Date of well construction: 08/13/57
 Depth of well: 406 ft
 Diameter of casing: 10 in. (0-406 ft)
 Open or screened interval: 322-401 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
07/18/83	305.84 S L	01/24/90	300.42 T C	06/18/90	300.47 T C
07/19/84	303.66 S	02/03/90	300.24 T C	07/26/90	301.80 T C
10/25/84	303.63 S	02/28/90	299.94 T C	08/23/90	302.43 T C
07/17/85	301.52 S	03/28/90	298.92 T C	09/19/90	302.71 T C
08/07/87	299.26 S	04/25/90	299.08 T C	10/24/90	302.96 T C
05/31/88	297.20 S H	05/16/90	299.61 S	11/24/90	302.61 T C
05/19/89	298.70 S	05/30/90	299.95 T C	12/20/90	301.98 T C



Water-level data for well P&W 3.

Local well name: Quaking Aspen Butte Altitude: 5,190 ft
 Site identifier: 432632113095901 Date of well construction: 02/12/82
 Idaho well number: 1N 28E 03CDB1 Depth of well: 1,115 ft
 Latitude: 43°26'32" Diameter of casing: 8 in. (0-19 ft)
 Longitude: 113°09'59" 6 in. (0-260 ft)
 County: Butte 5 in. (0-295 ft)
 4 in. (295-1,115 ft)
 Open or screened interval: 1,036-1,074 ft

<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>	<u>Date</u>	<u>Depth to water</u>
08/02/83	762.55 S	07/17/85	761.10 S	04/05/88	763.45 S L
07/24/84	759.14 S H	12/09/87	762.90 S		




Water—level data for well Quaking Aspen Butte.

Local well name: Site 6
 Site identifier: 433826112510701
 Idaho well number: 4N 30E 26CCA1
 Latitude: 43°38'26"
 Longitude: 112°51'07"
 County: Butte

Altitude: 4,837 ft
 Date of well construction: --/--/56
 Depth of well: 523 ft
 Diameter of casing: 10 in. (0-523 ft)
 Open or screened interval: --

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/20/83	356.09 S L	07/22/85	349.49 S	05/24/89	352.88 S
07/11/84	352.52 S	08/07/87	348.90 S H	05/16/90	355.20 S
10/22/84	351.88 S	05/31/88	350.19 S		



Water-level data for well Site 6.

Local well name: Site 9

Site identifier: 433123112530101

Idaho well number: 2N 30E 04DCC1

Latitude: 43°31'23"

Longitude: 112°53'01"

County: Butte

Altitude: 4,929 ft


Date of well construction: --/--/60

Depth of well: 1,131 ft

Diameter of casing: 10.5 in. (0-681 ft)

Open or screened interval: 681-1,131 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
01/31/83	471.31 S	09/28/84	467.28 S	04/09/87	467.25 S
02/24/83	470.99 S	10/30/84	466.72 S	08/11/87	468.16 S
04/29/83	470.69 S	11/27/84	466.91 S	10/21/87	468.20 S
05/27/83	470.76 S	12/19/84	466.44 S	01/20/88	467.93 S
08/02/83	470.86 S	01/25/85	466.44 S	04/04/88	468.07 S
08/26/83	470.32 S	03/01/85	465.91 S H	07/27/88	469.53 S
09/26/83	470.04 S	04/18/85	466.13 S	11/05/88	469.79 S
10/19/83	469.89 S	05/17/85	466.32 S	01/20/89	469.68 S
11/21/83	469.17 S	06/20/85	466.38 S	04/05/89	469.80 S
01/04/84	468.79 S	07/16/85	466.79 S	07/27/89	470.71 S
01/24/84	468.54 S	08/20/85	467.32 S	10/27/89	470.80 S
02/24/84	468.22 S	09/27/85	467.52 S	01/18/90	470.43 S
03/23/84	468.18 S	10/24/85	467.48 S	04/26/90	470.71 S
04/12/84	468.01 S	11/26/85	467.27 S	07/20/90	471.64 S
05/23/84	467.73 S	01/30/86	467.23 S	08/31/90	471.87 S L
06/22/84	467.56 S	04/28/86	467.61 S	10/23/90	471.68 S
07/23/84	467.46 S	11/13/86	467.50 S		
08/27/84	467.31 S	02/25/87	467.02 S		




Water—level data for well Site 9.

Local well name: Site 14
 Site identifier: 434334112463101
 Idaho well number: 5N 31E 28CCC1
 Latitude: 43°43'34"
 Longitude: 112°46'31"
 County: Butte

Altitude: 4,795.03 ft
 Date of well construction: 08/30/56
 Depth of well: 717 ft
 Diameter of casing: 12 in. (0-340 ft)
 10 in. (320-377 ft)
 8 in. (313-535 ft)
 Open or screened interval: 535-717 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
01/12/83	265.13 S	01/03/85	262.46 S	10/14/87	263.50 S
02/23/83	264.41 S	02/04/85	260.19 S	01/21/88	261.92 S
03/14/83	264.63 S	02/27/85	260.24 S	04/08/88	261.14 S
04/27/83	264.79 S	04/19/85	259.78 S	06/01/88	262.74 S
06/28/83	264.51 S	05/22/85	260.89 S	08/22/88	265.96 S
07/20/83	263.33 S	06/24/85	261.64 S	11/03/88	265.74 S
08/30/83	262.41 S	07/22/85	262.64 S	11/25/88	264.97 S
09/26/83	262.20 S	08/30/85	263.60 S	02/17/89	264.93 S
10/26/83	261.87 S	09/20/85	263.71 S	04/18/89	263.42 S
12/22/83	259.77 S	10/23/85	262.74 S	05/22/89	264.43 S
01/26/84	260.04 S	11/25/85	260.98 S	08/24/89	267.69 S
02/29/84	260.11 S	01/30/86	259.90 S	10/12/89	268.42 S
03/28/84	260.47 S	05/02/86	260.56 S	12/02/89	267.10 S
04/26/84	260.40 S	11/24/86	256.95 S	02/24/90	265.08 S
05/22/84	261.18 S	12/23/86	256.45 S H	03/14/90	264.61 S
06/21/84	262.98 S	01/09/87	256.82 S	05/18/90	265.73 S
07/12/84	263.84 S	02/21/87	256.79 S	09/01/90	269.32 S
08/31/84	264.24 S	05/01/87	258.08 S	10/11/90	269.60 S L
09/25/84	264.82 S	08/07/87	262.50 S	11/27/90	268.01 S
11/28/84	262.30 S	09/28/87	263.39 S		



Water—level data for well Site 14.

Local well name: Site 16	Altitude: 5,121.91 ft
Site identifier: 433545112391501	Date of well construction: 01/23/57
Idaho well number: 3N 32E 13BBD1	Depth of well: 758 ft
Latitude: 43°35'45"	Diameter of casing: 8.25 in. (0-758 ft)
Longitude: 112°39'15"	Open or screened interval: 658-735 ft
County: Bingham	

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/12/83	635.55 S L	04/25/88	631.70 R	05/18/88	632.04 S
07/20/84	633.33 S	04/30/88	631.60 R	03/20/89	633.00 S
07/30/85	632.01 S	05/05/88	631.70 R	03/21/90	633.17 S
03/22/88	631.28 S H	05/10/88	632.16 R		
04/22/88	631.49 S	05/15/88	632.11 R		




Water-level data for well Site 16.

Local well name: Site 17
Site identifier: 434027112575701
Idaho well number: 4N 29E 14CAA1
Latitude: 43°40'27"
Longitude: 112°57'57"
County: Butte

Altitude: 4,880 ft
Date of well construction: --/--/60
Depth of well: 600 ft
Diameter of casing: 20 in. (0-15 ft)
Open or screened interval: 15-600 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/20/83	393.20 S	07/22/85	385.55 S	03/28/89	390.17 S
07/11/84	387.88 S	08/11/87	384.77 S H	03/22/90	393.11 S
10/19/84	387.49 S	03/21/88	386.33 S	09/06/90	394.25 S L




Water-level data for well Site 17.

Local well name: Site 19
 Site identifier: 433522112582101
 Idaho well number: 3N 29E 14BCB1
 Latitude: 43°35'22"
 Longitude: 112°58'21"
 County: Butte

Altitude: 4,925 ft
 Date of well construction: --/--/60
 Depth of well: 865 ft
 Diameter of casing: -- in.
 Open or screened interval: --

Date	Depth to water	Date	Depth to water	Date	Depth to water
08/01/83	466.23 S	10/30/85	462.36 S	04/01/88	462.94 S
10/17/83	465.73 S	04/24/86	461.73 S	10/13/88	464.87 S
04/10/84	463.43 S	07/21/86	461.85 S	04/10/89	464.97 S
07/10/84	463.06 S	10/28/86	462.24 S	09/28/89	466.62 S
10/10/84	462.32 S	04/23/87	461.56 S	04/05/90	466.53 S
04/25/85	461.55 S	08/20/87	462.45 S	10/01/90	467.49 S L
07/30/85	460.61 S H	10/07/87	462.98 S		




Water—level data for well Site 19.

Local well name: TAN 1
 Site identifier: 435056112420001
 Idaho well number: 6N 31E 13ACD1
 Latitude: 43°50'56"
 Longitude: 112°42'00"
 County: Butte

Altitude: 4,788.98 ft
 Date of well construction: 01/26/53
 Depth of well: 360 ft
 Diameter of casing: 16 in. (0-360 ft)
 Open or screened interval: 200-355 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
11/06/87	202.70 S	03/28/90	203.16 T C	09/19/90	205.16 T C
11/17/87	202.53 S H	04/25/90	202.83 T C	10/24/90	206.45 T C L
01/24/90	204.87 T C	06/18/90	203.80 T C	11/29/90	206.20 T C
02/03/90	204.46 T C	07/26/90	205.17 T C	12/20/90	205.81 T C
02/28/90	203.85 T C	08/23/90	205.63 T C		




Water—level data for well TAN 1.

Local well name: TAN 3
 Site identifier: 435104112420301
 Idaho well number: 6N 31E 13AC1
 Latitude: 43°51'04"
 Longitude: 112°42'03"
 County: Butte

Altitude: 4,792.04 ft
 Date of well construction: 12/04/89
 Depth of well: 264 ft
 Diameter of casing: 10 in. (0-59 ft)
 4 in. (0-264 ft)
 Open or screened interval: 231-264 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
12/18/89	207.06 S	04/25/90	206.09 T C	09/19/90	208.98 T C
01/24/90	207.18 T C	05/30/90	206.06 T C	10/24/90	209.24 T C L
02/03/90	206.93 T C	06/18/90	206.52 T C	11/29/90	208.84 T C
02/28/90	206.45 T C	07/26/90	207.79 T C	12/20/90	208.33 T C
03/28/90	205.47 T C H	08/23/90	208.37 T C		



Water—level data for well TAN 3.

Altitude: 4,781.91 ft
Date of well construction: 11/08/89
Depth of well: 322 ft
Diameter of casing: 10 in. (0-30 ft)
4 in. (0-322 ft)
Open or screened interval: 300-322 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
12/11/89	197.06 S	04/25/90	195.13 T C H	10/24/90	198.79 T C L
01/24/90	196.94 T C	05/30/90	195.70 T C	11/29/90	198.52 T C
02/03/90	196.64 T C	06/18/90	196.25 T C	12/20/90	198.07 T C
02/28/90	196.20 T C	07/26/90	197.45 T C		
03/28/90	195.52 T C	08/23/90	198.00 T C		



Water-level data for well TAN 9.

Altitude: 4,781.84 ft
Date of well construction: 08/22/89
Depth of well: 310 ft
Diameter of casing: 10 in. (0-58 ft)
4 in. (0-310 ft)
Open or screened interval: 290-310 ft


Date	Depth to water	Date	Depth to water	Date	Depth to water
12/14/89	196.88 S	04/25/90	194.90 T C H	09/19/90	198.25 T C
01/24/90	196.65 T C	05/30/90	195.46 T C	10/24/90	198.54 T C L
02/03/90	196.56 T C	06/18/90	196.03 T C	11/29/90	198.28 T C
02/28/90	195.99 T C	07/26/90	197.20 T C	12/20/90	197.84 T C
03/28/90	195.29 T C	08/23/90	197.74 T C		



Water-level data for well TAN 11.

Local well name: TRA Disp. Altitude: 4,923.66 ft
 Site identifier: 433506112572301 Date of well construction: --/--/63
 Idaho well number: 3N 29E 14DBD1 Depth of well: 1,267 ft
 Latitude: 43°35'06" Diameter of casing: 18 in. (25-43 ft)
 Longitude: 112°57'37" 16 in. (25-260 ft)
 County: Butte 14 in. (25-425 ft)
 10 in. (0-925 ft)
 8 in. (25-1,150 ft)
 6 in. (1,114-1,275 ft)
 Open or screened interval: 515-1,070 ft
 1,182-1,267 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/25/84	459.27 S	10/28/87	458.65 S	11/13/89	463.14 S
07/31/85	458.01 S	01/29/88	459.10 S	01/18/90	463.07 S
01/20/87	457.84 S	04/25/88	459.75 S	07/16/90	463.88 S
04/25/87	457.64 S H	11/10/88	461.17 S	10/11/90	464.33 S L
07/29/87	458.31 S	07/20/89	462.54 S		




Water-level data for well TRA Disp.

Local well name: **Water Supply for
INEL 1**
 Site identifier: 433716112563601
 Idaho well number: 3N 29E 01ABC1
 Latitude: 43°37'16"
 Longitude: 112°56'36"
 County: Butte

Altitude: 4,878.43 ft
 Date of well construction: 01/--/79
 Depth of well: 595 ft
 Diameter of casing: 12 in. (0-28 ft)
 10 in. (0-314 ft)
 8 in. (0-340 ft)
 6 in. (0-507 ft)
 Open or screened interval: 340-497 ft
 507-595 ft

Date	Depth to water	Date	Depth to water	Date	Depth to water
07/13/83	392.82 S	04/21/87	384.31 S H	10/10/89	391.08 S
10/24/84	387.60 S	08/20/87	384.49 S	03/19/90	391.93 S
07/18/85	385.34 S	10/26/87	385.22 S	06/05/90	392.15 S
10/28/85	385.68 S	01/19/88	385.62 S	07/30/90	392.60 S
04/29/86	385.46 S	04/01/88	385.80 S	10/03/90	393.09 S
08/02/86	385.14 S	10/12/88	387.76 S	12/07/90	393.47 S L
10/28/86	385.23 S	04/19/89	389.12 S		



Water-level data for well Water Supply for INEL 1.