

U.S. DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

**GEOLOGIC BIBLIOGRAPHY FOR THE
ATLIN, MOUNT ST. ELIAS, SKAGWAY, AND YAKUTAT QUADRANGLES
AND ADJACENT AREAS OF THE YUKON AND BRITISH COLUMBIA**

By

David A. Brew
(Compiler)
U.S. Geological Survey, MS 904
Menlo Park, CA 94025

OPEN-FILE REPORT 97-159

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards or with the North American Stratigraphic Code. Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government

ENTRIES

- Addicott, W.O., Winkler, G.R., and Plafker, G., 1978, Preliminary megafossil stratigraphy and correlation of selected stratigraphic sections of the Gulf of Alaska Tertiary province: U.S. Geological Survey Open-File Report 78-491, 2 pl.
- Aitken, J.D., 1959, Atlin map-area, British Columbia: Geological Survey of Canada Memoir 307, 89 p.
- Arksey, R.L., and Mihalyuk, M.G., 1989, Results of regional stream sediment and lithogeochemical surveys in the Fantail Lake (west) and Warm Creek (east) map area (NTS 104M/9W and 10E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open File 1989-13, scale 1:50,000, 1 sheet.
- Baggs, D.W., and Sherman, G.E., 1987, Feasibility of economic zinc, copper, silver, and gold mining in the Porcupine mining area of the Juneau mining district, Alaska: U.S. Bureau of Mines Report 15-87, 28 p.
- Bailey, E.A., Arbogast, B.F., Smaglik, S.M., and Light, T.D., 1985, Analytical results and sample locality map for stream-sediment and heavy-mineral-concentrate samples collected in 1983 and 1984 from the Juneau, Taku River, Atlin, and Skagway quadrangles, Alaska: U.S. Geological Survey Open-File Report 85-437, 91 p., scale 1:250,000, 1 sheet.
- Barker, F., 1987, Cretaceous Chisana island arc of Wrangellia, eastern Alaska (abs): Geological Society of America, Abstracts with Programs, v. 19, no. 7, p. 580.
- Barker, F., and Arth, J.G., 1990, Two traverses across the Coast batholith, southeastern Alaska, *in* Anderson, J.L., ed., The nature and origin of Cordilleran magmatism: Geological Society of America Memoir 174, p. 395-405.
- Barker, F., Arth, J.G., and Stern, T.W., 1986, Evolution of the Coast batholith along the Skagway traverse, Alaska and British Columbia: American Mineralogist, v. 71, p. 632-643.
- Barnes, D.F., 1975, USGS Alaskan gravity data maps of the Port Alexander, Sitka, Juneau, Mt. Fairweather, and Skagway 1:250,000 quadrangles, Alaska: U.S. Geological Survey Open-File Report 75-006.
- _____, 1977, Bouguer gravity map of Alaska: U.S. Geological Survey, Geophysical Investigation Map GP-0913.
- _____, 1986, Gravity data indicate large mass and depth of the gabbro body at Haines, *in* Bartsch-Winkler S., and Reed, K.M., eds., Geologic studies in Alaska by the U.S. Geological Survey during 1985: U.S. Geological Survey Circular 978, p. 88-92.
- Barnes, D.F., Erwin, M.J., Holden, K.D., and Morin, R.L., 1975, USGS Alaskan gravity data maps of the Port Alexander, Sitka, Juneau, Mt. Fairweather and Skagway, 1:250,000 quadrangles, Alaska: U.S. Geological Survey Open-File Report: 75-006, 5 maps and 58 p.
- Beikman, H.M., 1974, Preliminary geologic map of the southeast quadrant of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-0612, 1 sheet, scale 1:1,000,000.
- _____, 1975, Preliminary geologic map of southeastern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-0673, 2 sheets, scale 1:1,000,000.
- Beikman, H.M., Holloway, C.D., and MacKevett, E.M., Jr., 1977, Generalized geologic map of the eastern part of southern Alaska: U.S. Geological Survey Open-File Report 77-169B.

- Berg, H.C., Decker, J.E., and Abramson, B.S., 1981, Metallic mineral deposits of southeastern Alaska: U.S. Geological Survey Open-File Report 81-122, 136 p., 1 map, scale 1:1,000,000.
- Berg, H.C., Jones, D.L., and Richter, D.H., 1972, Gravina-Nutzotin belt--Tectonic significance of an upper Mesozoic sedimentary and volcanic sequence in southern and southeastern Alaska, *in* Geological Survey Research 1972: U.S. Geological Survey Professional Paper 800-D, p. D1-D24.
- Berg, H.C., Jones, D.L., and Coney, P.J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-File Report 78-1085, 2 sheets, scale 1:1,000,000.
- Bloodgood, M.A., and Bellefontaine, K.A., 1990, The geology of the Atlin area (Dixie Lake and Teresa Island 104N/6 and parts of N104/N5 and 12: British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Geological Fieldwork 1989, Paper 1990-1, p. 205-215.
- Bloodgood, M.A., Bellefontaine, K.A., Maddison, L., and Gertz, I.C., 1990, Geology of the Dixie Lake and Teresa Island area (104N/5, 6): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open File 1990-6, scale 1:50,000, 2 sheets.
- Bloodgood, M.A., Rees, C.J., and Lefebure, D.V., 1989, Geology and mineralization of the Atlin area, northwestern British Columbia (NTS 104N/11W, 12E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Geological Fieldwork 1988, Paper 1989-1, p. 311-322.
- _____, 1989, Geology of the Atlin area (NTS 104N/11W, 12E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open File 1989-15, scale 1:50,000, 2 sheets.
- Brew, D.A., 1988, Latest Mesozoic and Cenozoic igneous rocks of southeastern Alaska--a synopsis: U.S. Geological Survey Open-File Report 88-405, 29 p., 24 figs.
- _____, 1994, Latest Mesozoic and Cenozoic magmatism in southeastern Alaska, *in* Plafker, G., and Berg, H.C., eds., The geology of Alaska: Boulder, Colorado, Geological Society of America, The Geology of North America, v. G-1, Chap. 19, p. 621-656.
- Brew, D.A., Drew, L.J., and Ludington, S.D., 1992, The study of the undiscovered mineral resources of the Tongass National Forest and adjacent lands, southeastern Alaska: Nonrenewable Resources, v. 1, no. 4, p. 303-321.
- Brew, D.A., Drew, L.J., Schmidt, L.M., Root, D.H., and Huber, D.F., 1991, Undiscovered locatable mineral resources of the Tongass National Forest and adjacent areas, southeastern Alaska: U.S. Geological Survey Open-File Report 91-10, 370 p., 15 maps at 1:250,000, 1 map at 1:500,000, 11 figs.
- Brew, D.A., and Ford, A.B., 1978, Megalineament in southeastern Alaska marks southwest edge of Coast Range batholithic complex: Canadian Journal Earth Science, v. 15, no. 11, p. 1763-1772.
- _____, 1984a, The northern Coast plutonic complex, southeastern Alaska and northwestern British Columbia, *in* Coonrad, W.C., and Elliott, R.L., eds., The United States Geological Survey in Alaska: Accomplishments during 1981: U.S. Geological Survey Circular 868, p. 120-124.

- ____ 1984b, Tectonostratigraphic terranes in the Coast plutonic-metamorphic complex, southeastern Alaska, *in* Bartsch-Winkler, S., and Reed, K. M., eds., *The United States Geological Survey in Alaska: Miscellaneous geologic research 1982: U.S. Geological Survey Circular 939*, p. 90-93.
- ____ 1985, Preliminary reconnaissance geologic map of the Juneau, Taku River, Atlin and part of the Skagway 1:250,000 quadrangles, southeastern Alaska: U.S. Geological Survey Open-File Report 85-395, scale 1:250,000, 2 sheets, 23 p. pamphlet.
- ____ 1987, The Meade Glacier fault--an important tectonic boundary in the northern Cordillera, southeastern Alaska, *in* Hamilton, T.D., and Galloway, J.P., eds., *Geologic studies in Alaska by the U.S. Geological Survey during 1986: U.S. Geological Survey Circular 998*, p. 113-115.
- Brew, D.A., Ford, A.B., and Garwin, S.L., 1985, Fossiliferous Middle and Upper Triassic rocks within the Coast plutonic-metamorphic complex southeast of Skagway, *in* Bartsch-Winkler, Susan, ed., *The United States Geological Survey in Alaska: Accomplishments during 1984: U.S. Geological Survey Circular 967*, p. 86-88.
- Brew, D.A., Ford, A.B., and Himmelberg, G.R., 1989, Evolution of the western part of the Coast plutonic-metamorphic complex, southeastern Alaska, U.S.A.--A synopsis, *in* Daly, S.R., ed., *Evolution of metamorphic belts: Geological Society of London Special Paper 43*, p. 447-452.
- ____ 1994, Jurassic accretion of Nisling terrane along the western margin of Stikinia, Coast Mountains, northwestern British Columbia: *Comment: Geology*, v. 22, n. 1, p.89-90.
- Brew, D.A., Ford, A.B., Himmelberg, G.R., and Drinkwater, J.L., 1995, The Coast Mountains Complex of southeastern Alaska and adjacent regions, *in* Koozmin, E.D., ed., *Stratigraphic notes--1994: U.S. Geological Survey Bulletin 2135*, p. 21-28.
- Brew, D.A., Grybeck, D.J., Taylor, C.D., Jachens, R.C., Cox, D.P., Barnes, D.F., Koch, R.D., Morin, R.L., and Drinkwater, J.L., 1996, Undiscovered mineral resources of southeastern Alaska--Revised mineral-resource-assessment-tract descriptions: U.S. Geological Survey Open-File Report 96-716, 131 p.; one map, scale 1:1,000,000.
- Brew, D.A., Johnson, B.R., Grybeck, D.J., Griscom, A., Barnes, D.F., Kimball, A.L., Still, J.C., and Rataj, J.L. 1978. Mineral resources of Glacier Bay National Wilderness Study Area, Alaska. U.S. Geological Survey, Open-File Report 78-494, 670 p.
- Brew, D.A., Himmelberg, G.R., Loney, R.A., and Ford, A.B., 1992, Distribution and characteristics of metamorphic belts in the south-eastern Alaska part of the North American Cordillera: *Journal of Metamorphic Geology*, v. 10, p. 465-482.
- Brew, D.A., Horner, R.B., and Barnes, D.F., 1995, Bedrock-geologic and geophysical research in Glacier Bay National Park and Preserve: Unique opportunities of local to global significance: *Proceedings of the Third Glacier Bay Science Symposium, 1993, in* Engstrom, D.R., ed., National Park Service, Anchorage, Alaska, p. 5-14.
- Brew, D.A., Johnson, B.R., Grybeck, Donald, Griscom, Andrew, Barnes, D.F., Kimball, A.L., Still, J.C., and Rataj, J.L., 1978, Mineral resources of the Glacier Bay National Monument wilderness study area, Alaska: U.S. Geological Survey Open-File Report 78-494, 692 p., 4 pls., scale 1:125,000.
- Brew, D.A., Karl, S.M., Barnes, D.F., Jachens, R.C., Ford, A.B., and Horner, R., 1991, A northern Cordilleran ocean-continent transect: Sitka Sound to Atlin Lake, British Columbia: *Canadian Journal of Earth Sciences*, v. 28, no. 6, p. 840-853.

- Brew, D.A., and Morrell, R.P., 1983, Intrusive rocks and plutonic belts in southeastern Alaska, *in* Roddick, J. A., ed., Circum-Pacific plutonic terranes: Geological Society of America Memoir 159, p. 171-193.
- Bugliosi, E.F., 1985a, Hydrologic reconnaissance of the Chilkat river basin, southeast Alaska, with special reference to the Bald Eagle critical habitat at the Tsirku River alluvial fan: U.S. Geological Survey Open-File Report 84-618, 46 p.
- _____ 1985b, Hydrology of Tsirku River alluvial fan near Haines, Alaska, *in* Resolving Alaska's water resources conflicts: Institute of Water Resources Report IWR, November 1985, Proceedings, p. 179-189.
- Bultman, T.R., 1979, Geology and tectonic history of the Whitehorse Trough west of Atlin, British Columbia: Unpublished Ph.D. thesis, Yale University, 284 p.
- Bundtzen, T.K. 1986, Placer geology of the Porcupine mining district, Skagway B-4 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Public Data File 86-27, scale 1:40,000, 1 sheet, 26 p.
- Bundtzen, T.K., and Clautice, K.H., 1986, Prospect examination of the Golden Eagle lode-gold prospect near Porcupine, Skagway B-4 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Public Data File 86-18, 7 p.
- Burchard, E.F., 1914, Marble resources of the Juneau, Skagway, and Sitka districts: U.S. Geological Survey Bulletin 0592-C, p. 95-107.
- _____ 1920, Marble resources of southeastern Alaska, with a section on the geography and geology, by Theodore Chapin: U.S. Geological Survey Bulletin 682, p. 40-45.
- Burns, L.E., and Gilbert, W.G., 1993, Land selection unit 36 (Haines unit, Skagway quadrangle): Geologic summary, references, DGGS sample locations, geochemical and major oxide data: Alaska Division of Geological and Geophysical Surveys, Public Data File 93-36, 30 p., 2 sheets scale 1:63,360.
- Butler, R.F., 1990, Northward motion of the Whitehorse trough: Paleomagnetic evidence from the Upper Cretaceous Carmacks Group; Discussion: Canadian Journal of Earth Sciences, v. 25, p. 614-617.
- Callahan, J.E., and Wayland, R.G., 1955, Geologic reconnaissance of the West Creek dam site near Skagway, Alaska: U.S. Geological Survey Bulletin 1211-A, p. A1-A13.
- Campbell, R.B., and Dodds, C.J., 1978, Operation Saint Elias, Yukon Territory, *in* Current Research, Part A: Geological Survey of Canada, Paper 78-1A, p. 35-41.
- _____ 1979, Operation Saint Elias, British Columbia, *in* Current Research, Part A: Geological Survey of Canada, Paper 79-1A, p. 17-20.
- _____ 1982a, Geology of S.W. Kluane Lake map area (115G and F (E 1/2)), Yukon Territory: Geological Survey of Canada Open File 829, scale 1:125,000, 2 sheets.
- _____ 1982b, Geology of Mount St. Elias map area (115B and C (E 1/2)), Yukon Territory part: Geological Survey of Canada Open File 830, scale 1:125,000, 2 sheets.
- _____ 1982c, Geology of S.W. Dezadeash map area (115A), Yukon Territory: Geological Survey of Canada Open File 831, scale 1:125,000, 2 sheets.

- _____ 1983a, Geology of the Tatshenshini River map area (114P), British Columbia: Geological Survey of Canada Open-File Report 926, scale 1:125,000, 2 sheets.
- _____ 1983b, Geology of Yakutat map area (114O), British Columbia part: Geological Survey of Canada Open-File Report 927, map scale 1:125,000, 2 sheets.
- _____ 1983c, Terranes and major faults of the saint Elias Mountains, Yukon Territory, British Columbia, and Alaska (abs.): Geological Association of Canada, Annual Meeting, Victoria, British Columbia, Program with Abstracts, p. A10.
- Carnes, R.D., 1976, Active Alaskan placer operations, 1975: U.S. Bureau of Mines Open-File Report 98-76, 91 p.
- Carrick, S., and Ireland, R., 1990, Summary of streamflow data for the Little Salmon River and Walker Lake Creek, Skagway B-3 and B-4 quadrangles, Alaska: Draft Report: Alaska Division of Geological and Geophysical Surveys Public Data File 90-14, 9 p. text, 128 p. data.
- Christie, R.L., 1957, Bennett, British Columbia: Geological Survey of Canada Map 19-1957, scale 1:250,000, 1 sheet.
- _____ 1958, Geology of the plutonic rocks of the Coast Mountains in the vicinity of Bennett, British Columbia: Toronto, Ontario, University of Toronto Ph.D. thesis, 182 p.
- Christopher, P.A., White, W.H., and Harakal, J.E., 1972, K-Ar dating of the "Cork" (Burwash Creek) Cu-Mo prospect, Burwash Landing area, Yukon Territory: Canadian Journal of Earth Sciences, V. 9, p. 918-921.
- Clague, J.J., and Evans, S.G., 1993, Historic retreat of the Grand Pacific and Melburne Glaciers, Saint Elias Mountains, Canada: an analogue for decay of the Cordilleran ice sheet at the end of the Pleistocene?: Journal of Glaciology, v. 39, p. 619-624.
- Clague, J.J., and Mathewes, R.W., 1996, Neoglaciation, glacier-dammed lakes, and vegetation change in northwestern British Columbia: Arctic and Alpine Research, v. 28, p. 10-24.
- Cobb, E.H., 1972a, Metallic mineral resources map of the Skagway quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-424, 1 sheet, scale 1:250,000.
- _____ 1972b, Metallic mineral resources map of the Yakutat quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-408, 1 sheet, scale 1:250,000.
- _____ 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Mount Fairweather and Skagway quadrangle, Alaska: U.S. Geological Survey Open-File Report 78-316, 127 p.
- _____ 1979, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Bering Glacier, Icy Bay, Middleton Island, and Yakutat quadrangles, Alaska: U.S. Geological Survey Open-File Report 79-1246, 40 p.
- _____ 1981a, Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Skagway quadrangle, Alaska, Supplement to Open File Report 78-0316: Part A, Summaries of data to January 1, 1980: U.S. Geological Survey Open File Report 81-082A, 11 p.

- _____ 1981b, Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Skagway quadrangle, Alaska, supplement to Open-File Report 78-0316, Part B - Lists of references to January 1, 1980: U.S. Geological Survey Open-File Report 81-082B, 10 p.
- Currie, L.D., 1990a, Metamorphic rocks in the Florence Range, Coast Mountains, northwestern British Columbia (NTS 104M/8) *in* Geological Fieldwork 1989: British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Paper 1990-1, p. 197-203.
- _____ 1990b, Metamorphic rocks in the Florence Range, Coast Mountains, northwestern British Columbia, *in* Current Research, Part E: Geological Survey of Canada, Paper 90-1E, p. 113-119.
- _____ 1991, Geology of the Tagish Lake area, northern Coast Mountains, northwestern British Columbia, *in* Current Research, Part A: Geological Survey of Canada, Paper 91-1A, p. 147-153.
- _____ 1992a, Metamorphic rocks in the Tagish Lake area, northern British Columbia: a possible link between Stikinia and parts of the Yukon-Tanana terrane, *in* Current Research, Part E: Geological Survey of Canada, Paper 92-1E, p. 199-208.
- _____ 1992b, U-Pb geochronology of Cretaceous and Tertiary plutonic rocks of the Tagish Lake area, northeastern Coast mountains, British Columbia, *in* Radiogenic Age and Isotope Studies: Report 6, Geological Survey of Canada, Paper 92-2, p. 163-170.
- Currie, L.D., Carter, D.T., Cooper, J., Gunter, M.E., and Connor, C.L., 1996, Geology of the northeastern end of the Juneau Icefield Research Program Camp 26 Nunatak, northwestern British Columbia, *in* Current Research Paper 1996-E: Geological Survey of Canada, p. 77-86.
- Currie, L.D., and Parrish, R.R., 1993, Jurassic accretion of Nisling terrane along the western margin of Stikinia, Coast Mountains, northwestern British Columbia: *Geology*, v. 21, p.235-238.
- Davis, A.S., and Plafker, G., 1985, Comparative geochemistry and petrology of Triassic basaltic rocks from the Taku terrane on the Chilkat Peninsula and Wrangellia: *Canadian Journal of Earth Sciences*, v. 22, no. 2, p. 184-192.
- _____ 1986, Eocene basalts from the Yakutat terrane: Evidence for the origin of an accreting terrane in southern Alaska: *Geology*, v.14. p. 963-966.
- Decker, J., 1979, Preliminary aeromagnetic map of southeastern Alaska: U.S. Geological Survey Open-File Report 79-1694, 1 sheet, scale 1:1,000,000.
- Decker, J., Mullen, M.W., and Schwab, C.E., 1981, Aeromagnetic profile map of southeastern Alaska: U.S. Geological Survey Open-File Report 82-505, scale 1:1,000,000.
- Dodds, C.J., 1988, Potassium-argon ages of mainly intrusive rocks in the Saint Elias Mountains, Yukon and British Columbia: Geological Survey of Canada Paper 87-16., 43 p.
- Dodds, C.J., and Campbell, R.B., 1992a, Geology of SW Kluane Lake map area (115G & F[E1/2]), Yukon Territory: Geological Survey of Canada Open File 2188, scale 1:250,000, 1 sheet.
- _____ 1992b, Geology of Mount St. Elias map area (115B and C[E1/2]), Yukon Territory: Geological Survey of Canada Open-File Report 2189, scale 1:250,000, 1 sheet.

- _____. 1992c, Geology of SW Dezadeash map area (115A), Yukon Territory: Geological Survey of Canada Open-File Report 2190, scale 1:250,000, 1 sheet.
- _____. 1992d, Geology of NE Yakutat (114O) and Tatshenshini River (114P) map areas, British Columbia : Geological Survey of Canada Open-File Report 2191, scale 1:250,000, 1 sheet.
- Donelick, R.A., 1986, Mesozoic-Cenozoic thermal evolution of the Atlin terrane, Whitehorse Trough, and coast plutonic complex from Atlin, British Columbia to Haines, Alaska, as revealed by fission track geothermometry techniques: Troy, New York, Rensselaer Polytechnic Institute, M.S. thesis, 167 p.
- Downey, M.E., Armstrong, R.L., and Parrish, R.R., 1980, K-Ar, Rb-Sr, and fission track geochronometry of the Bock's Brook stock, Kluane Ranges, southwestern Yukon Territory, *in* Current Research, Part B: Geological Survey of Canada Paper 80-1B, p. 189-193.
- Dusel-Bacon, C., Brew, D.A., and Douglass, S.L., 1991, Metamorphic facies map of southeastern Alaska -- Distribution, facies, and ages of regionally metamorphosed rocks: U.S. Geological Survey Open-File Report 91-29, scale 1:1,000,000, 47 p. pamphlet, 4 figs., 2 tables, 2 sheets.
- _____. 1996, Metamorphic facies map of southeastern Alaska: U.S. Geological Survey Professional Paper 1497-D, scale 1: 1,000,000, 42 p.
- Eakin, H.M., 1919, The Porcupine gold placer district, Alaska: U.S. Geological Survey Bulletin 699, 29 p.
- Eisbacher, G.H., 1976, Sedimentology of the Dezadeash flysch and its implications for strike-slip faulting along the Denali fault, Yukon Territory and Alaska: Canadian Journal of Earth Sciences, v. 13, p. 1495-1513.
- Eisbacher, G.H., and Hopkins, S.L., 1977, Mid-Cenozoic paleogeomorphology and tectonic setting of the St. Elias Mountains, Yukon Territory, *in* Report of Activities, Part B: Geological Survey of Canada Paper 77-1B, p. 319-335.
- Erdmer, P.E., 1991, Metamorphic terrane east of Denali fault between Kluane Lake and Kusawa Lake, Yukon Territory, *in* Current Research, Part E: Geological Survey of Canada Paper 90-1E, p. 107-111.
- Erdmer, P.E., 1991, Studies of the Kluane and Nisling assemblages in Kluane and Dezadeash map areas, Yukon *in* Current Research, Part E: Geological Survey of Canada Paper 90-1E, p. 107-111.
- Erdmer, P., and Mortensen, J.K., 1993, A 1200-km-long Eocene metamorphic-plutonic belt in the northwestern Cordillera: Evidence from southwest Yukon: Geology, v. 21, p. 1039-1042.
- Field, W.O., 1975, Glaciers of the Coast Mountains; Boundary Ranges (Alaska, British Columbia, and Yukon Territory), *in* Field, W.O., ed., Mountain glaciers of the Northern Hemisphere; v. 2, Alaska and adjacent Canada; Arctic Canada; North Atlantic islands: Cold Regions Research and Engineering Laboratory, p. 11-141.
- Foley, J.Y., Barker, J.C., and Brown, L.L., 1985, Critical and strategic minerals investigations in Alaska: Chromium: U.S. Bureau of Mines Open-File Report 97-85, 54 p., 1 pl.

- Forbes, R.B., 1976, Map of the granitic rocks of Alaska and regional distribution and tectonic setting of Alaskan alkaline intrusive igneous rocks, *in* Investigations of Alaska's uranium potential: College, Alaska, Alaska Division of Geological and Geophysical Surveys Special Report 12, pt. 2, 41 p.
- _____ 1989, Geologic setting and petrology of the metavolcanic rocks in the northwestern part of the Skagway B-4 quadrangle, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys, Public Data File 89-14, 46 p.
- Ford, A.B., and Brew, D.A., 1988, Geochemistry of northern southeastern Alaska metabasalts, major-element comparisons, *in* Galloway, J.P., and Hamilton, T.D., eds., Geologic studies in Alaska by the U.S. Geological Survey during 1987: U.S. Geological Survey Circular 1016, p. 150-155.
- Gabrielse, H., Tempelman-Kluit, Blusson, S.L., and Campbell, R.B., 1980, MacMillan River 1:1,000,000 Geological Atlas, NTS 105, 115: Geological Survey of Canada Map 1398A, scale 1:1,000,000.
- Gabrielse, H., and Wheeler, J.O., 1961, Tectonic framework of southern Yukon and northwestern British Columbia: Geological Survey of Canada Paper 60-24, 37 p.
- Gammon, J.B., and Chandler, T.E., 1984, Windy Craggy massive sulfide deposit, northwestern British Columbia (abs.): Abstracts presented at the Alaska Miners Association Ninth Annual Convention and Trade Show, Anchorage, AK, Oct. 31-Nov. 3, 1984, p. 7-8.
- Gardner, M.C., Bergman, S.C., Cushing, G.W., MacKevett, E.M., Jr., Plafker, G., Campbell, R.B., Dodds, C.J., McClelland, W.C., and Mueller, P.A., 1988, Pennsylvanian pluton stitching of Wrangellia and the Alexander terrane, Wrangell Mountains, Alaska: *Geology*, v. 16, p. 967-971.
- Gehrels, G.E., and Berg, H.C., 1984, Geologic map of southeastern Alaska: U.S. Geological Survey Open-File Report 84-886, 28 p., 1 sheet, scale 1:600,000.
- _____ 1992, Geologic map of southeastern Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1867 28 p., 1 sheet, scale 1:600,000.
- Gehrels, G.E., McClelland, W.C., Samson, S.C., and Patchett, P.J., 1991, U-Pb geochronology of detrital zircons from a continental margin assemblage in the northern Coast Mountains, southeastern Alaska: *Canadian Journal of Earth Sciences*, v. 28, p. 1285-1300.
- Gehrels, G.E., McClelland, W.C., Samson, S.D., Patchett, P.J., and Brew, D.A., 1991, U-Pb geochronology and tectonic significance of Late Cretaceous-early Tertiary plutons in the northern Coast Mountains batholith: *Canadian Journal of Earth Sciences*, v. 28, no. 6, p. 899-911.
- Gehrels, G.E., McClelland, W.C., Samson, S.D., Patchett, P.J., and Jackson, J.L., 1990, Ancient continental margin assemblage in the northern Coast Mountains, southeast Alaska and northwest Canada: *Geology*, v. 18, p. 208-211.
- Gilbert, W.G., 1988, Preliminary geology of the northern Chilkat Range, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 88-8, scale 1:36,200, 2 sheets.
- Gilbert, W.G., Burns, L.E., Redman, E.C., and Forbes, R.B., 1987, Preliminary bedrock geology and geochemistry of the Skagway B-3 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 87-2, scale 1:63,360, 2 sheets.

- Gilbert, W.G., Clough, A.H., Burns, L.E., Kline, J.T., Redman, E., and Fogels, E.J., 1990, Reconnaissance geology and geochemistry of the northeast Skagway quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 90-5, scale 1:125,000, 1 sheet.
- Gilbert, W.G., Forbes, R.B., Redman, E.C., and Burns, L.E., 1988, Preliminary bedrock geology and geochemistry of the Kelsall River area, southeast Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 88-4, 1 pls., scale 1:36,200.
- Gilbert, W.G., and Redman, E.C., 1989, Lode deposits, prospects, and occurrences of the Porcupine mining area, southeast Alaska: U.S. Bureau of Mines Open-File Report 17-89, 1 sheet, scale 1:39,600.
- Gilbert, W.G., Still, J.C., Burns, L.E., Weir, K.R., and Redman, E.C., 1991, Geochemistry of the Haines-Klukwan-Porcupine area, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 91-5, scale 1:63,360, 2 sheets, 75 p.
- Hansen, V.L., 1990, Yukon-Tanana terrane: a partial acquital: *Geology*, v. 18, p. 365-369.
- Hart, C.R.J., and Ratloff, J.K., 1990, Geology of Whitehorse Alligator Lake, Fenwick Creek, and part of Robinson map areas (105D/11, 6, 3, 2, and 7): Indian and Northern Affairs Canada Open-File Report 1990-4, 113 p.
- Hicks, S.D., and Shofnos, William, 1965, The determination of land emergence from sea level observations in Alaska: *Journal of Geophysical Research*, v. 70, no. 14, p. 3315-3320.
- Himmelberg, G.R., Brew, D.A., and Ford, A.B., 1986, Chemical composition of olivine and orthopyroxene in peridotite in the Coast plutonic-metamorphic complex near Skagway, Alaska, *in* Bartsch-Winkler, S., ed., *Geologic studies in Alaska by the U.S. Geological Survey during 1985*: U.S. Geological Survey Circular 978, p. 95-98.
- _____, 1991, Inverted metamorphic isograds and P-T conditions, western metamorphic belt, Coast plutonic-metamorphic complex, Juneau, Alaska: *Journal of Metamorphic Geology*, v. 9, p. 165-180.
- Himmelberg, G.R., Ford, A.B., and Brew, D.A., 1985, Ultramafic bodies in the Coast plutonic-metamorphic complex near Skagway, Alaska, *in* Bartsch-Winkler, S., ed., *The United States Geological Survey in Alaska: Accomplishments during 1984*: U.S. Geological Survey Circular 0967, p. 92-93.
- Hoekzema, R.B., Fechner, S.A., and Bundtzen, T., 1986, Distribution, analysis, and recovery of placer gold from the Porcupine mining area, southeast Alaska: U.S. Bureau of Mines Open-File Report 89-86, 49 p., maps.
- Holland, S.S., 1964, Landforms of British Columbia--A physiographic outline: British Columbia Department of Mines and Petroleum Resources, Bulletin 48, 138 p.
- Horner, R., 1983, Seismicity in the St. Elias region of northwestern Canada and southeastern Alaska: *Bulletin Seismological Society of America*, v. 73, p. 1117-1137.
- _____, 1990. Seismicity in the Glacier Bay region of southeast Alaska and adjacent areas of British Columbia, *in* Milner, A.M., and Wood, J.D., Jr, eds., *Proceedings Second Glacier Bay Science Conference*: U.S. National Park Service, Science Publications Office, Atlanta, Georgia, p. 6-11.

- Hudson, T., Dixon, K., and Plafker, G., 1982, Regional uplift in southeastern Alaska, *in* Coonrad, W.L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980*: U.S. Geological Survey Circular 844, p. 132-135.
- Hudson, T., Plafker, G., and Dixon, K., 1982, Horizontal offset history of the Chatham Strait fault, *in* Coonrad, W.L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980*: U.S. Geological Survey Circular 844, p. 128-132.
- Hutton, D.H.W., and Ingram, G.M., 1992, The Great tonalite sill of southeastern Alaska: emplacement into an active contractional high angle reverse shear zone: *Transactions of the Royal Society of Edinburgh, Earth Sciences*, v. 83, parts 1 and 2, p. 383-386; and *The Second Hutton Symposium on the Origin of Granites and Related Rocks*: Boulder, Colorado, Geological Society of America, Special Paper 272, p. 383-386.
- Houston, J.R., Bates, R.G., Velikanje, R.S., and Wedow, Helmuth, Jr., 1958, Reconnaissance for radioactive deposits in southeastern Alaska, 1952: U.S. Geological Survey Bulletin 1058-A, p. 1-31.
- Houston, J.R., Velikanje, R.S., Bates, R.G., and Wedow, Helmuth, Jr., 1953, Southeastern Alaska, *in* Preliminary summary of reconnaissance for uranium and thorium in Alaska, 1952: U.S. Geological Survey Circular 248, p. 6, 10.
- Hudson, T., 1983, Calc-alkaline plutonism along the Pacific rim of southern Alaska, *in* Roddick, J. A., ed., *Circum-Pacific plutonic terranes*: Geological Society of America Memoir 159, p. 159-169.
- Hudson, T., and Plafker, G., 1982, Paleogene metamorphism of an accretionary flysch terrane, eastern Gulf of Alaska: *Geological Society of America*, v. 93, p. 1280-1290.
- Hudson, T., Plafker, G., and Lanphere, M.A., 1977, Intrusive rocks of the Yakutat-St. Elias area, south-central Alaska: *U.S. Geological Survey Journal of Research*, v. 5, no. 2, p. 155-172.
- Hudson, T., Plafker, G., and Turner, D.L., 1977, Metamorphic rocks of the Yakutat-St. Elias area, south-central Alaska: *U.S. Geological Survey Journal of Research*, v. 5, no. 2, p. 173-184.
- Hudson, T., Plafker, G., and Peterman, Z.E. 1979, Paleogene anatexis along the Gulf of Alaska margin: *Geology*, v. 7, p. 573-577.
- Ingram, G.M., and Hutton, D.H.W., 1994, The Great Tonalite Sill: Emplacement into a contractional shear zone and implications for Late Cretaceous to early Eocene tectonics in southeastern Alaska and British Columbia: *Geological Society of America Bulletin*, v. 106, p. 715-728.
- Jackson, J.L., Gehrels, G.E., Patchett, P.J., and Mihalynuk, M.G., 1990, Late Triassic depositional link between the northern Stikine terrane and Nisling assemblage, northwestern Canada (abs.): *Geological Society of America Abstracts with Programs*, v. 22, p. A325.
- Jackson, J.L., G.E. Gehrels, P.J. Patchett, and M.G. Mihalynuk, 1991, Stratigraphic and isotopic link between the northern Stikine terrane and an ancient continental margin assemblage, Canadian Cordillera: *Geology*, v. 19, p. 1177-1180.
- Jacobson, B., Parrish, R.R., and Armstrong, R.L., 1980, Geochronology and petrology of the Tkope River batholith in the Saint Elias Mountains, northwestern British Columbia, *in* *Current Research, Part B*: Geological Survey of Canada Paper 80-1B, p. 195-206.
- Johnson, G.H., and Plafker, G. 1969 Preliminary geologic interpretation of aeromagnetic data in [the] Yakutat district, Alaska: U.S. Geological Survey Open-File Report, 10 p.

- Johnson, A., and Twenhofel, W.S., 1953, Potential industrial sites in the Lynn Canal area, Alaska: U.S. Geological Survey Circular 280, 17 p.
- Kindle, E.D., 1952, Dezadeash map area, Yukon Territory: Geological Survey of Canada Memoir 268, 68 p.
- Knopf, A., 1910, Occurrence of iron ore near Haines, Alaska: U.S. Geological Survey Bulletin 442, p. 144-146.
- Lahr, J.C., Plafker, G., 1980, Holocene Pacific-North American plate interaction in southern Alaska: Implications for the Yakataga seismic gap: *Geology*, v.8, p.483-486.
- Lahr, J.C., Plafker, G., Stephens, C.D., Fogelman, K.A., and Blackford, M.E., 1979, Interim report on the Saint Elias earthquake of 18 February 1979: U.S. Geological Survey Open-File Report 79-670, 35 p.
- Lemke, R.W., and Yehle, L. A., 1972, Reconnaissance engineering geology of the Haines area, Alaska, with emphasis on the evaluation of earthquake and other geologic hazards: U.S. Geological Survey Open-File Report 515, scale 1:24,000, sheets, 109 p.
- Levson, V.M., and Kerr, D.E., 1992, Surficial geology and placer gold settings of the Atlin-Surprise Lake area (NTS 104N/11W,12E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open File 1992-7, scale 1:50,000, 1 sheet.
- LKB Resources, Inc., 1979, NURE aerial gamma-ray and magnetic reconnaissance survey, southeastern area--Alaska: Skagway, Atlin, Mt. Fairweather, Juneau, Taku River, Sitka, Sumdum, Port Alexander, Petersburg, Bradfield Canal, Craig, Ketchikan, Dixon Entrance, Prince Rupert quadrangles: Grand Junction, Colorado, U.S. Department of Energy Report GJBX-48-79, scale 1:500,000 or 1:250,000.
- Lull, J.S., and Plafker, G., 1985, Petrography of sandstone from the Yakutat Group, Malaspina district, southern Alaska: *in* Bartsch-Winkler, S., and Reed, K.M., eds. *The U.S. Geological Survey in Alaska: Accomplishments during 1983*, U.S. Geological Survey Circular 945, p.73-77.
- _____, 1990, Geochemistry and paleotectonic implications of metabasaltic rocks in the Valdez Group, southern Alaska, *in* Galloway, J.P., ed., *Geologic Studies in Alaska by the U.S. Geological Survey 1989*: U.S. Geological Survey Bulletin 1946, p. 29-38.
- MacIntyre, D.G., Mihalynuk, M.G. and Smith, M.T., 1993, Tatshenshini Project, Northwestern British Columbia (114P/11, 12, 13, 14; 114O/9, 10, 14, 15, &16), Part D: Mineral Inventory Update (114P and 114O): *in* Geological Fieldwork, 1992, British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1993-1, pages 217-229.
- MacIntyre, D.G., Mihalynuk, M.G., Smith, M.T., Deschênes, M., Timmerman, J., and Schiarizza, P., 1993, Tats Lake Map Area Geology (114P12), *in* Mihalynuk, M.G., et al.; Northwest Tatshenshini River Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-13, Sheet 3 of 6.
- MacIntyre, D.G., Mihalynuk, M.G., Smith, M.T., Deschênes, M., Timmerman, J., Schiarizza, P. and McDougall, J.J., 1993, Tatshenshini River Map Area Lithochemistry (NTS 114PNW), *in* Mihalynuk, M.G., et al., Northwest Tatshenshini River Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-13, Sheet 6 of 6.

- MacIntyre, D.G., Mihalynuk, M.G., Smith, M.T., Timmerman, J. and Deschênes, M., 1993, Yakutat Map Area Lithogeochemistry (NTS 114O), *in* Mihalynuk, M.G., et al., Yakutat Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-12, Sheet 5 of 5.
- MacKevett, E.M., Jr., 1971, Analyses of samples and preliminary geologic summary of barite-silver-base metal deposits near Glacier Creek, Skagway B-4 quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 71-195, 8 p.
- MacKevett, E.M., Jr., Brew, D.A., Hawley, C.C., Huff, L.C., and Smith, J.G., 1971, Mineral resources of Glacier Bay National Monument, Alaska: U.S. Geological Survey Professional Paper 632, 90 p.
- MacKevett, E.M., Jr., and Holloway, C.D., 1977, Table describing metalliferous and selected nonmetalliferous mineral deposits in eastern southern Alaska: U.S. Geological Survey Open-File Report 77-0169A, 99 p., 1 map.
- MacKevett, E.M., Jr., and Plafker, George, 1970, Geochemical and geophysical reconnaissance of parts of the Yakutat and Mount St. Elias quadrangles, Alaska: U.S. Geological Survey Bulletin 1312-L, 12 p.
- _____ 1974, The Border Ranges fault in south-central Alaska: U.S. Geological Survey Journal of Research, v. 2, no. 3, p. 323-329.
- MacKevett, E.M., Jr., Robertson, E.C., and Winkler, G.R., 1974, Geology of the Skagway B-3 and B-4 quadrangles, southeastern Alaska: U.S. Geological Survey Professional Paper 832, 33 p.
- MacKevett, E.M., Jr., Singer, D.A., and Holloway, C.D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-File Report 78-001-E, 12 p., 2 pls.
- Magaritz, M., and Taylor, H.P., 1976, Isotopic evidence for meteoric-hydrothermal alteration of plutonic igneous rocks in the Yakutat Bay and Skagway areas, Alaska: Earth and Planetary Science Letters, v. 30, p. 179-190.
- March, G.D., 1982a, Photointerpretive map of the surficial geology of the Skagway B-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 159, scale 1:63,360, 1 sheet.
- _____ 1982b, Photointerpretive map of the surficial geology of the Skagway B-2 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 161, scale 1:63,360, 1 sheet.
- _____ 1983, Photointerpretative map of surficial deposits of Skagway A-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 83-14, scale 1:63,360, 1 sheet.
- _____ 1987, Surficial geology and materials-resources maps of the Skagway A-2 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 87-6,, scale 1:63,360, 2 sheets.
- _____ 1991, Surficial geology of the Skagway C-2 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 91-2, scale 1:63,360, 1 sheet.

- McMillan, W.J., Höy, T., MacIntyre, D.G., Nelson, J.L., Nixon, G.T., Hammack, J.L., Panteleyev, A., Ray, G.E., and Webster, I.C.L., 1991, Ore deposits, tectonics, and metallogeny in the Canadian Cordillera: British Columbia Ministry of Energy, Mines, and Petroleum Resources, Paper 1991-4, 276 p.
- Mihalynuk, M.G., 1993, The Coast Mountains between Fraser and the Venus mill, Tutshi Lake, British Columbia--Geologic sketch and road log: Field Trip Guide, 1993 GAC-NUNA Conference on the Northern Intermontane Superterrane, Whitehorse, Yukon Territory, August 22-28, 1993, p. 20-26.
- Mihalynuk, M.G., Bellefontaine, K.A., Brown, D.A., Logan, J.M., Nelson, J.L., Legun, A.S. and Diakow, L.J., 1996, Geological Compilation, Northwest British Columbia. (NTS 94E, L, M; 104F, G, H, I, J, K, L, M, N, O, P; 114J, O, P) > British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1996-11.
- Mihalynuk, M.G., Currie, L.D., and Arksey, R.L., 1989, The geology of the Tagish Lake area (Fantail Lake and Warm Creek, 104M/9W and 10E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Geological Fieldwork 1988, Paper 1989-1, p. 293-310.
- Mihalynuk, M.G., Currie, L.D., Mountjoy, K.J., and Wallace, C, 1989, Geology of the Fantail Lake (west) and Warm Creek (east) map area (NTS104M/9W and 10E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open File 1989-13, scale 1:50,000, 1 sheet.
- Mihalynuk, M.G., Gabites, J.E., Orchard, M.J. and Tozer, E.T., 1997, Age of the Willison Bay pluton and overlying Sediments: Implications for the Carnian Stage Boundary, *in* Geological Fieldwork 1996: British Columbia Ministry of Employment and Investment, Paper 1997-1, p. 171-179.
- Mihalynuk, M.G., and Mountjoy, K.J., 1990, Geology of the Tagish Lake area (104M/8,9E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Geological Fieldwork 1989, Paper 1990-1, p. 181-196.
- Mihalynuk, M.G., Mountjoy, K.J., Currie, L.D., Lofthouse, D.L., and Winder, N., 1990, Geology and geochemistry of the Edgar Lake and Fantail Lake map area (104M/8, 9E): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open-File 1990-4, scale 1: 50,000, 3 sheets.
- Mihalynuk, M.G., Mountjoy, K.J., McMillan, W.J., Ash, C.H., and Hammack, J.L., 1991, Highlights of 1990 fieldwork in the Atlin area (104N/12W): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Geological Fieldwork 1990, Paper 1991-1, p. 145-152.
- Mihalynuk, M.G., Nelson, J. and Diakow, L., 1994, Cache Creek Terrane entrapment: oroclinal paradox within the Canadian Cordillera: *Tectonics*, v. 13, p. 575-595.
- Mihalynuk, M.G., and Rouse, J., 1987, Preliminary geology of the Tutshi Lake area, northwestern British Columbia (104M/15), *in* Geological Fieldwork, 1986: British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Paper 1988-1, p. 217-231.
- ____ 1988a, Preliminary geology of the Tutshi Lake area, northwestern British Columbia (NTS 104M/15): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Geological Fieldwork 1987, Paper 1988-1, p. 217-231.

- _____ 1988b, Geology of the Tutshi Lake area (NTS 104M/15): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open-File 1988-5, scale 1: 50,000, 2 sheets.
- Mihalynuk, M.G., and Smith, M.T., 1992a, Geology and geochemistry of the Atlin (West) map area (NTS 104N/12): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Open-File 1992-8, scale 1: 50,000, 1 sheet.
- _____ 1992b, Highlights of 1991 mapping in the Atlin-West map area (NTS 104N/12): British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch, Geological Fieldwork 1991, Paper 1992-1, p. 221-227.
- Mihalynuk, M.G., Smith, M.T., Gabites, J.E., 1992, Age of emplacement and basement character of the Cache Creek terrane as constrained by new isotopic and geochemical data: *Canadian Journal of Earth Sciences*, v. 29, p. 2463-2477.
- Mihalynuk, M.G., Smith, M.T. and MacIntyre, D.G., 1993, Tatshenshini Project, Northwestern British Columbia (114P/11, 12, 13, 14; 114O/9, 10, 14, 15, &16), Part A: Overview; in *Geological Fieldwork, 1992*: British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1993-1, p. 185-188.
- Mihalynuk, M.G., Smith, M.T., MacIntyre, D.G. and Deschênes, M., 1993, Tatshenshini Project, Northwestern British Columbia (114P/11, 12, 13, 14; 114O/9, 10, 14, 15, &16), Part B: Stratigraphic and Magmatic Setting of Mineral Occurrences, *in Geological Fieldwork, 1992*: British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1993-1, p. 189-202.
- Mihalynuk, M.G., Smith, M.T., MacIntyre, D.G., Deschênes, M., Timmerman, J., and Schiarizza, P. 1993a, Northwest Tatshenshini River map area, northwestern British Columbia (NTS 114P/11, 12, 13, and 14): British Columbia Ministry of Energy, Mines, and Petroleum Resources Geological Survey Branch Open-File Report 1993-13, scale 1:50,000, 6 sheets.
- _____ 1993b, Yakutat map area, northwestern British Columbia (NTS 114O/9, 10, 14, 15, and 16): British Columbia Ministry of Energy, Mines, and Petroleum Resources Geological Survey Branch Open-File Report 1993-12, scale 1:50,000, 6 sheets.
- Mihalynuk, M.G., Smith, M.T., Mountjoy, K.J., Nazarchuk, J.H., McMillan, W.J., Ash, C.H., Hammack, J.L. and Dutchak, R., 1992, Geology and Geochemistry of the Atlin (West) Map Area (104N/12W): British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1992-1.
- Mihalynuk, M.G., Smith, M.T., Timmerman, J. and Deschênes, M., 1993, Battle Glacier Map Area Geology (114O/9 & 10), *in* Mihalynuk, M.G., et al., Yakutat Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-12, Sheet 2 of 5.
- Mihalynuk, M.G., Smith, M.T., Timmerman, J., Deschênes, M. and Schiarizza, P., 1993, Supercub Lake Map Area Geology (114O/16), *in* Mihalynuk, M.G., et al., Yakutat Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-12, Sheet 4 of 5.
- Miller, D.J., Payne, T.G., and Gryc, G., 1959, Geology of possible petroleum provinces in Alaska: *U.S. Geological Survey Bulletin* 1094, 131 p.

- Miller, M.L., Dumoulin, J.A., and Nelson, S.W., 1984, A transect of metamorphic rocks along the Copper River,, Cordova and Valdez quadrangles, Alaska, *in* Reed, K.M, and Bartsch-Winkler, S., eds., *The United States Geological Survey in Alaska: Accomplishments during 1982: U.S. Geological Survey Circular 939*, p. 52-57.
- Monger, J.W.H., 1975, Upper Paleozoic rocks of the Atlin terrane: Geological Survey of Canada, Paper 74-47, 63 p.
- Monger, J.W.H., 1977, Upper Paleozoic rocks of northwestern British Columbia: Geological Survey of Canada, Report of Activities, Paper 77-1A, p. 255-262.
- _____, 1993, Canadian Cordilleran tectonics: from geosynclines to crustal collage: *Canadian Journal of Earth Sciences*, v. 30, p. 209-231.
- Monger, J.W.H., and Berg, H.C., 1987, Lithotectonic terrane map of western Canada and southeastern Alaska: U.S. Geological Survey Map MF-1874-B, one sheet, 12 p. pamphlet.
- Monger, J.W.H., Price, R.A., and Tempelman-Kluit, D.J., 1982, Tectonic accretion and the origin of the two major metamorphic and plutonic belts in the Canadian Cordillera: *Geology*, v.10, p. 70-75.
- Monger, J.W.H., and Ross, C.A., 1971, Distribution of fusulinaceans in the western Canadian Cordillera: *Canadian Journal of Earth Sciences*, v.8, p. 259-278.
- Monger, J.W.H., Souther, J.G., and Gabrielse, H., 1972, Evolution of the Canadian Cordillera--A plate-tectonic model: *American Journal of Science*, v. 272, no. 7, p. 577-602.
- Mortenson, J.K., 1992, Pre-mid-Mesozoic tectonic evolution of the Yukon-Tanana terrane, Yukon and Alaska: *Tectonics*, v. 11, n. 4, p. 836-853.
- Mortenson, J.K., and Jilson, G.A., 1985, Evolution of the Yukon-Tanana terrane: Evidence from southeastern Yukon Territory: *Geology*, v. 13, p. 806-810.
- Nelson, J., 1997, Last seen heading south: Extensions of the Yukon Tanana terrane [*sic*] into northern British Columbia (Abs.): Abstracts of the 14th Annual Cordilleran Geology and Exploration Roundup, Vancouver, B.C., British Columbia and Yukon Chamber of Mines, p. 16.
- Nelson, J., and Mihalynuk, M.G., 1993, Cache Creek ocean: Closure or enclosure?: *Geology*, v. 21, p. 173-176.
- Nilsen, T.H., Plafker, G., Atwood, D.E., and Hill, E.R., 1984, Sedimentology of flysch of the Upper Mesozoic Yakutat Group, Malaspina district, Alaska, *in* Reed, K.M, and Bartsch-Winkler, S., eds., *The United States Geological Survey in Alaska: Accomplishments during 1982: U.S. Geological Survey Circular 939*, p. 57-60.
- Nokleberg, W.J., Moll-Stalcup, E.J., Miller, T.P., Brew, D.A., Grantz, A., Reed, J.C., Plafker, G., Moore, T.E., Silva, S.R., and Patton, W.W., Jr., 1994, Tectonostratigraphic terrane and overlap assemblage map of Alaska: U.S. Geological Survey Open-File Report 94-194, 1 sheet, scale 1:2,500,000, 53 p. pamphlet.
- Norford, B.S. and Mihalynuk, M.G., 1994, Evidence of the Pacific Faunal Province in the northern Alexander Terrane, recognition of two Middle Ordovician graptolite zones in northwestern British Columbia: *Canadian Journal of Earth Sciences*, v. 31, p. 1389-1396.
- Oldham, C.H.G., 1958, Gravity and magnetic investigations along the Alaska Highway: *Publications of the Dominion Observatory Ottawa*, v. 21, no. 1, 22 p.

- Omni Resources, Inc., 1996, Skukum Creek, Goddell, Yukon (Abs.): Abstracts of the 14th Annual Cordilleran Geology and Exploration Roundup, Vancouver, B.C., British Columbia and Yukon Chamber of Mines, p. 14.
- Ovenshine, A.T., and Brew, D.A., 1972, Separation and history of the Chatham Strait fault, southeast Alaska, North America: International Geological Congress, 24th, Sec. 3, p. 245-254.
- Plafker, G., 1967, Geologic map of the Gulf of Alaska Tertiary province: U.S. Geological Survey Map I-0484, 1 sheet, scale 1:500,000.
- _____ 1971, Possible future petroleum resources of the Pacific margin basin, Alaska, *in* Cram, I.H., ed., Future petroleum provinces of the United States--their geology and potential: American Association of Petroleum Geologists Memoir 15, p. 120-135; also p. 152-159.
- _____ 1981, Late Cenozoic glaciomarine deposits in the Yakataga Formation, Alaska, *in* Hambrey, M.J., and Harland, W.B., eds., Earth's pre-Pleistocene glacial record: Cambridge University Press, p. 694-699.
- _____ 1984, Comment on "A model for the origin of the Yakutat block, an accreting terrane in the northern Gulf of Alaska": *Geology*, v. 12, no. 9, p. 563.
- _____ 1987, Regional geology and petroleum potential of the northern Gulf of Alaska continental margin, chapter 11 *in* Scholl, D.W., and others, eds., Geology and resource potential of the continental margin of North America and adjacent ocean basins-Beaufort Sea to Baja California, v. 6 of Circum-Pacific Council for Energy and Mineral Resources Earth Science Series: Houston, Texas, Circum-Pacific Council for Energy and Mineral Resources, p. 229-268.
- _____ 1996, Geologic compilation of the southwestern corner of the Skagway quadrangle, *in* Dusel-Bacon, C., Brew, D.A., and Douglass, S.L., Metamorphic facies map of southeastern Alaska: U.S. Geological Survey Professional Paper 1497-D, scale 1: 1,000,000.
- Plafker, G., and Addicott, W.O., 1976, Glaciomarine deposits of Miocene through Holocene age in the Yakataga Formation along the Gulf of Alaska margin: U.S. Geological Survey Open-File Report 76-84, 45 p.
- Plafker, G., Blome, C.D., and Silberling, N.J., 1989, Reinterpretation of lower Mesozoic rocks on the Chilkat peninsula, Alaska, as a displaced fragment of Wrangellia: *Geology*, v. 17, p.3-6.
- Plafker, G., and Campbell, R.C., 1979, The Border Ranges fault in the Saint Elias Mountains, *in* Johnson, K.M., and Williams, J.R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B102-B104.
- Plafker, G., and Hudson, T., 1980, Regional implications of Upper Triassic metavolcanic and metasedimentary rocks on the Chilkat Peninsula, southeastern Alaska: *Canadian Journal of Earth Sciences*, v. 17, no. 6, p.681-689.
- Plafker, G., Hudson, T., and Silberling N.J., 1979, Upper Triassic fossils from a sequence of volcanic and sedimentary rocks on the Chilkat Peninsula, southeastern Alaska, *in* Johnson, K.M., and Williams, J.R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B102-B104.
- Plafker, G., Jones, D.L., Hudson, T., and Berg, H.C., 1976, The Border Ranges fault system in the Saint Elias Mountains and Alexander Archipelago, *in* E.H. Cobb, ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 14-16.

- Plafker, G., and Miller, D.J., 1957, Reconnaissance geology of the Malaspina district, Alaska: U.S. Geological Survey Oil and Gas Map, OM-189, scale 1:125,000.
- _____, 1958, Glacial features and surficial geology of the Malaspina district, Alaska: U.S. Geological Miscellaneous Geologic Investigations Map, I-271, scale 1:125,000.
- Plafker, G., Moore, J.C., and Winkler, G.R., 1994 Geology of the southern Alaska margin, *in* Plafker, G., and Berg, H.C., eds., *The geology of Alaska: Boulder, Colorado, Geological Society of America, The Geology of North America*, v. G1, p. 389-449.
- Plafker, G., Winkler, G.R., Coonrad, W.L., Claypool, G., 1980, Preliminary report on the geology of the continental slope adjacent to Alaska lease Sale 55: *Oil and Gas Journal*, October 6, 1980, p. 112-120.
- Plafker, G., Winkler, G.R., Coonrad, W.L., Claypool, G., 1980, Geology of continental slope adjacent to Alaska lease Sale 55, eastern Gulf of Alaska: Petroleum resource implications: U.S. Geological Survey Open-File Report 80-1089, 72 p.
- Pride, M.J., 1985, Preliminary geologic map of Mount Skukum volcanic complex (105D/2, 3, 4, 5): Northern Affairs Program of Indian and Northern Affairs Canada, Yukon Region, Mineral Resources Directorate, Exploration and Geological Services Division, Open File 1985-2, scale 1:25,000, 1 sheet.
- Rau, W.W., Plafker, G., and Winkler, G.R., 1983, Foraminiferal biostratigraphy and correlations in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Oil and Gas Investigations Chart OC-120.
- Read, P.H., and Monger, J.W.H., 1976, Pre-Cenozoic volcanic assemblages of the Kluane and Aisek Ranges, southwestern Yukon Territory: *Geological Survey of Canada Open File 381*, 96 p.
- Redman, E.C., Gilbert, W.G., Jones, B.K., Rosenkrans, D., and Hickok, B.D., 1985, Preliminary bedrock-geologic map of the Skagway B-4 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations RI 85-6, 1 sheet, scale 1:63,360.
- Redman, E.C., Retherford, R.M., and Hickok, B.D., 1984, Geology and geochemistry of the Skagway B-2 quadrangle, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Reports of Investigations 84-31, 34 p., 4 sheets, scale 1:40,000.
- Reinnitz, E., and Plafker, G., 1976, Marine gold placers along the Gulf of Alaska margin: U.S. Geological Survey Bulletin 1415, 16 p.
- Robertson, E.C., 1956, Magnetite deposits near Klukwan and Haines, Alaska: U.S. Geological Survey Open-File Report, 37 p.
- Samson, S.D., McClelland, W.C., Patchett, P.J., Gehrels, G.E., and Anderson, R.G., 1989, Evidence from neodymium isotopes for mantle contributions to Phanerozoic crustal genesis in the Canadian Cordillera: *Nature*, v. 337, p. 705-709.
- Samson, S.D., Patchett, P.J., Gehrels, G.E., and Anderson, R.G., 1990, Nd and Sr characteristics of the Wrangellia terrane and implications for crustal growth of the Canadian Cordillera: *Journal of Geology*, v. 98, p. 749-762.
- Samson, S.D., Patchett, P.J., McClelland, W.C., and Gehrels, G.E., 1991, Nd and Sr isotopic constraints on the petrogenesis of the west side of the northern Coast Mountains batholith, Alaska and Canadian Cordillera: *Canadian Journal of Earth Sciences*, v. 28, p. 939-946.

- Silberling, N.J., Jones, D.L., Monger, J.W.H., and Coney, P.J., 1992, Lithotectonic terrane map of the North American Cordillera: U.S. Geological Survey Miscellaneous Field Studies Map MF-2176, scale 1:5,000,000.
- Smith, M.T. and Mihalyuk, M.G., 1993a, Mineral potential of the Yakutat Map Area, Northwestern British Columbia (NTS 114O9, 10, 14, 15, &16): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-4.
- ____ 1993b, Mineral potential of the Mount Aylesworth Map Area (114O14 & 15), *in* Smith, M.T. and Mihalyuk, M.G., Mineral potential of the Yakutat Map Area, Northwestern British Columbia (114O9, 10, 14, 15, &16): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-4, Sheet 1 of 3.
- ____ 1993c, Mineral potential of the Supercub Lake Map Area (114O16), *in* Smith, M.T. and Mihalyuk, M.G., Mineral potential of the Yakutat Map Area, Northwestern British Columbia (114O9, 10, 14, 15, &16): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-4, Sheet 2 of 3.
- ____ 1993d, Mineral potential of the Battle Glacier Map Area (114O9 & 10), *in* Smith, M.T. and Mihalyuk, M.G., Mineral potential of the Yakutat Map Area, Northwestern British Columbia (114O9, 10, 14, 15, &16): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-4, Sheet 3 of 3.
- ____ 1993e, Mineral potential of the Northwest Tatshenshini River Map Area, Northwestern British Columbia (NTS 114P11, 12, 13, &14): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-5.
- ____ 1993f, Mineral potential of the Range Lake Map Area (114P13), *in* Smith, M.T. and Mihalyuk, M.G., Mineral potential of the Northwest Tatshenshini River Map Area, Northwestern British Columbia (114P11, 12, 13, &14): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-5, Sheet 1 of 4.
- ____ 1993g, Mineral potential of the Survey Lake Map Area (114P14), *in* Smith, M.T. and Mihalyuk, M.G., Mineral potential of the Northwest Tatshenshini River Map Area, Northwestern British Columbia (114P11, 12, 13, &14): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-5, Sheet 2 of 4.
- ____ 1993h, Mineral potential of the Tats Lake Map Area (114P12), *in* Smith, M.T. and Mihalyuk, M.G., Mineral Potential of the Northwest Tatshenshini River Map Area, Northwestern British Columbia (114P11, 12, 13, &14): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-5, Sheet 3 of 4.
- ____ 1993i, Mineral potential of the Carmine Mountain Map Area (114P11), *in* Smith, M.T. and Mihalyuk, M.G., Mineral Potential of the Northwest Tatshenshini River Map Area, Northwestern British Columbia (114P11, 12, 13, &14): British Columbia Ministry of Energy, Mines and Petroleum Resources, Mineral Potential Map 1993-5, Sheet 4 of 4.
- Smith, M.T., Mihalyuk, M.G. and MacIntyre, D.G., 1993, Tatshenshini Project, Northwestern British Columbia (114P/11, 12, 13, 14; 114O/9, 10, 14, 15, &16), Part C: Deformation and Structural Styles, *in* Geological Fieldwork, 1992: British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1993-1, p. 203-216.
- Smith, M.T., Mihalyuk, M.G., MacIntyre, D.G., Deschênes, M., Timmerman, J. and Schiarizza, P. 1993a, Carmine Mountain Map Area Geology (114P11), *in* Mihalyuk, M.G., et al., Northwest Tatshenshini River Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-13, Sheet 2 of 6.

- _____. 1993b, Survey Lake Map Area Geology (114P14), *in* Mihalynuk, M.G., et al., Northwest Tatshenshini River Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-13, Sheet 5 of 6.
- Smith, M.T., Mihalynuk, M.G., Timmerman, J. and Deschênes, M., 1993, Mount Aylesworth Map Area Geology (114O/14 & 15), *in* Mihalynuk, M.G., et al., Yakutat Map Area, Northwestern British Columbia: British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-12, Sheet 3 of 5.
- Souther, J.G., Brew, D.A., Okulitch, A. V., 1979, Iskut River 1:1,000,000 Geological Atlas, NTS 104, 114: Geological Survey of Canada Map1418A, scale 1:1,000,000.
- Souther, J.G., and Stanciu, C., 1975, Operation Saint Elias, Yukon Territory: Tertiary volcanic rocks, *in* Report of Activities, Part A: Geological Survey of Canada Paper 75-1A, p. 63-70.
- St. Amand, Pierre, 1957, Geological and geophysical synthesis of the tectonics of portions of British Columbia, the Yukon Territory, and Alaska: Geological Society of America Bulletin, v. 68, no. 10, p. 1343-1370.
- Still, J.C., 1984a, Copper, gold, platinum, and palladium sample results from the Klukwan mafic/ultramafic complex, southeast Alaska: U.S. Bureau of Mines Open-File Report 84-21, 53 p.
- _____. 1984b, Stratiform massive sulfide deposits of the Mount Henry Clay area, southeast Alaska: U.S. Bureau of Mines Open-File Report 118-84, 21 p.
- _____. 1988, Copper-gold mineralization of the Chilkat Peninsula and Islands: U.S. Bureau of Mines Open-File Report 49-88, 39 p.
- Still, J.C., Gilbert, W.G., and Forbes, R.B., 1987, Final report of stream sediment, float, and bedrock sampling in the Porcupine mining area, southeast Alaska, 1983-85: U.S. Bureau of Mines Open-File Report 36-87, 34 p.
- Still, J.C., Hoekzema, R.B., Bundtzen, T.K., Gilbert, W.G., Weir, K.R., Burns, L.E., and Fechner, S.E., 1991, Economic geology of Haines-Klukwan-Porcupine area, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys, Report of Investigations 91-4, scale 1:63,360, 5 sheets, 156 p.
- Still, J.C., Weir, K.R., Gilbert, W.G., and Redman, E., 1984, Stream sediment, float, and bedrock sampling in the Porcupine mining area, southeast Alaska: U.S. Bureau of Mines Open-File Report 173-84, 19 p.
- Sturrock, D.L., Armstrong, R.L., and Maxwell, R.B., 1980, Age and Sr composition of the Pyroxenite Creek ultramafic complex, southwestern Yukon Territory: An Alaskan-type ultramafic intrusion, *in* Current Research, Part B: Geological Survey of Canada Paper 80-1B, p. 185-188.
- Taylor, H.P., Jr., and Noble, J.A., 1960, Origin of the ultramafic complexes in southeastern Alaska: International Geological Congress, 21st, Copenhagen 1960, pt. 13, p. 175-187.
- Tempelman-Kluit, D.J., 1981, Geology and mineral deposits of southern Yukon, *in* Yukon geology and exploration, 1979-80: Department of Indian Affairs, Whitehorse, Yukon, p. 7-31.
- Tipper, H.W., Woodsworth, G.J., and Gabrielse, H., 1981, Tectonic assemblage map of the Canadian Cordillera and adjacent parts of the United States of America: Geological Survey of Canada Map 1505A, scale 1:2,000,000, 2 sheets.

- Twenhofel, W.S., 1953, Potential Alaskan mineral resources for proposed electrochemical and electrometallurgical industries in the upper Lynn Canal area, Alaska: U.S. Geological Survey Circular 252, 14 p.
- U.S. Bureau of Mines and Alaska division of Geological and Geophysical Surveys, 1998, Lode deposits, prospects, and occurrences of the Porcupine mining area, southeast Alaska: U.S. Bureau of Mines Open-File Report 17-80, scale 1:63,360, 1 sheet.
- U.S. Department of Energy, Union Carbide Corporation, 1981a, Hydrogeochemical and stream sediment reconnaissance basic data for Atlin quadrangle, Alaska: Grand Junction, Colorado, U.S. Department of Energy Report GJBX-166-81; K/UR-321, 27 p., 1 microfiche.
- U.S. Geological Survey, 1979, Aeromagnetic profiles of the Bering Glacier, Mount St. Elias, and Yakutat 1° by 3° quadrangles, Alaska: U.S. Geological Survey Open-File Report 79-224, 2 sheets, scale 1:250,000.
- Van Zandt, F.K., 1966, Boundaries of the United States and the several states: U.S. Geological Survey Bulletin 1212, 291 p.
- Wahrhaftig, C., 1965, Physiographic divisions of Alaska: U.S. Geological Survey Professional Paper 482, 52 p.
- Wells, D.E., Pittman, T.L., Brew, D.A., and Douglass, S.L., 1986, Map and description of the mineral deposits in the Juneau, Taku River, Atlin, and part of the Skagway quadrangles, Alaska: U.S. Geological Survey Open-File Report 85-717, 332 p., 1 sheet.
- Wells, R.R, and Thorne, R.L., 1953, Concentration of Klukwan, Alaska, magnetite ore: U.S. Bureau of Mines Report of Investigations 4984, 15 p.
- Werner, L.J., 1978, Metamorphic terrane, northern Coast Mountains west of Atlin Lake, British Columbia, *in* Current Research, Part A: Geological Survey of Canada, Paper 78-1A, p. 69-70.
- Wheeler, J.O., Brookfield, A.J., Gabrielse, H., Monger, J.W.H., Tipper, H.W., and Woodsworth, G.J., 1991, Terrane map of the Canadian Cordillera: Geological Survey of Canada, Map 1713A, scale 1:2,000,000.
- Wheeler, J.O., and McFeely, P., 1991, Tectonic assemblage map of the Canadian Cordillera and adjacent parts of the United States of America: Geological Survey of Canada Map 1712 A, scale 1:2,000,000.
- Winkler, G.R., and MacKevett, E.M., Jr., 1970, Analyses of bedrock and stream-sediment samples from the Haines-Porcupine area, southeastern Alaska: U.S. Geological Survey Open-File Report 406, 91 p.
- Winkler, G.R., McLean, H., and Plafker, G., 1976, Textural and mineralogical study of sandstones from the onshore Gulf of Alaska Tertiary Province, southern Alaska: U.S. Geological Survey Open-File Report 76-198, 48 p.
- Winkler, G.R., and Plafker, G., 1981, Tectonic implications of framework grain mineralogy of sandstone from the Yakutat Group, *in* Albert, N.R.D., and Hudson, T., eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B68-B70.

- Woodsworth, G.J., Andeson, R.G., Brookfield, A., and Tercier, P., 1989 , Distribution of Proterozoic to Miocene plutonic suites in the Canadian Cordillera: Geological Survey of Canada Open File 1982, scale 1:5,000,000, 8 sheets.
- Yehle, L. A., and Lemke, R.W., 1972, Reconnaissance engineering geology of the Skagway area, Alaska, with emphasis on the evaluation of earthquake and other geologic hazards: U.S. Geological Survey Open-File Report 550, scales 1:9,600 and 1:24,000, 4 sheets, 108 p.
- Yukon, 1992a, Yukon Minfile, Dezadeash, Sheet 115 B and C: Northern Affairs Program of Indian and Northern Affairs Canada, Yukon Region, Mineral Resources Directorate, Exploration and Geological Services Division, scale 1:250,000, 1 sheet.
- _____ 1992b, Yukon Minfile, Mount St. Elias, Sheet 115 A: Northern Affairs Program of Indian and Northern Affairs Canada, Yukon Region, Mineral Resources Directorate, Exploration and Geological Services Division, scale 1:250,000, 1 sheet.