

U. S. DEPARTMENT OF THE INTERIOR

U. S. GEOLOGICAL SURVEY

SCHLUMBERGER SOUNDING RESULTS AND THE ALTITUDE OF THE
PIERRE SHALE AT THE PUEBLO CHEMICAL DEPOT, PUEBLO, COLORADO.

By

Robert J. Bisdorf¹

Open-File Report 98-490

1998

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards. Any use of trade, product, or firm names is for descriptive purposes only and does not constitute endorsement by the U.S. Government.

¹Denver Federal Center, M.S. 964, Box 25046, Denver, CO 80225

Schlumberger sounding results and the altitude of the
Pierre Shale at the Pueblo Chemical Depot, Pueblo, Colorado.

by
Robert J. Bisdorf

INTRODUCTION

In 1995 and 1997 the U.S. Geological Survey made 73 dc electrical soundings at the Pueblo Chemical Depot near Pueblo, Colorado, using the Schlumberger array. The soundings were made to determine the altitude and topographic surface of the underlying Pierre Shale. The purpose of this report is to present the sounding data, its automatic interpretation and a map of the altitude of the top of the Pierre Shale.

The geology consists of alluvium overlaying Cretaceous age Pierre Shale (Watts and Ortiz, 1989) with the alluvium ranging in thickness from 40 to 95 feet. The Pierre Shale, more than 1000 feet thick in the study area (Watts and Ortiz, 1989), contains localized iron concentrations and limestone lenses and is effectively an impermeable layer. The alluvium comprises sand and clay. The Pierre Shale is a good target for electrical exploration because of the contrast between the relatively high resistivity sand/clay mix of the alluvium and the consistently low resistivity of the shale.

SCHLUMBERGER SOUNDING

Schlumberger sounding is a geophysical technique that uses variations in the electrical resistivity of earth materials to help detect buried geologic structures. Dc resistivity (the inverse of conductivity) is a fundamental rock property that varies due to of rock type, clay content, porosity and the quantity and quality of the water contained in the rock. Resistivity is normally expressed in ohm-m. Within a given rock type, the resistivity of the rock is primarily dependant on the quality and quantity of water and the amount of clay present. Generally speaking, higher clay content and/or poorer quality (higher TDS and/or chlorides) ground water lowers the rock resistivity.

Schlumberger sounding uses a symmetric electrode array to vertically explore the subsurface. The name Schlumberger derives from Conrad Schlumberger, an early proponent of the array geometry. Schlumberger soundings are processed by computer modeling of the sounding data as a series of horizontal layers (Zohdy, 1989 and Zohdy and Bisdorf, 1989). More detailed explanations of processing and automatic interpretation procedure can be found in Bisdorf (1985) and Zohdy and others (1993).

SCHLUMBERGER SOUNDING DATA

Figure 1 is a map of the sounding locations, and numbers. The soundings are represented by circles. Table 1 gives the sounding number, x coordinate, y coordinate, and elevation of the soundings. The x and y coordinates are in kilometers UTM zone 13 using the North America horizontal datum of 1927. The elevations are in feet using the North American vertical datum of 1929. Soundings were located by using global positioning satellite (GPS) equipment and by comparison with USGS topographic quadrangles and landmarks. In general the GPS locations did not compare favorably with known positions, so landmarks and measured distances were used to




Figure 1. Map showing the location, and number of the Schlumberger soundings.

locate individual soundings. Inside the Depot along roads positional accuracy was ± 10 m and better at road intersections, wells and landmarks. Soundings 1, 3, 21, 22, and 43 are probably located to better than ± 30 m. The data were interpreted using an automatic computerized interpretation program (Zohdy and Bisdorf, 1989) written for IBM PC's and compatible computers. The soundings are designated PDA 1 through PDA 73. For each sounding curve, the data in the appendix includes:

- 1) A sounding title designated by the name of the survey area followed by the sounding number. Several sounding titles have a suffix that indicates what special treatment the sounding may have undergone. For instance the suffix S denotes that the field data were smoothed before the inversion was performed. In general, only the interpreted sounding titles will have suffixes.
- 2) A tabulation of the AB/2 electrode spacings (in meters and feet) and corresponding apparent resistivities (in ohm-meters).
- 3) A log-log plot of the field data points. Each set of data points that were made with the same potential electrode spacing (MN) is connected with a solid line. Measurements were made at MN/2 spacings of 0.6, 2, 20, and 60 feet as appropriate.
- 4) A tabulation of the automatically interpreted layering, with depths in meters and feet and the corresponding resistivities in ohm-meters.
- 5) A log-log plot of the results of the automatic interpretation program. The circles represent the shifted-digitized field data, the continuous curve represents the sounding curve calculated from the interpreted layering, and the step-function curve represents the interpreted layering.

INTERPRETED DEPTH TO SHALE

To estimate the depth to the top of the Pierre Shale from the interpreted Schlumberger soundings, the sounding interpretations were evaluated by a computer program to determine the deepest depth to a resistivity of 12 ohm-m in a section of decreasing resistivity. Twelve ohm-m was used as the shale criterion because it is lower than the typical resistivity of alluvium and slightly higher than the highest interpreted resistivity of the Pierre Shale. The resistivity of the Pierre Shale was somewhat variable, possibly because of the iron concentrations and limestone lenses. The depth evaluated at sounding 15, located next to well ATMW-05 and sounding 41, located next to well ATMW-01 were compared to the depth of the Pierre Shale from each well (Chafin, 1995) and a correction factor was calculated to adjust the interpreted depth to Pierre Shale to the measured depth to Pierre Shale. The correction factor was necessary to compensate for a depth shift resulting from the nature of a multi-layer interpretation over a large contrasting low resistivity basement layer (pseudo-anisotropy), and/or to correct for possible anisotropy in the overlying sediments. Koefoed (1979) and Zohdy and others (1974) discuss the effects of anisotropy. Pseudo-anisotropy (the effect of combining layers of varying resistivities and thicknesses) has the same effects as anisotropy (a material property). The evaluated depths to the Pierre Shale from the sounding interpretations were multiplied by the correction factor and used to calculate the elevations shown on figure 2. The elevation of the top of the Pierre Shale from this survey are consistent with the elevations shown in Chafin (1995).

Sounding Number	x kilometers	y kilometers	elevation feet
1	555.610	4236.200	4575.
2	556.710	4236.460	4642.
3	556.160	4236.350	4625.
4	555.220	4235.985	4542.
5	560.610	4236.990	4640.
6	561.575	4237.785	4625.
7	562.240	4237.500	4673.
8	554.580	4244.080	4680.
9	555.070	4244.050	4730.
10	555.515	4243.835	4777.
11	555.800	4244.150	4784.
12	557.050	4236.640	4670.
13	563.300	4237.930	4675.
14	555.880	4239.670	4694.
15	556.410	4239.670	4713.
16	555.900	4238.760	4661.
17	555.170	4239.600	4640.
18	554.950	4239.600	4601.
19	554.720	4239.620	4599.
20	555.520	4239.550	4664.
21	554.080	4239.600	4598.
22	554.180	4244.040	4681.
23	554.590	4241.800	4640.
24	554.240	4241.720	4640.
25	555.235	4242.005	4732.
26	555.690	4242.025	4752.
27	556.440	4242.325	4757.
28	553.550	4244.050	4692.
29	557.260	4239.680	4722.
30	556.620	4237.210	4651.
31	556.300	4237.750	4655.
32	557.120	4242.680	4766.
33	557.050	4245.810	4813.
34	555.710	4245.760	4806.
35	554.570	4245.790	4717.
36	558.190	4239.800	4718.
37	559.170	4240.200	4710.

Sounding Number	x kilometers	y kilometers	elevation feet
38	560.210	4239.960	4685.
39	558.030	4245.870	4815.
40	558.660	4245.860	4801.
41	559.500	4245.860	4788.
42	560.120	4245.880	4779.
43	554.710	4235.920	4541.
44	561.000	4237.440	4631.
45	559.810	4236.240	4640.
46	561.090	4245.860	4745.
47	561.520	4245.230	4723.
48	561.840	4244.490	4716.
49	562.020	4243.720	4698.
50	562.020	4243.010	4690.
51	554.090	4245.990	4721.
52	556.300	4245.830	4810.
53	555.290	4245.750	4783.
54	554.990	4241.880	4695.
55	557.960	4245.030	4794.
56	558.050	4244.220	4781.
57	557.950	4243.570	4773.
58	557.940	4242.970	4766.
59	557.990	4242.290	4755.
60	558.020	4241.590	4744.
61	558.170	4238.640	4695.
62	558.060	4240.790	4734.
63	557.210	4237.650	4703.
64	558.160	4237.920	4688.
65	559.080	4237.970	4688.
66	559.640	4237.420	4679.
67	560.760	4243.980	4745.
68	560.590	4243.010	4730.
69	562.380	4245.990	4772.
70	563.240	4245.820	4776.
71	563.300	4242.870	4700.
72	563.410	4236.800	4655.
73	559.530	4242.970	4746.

Table 1. Schlumberger sounding coordinates. Horizontal coordinates (x and y) are in kilometers UTM zone 13 using the North American horizontal datum of 1927. The elevations are in feet using the North American vertical datum of 1929.





Figure 2. Map showing the elevation of the top of the Pierre Shale from the interpretation of the Schlumberger soundings at the Pueblo Chemical Depot. The observation well locations and elevations are from Chafin, 1995.


REFERENCES

- Bisdorf, R.J., 1985, Electrical techniques for engineering applications: Bulletin of the Association of Engineering Geologists, v. XXII, no. 4, p. 421-433.
- Chafin, D.T., 1995, Hydrology of the alluvial aquifers at the Pueblo Depot Activity near Pueblo, Colorado: U.S. Geological Survey Water-Resources Investigations Report 95-4137, 22 p.
- Koefoed, Otto, 1979, Geosounding Principles, 1 resistivity sounding measurements: Elsevier Scientific Publishing Company, New York, 276 p.
- Watts, K.R., and Ortiz, R.F., 1989, Geohydrology and ground-water quality at the Pueblo Depot Activity landfill Near Pueblo, Colorado: U.S. Geological Survey Water-Resources Investigations Report 89-4143, 75 p.
- Zohdy, A. A. R., and Bisdorf, R. J., 1989, Programs for the automatic processing and interpretation of Schlumberger sounding curves in QuickBASIC 4.0: U.S. Geological Survey Open-File Report, 89-137 A&B, 64 p. + diskette.
- Zohdy, A. A. R., Eaton, G.P., and Mabey, D. R., 1974, Application of surface geophysics to ground-water investigations: Techniques of water-resources investigations of the United States Geological Survey, Book 2, Chapter D1, 116 p.
- Zohdy, A. A. R., Martin, Peter, and Bisdorf, R.J., 1993, A study of sea-water intrusion using Schlumberger soundings near Oxnard, California: U.S. Geological Survey Open-File Report 93-524, 139 p.


APPENDIX




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	152.00	12.19	40.00	37.00
1.22	4.00	107.00	16.28	50.00	28.00
1.53	5.00	85.00	20.38	60.00	25.50
2.14	7.00	65.00	28.48	90.00	19.00
2.75	9.00	50.00	36.57	120.00	15.00
3.36	11.00	40.00	44.67	140.00	13.00
3.97	13.00	35.00	52.77	170.00	11.50
4.58	15.00	30.00	60.86	200.00	9.50
5.19	17.00	25.00	68.96	230.00	9.50
5.80	19.00	20.00	77.05	260.00	10.20
6.41	21.00	18.00	85.15	300.00	
7.02	23.00	16.00	93.25	340.00	
7.63	25.00	14.00	101.34	380.00	
8.24	27.00	12.00	109.44	420.00	
8.85	29.00	10.00	117.54	460.00	
9.46	31.00	8.00	125.63	500.00	
10.07	33.00	7.00	133.73	540.00	
10.68	35.00	6.00	141.83	580.00	
11.29	37.00	5.00	149.93	620.00	
11.90	39.00	4.00	158.03	660.00	
12.51	41.00	3.00	166.13	700.00	
13.12	43.00	2.00	174.23	740.00	
13.73	45.00	1.00	182.33	780.00	
14.34	47.00	0.50	190.43	820.00	
14.95	49.00	0.20	198.53	860.00	
15.56	51.00	0.10	206.63	900.00	
16.17	53.00	0.05	214.73	940.00	
16.78	55.00	0.02	222.83	980.00	
17.39	57.00	0.01	230.93	1020.00	
18.00	59.00	0.00	239.03	1060.00	
18.61	61.00	0.00	247.13	1100.00	
19.22	63.00	0.00	255.23	1140.00	
19.83	65.00	0.00	263.33	1180.00	
20.44	67.00	0.00	271.43	1220.00	
21.05	69.00	0.00	279.53	1260.00	
21.66	71.00	0.00	287.63	1300.00	
22.27	73.00	0.00	295.73	1340.00	
22.88	75.00	0.00	303.83	1380.00	
23.49	77.00	0.00	311.93	1420.00	
24.10	79.00	0.00	320.03	1460.00	
24.71	81.00	0.00	328.13	1500.00	
25.32	83.00	0.00	336.23	1540.00	
25.93	85.00	0.00	344.33	1580.00	
26.54	87.00	0.00	352.43	1620.00	
27.15	89.00	0.00	360.53	1660.00	
27.76	91.00	0.00	368.63	1700.00	
28.37	93.00	0.00	376.73	1740.00	
28.98	95.00	0.00	384.83	1780.00	
29.59	97.00	0.00	392.93	1820.00	
30.20	99.00	0.00	401.03	1860.00	
30.81	101.00	0.00	409.13	1900.00	
31.42	103.00	0.00	417.23	1940.00	
32.03	105.00	0.00	425.33	1980.00	
32.64	107.00	0.00	433.43	2020.00	
33.25	109.00	0.00	441.53	2060.00	
33.86	111.00	0.00	449.63	2100.00	
34.47	113.00	0.00	457.73	2140.00	
35.08	115.00	0.00	465.83	2180.00	
35.69	117.00	0.00	473.93	2220.00	
36.30	119.00	0.00	482.03	2260.00	
36.91	121.00	0.00	490.13	2300.00	
37.52	123.00	0.00	498.23	2340.00	
38.13	125.00	0.00	506.33	2380.00	
38.74	127.00	0.00	514.43	2420.00	
39.35	129.00	0.00	522.53	2460.00	
39.96	131.00	0.00	530.63	2500.00	
40.57	133.00	0.00	538.73	2540.00	
41.18	135.00	0.00	546.83	2580.00	
41.79	137.00	0.00	554.93	2620.00	
42.40	139.00	0.00	563.03	2660.00	
43.01	141.00	0.00	571.13	2700.00	
43.62	143.00	0.00	579.23	2740.00	
44.23	145.00	0.00	587.33	2780.00	
44.84	147.00	0.00	595.43	2820.00	
45.45	149.00	0.00	603.53	2860.00	
46.06	151.00	0.00	611.63	2900.00	
46.67	153.00	0.00	619.73	2940.00	
47.28	155.00	0.00	627.83	2980.00	
47.89	157.00	0.00	635.93	3020.00	
48.50	159.00	0.00	644.03	3060.00	
49.11	161.00	0.00	652.13	3100.00	
49.72	163.00	0.00	660.23	3140.00	
50.33	165.00	0.00	668.33	3180.00	
50.94	167.00	0.00	676.43	3220.00	
51.55	169.00	0.00	684.53	3260.00	
52.16	171.00	0.00	692.63	3300.00	
52.77	173.00	0.00	700.73	3340.00	
53.38	175.00	0.00	708.83	3380.00	
53.99	177.00	0.00	716.93	3420.00	
54.60	179.00	0.00	725.03	3460.00	
55.21	181.00	0.00	733.13	3500.00	
55.82	183.00	0.00	741.23	3540.00	
56.43	185.00	0.00	749.33	3580.00	
57.04	187.00	0.00	757.43	3620.00	
57.65	189.00	0.00	765.53	3660.00	
58.26	191.00	0.00	773.63	3700.00	
58.87	193.00	0.00	781.73	3740.00	
59.48	195.00	0.00	789.83	3780.00	
60.09	197.00	0.00	797.93	3820.00	
60.70	199.00	0.00	806.03	3860.00	
61.31	201.00	0.00	814.13	3900.00	
61.92	203.00	0.00	822.23	3940.00	
62.53	205.00	0.00	830.33	3980.00	
63.14	207.00	0.00	838.43	4020.00	
63.75	209.00	0.00	846.53	4060.00	
64.36	211.00	0.00	854.63	4100.00	
64.97	213.00	0.00	862.73	4140.00	
65.58	215.00	0.00	870.83	4180.00	
66.19	217.00	0.00	878.93	4220.00	
66.80	219.00	0.00	887.03	4260.00	
67.41	221.00	0.00	895.13	4300.00	
68.02	223.00	0.00	903.23	4340.00	
68.63	225.00	0.00	911.33	4380.00	
69.24	227.00	0.00	919.43	4420.00	
69.85	229.00	0.00	927.53	4460.00	
70.46	231.00	0.00	935.63	4500.00	
71.07	233.00	0.00	943.73	4540.00	
71.68	235.00	0.00	951.83	4580.00	
72.29	237.00	0.00	959.93	4620.00	
72.90	239.00	0.00	968.03	4660.00	
73.51	241.00	0.00	976.13	4700.00	
74.12	243.00	0.00	984.23	4740.00	
74.73	245.00	0.00	992.33	4780.00	
75.34	247.00	0.00	1000.43	4820.00	
75.95	249.00	0.00	1008.53	4860.00	
76.56	251.00	0.00	1016.63	4900.00	
77.17	253.00	0.00	1024.73	4940.00	
77.78	255.00	0.00	1032.83	4980.00	
78.39	257.00	0.00	1040.93	5020.00	
79.00	259.00	0.00	1049.03	5060.00	
79.61	261.00	0.00	1057.13	5100.00	
80.22	263.00	0.00	1065.23	5140.00	
80.83	265.00	0.00	1073.33	5180.00	
81.44	267.00	0.00	1081.43	5220.00	
82.05	269.00	0.00	1089.53	5260.00	
82.66	271.00	0.00	1097.63	5300.00	
83.27	273.00	0.00	1105.73	5340.00	
83.88	275.00	0.00	1113.83	5380.00	
84.49	277.00	0.00	1121.93	5420.00	
85.10	279.00	0.00	1130.03	5460.00	
85.71	281.00	0.00	1138.13	5500.00	
86.32	283.00	0.00	1146.23	5540.00	
86.93	285.00	0.00	1154.33	5580.00	
87.54	287.00	0.00	1162.43	5620.00	
88.15	289.00	0.00	1170.53	5660.00	
88.76	291.00	0.00	1178.63	5700.00	
89.37	293.00	0.00	1186.73	5740.00	
89.98	295.00	0.00	1194.83	5780.00	
90.59	297.00	0.00	1202.93	5820.00	
91.20	299.00	0.00	1211.03	5860.00	
91.81	301.00	0.00	1219.13	5900.00	
92.42	303.00	0.00	1227.23	5940.00	
93.03	305.00	0.00	1235.33	5980.00	
93.64	307.00	0.00	1243.43	6020.00	
94.25	309.00	0.00	1251.53	6060.00	
94.86	311.00	0.00	1259.63	6100.00	
95.47	313.00	0.00	1267.73	6140.00	
96.08	315.00	0.00	1275.83	6180.00	
96.69	317.00	0.00	1283.93	6220.00	
97.30	319.00	0.00	1292.03	6260.00	
97.91	321.00	0.00	1300.13	6300.00	
98.52	323.00	0.00	1308.23	6340.00	
99.13	325.00	0.00	1316.33	6380.00	
99.74	327.00	0.00	1324.43	6420.00	
100.35	329.00	0.00	1332.53	6460.00	
100.96	331.00	0.00	1340.63	6500.00	
101.57	333.00	0.00	1348.73	6540.00	
102.18	335.00	0.00	1356.83	6580.00	
102.79	337.00	0.00	1364.93	6620.00	
103.40	339.00	0.00	1373.03	6660.00	
104.01	341.00	0.00	1381.13	6700.00	
104.62	343.00	0.00	1389.23	6740.00	
105.23	345.00	0.00	1397.33	6780.00	
105.84	347.00	0.00	1405.43	6820.00	
106.45	349.00	0.00	1413.53	6860.00	
107.06	351.00	0.00	1421.63	6900.00	
107.67	353.00	0.00	1429.73	6940.00	
108.28	355.00	0.00	1437.83	6980.00	
108.89	357.00	0.00	1445.93	7020.00	
109.50	359.00	0.00	1454.03	7060.00	
110.11	361.00	0.00	1462.13	7100.00	
110.72	363.00	0.00	1470.23	7140.00	
111.33	365.00	0.00	1478.33	7180.00	
111.94	367.00	0.00	1486.43	7220.00	
112.55	369.00	0.00	1494.53	7260.00	
113.16	371.00	0.00	1502.63	7300.00	
113.77	373.00	0.00	1510.73	7340.00	
114.38	375.00	0.00	1518.83	7380.00	
114.99	377.00	0.00	1526.93	7420.00	
115.60	379.00	0.00	1535.03	7460.00	
116.21	381.00	0.00	1543.13	7500.00	</




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.51	3.00	149.00	18.29	60.00	127.00
1.23	4.00	125.00	24.38	80.00	137.00
1.83	6.00	105.00	30.48	100.00	134.00
2.44	8.00	100.00	36.58	120.00	132.00
3.05	10.00	93.00	42.67	140.00	108.00
3.66	12.00	82.00	48.77	160.00	70.00
4.27	14.00	77.00	54.86	180.00	50.00
4.88	16.00	71.00	60.96	200.00	30.00
5.49	18.00	66.00	67.05	220.00	19.00
6.10	20.00	61.00	73.15	240.00	19.00
6.71	22.00	57.00	79.24	260.00	19.00
7.32	24.00	53.00	85.34	280.00	19.00
7.93	26.00	49.00	91.43	300.00	19.00
8.54	28.00	46.00	97.53	320.00	19.00
9.15	30.00	43.00	103.62	340.00	19.00
9.76	32.00	40.00	109.72	360.00	19.00
10.37	34.00	37.00	115.81	380.00	19.00
10.98	36.00	34.00	121.91	400.00	19.00
11.59	38.00	31.00	128.00	420.00	19.00
12.20	40.00	28.00	134.10	440.00	19.00




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	145.33	6.07	26.49	192.40
0.81	2.65	106.41	11.85	38.88	276.87
1.19	3.89	107.10	17.39	57.07	240.19
1.74	5.71	88.69	25.53	83.76	195.38
2.55	8.38	50.09	31.47	122.95	21.27
3.75	12.30	48.05	55.01	180.47	4.02
5.50	18.05	94.89	80.74	264.89	6.47
			99999.00	(99999.00)	9.87




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	75.00	18.29	60.00	138.00
1.22	4.00	72.00	24.38	80.00	170.00
1.83	6.00	84.00	30.48	100.00	194.00
2.44	8.00	86.00	42.67	140.00	217.00
3.05	10.00	97.00	60.96	200.00	270.00
4.27	14.00	95.00	91.44	300.00	168.00
3.05	10.00	101.00	121.92	400.00	87.00
4.27	14.00	100.00	182.88	600.00	22.00
6.10	20.00	112.00	243.84	800.00	11.50
8.94	30.00	124.00	304.80	1000.00	10.63
12.19	40.00				




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.52	1.71	74.28	7.23	23.73	172.30
0.72	2.37	79.54	10.05	32.97	256.28
1.00	3.30	86.61	13.96	45.81	365.38
1.40	4.58	92.06	19.40	63.65	452.02
1.94	6.37	93.69	26.96	88.45	420.76
2.70	8.84	94.07	37.46	122.90	212.18
3.75	12.29	100.52	52.05	170.76	41.31
5.20	17.08	122.91	99999.00	99999.00	10.04




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	117.00 {	12.19 {	40.00 {	105.00 {
1.22 {	4.00 {	123.00 {	18.29 {	60.00 {	55.00 {
1.83 {	6.00 {	120.00 {	24.38 {	80.00 {	31.00 {
2.44 {	8.00 {	122.00 {	30.48 {	100.00 {	20.00 {
3.05 {	10.00 {	128.00 {	30.48 {	100.00 {	19.40 {
3.66 {	12.00 {	127.00 {	42.67 {	140.00 {	13.00 {
4.27 {	14.00 {	150.00 {	60.96 {	200.00 {	10.00 {
6.10 {	20.00 {	148.00 {	91.44 {	300.00 {	9.00 {
9.14 {	30.00 {	136.00 {	121.92 {	400.00 {	9.00 {




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.59 {	1.94 {	124.72 {	5.93 {	19.44 {	150.95 {
0.87 {	2.85 {	93.11 {	8.70 {	28.53 {	131.48 {
1.28 {	4.19 {	95.25 {	12.77 {	41.88 {	13.84 {
1.87 {	6.15 {	143.33 {	18.74 {	61.47 {	9.28 {
2.75 {	9.02 {	218.14 {	27.50 {	90.23 {	10.18 {
4.04 {	13.24 {	237.64 {	40.37 {	132.44 {	9.05 {
			99999.00 {	99999.00 {	8.63 {




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	29.00 {	12.19 {	40.00 {	29.00 {
1.23 {	4.00 {	29.00 {	16.78 {	55.00 {	29.00 {
1.84 {	6.00 {	29.00 {	20.48 {	67.00 {	29.00 {
2.44 {	8.00 {	29.00 {	26.67 {	88.00 {	29.00 {
3.05 {	10.00 {	24.80 {	30.48 {	100.00 {	24.80 {
3.66 {	12.00 {	25.00 {	42.67 {	140.00 {	25.00 {
4.27 {	14.00 {	27.50 {	60.96 {	200.00 {	27.50 {
6.10 {	20.00 {	30.00 {	91.44 {	300.00 {	30.00 {
9.14 {	30.00 {		121.92 {	400.00 {	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.59 {	1.94 {	27.27 {	5.93 {	19.44 {	31.32 {
1.18 {	3.88 {	19.82 {	11.86 {	38.88 {	26.45 {
1.77 {	5.82 {	17.97 {	17.79 {	58.22 {	29.09 {
2.36 {	7.74 {	18.72 {	23.72 {	77.44 {	12.52 {
2.95 {	9.68 {	23.48 {	29.65 {	96.88 {	7.50 {
3.54 {	11.62 {	29.05 {	35.58 {	116.22 {	6.66 {
4.13 {	13.56 {		41.51 {	135.66 {	7.74 {
			47.44 {	155.10 {	
			53.37 {	174.54 {	
			59.30 {	193.98 {	
			65.23 {	213.42 {	
			71.16 {	232.86 {	
			77.09 {	252.30 {	
			83.02 {	271.74 {	
			88.95 {	291.18 {	
			94.88 {	310.62 {	
			100.81 {	330.06 {	
			106.74 {	349.50 {	
			112.67 {	368.94 {	
			118.60 {	388.38 {	
			124.53 {	407.82 {	
			130.46 {	427.26 {	
			136.39 {	446.70 {	
			142.32 {	466.14 {	
			148.25 {	485.58 {	
			154.18 {	505.02 {	
			160.11 {	524.46 {	
			166.04 {	543.90 {	
			171.97 {	563.34 {	
			177.90 {	582.78 {	
			183.83 {	602.22 {	
			189.76 {	621.66 {	
			195.69 {	641.10 {	
			201.62 {	660.54 {	
			207.55 {	679.98 {	
			213.48 {	699.42 {	
			219.41 {	718.86 {	
			225.34 {	738.30 {	
			231.27 {	757.74 {	
			237.20 {	777.18 {	
			243.13 {	796.62 {	
			249.06 {	816.06 {	
			254.99 {	835.50 {	
			260.92 {	854.94 {	
			266.85 {	874.38 {	
			272.78 {	893.82 {	
			278.71 {	913.26 {	
			284.64 {	932.70 {	
			290.57 {	952.14 {	
			296.50 {	971.58 {	
			302.43 {	991.02 {	
			308.36 {	1010.46 {	
			314.29 {	1029.90 {	
			320.22 {	1049.34 {	
			326.15 {	1068.78 {	
			332.08 {	1088.22 {	
			338.01 {	1107.66 {	
			343.94 {	1127.10 {	
			349.87 {	1146.54 {	
			355.80 {	1165.98 {	
			361.73 {	1185.42 {	
			367.66 {	1204.86 {	
			373.59 {	1224.30 {	
			379.52 {	1243.74 {	
			385.45 {	1263.18 {	
			391.38 {	1282.62 {	
			397.31 {	1302.06 {	
			403.24 {	1321.50 {	
			409.17 {	1340.94 {	
			415.10 {	1360.38 {	
			421.03 {	1379.82 {	
			426.96 {	1399.26 {	
			432.89 {	1418.70 {	
			438.82 {	1438.14 {	
			444.75 {	1457.58 {	
			450.68 {	1477.02 {	
			456.61 {	1496.46 {	
			462.54 {	1515.90 {	
			468.47 {	1535.34 {	
			474.40 {	1554.78 {	
			480.33 {	1574.22 {	
			486.26 {	1593.66 {	
			492.19 {	1613.10 {	
			498.12 {	1632.54 {	
			504.05 {	1651.98 {	
			510.00 {	1671.42 {	
			515.93 {	1690.86 {	
			521.86 {	1710.30 {	
			527.79 {	1729.74 {	
			533.72 {	1749.18 {	
			539.65 {	1768.62 {	
			545.58 {	1788.06 {	
			551.51 {	1807.50 {	
			557.44 {	1826.94 {	
			563.37 {	1846.38 {	
			569.30 {	1865.82 {	
			575.23 {	1885.26 {	
			581.16 {	1904.70 {	
			587.09 {	1924.14 {	
			593.02 {	1943.58 {	
			598.95 {	1963.02 {	
			604.88 {	1982.46 {	
			610.81 {	2001.90 {	
			616.74 {	2021.34 {	
			622.67 {	2040.78 {	
			628.60 {	2060.22 {	
			634.53 {	2079.66 {	
			640.46 {	2099.10 {	
			646.39 {	2118.54 {	
			652.32 {	2137.98 {	
			658.25 {	2157.42 {	
			664.18 {	2176.86 {	
			670.11 {	2196.30 {	
			676.04 {	2215.74 {	
			681.97 {	2235.18 {	
			687.90 {	2254.62 {	
			693.83 {	2274.06 {	
			699.76 {	2293.50 {	
			705.69 {	2312.94 {	
			711.62 {	2332.38 {	
			717.55 {	2351.82 {	
			723.48 {	2371.26 {	
			729.41 {	2390.70 {	
			735.34 {	2410.14 {	
			741.27 {	2429.58 {	
			747.20 {	2449.02 {	
			753.13 {	2468.46 {	
			759.06 {	2487.90 {	
			764.99 {	2507.34 {	
			770.92 {	2526.78 {	
			776.85 {	2546.22 {	
			782.78 {	2565.66 {	
			788.71 {	2585.10 {	
			794.64 {	2604.54 {	
			800.57 {	2623.98 {	
			806.50 {	2643.42 {	
			812.43 {	2662.86 {	
			818.36 {	2682.30 {	
			824.29 {	2701.74 {	
			830.22 {	2721.18 {	
			836.15 {	2740.62 {	
			842.08 {	2760.06 {	
			848.01 {	2779.50 {	
			853.94 {	2798.94 {	
			859.87 {	2818.38 {	
			865.80 {	2837.82 {	
			871.73 {	2857.26 {	
			877.66 {	2876.70 {	
			883.59 {	2896.14 {	
			889.52 {	2915.58 {	
			895.45 {	2935.02 {	
			901.38 {	2954.46 {	
			907.31 {	2973.90 {	
			913.24 {	2993.34 {	
			919.17 {	3012.78 {	
			925.10 {	3032.22 {	
			931.03 {	3051.66 {	
			936.96 {	3071.10 {	
			942.89 {	3090.54 {	
			948.82 {	3110.00 {	
			954.75 {	3129.44 {	
			960.68 {	3148.88 {	
			966.61 {	3168.32 {	
			972.54 {	3187.76 {	
			978.47 {	3207.20 {	
			984.40 {	3226.64 {	
			990.33 {	3246.08 {	
			996.26 {	3265.52 {	
			1002.19 {	3284.96 {	
			1008.12 {	3304.40 {	
			1014.05 {	3323.84 {	
			1020.00 {	3343.28 {	
			1025.93 {	3362.72 {	
			1031.86 {	3382.16 {	
			1037.79 {	3401.60 {	
			1043.72 {	3421.04 {	
			1049.65 {	3440.48 {	
			1055.58 {	3459.92 {	
			1061.51 {	3479.36 {	
			1067.44 {	3498.80 {	
			1073.37 {	3518.24 {	
			1079.30 {	3537.68 {	
			1085.23 {	3557.12 {	
			1091.16 {	3576.56 {	
			1097.09 {	3596.00 {	
			1103.02 {	3615.44 {	
			1108.95 {	3634.88 {	
			1114.88 {	3654.32 {	
			1120.81 {	3673.76 {	
			1126.74 {	3693.20 {	
			1132.67 {	3712.64 {	
			1138.60 {	3732.08 {	
			1144.53 {	3751.52 {	
			1150.46 {	3770.96 {	
			1156.39 {	3790.40 {	
			1162.32 {	3809.84 {	
			1168.25 {	3829.28 {	
			1174.18 {	3848.72 {	
			1180.11 {	3868.16 {	
			1186.04 {	3887.60 {	
			1191.97 {	3907.04 {	
			1197.90 {	3926.48 {	
			1203.83 {	3945.92 {	
			1209.76 {	3965.36 {	
			1215.69 {	3984.80 {	
			1221.62 {	4004.24 {	
			1227.55 {	4023.68 {	
			1233.48 {	4043.12 {	
			1239.41 {	4062.56 {	
			1245.34 {	4082.00 {	
			1251.27 {	4101.44 {	
			1257.20 {	4120.88 {	
			1263.13 {	4140.32 {	
			1269.06 {	4159.76 {	
			1274.99 {	4179.20 {	
			1280.92 {	4198.64 {	
			1286.85 {	4218.08 {	
			1292.78 {	4237.52 {	
			1298.71 {	4256.96 {	
			1304.64 {	4276.40 {	
			1310.57 {	4295.84 {	
			1316.50 {	4315.28 {	
			1322.43 {	4334.72 {	
			1328.36 {	4354.16 {	
			1334.29 {	4373.60 {	
			1340.22 {	4393.04 {	
			1346.15 {	4412.48 {	
			1352.08 {	4431.92 {	
			1358.01 {	4451.36 {	
			1363.94 {	4470.80 {	
			1369.87 {	4490.24 {	
			1375.80 {	4509.68 {	
			1381.73 {	4529.12 {	
			1387.66 {	4548.56 {	
			1393.59 {	4568.00 {	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	16.50	12.19 {	9.50
1.22 {	21.50	18.29 {	9.50
1.83 {	23.00	24.38 {	9.30
2.44 {	22.00	30.48 {	9.00
3.05 {	21.00	42.67 {	8.80
3.66 {	22.80	54.86 {	11.50
4.27 {	17.00	67.05 {	11.50
4.88 {	11.00	79.24 {	10.60
5.49 {	10.20	91.44 {	9.00
6.10 {		103.63 {	
6.71 {		115.82 {	
7.32 {		128.01 {	
7.93 {		140.20 {	
8.54 {		152.39 {	
9.15 {		164.58 {	
9.76 {		176.77 {	
10.37 {		188.96 {	
10.98 {		201.15 {	
11.59 {		213.34 {	
12.20 {		225.53 {	
12.81 {		237.72 {	
13.42 {		249.91 {	
14.03 {		262.10 {	
14.64 {		274.29 {	
15.25 {		286.48 {	
15.86 {		298.67 {	
16.47 {		310.86 {	
17.08 {		323.05 {	
17.69 {		335.24 {	
18.30 {		347.43 {	
18.91 {		359.62 {	
19.52 {		371.81 {	
20.13 {		384.00 {	
20.74 {		396.19 {	
21.35 {		408.38 {	
21.96 {		420.57 {	
22.57 {		432.76 {	
23.18 {		444.95 {	
23.79 {		457.14 {	
24.40 {		469.33 {	
25.01 {		481.52 {	
25.62 {		493.71 {	
26.23 {		505.90 {	
26.84 {		518.09 {	
27.45 {		530.28 {	
28.06 {		542.47 {	
28.67 {		554.66 {	
29.28 {		566.85 {	
29.89 {		579.04 {	
30.50 {		591.23 {	
31.11 {		603.42 {	
31.72 {		615.61 {	
32.33 {		627.80 {	
32.94 {		640.00 {	
33.55 {		652.19 {	
34.16 {		664.38 {	
34.77 {		676.57 {	
35.38 {		688.76 {	
35.99 {		700.95 {	
36.60 {		713.14 {	
37.21 {		725.33 {	
37.82 {		737.52 {	
38.43 {		749.71 {	
39.04 {		761.90 {	
39.65 {		774.09 {	
40.26 {		786.28 {	
40.87 {		798.47 {	
41.48 {		810.66 {	
42.09 {		822.85 {	
42.70 {		835.04 {	
43.31 {		847.23 {	
43.92 {		859.42 {	
44.53 {		871.61 {	
45.14 {		883.80 {	
45.75 {		896.00 {	
46.36 {		908.19 {	
46.97 {		920.38 {	
47.58 {		932.57 {	
48.19 {		944.76 {	
48.80 {		956.95 {	
49.41 {		969.14 {	
50.02 {		981.33 {	
50.63 {		993.52 {	
51.24 {		1005.71 {	
51.85 {		1017.90 {	
52.46 {		1030.09 {	
53.07 {		1042.28 {	
53.68 {		1054.47 {	
54.29 {		1066.66 {	
54.90 {		1078.85 {	
55.51 {		1091.04 {	
56.12 {		1103.23 {	
56.73 {		1115.42 {	
57.34 {		1127.61 {	
57.95 {		1139.80 {	
58.56 {		1152.00 {	
59.17 {		1164.19 {	
59.78 {		1176.38 {	
60.39 {		1188.57 {	
61.00 {		1200.76 {	
61.61 {		1212.95 {	
62.22 {		1225.14 {	
62.83 {		1237.33 {	
63.44 {		1249.52 {	
64.05 {		1261.71 {	
64.66 {		1273.90 {	
65.27 {		1286.09 {	
65.88 {		1298.28 {	
66.49 {		1310.47 {	
67.10 {		1322.66 {	
67.71 {		1334.85 {	
68.32 {		1347.04 {	
68.93 {		1359.23 {	
69.54 {		1371.42 {	
70.15 {		1383.61 {	
70.76 {		1395.80 {	
71.37 {		1408.00 {	
71.98 {		1420.19 {	
72.59 {		1432.38 {	
73.20 {		1444.57 {	
73.81 {		1456.76 {	
74.42 {		1468.95 {	
75.03 {		1481.14 {	
75.64 {		1493.33 {	
76.25 {		1505.52 {	
76.86 {		1517.71 {	
77.47 {		1529.90 {	
78.08 {		1542.09 {	
78.69 {		1554.28 {	
79.30 {		1566.47 {	
79.91 {		1578.66 {	
80.52 {		1590.85 {	
81.13 {		1603.04 {	
81.74 {		1615.23 {	
82.35 {		1627.42 {	
82.96 {		1639.61 {	
83.57 {		1651.80 {	
84.18 {		1664.00 {	
84.79 {		1676.19 {	
85.40 {		1688.38 {	
86.01 {		1700.57 {	
86.62 {		1712.76 {	
87.23 {		1724.95 {	
87.84 {		1737.14 {	
88.45 {		1749.33 {	
89.06 {		1761.52 {	
89.67 {		1773.71 {	
90.28 {		1785.90 {	
90.89 {		1798.09 {	
91.50 {		1810.28 {	
92.11 {		1822.47 {	
92.72 {		1834.66 {	
93.33 {		1846.85 {	
93.94 {		1859.04 {	
94.55 {		1871.23 {	
95.16 {		1883.42 {	
95.77 {		1895.61 {	
96.38 {		1907.80 {	
96.99 {		1920.00 {	
97.60 {		1932.19 {	
98.21 {		1944.38 {	
98.82 {		1956.57 {	
99.43 {		1968.76 {	
100.04 {		1980.95 {	
100.65 {		1993.14 {	
101.26 {		2005.33 {	
101.87 {		2017.52 {	
102.48 {		2029.71 {	
103.09 {		2041.90 {	
103.70 {		2054.09 {	
104.31 {		2066.28 {	
104.92 {		2078.47 {	
105.53 {		2090.66 {	
106.14 {		2102.85 {	
106.75 {		2115.04 {	
107.36 {		2127.23 {	
107.97 {		2139.42 {	
108.58 {		2151.61 {	
109.19 {		2163.80 {	
109.80 {		2176.00 {	
110.41 {		2188.19 {	
111.02 {		2200.38 {	
111.63 {		2212.57 {	
112.24 {		2224.76 {	
112.85 {		2236.95 {	
113.46 {		2249.14 {	
114.07 {		2261.33 {	
114.68 {		2273.52 {	
115.29 {		2285.71 {	
115.90 {		2297.90 {	
116.51 {		2310.09 {	
117.12 {		2322.28 {	
117.73 {		2334.47 {	
118.34 {		2346.66 {	
118.95 {		2358.85 {	
119.56 {		2371.04 {	
120.17 {		2383.23 {	
120.78 {		2395.42 {	
121.39 {		2407.61 {	
122.00 {		2419.80 {	
122.61 {		2432.00 {	
123.22 {		2444.19 {	
123.83 {		2456.38 {	
124.44 {		2468.57 {	
125.05 {		2480.76 {	
125.66 {		2492.95 {	
126.27 {		2505.14 {	
126.88 {		2517.33 {	
127.49 {		2529.52 {	
128.10 {		2541.71 {	
128.71 {		2553.90 {	
129.32 {		2566.09 {	
129.93 {		2578.28 {	
130.54 {		2590.47 {	
131.15 {		2602.66 {	
131.76 {		2614.85 {	
132.37 {		2627.04 {	
132.98 {		2639.23 {	
133.59 {		2651.42 {	
134.20 {		2663.61 {	
134.81 {		2675.80 {	
135.42 {		2688.00 {	
136.03 {		2700.19 {	
136.64 {		2712.38 {	
137.25 {		2724.57 {	
137.86 {		2736.76 {	
138.47 {		2748.95 {	
139.08 {		2761.14 {	
139.69 {		2773.33 {	
140.30 {		2785.52 {	
140.91 {		2797.71 {	
141.52 {		2809.90 {	
142.13 {		2822.09 {	
142.74 {		2834.28 {	
143.35 {		2846.47 {	
143.96 {		2858.66 {	
144.57 {		2870.85 {	
145.18 {		2883.04 {	
145.79 {		2895.23 {	
146.40 {		2907.42 {	
147.01 {		2919.61 {	
147.62 {		2931.80 {	
148.23 {		2944.00 {	
148.84 {		2956.19 {	
149.45 {		2968.38 {	
150.06 {		2980.57 {	
150.67 {		2992.76 {	
151.28 {		3004.95 {	
151.89 {		3017.14 {	
152.50 {		3029.33 {	
153.11 {		3041.52 {	
153.72 {		3053.71 {	
154.33 {		3065.90 {	
154.94 {		3078.09 {	
155.55 {		3090.28 {	
156.16 {		3102.47 {	
156.77 {		3114.66 {	
157.38 {		3126.85 {	
157.99 {		3139.04 {	
158.60 {		3151.23 {	
159.21 {		3163.42 {	
159.82 {		3175.61 {	
160.43 {		3187.80 {	
161.04 {		3200.00 {	
161.65 {		3212.19 {	
162.26 {		3224.38 {	
162.87 {		3236.57 {	
163.48 {		3248.76 {	
164.09 {		3260.95 {	
164.70 {		3273.14 {	
165.31 {		3285.33 {	
165.92 {		3297.52 {	
166.53 {		3309.71 {	
167.14 {		3321.90 {	
167.75 {		3334.09 {	
168.36 {		3346.28 {	
168.97 {		3358.47 {	
169.58 {		3370.66 {	
170.19 {		3382.85 {	
170.80 {		3395.04 {	
171.41 {		3407.23 {	
172.02 {		3419.42 {	
172.63 {		3431.61 {	
173.24 {		3443.80 {	
173.85 {		3456.00 {	
174.46 {		3468.19 {	
175.07 {		3480.38 {	
175.68 {		3492.57 {	
176.29 {		3504.76 {	
176.90 {		3516.95 {	
177.51 {		3529.14 {	
178.12 {		3541.33 {	
178.73 {		3553.52 {	
179.34 {		3565.71 {	
179.95 {		3577.90 {	
180.56 {		3590.09 {	
181.17 {		3602.28 {	
181.78 {		3614.47 {	
182.39 {		3626.66 {	
183.00 {		3638.85 {	
183.61 {		3651.04 {	
184.22 {		3663.23 {	
184.83 {		3675.42 {	
185.44 {		3687.61 {	
186.05 {		3699.80 {	
186.66 {		3712.00 {	
187.27 {		3724.19 {	
187.88 {		3736.38 {	
188.49 {		3748.57 {	
189.10 {		3760.76 {	
189.71 {		3772.95 {	
190.32 {		3785.14 {	
190.93 {		3797.33 {	
191.54 {		3809.52 {	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	34.00	18.29	60.00	110.00
1.23	4.00	36.00	24.28	80.00	133.00
1.83	6.00	42.00	30.48	100.00	125.00
2.44	8.00	42.00	42.67	140.00	110.00
3.05	10.00	46.00	30.48	100.00	154.00
3.66	12.00	44.00	42.67	140.00	138.00
4.27	14.00	51.50	60.96	200.00	102.00
6.19	20.00	79.00	30.00	100.00	54.00
12.19	40.00	89.00	182.88	600.00	9.70




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.54	1.79	39.72	8.00	26.24	230.93
0.80	2.62	46.94	11.74	38.52	235.29
1.17	3.85	48.99	17.23	56.54	216.02
1.72	5.65	53.06	25.30	82.99	171.30
2.53	8.30	64.11	37.13	121.81	59.82
3.71	12.18	90.97	54.50	178.80	11.24
5.45	17.88	147.02	99999.00	99999.00	4.50




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	52.00 {	9.14 {	30.00 {	124.00 {
1.22 {	4.00 {	51.50 {	12.19 {	40.00 {	113.00 {
1.83 {	6.00 {	53.00 {	18.29 {	60.00 {	78.00 {
2.44 {	8.00 {	58.00 {	24.38 {	80.00 {	55.00 {
3.05 {	10.00 {	58.00 {	30.48 {	100.00 {	34.00 {
4.27 {	14.00 {	65.00 {	42.67 {	140.00 {	17.00 {
3.05 {	10.00 {	88.00 {	60.96 {	200.00 {	8.50 {
4.27 {	14.00 {	97.00 {	91.44 {	300.00 {	7.40 {
6.10 {	20.00 {	116.00 {	121.92 {	400.00 {	7.20 {




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.59 {	1.94 {	87.13 {	5.93 {	19.44 {	219.54 {
0.87 {	2.85 {	73.75 {	8.70 {	28.53 {	134.58 {
1.28 {	4.19 {	73.96 {	12.77 {	41.88 {	47.55 {
1.87 {	6.15 {	97.13 {	18.74 {	61.47 {	10.07 {
2.75 {	9.02 {	156.13 {	27.50 {	90.23 {	3.61 {
4.04 {	13.24 {	222.65 {	40.37 {	132.44 {	5.74 {
			99999.00 {	99999.00 {	7.96 {




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	105.00	18.29	60.00	63.00
1.22	4.00	101.00	24.38	80.00	53.00
1.83	6.00	110.00	30.48	100.00	44.00
2.44	8.00	115.00	36.58	120.00	47.00
3.05	10.00	117.00	42.67	140.00	39.00
3.66	12.00	115.00	48.77	160.00	27.50
4.27	14.00	115.00	54.87	180.00	17.80
4.88	16.00	107.00	60.96	200.00	11.20
5.49	18.00	95.00	67.06	220.00	8.20
6.10	20.00	83.00	73.15	240.00	7.80
6.71	22.00		79.25	260.00	
7.32	24.00		85.35	280.00	
7.93	26.00		91.44	300.00	
8.54	28.00		97.54	320.00	
9.15	30.00		103.64	340.00	
9.76	32.00		109.73	360.00	
10.37	34.00		115.83	380.00	
10.98	36.00		121.93	400.00	
11.59	38.00		128.02	420.00	
12.20	40.00		134.12	440.00	
			140.22	460.00	
			146.31	480.00	
			152.41	500.00	
			158.51	520.00	
			164.60	540.00	
			170.70	560.00	
			176.80	580.00	
			182.88	600.00	
			188.98	620.00	
			195.08	640.00	
			201.17	660.00	
			207.27	680.00	
			213.37	700.00	
			219.46	720.00	
			225.56	740.00	
			231.66	760.00	
			237.75	780.00	
			243.85	800.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61	2.01	100.55	8.97	29.43	61.93
0.90	2.94	105.56	13.17	43.20	53.57
1.32	4.32	142.11	19.37	63.41	41.23
1.93	6.34	149.77	28.37	93.07	40.57
2.84	9.31	143.13	41.64	136.61	28.87
4.16	13.66	103.75	61.12	200.52	9.29
6.11	20.05	95.65	89.71	294.32	6.12
			99.999.00	99999.00	7.25




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	115.00 {	12.19 {	40.00 {	140.00 {
1.22 {	4.00 {	113.00 {	18.29 {	60.00 {	150.00 {
1.83 {	6.00 {	101.00 {	24.38 {	80.00 {	125.00 {
2.44 {	8.00 {	90.00 {	30.48 {	100.00 {	108.00 {
3.05 {	10.00 {	84.00 {	30.48 {	100.00 {	108.00 {
3.66 {	12.00 {	88.00 {	42.67 {	140.00 {	73.00 {
4.27 {	14.00 {	87.00 {	60.96 {	200.00 {	43.00 {
6.10 {	20.00 {	95.00 {	91.44 {	300.00 {	14.00 {
9.14 {	30.00 {	125.00 {	121.92 {	400.00 {	9.50 {
			182.88 {	600.00 {	8.50 {




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61 {	1.99 {	137.26 {	8.89 {	29.16 {	261.61 {
0.89 {	2.92 {	110.70 {	13.05 {	42.80 {	202.24 {
1.30 {	4.28 {	70.82 {	19.15 {	62.82 {	102.03 {
1.91 {	6.25 {	51.89 {	28.11 {	92.21 {	32.73 {
2.81 {	9.22 {	69.23 {	41.25 {	135.35 {	7.16 {
4.13 {	13.53 {	131.32 {	60.55 {	198.66 {	3.93 {
6.06 {	19.87 {	221.01 {	99999.00 {	99999.00 {	9.13 {







AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	100.00	12.19	40.00	27.40
1.22	4.00	78.00	18.29	60.00	21.20
1.83	6.00	53.00	24.38	80.00	17.30
2.44	8.00	40.00	30.48	100.00	16.00
3.05	10.00	37.00	36.58	120.00	17.30
3.27	10.80	33.50	42.67	140.00	13.20
3.05	10.00	45.00	60.96	200.00	11.20
4.27	14.00	38.00	91.44	300.00	10.10
6.10	20.00	36.50	121.92	400.00	10.00
9.14	30.00	34.00	182.88	600.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61	1.99	137.27	8.89	29.16	25.15
0.89	2.92	59.66	13.02	42.80	16.87
1.30	4.28	32.37	19.12	62.82	12.56
1.91	6.25	15.19	28.11	92.21	11.52
2.81	9.22	43.36	41.25	135.35	11.00
4.13	13.53	46.08	60.55	198.66	9.95
6.06	19.87	36.78	99999.00	(99999.00)	




AB/2, m (ft)	APP. RES.	AB/2, m (ft)	APP. RES.
0.91	3.00	111.00	18.29	60.00	56.00
1.23	4.00	95.00	24.38	80.00	55.00
1.83	6.00	72.00	30.48	100.00	55.00
2.44	8.00	58.00	42.67	140.00	52.00
3.05	10.00	52.00	30.48	100.00	60.00
3.66	12.00	51.00	42.67	140.00	56.00
4.27	14.00	42.60	60.96	200.00	46.00
6.10	20.00	45.00	91.44	300.00	34.00
9.14	30.00	53.00	182.88	600.00	21.50
12.19	40.00	56.00	243.84	800.00	11.80
					10.50




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	140.16	8.07	26.49	69.29
0.81	2.65	90.37	11.85	38.88	70.18
1.19	3.89	51.48	17.39	57.07	69.55
1.74	5.71	34.29	25.53	83.76	65.06
2.55	8.38	36.39	37.47	122.95	48.74
3.75	12.29	50.12	55.01	180.47	26.27
5.50	18.05	63.49	80.74	264.89	11.52
			99999.00	99999.00	8.15




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	55.30	12.19	40.00	22.10
1.22	4.00	53.10	18.29	60.00	13.30
1.83	6.00	45.80	24.38	80.00	11.50
2.44	8.00	42.90	30.48	100.00	10.30
3.05	10.00	43.50	36.57	120.00	10.40
3.66	12.00	45.40	42.67	140.00	8.77
4.27	14.00	46.60	48.77	160.00	7.59
4.88	16.00	42.80	54.87	180.00	6.65
5.49	18.00	34.80	60.96	200.00	6.46
	20.00		67.06	220.00	
	22.00		73.16	240.00	
	24.00		79.26	260.00	
	26.00		85.36	280.00	
	28.00		91.46	300.00	
	30.00		97.56	320.00	
			103.66	340.00	
			109.76	360.00	
			115.86	380.00	
			121.96	400.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.59	1.94	63.83	5.93	19.44	25.65
0.87	2.85	41.16	8.70	28.53	10.63
1.28	4.19	37.97	12.77	41.88	9.18
1.87	6.15	49.61	18.74	61.47	10.20
2.75	9.02	63.20	27.50	90.23	8.06
4.04	13.24	54.01	40.37	132.44	6.31
			99999.00	99999.00	6.00




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	49.50	18.29	60.00	147.00
1.22	4.00	51.40	24.38	80.00	142.00
1.83	6.00	57.00	30.48	100.00	128.00
2.44	8.00	61.40	42.67	140.00	97.50
3.05	10.00	65.40	60.96	200.00	145.00
4.27	14.00	69.70	91.44	300.00	113.00
6.10	20.00	80.60	121.92	400.00	58.90
9.14	30.00	99.00	182.88	600.00	21.20
12.19	40.00	124.00			11.70
		136.00			6.89




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61	1.99	59.42	8.89	29.16	296.21
0.89	2.92	64.33	13.05	42.80	257.29
1.30	4.28	67.13	19.15	62.82	177.81
1.91	6.25	83.21	28.11	92.21	48.04
2.81	9.22	125.13	41.25	135.35	10.48
4.13	13.53	191.10	60.55	198.66	5.52
6.06	19.87	260.52	99.99	999.00	6.36




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	187.00	18.29	60.00	131.00
1.22	4.00	128.00	24.38	80.00	101.00
1.83	6.00	114.00	30.48	100.00	69.00
2.44	8.00	120.00	30.48	100.00	73.10
3.05	10.00	138.00	42.67	140.00	39.90
4.27	14.00	154.00	60.96	200.00	22.20
3.05	10.00	150.00	91.44	300.00	11.80
4.27	14.00	171.00	121.92	400.00	9.31
6.10	20.00	176.00	182.88	600.00	7.53
9.14	30.00	171.00	243.84	800.00	7.26
12.19	40.00	165.00			




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61	2.01	213.10	8.97	29.43	189.57
0.90	2.94	89.89	13.17	43.20	110.16
1.32	4.32	100.40	19.33	63.41	46.50
1.93	6.34	201.47	28.37	93.07	21.59
2.84	9.31	305.11	41.64	136.61	17.21
4.16	13.66	314.21	61.12	200.52	10.21
6.11	20.05	260.59	89.71	294.32	6.19
			99999.00	(99999.00)	6.74




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	219.00	24.38	80.00	26.80
1.22	4.00	201.00	30.48	100.00	17.70
1.83	6.00	166.00	42.67	140.00	11.30
2.44	8.00	149.00	30.48	100.00	23.00
3.05	10.00	140.00	42.67	140.00	13.10
4.27	14.00	127.00	60.96	200.00	9.80
6.10	20.00	119.00	91.44	300.00	7.96
8.27	27.00	113.00	121.92	400.00	7.07
11.19	36.00	107.00	191.44	600.00	9.00
16.29	53.00	85.90	121.92	400.00	7.39
	60.00	43.70	182.88	600.00	7.33
			243.84	800.00	7.37




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61	2.01	338.58	8.97	29.43	79.16
0.90	2.94	214.56	13.17	43.20	26.41
1.32	4.32	162.87	19.33	63.41	11.99
1.93	6.34	160.08	28.37	93.07	11.23
2.84	9.31	170.32	41.64	136.61	8.96
4.16	13.66	175.20	61.12	200.52	6.71
6.11	20.05	148.79	89.71	294.32	6.49
			99999.00	99999.00	7.34




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	262.00	18.29	60.00	83.90
1.22	4.00	300.00	20.38	80.00	53.90
1.83	6.00	323.00	30.48	100.00	32.70
2.44	8.00	319.00	42.67	140.00	18.70
3.05	10.00	298.00	30.48	100.00	41.10
3.66	12.00	305.00	42.67	140.00	16.70
4.27	14.00	258.00	60.96	200.00	9.37
6.10	20.00	218.00	91.44	300.00	8.82
9.14	30.00	153.00	121.92	400.00	8.52
12.19	40.00	129.00			8.20





DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.65	2.15	275.54	6.58	21.60	122.82
0.97	3.17	381.61	9.26	31.70	118.46
1.42	4.65	410.76	14.18	46.54	61.69
2.08	6.83	318.88	20.82	68.31	15.58
3.05	10.03	197.00	30.56	100.26	5.62
4.49	14.72	129.91	44.85	147.16	6.57
			99999.00	99999.00	8.55




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	45.70	18.29	60.00	178.00
1.22	4.00	52.50	24.38	80.00	158.00
1.83	6.00	62.50	30.48	100.00	119.00
2.44	8.00	73.50	42.67	140.00	56.80
3.05	10.00	83.50	30.48	100.00	141.00
4.27	14.00	103.00	42.67	140.00	63.90
6.10	20.00	126.00	60.96	200.00	21.40
8.27	27.00	159.00	91.44	300.00	8.03
12.19	40.00	201.00	121.92	400.00	7.84
			182.88	600.00	7.70




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.54	1.79	66.59	8.00	26.24	432.38
0.80	2.62	79.75	11.74	38.52	250.68
1.17	3.85	110.20	17.23	56.54	77.06
1.72	5.65	178.59	25.20	82.99	10.26
2.53	8.30	300.78	37.13	121.81	2.02
3.71	12.18	438.39	54.50	178.80	5.60
5.45	17.88	501.60	99999.00	99999.00	10.01








AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	58.90	12.19	40.00	37.30
1.23	4.00	54.90	18.29	60.00	24.00
1.83	6.00	21.80	24.38	80.00	17.70
2.44	8.00	21.80	30.48	100.00	13.20
3.05	10.00	24.80	36.58	120.00	13.00
3.66	12.00	24.80	42.67	140.00	7.89
4.27	14.00	24.80	48.77	160.00	7.27
4.88	16.00	24.80	54.87	180.00	7.64
5.49	18.00	41.20	60.97	200.00	7.69
6.10	20.00		67.07	220.00	
6.71	22.00		73.17	240.00	
7.32	24.00		79.27	260.00	
7.93	26.00		85.37	280.00	
8.54	28.00		91.47	300.00	
9.15	30.00		97.57	320.00	
9.76			103.67	340.00	
			109.77	360.00	
			115.87	380.00	
			121.97	400.00	
			128.07	420.00	
			134.17	440.00	
			140.27	460.00	
			146.37	480.00	
			152.47	500.00	
			158.57	520.00	
			164.67	540.00	
			170.77	560.00	
			176.87	580.00	
			182.97	600.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61	1.99	41.77	8.89	29.16	31.26
0.89	2.92	11.58	13.05	42.80	11.53
1.30	4.28	11.27	19.15	62.82	5.37
1.91	6.28	25.75	28.11	92.41	5.40
2.81	9.23	21.76	41.25	135.32	9.73
4.13	13.53	7.76	99.99	9999.00	7.92
6.06	19.87	60.42			







AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	43.40	24.38	80.00	56.90
1.22	4.00	45.90	30.48	100.00	38.30
1.83	6.00	53.70	42.67	140.00	10.40
2.44	8.00	65.20	60.96	200.00	49.20
3.05	10.00	77.20	91.44	300.00	18.90
3.66	12.00	89.20	121.92	400.00	10.00
4.27	14.00	101.20	152.40	500.00	8.26
4.88	16.00	113.20	182.88	600.00	7.35
5.49	18.00	125.20	213.36	800.00	7.25
6.10	20.00	137.20	243.84		6.60
6.71	22.00	149.20			
7.32	24.00	161.20			
7.93	26.00	173.20			
8.54	28.00	185.20			
9.15	30.00	197.20			
9.76	32.00	209.20			
10.37	34.00	221.20			
10.98	36.00	233.20			
11.59	38.00	245.20			
12.20	40.00	257.20			




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	47.97	7.27	23.84	190.38
0.73	2.38	50.99	10.67	34.99	83.56
1.07	3.50	86.82	15.65	51.36	19.32
1.57	5.14	151.71	22.98	75.39	4.41
2.30	7.54	224.60	33.73	110.53	5.80
3.37	11.07	274.52	49.51	162.42	9.66
4.95	16.24	268.05	72.66	238.80	9.50
			99999.00	99999.00	5.38




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	256.00	12.19	40.00	17.20
1.22	4.00	158.00	16.28	50.00	13.30
1.83	6.00	79.00	21.48	70.00	10.50
2.44	8.00	65.40	30.48	100.00	8.34
3.05	10.00	58.10	42.67	140.00	7.58
4.27	14.00	49.40	60.96	200.00	7.88
6.10	20.00	36.00	91.44	300.00	7.33
9.14	30.00	23.20	121.92	400.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.65	2.15	301.91	6.58	21.60	13.47
0.97	3.19	93.82	9.26	30.54	11.84
1.47	4.83	41.26	14.18	46.54	11.43
2.02	6.65	49.41	20.82	68.31	7.59
3.06	10.03	54.27	30.56	100.16	6.53
4.49	14.72	28.47	44.85	147.16	7.97
			99999.00	99999.00	7.12




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	114.00 {	18.29 {	60.00 {	87.50 {
1.22 {	4.00 {	101.00 {	24.38 {	80.00 {	70.80 {
1.83 {	6.00 {	95.40 {	30.48 {	100.00 {	44.80 {
2.44 {	8.00 {	93.50 {	30.48 {	100.00 {	51.10 {
3.05 {	10.00 {	96.20 {	42.57 {	140.00 {	21.90 {
3.66 {	12.00 {	98.20 {	60.96 {	200.00 {	9.98 {
4.27 {	14.00 {	100.00 {	91.44 {	300.00 {	7.49 {
6.10 {	20.00 {	108.00 {	121.32 {	400.00 {	7.86 {
9.14 {	30.00 {	118.00 {	182.88 {	600.00 {	6.90 {
12.19 {	40.00 {	115.00 {	243.84 {	800.00 {	6.73 {




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55 {	1.80 {	143.27 {	8.07 {	26.49 {	182.70 {
0.81 {	2.65 {	107.91 {	11.85 {	38.88 {	116.58 {
1.19 {	3.89 {	92.73 {	17.39 {	57.07 {	38.42 {
1.74 {	5.71 {	96.29 {	25.53 {	83.76 {	7.53 {
2.55 {	8.38 {	120.70 {	37.47 {	122.95 {	4.70 {
3.75 {	12.29 {	162.14 {	55.01 {	180.47 {	6.68 {
5.50 {	18.05 {	193.44 {	80.74 {	264.89 {	6.72 {
			99999.00 {	99999.00 {	6.74 {




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	{ 3.00 }	83.90	24.38	{ 80.00 }	73.70
1.22	{ 4.00 }	95.20	30.48	{ 100.00 }	64.10
1.83	{ 6.00 }	103.00	42.67	{ 140.00 }	56.30
2.44	{ 8.00 }	115.00	30.48	{ 100.00 }	84.00
3.05	{ 10.00 }	122.00	42.67	{ 140.00 }	74.50
4.27	{ 14.00 }	120.00	60.96	{ 200.00 }	59.10
6.10	{ 20.00 }	127.00	91.44	{ 300.00 }	33.90
9.14	{ 30.00 }	120.00	121.92	{ 400.00 }	22.70
12.19	{ 40.00 }	104.00	182.88	{ 600.00 }	10.60
18.29	{ 60.00 }	84.20	243.84	{ 800.00 }	9.65
			304.80	{ 1000.00 }	10.10




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.52	{ 1.71 }	101.48	11.21	{ 36.79 }	85.38
1.12	{ 3.68 }	157.55	16.46	{ 54.00 }	66.20
1.65	{ 5.40 }	166.04	24.16	{ 79.26 }	113.90
2.42	{ 7.93 }	259.72	35.46	{ 116.34 }	87.68
3.55	{ 11.63 }	144.41	52.05	{ 170.76 }	30.72
5.20	{ 17.08 }	271.02	76.40	{ 250.65 }	10.15
7.64	{ 25.06 }	204.58	112.14	{ 367.90 }	3.04
		97.85	99999.00	{ 99999.00 }	14.29




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	94.60	24.38	80.00	186.00
1.22	4.00	108.00	30.48	100.00	161.00
1.83	6.00	112.00	42.67	140.00	98.90
2.44	8.00	115.00	30.48	100.00	140.00
3.05	10.00	114.00	42.67	140.00	87.50
3.66	12.00	126.00	60.96	200.00	38.50
4.27	14.00	124.00	91.44	300.00	12.50
6.10	20.00	139.00	91.44	300.00	13.50
9.14	30.00	163.00	121.32	400.00	7.80
12.29	40.00	188.00	162.88	600.00	7.33
	60.00	198.00	243.84	800.00	7.30




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	98.99	8.07	26.49	359.27
0.81	2.65	146.57	11.85	38.88	341.87
1.19	3.89	140.13	17.39	57.07	164.62
1.74	5.71	96.19	25.53	83.76	32.98
2.55	8.38	81.04	37.47	122.95	3.33
3.75	12.29	121.14	55.01	180.47	2.17
5.50	18.05	233.01	80.74	264.89	9.79
			99999.00	(99999.00)	9.14




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	33.20 {	18.29 {	60.00 {	85.00 {
1.22 {	4.00 {	35.90 {	24.38 {	80.00 {	63.20 {
1.83 {	6.00 {	42.70 {	30.48 {	100.00 {	60.90 {
2.44 {	8.00 {	42.90 {	30.48 {	100.00 {	64.90 {
3.05 {	10.00 {	44.40 {	42.67 {	140.00 {	54.10 {
4.27 {	14.00 {	53.00 {	60.96 {	200.00 {	33.40 {
3.05 {	10.00 {	55.40 {	91.44 {	300.00 {	13.70 {
4.27 {	14.00 {	66.70 {	121.52 {	400.00 {	15.00 {
6.10 {	20.00 {	78.00 {	182.88 {	600.00 {	6.38 {
9.14 {	30.00 {	82.40 {	243.84 {	800.00 {	13.70 {
12.19 {	40.00 {	87.50 {			





DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61 {	1.99 {	47.88 {	8.89 {	29.16 {	121.89 {
0.89 {	2.92 {	56.37 {	13.05 {	42.80 {	97.84 {
1.30 {	4.28 {	65.47 {	19.15 {	62.82 {	74.16 {
1.91 {	6.28 {	81.33 {	28.11 {	92.21 {	49.86 {
2.81 {	9.22 {	103.93 {	41.25 {	135.35 {	20.42 {
4.13 {	13.53 {	124.90 {	60.55 {	198.66 {	4.76 {
6.06 {	19.87 {	133.27 {	99999.00 {	99999.00 {	4.29 {




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	26.30	24.38	80.00	116.00
1.82	6.00	26.30	20.57	67.00	116.00
2.73	9.00	26.30	17.08	55.00	116.00
3.64	12.00	27.10	14.00	46.00	116.00
4.55	15.00	29.20	11.00	36.00	116.00
5.46	18.00	32.80	9.00	30.00	116.00
6.37	21.00	35.80	7.50	24.00	116.00
7.28	24.00	42.60	6.00	20.00	116.00
8.19	27.00	59.10	5.00	16.00	116.00
9.10	30.00	76.80	4.00	13.00	116.00
10.01	33.00	106.00	3.00	10.00	116.00
11.92	39.00		2.00	6.00	116.00
13.83	45.00		1.00	3.00	116.00
15.74	51.00				
17.65	57.00				
19.56	64.00				
21.47	70.00				
23.38	77.00				
25.29	83.00				
27.20	90.00				
29.11	97.00				
31.02	104.00				
32.93	111.00				
34.84	118.00				
36.75	125.00				
38.66	132.00				
40.57	139.00				
42.48	146.00				
44.39	153.00				
46.30	160.00				
48.21	167.00				
50.12	174.00				
52.03	181.00				
53.94	188.00				
55.85	195.00				
57.76	202.00				
59.67	209.00				
61.58	216.00				
63.49	223.00				
65.40	230.00				
67.31	237.00				
69.22	244.00				
71.13	251.00				
73.04	258.00				
74.95	265.00				
76.86	272.00				
78.77	279.00				
80.68	286.00				
82.59	293.00				
84.50	300.00				
86.41	307.00				
88.32	314.00				
90.23	321.00				
92.14	328.00				
94.05	335.00				
95.96	342.00				
97.87	349.00				
99.78	356.00				
101.69	363.00				
103.60	370.00				
105.51	377.00				
107.42	384.00				
109.33	391.00				
111.24	398.00				
113.15	405.00				
115.06	412.00				
116.97	419.00				
118.88	426.00				
120.79	433.00				
122.70	440.00				
124.61	447.00				
126.52	454.00				
128.43	461.00				
130.34	468.00				
132.25	475.00				
134.16	482.00				
136.07	489.00				
137.98	496.00				
139.89	503.00				
141.80	510.00				
143.71	517.00				
145.62	524.00				
147.53	531.00				
149.44	538.00				
151.35	545.00				
153.26	552.00				
155.17	559.00				
157.08	566.00				
158.99	573.00				
160.90	580.00				
162.81	587.00				
164.72	594.00				
166.63	601.00				
168.54	608.00				
170.45	615.00				
172.36	622.00				
174.27	629.00				
176.18	636.00				
178.09	643.00				
180.00	650.00				
181.91	657.00				
183.82	664.00				
185.73	671.00				
187.64	678.00				
189.55	685.00				
191.46	692.00				
193.37	699.00				
195.28	706.00				
197.19	713.00				
199.10	720.00				
201.01	727.00				
202.92	734.00				
204.83	741.00				
206.74	748.00				
208.65	755.00				
210.56	762.00				
212.47	769.00				
214.38	776.00				
216.29	783.00				
218.20	790.00				
220.11	797.00				
222.02	804.00				
223.93	811.00				
225.84	818.00				
227.75	825.00				
229.66	832.00				
231.57	839.00				
233.48	846.00				
235.39	853.00				
237.30	860.00				
239.21	867.00				
241.12	874.00				
243.03	881.00				
244.94	888.00				
246.85	895.00				
248.76	902.00				
250.67	909.00				
252.58	916.00				
254.49	923.00				
256.40	930.00				
258.31	937.00				
260.22	944.00				
262.13	951.00				
264.04	958.00				
265.95	965.00				
267.86	972.00				
269.77	979.00				
271.68	986.00				
273.59	993.00				
275.50	1000.00				




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.42	1.38	38.85	9.08	29.80	305.19
0.84	2.76	34.79	18.16	59.60	335.87
1.26	4.14	31.02	27.24	89.40	256.08
1.68	5.52	27.93	36.32	119.20	198.15
2.10	6.90	25.04	45.40	148.90	150.73
2.52	8.28	22.31	54.48	178.60	108.90
2.94	9.66	19.84	63.56	208.30	83.32
3.36	11.04	17.51	72.64	238.00	63.57
3.78	12.42	15.31	81.72	267.70	
4.20	13.80	13.24	90.80	297.40	
4.62	15.18	11.29	99.88	327.10	
5.04	16.56	9.46	108.96	356.80	
5.46	17.94	7.74	118.04	386.50	
5.88	19.32	6.14	127.12	416.20	
6.30	20.70	4.65	136.20	445.90	
6.72	22.08	3.26	145.28	475.60	
7.14	23.46	1.97	154.36	505.30	
7.56	24.84	0.78	163.44	535.00	
7.98	26.22	0.39	172.52	564.70	
8.40	27.60	0.19	181.60	594.40	
8.82	28.98	0.09	190.68	624.10	
9.24	30.36	0.04	199.76	653.80	
9.66	31.74	0.02	208.84	683.50	
10.08	33.12	0.01	217.92	713.20	
10.50	34.50	0.00	227.00	742.90	
10.92	35.88	0.00	236.08	772.60	
11.34	37.26	0.00	245.16	802.30	
11.76	38.64	0.00	254.24	832.00	
12.18	40.02	0.00	263.32	861.70	
12.60	41.40	0.00	272.40	891.40	
13.02	42.78	0.00	281.48	921.10	
13.44	44.16	0.00	290.56	950.80	
13.86	45.54	0.00	299.64	980.50	
14.28	46.92	0.00	308.72	1010.20	
14.70	48.30	0.00	317.80	1039.90	
15.12	49.68	0.00	326.88	1069.60	
15.54	51.06	0.00	335.96	1099.30	
15.96	52.44	0.00	345.04	1129.00	
16.38	53.82	0.00	354.12	1158.70	
16.80	55.20	0.00	363.20	1188.40	
17.22	56.58	0.00	372.28	1218.10	
17.64	57.96	0.00	381.36	1247.80	
18.06	59.34	0.00	390.44	1277.50	
18.48	60.72	0.00	399.52	1307.20	
18.90	62.10	0.00	408.60	1336.90	
19.32	63.48	0.00	417.68	1366.60	
19.74	64.86	0.00	426.76	1396.30	
20.16	66.24	0.00	435.84	1426.00	
20.58	67.62	0.00	444.92	1455.70	
21.00	69.00	0.00	454.00	1485.40	
21.42	70.38	0.00	463.08	1515.10	
21.84	71.76	0.00	472.16	1544.80	
22.26	73.14	0.00	481.24	1574.50	
22.68	74.52	0.00	490.32	1604.20	
23.10	75.90	0.00	499.40	1633.90	
23.52	77.28	0.00	508.48	1663.60	
23.94	78.66	0.00	517.56	1693.30	
24.36	80.04	0.00	526.64	1723.00	
24.78	81.42	0.00	535.72	1752.70	
25.20	82.80	0.00	544.80	1782.40	
25.62	84.18	0.00	553.88	1812.10	
26.04	85.56	0.00	562.96	1841.80	
26.46	86.94	0.00	572.04	1871.50	
26.88	88.32	0.00	581.12	1901.20	
27.30	89.70	0.00	590.20	1930.90	
27.72	91.08	0.00	599.28	1960.60	
28.14	92.46	0.00	608.36	1990.30	
28.56	93.84	0.00	617.44	2020.00	
28.98	95.22	0.00	626.52	2049.70	
29.40	96.60	0.00	635.60	2079.40	
29.82	97.98	0.00	644.68	2109.10	
30.24	99.36	0.00	653.76	2138.80	
30.66	100.74	0.00	662.84	2168.50	
31.08	102.12	0.00	671.92	2198.20	
31.50	103.50	0.00	681.00	2227.90	
31.92	104.88	0.00	690.08	2257.60	
32.34	106.26	0.00	699.16	2287.30	
32.76	107.64	0.00	708.24	2317.00	
33.18	109.02	0.00	717.32	2346.70	
33.60	110.40	0.00	726.40	2376.40	
34.02	111.78	0.00	735.48	2406.10	
34.44	113.16	0.00	744.56	2435.80	
34.86	114.54	0.00	753.64	2465.50	
35.28	115.92	0.00	762.72	2495.20	
35.70	117.30	0.00	771.80	2524.90	
36.12	118.68	0.00	780.88	2554.60	
36.54	120.06	0.00	789.96	2584.30	
36.96	121.44	0.00	799.04	2614.00	
37.38	122.82	0.00	808.12	2643.70	
37.80	124.20	0.00	817.20	2673.40	
38.22	125.58	0.00	826.28	2703.10	
38.64	126.96	0.00	835.36	2732.80	
39.06	128.34	0.00	844.44	2762.50	
39.48	129.72	0.00	853.52	2792.20	
39.90	131.10	0.00	862.60	2821.90	
40.32	132.48	0.00	871.68	2851.60	
40.74	133.86	0.00	880.76	2881.30	
41.16	135.24	0.00	889.84	2911.00	
41.58	136.62	0.00	898.92	2940.70	
42.00	138.00	0.00	908.00	2970.40	
42.42	139.38	0.00	917.08	3000.10	
42.84	140.76	0.00	926.16	3029.80	
43.26	142.14	0.00	935.24	3059.50	
43.68	143.52	0.00	944.32	3089.20	
44.10	144.90	0.00	953.40	3118.90	
44.52	146.28	0.00	962.48	3148.60	
44.94	147.66	0.00	971.56	3178.30	
45.36	149.04	0.00	980.64	3208.00	
45.78	150.42	0.00	989.72	3237.70	
46.20	151.80	0.00	998.80	3267.40	
46.62	153.18	0.00	1007.88	3297.10	
47.04	154.56	0.00	1016.96	3326.80	
47.46	155.94	0.00	1026.04	3356.50	
47.88	157.32	0.00	1035.12	3386.20	
48.30	158.70	0.00	1044.20	3415.90	
48.72	160.08	0.00	1053.28	3445.60	
49.14	161.46	0.00	1062.36	3475.30	
49.56	162.84	0.00	1071.44	3505.00	
49.98	164.22	0.00	1080.52	3534.70	
50.40	165.60	0.00	1089.60	3564.40	
50.82	166.98	0.00	1098.68	3594.10	
51.24	168.36	0.00	1107.76	3623.80	
51.66	169.74	0.00	1116.84	3653.50	
52.08	171.12	0.00	1125.92	3683.20	
52.50	172.50	0.00	1135.00	3712.90	
52.92	173.88	0.00	1144.08	3742.60	
53.34	175.26	0.00	1153.16	3772.30	
53.76	176.64	0.00	1162.24	3802.00	
54.18	178.02	0.00	1171.32	3831.70	
54.60	179.40	0.00	1180.40	3861.40	
55.02	180.78	0.00	1189.48	3891.10	
55.44	182.16	0.00	1198.56	3920.80	
55.86	183.54	0.00	1207.64	3950.50	
56.28	184.92	0.00	1216.72	3980.20	
56.70	186.30	0.00	1225.80	4009.90	
57.12	187.68	0.00	1234.88	4039.60	
57.54	189.06	0.00	1243.96	4069.30	
57.96	190.44	0.00	1253.04	4099.00	
58.38	191.82	0.00	1262.12	4128.70	
58.80	193.20	0.00	1271.20	4158.40	
59.22	194.58	0.00	1280.28	4188.10	
59.64	195.96	0.00	1289.36	4217.80	
60.06	197.34	0.00	1298.44	4247.50	
60.48	198.72	0.00	1307.52	4277.20	
60.90	200.10	0.00	1316.60	4306.90	
61.32	201.48	0.00	1325.68	4336.60	
61.74	202.86	0.00	1334.76	4366.30	
62.16	204.24	0.00	1343.84	4396.00	
62.58	205.62	0.00	1352.92	4425.70	
63.00	207.00	0.00	1362.00	4455.40	
63.42	208.38	0.00	1371.08	4485.10	
63.84	209.76	0.00	1380.16	4514.80	
64.26	211.14	0.00	1389.24	4544.50	
64.68	212.52	0.00	1398.32	4574.20	
65.10	213.90	0.00	1407.40	4603.90	
65.52	215.28	0.00	1416.48	4633.60	
65.94	216.66	0.00	1425.56	4663.30	
66.36	218.04	0.00	1434.64	4693.00	
66.78	219.42	0.00	1443.72	4722.70	
67.20	220.80	0.00	1452.80	4752.40	
67.62	222.18	0.00	1461.88	4782.10	
68.04	223.56	0.00	1470.96	4811.80	
68.46	224.94	0.00	1480.04	4841.50	
68.88	226.32	0.00	1489.12	4871.20	
69.30	227.70	0.00	1498.20	4900.90	
69.72	229.08	0.00	1507.28	4930.60	
70.14	230.46	0.00	1516.36	4960.30	
70.56	231.84	0.00	1525.44	4990.00	
70.98	233.22	0.00	1534.52	5019.70	
71.40	234.60	0.00	1543.60	5049.40	
71.82	235.98	0.00	1552.68	5079.10	
72.24	237.36	0.00	1561.76	5108.80	
72.66	238.74	0.00	1570.84	5138.50	
73.08	240.12	0.00	1579.92	5168.20	
73.50	241.50	0.00	1589.00	5197.90	
73.92	242.88	0.00	1598.08	5227.60	
74.34	244.26	0.00	1607.16	5257.30	
74.76	245.64	0.00	1616.24	5287.00	
75.18	247.02	0.00	1625.32	5316.70	
75.60	248.40	0.00	1634.40	5346.40	
76.02	249.78	0.00	1643.48	5376.10	
76.44	251.16	0.00	1652.56	5405.80	
76.86	252.54	0.00	1661.64	5435.50	
77.28	253.92	0.00	1670.72	5465.20	
77.70	255.30	0.00	1679.80	5494.90	
78.12	256.68	0.00	1688.88	5524.60	
78.54	258.06	0.00	1697.96	5554.30	
78.96	259.44	0.00	1707.04	5584.00	
79.38	260.82	0.00	1716.12	5613.70	
79.80	262.20	0.00	1725.20	5643.40	
80.22	263.58	0.00	1734.28	5673.10	
80.64	264.96	0.00	1743.36	5702.80	
81.06	266.34	0.00	1752.44	5732.50	
81.48	267.72	0.00	1761.52	5762.20	
81.90	269.10	0.00	1770.60	5791.90	
82.32	270.48	0.00	1779.68	5821.60	
82.74	271.86	0.00	1788.76	5851.30	
83.16	273.24	0.00	1797.84	5881.00	
83.58	274.62	0.00	1806.92	5910.70	
84.00	276.00	0.00	1816.00	5940.40	
84.42	277.38	0.00	1825.08	5970.10	
84.84	278.76	0.00	1834.16	6000.80	







AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	46.50	24.38	80.00	72.40
1.22	4.00	53.40	30.48	100.00	76.00
1.83	6.00	66.50	30.48	100.00	83.00
2.44	8.00	71.60	42.67	140.00	80.40
3.05	10.00	72.70	60.96	200.00	60.00
3.66	12.00	74.50	91.44	300.00	36.90
4.27	14.00	70.70	121.92	400.00	38.00
4.88	16.00	62.40	182.88	600.00	25.00
5.49	18.00	52.50	243.84	800.00	14.60
6.10	20.00	46.50	304.80	1000.00	9.14




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.47	1.54	42.57	10.09	33.11	84.26
0.69	2.26	77.17	14.81	48.60	141.22
1.01	3.31	119.54	21.74	71.34	142.82
1.48	4.86	136.19	31.91	104.71	80.33
2.17	7.13	104.82	46.84	153.69	28.87
3.19	10.47	56.57	68.76	225.58	11.81
4.68	15.37	33.23	100.92	331.11	10.60
		41.10	99999.00	99999.00	7.82




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	54.80	18.29	60.00	148.00
1.83	6.00	62.10	24.38	80.00	155.00
2.44	8.00	76.10	30.48	100.00	155.00
3.05	10.00	81.50	36.57	120.00	137.00
3.66	12.00	86.70	42.67	140.00	106.00
4.27	14.00	88.80	48.76	160.00	68.40
4.88	16.00	99.80	54.86	180.00	31.60
5.49	18.00	115.00	60.96	200.00	31.40
6.10	20.00	128.00	67.05	220.00	16.90
6.71	22.00	135.00	73.15	240.00	11.20
7.32	24.00		79.25	260.00	10.50
7.93	26.00		85.34	280.00	
8.54	28.00		91.44	300.00	
9.15	30.00		97.54	320.00	
9.76	32.00		103.64	340.00	
10.37	34.00		109.74	360.00	
10.98	36.00		115.84	380.00	
11.59	38.00		121.94	400.00	
12.20	40.00		128.04	420.00	
			134.14	440.00	
			140.24	460.00	
			146.34	480.00	
			152.44	500.00	
			158.54	520.00	
			164.64	540.00	
			170.74	560.00	
			176.84	580.00	
			182.94	600.00	
			189.04	620.00	
			195.14	640.00	
			201.24	660.00	
			207.34	680.00	
			213.44	700.00	
			219.54	720.00	
			225.64	740.00	
			231.74	760.00	
			237.84	780.00	
			243.94	800.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	48.92	8.07	26.49	169.40
0.89	2.95	72.45	11.85	38.88	208.10
1.19	3.90	89.84	17.39	57.07	193.86
1.74	5.71	102.96	25.53	83.76	111.75
2.55	8.38	114.52	37.47	122.95	36.19
3.75	12.29	122.37	55.01	180.47	9.26
5.50	18.05	135.87	80.74	264.89	6.87
			99.99.00	99.99.00	10.65




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.47	1.54	66.82	10.09	33.11	75.80
0.69	2.26	76.36	14.81	48.60	84.03
1.01	3.31	111.43	21.74	71.34	85.96
1.48	4.86	137.29	31.91	104.71	78.13
2.17	7.13	110.81	46.84	153.69	40.38
3.19	10.47	65.80	68.76	225.58	7.41
4.68	15.37	47.20	100.92	331.11	2.31
6.88	22.56	56.37	99999.00	99999.00	12.68




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	59.30	24.38	80.00	61.40
1.22	4.00	61.10	30.48	100.00	59.80
1.83	6.00	67.90	42.67	140.00	64.20
2.44	8.00	72.10	60.96	200.00	57.00
3.05	10.00	73.90	91.44	300.00	49.50
3.66	12.00	81.00	121.92	400.00	29.50
4.27	14.00	76.40	182.88	600.00	32.00
6.10	20.00	67.50	243.84	800.00	19.80
9.14	30.00	59.70	304.80	1000.00	8.28
12.19	40.00	58.70			8.28
18.29	60.00	59.80			9.22




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	41.60	24.38	80.00	123.00
1.22	4.00	48.60	30.48	100.00	97.00
1.83	6.00	58.70	42.67	100.00	98.00
2.44	8.00	53.70	30.48	100.00	119.00
3.05	10.00	62.60	42.67	100.00	108.00
3.05	10.00	65.20	60.96	200.00	61.10
4.27	14.00	65.10	91.44	300.00	24.40
6.10	20.00	72.90	91.44	300.00	28.20
9.14	30.00	86.20	121.92	400.00	13.20
12.19	40.00	101.00	182.88	600.00	6.39
18.29	60.00	129.00	243.84	800.00	5.90




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	54.18	8.07	26.49	221.61
0.81	2.65	81.03	11.95	38.88	94.44
1.19	3.91	94.33	17.39	56.97	259.87
1.74	5.71	84.63	25.53	83.76	216.02
2.55	8.38	75.33	37.47	123.95	120.87
3.75	12.29	90.81	55.01	180.47	36.51
5.50	18.05	144.54	80.74	264.89	6.51
			99999.00	(99999.00)	2.95
					5.98




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	33.00	24.38	80.00	105.00
1.22	4.00	40.80	30.48	100.00	186.50
1.83	6.00	54.40	30.48	100.00	91.10
2.44	8.00	65.40	42.67	140.00	58.00
3.05	10.00	73.20	60.96	200.00	29.60
3.66	12.00	86.30	91.44	300.00	11.30
4.27	14.00	104.00	121.92	400.00	17.07
6.10	20.00	164.00	121.92	400.00	14.50
9.14	30.00	114.00	121.92	400.00	8.25
12.19	40.00	120.00	182.88	600.00	7.07
18.29	60.00	121.00	243.84	600.00	7.41




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	30.55	7.27	23.84	260.03
0.73	2.38	61.78	10.67	34.99	187.95
1.07	3.50	111.35	15.65	51.36	101.55
1.57	5.14	125.17	22.98	75.39	51.46
2.30	7.54	220.26	33.73	110.65	18.42
3.37	11.07	200.53	49.51	162.42	6.04
4.95	16.24	179.99	72.66	238.40	4.93
			99999.00	99999.00	7.74




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	37.60	24.38	80.00	99.30
1.82	6.00	39.90	30.48	100.00	102.00
2.73	9.00	42.40	40.64	140.00	102.00
3.64	12.00	44.10	60.96	200.00	81.90
4.55	15.00	45.30	81.28	300.00	51.80
5.46	18.00	49.70	121.92	400.00	23.80
6.37	21.00	56.50	161.28	600.00	14.10
7.28	24.00	67.40	200.64	800.00	9.74
8.19	27.00	84.30	240.00	1000.00	8.67
9.10	30.00	95.50			
10.01	33.00	102.00			




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.42	1.38	42.88	9.08	29.80	167.76
0.84	2.73	43.76	13.57	43.70	171.12
1.26	4.09	43.76	19.57	64.20	126.31
1.68	5.46	42.88	28.72	94.33	57.48
2.10	6.82	52.82	42.16	138.03	17.20
2.52	8.19	75.58	61.88	203.03	7.37
2.94	9.55	107.37	90.83	298.00	8.91
3.36	10.91	140.30	99999.00	99999.00	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	16.00	24.38	80.00	62.70
1.83	6.00	17.70	30.48	100.00	58.50
2.74	9.00	17.70	40.64	140.00	52.70
3.05	10.00	24.50	42.67	140.00	52.70
4.27	14.00	25.50	60.96	200.00	52.70
6.10	20.00	31.20	91.44	300.00	13.00
9.14	30.00	43.10	121.92	400.00	8.67
12.19	40.00	52.40	182.88	600.00	10.30
	60.00	59.70	243.84	800.00	9.09
		68.40			9.17




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	20.75	7.27	23.84	162.52
0.70	2.30	15.95	10.67	34.83	154.56
1.07	3.50	21.32	15.65	51.36	112.25
1.57	5.14	37.95	22.98	75.39	51.40
2.30	7.54	66.67	33.73	110.55	12.86
3.37	11.07	104.10	49.51	162.42	3.79
4.95	16.24	141.24	72.66	238.40	5.56
			99999.00	99999.00	10.71




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	17.35	8.07	26.49	22.13
0.81	2.65	18.46	11.85	38.88	26.15
1.19	3.89	11.16	17.39	57.07	24.70
1.74	5.71	5.56	25.53	83.76	18.83
2.55	8.38	5.51	37.47	122.95	12.80
3.75	12.29	9.40	55.01	180.47	9.09
5.50	18.05	15.57	80.74	264.89	7.52
			99999.00	99999.00	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	16.30	24.38	80.00	18.30
1.22	4.00	14.20	30.48	100.00	19.10
1.83	6.00	12.90	42.67	140.00	17.20
2.44	8.00	10.20	30.48	100.00	17.20
3.05	10.00	9.14	42.67	140.00	16.00
3.55	12.00	8.52	60.96	200.00	14.90
4.27	14.00	8.52	91.44	300.00	11.90
6.10	20.00	10.40	121.92	400.00	12.10
9.14	30.00	12.60	182.88	600.00	10.70
12.23	40.00	14.70	243.84	800.00	8.61
	60.00	17.50			8.03




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.47	1.54	341.00	10.09	33.11	95.66
0.63	2.06	258.77	14.91	48.90	152.88
1.04	3.41	173.77	21.94	71.30	98.08
1.48	4.84	156.19	33.11	108.69	23.19
2.17	7.13	186.57	48.90	159.58	2.60
3.41	11.17	341.00	71.30	231.11	2.60
4.84	15.88	44.21	108.69	354.33	15.53




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	265.00	24.38	80.00	88.90
1.22	4.00	297.00	30.48	100.00	92.80
1.52	5.00	156.00	42.67	140.00	96.50
2.03	6.66	139.00	60.96	200.00	99.80
3.05	10.00	117.00	91.44	300.00	36.90
4.27	14.00	88.90	121.92	400.00	37.30
6.10	20.00	67.00	182.88	600.00	18.60
9.14	30.00	66.10	243.84	800.00	9.20
12.19	40.00	78.00	304.80	1000.00	9.54




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	290.00	18.29 {	60.00
1.22 {	266.00	24.38 {	80.00
1.83 {	191.00	30.48 {	100.00
2.44 {	143.00	42.67 {	140.00
3.05 {	113.00	60.96 {	200.00
4.27 {	77.50	91.44 {	300.00
6.10 {	53.30	121.52 {	400.00
8.14 {	48.30	163.84 {	600.00
12.19 {	53.00		




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55 {	381.75	8.07 {	26.49
0.81 {	236.40	11.85 {	38.88
1.19 {	171.20	17.39 {	57.07
1.74 {	123.20	25.53 {	83.76
2.55 {	54.60	37.47 {	122.95
3.75 {	38.58	55.01 {	180.47
5.50 {	38.31	80.74 {	284.89
		99999.00 {	99999.00




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	87.40	18.29	60.00	25.10
1.22	4.00	69.60	24.38	80.00	23.70
1.83	6.00	45.20	30.48	100.00	22.10
2.44	8.00	27.20	42.67	140.00	31.90
3.05	10.00	18.50	60.96	200.00	32.90
4.27	14.00	23.00	91.44	300.00	29.90
6.10	20.00	14.50	121.92	400.00	22.60
9.14	30.00	13.10	182.88	600.00	21.60
12.19	40.00	15.80	243.84	800.00	15.10
		19.90			9.57
					8.70




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	122.65	8.07	26.49	32.43
0.81	2.65	88.88	11.85	38.88	55.57
1.19	3.89	38.30	17.39	57.07	69.38
1.74	5.71	12.19	25.53	83.76	56.10
2.55	8.38	6.02	37.47	122.95	26.29
3.75	12.29	8.06	55.01	180.47	7.47
5.50	18.05	16.08	80.74	264.89	3.17
			99999.00	99999.00	8.92




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	31.40	18.29	60.00	23.20
1.23	4.00	26.30	24.38	80.00	23.20
1.83	6.00	22.40	30.48	100.00	26.20
2.44	8.00	19.90	42.67	140.00	25.00
3.05	10.00	15.90	60.96	200.00	17.80
3.66	12.00	13.40	81.44	300.00	13.50
4.27	14.00	11.80	121.92	400.00	13.30
4.88	16.00	10.20	162.88	600.00	8.75
5.49	18.00	8.60	243.84	800.00	8.10




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	31.19	8.07	26.49	34.60
0.81	2.65	32.14	11.85	38.88	49.95
1.19	3.89	26.31	17.39	57.07	48.67
1.74	5.71	12.25	25.53	83.76	28.44
2.55	8.38	6.40	37.47	122.35	10.43
3.75	12.29	18.56	55.01	180.84	8.37
5.50	18.05		80.74	264.85	5.12
			99999.00	99999.00	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	35.40	18.29	60.00	59.70
1.22	4.00	41.00	24.38	80.00	67.60
1.83	6.00	47.80	30.48	100.00	72.20
2.44	8.00	49.60	36.58	120.00	79.10
3.05	10.00	50.40	42.67	140.00	74.40
3.66	12.00	50.80	48.77	160.00	60.50
4.27	14.00	50.30	54.86	180.00	38.10
4.88	16.00	49.60	60.96	200.00	41.80
5.49	18.00	47.70	67.05	220.00	25.10
6.10	20.00		73.15	240.00	12.10
6.71	22.00		79.24	260.00	
7.32	24.00		85.34	280.00	
7.93	26.00		91.44	300.00	
8.54	28.00		97.53	320.00	
9.15	30.00		103.63	340.00	
			109.73	360.00	
			115.82	380.00	
			121.92	400.00	
			128.02	420.00	
			134.11	440.00	
			140.21	460.00	
			146.31	480.00	
			152.40	500.00	
			158.50	520.00	
			164.60	540.00	
			170.69	560.00	
			176.79	580.00	
			182.89	600.00	
			188.98	620.00	
			195.08	640.00	
			201.18	660.00	
			207.27	680.00	
			213.37	700.00	
			219.47	720.00	
			225.57	740.00	
			231.66	760.00	
			237.76	780.00	
			243.86	800.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	38.46	8.07	26.49	62.28
0.81	2.65	64.85	11.85	38.88	131.40
1.19	3.89	87.54	17.39	57.07	178.70
1.74	5.71	91.81	25.53	83.76	139.73
2.55	8.38	66.03	37.47	122.95	57.90
3.75	12.29	36.02	55.01	180.47	12.36
5.50	18.05	31.70	80.74	264.89	3.33
			99999.00	99999.00	9.98




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	3.12	18.29	60.00	2.69
1.22	4.00	3.18	24.38	80.00	3.19
1.83	6.00	3.07	30.48	100.00	3.59
2.44	8.00	2.61	36.58	120.00	3.67
3.05	10.00	2.07	42.67	140.00	4.17
3.66	12.00	1.82	48.77	160.00	4.82
4.27	14.00	1.67	54.86	180.00	5.67
4.88	16.00	1.89	60.96	200.00	6.76
5.49	18.00	1.07	67.05	220.00	7.97
6.10	20.00	2.34	73.15	240.00	7.93
6.71	22.00		79.24	260.00	
7.32	24.00		85.34	280.00	
7.93	26.00		91.43	300.00	
8.54	28.00		97.53	320.00	
9.15	30.00		103.62	340.00	
9.76	32.00		109.72	360.00	
10.37	34.00		115.81	380.00	
10.98	36.00		121.91	400.00	
11.59	38.00		128.00	420.00	
12.20	40.00		134.10	440.00	
12.81	42.00		140.19	460.00	
13.42	44.00		146.29	480.00	
14.03	46.00		152.38	500.00	
14.64	48.00		158.48	520.00	
15.25	50.00		164.57	540.00	
15.86	52.00		170.67	560.00	
16.47	54.00		176.76	580.00	
17.08	56.00		182.86	600.00	
17.69	58.00		188.95	620.00	
18.30	60.00		195.05	640.00	
18.91	62.00		201.14	660.00	
19.52	64.00		207.24	680.00	
20.13	66.00		213.33	700.00	
20.74	68.00		219.43	720.00	
21.35	70.00		225.52	740.00	
21.96	72.00		231.62	760.00	
22.57	74.00		237.71	780.00	
23.18	76.00		243.81	800.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	3.38	7.27	23.84	2.62
0.73	2.38	3.62	10.67	34.99	3.46
1.07	3.50	2.57	15.65	51.33	4.41
1.57	5.14	1.56	22.98	75.39	5.36
2.30	7.53	1.33	33.73	110.52	6.37
3.37	11.07	1.57	49.51	162.42	7.43
4.95	16.24	1.59	72.66	238.40	8.52
			99999.00	99999.00	9.65







AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	6.23	18.29	60.00	7.15
1.22	4.00	6.45	24.38	80.00	6.23
1.83	6.00	6.57	30.48	100.00	5.38
2.44	8.00	7.50	36.58	120.00	5.38
3.05	10.00	7.19	42.68	140.00	5.38
3.66	12.00	7.19	48.78	160.00	5.38
4.27	14.00	7.57	54.88	180.00	5.38
4.88	16.00	7.57	60.98	200.00	5.38
5.49	18.00	7.99	67.08	220.00	5.38
6.10	20.00	7.47	73.18	240.00	5.38
6.71	22.00	7.04	79.28	260.00	5.38
7.32	24.00		85.38	280.00	5.38
7.93	26.00		91.48	300.00	5.38
8.54	28.00		97.58	320.00	5.38
9.15	30.00		103.68	340.00	5.38
9.76	32.00		109.78	360.00	5.38
10.37	34.00		115.88	380.00	5.38
10.98	36.00		121.98	400.00	5.38
11.59	38.00		128.08	420.00	5.38
12.20	40.00		134.18	440.00	5.38
			140.28	460.00	5.38
			146.38	480.00	5.38
			152.48	500.00	5.38
			158.58	520.00	5.38
			164.68	540.00	5.38
			170.78	560.00	5.38
			176.88	580.00	5.38
			182.98	600.00	5.38




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.54	1.79	5.94	8.00	26.24	6.71
0.80	2.62	6.52	11.74	38.52	5.95
1.17	3.85	7.28	17.33	56.54	5.95
1.73	5.65	8.02	25.30	83.39	5.95
2.53	8.30	8.38	34.13	111.81	6.71
3.45	11.28	8.18	44.50	145.80	6.71
		7.51	99.99	999.99	5.95




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	37.30	9.14	30.00	4.52
1.22	4.00	27.80	12.19	40.00	4.53
1.83	6.00	14.20	18.29	60.00	5.38
2.44	8.00	8.74	24.38	80.00	5.46
3.05	10.00	6.79	30.48	100.00	5.81
3.66	12.00	5.19	36.57	120.00	5.87
4.27	14.00	4.13	42.67	140.00	6.23
4.88	16.00		48.76	160.00	6.05
5.49	18.00		54.86	180.00	
6.10	20.00		60.96	200.00	
			67.06	220.00	
			73.16	240.00	
			79.26	260.00	
			85.36	280.00	
			91.44	300.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.44	1.46	61.65	4.44	14.58	4.12
0.65	2.14	35.48	6.52	21.40	4.86
0.96	3.14	14.36	9.57	31.41	5.75
1.41	4.61	5.14	14.58	47.17	6.47
2.03	6.63	3.43	21.40	70.33	6.47
3.05	9.93		30.48	99.99	6.16
			99.99	999.99	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	179.00	9.14	30.00	6.10
1.23	4.00	142.00	12.19	40.00	5.06
1.83	6.00	86.10	18.29	60.00	5.34
2.44	8.00	49.40	24.38	80.00	5.29
3.05	10.00	29.20	30.48	100.00	6.09
4.27	14.00	14.70	42.67	140.00	6.00
3.05	10.00	37.60	60.96	200.00	6.22
4.27	14.00	18.40	91.44	300.00	6.52
6.10	20.00	9.83	121.92	400.00	6.96
					7.38




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.56	3.16	261.94	6.58	21.60	3.55
0.97	3.17	115.73	9.66	31.70	4.10
1.42	4.65	36.07	14.18	46.54	5.37
2.08	6.83	15.64	20.82	68.31	6.52
3.06	10.03	13.90	30.56	100.26	7.04
4.49	14.72	6.53	44.85	147.16	7.36
			99999.00	99999.00	8.02




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	23.30 {	18.29 {	60.00 {	3.55 {
1.22 {	4.00 {	15.30 {	24.38 {	80.00 {	3.90 {
1.83 {	6.00 {	7.29 {	30.48 {	100.00 {	4.15 {
2.44 {	8.00 {	4.41 {	42.67 {	140.00 {	3.89 {
3.05 {	10.00 {	3.89 {	60.96 {	200.00 {	3.11 {
4.27 {	14.00 {	3.89 {	84.44 {	280.00 {	2.24 {
6.10 {	20.00 {	2.62 {	121.92 {	400.00 {	2.63 {
8.14 {	27.00 {	2.62 {			5.66 {
12.19 {	40.00 {	3.09 {			5.75 {




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.53 {	1.75 {	39.16 {	5.33 {	17.50 {	4.27 {
0.78 {	2.57 {	13.94 {	7.83 {	25.68 {	5.39 {
1.15 {	3.77 {	5.20 {	11.43 {	37.69 {	6.17 {
1.69 {	5.53 {	3.83 {	16.85 {	55.33 {	6.22 {
2.48 {	8.12 {	3.36 {	24.73 {	62.21 {	5.86 {
3.63 {	11.92 {	3.39 {	36.10 {	99.99 {	5.72 {




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	21.30	18.29	60.00	12.50
1.22	4.00	14.50	24.38	80.00	13.00
1.83	6.00	14.20	30.48	100.00	10.80
2.44	8.00	14.90	42.67	140.00	10.90
3.05	10.00	14.90	30.48	100.00	8.92
3.05	10.00	15.20	42.67	140.00	8.66
4.27	14.00	14.50	60.96	200.00	8.18
6.10	20.00	13.80	91.44	300.00	8.43
9.14	30.00	14.10	121.92	400.00	8.41
12.19	40.00	14.60			8.58




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.59	1.94	11.67	5.93	19.44	11.64
0.87	2.85	12.01	8.70	28.53	10.68
1.28	4.19	12.06	12.77	41.88	9.08
1.87	6.15	11.57	18.74	61.47	7.88
2.75	9.02	11.18	27.50	90.23	7.49
4.04	13.24	11.47	40.37	132.44	7.86
			99999.00	99999.00	8.71




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	43.00	12.19	40.00	173.00
1.22	4.00	52.60	18.29	60.00	157.00
1.83	6.00	71.60	24.38	80.00	116.00
2.44	8.00	87.80	30.48	100.00	77.40
3.05	10.00	100.00	36.58	120.00	78.00
3.66	12.00	113.00	42.67	140.00	32.50
4.27	14.00	119.00	48.77	160.00	13.35
4.88	16.00	118.00	54.86	180.00	9.82
5.49	18.00	115.00	60.96	200.00	7.26
6.10	20.00	115.00	67.05	220.00	7.27
6.71	22.00	115.00	73.15	240.00	
	24.00		79.25	260.00	
	26.00		85.34	280.00	
	28.00		91.44	300.00	
	30.00		97.54	320.00	
			103.63	340.00	
			109.73	360.00	
			115.83	380.00	
			121.92	400.00	
			128.02	420.00	
			134.12	440.00	
			140.21	460.00	
			146.31	480.00	
			152.41	500.00	
			158.50	520.00	
			164.60	540.00	
			170.70	560.00	
			176.79	580.00	
			182.89	600.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.54	1.79	39.23	8.00	26.24	236.68
0.80	2.62	81.83	11.74	38.52	130.97
1.17	3.85	141.71	17.23	56.54	34.24
1.72	5.65	193.87	25.30	82.99	5.39
2.53	8.30	221.99	37.13	121.80	3.82
3.71	12.18	242.57	54.50	178.80	7.86
5.45	17.88		99999.00	99999.00	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	49.70	24.38	80.00	110.00
1.83	6.00	49.30	30.48	100.00	113.00
2.74	9.00	48.50	40.64	130.00	116.00
3.55	12.00	48.80	60.96	200.00	111.00
4.27	14.00	49.50	91.44	300.00	89.70
6.10	20.00	51.40	121.92	400.00	39.30
9.14	30.00	57.40	182.88	600.00	21.40
12.19	40.00	69.30	243.84	800.00	49.50
18.29	60.00	97.80	304.80	1000.00	26.00
					10.40
					8.64
					7.75




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.42	1.38	62.48	9.08	29.80	195.68
0.62	2.03	67.89	13.33	43.74	266.60
0.91	2.98	65.36	19.57	64.20	259.78
1.33	4.37	55.28	28.72	94.23	143.93
1.96	6.42	49.69	42.16	138.32	137.21
2.87	9.42	56.13	61.88	203.02	5.64
4.22	13.83	78.83	90.83	298.00	3.53
6.19	20.30	124.37	99999.00	99999.00	8.39




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	97.40	18.29	60.00	136.00
1.22	4.00	121.00	24.38	80.00	93.30
1.83	6.00	161.00	30.48	100.00	57.60
2.44	8.00	189.00	36.58	120.00	54.40
3.05	10.00	218.00	42.67	140.00	21.90
3.66	12.00	238.00	48.76	160.00	6.89
4.27	14.00	258.00	54.86	180.00	2.53
4.88	16.00	277.00	60.95	200.00	7.55
5.49	18.00	297.00	67.05	220.00	7.38
6.10	20.00	317.00	73.14	240.00	7.55
6.71	22.00	337.00	79.24	260.00	
7.32	24.00	357.00	85.33	280.00	
7.93	26.00	377.00	91.43	300.00	
8.54	28.00	397.00	97.52	320.00	
9.15	30.00	417.00	103.62	340.00	
9.76	32.00	437.00	109.71	360.00	
10.37	34.00	457.00	115.81	380.00	
10.98	36.00	477.00	121.90	400.00	
11.59	38.00	497.00	128.00	420.00	
12.20	40.00	517.00	134.09	440.00	
12.81	42.00	537.00	140.19	460.00	
13.42	44.00	557.00	146.28	480.00	
14.03	46.00	577.00	152.38	500.00	
14.64	48.00	597.00	158.47	520.00	
15.25	50.00	617.00	164.57	540.00	
15.86	52.00	637.00	170.66	560.00	
16.47	54.00	657.00	176.76	580.00	
17.08	56.00	677.00	182.85	600.00	
17.69	58.00	697.00	188.95		
18.30	60.00	717.00	195.04		
18.91	62.00	737.00	201.14		
19.52	64.00	757.00	207.23		
20.13	66.00	777.00	213.33		
20.74	68.00	797.00	219.42		
21.35	70.00	817.00	225.52		
21.96	72.00	837.00	231.61		
22.57	74.00	857.00	237.71		
23.18	76.00	877.00	243.80		
23.79	78.00	897.00	249.90		
24.40	80.00	917.00	256.00		
25.01	82.00	937.00	262.09		
25.62	84.00	957.00	268.19		
26.23	86.00	977.00	274.28		
26.84	88.00	997.00	280.38		
27.45	90.00	1017.00	286.47		
28.06	92.00	1037.00	292.57		
28.67	94.00	1057.00	298.66		
29.28	96.00	1077.00	304.76		
29.89	98.00	1097.00	310.85		
30.50	100.00	1117.00	316.95		
31.11	102.00	1137.00	323.04		
31.72	104.00	1157.00	329.14		
32.33	106.00	1177.00	335.23		
32.94	108.00	1197.00	341.33		
33.55	110.00	1217.00	347.42		
34.16	112.00	1237.00	353.52		
34.77	114.00	1257.00	359.61		
35.38	116.00	1277.00	365.71		
35.99	118.00	1297.00	371.80		
36.60	120.00	1317.00	377.90		
37.21	122.00	1337.00	384.00		
37.82	124.00	1357.00	390.09		
38.43	126.00	1377.00	396.19		
39.04	128.00	1397.00	402.28		
39.65	130.00	1417.00	408.38		
40.26	132.00	1437.00	414.47		
40.87	134.00	1457.00	420.57		
41.48	136.00	1477.00	426.66		
42.09	138.00	1497.00	432.76		
42.70	140.00	1517.00	438.85		
43.31	142.00	1537.00	444.95		
43.92	144.00	1557.00	451.04		
44.53	146.00	1577.00	457.14		
45.14	148.00	1597.00	463.23		
45.75	150.00	1617.00	469.33		
46.36	152.00	1637.00	475.42		
46.97	154.00	1657.00	481.52		
47.58	156.00	1677.00	487.61		
48.19	158.00	1697.00	493.71		
48.80	160.00	1717.00	499.80		
49.41	162.00	1737.00	505.90		
50.02	164.00	1757.00	512.00		
50.63	166.00	1777.00	518.09		
51.24	168.00	1797.00	524.19		
51.85	170.00	1817.00	530.28		
52.46	172.00	1837.00	536.38		
53.07	174.00	1857.00	542.47		
53.68	176.00	1877.00	548.57		
54.29	178.00	1897.00	554.66		
54.90	180.00	1917.00	560.76		
55.51	182.00	1937.00	566.85		
56.12	184.00	1957.00	572.95		
56.73	186.00	1977.00	579.04		
57.34	188.00	1997.00	585.14		
57.95	190.00	2017.00	591.23		
58.56	192.00	2037.00	597.33		
59.17	194.00	2057.00	603.42		
59.78	196.00	2077.00	609.52		
60.39	198.00	2097.00	615.61		
61.00	200.00	2117.00	621.71		
61.61	202.00	2137.00	627.80		
62.22	204.00	2157.00	633.90		
62.83	206.00	2177.00	640.00		
63.44	208.00	2197.00	646.09		
64.05	210.00	2217.00	652.19		
64.66	212.00	2237.00	658.28		
65.27	214.00	2257.00	664.38		
65.88	216.00	2277.00	670.47		
66.49	218.00	2297.00	676.57		
67.10	220.00	2317.00	682.66		
67.71	222.00	2337.00	688.76		
68.32	224.00	2357.00	694.85		
68.93	226.00	2377.00	700.95		
69.54	228.00	2397.00	707.04		
70.15	230.00	2417.00	713.14		
70.76	232.00	2437.00	719.23		
71.37	234.00	2457.00	725.33		
71.98	236.00	2477.00	731.42		
72.59	238.00	2497.00	737.52		
73.20	240.00	2517.00	743.61		
73.81	242.00	2537.00	749.71		
74.42	244.00	2557.00	755.80		
75.03	246.00	2577.00	761.90		
75.64	248.00	2597.00	768.00		
76.25	250.00	2617.00	774.09		
76.86	252.00	2637.00	780.19		
77.47	254.00	2657.00	786.28		
78.08	256.00	2677.00	792.38		
78.69	258.00	2697.00	798.47		
79.30	260.00	2717.00	804.57		
79.91	262.00	2737.00	810.66		
80.52	264.00	2757.00	816.76		
81.13	266.00	2777.00	822.85		
81.74	268.00	2797.00	828.95		
82.35	270.00	2817.00	835.04		
82.96	272.00	2837.00	841.14		
83.57	274.00	2857.00	847.23		
84.18	276.00	2877.00	853.33		
84.79	278.00	2897.00	859.42		
85.40	280.00	2917.00	865.52		
86.01	282.00	2937.00	871.61		
86.62	284.00	2957.00	877.71		
87.23	286.00	2977.00	883.80		
87.84	288.00	2997.00	889.90		
88.45	290.00	3017.00	896.00		
89.06	292.00	3037.00	902.09		
89.67	294.00	3057.00	908.19		
90.28	296.00	3077.00	914.28		
90.89	298.00	3097.00	920.38		
91.50	300.00	3117.00	926.47		
92.11	302.00	3137.00	932.57		
92.72	304.00	3157.00	938.66		
93.33	306.00	3177.00	944.76		
93.94	308.00	3197.00	950.85		
94.55	310.00	3217.00	956.95		
95.16	312.00	3237.00	963.04		
95.77	314.00	3257.00	969.14		
96.38	316.00	3277.00	975.23		
96.99	318.00	3297.00	981.33		
97.60	320.00	3317.00	987.42		
98.21	322.00	3337.00	993.52		
98.82	324.00	3357.00	999.61		
99.43	326.00	3377.00	1005.71		
100.04	328.00	3397.00	1011.80		
100.65	330.00	3417.00	1017.90		
101.26	332.00	3437.00	1024.00		
101.87	334.00	3457.00	1030.09		
102.48	336.00	3477.00	1036.19		
103.09	338.00	3497.00	1042.28		
103.70	340.00	3517.00	1048.38		
104.31	342.00	3537.00	1054.47		
104.92	344.00	3557.00	1060.57		
105.53	346.00	3577.00	1066.66		
106.14	348.00	3597.00	1072.76		
106.75	350.00	3617.00	1078.85		
107.36	352.00	3637.00	1084.95		
107.97	354.00	3657.00	1091.04		
108.58	356.00	3677.00	1097.14		
109.19	358.00	3697.00	1103.23		
109.80	360.00	3717.00	1109.33		
110.41	362.00	3737.00	1115.42		
111.02	364.00	3757.00	1121.52		
111.63	366.00	3777.00	1127.61		
112.24	368.00	3797.00	1133.71		
112.85	370.00	3817.00	1139.80		
113.46	372.00	3837.00	1145.90		
114.07	374.00	3857.00	1152.00		
114.68	376.00	3877.00	1158.09		
115.29	378.00	3897.00	1164.19		
115.90	380.00	3917.00	1170.28		
116.51	382.00	3937.00	1176.38		
117.12	384.00	3957.00	1182.47		
117.73	386.00	3977.00	1188.57		
118.34	388.00	3997.00	1194.66		
118.95	390.00	4017.00	1200.76		
119.56	392.00	4037.00	1206.85		
120.17	394.00	4057.00	1212.95		
120.78	396.00	4077.00	1219.04		
121.39	398.00	4097.00	1225.14		
122.00	400.00	4117.00	1231.23		
122.61	402.00	4137.00	1237.33		
123.22	404.00	4157.00	1243.42		
123.83	406.00	4177.00	1249.52		
124.44	408.00	4197.00	1255.61		
125.05	410.00	4217.00	1261.71		
125.66	412.00	4237.00	1267.80		




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	113.00	9.14 {	9.31
1.22 {	81.40	12.19 {	8.82
1.83 {	56.00	18.29 {	9.56
2.44 {	37.40	24.38 {	10.80
3.05 {	25.00	30.48 {	9.34
4.27 {	24.70	42.67 {	9.90
6.10 {	15.80	60.96 {	9.25
	11.40	91.44 {	8.88
		300.00 {	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.44 {	163.59	4.44 {	7.66
0.65 {	96.20	6.52 {	8.86
0.96 {	55.51	9.57 {	11.04
1.41 {	32.35	14.05 {	11.21
2.06 {	18.70	20.83 {	9.72
3.03 {	10.49	30.28 {	8.56
		99999.00 {	8.43
		99999.00 {	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	83.20 {	18.29 {	60.00 {	139.00 {
1.82 {	6.00 {	83.50 {	24.38 {	80.00 {	142.00 {
2.73 {	9.00 {	59.50 {	30.48 {	100.00 {	133.00 {
3.64 {	12.00 {	59.50 {	42.67 {	120.00 {	132.00 {
4.55 {	15.00 {	62.10 {	54.86 {	140.00 {	92.60 {
5.46 {	18.00 {	62.10 {	66.96 {	160.00 {	60.40 {
6.37 {	21.00 {	70.80 {	79.14 {	180.00 {	23.20 {
7.28 {	24.00 {	84.60 {	91.44 {	200.00 {	24.50 {
8.19 {	27.00 {	106.00 {	103.73 {	220.00 {	12.30 {
9.10 {	30.00 {	122.00 {	121.92 {	240.00 {	8.38 {
10.01 {	33.00 {		182.88 {	600.00 {	
10.92 {	36.00 {		243.84 {	800.00 {	8.07 {




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50 {	1.62 {	138.76 {	7.27 {	23.84 {	272.45 {
1.03 {	3.38 {	97.69 {	14.55 {	47.67 {	274.93 {
1.55 {	5.07 {	54.33 {	21.83 {	71.50 {	194.63 {
2.07 {	6.79 {	20.44 {	29.11 {	95.33 {	24.83 {
2.60 {	8.54 {	94.85 {	36.39 {	119.16 {	3.73 {
3.12 {	10.26 {	171.04 {	43.67 {	143.00 {	7.36 {
3.65 {	11.97 {		50.95 {	166.83 {	8.38 {
4.17 {	13.69 {		58.23 {	190.66 {	
			65.51 {	214.49 {	
			72.79 {	238.32 {	
			80.07 {	262.15 {	
			87.35 {	285.98 {	
			94.63 {	309.81 {	
			101.91 {	333.64 {	
			109.19 {	357.47 {	
			116.47 {	381.30 {	
			123.75 {	405.13 {	
			131.03 {	428.96 {	
			138.31 {	452.79 {	
			145.59 {	476.62 {	
			152.87 {	500.45 {	
			160.15 {	524.28 {	
			167.43 {	548.11 {	
			174.71 {	571.94 {	
			181.99 {	595.77 {	
			189.27 {	619.60 {	
			196.55 {	643.43 {	
			203.83 {	667.26 {	
			211.11 {	691.09 {	
			218.39 {	714.92 {	
			225.67 {	738.75 {	
			232.95 {	762.58 {	
			240.23 {	786.41 {	
			247.51 {	810.24 {	
			254.79 {	834.07 {	
			262.07 {	857.90 {	
			269.35 {	881.73 {	
			276.63 {	905.56 {	
			283.91 {	929.39 {	
			291.19 {	953.22 {	
			298.47 {	977.05 {	
			305.75 {	1000.88 {	
			313.03 {	1024.71 {	
			320.31 {	1048.54 {	
			327.59 {	1072.37 {	
			334.87 {	1096.20 {	
			342.15 {	1120.03 {	
			349.43 {	1143.86 {	
			356.71 {	1167.69 {	
			363.99 {	1191.52 {	
			371.27 {	1215.35 {	
			378.55 {	1239.18 {	
			385.83 {	1263.01 {	
			393.11 {	1286.84 {	
			400.39 {	1310.67 {	
			407.67 {	1334.50 {	
			414.95 {	1358.33 {	
			422.23 {	1382.16 {	
			429.51 {	1405.99 {	
			436.79 {	1429.82 {	
			444.07 {	1453.65 {	
			451.35 {	1477.48 {	
			458.63 {	1501.31 {	
			465.91 {	1525.14 {	
			473.19 {	1548.97 {	
			480.47 {	1572.80 {	
			487.75 {	1596.63 {	
			495.03 {	1620.46 {	
			502.31 {	1644.29 {	
			509.59 {	1668.12 {	
			516.87 {	1691.95 {	
			524.15 {	1715.78 {	
			531.43 {	1739.61 {	
			538.71 {	1763.44 {	
			545.99 {	1787.27 {	
			553.27 {	1811.10 {	
			560.55 {	1834.93 {	
			567.83 {	1858.76 {	
			575.11 {	1882.59 {	
			582.39 {	1906.42 {	
			589.67 {	1930.25 {	
			596.95 {	1954.08 {	
			604.23 {	1977.91 {	
			611.51 {	2001.74 {	
			618.79 {	2025.57 {	
			626.07 {	2049.40 {	
			633.35 {	2073.23 {	
			640.63 {	2097.06 {	
			647.91 {	2120.89 {	
			655.19 {	2144.72 {	
			662.47 {	2168.55 {	
			669.75 {	2192.38 {	
			677.03 {	2216.21 {	
			684.31 {	2240.04 {	
			691.59 {	2263.87 {	
			698.87 {	2287.70 {	
			706.15 {	2311.53 {	
			713.43 {	2335.36 {	
			720.71 {	2359.19 {	
			727.99 {	2383.02 {	
			735.27 {	2406.85 {	
			742.55 {	2430.68 {	
			749.83 {	2454.51 {	
			757.11 {	2478.34 {	
			764.39 {	2502.17 {	
			771.67 {	2526.00 {	
			778.95 {	2549.83 {	
			786.23 {	2573.66 {	
			793.51 {	2597.49 {	
			800.79 {	2621.32 {	
			808.07 {	2645.15 {	
			815.35 {	2668.98 {	
			822.63 {	2692.81 {	
			829.91 {	2716.64 {	
			837.19 {	2740.47 {	
			844.47 {	2764.30 {	
			851.75 {	2788.13 {	
			859.03 {	2811.96 {	
			866.31 {	2835.79 {	
			873.59 {	2859.62 {	
			880.87 {	2883.45 {	
			888.15 {	2907.28 {	
			895.43 {	2931.11 {	
			902.71 {	2954.94 {	
			910.00 {	2978.77 {	
			917.28 {	3002.60 {	
			924.56 {	3026.43 {	
			931.84 {	3050.26 {	
			939.12 {	3074.09 {	
			946.40 {	3097.92 {	
			953.68 {	3121.75 {	
			960.96 {	3145.58 {	
			968.24 {	3169.41 {	
			975.52 {	3193.24 {	
			982.80 {	3217.07 {	
			990.08 {	3240.90 {	
			997.36 {	3264.73 {	
			1004.64 {	3288.56 {	
			1011.92 {	3312.39 {	
			1019.20 {	3336.22 {	
			1026.48 {	3360.05 {	
			1033.76 {	3383.88 {	
			1041.04 {	3407.71 {	
			1048.32 {	3431.54 {	
			1055.60 {	3455.37 {	
			1062.88 {	3479.20 {	
			1070.16 {	3503.03 {	
			1077.44 {	3526.86 {	
			1084.72 {	3550.69 {	
			1092.00 {	3574.52 {	
			1099.28 {	3598.35 {	
			1106.56 {	3622.18 {	
			1113.84 {	3646.01 {	
			1121.12 {	3669.84 {	
			1128.40 {	3693.67 {	
			1135.68 {	3717.50 {	
			1142.96 {	3741.33 {	
			1150.24 {	3765.16 {	
			1157.52 {	3788.99 {	
			1164.80 {	3812.82 {	
			1172.08 {	3836.65 {	
			1179.36 {	3860.48 {	
			1186.64 {	3884.31 {	
			1193.92 {	3908.14 {	
			1201.20 {	3931.97 {	
			1208.48 {	3955.80 {	
			1215.76 {	3979.63 {	
			1223.04 {	4003.46 {	
			1230.32 {	4027.29 {	
			1237.60 {	4051.12 {	
			1244.88 {	4074.95 {	
			1252.16 {	4098.78 {	
			1259.44 {	4122.61 {	
			1266.72 {	4146.44 {	
			1274.00 {	4170.27 {	
			1281.28 {	4194.10 {	
			1288.56 {	4217.93 {	
			1295.84 {	4241.76 {	
			1303.12 {	4265.59 {	
			1310.40 {	4289.42 {	
			1317.68 {	4313.25 {	
			1324.96 {	4337.08 {	
			1332.24 {	4360.91 {	
			1339.52 {	4384.74 {	
			1346.80 {	4408.57 {	
			1354.08 {	4432.40 {	
			1361.36 {	4456.23 {	
			1368.64 {	4480.06 {	
			1375.92 {	4503.89 {	
			1383.20 {	4527.72 {	
			1390.48 {	4551.55 {	
			1397.76 {	4575.38 {	
			1405.04 {	4599.21 {	
			1412.32 {	4623.04 {	
			1419.60 {	4646.87 {	
			1426.88 {	4670.70 {	
			1434.16 {	4694.53 {	
			1441.44 {	4718.36 {	
			1448.72 {	4742.19 {	
			1456.00 {	4766.02 {	
			1463.28 {	4789.85 {	
			1470.56 {	4813.68 {	
			1477.84 {	4837.51 {	
			1485.12 {	4861.34 {	
			1492.40 {	4885.17 {	
			1499.68 {	4909.00 {	
			1506.96 {	4932.83 {	
			1514.24 {	4956.66 {	
			1521.52 {	4980.49 {	
			1528.80 {	5004.32 {	
			1536.08 {	5028.15 {	
			1543.36 {	5051.98 {	
			1550.64 {	5075.81 {	
			1557.92 {	5099.64 {	
			1565.20 {	5123.47 {	
			1572.48 {	5147.30 {	
			1579.76 {	5171.13 {	
			1587.04 {	5194.96 {	
			1594.32 {	5218.79 {	
			1601.60 {	5242.62 {	
			1608.88 {	5266.45 {	
			1616.16 {	5290.28 {	
			1623.44 {	5314.11 {	
			1630.72 {	5337.94 {	
			1638.00 {	5361.77 {	
			1645.28 {	5385.60 {	
			1652.56 {	5409.43 {	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	65.70	18.29	60.00	184.00
1.22	4.00	49.40	24.38	80.00	136.00
1.83	6.00	47.50	30.48	100.00	133.00
2.44	8.00	49.50	40.64	140.00	132.00
3.05	10.00	54.10	48.67	200.00	141.00
3.66	12.00	55.00	60.96	300.00	88.40
4.27	14.00	64.50	91.44	400.00	40.60
4.88	16.00	81.20	121.92	600.00	44.40
5.49	18.00	116.00	182.88	800.00	17.00
6.10	20.00	148.00	243.84		8.40
6.71	22.00				7.70




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	66.17	7.27	23.84	400.29
0.73	2.38	47.25	10.67	34.99	478.47
1.07	3.50	37.75	15.65	51.36	378.51
1.57	5.14	41.04	22.98	75.39	174.73
2.30	7.54	65.61	33.73	110.65	40.81
3.37	11.07	129.58	49.51	162.42	5.15
4.95	16.24	249.15	72.66	238.40	2.10
			99999.00	99999.00	9.16




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	52.20	18.29	60.00	101.00
1.22	4.00	62.10	24.38	80.00	105.00
1.83	6.00	70.40	30.48	100.00	107.00
2.44	8.00	73.20	36.57	120.00	98.90
3.05	10.00	74.10	42.67	140.00	79.10
3.66	12.00	72.70	48.76	160.00	48.80
4.27	14.00	79.40	54.86	180.00	23.70
4.88	16.00	85.10	60.96	200.00	26.00
5.49	18.00	88.40	67.05	220.00	12.30
6.10	20.00	91.30	73.15	240.00	7.27
6.71	22.00		79.25	260.00	
7.32	24.00		85.34	280.00	
7.93	26.00		91.44	300.00	
8.54	28.00		97.54	320.00	
9.15	30.00		103.63	340.00	
9.76	32.00		109.73	360.00	
10.37	34.00		115.83	380.00	
10.98	36.00		121.92	400.00	
11.59	38.00		128.02	420.00	
12.20	40.00		134.12	440.00	
			140.21	460.00	
			146.31	480.00	
			152.41	500.00	
			158.50	520.00	
			164.60	540.00	
			170.70	560.00	
			176.79	580.00	
			182.89	600.00	
			188.98	620.00	
			195.08	640.00	
			201.18	660.00	
			207.27	680.00	
			213.37	700.00	
			219.47	720.00	
			225.56	740.00	
			231.66	760.00	
			237.76	780.00	
			243.85	800.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	51.89	8.07	26.49	108.39
0.81	2.65	73.17	11.85	38.88	152.96
1.19	3.89	85.34	17.39	57.07	163.99
1.74	5.71	88.75	25.53	83.76	104.08
2.55	8.38	85.88	37.47	122.95	33.98
3.75	12.29	79.48	55.01	180.47	6.78
5.50	18.05	82.30	80.74	264.89	3.70
			99999.00	99999.00	6.91




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	49.70	24.38	80.00	163.00
1.22	4.00	42.20	30.48	100.00	162.00
1.83	6.00	41.20	42.67	140.00	156.00
2.44	8.00	41.10	60.96	200.00	111.00
3.05	10.00	42.80	91.44	300.00	73.60
3.66	12.00	46.50	121.92	400.00	31.60
4.27	14.00	52.30	152.40	500.00	15.70
4.88	16.00	56.30	182.88	600.00	12.40
5.49	18.00	58.30	243.84	800.00	8.70
6.10	20.00	58.30			
6.71	22.00	58.30			
7.32	24.00	58.30			
7.93	26.00	58.30			
8.54	28.00	58.30			
9.15	30.00	58.30			
9.76	32.00	58.30			
10.37	34.00	58.30			
10.98	36.00	58.30			
11.59	38.00	58.30			
12.20	40.00	58.30			
12.81	42.00	58.30			
13.42	44.00	58.30			
14.03	46.00	58.30			
14.64	48.00	58.30			
15.25	50.00	58.30			
15.86	52.00	58.30			
16.47	54.00	58.30			
17.08	56.00	58.30			
17.69	58.00	58.30			
18.30	60.00	58.30			




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	57.85	7.27	23.84	354.50
0.73	2.38	46.61	10.67	34.59	416.43
1.07	3.50	32.05	15.65	51.36	303.61
1.57	5.14	22.98	22.98	75.39	119.51
2.30	7.53	14.56	33.73	110.93	23.25
3.37	11.07	10.02	49.21	162.42	3.74
4.95	16.24	216.50	72.06	236.80	3.74
			99.99	99.99	10.54




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	28.95	7.27	23.84	139.00
0.73	2.38	35.26	10.67	34.99	220.01
1.07	3.50	42.75	15.65	51.36	251.70
1.57	5.14	41.62	22.98	75.39	173.06
2.30	7.54	38.73	33.73	110.65	58.83
3.35	11.07	43.35	49.31	162.42	7.97
4.35	16.24	78.31	99999.00	99999.00	7.87




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	28.10	18.29	60.00	89.50
1.22	4.00	32.90	24.38	80.00	105.00
1.83	6.00	35.60	30.48	100.00	111.00
2.44	8.00	39.10	42.67	140.00	110.00
3.05	10.00	39.30	60.96	200.00	95.20
3.66	12.00	42.30	91.44	300.00	72.20
4.27	14.00	45.30	121.92	400.00	37.00
4.88	16.00	48.80	182.88	600.00	18.00
5.49	18.00	59.80	243.84	800.00	8.21
6.10	20.00				7.62
6.71	22.00				
7.32	24.00				
7.93	26.00				
8.54	28.00				
9.15	30.00				
9.76	32.00				
10.37	34.00				
10.98	36.00				
11.59	38.00				
12.20	40.00				




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	15.80	18.29	60.00	103.00
1.22	4.00	16.20	24.38	80.00	110.00
1.83	6.00	18.20	30.57	100.00	116.20
2.44	8.00	22.70	42.67	140.00	127.00
3.05	10.00	23.50	54.77	180.00	134.00
3.66	12.00	26.30	66.87	220.00	140.00
4.27	14.00	28.50	78.97	260.00	146.00
4.88	16.00	30.70	91.07	300.00	152.00
5.49	18.00	32.90	103.17	340.00	158.00
6.10	20.00	34.40	115.27	380.00	164.00
6.71	22.00	36.60	127.37	420.00	170.00
7.32	24.00	38.80	139.47	460.00	176.00
7.93	26.00	41.00	151.57	500.00	182.00
8.54	28.00	43.20	163.67	540.00	188.00
9.15	30.00	45.40	175.77	580.00	194.00
9.76	32.00	47.60	187.87	620.00	200.00
10.37	34.00	49.80	199.97	660.00	206.00
10.98	36.00	52.00	212.07	700.00	212.00
11.59	38.00	54.20	224.17	740.00	218.00
12.20	40.00	56.40	236.27	780.00	224.00
12.81	42.00	58.60	248.37	820.00	230.00
13.42	44.00	60.80	260.47	860.00	236.00
14.03	46.00	63.00	272.57	900.00	242.00
14.64	48.00	65.20	284.67	940.00	248.00
15.25	50.00	67.40	296.77	980.00	254.00
15.86	52.00	69.60	308.87	1020.00	260.00
16.47	54.00	71.80	320.97	1060.00	266.00
17.08	56.00	74.00	333.07	1100.00	272.00
17.69	58.00	76.20	345.17	1140.00	278.00
18.30	60.00	78.40	357.27	1180.00	284.00
18.91	62.00	80.60	369.37	1220.00	290.00
19.52	64.00	82.80	381.47	1260.00	296.00
20.13	66.00	85.00	393.57	1300.00	302.00
20.74	68.00	87.20	405.67	1340.00	308.00
21.35	70.00	89.40	417.77	1380.00	314.00
21.96	72.00	91.60	429.87	1420.00	320.00
22.57	74.00	93.80	441.97	1460.00	326.00
23.18	76.00	96.00	454.07	1500.00	332.00
23.79	78.00	98.20	466.17	1540.00	338.00
24.40	80.00	100.40	478.27	1580.00	344.00
25.01	82.00	102.60	490.37	1620.00	350.00
25.62	84.00	104.80	502.47	1660.00	356.00
26.23	86.00	107.00	514.57	1700.00	362.00
26.84	88.00	109.20	526.67	1740.00	368.00
27.45	90.00	111.40	538.77	1780.00	374.00
28.06	92.00	113.60	550.87	1820.00	380.00
28.67	94.00	115.80	562.97	1860.00	386.00
29.28	96.00	118.00	575.07	1900.00	392.00
29.89	98.00	120.20	587.17	1940.00	398.00
30.50	100.00	122.40	599.27	1980.00	404.00
31.11	102.00	124.60	611.37	2020.00	410.00
31.72	104.00	126.80	623.47	2060.00	416.00
32.33	106.00	129.00	635.57	2100.00	422.00
32.94	108.00	131.20	647.67	2140.00	428.00
33.55	110.00	133.40	659.77	2180.00	434.00
34.16	112.00	135.60	671.87	2220.00	440.00
34.77	114.00	137.80	683.97	2260.00	446.00
35.38	116.00	140.00	696.07	2300.00	452.00
35.99	118.00	142.20	708.17	2340.00	458.00
36.60	120.00	144.40	720.27	2380.00	464.00
37.21	122.00	146.60	732.37	2420.00	470.00
37.82	124.00	148.80	744.47	2460.00	476.00
38.43	126.00	151.00	756.57	2500.00	482.00
39.04	128.00	153.20	768.67	2540.00	488.00
39.65	130.00	155.40	780.77	2580.00	494.00
40.26	132.00	157.60	792.87	2620.00	500.00
40.87	134.00	159.80	804.97	2660.00	506.00
41.48	136.00	162.00	817.07	2700.00	512.00
42.09	138.00	164.20	829.17	2740.00	518.00
42.70	140.00	166.40	841.27	2780.00	524.00
43.31	142.00	168.60	853.37	2820.00	530.00
43.92	144.00	170.80	865.47	2860.00	536.00
44.53	146.00	173.00	877.57	2900.00	542.00
45.14	148.00	175.20	889.67	2940.00	548.00
45.75	150.00	177.40	901.77	2980.00	554.00
46.36	152.00	179.60	913.87	3020.00	560.00
46.97	154.00	181.80	925.97	3060.00	566.00
47.58	156.00	184.00	938.07	3100.00	572.00
48.19	158.00	186.20	950.17	3140.00	578.00
48.80	160.00	188.40	962.27	3180.00	584.00
49.41	162.00	190.60	974.37	3220.00	590.00
50.02	164.00	192.80	986.47	3260.00	596.00
50.63	166.00	195.00	998.57	3300.00	602.00
51.24	168.00	197.20	1010.67	3340.00	608.00
51.85	170.00	199.40	1022.77	3380.00	614.00
52.46	172.00	201.60	1034.87	3420.00	620.00
53.07	174.00	203.80	1046.97	3460.00	626.00
53.68	176.00	206.00	1059.07	3500.00	632.00
54.29	178.00	208.20	1071.17	3540.00	638.00
54.90	180.00	210.40	1083.27	3580.00	644.00
55.51	182.00	212.60	1095.37	3620.00	650.00
56.12	184.00	214.80	1107.47	3660.00	656.00
56.73	186.00	217.00	1119.57	3700.00	662.00
57.34	188.00	219.20	1131.67	3740.00	668.00
57.95	190.00	221.40	1143.77	3780.00	674.00
58.56	192.00	223.60	1155.87	3820.00	680.00
59.17	194.00	225.80	1167.97	3860.00	686.00
59.78	196.00	228.00	1180.07	3900.00	692.00
60.39	198.00	230.20	1192.17	3940.00	698.00
61.00	200.00	232.40	1204.27	3980.00	704.00
61.61	202.00	234.60	1216.37	4020.00	710.00
62.22	204.00	236.80	1228.47	4060.00	716.00
62.83	206.00	239.00	1240.57	4100.00	722.00
63.44	208.00	241.20	1252.67	4140.00	728.00
64.05	210.00	243.40	1264.77	4180.00	734.00
64.66	212.00	245.60	1276.87	4220.00	740.00
65.27	214.00	247.80	1288.97	4260.00	746.00
65.88	216.00	250.00	1301.07	4300.00	752.00
66.49	218.00	252.20	1313.17	4340.00	758.00
67.10	220.00	254.40	1325.27	4380.00	764.00
67.71	222.00	256.60	1337.37	4420.00	770.00
68.32	224.00	258.80	1349.47	4460.00	776.00
68.93	226.00	261.00	1361.57	4500.00	782.00
69.54	228.00	263.20	1373.67	4540.00	788.00
70.15	230.00	265.40	1385.77	4580.00	794.00
70.76	232.00	267.60	1397.87	4620.00	800.00
71.37	234.00	269.80	1409.97	4660.00	806.00
71.98	236.00	272.00	1422.07	4700.00	812.00
72.59	238.00	274.20	1434.17	4740.00	818.00
73.20	240.00	276.40	1446.27	4780.00	824.00
73.81	242.00	278.60	1458.37	4820.00	830.00
74.42	244.00	280.80	1470.47	4860.00	836.00
75.03	246.00	283.00	1482.57	4900.00	842.00
75.64	248.00	285.20	1494.67	4940.00	848.00
76.25	250.00	287.40	1506.77	4980.00	854.00
76.86	252.00	289.60	1518.87	5020.00	860.00
77.47	254.00	291.80	1530.97	5060.00	866.00
78.08	256.00	294.00	1543.07	5100.00	872.00
78.69	258.00	296.20	1555.17	5140.00	878.00
79.30	260.00	298.40	1567.27	5180.00	884.00
79.91	262.00	300.60	1579.37	5220.00	890.00
80.52	264.00	302.80	1591.47	5260.00	896.00
81.13	266.00	305.00	1603.57	5300.00	902.00
81.74	268.00	307.20	1615.67	5340.00	908.00
82.35	270.00	309.40	1627.77	5380.00	914.00
82.96	272.00	311.60	1639.87	5420.00	920.00
83.57	274.00	313.80	1651.97	5460.00	926.00
84.18	276.00	316.00	1664.07	5500.00	932.00
84.79	278.00	318.20	1676.17	5540.00	938.00
85.40	280.00	320.40	1688.27	5580.00	944.00
86.01	282.00	322.60	1700.37	5620.00	950.00
86.62	284.00	324.80	1712.47	5660.00	956.00
87.23	286.00	327.00	1724.57	5700.00	962.00
87.84	288.00	329.20	1736.67	5740.00	968.00
88.45	290.00	331.40	1748.77	5780.00	974.00
89.06	292.00	333.60	1760.87	5820.00	980.00
89.67	294.00	335.80	1772.97	5860.00	986.00
90.28	296.00	338.00	1785.07	5900.00	992.00
90.89	298.00	340.20	1797.17	5940.00	998.00
91.50	300.00	342.40	1809.27	5980.00	1004.00
92.11	302.00	344.60	1821.37	6020.00	1010.00
92.72	304.00	346.80	1833.47	6060.00	1016.00
93.33	306.00	349.00	1845.57	6100.00	1022.00
93.94	308.00	351.20	1857.67	6140.00	1028.00
94.55	310.00	353.40	1869.77	6180.00	1034.00
95.16	312.00	355.60	1881.87	6220.00	1040.00
95.77	314.00	357.80	1893.97	6260.00	1046.00
96.38	316.00	360.00	1906.07	6300.00	1052.00
96.99	318.00	362.20	1918.17	6340.00	1058.00
97.60	320.00	364.40	1930.27	6380.00	1064.00
98.21	322.00	366.60	1942.37	6420.00	1070.00
98.82	324.00	368.80	1954.47	6460.00	1076.00
99.43	326.00	371.00	1966.57	6500.00	1082.00
100.04	328.00	373.20	1978.67	6540.00	1088.00
100.65	330.00	375.40	1990.77	6580.00	1094.00
101.26	332.00	377.60	2002.87	6620.00	1100.00
101.87	334.00	379.80	2014.97	6660.00	1106.00
102.48	336.00	382.00	2027.07	6700.00	1112.00
103.09	338.00	384.20	2039.17	6740.00	1118.00
10					




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	40.00	18.29	60.00	67.70
1.22	4.00	41.00	24.38	80.00	94.00
1.83	6.00	44.00	30.48	100.00	27.90
2.44	8.00	44.00	42.67	140.00	40.00
3.05	10.00	44.90	60.96	200.00	20.50
3.66	12.00	51.00	91.44	300.00	13.70
4.27	14.00	60.90	121.92	400.00	14.80
4.88	16.00	67.60	182.88	600.00	10.20
5.49	18.00	67.00			8.83




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.61	1.99	46.24	18.82	29.16	105.24
0.89	2.92	48.35	19.05	23.80	101.87
1.18	3.85	57.68	28.11	62.91	51.64
1.57	5.13	72.52	41.25	135.15	13.68
2.06	6.76	88.33	60.55	198.96	7.92
		101.10	99999.00	99999.00	7.85




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	26.50	24.38	80.00	95.80
1.23	4.00	20.70	32.49	100.00	76.50
1.84	6.00	37.10	40.69	140.00	76.00
2.94	10.00	40.00	60.96	200.00	116.00
3.05	10.00	42.80	80.96	300.00	63.50
3.27	14.00	48.50	91.44	300.00	32.50
6.10	20.00	56.40	121.92	400.00	17.50
9.14	30.00	70.40	182.88	600.00	9.51
12.19	40.00	80.60	243.84	800.00	8.80
18.29	60.00	95.00			




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	36.69	7.27	23.84	181.60
0.50	1.62	50.10	10.65	34.36	132.90
1.07	3.50	50.45	22.98	75.39	117.78
1.57	5.13	64.91	33.73	110.65	116.77
2.30	7.54	88.66	48.51	162.42	12.71
3.37	11.07	129.72	72.66	238.40	5.93
4.55	16.24		9999.00	9999.00	8.36




AB/2, m (ft)	APP. RES.	AB/2, m (ft)	APP. RES.
0.91	3.00	29.50	18.29	60.00	67.80
1.83	6.00	32.00	24.38	80.00	73.70
2.74	9.00	31.90	30.48	100.00	75.80
3.55	12.00	31.80	42.67	140.00	67.10
4.27	14.00	32.20	50.48	160.00	86.00
4.89	16.00	33.50	60.96	200.00	74.80
5.41	18.00	35.20	91.44	300.00	50.40
6.10	20.00	36.80	121.92	400.00	20.90
6.82	22.00	41.60	182.88	600.00	23.20
9.14	30.00	50.20	243.84	800.00	12.70
12.19	40.00	58.20			7.98
					7.75




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	42.39	7.27	23.84	106.88
0.73	2.38	48.02	10.67	34.99	157.43
1.07	3.50	42.46	15.65	51.36	179.20
1.57	5.14	35.37	22.98	75.39	120.13
2.30	7.54	37.42	33.73	110.65	36.93
3.37	11.07	49.50	49.51	162.42	5.43
4.95	16.24	70.64	72.66	238.40	2.43
			99999.00	99999.00	8.98




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	38.90	18.29	60.00	98.50
1.22	4.00	43.90	24.38	80.00	93.30
1.83	6.00	52.90	30.48	100.00	83.40
2.44	8.00	60.80	36.57	120.00	72.70
3.05	10.00	65.40	42.67	140.00	60.96
3.66	12.00	63.50	48.77	160.00	45.50
4.27	14.00	73.60	54.87	180.00	32.00
4.88	16.00	85.50	60.96	200.00	21.80
5.49	18.00	93.30	67.06	220.00	12.50
6.10	20.00	95.10	73.15	240.00	9.31
6.71	22.00		79.25	260.00	
7.32	24.00		85.35	280.00	
7.93	26.00		91.44	300.00	
8.54	28.00		97.54	320.00	
9.15	30.00		103.64	340.00	
9.76	32.00		109.73	360.00	
10.37	34.00		115.83	380.00	
10.98	36.00		121.92	400.00	
11.59	38.00		128.02	420.00	
12.20	40.00		134.11	440.00	
			140.21	460.00	
			146.31	480.00	
			152.40	500.00	
			158.50	520.00	
			164.60	540.00	
			170.69	560.00	
			176.79	580.00	
			182.88	600.00	
			188.98	620.00	
			195.08	640.00	
			201.17	660.00	
			207.27	680.00	
			213.37	700.00	
			219.46	720.00	
			225.56	740.00	
			231.66	760.00	
			237.75	780.00	
			243.85	800.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	33.72	8.07	26.49	106.02
0.81	2.65	59.64	11.85	38.88	128.63
1.19	3.89	77.10	17.39	57.07	104.16
1.74	5.71	78.10	25.53	83.76	80.07
2.55	8.38	125.15	37.47	122.95	27.78
3.75	12.29	123.19	55.01	180.47	8.14
5.50	18.05		80.74	264.89	5.85
			99.999.00	99999.00	9.88




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	32.50	24.38	80.00	225.00
1.22	4.00	39.30	30.48	100.00	223.00
1.33	6.00	45.70	42.67	140.00	181.00
2.24	8.00	50.90	30.48	100.00	181.00
3.05	10.00	58.60	42.67	140.00	144.00
3.05	10.00	57.30	60.96	200.00	85.60
4.27	14.00	74.20	51.44	300.00	46.90
6.10	20.00	102.00	51.44	300.00	50.10
12.18	40.00	137.00	121.92	400.00	22.30
18.23	60.00	203.00	182.88	600.00	4.27
			304.80	1000.00	5.88




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.42	1.38	23.36	9.08	29.80	486.66
0.62	2.03	31.11	13.33	43.74	434.26
0.91	2.98	33.43	19.57	64.20	231.19
1.33	4.37	42.98	28.72	94.23	66.80
1.56	5.12	72.42	42.16	138.32	10.43
2.87	9.42	133.75	60.88	203.02	1.49
4.22	13.83	237.32	90.83	298.00	2.42
6.19	20.30	377.77	99999.00	99999.00	8.60




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	53.90 {	18.29 {	60.00 {	92.40 {
1.22 {	4.00 {	59.80 {	24.38 {	80.00 {	95.80 {
1.83 {	6.00 {	64.80 {	30.48 {	100.00 {	94.40 {
2.44 {	8.00 {	67.30 {	36.58 {	120.00 {	104.00 {
3.05 {	10.00 {	69.50 {	42.67 {	140.00 {	88.00 {
3.66 {	12.00 {	71.40 {	48.77 {	160.00 {	65.20 {
4.27 {	14.00 {	73.40 {	54.86 {	180.00 {	35.70 {
4.88 {	16.00 {	75.00 {	60.96 {	200.00 {	38.10 {
5.49 {	18.00 {	76.80 {	67.05 {	220.00 {	17.30 {
6.10 {	20.00 {	78.80 {	73.14 {	240.00 {	12.80 {
6.71 {	22.00 {	80.70 {	79.24 {	260.00 {	13.30 {
7.32 {	24.00 {		85.33 {	280.00 {	
7.93 {	26.00 {		91.43 {	300.00 {	
8.54 {	28.00 {		97.52 {	320.00 {	
9.15 {	30.00 {		103.62 {	340.00 {	
9.76 {	32.00 {		109.71 {	360.00 {	
10.37 {	34.00 {		115.81 {	380.00 {	
10.98 {	36.00 {		121.90 {	400.00 {	
11.59 {	38.00 {		128.00 {	420.00 {	
12.20 {	40.00 {		134.09 {	440.00 {	
			140.18 {	460.00 {	
			146.28 {	480.00 {	
			152.37 {	500.00 {	
			158.47 {	520.00 {	
			164.56 {	540.00 {	
			170.66 {	560.00 {	
			176.75 {	580.00 {	
			182.85 {	600.00 {	
			188.94 {	620.00 {	
			195.04 {	640.00 {	
			201.13 {	660.00 {	
			207.23 {	680.00 {	
			213.32 {	700.00 {	
			219.42 {	720.00 {	
			225.51 {	740.00 {	
			231.61 {	760.00 {	
			237.70 {	780.00 {	
			243.80 {	800.00 {	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50 {	1.62 {	64.74 {	7.27 {	23.84 {	113.09 {
0.73 {	2.38 {	80.09 {	10.67 {	34.99 {	119.14 {
1.07 {	3.51 {	94.15 {	15.65 {	51.36 {	156.76 {
1.57 {	5.14 {	96.69 {	22.98 {	75.39 {	144.24 {
2.30 {	7.54 {	87.55 {	33.73 {	110.65 {	78.62 {
3.37 {	11.07 {	82.29 {	49.51 {	162.42 {	18.14 {
4.95 {	16.24 {	91.24 {	72.66 {	238.40 {	5.81 {
			99999.00 {	99999.00 {	12.97 {




AB/2, m (ft)	APP. RES.	AB/2, m (ft)	APP. RES.
0.91	3.00	9.54	24.38	80.00	34.40
1.83	6.00	11.40	30.48	100.00	31.90
2.74	9.00	12.30	42.67	140.00	21.00
3.05	10.00	12.30	60.96	200.00	18.30
4.27	14.00	14.30	91.44	300.00	11.10
6.10	20.00	17.00	121.92	400.00	7.59
9.14	30.00	22.00	182.88	600.00	7.55
12.29	40.00	27.60			
	60.00	32.70			
		36.20			




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.54	1.79	15.74	8.00	26.24	82.83
0.80	2.62	13.33	11.74	38.52	71.75
1.17	3.85	12.45	17.23	56.54	41.07
1.72	5.65	16.03	25.30	82.99	15.87
2.53	8.30	25.85	37.13	121.81	5.41
3.71	12.18	43.77	54.50	178.80	3.97
5.45	17.88	67.55	99999.00	99999.00	7.81




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	7.01	18.28	60.00	14.40
1.78	5.80	4.22	36.56	120.00	18.20
2.44	8.00	3.88	54.84	180.00	18.80
3.05	10.00	3.21	73.12	240.00	21.10
3.27	10.70	3.82	91.40	300.00	22.90
4.27	14.00	3.82	109.68	360.00	21.20
6.10	20.00	4.71	127.96	420.00	15.40
9.14	30.00	5.61	146.24	480.00	11.30
12.19	40.00	10.70	164.52	540.00	8.04
			182.80	600.00	6.60
			201.08	660.00	
			219.36	720.00	
			237.64	780.00	
			255.92	840.00	
			274.20	900.00	




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	12.64	7.27	23.84	32.42
1.03	3.38	2.96	10.67	34.99	48.98
1.57	5.14	2.76	14.07	45.80	58.60
2.10	6.89	3.12	17.47	57.31	45.46
2.64	8.65	4.73	20.87	68.82	23.32
3.17	10.41	9.08	24.27	79.63	8.23
3.71	12.17	17.93	27.67	90.75	3.65
4.25	13.93		31.07	101.87	5.16
			34.47	112.99	
			37.87	124.11	
			41.27	135.23	
			44.67	146.35	
			48.07	157.47	
			51.47	168.59	
			54.87	179.71	
			58.27	190.83	
			61.67	201.95	
			65.07	213.07	
			68.47	224.19	
			71.87	235.31	
			75.27	246.43	
			78.67	257.55	
			82.07	268.67	
			85.47	279.79	
			88.87	290.91	
			92.27	302.03	
			95.67	313.15	
			99.07	324.27	
			102.47	335.39	
			105.87	346.51	
			109.27	357.63	
			112.67	368.75	
			116.07	379.87	
			119.47	390.99	
			122.87	402.11	
			126.27	413.23	
			129.67	424.35	
			133.07	435.47	
			136.47	446.59	
			139.87	457.71	
			143.27	468.83	
			146.67	479.95	
			150.07	491.07	
			153.47	502.19	
			156.87	513.31	
			160.27	524.43	
			163.67	535.55	
			167.07	546.67	
			170.47	557.79	
			173.87	568.91	
			177.27	580.03	
			180.67	591.15	
			184.07	602.27	
			187.47	613.39	
			190.87	624.51	
			194.27	635.63	
			197.67	646.75	
			201.07	657.87	
			204.47	668.99	
			207.87	680.11	
			211.27	691.23	
			214.67	702.35	
			218.07	713.47	
			221.47	724.59	
			224.87	735.71	
			228.27	746.83	
			231.67	757.95	
			235.07	769.07	
			238.47	780.19	
			241.87	791.31	
			245.27	802.43	
			248.67	813.55	
			252.07	824.67	
			255.47	835.79	
			258.87	846.91	
			262.27	858.03	
			265.67	869.15	
			269.07	880.27	
			272.47	891.39	
			275.87	902.51	
			279.27	913.63	
			282.67	924.75	
			286.07	935.87	
			289.47	946.99	
			292.87	958.11	
			296.27	969.23	
			299.67	980.35	
			303.07	991.47	
			306.47	1002.59	
			309.87	1013.71	
			313.27	1024.83	
			316.67	1035.95	
			320.07	1047.07	
			323.47	1058.19	
			326.87	1069.31	
			330.27	1080.43	
			333.67	1091.55	
			337.07	1102.67	
			340.47	1113.79	
			343.87	1124.91	
			347.27	1136.03	
			350.67	1147.15	
			354.07	1158.27	
			357.47	1169.39	
			360.87	1180.51	
			364.27	1191.63	
			367.67	1202.75	
			371.07	1213.87	
			374.47	1224.99	
			377.87	1236.11	
			381.27	1247.23	
			384.67	1258.35	
			388.07	1269.47	
			391.47	1280.59	
			394.87	1291.71	
			398.27	1302.83	
			401.67	1313.95	
			405.07	1325.07	
			408.47	1336.19	
			411.87	1347.31	
			415.27	1358.43	
			418.67	1369.55	
			422.07	1380.67	
			425.47	1391.79	
			428.87	1402.91	
			432.27	1414.03	
			435.67	1425.15	
			439.07	1436.27	
			442.47	1447.39	
			445.87	1458.51	
			449.27	1469.63	
			452.67	1480.75	
			456.07	1491.87	
			459.47	1502.99	
			462.87	1514.11	
			466.27	1525.23	
			469.67	1536.35	
			473.07	1547.47	
			476.47	1558.59	
			479.87	1569.71	
			483.27	1580.83	
			486.67	1591.95	
			490.07	1603.07	
			493.47	1614.19	
			496.87	1625.31	
			500.27	1636.43	
			503.67	1647.55	
			507.07	1658.67	
			510.47	1669.79	
			513.87	1680.91	
			517.27	1692.03	
			520.67	1703.15	
			524.07	1714.27	
			527.47	1725.39	
			530.87	1736.51	
			534.27	1747.63	
			537.67	1758.75	
			541.07	1769.87	
			544.47	1780.99	
			547.87	1792.11	
			551.27	1803.23	
			554.67	1814.35	
			558.07	1825.47	
			561.47	1836.59	
			564.87	1847.71	
			568.27	1858.83	
			571.67	1869.95	
			575.07	1881.07	
			578.47	1892.19	
			581.87	1903.31	
			585.27	1914.43	
			588.67	1925.55	
			592.07	1936.67	
			595.47	1947.79	
			598.87	1958.91	
			602.27	1970.03	
			605.67	1981.15	
			609.07	1992.27	
			612.47	2003.39	
			615.87	2014.51	
			619.27	2025.63	
			622.67	2036.75	
			626.07	2047.87	
			629.47	2058.99	
			632.87	2070.11	
			636.27	2081.23	
			639.67	2092.35	
			643.07	2103.47	
			646.47	2114.59	
			649.87	2125.71	
			653.27	2136.83	
			656.67	2147.95	
			660.07	2159.07	
			663.47	2170.19	
			666.87	2181.31	
			670.27	2192.43	
			673.67	2203.55	
			677.07	2214.67	
			680.47	2225.79	
			683.87	2236.91	
			687.27	2248.03	
			690.67	2259.15	
			694.07	2270.27	
			697.47	2281.39	
			700.87	2292.51	
			704.27	2303.63	
			707.67	2314.75	
			711.07	2325.87	
			714.47	2336.99	
			717.87	2348.11	
			721.27	2359.23	
			724.67	2370.35	
			728.07	2381.47	
			731.47	2392.59	
			734.87	2403.71	
			738.27	2414.83	
			741.67	2425.95	
			745.07	2437.07	
			748.47	2448.19	
			751.87	2459.31	
			755.27	2470.43	
			758.67	2481.55	
			762.07	2492.67	
			765.47	2503.79	
			768.87	2514.91	
			772.27	2526.03	
			775.67	2537.15	
			779.07	2548.27	
			782.47	2559.39	
			785.87	2570.51	
			789.27	2581.63	
			792.67	2592.75	
			796.07	2603.87	
			799.47	2614.99	
			802.87	2626.11	
			806.27	2637.23	
			809.67	2648.35	
			813.07	2659.47	
			816.47	2670.59	
			819.87	2681.71	
			823.27	2692.83	
			826.67	2703.95	
			830.07	2715.07	
			833.47	2726.19	
			836.87	2737.31	
			840.27	2748.43	
			843.67	2759.55	
			847.07	2770.67	
			850.47	2781.79	
			853.87	2792.91	
			857.27	2804.03	
			860.67	2815.15	
			864.07	2826.27	
			867.47	2837.39	
			870.87	2848.51	
			874.27	2859.63	
			877.67	2870.75	
			881.07	2881.87	
			884.47	2892.99	
			887.87	2904.11	
			891.27	2915.23	
			894.67	2926.35	
			898.07	2937.47	
			901.47	2948.59	
			904.87	2959.71	
			908.27	2970.83	
			911.67	2981.95	
			915.07	2993.07	
			918.47	3004.19	
			921.87	3015.31	
			925.27	3026.43	
			928.67	3037.55	
			932.07	3048.67	
			935.47	3059.79	
			938.87	3070.91	
			942.27	3082.03	
			945.67	3093.15	
			949.07	3104.27	
			952.47	3115.39	
			955.87	3126.51	
			959.27	3137.63	
			962.67	3148.75	
			966.07	3159.87	
			969.47	3170.99	
			972.87	3182.11	
			976.27	3193.23	




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	37.10	12.19	40.00	90.90
1.22	4.00	43.10	18.29	60.00	27.90
1.83	6.00	48.10	24.38	80.00	46.10
2.44	8.00	51.50	30.48	100.00	39.20
3.05	10.00	53.20	40.67	140.00	37.20
3.66	12.00	57.00	60.96	200.00	21.30
4.27	14.00	66.00	91.44	300.00	9.45
4.88	16.00	79.90			7.28
5.49	18.00	89.90			7.35




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.40	1.31	33.51	4.00	13.12	123.84
0.59	1.93	41.41	5.87	19.26	124.09
0.78	2.55	46.35	8.62	28.27	134.58
1.16	3.81	53.47	12.62	41.50	93.07
1.55	5.07	70.25	18.56	60.91	20.61
2.22	7.28	98.12	27.25	89.40	7.70
			99999.00	99999.00	6.09




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	16.10	18.29	60.00	17.40
1.22	4.00	15.80	24.38	80.00	14.70
1.83	6.00	15.70	30.48	100.00	13.00
2.44	8.00	15.40	36.58	120.00	11.10
3.05	10.00	15.10	42.67	140.00	9.29
3.66	12.00	14.80	48.77	160.00	7.95
4.27	14.00	14.20	54.87	180.00	6.78
4.88	16.00	13.50	60.96	200.00	5.95
5.49	18.00	12.80	67.06	220.00	5.30
6.10	20.00	12.10	73.16	240.00	4.70
6.71	22.00	11.40	79.26	260.00	4.20
7.32	24.00	10.70	85.36	280.00	3.70
7.93	26.00	10.00	91.46	300.00	3.30
8.54	28.00	9.30	97.56	320.00	2.90
9.15	30.00	8.60	103.66	340.00	2.60
9.76	32.00	8.00	109.76	360.00	2.30
10.37	34.00	7.40	115.86	380.00	2.10
10.98	36.00	6.80	121.96	400.00	1.90
11.59	38.00	6.20	128.06	420.00	1.70
12.20	40.00	5.70	134.16	440.00	1.50
12.81	42.00	5.20	140.26	460.00	1.40
13.42	44.00	4.70	146.36	480.00	1.30
14.03	46.00	4.30	152.46	500.00	1.20
14.64	48.00	3.90	158.56	520.00	1.10
15.25	50.00	3.50	164.66	540.00	1.00
15.86	52.00	3.20	170.76	560.00	0.90
16.47	54.00	2.90	176.86	580.00	0.80
17.08	56.00	2.60	182.96	600.00	0.70
17.69	58.00	2.40	189.06	620.00	0.60
18.30	60.00	2.10	195.16	640.00	0.50
18.91	62.00	1.90	201.26	660.00	0.40
19.52	64.00	1.70	207.36	680.00	0.30
20.13	66.00	1.50	213.46	700.00	0.20
20.74	68.00	1.40	219.56	720.00	0.10
21.35	70.00	1.30	225.66	740.00	0.00
21.96	72.00	1.20	231.76	760.00	0.00
22.57	74.00	1.10	237.86	780.00	0.00
23.18	76.00	1.00	243.96	800.00	0.00




DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.50	1.62	19.67	7.27	23.84	30.92
0.73	2.38	20.44	10.67	34.99	30.37
1.07	3.50	20.39	15.65	51.36	18.02
1.57	5.14	16.25	22.98	75.39	6.32
2.30	7.54	12.14	33.73	110.65	3.38
3.37	11.07	13.38	49.51	162.42	4.83
4.95	16.24	21.19	72.66	238.40	7.87
			99999.00	(99999.00)	9.54




AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91 {	3.00 {	8.09	12.19 {	40.00 {	4.93
1.22 {	4.00 {	6.67	18.29 {	60.00 {	5.17
1.83 {	6.00 {	4.54	24.38 {	80.00 {	5.36
2.44 {	8.00 {	3.79	30.48 {	100.00 {	5.43
3.05 {	10.00 {	3.65	42.67 {	140.00 {	5.29
4.27 {	14.00 {	3.72	60.96 {	200.00 {	5.11
6.10 {	20.00 {	4.21	91.44 {	300.00 {	5.48
9.14 {	30.00 {	4.45	121.92 {	400.00 {	5.56



DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.53 {	1.75 {	10.08	5.33 {	17.50 {	5.42
0.78 {	2.57 {	4.30	7.83 {	25.68 {	6.25
1.15 {	3.77 {	2.20	11.49 {	37.69 {	6.13
1.69 {	5.53 {	2.52	16.86 {	55.33 {	4.38
2.48 {	8.12 {	3.79	24.75 {	81.21 {	5.06
3.63 {	11.92 {	4.12	36.33 {	119.20 {	5.18
			99999.00 {	99999.00 {	6.30



AB/2, m (ft)	App. Res.	AB/2, m (ft)	App. Res.
0.91	3.00	54.70	18.29	60.00	82.30
1.22	4.00	57.60	24.38	80.00	66.30
1.83	6.00	57.40	30.48	100.00	65.20
2.44	8.00	60.60	36.58	120.00	67.40
3.05	10.00	61.40	42.67	140.00	53.30
4.27	14.00	62.30	60.96	200.00	38.60
6.10	20.00	69.50	91.44	300.00	17.50
9.14	30.00	74.00	121.92	400.00	18.30
12.19	40.00	76.80	182.88	600.00	11.60
		77.20	243.84	800.00	9.40
					9.94



DEPTH, m (ft)	RESIS.	DEPTH, m (ft)	RESIS.
0.55	1.80	60.58	8.07	26.49	99.88
0.81	2.65	59.44	11.85	38.88	91.43
1.19	3.88	62.06	17.33	57.07	81.23
1.74	5.71	69.90	25.53	83.76	62.50
2.55	8.38	81.08	37.47	122.95	29.65
3.75	12.30	91.62	55.01	180.47	9.00
5.50	18.05	99.57	80.74	264.89	6.13
			99999.00	(99999.00)	9.94

