

FM	LITH	Kcgs	K	LOGK	
Mzsa	GR	0.39		4.901	0.69
Mzsa	GR	0.41		5.152	0.71
Mzsa	GR	0.45		5.655	0.75
Mzsa	GR	0.44		5.529	0.74
Mzsa	GR	0.46		5.781	0.76
Mzsa	GR	0.47		5.906	0.77
Mzsa	GR	0.56		7.037	0.85
Mzsa	GR	0.55		6.911	0.84
Mzsa	GR	0.53		6.660	0.82
Mzsa	GR	0.56		7.037	0.85
Mzsa	SCH	0.58		7.288	0.86
Mzsa	SCH	0.61		7.665	0.88
Mzsa	SCH	0.65		8.168	0.91
Mzsa	SCH	0.61		7.665	0.88
Mzsa	SCH	0.61		7.665	0.88
Mzsa	SCH	0.69		8.671	0.94
Mzsa	SCH	0.72		9.048	0.96
Mzsa	SCH	0.72		9.048	0.96
Mzsa	SCH	0.76		9.550	0.98
Mzsa	SCH	0.74		9.299	0.97
Mzsa	SCH	0.15		1.885	0.28
Mzsa	SCH	0.13		1.634	0.21
Mzsa	SCH	0.12		1.508	0.18
Mzsa	SCH	0.1		1.257	0.10
Mzsa	SCH	0.1		1.257	0.10
Mzsa	SCH	0.05		0.628	-0.20
Mzsa	SCH	0		0.001	-3.00
Mzsa	SCH	0		0.001	-3.00
Mzsa	SCH	0		0.001	-3.00
Mzsa	SCH	0		0.001	-3.00
TKgd	GRD	0.46		5.781	0.76
TKgd	GRD	0.46		5.781	0.76
TKgd	GRD	0.46		5.781	0.76
TKgd	GRD	0.51		6.409	0.81
TKgd	GRD	0.77		9.676	0.99
TKgd	GRD	0.59		7.414	0.87
TKgd	GRD	0.53		6.660	0.82
TKgd	GRD	0.54		6.786	0.83
TKgd	GRD	0.49		6.158	0.79
TKgd	GRD	0.46		5.781	0.76
TKgd	GRD	0.57		7.163	0.86
TKgd	GRD	0.27		3.393	0.53
TKgd	GRD	0.38		4.775	0.68
TKgd	GRD	0.44		5.529	0.74

TKgd	GRD	0.48	6.032	0.78
TKgd	GRD	0.48	6.032	0.78
TKgd	GRD	0.65	8.168	0.91
TKgd	GRD	0.53	6.660	0.82
TKgd	GRD	0.44	5.529	0.74
TKgd	GRD	0.25	3.142	0.50
TKgd	GRD	0.48	6.032	0.78
TKgd	GRD	0.61	7.665	0.88
TKgd	GRD	0.46	5.781	0.76
TKgd	GRD	0.13	1.634	0.21
TKgd	GRD	0.41	5.152	0.71
TKgd	GRD	0.2	2.513	0.40
TKgd	GRD	0.2	2.513	0.40
TKgd	GRD	0.04	0.503	-0.30
TKgd	GRD	0.14	1.759	0.25
TKgd	GRD	0.02	0.251	-0.60
TKgd	GRD	0.51	6.409	0.81
TKgd	GRD	0.25	3.142	0.50
TKgd	GRD	0.26	3.267	0.51
TKgd	GRD	0.13	1.634	0.21
TKgd	GRD	0.41	5.152	0.71
TKgd	GRD	0.19	2.388	0.38
TKgd	GRD	0.32	4.021	0.60
TKgd	GRD	0.7	8.796	0.94
TKgd	GRD	0.18	2.262	0.35
TKgd	GRD	0.17	2.136	0.33
TKgd	GRD	0.15	1.885	0.28
TKgd	GRD	0.43	5.404	0.73
TKgd	GRD	0.4	5.027	0.70
TKgd	GRD	0.41	5.152	0.71
TKgd	GRD	0.51	6.409	0.81
TKgd	GRD	0.49	6.158	0.79
TKgd	GRD	0.32	4.021	0.60
TKgd	GRD	0.29	3.644	0.56
TKgd	GRD	1.1	13.823	1.14
TKgd	GRD	1	12.566	1.10
TKgd	GRD	0.44	5.529	0.74
MzPzum	SPR	5.9	74.142	1.87
MzPzum	SPR	7	87.965	1.94
MzPzum	SPR	7.1	89.221	1.95
MzPzum	SPR	8.8	110.584	2.04
MzPzum	SPR	3.8	47.752	1.68
MzPzum	SPR	3.4	42.726	1.63
MzPzum	SPR	8.4	105.557	2.02
MzPzum	SPR	8.6	108.071	2.03
MzPzum	SPR	4.9	61.575	1.79
MzPzum	SPR	5.3	66.602	1.82
MzPzum	SPR	0.83	10.430	1.02
MzPzum	SPR	1.3	16.336	1.21

MzPzum	SRP	1.5	18.850	1.28
MzPzum	SRP	1.4	17.593	1.25
MzPzum	SRP	2.9	36.442	1.56
MzPzum	SRP	1.4	17.593	1.25
MzPzum	SRP	1.6	20.106	1.30
MzPzum	SRP	1.4	17.593	1.25
MzPzum	SRP	0.96	12.064	1.08
MzPzum	SRP	1.2	15.080	1.18
MzPzum	SRP	1.2	15.080	1.18
Jgd	GRD	0.03	0.377	-0.42
Jgd	GRD	0.01	0.126	-0.90
Jgd	GRD	0.03	0.377	-0.42
Jgd	GRD	0.05	0.628	-0.20
Jgd	GRD	0.04	0.503	-0.30
Jgd	GRD	0.05	0.628	-0.20
Jgd	GRD	0.04	0.503	-0.30
Jgd	GRD	0.05	0.628	-0.20
Jgd	GRD	0.04	0.503	-0.30
Jgd	GRD	0	0.001	-3.00
Jgd	GRD	0.08	1.005	0.00
Jgd	GRD	0.45	5.655	0.75
Jgd	GRD	0.02	0.251	-0.60
Jgd	GRD	0.02	0.251	-0.60
Jgd	GRD	0	0.001	-3.00
Jgd	GRD	0.03	0.377	-0.42
JTrt	MAN	0.05	0.628	-0.20
JTrt	MAN	0.27	3.393	0.53
JTrt	MAN	0.26	3.267	0.51
JTrt	MAN	0.31	3.896	0.59
JTrt	MAN	0.19	2.388	0.38
JTrt	MAN	0.32	4.021	0.60
JTrt	MAN	0.17	2.136	0.33
JTrt	MAN	0.06	0.754	-0.12
JTrt	MAN	0.21	2.639	0.42
JTrt	MAN	0.27	3.393	0.53
JTrt	MAN	0.28	3.519	0.55
JTrt	MAN	0.28	3.519	0.55
JTrt	MAN	0.07	0.880	-0.06
JTrt	MAN	1.1	13.823	1.14
JTrt	MAN	2	25.133	1.40
JTrt	MAN	0.63	7.917	0.90
JTrt	MAN	0.94	11.812	1.07
JTrt	MAN	1.1	13.823	1.14
JTrt	MAN	1.5	18.850	1.28
JTrt	MAN	0.15	1.885	0.28
JTrt	MAN	0.01	0.126	-0.90
JTrt	MAN	0.76	9.550	0.98
JTrt	SS	0.13	1.634	0.21
JTrt	SS	0.09	1.131	0.05

JTrt	SS	0.02	0.251	-0.60
JTrt	SS	0	0.001	-3.00
JTrt	SS	0.67	8.419	0.93
JTrt	SS	0.14	1.759	0.25
JTrt	SS	0.04	0.503	-0.30
JTrt	SS	0.03	0.377	-0.42
JTrt	SS	0.16	2.011	0.30
JTrt	SS	0.01	0.126	-0.90
JTrt	SS	0.09	1.131	0.05
Ti	MFS	0.18	2.262	0.35
Ti	MFS	0.24	3.016	0.48
Ti	MFS	0.23	2.890	0.46
Ti	MFS	0.19	2.388	0.38
Ti	MFS	0.19	2.388	0.38
Ti	MFS	0.18	2.262	0.35
Ti	MFS	0.18	2.262	0.35
Ti	MFS	0.18	2.262	0.35
Ti	MFS	0.16	2.011	0.30
Ti	MFS	0.15	1.885	0.28
Tc	SS	0.05	0.628	-0.20
Tc	SS	0.04	0.503	-0.30
Tc	SS	0.01	0.126	-0.90
Tc	SS	0.02	0.251	-0.60
Tc	SS	0.07	0.880	-0.06
Tc	SS	0.05	0.628	-0.20
Tc	SS	0.02	0.251	-0.60
Tc	SS	0.03	0.377	-0.42
Tc	SS	0.02	0.251	-0.60
Tc	SS	0.03	0.377	-0.42
Tc	SS	0.05	0.628	-0.20
Jgd	GRD	0.98	12.315	1.09
Jgd	GRD	1	12.566	1.10
Jgd	GRD	1.1	13.823	1.14
Jgd	GRD	0.96	12.064	1.08
Jgd	GRD	0.86	10.807	1.03
Jgd	GRD	0.58	7.288	0.86
Jgd	GRD	0.69	8.671	0.94
Jgd	GRD	0.78	9.802	0.99
Jgd	GRD	0.78	9.802	0.99
Jgd	GRD	0.84	10.556	1.02
Jgd	GRD	1.1	13.823	1.14
KTrm	GW	0.01	0.126	-0.90
KTrm	GW	0.04	0.503	-0.30
KTrm	GW	0.05	0.628	-0.20
KTrm	GW	0.04	0.503	-0.30
KTrm	GW	0.04	0.503	-0.30
KTrm	GW	0.05	0.628	-0.20
KTrm	GW	0.05	0.628	-0.20
KTrm	GW	0.05	0.628	-0.20

KTrm	GW	0.05	0.628	-0.20
KTrm	GW	0.03	0.377	-0.42
KTrm	GW	0.04	0.503	-0.30
Tks	SS	0.07	0.880	-0.06
Tks	SS	0.01	0.126	-0.90
Tks	SS	0.01	0.126	-0.90
Tks	SS	0.02	0.251	-0.60
Tks	SS	0.02	0.251	-0.60
Tks	SS	0	0.001	-3.00
Tks	SS	0.02	0.251	-0.60
Tks	SS	0	0.001	-3.00
Tks	SS	0.01	0.126	-0.90
Tks	SS	0.03	0.377	-0.42
Tks	SS	0.03	0.377	-0.42
Tks	SS	0.01	0.126	-0.90
Tks	SS	0.01	0.126	-0.90
Tks	SS	0	0.001	-3.00
Tkb	SS	0	0.001	-3.00
Tkb	SS	0	0.001	-3.00
Tkb	SS	0	0.001	-3.00
Tkb	SS	0.01	0.126	-0.90
Tkb	SS	0.03	0.377	-0.42
Tkb	SS	0.04	0.503	-0.30
Tkb	SS	0.02	0.251	-0.60
Tkb	SS	0.03	0.377	-0.42
Tkb	SS	0.01	0.126	-0.90
Tkb	SS	0.02	0.251	-0.60
Tkb	SS	0.02	0.251	-0.60
Tkb	SS	0.03	0.377	-0.42
Tkb	SS	0	0.001	-3.00
Tkb	SS	0.04	0.503	-0.30
Tkb	SS	0.08	1.005	0.00
Tkb	SS	0.06	0.754	-0.12
Tkb	SS	0.04	0.503	-0.30
Tkb	SS	0.02	0.251	-0.60
Tkb	SS	0.02	0.251	-0.60
Tkb	SS	0.08	1.005	0.00
Tkb	SS	0.03	0.377	-0.42
Tkb	SS	0.04	0.503	-0.30
Tkt	SS	0	0.001	-3.00
Tkt	SS	0.02	0.251	-0.60
Tkt	SS	0.03	0.377	-0.42
Tkt	SS	0.02	0.251	-0.60
Tkt	SS	0	0.001	-3.00
Tkt	SS	0.03	0.377	-0.42
Tkt	SS	0.04	0.503	-0.30
Tkt	SS	0	0.001	-3.00
Tkt	SS	0	0.001	-3.00
Tkt	SS	0	0.001	-3.00

Tkt	SS	0	0.001	-3.00
Tkt	SS	0	0.001	-3.00
Tkt	SS	0.01	0.126	-0.90
Tkt	SS	0	0.001	-3.00
Tkt	SS	0	0.001	-3.00
Tkt	SS	0	0.001	-3.00
Tkt	SS	0	0.001	-3.00
Tkt	SS	0.01	0.126	-0.90
Tkt	SS	0.02	0.251	-0.60
Tkt	SS	0	0.001	-3.00
Tkt	SS	0	0.001	-3.00
Tkh	SS	0.01	0.126	-0.90
Tkh	SS	0.02	0.251	-0.60
Tkh	SS	0	0.001	-3.00
Tkh	SS	0	0.001	-3.00
Tkh	SS	0	0.001	-3.00
Tkh	SS	0	0.001	-3.00
Tkh	SS	0.02	0.251	-0.60
Tkh	SS	0	0.001	-3.00
Tkh	SS	0	0.001	-3.00
Tkh	SS	0.01	0.126	-0.90
Twf	SS	0.04	0.503	-0.30
Twf	SS	0.06	0.754	-0.12
Twf	SS	0.04	0.503	-0.30
Twf	SS	0.01	0.126	-0.90
Twf	SS	0.04	0.503	-0.30
Twf	SS	0.01	0.126	-0.90
Twf	SS	0.02	0.251	-0.60
Twf	SS	0.05	0.628	-0.20
Twf	SS	0.05	0.628	-0.20
Twf	SS	0.02	0.251	-0.60
Km	SH	0.06	0.754	-0.12
Km	SH	0.04	0.503	-0.30
Km	SH	0.03	0.377	-0.42
Km	SH	0.09	1.131	0.05
Km	SH	0.05	0.628	-0.20
Km	SH	0.01	0.126	-0.90
Km	SH	0.03	0.377	-0.42