


Colorado School of Mines Research Institute

May 7, 1980

P.O. BOX 112 • GOLDEN, COLORADO 80401
PHONE (303) 279-2581

CSMRI

	Water gal/ton	Oil gas/ton	Specific Gravity	Gas + Loss
40-41 Hole 2 Box 1 - 40-50	4.35	0.554	0.910	0.363
41-42 " " "	5.25	0.000	-----	0.796
42-43 " " "	7.60	0.076	0.910	0.548
43-44 " " "	6.22	0.000	-----	0.310
44-45 " " "	4.54	0.000	-----	0.585
45-46 " " "	1.41	0.853	0.910	0.854
46-47 " " "	4.13	2.39	0.910	0.526
47-48 " " "	4.04	1.25	0.910	0.119
48-49 " " "	4.38	0.076	0.910	0.452
49-50 " " "	5.98	2.02	0.910	0.384
50-51 Hole 2 Box 2 - 50-60	7.19	1.63	0.910	1.28
51-52 " " "	6.63	0.858	0.910	0.563
52-53 " " "	9.00	0.177	0.910	0.606
52-54 " " "	7.41	0.967	0.910	0.213
54-55 " " "	5.95	2.01	0.910	1.12
55-56 " " "	5.63	1.99	0.910	0.519
56-57 " " "	4.66	1.43	0.910	0.622
57-58 " " "	5.18	1.47	0.910	0.128
58-59 " " "	7.42	5.26	0.910	0.800
59-60 " " "	5.75	11.92	0.920	1.62
60-61 Hole 2 Box 3 - 60-70	6.21	18.56	0.904	1.18
61-62 " " "	5.29	24.97	0.911	1.73
62-63 " " "	4.53	35.20	0.901	2.38
63-74 " " "	7.59	60.94	0.903	5.13
64-65 " " "	3.83	37.06	0.900	3.07
65-66 " " "	3.84	16.23	0.920	2.07



James W. Tecklenburg
Manager,
Analytical Services

U.S.G.S.

Colorado School of Mines Research Institute

May 7, 1980

P.O. BOX 112 • GOLDEN, COLORADO 80401

PHONE (303) 279-2581

CSMRI

				Water gal/ton	Oil gal/ton	Specific Gravity	Gas + Loss
66-67	Hole 2 Box 3	60-70		1.88	14.1	0.910	1.36
67-68	"	"		2.68	18.93	0.908	1.61
68-69	"	"		4.78	10.50	0.896	1.36
69-70	"	"		2.18	7.94	0.910	0.468
70-71	Hole 2 Box 4	70-80		3.64	12.9	0.917	2.16
71-72	"	"		2.56	12.6	0.906	0.899
72-73	"	"		2.86	11.79	0.905	0.516
73-74	"	"		1.66	10.24	0.906	0.397
74-75	"	"		1.91	4.85	0.910	0.348
75-76	"	"		5.96	0.052	0.910	0.000
76-77	"	"		6.03	0.000	----	0.236
77-78	"	"		6.83	0.000	----	0.000
78-79	"	"		7.17	0.051	0.910	0.000
79-80	"	"		3.02	0.382	0.910	0.000
81	Hole 2 Box 5	80-90		4.91	0.026	0.910	0.965
81-82	"	"		5.52	0.000	----	0.998
82-83	"	"		7.34	0.234	0.910	0.208
83-84	"	"		6.07	0.000	----	0.447
84-85	"	"		7.64	0.000	----	0.788
85-86	"	"		1.63	4.30	0.910	0.000
86-87	"	"		0.477	13.09	0.930	1.18
87-88	"	"		0.468	6.55	0.910	1.02
88-89	"	"		0.710	5.38	0.910	0.128
89-90	"	"		2.47	0.000	0.000	0.170

Table 3.--Fischer assay results for core holes WR-1 through WR-7--Continued

U-95					
USGS		W.R.-2	14S 21E 26		
Depth-St	Depth-Ed	Gas + Loss	Oil GPT	Wtr GPT	Oil Spec Grav
40	41	0.3	0.5	4.3	0.910
41	42	0.7	0.0	5.2	0.910
42	43	0.5	0.0	7.6	0.910
43	44	0.3	0.0	6.2	0.910
44	45	0.5	0.0	4.5	0.910
45	46	0.8	0.8	1.4	0.910
46	47	0.5	2.3	4.1	0.910
47	48	0.1	1.2	4.0	0.910
48	49	0.4	0.0	4.3	0.910
49	50	0.3	2.0	5.9	0.910
50	51	1.2	1.6	7.1	0.910
51	52	0.5	0.8	6.6	0.910
52	53	0.6	0.1	9.0	0.910
53	54	0.2	0.9	7.4	0.910
54	55	1.1	2.0	5.9	0.910
55	56	0.5	1.9	5.6	0.910
56	57	0.6	1.4	4.6	0.910
57	58	0.1	1.4	5.1	0.910
58	59	0.8	5.2	7.4	0.910
59	60	1.6	11.9	5.7	0.920
60	61	1.1	18.5	6.2	0.904
61	62	1.7	24.9	5.2	0.911
62	63	2.3	35.2	4.5	0.901
63	64	5.1	60.9	7.5	0.903
64	65	3.0	37.0	3.8	0.900
65	66	2.0	16.2	3.8	0.920
66	67	1.3	14.1	1.8	0.910
67	68	1.6	18.9	2.6	0.908
68	69	1.3	10.5	4.7	0.896
69	70	0.4	7.9	2.1	0.910
70	71	2.1	12.9	3.4	0.917
71	72	0.8	12.6	2.5	0.906
72	73	0.5	11.7	2.8	0.905
73	74	0.3	10.2	1.6	0.906
74	75	0.3	4.8	1.9	0.910
75	76	0.0	0.0	5.9	0.910
76	77	0.2	0.0	6.0	0.910
77	78	0.0	0.0	6.8	0.910
78	79	0.0	0.0	7.1	0.910
79	80	0.0	0.3	3.0	0.910
80	81	0.9	0.0	4.9	0.910
81	82	0.9	0.0	5.5	0.910
82	83	0.2	0.2	7.3	0.910
83	84	0.4	0.0	6.0	0.910
84	85	0.7	0.0	7.6	0.910
85	86	0.0	4.3	1.6	0.910
86	87	1.1	13.0	0.4	0.930
87	88	1.0	6.5	0.4	0.910
88	89	0.1	5.3	0.7	0.910
89	90	0.1	0.0	2.4	0.000