

Seafloor Mapping and Benthic Habitat GIS for Southern California Volume III

Habitat Type

Hard

- Sh(b)d2B{2}
- Sh(b)d2B{3}
- Sh(b)d2D{3}
- Sh(b/c/r)d2B{2}
- Sh(b/c/r)d2C{2}
- Sh(c)d2B{2}
- Sh(c)d2C{2}
- Sh(m)d2C{2}
- Sh(r)d2B{3}
- Sh(r)d2C{3}
- Sh(r)d2E{3}
- Sh(r/b)d2B{2}
- Sh(r/b)d2B{3}
- Sh(r/b)d2C{3}
- Sh(r/c)d2B{3}
- Shd2B{2}
- Shd2B{3}
- Shd2C{2}
- Shd2C{3}
- Shd2D{3}
- Shd2E{3}

Soft

- Ss(m)2C{3}
- Ss(m/s)2B{2}
- Ss(m/s)2B{3}
- Ss(m/s)_fb2B{2}
- Ss(m/s)_fb2B{3}
- Ss(s)2B{2}
- Ss(s)2B{3}
- Ss(s)2C{3}
- Ss(s)_r2B{2}
- Ss2B{2}
- Ss2B{3}
- Ss2D{3}
- Ss2C{2}
- Ss2C{3}

Mixed

- Sm(b/c/m)2C{3}
- Sm(b/c/s)2B{2}
- Sm(b/c/s)2D{3}
- Sm(b/c/s/m)2B{2}
- Sm(b/r)2B{2}
- Sm(b/s)2B{2}
- Sm(c)2B{2}
- Sm(c/b)2B{2}
- Sm(m/r)2B{3}
- Sm(m/r/s)2C{2}
- Sm(m/r/s)2C{3}
- Sm(m/s)2B{3}
- Sm(r)2B{3}
- Sm(r/c)2B{2}
- Sm(r/s/b)2C{3}
- Sm(r/s/m)2B{3}
- Sm(s)2B{2}
- Sm(s)2B{3}
- Sm(s/c)2B{2}
- Sm(s/m)2B{2}
- Sm(s/m)2B{3}
- Sm(s/m)_a2B{3}
- Sm(s/r)2C{3}
- Sm2B{2}
- Sm2B{3}
- Sm2C{3}
- Sm2D{3}
- Sm2E{3}

Anthropogenic

- Sh_a2B{3}
- Sh_a2C{3}
- Sh_a2D{3}
- Sh_a2E{3}
- Sm(c/b)_a2B{3}
- Sm(m/r)_a2B{3}
- Sm(m/s)_a2B{3}
- Sm_a2B{3}
- Sm_a2C{3}
- Sm_a2E{3}
- Ss_a2B{3}

— California Coast Line
— 10 Meter Countour

