



2008

[illegible]

Armstrong, R.L. 1968. Mantled gneiss bodies in the Athol Range, southern Idaho. *Geological Society of America Bulletin*, v. 79, p. 1259-1264.

Armstrong, R.L. 1976. The geochronology of Idaho: Isotrochew West, no. 15, p. 133.

Armstrong, R.L., and Hill, P. 1967. Rhabdium-stromium and strontium-lead geochronological studies of mantled gneiss bodies, Athol Range, southern Idaho, USA. *Earth and Planetary Science Letters*, v. 3, p. 114-124.

Concom, R.R. 1972. Geologic map of the foot quadrangle, Bls Elder County, Utah, and Cassia County, Idaho: U.S. Geological Survey Miscellaneous Publication 1-72, 1:50,000.

Macphete, M.N. 1985. *Clastic maps of the southwestern United States*, in Weide, D.J., and Faber, M.J., eds. *Souls and Quaternary geology of the southwestern United States*: Geological Society of America Special Paper 203, v. 3, p. 1-21.

Wells, J.G., Peters, M.J., and Hildebrand, D.M. 1981. *Geology of the Athol Range, Idaho*. In *Maple Creek and the Athol Range, Idaho: Cretaceous-Paleocene normal fault in the hinterland of the Sevier orogen*. *Journal of Geology*, v. 89, p. 621-632.