


VISUAL CORE DESCRIPTION

Cruise _____ Sta. OSL-dark Core no App18B

Describer Twichell Sta. Location Higgins Shoal

Lithologic log

Detailed Description



grayish green silty clay with scattered shell fragments.

Light brown sandy clay that is more compacted in bottom 10 cm + has some burrows in that interval.

more lithified


grayish green sandy (v fine) clay with scattered shell hash

①

VISUAL CORE DESCRIPTION

Cruise _____ Sta. _____ Core no App 18B

Describer _____ Sta. Location _____



Detailed Description

Orange green sandy clay with scattered shell fragments.

Shell bed (120 - 223 cm) in stiff silty clay matrix. Some intervals of shells may be large burrows. Only one oyster shell fragment at 213cm

VISUAL CORE DESCRIPTION






Cruise _____ Sta. _____ Core no App 18B

Describer _____ Sta. Location _____

Lithologic log

Detailed Description

Cm
200



greyish green silty clay with scattered burrows filled with shell hash & muddy sand

Shell bed in muddy sand matrix. No oyster shells visible.

Whole clam - both valves - *Mercenaria*

razor clam?

Light olive grey (brown) medium sand that is heavily burrowed. Burrows filled with greyish green clay - some shell hash.

Light olive grey (brown) medium sand with greyish green mottles of sand or clay.

③

CH

④


TE

TE

VISUAL CORE DESCRIPTION

Cruise _____ Sta. _____ Core no 18B

Describer _____ Sta. Location _____



Detailed Description

brish green muddy medium sand with shell hash at base

clean med/coarse quartz sand with ~~gas~~ burrows & laminations of gray (rather than white) sand + mud. Some shell fragments in prof unit.

clean med/coarse quartz sand (white color) few burrows - no shells.

398 cm